

Name

Milieu

Designer

Suzanne Tick

Style No.

2001

Collection

Organized Complexity

Use

Upholstery
Wrapped Wall
Panel
Screens

Content

70% Recycled Polyester +
30% Polyester

Abrasion

Wyzenbeek
100,000 double rubs

Environmental

Recycled Content
Fluorine Free Stain
Repellent




Nest 2001-06




Wing 2001-05



Steam 2001-04




Shoal 2001-26




Float 2001-24




Memory 2001-03



Bevy 2001-22



Loft 2001-23



Thunder 2001-02




Paddling 2001-25




Fleet 2001-27




Kettle 2001-01




Leap 2001-07




Spring 2001-12



Parcel 2001-15




Troupe 2001-08




Muster 2001-13




Herd 2001-14




Prickle 2001-11



Fling 2001-17



Bloom 2001-16




Hedge 2001-10




Flamboyance 2001-18



Bazaar 2001-19



Peregrine 2001-09



Rabble 2001-20



Zeal 2001-21

LUUM

Name	_____	Milieu
Style No.	_____	2001
Designer	Suzanne Tick	
Specification	Use: Upholstery/Wrapped Wall/Panel/Screens Content: 90% Recycled Polyester (Post Consumer) + 10% Polyester Weight: 16 oz per linear yard Width: 54" Pattern Repeat: None Directional: Yes	
Finish	Acrylic Backing Fluorine Free Stain Repellent	
Performance	Abrasion: ASTM D4157 Wyzenbeek 100,000 double rubs Breaking Strength: ASTM D5034 Warp 167 lbf, Fill 243 lbf Seam Slippage: ASTM D4034 Warp 100.8 lbf, Fill 104 lbf Colorfastness to Light: AATCC 16, Grade 5 at 40 Hours Colorfastness to Crocking: AATCC 8, Wet Class 5, Dry Class 4-5 Pilling: ASTM D3511 (Brush Pill), Class 5	
Acoustical Rating	Fabric Transparency 0.75, NRC 0.65 tested to ISO 10534-2 standards	
Flame Retardancy	Cal TB 117-2013 ASTM E84 Unadhered Class A or 1	
Maintenance	WS, Clean with either a water-based or solvent-based cleaning agent.	
Environmental	Recycled Content Fluorine Free Stain Repellent	
Origin	Canada	



Canada
877.705.LUUM
luumtextiles.ca

USA
877.705.LUUM
luumtextiles.com

International
919.464.2922
luumtextiles.com

cdn/us/int/09-23

© Luum™ 2023, all rights reserved.

®,™ Trademarks used under license by Luum™, Milieu™

*Certification Marks owned by the Association for Contract Textiles, Inc.

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.

Multiple factors affect fabric durability and appearance retention.

P4-A3-U3-305-SC-2001