LUUM

Name

Scattergraph

Designer

Suzanne Tick

Style No. 4126

Collection

Kinetic Energy

Use Upholstery

Content

36% Polyester, 33% Nylon, 21% Acrylic,


10% Recycled Polyester

Abrasion

Wyzenbeek 100,000 double rubs

Environmental

Heavy Metal Free Recycled Content PFAS Free Stain Repellent







Bright Spot 4126-12



Sizzle 4126-11




Ruby Laser 4126-10





Zing 4126-03



Shocking Pink 4126-09



Razzle 4126-08



Monochrome 4126-02



Blacklight 4126-01



Limelight 4126-05



Absynthe 4126-06



Electric Slide 4126-07

Scattergraph 4126 Style No.

Designer Suzanne Tick

Specification Use: Upholstery

Content: 36% Polyester, 33% Nylon, 21% Acrylic, 10% Recycled Polyester (Post Consumer)

Weight: 14.04 oz per linear yard

Width: 54"

Pattern Repeat: 28.25" Horizontal, 25.50" Vertical

This style is designed to be applied randomly to minimize waste

Directional: Yes

Finish Acrylic Backing

PFAS Free Stain Repellent

Performance Abrasion: ASTM D4157 Wyzenbeek 100,000 double rubs

Adhesion of Coating: ASTM D5034 Warp 183 lbf, Fill 249 lbf

Tear Strength: ASTM D2261 Warp 5.3 lbf, Fill 8.7 lbf

Breaking Strength: ASTM D5034 Warp 88.3 lbf, Fill 91.3 lbf Seam Slippage: ASTM D4034 Warp 64.8 lbf, Fill 87.7 lbf Colorfastness to Light: AATCC 16, Grade 4 at 40 Hours

Colorfastness to Crocking: AATCC 8, Wet Class 5, Dry Class 5 Pilling: ASTM D3511 (Brush Pill), Class 4-5

Flame Retardancy Cal TB 117-2013

Maintenance WS, Clean with either a water-based or solvent-based cleaning agent.

Environmental Heavy Metal Free


Recycled Content

PFAS Free Stain Repellent

Origin

Dye lots may vary slightly from samples shown. Samples shown off the bolt.

A # # **



Graphic shows one full repeat.

Canada

877.705.LUUM luumtextiles.ca

877.705.LUUM

International 919.464.2922

cdn/us/int/09-24

© Luum[™] 2024, all rights reserved.

*Marks used under license by Luum**, Scattergraph**

*Certification Marks owned by the Association for Contract Textiles, Inc.

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.

Multiple factors affect fabric durability and appearance retention.

U6-SC-305-4126