

Name

Soft Static

Designer

Suzanne Tick

Style No.

4118

Collection

Good Vibrations Collection

Use

Upholstery

Content

77% Recycled Polyester

22% Polyester

1% Nylon

Abrasion

Wyzenbeek

102,000 double rubs


Environmental

Recycled Content


Heavy Metal Free

REACH Regulation


Compliant




Desert Wind 4118-02




Whirr 4118-03




Semitone 4118-01




Carrilon 4118-04




Heartbeats 4118-05




Timbre 4118-06



Arpeggio 4118-07



Waterfall 4118-08



Ambient Nature 4118-09

LUUM

Name _____

Soft Static

Style No. _____

4118

Designer Suzanne Tick

Specification Use: Upholstery
Content: 77% Recycled Polyester (Post Consumer), 22% Polyester, 1% Nylon
Weight: 25.52 oz per linear yard
Width: 55.25”
Pattern Repeat: 14” Horizontal, 14.62” Vertical
Directional: Yes

Finish Acrylic Backing

Performance Abrasion: ASTM D4157 Wyzenbeek 102,000 double rubs
Breaking Strength: ASTM D5034 Warp 460 lbf, Fill 460 lbf
Seam Slippage: ASTM D4034 Warp 53 lbf, Fill 91 lbf
Colorfastness to Light: AATCC 16, Grade 4 at 40 Hours
Colorfastness to Crocking: AATCC 8, Wet Class 3, Dry Class 4
Pilling: ASTM D3511 (Brush Pill), Class 4

Flame Retardancy Cal TB 117-2013, NFPA 260, UFAC Class 1

Maintenance S, Clean with a dry cleaning or solvent-based cleaning agent.
Do not use water-based cleaning products.
Bleach Cleanable: 9% (10:1 Ratio), wipe with water after solution.

Environmental Recycled Content
Heavy Metal Free
REACH Regulation Compliant

Origin USA

Dye lots may vary slightly from samples shown. Samples shown off the bolt.



14.62”

Graphic shows one full repeat.

14”

Canada
877.705.LUUM
luumtextiles.ca

USA
877.705.LUUM
luumtextiles.com

International
919.464.2922
luumtextiles.com

cdn/us/int/01-24

© Luum™ 2024, all rights reserved.
*,™ Trademarks used under license by Luum™,Soft Static™
*Certification Marks owned by the Association for Contract Textiles, Inc.
Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.
Multiple factors affect fabric durability and appearance retention.

U6-SC-305-4118