

LUUM

Name

Scale Factor

Designer

Suzanne Tick

Style No.

4088

Use

Upholstery

Content


60% Polyester +
40% Recycled Polyester Face
50% Nylon +
50% Polyester Stitching
100% Polyfill Back

Abrasion

Wyzenbeek
100,000 double rubs

Environmental


Heavy Metal Free
PFOA/PFOS Free
Stain Repellent
Recycled Content




4088-03 Tangent




4088-04 Tensor



4088-05 Matrix



4088-01 Basis



4088-02 Compound

Name _____

Scale Factor

Style No. _____

4088

Designer

Suzanne Tick

Specification

Use: Upholstery
Content: 60% Polyester + 40% Recycled Polyester (Postconsumer) Face
50% Nylon + 50% Polyester Stitching
100% Polyfill Back
Weight: 32.50 ± 1 per linear yard
Embroidered Width: 52"
Pattern Repeat: Horizontal 5.50" Vertical 5.25" Random Match
Directional: Yes

Finish

Face: Stain Repellent
Latex backing

Performance

Abrasion: ASTM D4157 Wyzenbeek 100,000 double rubs
Breaking Strength: ASTM D5034 Warp 345.0 lbf, Fill 504.4 lbf
Seam Slippage: ASTM D4034 Warp 87.0 lbf, Fill 87.2 lbf
Colorfastness to Light: AATCC 16, Grade 5 at 40 Hours
Colorfastness to Crocking: AATCC 8, Wet Class 5, Dry Class 5
Pilling: ASTM D3511 (Brush Pill), Class 5

Flame Retardancy

Cal TB 117-2013

Maintenance

WS, Clean with either a water-based or solvent-based cleaning agent.


Environmental

Heavy Metal Free
PFOA/PFOS Free Stain Repellent
Recycled Content

Origin

USA

Dye lots may vary slightly from samples shown. Samples shown off the bolt.



Canada

877.705.LUUM
luumtextiles.ca

USA

877.705.LUUM
luumtextiles.com

International

919.464.2922
luumtextiles.com

cdn/us/int/02-21

© Luum™ 2021, all rights reserved.
*,™ Trademarks used under license by Luum™, Scale Factor™
*Certification Marks owned by the Association for Contract Textiles, Inc.

U14-SC-305-4088