LUUM Formwork

Name

Formwork

Designer

Suzanne Tick

Style No.

4102

Collection

Fabric of Space

Upholstery Wrapped Wall Panel Screens

Content

51% Recycled Polyester + 49% Polyester

Abrasion

Wyzenbeek 100,000 double rubs

Special Characteristics

Bleach Cleanable

Environmental

Recycled Content Heavy Metal Free PFOA/PFOS Free Stain Repellent





Pearl Ash 4102-05

Candela 4102-06








Kiln 4102-07





Elixir 4102-11





Distill 4102-08



Opal 4102-04



Selenite 4102-03



Lead 4102-02



Metallurgy 4102-01



Precipitant 4102-12

Formwork

4102 Style No.

Designer Suzanne Tick

Specification

Use: Upholstery/Wrapped Wall/Panel/Screens Content: 51% Recycled Polyester (Postconsumer) + 49% Polyester Weight: 15 oz per linear yard

Width: 54"

Pattern Repeat: Horizontal 13.5" Vertical 13.5" Random Match

Directional: Yes

Finish Acrylic Backing Stain Repellent

Performance Abrasion: ASTM D4157 Wyzenbeek 100,000 double rubs

Breaking Strength: ASTM D5034 Warp 110 lbf, 92 Fill lbf Seam Slippage: ASTM D4034 Warp 50 lbf, Fill 45 lbf Colorfastness to Light: AATCC 16, Grade 4 at 40 Hours Colorfastness to Crocking: AATCC 8, Wet Class 5, Dry Class 5

Pilling: ASTM D3511 (Brush Pill), Class 4

Cal TB 117-2013, UFAC Class 1 Flame Retardancy ASTM E84 Unadhered Class A or 1

Maintenance WS, Clean with either a water-based or solvent-based cleaning agent.

Bleach Cleanable: 10% (9:1 Ratio), wipe with water after solution.


Environmental Recycled Content Heavy Metal Free

PFOA/PFOS Free Stain Repellent

Origin

Dye lots may vary slightly from samples shown. Samples shown off the bolt.





Graphic shows one full repeat.

Canada 877.705.LUUM luumtextiles.ca

877.705.LUUM luumtextiles.com International 919.464.2922 luumtextiles.com

cdn/us/int/05-22

© Luum[™] 2022, all rights reserved.

 $^{\circ}$, $^{\text{\tiny{TM}}}$ Trademarks used under license by Luum $^{\text{\tiny{TM}}}$, Formwork $^{\text{\tiny{TM}}}$

, **Certification Marks owned by the Association for Contract Textiles, Inc.

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.

U4-SC-305-4102