LUUM Melange Check

Name

Melange Check

Designer

Suzanne Tick

Style No.

4100

Collection

Shared Ground

Use

Upholstery

Content

51% Recycled Wool + 39% Recycled Acrylic + 10% Recycled Polyester (Presonsumer & Postconsumer)

Abrasion

Martindale 110,000 cycles


Environmental

Recycled Content Heavy Metal Free Renewable Content REACH Regulation Compliant





Bisque 4100-02



Cobblestone 4100-01



Soda Fired 4100-03




Goldspeck 4100-04




Pink Kaolin 4100-05




Brick Dust 4100-06



Vapor Glaze 4100-08



Alkaline 4100-07



Greenware 4100-10



Faience Blue 4100-09

Melange Check Name

4100 Style No.

Designer Suzanne Tick

Specification Use: Upholstery

Content: 51% Recycled Wool + 39% Recycled Polyester + 10% Recycled Polyester

(Preconsumer & Postconsumer)

Weight: 21.92 oz per linear yard

Width: 55'

Pattern Repeat: Horizontal 6" Vertical 7" Random Match

Directional: Yes

Finish Acrylic Backing

Performance Abrasion: ASTM D4966 Martindale 110,000 cycles

Breaking Strength: ASTM D5034 Warp 91.5 lbf, Fill 88.5 lbf Seam Slippage: ASTM D4034 Warp 47.4 lbf, Fill 47.6 lbf Colorfastness to Light: AATCC 16, Grade 5 at 40 Hours Colorfastness to Crocking: AATCC 8, Wet Class 4, Dry Class 5

Pilling: ASTM D3511 (Brush Pill), Class 3

Flame Retardancy Cal TB 117-2013

S, Clean with a dry cleaning or solvent-based cleaning agent. Maintenance

Do not use water-based cleaning products.

Recycled Content **Environmental**


Heavy Metal Free Renewable Content

REACH Regulation Compliant

Origin

Wool is a natural product.

Dye lots may vary slightly from samples shown. Samples shown off the bolt.



Graphic shows one full repeat.

Canada 877.705.LUUM luumtextiles.ca

USA 877.705.LUUM luumtextiles.com International 919.464.2922 luumtextiles.com

cdn/us/int/02-22

© $Luum^{TM}$ 2022, all rights reserved.

™ Trademarks used under license by Luum™, Melange Check™ *Certification Marks owned by the Association for Contract Textiles, Inc.

U9-SC-305-4100