

update summary

Please be advised that information has been updated within the Expansion Casegoods Price & Application Guide. To highlight these updates, a summary has been created for your reference.

new products

The following NEW products are now available and have been added to all relevant pages:

- Table Desk with Full Modesty Open Frame Legs (B_MFWO)
- Fixed Extended Tapered Peninsula Mid-Height (BF_MR)
- Run-Off Worksurface High Secondary Desk (B_MHH)
- Full Modesty Height-Adjustable Desk Offset Bases (BF_F)
- Full Modesty Height-Adjustable Run-Off Offset Base (BF_R)
- Full Modesty Height-Adjustable Extended Run-Off Offset Base (BF_E)
- Full Modesty Height-Adjustable L-Shape Run-Off Offset Base (BF_L)
- Full Modesty Height-Adjustable Desk for U-Shape Workstation Offset Bases (BF_U)
- Height-Adjustable Rectangular Worksurface (BH_RL)
- Cross Grain Height-Adjustable Rectangular Worksurface (BH_RC)
- Height-Adjustable Peninsula Bevel Post Leg (BH_RP)
- Height-Adjustable Tapered Peninsula Bevel Post Leg (BH_TP)
- Height-Adjustable Extended Tapered Peninsula Bevel Post Leg (BH_PE)
- Secondary Desk Height-Adjustable Peninsula (BH_SB)
- Stow(Away) Drawer (BADF)
- Box Drawer Organizers (BAWO)
- Seat Cushion Fabric (BASFC)
- Seat Pad Felt (BASEP)
- Overhead Cabinet Solid Hinged Doors (BOSH)
- Overhead Cabinet Glass Hinged Doors (BOGH)
- Overhead Cabinet Solid Flipper Door(s) (BOSF)
- Overhead Cabinet Solid Sliding Doors (BOSS)
- Overhead Cabinet Glass Sliding Doors (BOGS)
- Overhead Cabinet Solid Overlay Sliding Doors (BOSOS)
- Overhead Cabinet Glass Overlay Sliding Doors (BOSOG)
- Overhead Cabinet Open (BOCOL)
- Double Overhead Cabinet Solid Hinged Doors (BODSH)
- Double Overhead Cabinet Glass Hinged Doors (BODGH)
- Double Overhead Cabinet Solid Overlay Sliding Doors (BODSS)
- Double Overhead Cabinet Glass Overlay Sliding Doors (BODGS)
- Double Overhead Cabinet Open (BODOL)
- Wall-Mounted Tackboard Fabric (BOWF)
- Wall-Mounted Tackboard Felt (BOWE)
- Wall Panel for Overhead Cabinet (B_WCC)
- Wall Panel for Overhead Cabinet and Shelf (B_WCO)
- Wall Panel (B_WAA)
- Wall Panel for Solid Shelves (B_WOO)
- Wall Panel for Media (B_WMD)
- Wall Panel for Media and Shelves (B_WMO)

Please be advised that information has been updated within the Expansion Casegoods Price & Application Guide. To highlight these updates, a summary has been created for your reference.

new products (continued)

The following NEW products are now available and have been added to all relevant pages:

- Wall Panel for Metal Accessory Shelves (B_WMM)
- Solid Shelf for Wall Panel (BAWSS)
- Solid Display Shelf for Wall Panel (BAWDS)
- Side Filler for Wall Panel (BAWPF)
- Fabric Tackboard Wall Panel Mounted (BAWAT)
- Felt Tackboard Wall Panel Mounted (BAWAE)
- Glass Markerboard Wall Panel Mounted (BAWAM)
- Tray for Markerboard (BACT)
- Mid-Height Credenza Open and Drawers (BSMFL)
- Shelf for Storage Cabinet (BSHS)
- Shelf for Towers (BSHT)
- Shelf for Bookcase (1-in) (BSHB)
- Workwall Kneespace Module Height-Adjustablity (BHKHW)
- Workwall Kneespace Module Full-Modesty Height-Adjustable Run-Off (BHKHM)
- Workwall Kneespace Module Full-Modesty Height-Adjustable Extended or "L" Run-Off (BHKHL)
- Workwall Kneespace Module Height-Adjustablity and Fixed Worksurface (BHKHF)
- Workwall Kneespace Module Fixed Worksurface (BHKFW)
- Workwall Kneespace Module Full-Modesty Fixed Run-Off (BHKFR)
- Workwall Bookcase Mid 21" h (BSMO)
- Workwall Bookcase Fixed Worksurface Mid 21" h (BSMOBW)
- Workwall Bookcase Height-Adjustable Worksurface Mid 21" h (BSMOBH)
- Workwall Bookcase Integral Top 29" h Cross Grain (BSOBC)
- Workwall Cabinet Mid 21" h (BSMD)
- Workwall Cabinet Integral Top 29" h Cross Grain (BSDC)
- Workwall Lateral Files Integral Top 29" h Cross Grain (BSLFC)
- Workwall Stretch Pedestal Mid 21" h (BSMSSP)
- Workwall Stretch Pedestal Integral Top 29" h (BSPT)
- Workwall Stretch Pedestal Integral Top 29" h Cross Grain (BSPC)
- Workwall Credenza with Cabinet and Drawers Mid 21" h (BSMCD)
- Workwall Credenza with Open and Drawers Mid 21" h (BSMOD)
- Workwall Credenza with Open and Drawers Fixed Worksurface Mid 21" h (BSMWL)
- Workwall Credenza with Open and Drawers Height-Adjustable Run-Off Mid 21" h (BSMHLR)
- Workwall Credenza with Open and Drawers Height-Adjustable Peninsula Mid 21" h (BSMHDP)
- Workwall Credenza for Media with Open and Drawers Mid 21" h (BSMDOD)
- Workwall Credenza with Open and Combo Height-Adjustable Peninsula Mid 21" h (BSMHCP)
- Rectangular Conference Table Blade T-Legs (BC_CRTB)
- Height-Adjustable Rectangular Meeting Peninsula (B_HRW)
- Height-Adjustable D-Shape Meeting Peninsula (B_HDW)

Please be advised that information has been updated within the Expansion Casegoods Price & Application Guide. To highlight these updates, a summary has been created for your reference.

new products (continued)

The following NEW products are now available and have been added to all relevant pages:

- Height-Adjustable Tapered Meeting Peninsula (B_HBW)
- Height-Adjustable Diamond Meeting Peninsula (B_HPW)
- Fixed Rectangular Meeting Peninsula (BC_FR)
- Fixed D-Shape Meeting Peninsula (BC_FD)
- Fixed Tapered Meeting Peninsula (BC_FT)
- Fixed Diamond Meeting Peninsula (BC_FP)
- Gable for Fixed Meeting Peninsula (BC_G)
- Linear LED Light (BLEDD)
- Support for Linear LED Light Wall Panel (BLEDW)
- Support for Linear LED Light Overhead (BLEDS)
- Duo Grommet Square (BLGQX)

delisted products

The following products have been DELISTED and therefore, removed from all relevant pages:

- Table Desk with Glass Top (BGMTT)
- Run-Off Worksurface High Secondary Desk (B_MPH)
- Height-Adjustable Meeting Peninsula Bevel Post Leg (BH_MT)
- Seat Cushion Fabric (BASC)
- Seat Pad Felt (BASPE)
- Cubic Tower with Solid Doors Low Secondary Desk Mounted (BCLL)
- Cubic Tower with Glass Doors Low Secondary Desk Mounted (BCLG)
- Cubic Open Tower with Solid Doors Low Secondary Desk Mounted (BCLOO)
- Cubic Tower with Solid Doors High Secondary Desk Mounted (BCHL)
- Cubic Tower with Glass Doors High Secondary Desk Mounted (BCHG)
- Cubic Open Tower with Solid Doors High Secondary Desk Mounted (BCHOO)
- Overhead Cabinet Solid Hinged Doors (BOCL)
- Overhead Cabinet Glass Hinged Doors (BOCG)
- Overhead Cabinet Solid Flipper Door(s) (BOFL)
- Overhead Cabinet Solid Sliding Doors (BOSL)
- Overhead Cabinet Glass Sliding Doors (BOSG)
- Overhead Cabinet Solid Overlay Sliding Doors (BOCSS)
- Overhead Cabinet Glass Overlay Sliding Doors (BOCSG)
- Overhead Cabinet with Solid Shelf Open (BOCLO)
- Cubic Overhead Cabinet Solid Hinged Doors (BOKL)
- Cubic Overhead Cabinet Glass Hinged Doors (BOKG)
- Wall-Mounted Tackboard with Wire Management Solid Hinged Doors (BOWTW)
- Wall-Mounted Tackboard (BOWTS)
- Wall-Mounted Tackboard Felt (BOWTE)
- Wall Panel for Overhead Cabinet (B_WPO)

Please be advised that information has been updated within the Expansion Casegoods Price & Application Guide. To highlight these updates, a summary has been created for your reference.

delisted products (continued)

The following products have been DELISTED and therefore, removed from all relevant pages:

- Wall Panel (B_WPA)
- Wall Panel for Open Shelves (B_WPL)
- Wall Panel for Metal Accessory Shelves (B_WPM)
- Light Shelf for Wall Panel (BBAS)
- Fabric Tackboard Wall Panel Mounted (BBWAT)
- Felt Tackboard Wall Panel Mounted (BBWAE)
- Glass Markerboard Wall Panel Mounted (BBWAM)
- Porcelain Markerboard Wall Panel Mounted (BBWAP)
- Standard Wall Cabinet Solid Doors (BWSD)
- Standard Wall Cabinet Glass Doors (BWSDG)
- Standard Wall Cabinet Open (BWSO)
- Accessory Panel for Standard Wall Cabinet (BWLT)
- Tackboard Accessory Panel Mounted (BWAT)
- Personal Organizers (PAX)
- Pigeonhole (BOHP)
- Mid-Height Credenza Open and Drawers (BSMLF)
- Freestanding Cubic Tower with Solid Doors (BFCL)
- Freestanding Cubic Tower with Glass Doors (BFCG)
- Freestanding Cubic Tower with Solid and Glass Doors (BFCX)
- Shelf for Storage Cabinet (BSHE)
- Mid-Height Credenza for Height-Adjustable Run-Off Open and Drawers (BSMLHR)
- Height-Adjustable Rectangular Meeting Peninsula Unit (B_HR)
- Height-Adjustable D-Shape Meeting Peninsula Unit (B_HD)
- Height-Adjustable Tapered Meeting Peninsula Unit (B_HB)
- Height-Adjustable Diamond Meeting Peninsula Unit (B_HP)
- Rectangular Peninsula for Media Wall (BC_PR)
- D-Shape Peninsula for Media Wall (BC_PD)
- Tapered Peninsula for Media Wall (BC_PT)
- Diamond Peninsula for Media Wall (BC_PP)
- High D-Shape Peninsula for Media Wall (BC_SD)
- High Tapered Peninsula for Media Wall (BC_ST)
- High Diamond Peninsula for Media Wall (BC_SP)
- Rectangular Meeting Table with Glass Top (BCGMR)
- Square Meeting Table with Glass Top (BCGMC)
- Coffee Table with Glass Top (BCGCT)
- Wall-Mounted Display Board Tackable (BAWDT)
- Linear LED Light (BLED)

Please be advised that information has been updated within the Expansion Casegoods Price & Application Guide. To highlight these updates, a summary has been created for your reference.

deleted products

The following products have been DELETED and therefore, removed from all relevant pages:

- Height-Adjustable Rectangular Worksurface (BH_WB)
- Cross Grain Height-Adjustable Rectangular Worksurface (BH_CB)
- Height-Adjustable Peninsula Bevel Post Leg (BH_PP)
- Height-Adjustable Tapered Peninsula Bevel Post Leg (BH_PT)
- Height-Adjustable Extended Tapered Peninsula Bevel Post Leg (BH_EP)
- Secondary Desk Height-Adjustable Peninsula (BH_SP)
- Mid-Height Kneespace Module for Height-Adjustablity (BHKHA)
- Mid-Height Kneespace Module for Height-Adjustablity and Fixed Run-Off (BHKFH)
- Mid-Height Credenza for Fixed Worksurface Open and Drawers (BSMLFW)
- Mid-Height Credenza for Height-Adjustable Peninsula Open and Drawers (BSMLHP)
- Mid-Height Credenza for Height-Adjustable Peninsula Open Combo (BSMCHP)
- Cabinet Adapter for Universal Light (BLSA)

revised products

The 1 3/16" Knife Edge (V) Worksurface Thickness and Full Knife Trim (F) Edge Trim Style have to be added on the following products:

- Rectangular Table (B_RTD)
- Fixed Run-Off Mid-Height (BM_R)
- Height-Adjustable L-Shape Peninsula Bevel Post Leg (BH_L)
- Height-Adjustable Conference Table Panel Bases (BC_CHP)
- Rectangular Conference Table Panel Bases (BC_CRP)
- Rectangular Conference Table Cubic Bases (BC_CRK)
- Rectangular Conference Table Blade Legs (BC_CRLB)
- Workshop Conference Table (BC_CWA)
- Height-Adjustable Meeting Table Bevel Bases (BC_MHRB)
- Rectangular Meeting Table Panel Bases (BC_MRP)
- Rectangular Meeting Table Blade Legs (BC_MRLB)
- Rectangular Meeting Table Blade T-Legs (BC_MRTB)
- Rectangular Team Table Blade T-Legs (BC_TRTB)
- Workshop Meeting Table (BC_MWA)
- Square Meeting Table Cubic Bases (BC_MSK)
- Square Meeting Table Blade Legs (BC_MSLB)
- Square Meeting Table Blade Star Base (BC_MSSB)
- Square Meeting Table Four-Point Base (BC_MSF)

1" Worksurface Thickness (D) and Source Laminate Worksurface Finish have been removed on the following products:

- Overlapping Bridge High Secondary Desk (B_MBH)
- Run-Off Worksurface Low Secondary Desk (B_MPL)
- Overlapping Bridge Low Secondary Desk (B_MBL)
- Run-Off Worksurface with End Support Low Secondary Desk (B_MPG)
- Overlapping Bridge with End Support Low Secondary Desk (B_MBG)
- Secondary Desk (B_MSD)

Please be advised that information has been updated within the Expansion Casegoods Price & Application Guide. To highlight these updates, a summary has been created for your reference.

revised products (continued)

1" Worksurface Thickness (D) and Source Laminate Worksurface Finish have been removed on the following products:

- Table Desk Open Frame Legs (B_MDWO)
- Table Desk Frame Legs (B_MDWF)
- Primary Desk for U-Shape Configuration (B_MDG)
- Primary Peninsula Desk for U-Shape Configuration (B_MDS)
- Main Worksurface with Two Gables Reception Desk (B_CWG)
- Main Worksurface with One Gable Reception Desk (B_CWL)
- Main Worksurface Reception Desk (B_CWU)
- Cross Grain Return Reception Desk (B_CWR)

Dual Square Post Legs (S) option has been removed on Support Style, on the following product:

- Run-Off with Glass Top High Secondary Desk (BGMTH)
- Run-Off with Glass Top Low Secondary Desk (BGMTL)

The Straight Trim (6) and/or Full Knife Trim (8) Edge Trim Style have to be added on the following product:

- Secondary Desk (B_MSD)
- Secondary Desk Height-Adjustable Run-Off or U-Shape (BH_SR)
- Top for Solid Storage (B_STR)

Depth, Width or Height Dimensions have been added on the following products:

- Fixed Extended Tapered Peninsula Mid-Height (BM_EP)
- Height-Adjustable L-Shape Peninsula Bevel Post Leg (BH_L)
- Height-Adjustable L-Shape Tapered Peninsula Bevel Post Leg (BH_LT)
- Tower with Full Solid Door High Secondary Desk Mounted (BRHL)
- Tower with Full Glass Solid Door High Secondary Desk Mounted (BRHG)
- Open Tower High Secondary Desk Mounted (BRHO)
- Mobile Pedestal (BSPMS)
- Open Tower (BCFSO)
- Tower with Full Solid Door (BFRL)
- Tower with Full Glass Door (BFRG)
- Tower with with Drawers Solid Doors (BFDS)
- Tower with with Drawers Open Shelves (BFDOS)
- Half-Wardrobe Unit Glass Doors (BSCWG)
- Bookcase (BSOB)
- Top for Solid Storage (B_STR)
- Workwall Credenza with Open and Combo Height-Adjustable Run-Off Mid 21" h (BSMCHR)
- Stretch Pedestal Secondary Desk (BSSP)
- Rectangular Meeting Table Blade Legs (BC_MRLB)
- Round Meeting Table Cubic Bases (BC_MOK)

Please be advised that information has been updated within the Expansion Casegoods Price & Application Guide. To highlight these updates, a summary has been created for your reference.

revised products (continued)

Depth, Width or Height Dimensions have been removed on the following products:

- Run-Off with Glass Top High Secondary Desk (BGMTH)
- Run-Off with Glass Top Low Secondary Desk (BGMTL)
- Height-Adjustable L-Shape Run-Off Bevel Base (BH_LB)
- Height-Adjustable L-Shape Peninsula Bevel Post Leg (BH_L)
- Height-Adjustable L-Shape Tapered Peninsula Bevel Post Leg (BH_LT)
- Mid-Height Stretch Pedestal (BSMPS)

The following products were previously in the Desk Acessories section and are now in the Lighting, Electrics, Communications section:

- Rectangular Grommet (BLGC)
- Elliptical Grommet (BLGE)

A Drawer Configuration (Box, File (A)) has been added on the following product:

• Mobile Pedestal (BSPMS)

The Black (E) finish is replaced by Ebony (52) finish on the following product:

• Hang-On Kit (BXHK)

The following products were previously in the Freestanding Storage section and are now in the Workwall Storage section, and with new description:

- Workwall Bookcase Integral Top 29" h (BSOBT)
- Workwall Cabinet Integral Top 29" h (BSCT)
- Workwall Lateral Files Integral Top 29" h (BSLFT)

The Storage for Multi-Level Workstations section is now the Storage for Secondary Desks section.

The following products were previously in the Storage for Multi-Level Workstations section and are now in the Workwall Storage section, and with new description:

- Workwall Credenza with Open and Combo Fixed Worksurface Mid 21" h (BSMCFW)
- Workwall Credenza with Open and Combo Height-Adjustable Run-Off Mid 21" h (BSMCHR)

The End – 1" thick Secondary Desk (D) option have been removed on the following products:

• Stretch Pedestal – Secondary Desk (BSSP)

• Storage Cabinet – Secondary Desk (BSSD)

- Lateral File Secondary Desk (BSSL)
- Bookcase Secondary Desk (BSSO)

Service Representative.

- Multi-Functional Storage Secondary Desk (BSSM)
- Recycling/Waste Cabinet Secondary Desk (BSSRW)






WHAT IS EXPANSION CASEGOODS? 1	2
INDEX	2
APPLICATION GUIDE	1
PRICE & PRODUCT GUIDE53	5


expansion casegoods workstation typicals


The following examples demonstrate the versatility of Expansion Casegoods to create various workstation styles. Expansion Casegoods workstations are typically planned as Standard Product Based, High Secondary Desk Based or Low Secondary Desk Based and Workwall Storage Based.


small workstations

Standard Product Based












- This L-Shaped configuration can be created with a combination of a High Secondary Desk and a Run-Off Worksurface (height-adjustable worksurfaces are also applicable)
- The High Secondary Desk provides support for a Run-Off Worksurface High Secondary Desk and for a Wall Panel for Overhead Cabinet
- The Wall Panel for Overhead Cabinet provides mounting for a Overhead Cabinet and a Tackboard Wall Panel Mounted
- The Storage for Secondary Desk provides additional storage and support for the High Secondary Desk
- A Low Secondary Desk is also available.




- This L-Shape configuration can be created with a combination of a Workwall Kneespace Module – Full-Modesty Height-Adjustable Extended or "L" Run-Off and a Full-Modesty Height-Adjustable Extended Run-Off – Offset Base
- The Workwall Kneespace Module provides support for the Full-Modesty Height-Adjustable Extended Run-Off – Offset Base and a Wall Panel for Solid Shelves
- The Wall Panel for Solid Shelves provides mounting for a Solid Shelf for Wall Panel and a Tackboard – Wall Panel Mounted
- The Workwall Credenza with Cabinet and Drawers provides additional storage and recycling/waste bins. Can also support a Wall Panel for Overhead Cabinet
- The Wall Panel for Overhead Cabinet provides support for a Overhead Cabinet and Markerboard Wall Panel Mounted
- A Height-Adjustable Worksurface is also available.








medium workstations

Standard Product Based










- This U-Shaped configuration can be created with a combination of a Credenza, Rectangular Bridge and Peninsula Desk with Half Modesty
- The Standard Hutch mounted on a preconfigured desk provides storage above the worksurface
- This T-Shaped configuration can be created with a combination of a High Secondary Desk and a Run-Off Worksurface (height-adjustable worksurfaces are also applicable)
- The High Secondary Desk provides support for a Run-Off Worksurface High Secondary, a Wall Panel for Overhead Cabinet and a Wall Panel for Solid Shelves
- The Wall Panel for Overhead Cabinet provides mounting for a Overhead Cabinet and a Tackboard Wall Panel Mounted
- The Storage for Secondary Desk provides additional storage and support for the High Secondary Desk
- This T-Shaped configuration can be created with a combination of a Low Secondary Desk Height-Adjustable Peninsula and a Height-Adjustable Tapered Peninsula
- The Low Secondary Desk provides support for a Wall Panel and Height-Adjustable Tapered Peninsula
- The Wall Panel provides mounting for a Tackboard Wall Panel
- The Storage for Secondary Desk provides additional storage and support for the Low Secondary Desk
- A Run-Off Worksurface with End Support is also available and can be used without Wall Panel as it mounts directly on the rear edge of a Low Secondary Desk




- This T-Shaped configuration can be created with a combination of a Workwall Kneespace Module – Full-Modesty Height-Adjustable Run-Off and a Full-Modesty Height-Adjustable Run-Off – Offset Base
- The Workwall Kneespace Module provides support for a Full-Modesty Height-Adjustable Run-Off and a Wall Panel for Solid Shelves
- The Workwall Credenza with Cabinet and Drawers provides additional storage and recycling/waste bins. Can also support a Wall Panel for Overhead Cabinet
- The Wall Panel for Overhead Cabinet provides support for a Overhead Cabinet and Tackboard Wall Panel Mounted
- The Workwall Lateral Files Integral Top provides additional storage and support a Wall Panel for Solid Shelves
- The Wall Panels for Solid Shelves provide mounting for a Solid Shelf for Wall Panel Mounted


expansion casegoods workstation typicals (continued)

large workstations


Standard Product Based




- This large managerial station can be created with a combination of a Rectangular Executive Desk and a Credenza
- The Double Tower Hutch mounted on a credenza provides storage above the credenza
- The small meeting table can be added for collaborative meetings




- This large managerial station can be created with a combination of a Fixed-Height Desk – Bevel Bases and a High Secondary Desk (a Height-Adjustable Desk is also applicable)
- The High Secondary Desk can be used for desk work and provides support for a Wall Panel for Solid Shelves and Mounted Towers
- The Wall Panel for Solid Shelves provides mounting for a Solid Display Shelf for Wall Panel
- The Storage for Secondary Desk provides additional storage and support for the High Secondary Desk



- This managerial station in U-Shaped configuration can be created with a combination of a Primary Peninsula Desk, a Overlapping Bridge and a Low Secondary Desk (a Height-Adjustable Desk for U-Shape Workstation is also applicable)
- The Low Secondary Desk provides a support for a Wall Panel for Overhead Cabinet and a Mounted Tower
- The Wall Panel for Overhead Cabinet with Power Bar provides power and data above the worksurface and supports the Overlapping Bridge
- The Storage for Secondary Desk provides additional storage and support for the Low Secondary Desk
- A Overlapping Bridge with End Support is also available and can be used without Wall Panel as it mounts directly on the rear edge of a Low Secondary Desk





- This large managerial station can be created with a combination of a Full-Modesty Fixed Run-Off and a Workwall Credenza with Cabinet and Drawers and a Workwall Bookcase (a Height-Adjustable Desk is also applicable)
- The Workwall Credenza and Bookcase can be used for support a Wall Panel for Solid Shelves and a Wall Panel for Overhead Cabinet
- The Wall Panel for Solid Shelves provides mounting for a Solid Shelf for Wall Panel and a Linear LED Light with support
- The Wall Panel for Overhead Cabinet provides mounting for a Double Overhead Cabinet


expansion casegoods workstation typicals (continued)

The following examples demonstrate the versatility of Expansion Casegoods to create various conference rooms. Expansion Casegoods boardrooms are typically planned as Standard, Height-Adjustable Meeting/Conference Tables, Fixed or Height-Adjustable Meeting Peninsulas.


boardrooms

Conference Table


Meeting Peninsula



- This boardroom can be created with a combination of a Height-Adjustable Meeting Table, Workwall Credenzas for Media with Open and Drawers and Double Overhead Cabinets
- Workwall Credenzas provide support for Wall Panels for Overhead Cabinets and Shelves
- The Wall Panels provide mounting for Double Overhead Cabinets and Solid Shelves for Wall Panel
- The table with Power Pill facilitates the accessibility of power and communication outlets above the worksurface
- Wall-Mounted Whiteboard provides a writable work tool



- This boardroom can be created with a combination of a Rectangular Conference Table with Panel Bases, a Workwall Bookcase, a Workwall Stretch Pedestal and a Workwall Cabinet
- The Workwall Stretch Pedestal and Workwall Cabinet provide support for Wall Panels for Solid Shelves
- The Workwall Bookcase provides support for Wall Panel for Media and Shelves
- The Wall Panel for for Solid Shelves provides mounting for a Solid Display Shelf for Wall Panel and Tackboard – Wall Panel Mounted and a Markerboard – Wall Panel Mounted
- The Wall Panel for Media and Shelves provides mounting for a Solid Display Shelf for Wall Panel and a TV Monitor Mount




- This boardroom can be created with a combination of a Workwall Credenza for Media with Open and Drawers and a Fixed Meeting Peninsula (Height-Adjustable Meeting Peninsula is also applicable)
- The Workwall Credenza for Media with Open and Drawers provides support for a Fixed Meeting Peninsula
- The Fixed Meeting Peninsula provides mounting for a TV Stand Meeting Peninsula with TV Monitor Stand Mount

how to specify expansion casegoods standard products

Step 1: Select Returns, Credenzas, Desks, Tables & Supports

A broad selection of returns, credenzas, desks, tables and support components are available




Step 2: Select Mounted Storage & Accessories

A broad range of mounted storage products are available to complement a station

- Three mounting styles are allowed:

- Freestanding Mounted Storage
 Wall Panel Mounted
 Wall-Mounted (directly on building wall)




Freestanding Mounted Storage Style



Wall Panel Mounted Style

· Can be specified with a Wall Panel for Overhead Cabinet (mandatory) and Overhead Cabinet




Wall-Mounted Style

· Can be specified with a Wall-Mounted Tackboard (optional)


Step 3: Select Freestanding Storage & Accessories

A broad range of freestanding storage products are available to complement a station



Step 4: Select Lighting, Electrics & Communications

Integrated wire management capabilities offer easy user access and clean aesthetics. Other components are available in the Ligthing, Electrics & Communications section



how to specify expansion casegoods fixed-height multi-level workstation (continued)

Step 1: Select Secondary Desks, Worksurfaces for Secondary Desks & Supports or select Mid-Height Credenza for Fixed Worksurface, Fixed Worksurfaces – Mid-Height & Supports

Secondary Desks:

- High (Shown) or Low Secondary Desk can be specified
- Four worksurfaces are available for Secondary Desks:
- Run-Off Worksurface High (Shown) or Low Secondary Desk
- Overlapping Bridge connected to a U-Shape desk- High or Low Secondary Desk
- Run-Off Worksurface with End Support Low Secondary Desk
- Overlapping Bridge with End Support Low Secondary Desk


Workwall Credenza:

- Two Workwall Credenza can be specified:
- Mid-Height Credenza for Fixed Worksurface Open and Drawers
- Mid-Height Credenza for Fixed Worksurface Open Combo
- Two worksurfaces are available for Mid-Height Credenza:
- Fixed Run-Off Mid-Height
- Fixed Extended Tapered Peninsula Mid-Height
- Supports and modesty panels can be selected in the Desk Accessories section

Step 2: Select Wall Panels (If Applicable)

Seven Wall Panel styles are available and can be installed on High (Shown) or Low Secondary

- Wall Panel for Overhead Cabinet (Shown)
- Wall Panel for Overhead Cabinet & Shelf
- Wall Panel (Shown)
- Wall Panel for Solid Shelves
- Wall Panel for Media
- Wall Panel for Media & Shelves
- Wall Panel for Metal Accessory Shelves




Step 3: Select Mounted Storage & Accessories

A broad range of mounted storage products are available to complement a station


- Five styles are available:
- Overhead Cabinet mounted on Wall Panel
- Solid Shelf mounted on Wall Panel
- Tackboard and Whiteboard mounted on Wall Panel
- Overhead Cabinet mounted on building wall
- Towers mounted on High (Shown) or Low Secondary Desk



A selection of Storage for High (Shown) or Low Secondary Desks are available to complement a station and to provide enough support




Can be specified with a Overhead, Double Overhead or shelf




Wall-Mounted Style

Can be specified with a Overhead or a Double Overhead




Mounted Tower Style

• Towers can be mounted on High (Shown) or Low Secondary Desk



Step 5: Select Towers

Several freestanding Towers styles are available providing additional storage to a station




Step 6: Select Lighting, Electrics & Communications

Integrated wire management capabilities offer easy user access and clean aesthetics. Other components are available in the Ligthing, Electrics & Communications section

how to specify expansion casegoods – height-adjustable multi-level workstation (continued)

Step 1: Select Secondary Desks or Mid-Height Credenza for Height-Adjustable Worksurfaces, Height-Adjustable Worksurfaces & Modesty Panels


- Three Secondary Desks (High or Low (Shown)) or four Mid-Height Credenza for Height-Adjustable Worksurfaces are available:
- Secondary Desk Height-Adjustable Run-Off or U-Shape
- Secondary Desk Height-Adjustable Peninsula
- Secondary Desk Height-Adjustable L-Shape Worksurface (Shown)
- Mid-Height Credenza for Height-Adjustable Run-Off Open and Drawers
- Mid-Height Credenza for Height-Adjustable Peninsula Open and Drawers
- Mid-Height Credenza for Height-Adjustable Run-Off Open Combo
- Mid-Height Credenza for Height-Adjustable Peninsula Open Combo
- Four height-adjustable worksurfaces are available for Secondary Desks or Mid-Height Credenza: Height-Adjustable Run-Off
 - Height-Adjustable Peninsula
- Height-Adjustable L-Shape Worksurfaces (Shown)
- Height-Adjustable Desk for U-Shape Workstation
- Modesty panels can be selected in the Desk Accessories section



Step 2: Select Wall Panels (If Applicable)

Seven Wall Panel styles are available and can be installed on High or Low (Shown) Secondary Deel-


- Wall Panel for Overhead Cabinet (Shown)
- Wall Panel for Overhead Cabinet & Shelf
- Wall Panel (Shown)
- Wall Panel for Solid Shelves
- Wall Panel for Media
- Wall Panel for Media & Shelves
- Wall Panel for Metal Accessory Shelves



Step 3: Select Mounted Storage & Accessories


A broad range of mounted storage products are available to complement a station

- Five styles are available:
- Overhead Cabinet mounted on Wall Panel
- Solid Shelf mounted on Wall Panel
- Tackboard and Whiteboard mounted on Wall Panel
- Overhead Cabinets mounted on building wall
- Towers mounted on High or Low (Shown) Secondary Desk



Step 4: Select Storage for Secondary Desk

A selection of Storage for High (Shown) or Low Secondary Desks are available to complement a station and to provide enough support




Mounted Tower Style

 Can be specified with Open or Full Door Mounted Towers for High or Low (Shown) Secondary Desk


Step 5: Select Towers

Several freestanding Towers styles are available and providing additional storage to a station



Step 6: Select Lighting, Electrics & Communications

Integrated wire management capabilities offer easy user access and clean aesthetics. Other components are available in the Ligthing, Electrics & Communications section



introduction

where to find the information you need

Teknion provides an array of tools and information resources to help you get things done simply and easily. From product pricing to application guidelines to online planning suggestions, you will find what you need when you need it.

guide contents

This guide contains all the information you need to order this product through your specification software. The Introduction section provides everything you need to get started, including an index for product reference. The Application Guide section contains detailed specification guidelines, application and planning information to help you plan your project correctly. The Price Guide sections provide detailed pricing and specification information by product type. Available online at www.teknion.com.

Xpress

The Xpress symbol is displayed beside products that are offered in Teknion's Xpress Program. Avalaible online at www.teknion.com.

where to find the information you need

All Teknion marketing materials are available online at www.teknion.com, including:

price & product guide

application guide

planning tool

installation guides

fabrics & finishes

product photography & drawings

weights & volumes

order forms

warranty/terms & conditions of sale

xpress program guide

teknion forms

The following forms are available online at www.teknion.com, to help you specify and place your order if required:

teknipaint

If you require a custom paint color match, you must submit a TekniPaint form.

using your own material (COM)

If you wish to use your own material on fabric-covered products, you must submit a completed COM form including a sample upholstery and safety testing. A COM Order Information Sheet must also be submitted. This form captures all relevant ordering and tracking information. A COM Request for Yardage Calculation form may be sent to Teknion for preliminary yardage requirements.

placing a manual order

Complete an Order Cover Sheet with the information we need to fill your order. This is the most important step. If the Order Cover Sheet is not complete and correct, the order may be delayed.

key requirements

If you require that certain pieces share the same locks you will need to specify Set of Keys Alike (SOKL) located in the Price and Product Guide.

user feedback

How is our marketing material working for you?

Feedback from the user is very important to the quality of Teknion's marketing material. We ask that if you have suggestions on how you think we could improve content OR if you have found an error, that you contact your Teknion Technical Services department.

Section Contents	Product Code	Page No.
WHAT IS EXPANSION CASEGOODS?		
Expansion casegoods workstation typicals		12
How to specify expansion casegoods		16
INTRODUCTION		
Where to find the information you need		21
APPLICATION GUIDES		
PRECONFIGURED DESKS		
Standard preconfigured desk basics		34
Executive preconfigured desk basics		36
Planning with preconfigured desks		38
Modesty panels for executive desks		39
Preconfigured desk finishes		40
Preconfigured desk – lock chart		42
Preconfigured desk – grain direction/user edge		43
RETURNS & CREDENZAS		
Return basics		46
Credenza basics		48
Returns & credenzas – filing drawer capacities		51
Planning with returns		52
Planning with credenzas		53
Returns – product offering		54
Credenzas – product offering		55
Returns – lock chart		57
Credenzas – lock chart		58
Return & credenza finishes		60
Returns & credenzas – grain direction/user edge		61
DESKS		
Desk basics		64
Desks – gables & equivalent supports		68
Modesty panel basics		70
Planning with rectangular worksurfaces		72
Desk edge trim styles overview		74
Desk finishes		75
Desks – grain direction/user edge		75
MULTI-LEVEL WORKSTATIONS		
Fixed-Height Configuration		
Understanding multi-level workstations		86
Understanding fixed worksurfaces - mid-height & full-m	odesty fixed r	un-off
with workwall storage		91
Fixed worksurfaces – mid-height basics		92
Supporting applications for fixed worksurfaces – mid-hei	ght	95
Planning with fixed worksurfaces - mid-height		96
Full-modesty fixed run-off – offset base basics		99
Planning with full-modesty fixed run-off – offset base		101
High secondary desk basics		103
Run-off & high secondary desk basics		104
Overlapping bridge & high secondary desk basics		105
Low secondary desk basics		106
Run-off & low secondary desk basics	_	107

	Product Pa	ige o.
Overlapping bridge & low secondary desk basics	10)9
Run-off worksurface support applications	11	0
Planning with fixed-height worksurfaces	11	1
Table/fixed-height desk basics	11	2
Primary desk for U-shape configuration basics	11	4
Fixed-height worksurface finishes	11	15
Height-Adjustable Configuration		
Understanding height-adjustable worksurfaces	11	8
Understanding full-modesty height-adjustable worksurface	es 12	25
Understanding mounting styles for height-adjustable & fu	ll-modesty	
height-adjustable worksurfaces	12	28
Height-adjustable desk & worksurface components	13	31
Full-modesty height-adjustable desk & worksurface compon	ents 13	34
Height-adjustable & full-modesty height-adjustable works	urface switches 13	37
Height-adjustment range for height-adjustable & full-mod	lesty height-adjustal	ble
worksurfaces	13	38
Powerbar for height-adjustable & full-modesty height-adju	ıstable worksurface	
applications	14	í2
Height-adjustable desk basics	14	<u>í4</u>
Height-adjustable L-shape desk basics	14	í5
Height-adjustable rectangular worksurface – run-off basics	14	<u>í</u> 6
Height-adjustable peninsula basics	14	í8
Height-adjustable L-shape worksurface basics	15	50
Height-adjustable desk for U-Shape workstation basics	15	52
Planning with height-adjustable worksurfaces	15	53
Full-modesty height-adjustable worksurface basics	15	59
Planning with full-modesty height-adjustable worksurfaces	s 16	63
Secondary desk basics	16	55
Planning with secondary desks	16	66
Height-adjustable worksurface finishes	16	68
Worksurface grommet, cut-out & monitor arm application	ns 17	70
Planning with multi-level workstations – worksurface gror	nmet or cut-out	
positions	17	71
Multi-level workstations – edge trim styles overview	18	34
Multi-level workstations – grain direction/user edge	18	36
DESK ACCESSORIES		
Understanding desk accessories	19)1
Modesty panel basics	19)2
Planning with modesty panels	19)3
Support basics	19)7
Worksurface edge screen basics	20)1
Planning with worksurface edge screens	20)2
Desk screen basics	20)4
Planning with desk screens	20)5
Personal screen – felt basics	20	8(
Stow[away] drawer basics	20)9
Multi-functional drawer basics	21	1
Planning with multi-functional drawer	21	2
Desk accessory complement basics	21	3

Section Contents	Product Code	Page No.
MOUNTED STORAGE & ACCESSORIES		
Hutch basics		224
Planning with hutches		226
Hutch accessories		228
Hutch accessory compatibility chart		229
Hutches – product offering		230
Hutches – lock chart		231
Hutch finishes		233
Hutches – grain direction		233
Understanding mounted towers for secondary desks		234
Mounted tower for secondary desk basics		235
Interior clearance & datum line for mounted towers		237
Planning with mounted tower for secondary desks		240
Mounted towers – product offering		242
Mounted towers – lock chart		243
Mounted tower finishes		244
Mounted tower – grain direction		244
Standard & double overhead cabinet basics		245
Standard & double overhead cabinet – wall-mounted app	lications	247
Standard & double overhead cabinet – wall panel mounted		249
Standard & double overhead cabinet – accessories	a applications	250
Standard & double overhead cabinet – accessories Standard & double overhead cabinets – product offering		251
Standard & double overhead cabinets – lock chart		253
Standard & double overhead cabinet finishes		255
Standard & double overhead cabinet missics Standard & double overhead cabinets – grain direction		256
Understanding wall-mounted panels		258
Wall panel alignments overview		260
Wall-mounted tackboard basics		262
Wall panel basics		263
		267
Wall panel – general applications		
Planning with wall panel for overhead cabinet		271
Planning with wall panel for overhead cabinet & shelf		274
Planning with wall panel for solid shelves		276
Planning with wall panel for media		279
Planning with wall panel for media & shelves		280
Planning with wall panel for metal accessory shelves		282
Solid shelf & solid display shelf for wall panel basics		285
Metal accessory shelves for wall panel basics		287
Side filler for wall panel basics		288
Tackboard & markerboard – wall panel mounted basics	1	289
Planning with tackboard & markerboard – wall panel mo	unted	290
Wall panel & accessory finishes		291
Fabric directional guidelines		292
FREESTANDING STORAGE & ACCESSORIES		
Freestanding storage basics		298
Pedestal basics		300
Lateral file basics		302
Storage cabinet basics		303

	Product Code	Page No.
28" high freestanding storage compatibility		304
Mid-height freestanding storage basics		305
Mid-height credenza drawer widths		306
Planning with mid-height freestanding storage		308
Tower basics		310
Interior clearance & datum line for towers		314
Planning with towers		317
Storage unit basics		318
Storage unit door & drawer widths		320
Laminate freestanding storage – filing drawer capacities		321
Metal freestanding storage – filing drawer capacities		323
Bookcase basics		324
Accessory basics		325
Freestanding storage – product offering		326
Freestanding storage – lock chart		330
Freestanding storage finishes		334
Freestanding storage – grain direction		335
WORKWALL		337
Understanding workwall kneespace modules		340
Workwall kneespace module components		343
Workwall kneespace module basics		346
Workwall kneespace module removable front panel widths	s	349
Understanding workwall bookcases – mid – 21" h		354
Workwall bookcase – mid – 21" h – components		356
Workwall bookcase – mid – 21" h – basics		357
Workwall bookcase – mid – 21" h – open compartment v	vidths	359
Workwall bookcase – mid – 21" h – interior clearance		360
Planning with workwall kneespace modules & workwall		300
bookcases – mid – 21" h		361
Workwall storage – integral top – 29" h basics		363
Workwall cabinet & stretch pedestal – mid – 21" h – basi	cs	365
Workwall cabinet – mid – 21" h – interior clearance	<u> </u>	366
Understanding workwall credenzas – mid – 21" h		367
Workwall credenza – mid – 21" h – components		370
Workwall credenza – mid – 21" h – basics		372
Workwall credenzas for fixed or height-adjustable worksur	rfaces –	
drawer widths		375
Workwall credenza – mid – 21" h – interior clearance		386
Workwall credenzas – mid – 21" h for fixed or height-adji	ustable works	
filing drawer capacities		387
Planning with workwall credenzas – mid – 21" h for fixed	or height-ad	
worksurfaces	. or mengate aca	388
Workwall storage – product offering		389
Workwall storage – lock chart		392
Workwall storage – connecting devices		395
Workwall storage finishes		396
Workwall storage – grain direction		398
B 2		

	D J	D
Section Contents	Product Code	Page No.
STORAGE FOR SECONDARY DESKS		
Storage for secondary desk basics		402
Lateral file for secondary desk - center position -		
filing drawer capacities		410
Lateral file for secondary desk – end position – 1 $3/16$ " v	worksurface thicks	ness –
filing drawer capacities		411
Lateral file for secondary desk – end position – 1 $9/16$ " v	worksurface thicks	ness –
fling drawer capacities		412
Planning with storage for secondary desks		413
Storage for multi-level workstations – product offering		414
Storage for multi-level workstations – lock chart		416
Storage for multi-level workstations – interior clearance		417
Storage for multi-level workstations finishes		418
Storage for multi-level workstations – grain direction		419
RECEPTION		
Understanding reception desks		423
Straight reception desk module basics		424
L-shaped reception desk module basics		426
U-shaped reception desk module basics		428
Reception desk module configurations		430
Main worksurface & return for reception desk configura	tions	431
Planning with reception desks		432
Reception desk element basics		434
Reception desk finishes		435
Reception desk - grain direction/user edge		437
MEETING TABLES		
Meeting table overview		446
Height-adjustable conference table basics		448
Height-adjustable meeting table basics		450
Conference table basics		452
Solid meeting table basics		453
Writable glass meeting table basics		454
Table Companion marker kit basics		455
Coffee table basics		456
Meeting table user edges		460
Meeting table edge trim styles overview		458
Power & data basics		462
Table base dimensions		464
Meeting table configurations & supports		465
Meeting table – accessories		470
Meeting table finishes		471
$\underline{\hbox{ Understanding height-adjustable meeting peninsulas with}}$	workwall storage	474
Height-adjustable meeting peninsula components		475
Height-adjustment range – height-adjustable meeting pe	ninsulas	477
Power & data management – height-adjustable meeting	peninsulas	478
Height-adjustable meeting peninsula basics		481
Planning with height-adjustable meeting peninsulas		483
Understanding fixed meeting peninsulas		486
Fixed meeting peninsula components		488

Section Contents	Product Code	Page No.
Power & data management – fixed meeting peninsulas		489
Fixed meeting peninsula basics		490
Planning with fixed meeting peninsulas		492
Edge trim styles overview – height-adjustable & fixed me	eting peninsulas	494
Planning with power module cut-outs – height-adjustable		<u> </u>
peninsulas		495
Gable for meeting peninsula basics		498
Understanding media wall		499
Media wall components		500
Media wall & metal shelf for media wall basics		501
Planning with working datum heights – media wall		502
Planning with TV monitor mount – media wall		503
Planning with metal shelf – media wall		504
Power & data management – media wall		505
Planning with media wall		506
Media wall & gable for meeting peninsula – grain/pattern	n direction	507
TV stand & metal shelf for TV stand basics		508
Planning with TV monitor mount – TV stand		509
Power & data management – TV stand & Metal shelf for	TV stand	512
Height-adjustable or fixed meeting peninsulas & media w		513
LIGHTING, ELECTRICS & COMMUNICATIONS		
Lighting & supports for linear LED light basics		518
Power & data distribution		520
PRECONFIGURED DESKS		
Rectangular Desk with Double Pedestals –		
Box/Box/File and File/File	B_DRFS	538
Rectangular Desk with Single Pedestal	B_SRBS	540
Convex Desk with Double Pedestals –	_	
Box/Box/File and File/File	B_DCFS	542
Convex Desk with Single Pedestal	B_SCBS	544
Rectangular Executive Desk with Double Pedestals –		
Solid Modesty	B_XRLS	546
Rectangular Executive Desk with Single Pedestal –		
Solid Modesty	B_YRLS	548
RETURNS & CREDENZAS		
Return with Pedestal – Box/Box/File	B_JBL	554
Cross Grain Return with Pedestal – Box/Box/File	B_JBC	556
Return with Pedestal – File/File	B_JFL	558
Cross Grain Return with Pedestal – File/File	B_JFC	560
Return with Combo Pedestal	B_JCL	562
Cross Grain Return with Combo Pedestal	B_JCC	566
Return with Lateral File	B_JLL	568
Cross Grain Return with Lateral File	B_JLC	572
Credenza with Double Pedestals – File/File	B_ZPF	576
Credenza with Double Pedestals –		
Box/Box/File and File/File	B_ZPP	578
Credenza with Single Pedestal – Box/Box/File	B_ZUB	580
Credenza with Single Pedestal – File/File	B_ZUF	582

Section Contents	Product Code	Page No.
Credenza with Single Combo Pedestal	B_ZUC	584
Credenza with Single Lateral File	B_ZUL	586
Credenza with Doors	B_ZFS	588
Credenza with Doors and Drawers	B_ZFD	590
Credenza with Doors and Lateral File	B_ZFL	592
Credenza with Doors and Two Box/Box/File Pedestals	B_ZFDB	594
Credenza with Doors and Two File/File Pedestals	B_ZFDF	596
DESKS		
Convex Desk with Recessed Modesty – Full Gables	B_VF	603
Rectangular Desk with Recessed Modesty – Full Gables	B_RR	604
Rectangular Desk – Full Gables	B_RF	606
Rectangular Desk – Full and Half Gables	B_RS	608
Cross Grain Rectangular Desk – Full and Half Gables	B_RSC	610
Desk Return	B_RNL	612
Cross Grain Desk Return	B_RNC	613
Rectangular Desk – Half Gables	B_RH	614
Cross Grain Rectangular Desk – Half Gables	B_RHC	616
Corner Desk – Half Gable	B_CD	618
Extended Corner Desk – Full Gable	B_EC	620
Extended Corner Desk – Half Gable	B_ED	622
Extended D-Shaped Peninsula Desk with Half Modesty	B_PDW	624
Extended D-Shaped Peninsula Desk – Half Gables	B_PDH	626
D-Shaped Peninsula Desk with Half Modesty	B_BDF	628
D-Shaped Peninsula Worksurface	B_BWW	630
Extended P-Shaped Peninsula Desk with Half Modesty	B_EPW	632
Extended P-Shaped Peninsula Desk – Half Gables	B_EPH	634
P-Shaped Peninsula Desk with Half Modesty	B_PAF	636
Rectangular Peninsula Desk with Half Modesty	B_RDF	638
Rectangular Peninsula Worksurface	B_RPW	640
Cross Grain Rectangular Peninsula Worksurface	B_RPC	642
Rectangular Table	B_RTD	644
Rectangular Worksurface	B_RWL	646
Cross Grain Rectangular Worksurface	B_RWC	648
Rectangular Bridge	B_RBL	650
Cross Grain Rectangular Bridge	B_RB	651
Bridge Modesty Panel	BAMLB	652
MULTI-LEVEL WORKSTATIONS		
Table Desk – Open Frame Legs	B_MDW0	662
Table Desk – Frame Legs with Infill	B_MDWF	664
Table Desk with Full Modesty – Open Frame Legs	B_MFW0	666
Fixed-Height Desk – Bevel Bases	B_MDWB	668
Primary Desk for U-Shape Configuration	B_MDG	670
Primary Peninsula Desk for U-Shape Configuration	B_MDS	672
Fixed Run-Off – Mid-Height	BM_R	674
Fixed Extended Tapered Peninsula – Mid-Height	BM_EP	676
Full-Modesty Fixed Run-Off – Offset Base	BF_MR	678
Run-Off Worksurface – High Secondary Desk	в_мнн	680
Run-Off with Glass Top – High Secondary Desk	BGMTH	682
Overlapping Bridge – High Secondary Desk	B_MBH	684
	-	

Section Contents	Product Code	Page No.
Run-Off Worksurface – Low Secondary Desk	B_MPL	686
Run-Off with Glass Top – Low Secondary Desk	BGMTL	688
Overlapping Bridge – Low Secondary Desk	B_MBL	690
Run-Off Worksurface with End Support –		
Low Secondary Desk	B_MPG	692
Overlapping Bridge with End Support –		
Low Secondary Desk	B_MBG	694
Secondary Desk	B_MSD	696
Height-Adjustable Desk – Bevel Bases	BH_FB	698
Height-Adjustable L-Shape Desk – Bevel Bases	BH_LD	700
Height-Adjustable L-Shape Corner Desk – Bevel Base	BH_LC	710
Height-Adjus. L-Shape Peninsula Desk – Bevel Post Leg	BH_B	718
Full-Modesty Height-Adjustable Desk – Offset Bases	BF_F One Table	726
Full-Modesty Height-Adjustable Run-Off – Offset Base	BF_R One Table	728
Full-Modesty Height-Adjustable Extended Run-Off		
	BF_E One Table	730
Full-Modesty Height-Adjustable L-Shape Run-Off	_	
	BF_L One Table	734
Full-Modesty Height-Adjustable Desk for U-Shape	_	
Workstation – Offset Bases	BF_U One Table	748
Height-Adjustable Rectangular Worksurface	BH_RL One Table	754
Cross Grain Height-Adjustable Rectangular Works.	BH_RC One Table	756
Height-Adjustable Run-Off – Bevel Base	BH_RB One Table	758
Height-Adjustable Run-Off with Glass Top – Bevel Base	BHGRB One Table	760
Height-Adjustable Peninsula – Bevel Post Leg	BH_RP One Table	762
Height-Adjustable Tapered Peninsula – Bevel Post Leg	BH_TP One Table	764
Height-Adjustable Extended Tapered Peninsula –	_	
Bevel Post Leg	BH_PE One Table	766
Height-Adjustable L-Shape Run-Off – Bevel Base	BH_LB One Table	768
Height-Adjustable L-Shape Peninsula – Bevel Post Leg	BH_L One Table	778
Height-Adjustable L-Shape Tapered Peninsula –		7,70
Bevel Post Leg	BH_LT One Table One Plug	794
Height-Adjustable Desk for U-Shape Workstation –		,,,-
Bevel Bases	BH_UB One Table	804
Secondary Desk – Height-Adjustable Run-Off or U-Shape		810
Secondary Desk – Height-Adjustable Peninsula	BH_SB	814
Secondary Desk – Height-Adjustable L-Shape Worksurface	_	818
DESK ACCESSORIES		
Peninsula Modesty Panel – Solid	BAMPL	832
Peninsula Modesty Panel – Metal	BAMPM	833
Suspended Modesty Panel – Solid	BASML	834
Suspended Modesty Panel – Glass	BASMG	836
Suspended Modesty Panel – Metal	BASMM	838
Suspended Modesty Panel – Felt	BASME	840
Semi-Supported Gable with Spacers – Solid	BWGG	842
Semi-Supported Leg – Solid	BWGL	843
Frame Leg – Open	BWW0	844
Frame Leg – Full Infill	BWWF	845
Fixed-Height Bevel Base – Solid End Panel	BWWB	846
- Inca Treight Devel Dase - John Ellu I allei	22	0.10

Section Contents	Product Code	Page No.
Fixed-Height Bevel Post Leg	BWBL	847
Elliptical Base	BWEB	848
Central Square Post Leg	BWSQ	849
Column Leg	BWSC	850
Angular Leg	BWAL	851
Blade Leg	BWSLB	852
Worksurface Edge Screen – Solid	BASWL	854
Worksurface Edge Screen – Glass	BASWG	855
Desk Screen – Fabric	BASFF	856
Desk Screen – Glass	BASFG	857
Personal Screen – Felt	BAPSE	858
Stow[Away] Drawer	BADF 1/2	859
Multi-Functional Drawer	BADMF	860
Accessories	BRAX	861
Box Drawer Organizer	BAWO 1/2	862
Lateral Worksurface Organizer	BALWO	863
Retractable Keyboard Shelf	RAKB	864
Seat Cushion – Fabric	BASEC	865
Seat Pad – Felt	BASEP 7	868
	DASEP 5	000
MOUNTED STORAGE & ACCESSORIES	D. II.C.I	070
Standard Hutch – Solid Hinged Doors	B_HCL	878
Standard Hutch – Glass Hinged Doors	B_HCG	880
Standard Hutch – Solid Flipper Door(s)	B_HFL	882
Standard Hutch – Open	B_H0	884
Double Tower Hutch – Solid Doors	B_TLL	886
Single Tower Hutch – Solid Doors	B_ELL	888
Tackboard – Hutch Mounted	ВОТВ	890
Glass Makerboard – Hutch Mounted	BOTM	891
Tool Rail	BOTR	892
Top for Hutch	в_нт	893
Tower with Full Solid Door –		
Low Secondary Desk Mounted	BRLL	894
Tower with Full Glass Door –		
Low Secondary Desk Mounted	BRLG	896
Open Tower – Low Secondary Desk Mounted	BRLO	898
Tower with Full Solid Door -		
High Secondary Desk Mounted	BRHL	900
Tower with Full Glass Door -		
High Secondary Desk Mounted	BRHG	902
Open Tower – High Secondary Desk Mounted	BRHO	904
Overhead Cabinet - Solid Hinged Doors	воѕн 🎏	906
Overhead Cabinet – Glass Hinged Doors	водн 🎏	908
Overhead Cabinet – Solid Flipper Door(s)	BOSF 🐾	910
Overhead Cabinet – Solid Sliding Doors	BOSS "	912
Overhead Cabinet – Sliding Glass Doors	BOGS 13	914
Overhead Cabinet – Solid Overlay Sliding Door	BOSOS 12	916
Overhead Cabinet – Glass Overlay Sliding Door	BOSOG "	918
Overhead Cabinet – Open	BOCOL 1/2	920
*	BODSH 7	922
Double Overhead Cabinet - Solid Hinged Doors	אפעטם 🤦	722

Section Contents	Product Code	Page No.
Double Overhead Cabinet – Glass Hinged Doors	BODGH "	924
Double Overhead Cabinet - Solid Overlay Sliding Door	BODSS 1/2	926
Double Overhead Cabinet – Glass Overlay Sliding Door		928
Double Overhead Cabinet – Open	BODOL "	930
Top for Overhead Cabinet	B_0T	931
Wall-Mounted Tackboard – Fabric	BOWF 🐾	932
Wall-Mounted Tackboard – Felt	BOWE 🐾	934
Wall Panel for Overhead Cabinet	B_WCC "	936
Wall Panel for Overhead Cabinet and Shelf	B_WCO 🐾	940
Wall Panel	B_WAA 🐾	946
Wall Panel with Solid Shelves	B_W00 "	952
Wall Panel for Media	B_WMD 🐾	958
Wall Panel for Media and Shelves	B_WMO	960
Wall Panel for Metal Accessory Shelves	B_WMM 🔧	962
Solid Shelf for Wall Panel	BAWSS 🐾	964
Solid Display Shelf for Wall Panel	BAWDS 🐾	966
Metal Accessory Shelf for Wall Panel	BBAMS	967
Side Filler for Wall Panel	BAWPF "	968
Fabric Tackboard – Wall Panel Mounted	BAWAT "	970
Felt Tackboard – Wall Panel Mounted	BAWAE 🐾	976
Glass Makerboard – Wall Panel Mounted	BAWAM 1/2	978
Tray for Markerboard	BACT "	982
Marker Holder for Markerboard	BACMT	983
Rare Earth Magnet Kit	BAREM	984
FREESTANDING STORAGE & ACCESSORIES		
Metal Pedestal	BSNS	994
Mobile Metal Pedestal	BSNM	996
Pedestal	BSPSS	998
Mobile Pedestal	BSPMS	999
Mobile Pedestal with Seat Cushion	BSMCS	1000
Suspended Pedestal	BSPUS	1001
Metal Combo Pedestal	BSNCP	1002
Combo Pedestal	BSCPS	1003
Metal Lateral File	BSNLF	1004
Lateral File	BSLFS	1005
Storage Cabinet – Solid Doors	BSCDS	1006
Storage Cabinet – Glass Doors	BSCDGS	1010
Storage Cabinet with Drawer(s)	BSCC	1012
Underworksurface Bookcase	BSUOB	1013
Mid-Height Stretch Pedestal	BSMPS	1014
Mid-Height Credenza – Open and Drawers	BSMFL 🐾	1016
Open Tower	BCFS0	1018
Tower with Full Solid Door	BFRL	1020
Tower with Full Glass Door	BFRG	1022
Tower with Drawers – Solid Door	BFDS	1024
Tower with Drawers – Open Shelves	BFDOS	1026
Half Wardrobe Filing Cabinet	BSWFS	1028
Half Wardrobe Unit with Drawers – Open Shelves	BSCWOS	1030
Half Wardrobe Unit with Drawers – Solid Doors	BSCWS	1034

	D 1 .	D.	
Section Contents	Product Code	Page No.	
Half Wardrobe Unit with Drawers – Glass Door	BSCWG	1038	
Storage Unit – Solid Doors	BSUS	1044	
Storage Unit – Open Shelves	BSUOS	1046	
Storage Unit – Glass Doors	BSUG	1048	
Storage Unit with Wardrobe - Solid Doors	BSWUS	1052	
4-Door Storage Cabinet – Solid Doors	BSDS	1054	
4-Door Storage Cabinet – Glass Doors	BSDG	1056	
Wardrobe Cabinet – Solid Doors	BSWCS	1058	
Wardrobe Cabinet – Glass Doors	BSWCG	1060	
Storage Mounted Bookcase	BSSS	1062	
Bookcase	BSOB	1064	
Hang-On Kit	вхнк	1066	
Top for Metal Storage	B_NSTR	1067	
Top for Solid Storage	B_STR	1068	
Shelf for Storage Cabinet	BSHS 🐾	1070	
Shelf for Tower	вѕнт 🅦	1071	
Shelf for Bookcase (1-in)	вѕнв 🐾	1072	
Hanging File Bar	RSLB	1073	
Metal Storage Accessories	RBNSA	1074	
Locks and Keys	K	1075	
Set of Keys Alike	SOKL	1076	
WORKWALL STORAGE			
Workwall Kneespace Module – Height-Adjustability	внкни 🎏	1084	
Workwall Kneespace Module – Height-Adjustability			
Run-Off	внкни 🐾	1085	
Workwall Kneespace Module – Height-Adjustability			
Extended or "L" Run-Off	внкнь "3	1086	
Workwall Kneespace Module – Height-Adjustability			
and Fixed Worksurface	внкнг 🐾	1090	
Workwall Kneespace Module – Fixed Worksurface	BHKFW "	1091	
Workwall Kneespace Module – Full-Modesty Fixed Run-Off	BHKFR "	1092	
Workwall Bookcase – Mid – 21" h	BSMO "	1094	
$\underline{\text{Workwall Bookcase} - \text{Fixed Worksurface} - \text{Mid} - 21"\ h}$	вѕмови "ӡ	1095	
Workwall Bookcase – Height-Adjustable Worksurface –			
Mid – 21" h	вѕмовн 🐾	1096	
Workwall Bookcase – Integral Top – 29" h	BSOBT	1098	
Workwall Bookcase – Integral Top – 29" h – Cross Grain	BSOBC "	1100	
Workwall Cabinet – Mid – 21" h	BSMD "	1102	
Workwall Cabinet – Integral Top– 29" h	BSCT	1104	
Workwall Cabinet – Integral Top– 29" h – Cross Grain	BSDC "	1106	
Workwall Lateral Files – Integral Top – 29" h	BSLFT	1108	
Workwall Lateral Files – Integral Top – 29" h –			
Cross Grain	BSLFC Z	1110	
Workwall Stretch Pedestal – Mid – 21" h	BSMSSP	1112	
Workwall Stretch Pedestal – Integral Top – 29" h	BSPT "	1114	
Workwall Stretch Pedestal – Integral Top – 29" h –			
Cross Grain	BSPC Z	1116	
Workwall Credenza with Cabinet and Drawers –			
Mid – 21" h	BSMCD "	1118	
Mid – 21" h	BSMCD 3	1118	

Section Contents	Product Code	Page No.
Workwall Credenza with Open and Drawers –		
Mid – 21" h	BSMOD	1120
Workwall Credenza with Open and Drawers – Fixed Wo	rksurface –	
Mid – 21" h	BSMWL	1122
Workwall Credenza with Open and Drawers – Height-A		
- Mid - 21" h		1124
Workwall Credenza with Open and Drawers – Height-A		
- Mid - 21" h	_	1126
Workwall Credenza for Media with Open and Drawers -		
Mid – 21" h	BSMDOD	1128
Workwall Credenza with Open and Combo – Fixed Wor	ksurface	
- Mid - 21" h	BSMCFW	1130
Workwall Credenza with Open and Combo – Height-Ac	ljustable	
Run-Off – Mid – 21" h	BSMCHR	1134
Workwall Credenza with Open and Combo – Height-Ac	ljustable	
Peninsula – Mid – 21" h		1138
STORAGE FOR SECONDARY DESKS		
Stretch Pedestal – Secondary Desk	BSSP	1144
Lateral File – Secondary Desk	BSSL	1146
Bookcase – Secondary Desk	BSSO	1148
Storage Cabinet – Secondary Desk	BSSD	1150
Multi-Functional Storage – Secondary Desk	BSSM	1152
Recycling/Waste Cabinet – Secondary Desk	BSSRW	1154
Open Section Cover – Secondary Desk	BSSCM	1156
RECEPTION		
Reception Desk Module – Straight	B_CRF	1160
Reception Desk Module – L-Shaped	B_CRL	1162
Reception Desk Module – U-Shaped	B_CRU	1166
Main Worksurface with Two Gables - Reception Desk	B_CWG	1192
Main Worksurface with One Gable – Reception Desk	B_CWL	1194
Main Worksurface – Reception Desk	B_CWU	1196
Cross Grain Return – Reception Desk	B_CWR	1198
Reception Desk Element – Tackboard	BCAT	1200
MEETING TABLES		
Height-Adjustable Conference Table – Panel Bases	BC_CHP	1210
Rectangular Conference Table – Panel Bases	BC_CRP	1214
Rectangular Conference Table – Cubic Bases	BC_CRK	1218
Rectangular Conference Table – Blade Legs	BC_CRLB	1220
Rectangular Conference Table – Blade T-Legs	BC_CRTB	1222
Workshop Conference Table	BC_CWA	1224
Boat Conference Table – Panel Bases	BC_CBP	1228
Boat Conference Table - Cubic Bases	вс_свк	1230
Video Conference Table – Panel Bases	BC_CVP	1232
Height-Adjustable Meeting Table – Bevel Bases	BC_MHRB	1234
Rectangular Meeting Table – Panel Bases	BC_MRP	1236
Rectangular Meeting Table – Blade Legs	BC_MRLB	1238
Acctangular Meeting Table - Blade Legs		10/0
Rectangular Meeting Table – Blade T-Legs	BC_MRTB	1240
	BC_MRTB BC_TRTB	1240

	Product	Page	
Section Contents	Code	No.	
Boat Meeting Table – Panel Bases	BC_MBP	1246	
Boat Meeting Table – Blade T-Legs	BC_MBTB	1248	
Diamond Meeting Table – Blade T-Legs	BC_MPLB	1250	
Round Meeting Table – Cubic Base	BC_MOK	1252	
Round Meeting Table – Blade Legs	BC_MOLB	1254	
Round Meeting Table – Blade Star Base	BC_MOSB	1256	
Round Meeting Table – Four-Point Base	BC_ROF	1257	
Square Meeting Table – Cubic Base	BC_MSK	1258	
Square Meeting Table – Blade Legs	BC_MSLB	1260	
Square Meeting Table – Blade Star Base	BC_MSSB	1262	
Square Meeting Table – Four-Point Base	BC_MSF	1263	
Height-Adjustable Rectangular Meeting Peninsula	B_HRW V	1264	
Height-Adjustable D-Shape Meeting Peninsula	B_HDW 🀾	1270	
Height-Adjustable Tapered Meeting Peninsula	в_нви 🍫	1274	
Height-Adjustable Diamond Meeting Peninsula	В_НР₩ 🌠	1278	
Fixed Rectangular Meeting Peninsula	BC_FR 🐾	1282	
Fixed D-Shape Meeting Peninsula	BC_FD 🐾	1288	
Fixed Tapered Meeting Peninsula	BC_FT 🐾	1294	
Fixed Diamond Meeting Peninsula	BC_FP "	1300	
Gable for Fixed Meeting Peninsula	BC_G	1304	
Media Wall	BCMW	1305	
Metal Shelf – Media Wall	BCSMW	1306	
TV Stand – Meeting Peninsula	BCTV	1307	
Metal Shelf – TV Stand	BCSTV	1308	
Rectangular Writable Glass Meeting Table – Blade Legs	BCGRLB	1310	
Rectangular Writable Glass Meeting Table – Blade T-Legs	BCGRTB	1312	
Square Writable Glass Meeting Table – Blade Star Base	BCGSSB	1314	
Table Companion Market Kit	BAMHK	1315	
Dry-Erase Pads for Companion Marker Holder	BAME	1316	
Coffee Table	BC_CT	1317	
Wall-Mounted Whiteboard	BAWW	1318	
Wall-Mounted Glass Markerboard	BAWMG	1319	
Blade T-Leg	BWTTB	1322	
Blade Star Base	BWTSB	1323	
Four-Point Base	BWFP	1324	
LIGHTING, ELECTRICS & COMMUNICATIONS			
Linear LED Light	BLEDD	1331	
Support for Linear LED Light – Wall Panel	BLEDW	1332	
Support for Linear LED Light – Overhead	BLEDS	1333	
Tangent Undercabinet Light	BLYTU	1334	
Plug-In Power Bar	BLPP	1335	
Data Box	BLDB	1336	
Wire Management Clip	BLWC	1337	
Power Qube	BEEPC One Table One Plug	1338	
Power/Data Center	BLMC	1339	
Power Pill	BLEPP	1340	
Linear Power Module	BLELP	1341	
Power Tray	BLEPT	1342	
Cable Tray	BLCT	1343	

Section Contents	Product Code	Page No.
Wrap Around Cable Manager	BLWAC	1344
Floor Cable Cover – Meeting Table	BLFCM	1345
Duo Grommet – Square	BLGQX 🀾	1346
Rectangular Grommet	BLGC	1347
Elliptical Grommet	BLGE	1348
Dual USB Charging Outlet	BLUSB	1349
USB/Data Faceplate Kit	BLAO	1350
Faceplate	BLECF	1351

application guide

application guide

PRECONFIGURED DESKS	33
RETURNS & CREDENZAS	45
DESKS	63
MULTI-LEVEL WORKSTATIONS	79
DESK ACCESSORIES	. 189
MOUNTED STORAGE & ACCESSORIES	. 219
FREESTANDING STORAGE & ACCESSORIES	. 295
WORKWALL STORAGE	. 337
STORAGE FOR SECONDARY DESKS	. 401
RECEPTION	. 421
MEETING TABLES	. 439
LIGTHING FLECTRICS & COMMUNICATIONS	517

preconfigured desks

preconfigured desks

STANDARD PRECONFIGURED DESK BASICS	34
EXECUTIVE PRECONFIGURED DESK BASICS	36
PLANNING WITH PRECONFIGURED DESKS	38
MODESTY PANELS FOR EXECUTIVE DESKS	39
PRECONFIGURED DESK FINISHES	40
PRECONFIGURED DESKS - LOCK CHART	42
PRECONFIGURED DESKS - GRAIN DIRECTION/USER EDGE	43

standard preconfigured desk basics


All desks include a worksurface, grommets, modesty panel and supports (pedestals, closed spaces for wire management or gables).

All dimensions in this section are nominal



- Standard Desks with Double Pedestals must be used alone. Desks with Single Pedestal can be used alone but they can also be used in conjunction with a bridge, return or Peninsula Worksurface
- Desks are designed with a 1/4" gap that allows mounting accessories and wiring
- Desks are shipped knocked down


standard preconfigured desk anatomy



standard preconfigured desk basics (continued)

Worksurfaces

- Three thicknesses available:
- D: 1" thick low pressure laminate (LPL)
- M: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16"
- X: high pressure laminate (HPL) with a 1 1/2" thick baseboard for a total surface thickness of 1 9/16"



Pedestals

• Two configurations are available:




(1 Box/Box/File and 1 File/File)



1 Pedestal (1 Box/Box/File)

- · Have a central locking system and full-extension drawers that can accommodate both letter- and legal-size paper
- Box drawers include pencil tray and divider. File drawers include one 12" Hanging File Bar
- Single pedestal configuration can be specified Left (L) or Right (R)
- · Pedestals can be interchanged
- Three pull styles available; see page 49



Rectilinear Pull Position

Rectilinear Pull has changed since May 2021

Drawer depth and modesty recess are not the same for each desk:

· Cannot be specified separately

	Desk depth	Drawer depth	Rectangular Desk Modesty Recess	Convex Desk Modesty Recess
ſ	24"	16"	* 0"	n/a
	30"	16"	* 5"	* 8"
	36"	20"	8"	11"

* The modesty bracket allows adding an extra inch of recess to the 24" and 30" deep standard desks

· Always come full-height and finished in

• No grommet cut-out on modesty panel

Laminate only


executive preconfigured desk basics

All desks include a worksurface, grommets, modesty panel and supports (pedestals, closed spaces for wire management or gables).



- Executive Desk with Double Pedestal must be used alone. Desk with Single Pedestal must always be used in conjunction with a bridge or return for stability
- Executive Desk with Single Pedestal can be configured for Left or Right Handed
- Desks are designed with a 1/4" gap that allows mounting accessories and wiring
- Desks are shipped knocked down

executive preconfigured desk anatomy



executive preconfigured desk basics (continued)

Worksurfaces

- Two thicknesses available:
- M: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16"
- X: high pressure laminate (HPL) with a 1 1/2" thick baseboard for a total surface thickness of 1 9/16"
- Only Rectangular shape is available
- Grain direction is specified on page 43

Worksurface Grommets • Three grommet options are available: - Elliptical Grommet (E) - Rectangular Grommet (G) No Grommet (N) · When specified, desks come with factory-made grommet cut-outs on the worksurface and pedestal inner sides · Provide openings for electrical wiring and communication · Left over wires can be stored in a special compartment · Grommets style can be interchanged on-site by ordering grommets separately 30" or 36" d 60", 66", 72", 78", 84" w (B_XRLS) 72", 78", 84" w (B_YRLS) • Have a central locking system and full-extension drawers that can

Pedestals


- Come with Box/Box/File Drawer Configurations only
- accommodate both letter- and legal-size paper
- Box drawers include pencil tray and divider. File drawers include one 12" Hanging File Bar
- Cannot be interchanged on-site. Only the right pedestal comes
- The bottom of each pedestal is opened for floor feed application
- Three pull styles available; see page 49



(1 Box/Box/File of each side)



(1 Box/Box/File and 1 Closed Space Storage ("U" Configuration))




Rectilinear Pull Position Rectilinear Pull has changed since May 2021

Modesty Panel

- Available in Solid style only
- Always comes full-height
- No grommet cut-out on modesty panel

planning with reconfigured desks

• The following desks must only be used alone:





Standard Desks - Double Pedestals



Executive Desk – Double Pedestals

• The following standard desks can be used alone or in conjunction with a return, bridge or Peninsula Worksurface:






Conjunction with a Return or Peninsula Worksurface

The following executive desk must be used in conjunction with a return or bridge:





Conjunction with a Rectangular Bridge

The Executive Desk with Single Pedestal and closed space storage would be unstable if used alone

modesty panels for executive desks

Modesty Panels create seated privacy for various workstation configurations.

•

Modesty panels are included with all executive desks and cannot be specified separately

Modesty Panels for Rectangular Executive Desks

- All modesty panels are offered full-height
- Flush or recessed depending on depth



clearance compatiblity chart

•

For clearance available between two pedestals, please see the following chart

	NOMINAL DEPTH 30" – FLUSH OR 2 3/4" RECESSED MODESTY PANEL							
NOMINAL	B_XRLS	B_XRLS D D			W			
WIDTH	W	D	X	W	D	X		
60"	59.7"	30.5"	29"	n/a	n/a	n/a		
66"	65.7"	30.5"	35"	n/a	n/a	n/a		
72"	71.6"	30.5"	41"	71.6"	30.5"	41"		
78"	77.6"	30.5"	47"	77.6"	30.5"	47"		
84"	83.6"	30.5"	53"	83.6"	30.5"	53"		


	NOMINAL DEPTH 36" – 8 3/4" RECESSED MODESTY PANEL								
NOMINAL WIDTH	B_XRLS D D			B_YRLS D					
	W	D	X	W	D	X			
60"	59.7"	36.5"	29"	n/a	n/a	n/a			
66"	65.7"	36.5"	35"	n/a	n/a	n/a			
72"	71.6"	36.5"	41"	71.6"	36.5"	41"			
78"	77.6"	36.5"	47"	77.6"	36.5"	47"			
84"	83.6"	36.5"	53"	83.6"	36.5"	53"			

preconfigured desk finishes

Desks and related parts are available in a variety of finish colors. Finish codes must be included in the order.



- All Laminate components are protected with a solid plastic edge
- Flintwood finishes are **not** available in this section




- 1" (D) and 1 3/16" (M) thicknesses are available in Foundation, Mica or Source Laminate colors (Wood Prints only)
- 1 9/16" thickness (X) is available in Source Laminate colors (Storm White, Very White, Crisp Grey, Soft Gris or Wood Prints colors only)

Rectangular Grommet

• Available in Foundation or Mica colors

preconfigured desk finishes (continued)




preconfigured desks - lock chart




Only one pedestal can be specified with a lock and key set and can be keyed alike or randomly. A Key Chart must accompany every order, otherwise orders will be shipped keyed randomly

standard preconfigured desk widths



executive desk widths



preconfigured desks - grain direction/user edge

Grain direction is an important factor when planning adjacent desks. The direction of grain pattern varies depending on the type of desk specified.

worksurfaces

- Grain/patterns are **not** "centered"
- Applicable for Source or Foundation Laminate Wood Prints





desks

- Door grain direction will always be vertical
- Drawer front grain direction will vary depending on finish selected

Cathedral Grain Pattern:


Source Laminate


•
$$3A - 3B - 3C - 3D - 3E - 3L - 3M - 3X - XQ - XR$$

Foundation Laminate

$$\bullet \ 2A - 2B - 2C - 2D - 2E - 2L - 2M - 2X - RQ - YR \\$$

For colors listed above, the Cathedral Grain Pattern for drawer fronts will be book-matched






Straight Grain Pattern:


Source Laminate

Foundation Laminate

•
$$2F - 2J - 2K - 2N - 2P - JG - RN$$

For colors listed above, the Straight Grain Pattern for drawer fronts will be vertical





returns & credenzas

returns & credenzas

RETURN BASICS46
CREDENZA BASICS48
RETURNS & CREDENZAS - FILING DRAWER CAPACITIES51
PLANNING WITH RETURNS
PLANNING WITH CREDENZAS
RETURNS - PRODUCT OFFERING
CREDENZAS - PRODUCT OFFERING
RETURNS - LOCK CHART57
CREDENZAS – LOCK CHART58
RETURN & CREDENZA FINISHES
RETURNS & CREDENZAS - GRAIN DIRECTION/USER EDGE 61

return basics


Returns include a worksurface, grommets, a support (storage unit) and a modesty panel. The images below illustrate return styles available that must be used in conjunction with another desk.

All dimensions in this section are nominal



- Cannot be used alone, they must be connected to the straight user edge and on the full gable side of a desk or credenza
 with single storage unit
- Are designed with a 1/4" gap that allows mounting accessories and wiring
- Are shipped knocked down

return anatomy




return basics (continued)

Worksurfaces

- Three thicknesses available:
- D: 1" thick low pressure laminate (LPL)
- M: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16"
- X: high pressure laminate (HPL) with a 1 1/2" thick baseboard for a total surface thickness of 1 9/16"
- Spacer attachments (included with worksurfaces) allow to attach firmly the worksurface with pedestal top
- Grain directions is specified on page 61


Worksurface Grommets


- Three grommet options are available:
 - Elliptical Grommet (E)
 - Rectangular Grommet (G)
- · When specified, returns come with factory-made grommet cut-outs on the modesty panels and worksurfaces
- Grommets style can be interchanged on-site by ordering grommets



Pedestals

• Four storage types are available:





Pedestal

- Have a central locking system and full-extension drawers that can accommodate both letter- and legal-size paper
- · Box drawers include pencil tray and divider. File drawers include file bars; see individual product pages
- Only single pedestal configuration can be specified left handed (Shown) or right handed
- Three pull styles available; see page 49




credenza basics

Credenzas come in a variety of configurations and sizes to complement any workstation or meeting requirements.



- Can be used alone or combined with a bridge, return or Peninsula Worksurface
- Hutches or Wall Panels can be installed on top. Some restrictions apply; see Mounted Storage section for details
- Only credenzas with open section are shipped knocked down



- Three styles are available:
 - None (0)
- Flush Full (1) (Shown)
- Wall Access (9)
- All credenzas are available with a flush full-height modesty panel
- Wall Access Modesty Panel can be specified for credenzas with single storage only (B_ZUB, B_ZUF, B_ZUC, B_ZUL)
- Credenzas with Double Pedestal (B_ZPF or B_ZPP) can be specified with no modesty to facilitate
 wall access
- All Modesty Panels are 1" thick
- When Worksurface Grommets are specified, only an Elliptical Grommet is provided on flush full-height modesty panel


credenza basics (continued)

Worksurface Grommets

- Three grommet options are available:
 - Elliptical Grommet (E)
 - Rectangular Grommet (G)
 - No Grommet (N)
- When specified, credenzas come with factory-made grommet cut-outs on the modesty panel and worksurface
- Allow wire management between the top of the credenza and the
- · Grommets style can be interchanged on-site by ordering grommets separately

Worksurfaces

- Available in the same styles/thicknesses (D, M, X) as worksurface
- Spacer attachments allow to attach firmly the worksurface with storage top




48", 54", 60",

66", 72", 78",

Storage

- Has a central locking system:
 - Box/Box/File Pedestals
 - File/File Pedestals
 - File Drawers of Combo Pedestal
- Only the Lateral File has a central locking system that disables the opening of a second drawer
- Full-extension drawers can accommodate both letter- and legal-
- Hinges allow doors to open up to 120°
- \bullet Holes at 1 1/4" intervals inside of door sections allow for shelf height adjustment
- Only Credenza with Doors (B_ZFS) can be specified with Pulls (P) or Touch-to-Open (T)



Three configurations are available:



Full Storage

Credenza with Doors and Lateral File (B_ZFL) can be specified left or right side for 48" to 72' widths



1 Storage and 1 Gable

Only Single pedestal configuration can be specified left or right



Double pedestal configuration can be interchanged on-site



• Three pull styles are available:

Pull Styles $\bullet \ Interchangeable \\$

Standard Expansion Pull (1)



Pull (6)



Rectilinear Pull (9)



Full storage credenzas and Plug-In Power Bar (BLPP)

- Desk Mounted with Wire Clips Configuration (D) must be specified for this application
- 1/4" gap between the divider and the back allows installation of the power bar



Rectilinear Pull Position


Rectilinear Pull has changed since May 2021


returns & credenzas - filing drawer capacities


Lateral file drawer storage capacities are shown below.

•

The dimensions listed below are inside drawer















30" wide drawer





Paper Sizes Allowed:

- A4
- Legal



Paper Size Allowed:


• Letter




Paper Sizes Allowed:

- Letter*
- A4*
- Legal

36" wide drawer





Paper Sizes Allowed:

- Letter
- A4
- Legal



Paper Sizes Allowed:

- Letter*
- A4*
- Legal




^{*} The Letter or A4 paper size is allowed but require optional Hanging File Bar (RSLB)

planning with returns




- · Must be connected to the straight user edge and on the full gable side of a Preconfigured Desk, Desk or Credenza
- A wall panel cannot be installed on a return
- Must always be linked to one of the following products:
 - Preconfigured Desks (B_SRBS, B_SCBS and B_YRLS)
 - Credenzas with Single Pedestal (B_ZUB, B_ZUF, B_ZUC and B_ZUL)
 - Desks with Full Gables (B_VF, B_RR, B_RF, B_BDF, B_PAF, and B_RDF)




Conjunction with a Standard Desk (Preconfigured Desks)


Returns must always be linked to a full gable and straight user edge worksurface




Conjunction with a Executive Desk (Preconfigured Desks)



Conjunction with a Peninsula Desk with Half Modesty (Desks)




Conjunction with a Credenza



Conjunction with a Corner, Extended Corner or Extended Peninsula Desk (Desks)

Worksurface depths are not the same





Conjunction with another Return

planning with credenzas




- All Credenzas can be used alone
- Credenzas with single storage unit can be used in conjonction with:
 - All Returns
 - Desks with Half Gables, except Corner, Extended Corner and Extended Peninsula Desks
 - Peninsula Worksurfaces and Rectangular Bridges







Conjunction with a Return



Conjunction with a Desk and Half Gable



Conjunction with a Peninsula Worksurface




Conjunction with a Rectangular Bridge

returns - product offering




- Depths are actual dimensions for returns. This page provides actual widths in all cases
- For a list of available dimension combinations, refer to pricing tables in the price guide or to the specification software

Return with Box/Box/File Pedestal (B_JBL or B_JBC)




Return with File/File Pedestal (B_JFL or B_JFC)




2 file drawers


Return with Combo Pedestal (B_JCL)








Return with Lateral File (B_JLL)



2 large file drawers

Cross Grain Return with Lateral File (B_JLC)




2 large file drawers

credenzas - product offering




- Depths are actual dimensions for credenzas. This page provides actual widths in all cases
- For a list of available dimension combinations, refer to pricing tables in the price guide or to the specification software

Credenza with Double Pedestals - File/File (B_ZPF)




2 file drawers on each side

$Credenza\ with\ Double\ Pedestals-Box/Box/File\ and\ File/File\ (B_ZPP)$




2 box drawers, 1 file drawer (one side) and 2 file drawers (other side)

Credenza with Single Pedestal - Box/Box/File (B_ZUB)




2 box drawers, 1 file drawer

Credenza with Single Pedestal - File/File (B_ZUF)




2 file drawers

Credenza with Single Pedestal - Combo Pedestal (B_ZUC)




Credenza with Single Lateral File (B_ZUL)




2 large file drawers

Credenza with Doors (B_ZFS)



Credenza with Doors and Drawers (B_ZFD)



credenzas – product offering (continued)




- Depths are actual dimensions for credenzas. This page provides actual widths in all cases
- For a list of available dimension combinations, refer to pricing tables in the price guide or to the specification software


Credenza with Doors and Lateral File (B_ZFL)

47 3/4", 53 3/4", 59 11 /16", 65 11/16", 71 5/8", 77 5/8", 83 9/16" w door(s), large file drawers

Credenza with Doors and Two Box/Box/File Pedestals (B_ZFDB)



Credenza with Doors and Two File/File Pedestals (B_ZFDF)




2 file drawers (on each side), door(s)

returns – lock chart




All closed storage can be specified with or without lock and key set. When lock is specified, keyed alike or randomly are available. A Key Chart must accompany every order, otherwise orders will be shipped keyed randomly




credenzas – lock chart



All closed storage can be specified with or without lock and key set. When lock is specified, keyed alike or randomly are available. A Key Chart must accompany every order, otherwise orders will be shipped keyed randomly




credenzas – lock chart (continued)



return & credenza finishes



- All Laminate components are protected with a solid plastic edge
- Flintwood finishes are **not** available in this section



return & credenzas - grain direction/user edge

Attention to grain/pattern direction is important when planning returns or credenzas. The following examples demonstrate

worksurfaces


- Grain/patterns are not "centered"
- Applicable for Source or Foundation Laminate Wood Prints



B_JBL, B_JFL, B_JCL or B_JLL



B_JBC, B_JFC, B_JCC or B_JLC



B_ZPF, B_ZPP, B_ZUB, B_ZUF, B_ZUC, B_ZUL, B_ZFS, B_ZFD, B_ZFL, B_ZFDB or B_ZFDF

returns or credenzas

- Door grain direction will always be vertical
- Drawer front grain direction will vary depending on finish selected

Cathedral Grain Pattern:


Source Laminate

•
$$3A - 3B - 3C - 3D - 3E - 3L - 3M - 3X - XQ - XR$$

Foundation Laminate

$$\bullet \ 2A - 2B - 2C - 2D - 2E - 2L - 2M - 2X - RQ - YR \\$$

For colors listed above, the Cathedral Grain Pattern for door and drawer fronts will be book-matched



Straight Grain Pattern:


Source Laminate

•
$$3F - 3J - 3K - 3N - 3P - XJ - XK$$

Foundation Laminate

•
$$2F - 2J - 2K - 2N - 2P - JG - RN$$

For colors listed above, the Straight Grain Pattern for drawer fronts will be vertical



desks

desks

DESK BASICS	64
DESKS – GABLES & EQUIVALENT SUPPORTS	68
MODESTY PANEL BASICS	70
PLANNING WITH RECTANGULAR WORKSURFACES	72
DESK EDGE TRIM STYLES OVERVIEW	74
DESK FINISHES	75
DESK GRAIN DIRECTION/HSER EDGE	76

desk basics


Expansion Casegoods desks can be used individually or with other desks to create a variety of workstation configurations.

All dimensions in this section are nominal



- · All desks include a worksurface; grommets, supports (gables/frame legs/legs) and modesty panel are also usually included
- The half gable side of a desk must always be connected to another desk for stability
- Assemblies span up 84" in width without multiple supports
- Are designed with a 1/4" gap that allows mounting of accessories and wiring
- Are shipped knocked down
- Desks are compatible with all Teknion underworksurface storage products, but the storage for secondary desk products are dedicated to the Multi-Level Workstations only
- · Hutches or Wall Panels can be installed on top. Some restrictions apply; see Mounted Storage section for details

desk anatomy




desk basics (continued)

Worksurfaces Shapes


Available in a variety of shapes including: Convex, Rectangular, Corner, Extended Corner, D-Shaped and P-Shaped

Worksurfaces

- Three thicknesses available:
- D: 1" thick low pressure laminate (LPL)
- M: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16"
- X: high pressure laminate (HPL) with a 1 1/2" thick baseboard for a total surface thickness of 1 9/16"
- V: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16" with Knife Edge Trim (Available for Rectangular Table (B_RTD only)



desk basics (continued)



- Half-Height Modesty Panel can be intended for corridor or visitor applications but can be specified on the following desks only:
- Rectangular Desks (B_RF, B_RS, B_RSC, B_RH, B_RHC)
- Corner Desk (B_CD)

visitor applications

Modesty Panels

- Extended Corner Desks (B_EC, B_ED)
- Extended Peninsula Desks (B_PDH, B_EPH)
- Only Convex or Rectangular Desks with Recessed Modesty Panel (B_RR and B_VF) can be specified full- or half-height recessed


Half Modesty Panels for Peninsula Desks

• Included with a Peninsula Desk and is required for structural stability and provides seated privacy



- · Available in Laminate only
- Cannot be replaced by an optional Peninsula or Suspended Modesty Panel

- aesthetic options
- Include leveler with a 1" adjustment range
- Not all leg style/desk combinations are available; see individual product pages



desk basics (continued)


Rectangular Bridges (B_RB or B_RBL)

- Can be used with:
- Standard Preconfigured Desks with Single Pedestal (B_SRBS and B_SCBS only)
- Executive Desk (B_YRLS)
- Credenzas with Single Storage Unit
- Desks with Full Gables (B_VF, B_RR, B_RF, B_BDF, B_PAF and B_RDF only)
- Table/Fixed-Height Desks (B_MDWO, B_MDWF and B_MDWB only)
- Grain direction is available along depth (cross grain) or along width
- · An optional solid modesty panel (BAMLB), full-, half-height or wall-access can be specified separately


Bridge Modesty Panels (BAMLB)




- Can be specified specified flush full- or half-height, or wall-access
- Cannot support any storage
- · Must always be connected on straight user edge of the worksurface between two products with full gables




Connected between a Standard Preconfigured Desk and a Desk




Connected between a Credenza and Desk




Connected between two Desks



Connected between an Executive Desk and a Credenza



Connected between a Peninsula Desk with Half Modesty and a Desk




Connected between Corner, **Extended Corner or Extended** Peninsula Desks

A Rectangular Desk with Half Gables is mandatory for this application

Desk Returns (B_RNC, B_RNL)



- Can be used with:
- Standard Preconfigured Desks with Single Pedestal (B_SRBS and B_SCBS only)
- Executive Desk (B_YRLS)
- Credenzas with Single Storage Unit
- Desks with Full Gables (B_VF, B_RR, B_RF, B_BDF, B_PAF and B_RDF only)
- Modesty panels can be specified specified flush full-height or wall-access
- Cannot support any storage
- Must always be connected to a full gable on the straight user edge of the worksurface. See Return Applications on page 52
- The wall access modesty panel comes 6" wider than the worksurface




desks – gables & equivalent supports


Desks are available with full or half gables, or equivalent supports. Half gables provide additional kneespace clearance at desk junction.



- Two half gables can sufficiently support two semi-supported desks butted up against one another. Flush plates are included to maintain stability and level the surface
- Extended Corner and Corner Unit Desks cannot be used alone; they must be combined with one or more desks with half gable to form a complete workstation



two half gables





desks – gables & equivalent supports (continued)


Two Full Gables • Single desks with two full gables are freestanding and can either be used alone or combined with other desks • Any desk that does not have two full gables is semi-supported and must be attached to other desks with full gable or similar support

 A run of desks cannot exceed 120" without full gable support to maintain stability

at both ends








modesty panel basics

Modesty Panels create seated privacy for various configurations. They allow access to electrical outlets as well as power/data sharing between workstations in cluster applications.




Peninsula and Suspended Modesty Panels must be specified separately from Extended Peninsula Desks with Half Gables, Peninsula Worksurfaces, Rectangular Worksurface and Tables


Flush Full- or Half-Height, or Wall Access Modesty Panels



Flush Full-Height (1)




Flush Half-Height (5)




Wall Access (9) 1 1/8" Recessed


- Only Full-Height or Wall Access style is included with all desks with gables and desk returns; they may not be specified separately, except for the bridge worksurfaces
- Half-Height style is included with specific desks; see individual product pages
- Connected to the rear of a desk
- Elliptical Grommets are provided on flush full-height modesty panels only, except Rectangular Desk – Full Gables (B_RF) can be specified No Grommet (7)




- Constructed of 1" thick low pressure laminate (LPL)
- Flush Full-Height Modesty Panel can be installed flush-mounted or in the power-plug clearance position. This 1 1/8" recess provides the clearance to connect an Plug-In Power Bar Desk Mounted with Wire Clips (BLPPD) to the wall outlets



Recessed Modesty Panels



Recessed Full-Height (2)




Recessed Half-Height (6)

- Included with Desks with Recessed Modesty Panels and Full Gables only (B_VF or B_RR)
- Connected to the rear of a desk
- Can be specified in Full- or Half-Height
- No grommet on modesty panels
- Constructed of 1" thick low pressure laminate (LPL)

modesty panel basics (continued)

Peninsula Modesty Panels (BAMPL, BAMPM)

(BAMPLF)






Half-Height (H) Laminate (BAMPLH)



Half-Height (H) Metal (BAMPM)

- Can be specified separately and used only with specific desks; see individual product pages
- Width specified depends of three elements; support selected (dual-legs, mono-leg or base), modesty height (half or full) and desk width; see page 193 for details
- 1" thick laminate panels are available in full- or half-height; 1" thick metal panels are available in half-height only

Suspended Modesty Panels (BASML, BASMG, BASMM, BASME)




- Can be specified separately and within the standard desk section, it can be used only with:
- Rectangular Worksurfaces (B_RWL or B_RWC)
- All Tables
- All modesty panel styles can be specified in half-height only
- Can be installed 6" recessed or at the user's convenience
- Can be specified in Laminate, Flintwood, Glass, Metal or Felt
- Width of modesty panel specified depends on supports selected; see page 193 for the applications

planning with rectangular worksurfaces

supporting applications – 28" high freestanding storage and other supports

Rectangular Worksurface (B_RWL or B_RWC) in Collaborative Applications

- Must be connected in the junction of two desks (shown) or can also be used as a return on a single desk or credenza with a full gable
- Blade Legs, Angular Legs, Semi-Supported Gable with Spacers, Semi-Supported Legs, Frame Legs, and Storage are **not** included with worksurface; they must be specified separately
- 60" maximum unsupported span is required when connected as a return on a junction of two desks with half



Supported by a Freestanding Storage Configurations • Can be used to support one end


- of a desk or worksurface
- Not compatible with metal cabinet
- Must be installed with Spacer Attachments to maintain stability
- · When specified, Spacer Attachments and hardware are included with the worksurface

Linking Plates


- · Can be used to link one end of a worksurface to a desk
- · When specified, Linking Plates and hardware are included with the worksurface

Frame Legs (BWWO, BWWFL, or BWWFG)


- · Support the end of a worksurface to maintain stability
- Three Frame Leg support styles are available:



• When specified, support and hardware are not included with the worksurface



Also Available:



- Only these two leg types can be installed under the worksurface
- When specified, support and hardware are not included with the worksurface

Semi-Supported Gables with Spacers - Solid (BWGG)

installed


- · Supports the end of a worksurface to maintain stability
- Is designed with a 1/4" gap which replicates the Standard Desks look
- Cannot replace a Semi-Supported Leg
- · When specified, support and hardware are not included with the worksurface

Semi-Supported Leg -Solid (BWGL)

- Supports the end of a worksurface to maintain
- Is designed with no 1/4" gap which replicates the Multi-Level Workstations look
- Cannot replace a Semi-Supported Gable with Spacers
- · When specified, support and hardware are not included with the worksurface

planning with rectangular worksurfaces (continued)


hanging applications – freestanding storage higher than 28"





freestanding applications

Freestanding Configurations

• The appropriate support combination will allow using the Rectangular Worksurface as a freestanding product







desk edge trim styles overview

The chart below indicates which edge trim styles can be specified with all surface finishes.



- All edge finishes require that an edge trim color be chosen
 - When Worksurface Thickness (D, M or X) is specified, Full Knife Trim (F) option is **not** available
 - When Worksurface Thickness (V) is specfied, Straight Trim (6) option is not available


edge on product	description	source or foundation laminate worksurface finish	applicable with desks
Straight Trim (6) (Available with 1" (D), 1 3/16" (M) or 1 9/16" (X) Thickness)	Straight and Curved Style 3 mm thick on all edges	Yes	B_VF B_PDW B_RWC B_RR B_PDH B_RBL B_RF B_BDF B_RB B_RS B_BWW B_RSC B_EPW B_RNL B_EPH B_RNC B_PAF B_RH B_RDF B_RHC B_RPW B_CD B_RPC B_EC B_RTD B_ED B_RWL
Full Knife Trim (F) (Only available with 1 3/16" Knife Edge (V) Thickness only)	Straight Corner Style only 1.5 mm thick on all edges	Yes (foundation laminate only)	B_RTD only

desk finishes

Desks and related parts are available in a wide variety of finish colors. Finish codes must be included in the order.




- All Laminate components are protected with a solid plastic edge
- Flintwood finishes are **not** available in this section




All products are finished in Black, except Hang-On Brackets are also available in Coordinate Colors


desk grain direction/user edge

Grain direction is an important factor when planning adjacent desks. The direction of grain patterns varies depending on the type of desk specified.



gable and modesty panel grain direction





multi-level workstations

multi-level workstations

FIXED-HEIGHT CONFIGURATIONS:
UNDERSTANDING MULTI-LEVEL WORKSTATIONS86
UNDERSTANDING FIXED WORKSURFACES - MID-HEIGHT & FULL-MODESTY FIXED RUN-OFF WITH WORKWALL STORAGE 91
FIXED WORKSURFACES – MID-HEIGHT BASICS
SUPPORTING APPLICATIONS FOR FIXED WORKSURFACES – MID-HEIGHT95
PLANNING WITH FIXED WORKSURFACES - MID-HEIGHT90
FULL-MODESTY FIXED RUN-OFF – OFFSET BASE BASICS
PLANNING WITH FULL-MODESTY FIXED RUN-OFF – OFFSET BASE
HIGH SECONDARY DESK BASICS
RUN-OFF & HIGH SECONDARY DESK BASICS
OVERLAPPING BRIDGE & HIGH SECONDARY DESK BASICS 105
LOW SECONDARY DESK BASICS
PLIN OFF 87 LOW SECONDARY DESK BASICS

multi-level workstations (continued)

OVERLAPPING BRIDGE & LOW SECONDARY DESK BASICS 109
RUN-OFF WORKSURFACE SUPPORT APPLICATIONS
PLANNING WITH FIXED-HEIGHT WORKSURFACES
TABLE/FIXED-HEIGHT DESK BASICS
PRIMARY DESK FOR U-SHAPE CONFIGURATION BASICS114
FIXED-HEIGHT WORKSURFACE FINISHES
HEIGHT-ADJUSTABLE CONFIGURATIONS:
UNDERSTANDING HEIGHT-ADJUSTABLE WORKSURFACES 118
UNDERSTANDING FULL-MODESTY HEIGHT-ADJUSTABLE WORKSURFACES
UNDERSTANDING MOUNTING STYLES FOR HEIGHT-ADJUSTABLE & FULL-MODESTY HEIGHT-ADJUSTABLE WORKSURFACES 128
HEIGHT-ADJUSTABLE DESK & WORKSURFACE COMPONENTS 131
FULL-MODESTY HEIGHT-ADJUSTABLE DESK & WORKSURFACE COMPONENTS
HEIGHT-ADJUSTABLE & FULL-MODESTY HEIGHT-ADJUSTABLE

multi-level workstations (continued)

HEIGHT-ADJUSTMENT RANGE FOR HEIGHT-ADJUSTABLE & FULL MODESTY HEIGHT-ADJUSTABLE WORKSURFACES	
HEIGHT-ADJUSTABLE & FULL-MODESTY HEIGHT-ADJUSTABLE WORKSURFACES CLEARANCE WITH OVERHEAD CABINETS OR SHELVES	í 1
POWERBAR FOR HEIGHT-ADJUSTABLE & FULL-MODESTY HEIGH ADJUSTABLE WORKSURFACE APPLICATIONS	
HEIGHT-ADJUSTABLE DESK BASICS	1 4
HEIGHT-ADJUSTABLE L-SHAPE DESK BASICS	1 5
HEIGHT-ADJUSTABLE RECTANGULAR WORKSURFACE & RUN-OF BASICS	
HEIGHT-ADJUSTABLE PENINSULA BASICS	1 8
HEIGHT-ADJUSTABLE L-SHAPE WORKSURFACE BASICS	5 0
HEIGHT-ADJUSTABLE DESK FOR U-SHAPE WORKSTATION BASICS	5 2
PLANNING WITH HEIGHT-ADJUSTABLE WORKSURFACES15	53
FULL-MODESTY HEIGHT-ADJUSTABLE WORKSURFACE BASICS 15	5 9

multi-level workstations (continued)

PLANNING WITH FULL-MODESTY HEIGHT-ADJUSTABLE WORKSURFACES
SECONDARY DESK BASICS
PLANNING WITH SECONDARY DESKS
HEIGHT-ADJUSTABLE WORKSURFACE FINISHES
WORKSURFACE GROMMET, CUT-OUT & MONITOR ARM APPLICATIONS
PLANNING WITH MULTI-LEVEL WORKSTATIONS - WORKSURFACE GROMMET OR CUT-OUT POSITIONS
MULTI-LEVEL WORKSTATIONS – EDGE TRIM STYLES OVERVIEW 184
MULTI-LEVEL WORKSTATIONS – GRAIN DIRECTION/USER EDGE 186

understanding multi-level workstations - fixed-height

fixed-height configurations


The following should be considered when planning with Expansion Casegoods Fixed-Height Multi-Level Workstations.

All dimensions in this section are nominal

planning with workwall credenza - fixed worksurfaces

- · Workwall Credenza provides all-in-one unit with selection of pre-configured functionalities, ideal for compact office
- Must be installed against a building wall
- A Wall Panel is not mandatory for mounting a Fixed-Height Worksurface

Workwall Credenza - Fixed-Worksurface combined with Fixed Run-Off




This configuration can be created with a combination of:

- Workwall Credenza with Open and Drawers – Fixed Worksurface – Mid – 21" h (BSMWL)
- Fixed Run-Off Mid-Height (BM_R)
- Wall Panel for Metal Accessory Shelves (B_WMM)



Workwall Credenza – Fixed-Worksurface combined with Fixed Extended Tapered Peninsula



This configuration can be created with a combination of:

- Workwall Credenza with Open and Combo – Fixed Worksurface – Mid – 21" h (BSMCFW)
- Fixed Extended Tapered Peninsula Mid-Height (BM_EP)
- Wall Panel for Metal Accessory Shelves (B_WMM)




understanding multi-level workstations - fixed-height (continued)

fixed-height configurations


planning with workwall kneespace module - height-adjustability and fixed worksurface

Workwall Kneespace Module - Height-Adjustability and Fixed Worksurface combined with Fixed Run-Off and Height-Adjustable Rectangular Worksurface



This configuration can be created with a combination of:


- Workwall Kneespace Module Height-Adjustability and Fixed Worksurface (BHKHF)
- Fixed Run-Off Mid-Height (BM_R)
- Height-Adjustable Rectangular Worksurface (BH_RL)
- Wall Panel (B_WAA)
- Wall Panel for Solid Shelves (B_WOO)



planning with workwall kneespace module – full-modesty fixed run-off


- Workwall Kneespace Module Full-Modesty Run-Off must be anchored to a wall that has load bearing capabilities, refer to the installation guide for details
- A Wall Panel is not mandatory for mounting a Full-Modesty Fixed Run-Off Worksurface
- The module can be combined with Workwall Kneespace Module for Height-Adjustability, Workwall Credenza, High Secondary Desk, Freestanding Tower and Workwall Storage with Integral Top to create a complete workstation

Workwall Kneespace Module - Full-Modesty Fixed Run-Off combined with Full-Modesty Fixed Run-Off



This configuration can be created with a combination of:

- Workwall Kneespace Module -Full-Modesty Fixed Run-Off (BHKFR)
- Full-Modesty Fixed Run-Off Offset Base (BF_MR)
- Height-Adjustable Rectangular Worksurface (BH_RL)
- Wall Panel (B_WAA)
- Wall Panel for Solid Shelves (B_WOO)





understanding multi-level workstations – fixed-height (continued)

fixed-height configurations

planning with secondary desks

- Secondary Desks must always be installed against a building wall
- Depending on the layout, maximum unsupported span restrictions may apply, refer to page 111 of this section
- On a Low Secondary Desk, a Wall Panel is mandatory for mounting a Run-Off Worksurface, a Run-Off with Glass Top or an Overlapping Bridge
- Run-Off Worksurface or Overlapping Bridge with End Support for Low Secondary Desk should be used when there is no wall panel to support the worksurface






understanding multi-level workstations - fixed-height (continued)


fixed-height configurations

planning with secondary desks (continued)

Low Secondary Desk combined with Run-Off Worksurface with End Support




- Low Secondary Desk (B_MSDL)
- Run-Off Worksurface with End Support -Low Secondary Desk (B_MPG)






Low Secondary Desk combined with Overlapping Bridge and Primary Peninsula Desk for U-Shape Configuration




This configuration can be created with a combination of:


- Low Secondary Desk (B_MSDL)
- Overlapping Bridge Low Secondary Desk
- Primary Desk for U-Shape Configuration (B_MDG)
- Wall Panel (B_WAA)



This configuration can be created with a combination of:

- Low Secondary Desk (B_MSDL)
- Overlapping Bridge with End Support -Low Secondary Desk (B_MBG)
- Primary Desk for U-Shape Configuration (B_MDG)






understanding multi-level workstations – fixed-height (continued)

fixed-height configurations

planning with secondary desks (continued)

High Secondary Desk combined with Overlapping Bridge and Primary Peninsula Desk for U-Shape Configuration




This configuration can be created with a combination of:

- High Secondary Desk (B_MSDH)
- Overlapping Bridge High Secondary Desk (B_MBH)
- Primary Peninsula Desk for U-Shape Configuration (B_MDS)
- Wall Panel for Overhead Cabinet (B_WCC)




High Secondary Desk combined with Table Desk




This configuration can be created with a combination of:

- High Secondary Desk (B_MSDH)
- Table Desk Open Frame Legs (B_MDWO)
- Wall Panel for Overhead Cabinet with Shelf (B_WCO)




Low Secondary Desk combined with Table Desk



This configuration can be created with a combination of:

- Low Secondary Desk (B_MSDL)
- Table Desk with Full Modesty Open Frame Legs (B_MFWO)
- Wall Panel (B_WAA)



understanding fixed worksurfaces – mid-height & full-modesty fixed run-off with workwall storage

fixed-height configurations

workwall storage for fixed worksurfaces


- Can support Wall Panels (B_WCC, B_WCO, B_WAA, B_WOO, B_WMD, B_WMO or B_WMM)
- Must be installed against a wall
- For more details on Workwall Storage for Fixed Worksurfaces, refer to Workwall Storage section

The Fixed Run-Off illustrated below can only be installed on these Workwall Storage:




 (BM_R)

For more details on this product, refer to page 92



Workwall Kneespace Module - Height-Adjustability and Fixed Worksurface (BHKHF)




Workwall Kneespace Module - Fixed Worksurface (BHKFW)



Workwall Bookcase - Fixed Worksurface - Mid - 21" h (BSMOBW)




Workwall Credenza with Open and Drawers - Fixed Worksurface - Mid - 21" h (BSMWL)





Workwall Credenza with Open and Combo - Fixed Worksurface - Mid - 21" h (BSMCFW)

The Fixed Extendced Tapered Peninsula illustrated below can only be installed on these Workwall Storage:



Fixed Extended Tapered Peninsula - Mid-Height (BM_EP)


For more details on this product, refer to page 93



Workwall Kneespace Module - Fixed Worksurface (BHKFW)




Workwall Bookcase - Fixed Worksurface - Mid - 21" h (BSMOBW)



Workwall Credenza with Open and Combo - Fixed Worksurface - Mid - 21" h (BSMCFW)

66" to 84" w

The Full-Modesty Fixed-Run-Off illustrated below can only be installed on this Workwall Storage:



Full-Modesty Fixed Run-Off -Offset Base (BF_MR)

For more details on this product, refer to page 99






Workwall Kneespace Module -Full-Modesty Fixed Run-Off (BHKFR)

fixed worksurfaces - mid-height basics

fixed-height configurations

- Only Mid-Height (K) Configuration is available
- An optional Suspended Modesty Panel can be specified separately. For application of a modesty panel, refer to page 194


fixed run-off - mid-height






Fixed Run-Off - Mid-Height (BM_R)

- Available in thicknesses:
- 1 3/16" (M)
- 1 3/16" Knife Edge (V)
- 1 9/16" (X)
- Configuration:
- Left Handed (L) (Shown)
- Right Handed (R)
- None-Handed (N) (reversible on-site)
- Two Corner Detail Styles are available :




- Four grommet options are available: End of Worksurface Rectangular (E), Offset Rectangular (O), Offset Rectangular and Square (P), and No Grommet (N)
- Comes with two worksurface supports with back opening to provide a cable pass-through in a Workwall Storage
- Can be used with:
- Workwall Kneespace Module Height-Adjustability and Fixed Worksurface (BHKHF)
- Workwall Kneespace Module Fixed Worksurface (BHKFW)
- Workwall Bookcase Fixed Worksurface Mid 21" h (BSMOBW)
- Workwall Credenza with Open and Drawers Fixed Worksurface Mid 21" h (BSMWL)
- Workwall Credenza with Open and Combo Fixed Worksurface Mid 21" h (BSMCFW)
- The other end is supported by one of the five support styles below (not included):



fixed worksurfaces - mid-height basics (continued)

fixed-height configurations

fixed extended tapered peninsula - mid-height






Fixed Extended Tapered Peninsula – Mid-Height (BM_EP)

- Available in thicknesses:
- 1 3/16" (M)
- 1 9/16" (X)
- Configuration:
- Left Handed (L) (Shown)
- Right Handed (R)
- Three grommet options are available: Offset (O) Rectangular, Offset (P) Rectangular and Square, and No Grommet (N)
- · Comes with two worksurface supports with back opening to provide a cable pass-through in a Mid-Height Credenza
- Can only be used with:
- Workwall Kneespace Module Fixed Worksurface (BHKFW)
- Workwall Bookcase Fixed Worksurface Mid 21" h (BSMOBW)
- Workwall Credenza with Open and Combo Fixed Worksurface Mid 21" h (BSMCFW)
- The other end is supported by one Bevel Post Leg (L) (not included)






fixed worksurfaces - mid-height basics (continued)

fixed-height configurations

Expansion Casegoods offers a variety of Fixed Worksurfaces that can be used with Workwall Kneespace Modules, Workwall Bookcase and Workwall Credenzas for Fixed Worksurface.

gap between mid-height workwall storage and a fixed worksurface



Worksurface thickness does not affect clearance gap

bevel post leg position under fixed worksurfaces


57" or 63" wide worksurface

The fixed-height Bevel Post Leg (BWBL) will be positioned 7" from the end of the worksurface

BOTTOM VIEW Ę Fixed Extended Tapered Peninsula (BM_EP) Fixed-Run-Off

69" to 87" wide worksurface

The fixed-height Bevel Post Leg (BWBL) will be positioned 13" from the end of the worksurface



(BM_R)


supporting applications for fixed worksurfaces – mid-height

fixed-height configurations

Fixed Worksurface - Mid-Height can be used with a variety of support styles.




- · Supports the end of a worksurface to maintain stability
- The supports listed below can be specified but are not included and must be ordered separately, compatibility restrictions
 may apply
- Supports are 29" from floor to top of finished worksurface



Fixed-Height Bevel Base - Solid End Panel (B)

- Must equal depth worksurface under which it is installed
- It is **not** available with 24" deep worksurface
- It is not available with 1 3/16" Knife Edge (V) Worksurface Thickness
- Cannot be specified with a Fixed Run-Off Mid-Height (BM_R) with Radius Corners
- Only available with Fixed Run-Off Mid-Height (BM_R)




Semi-Supported Leg (E)

- Must specify the worksurface thickness and depth options accordingly with the worksurface under which the Semi-Supported Leg will be installed
- Cannot be replaced by a Semi-Supported Gable with Spacer (BWGG)
- Cannot be specified with a Fixed Run-Off Mid-Height (BM_R) with Radius Corners
- It is not available with 1 3/16" Knife Edge (V) Worksurface Thickness
- Only available with Fixed Run-Off Mid-Height (BM_R)




Blade Leg (K)

- They are not available with 24" deep worksurface
- Are available with 1 3/16" Knife Edge (V) Worksurface Thickness
- Only available with Fixed Run-Off Mid-Height (BM_R)



Fixed-Height Bevel Post Leg (L)

- It is available with 1 3/16" Knife Edge (V) Worksurface Thickness
- Available with Fixed Run-Off Mid-Height (BM_R) or Fixed Extended Tapered Peninsula – Mid-Height (BM_EP)



End Panel

Frame Legs (W)

- Must equal depth of worksurface under which it is installed
- Only available with Fixed Run-Off Mid-Height (BM_R)
- Cannot be specified with a Fixed Run-Off Mid-Height (BM_R) with Radius Corners
- Is is not available with 1 3/16" Knife Edge (V) Worksurface Thickness
- Three Frame Leg support styles are available:





Solid Infill End Panel

planning with fixed worksurfaces - mid-height


fixed-height configurations

workwall kneespace module with fixed run-off - mid-height applications




- Only Fixed Run-Off (BM_R) can be installed on a Workwall Kneespace Module (BHKHF or BHKFW). For more details on these modules, refer to Workwall Storage section
- · These applications are also available with Fixed Meeting Table, refer to Meeting Tables section for details
- The installation of the Workwall Kneespace Module relies on the structural wall it is affixed to, to be built according to local code requirements. The warranty on the Workwall Kneespace Module applies only to the product itself, and not to the durability of the wall. Installation on building/structural walls that do not meet local code requirements will affect the safety and durability of the product
- The position of the Fixed Run-Off Mid-Height, influence the overall workstation footprint
- Three positions are available at installation:

Aligned to adjacent Height-Adjustable Rectangular Worksurface – Mid-Height




When installed 3" from the back of the module, it allows alignment with adjacent height-adjustable worksurface. A gap is created to manage wires and reach the mid-height module through worksurface support

Against a Wall Panel



When installed 1" from the back of the workstation, the end of the worksurface is flush with front of the Wall



The end of the worksurface is aligned with the back of a storage or a Workwall Kneespace Module

planning with fixed worksurfaces – mid-height (continued)


fixed-height configurations

workwall credenza for all fixed worksurfaces - mid-height applications




- Fixed Run-Off (BM_R) and Fixed Extended Tapered Peninsula (BM_EP) can be installed on a Workwall Credenza Fixed Worksurface (BSMWL or BSMCFW). For more details on these credenzas, refer to Workwall Storage section
- These applications are also available with Fixed Meeting Table, refer to Meeting Tables section for details
- The position of the Fixed Worksurface, influence the overall workstation footprint
- Three positions are available at installation:

Against a Wall Panel with board




When installed 2" from the back of the workstation, the end of the worksurface is flush with front of the Tackboard or Markerboard that is mounted in front of the Wall Panel

Against a Wall Panel



When installed 1" from the back of the workstation, the end of the worksurface is flush with front of the Wall Panel

Aligned with back of the Workwall Credenza



The end of the worksurface is flush with the back of the Workwall Credenza – Fixed Worksurface

planning with fixed worksurfaces – mid-height (continued)

fixed-height configurations

clearance when combining fixed & height-adjustable worksurface

Clearance around Fixed Run-Off – Mid-Height (BM_R) and Height-Adjustable Rectangular Worksurface (BH_RL or BH_RC) mounted on Workwall Kneespace Module – Height-Adjustability and Fixed Worksurface (BHKHF)


This combination of products will automatically ensure the 1" minimum clearance required all around the height-adjustable worksurface. Allowing up and down movement of the mechanism without damaging the adjacent products.

clearance around fixed worksurfaces on workwall credenza – fixed worksurfaces


When installed 2" from the back of the workstation, the end of the worksurface is flush with front of the tackboard or makerboard that is mounted in front of the Wall Panel


Clearance around Fixed Run-Off – Mid-Height (BM_R) mounted on Workwall Credenza with Open & Drawers (BSMWL) or – with Open Combo (BSMCFW) – Fixed Worksurface

Clearance around Fixed Extended Tapered Peninusla – Mid-Height (BM_EP) mounted on Workwall Credenza with Open Combo – Fixed Worksurface (BSMCFW)



* Three positions are available for the Fixed Run-Off – Mid-Height, when installed with Height-Adjustable Rectangular Worksurface and on kneespace module. Refer to previous page for more details






** Three positions are available for the Fixed Worksurfaces. Refer to previous page for more details

full-modesty fixed run-off - offset base basics

fixed-height configurations






- 1 3/16" (M)
- 1 3/16" Knife Edge (V)
- 1 9/16" (X)
- Only Mid-Height (K) Configuration is available
- Configuration:
- Left Handed (L) (Shown)
- Right Handed (R)
- Only one Corner Detail Style is available



- Four Cut-Outs options are available: Offset Diamond (0), Offset Square (1), Offset Square & Diamond (2), and No Grommet (N). Accessories must be ordered separately
- Can only be used with Workwall Kneespace Module Full-Modesty Fixed Run-Off (BHKFR)
- A Pocket Stow[Away] Drawer (BADFP) can be installed with this product

full-modesty fixed run-off components

- 1 Worksurfaces are available with or without cut-outs
- 2 Fixed Height Offset Base
 - Supports full height modesty and the end of a worksurface to maintain stability
 - Available in 29" from floor to the top of finished worksurface
- 3 Worksurface Support with back opening. One support included only
- 4 Levelers are included with base and have an adjustment range of 3"
- 5 Full Height Modesty Panel
- Workwall Kneespace Module Modesty Support
 - · Attach fixed run-off to the module
- 7 Reinforcing Channel
 - Allows support and attachment for Modesty Panel
 - Enables fixation for the Cable Tray
- - · Facilitates installation and allows easy routing of wires below the worksurface



full-modesty fixed run-off – offset base basics (continued)

fixed-height configurations

cable management

For more details for Grommets and Monitor Arm applications, refer to page 170


Square Cut-Out Details

- The cut-out is not finished, and one of the accessories listed below must be ordered separately:
 - Duo Grommet Square (BLGQX) provide openings for electrical wiring and communication cables
 - Power Qube (BEEPC) provide quick power, data and USB access at the worksurface level

AND/OR

Diamond Cut-Out Details

- The cut-out is not finished, and one of the accessories listed below must be ordered separately:
 - Rectangular (BLGC) Grommet provide openings for electrical and communication cables
 - MAST Monitor Arm (for Expansion Grommet) provide a variety of technology support options with many possible adjustment




Support with back opening

Worksurface Support

 Comes with one large worksurface support with back opening to provide a cable pass-through in Workwall Kneespace Module and other end is supported by one Offset Base


offset base position and clearance under full-modesty fixed run-off





full height modesty positions

FRONT VIEW



planning with full-modesty fixed run-off - offset base


fixed-height configurations

workwall kneespace module - full-modesty fixed run-off applications




- Only a Full-Modesty Fixed Run-Off Offset Base (BM_FR) can be installed on a Workwall Kneespace Module Full-Modesty Fixed Run-Off (BHKFR). For more details on this module, refer to Workwall Storage section
- The position of the Full-Modesty Fixed Run-Off, influence the overall workstation footprint
- Three positions are available at installation:

Aligned to adjacent Height-Adjustable Rectangular Worksurface – Mid-Height



When installed 3" from the back of the module, it allows alignment with adjacent height-adjustable worksurface. A gap is created to manage wires and reach the mid-height module through worksurface support

Against a Wall Panel




 When installed 1" from the back of the workstation, it allows to install the worksurface flush with the front of the Wall Panel



 CAUTION: The position does not allow the use of Edge Clamped accessory since no gap is left for wire management

Aligned to 29" Freestanding Storage Back



The end of the worksurface is aligned with the back of a storage and with back of the Workwall Kneespace Module


planning with full-modesty fixed run-off – offset base (continued)

fixed-height configurations

_ _ _ = Footprint

clearance when combining fixed & height-adjustable worksurface


This combination of products will automatically ensure the 1" minimum clearance required all around the height-adjustable worksurface. Allowing up and down movement of the mechanism without damaging the adjacent products



* Three positions are available for the Full-Modesty Fixed Run-Off – Offset Base. Refer to previous page for more details

clearance around a fixed worksurface on a workwall storage with integral top and a secondary desk

Clearance around a Full-Modesty Fixed Run-Off – Offset Base (BM_FR) mounted on Workwall Kneespace Module – Full-Modesty Fixed Run-Off (BHKFR) and a Workwall Storage with Integral Top (BSOBT, BSOBC, BSCT, BSDC, BSLFT, BSLFC, BSPT or BSPC), and a Secondary Desk (B_MSD)



** Three positions are available for the Full-Modesty Fixed Run-Off – Offset Base. Refer to previous page for more details

high secondary desk basics

fixed-height configurations

Expansion Casegoods high secondary desk can be used individually or with run-off or overlapping bridge to create diverse workstation configurations.




Grain direction is available along the width only



High Secondary Desk (B_MSDH)

- The products listed below must only be installed on High Secondary Desk. It provides a support for:
- Run-Off Worksurface (B_MHH)
- Run-Off with Glass Top (BGMTH)
- Overlapping Bridge (B_MBH)
- Must always be installed against a building wall
- When 1 3/16" (M) thickness is specified, the gables are 1" thick
- When 1 9/16" (X) thickness is specified, the gables are 1 1/2" thick
- Can support Wall Panel Styles (B_WCC, B_WCO, B_WAA, B_WOO, B_WMD, B_WMO or B_WMM) or Mounted Towers for High Secondary Desk (BRHL, BRHG or
- Unloaded and unattached Secondary Desks must not be filled with Stretch Pedestals or lateral files for secondary desks for more than half its width



- Six Storage for Secondary Desks can be specified separately and installed under a High Secondary
- Bookcases (BSSO) and Multi-Functional Storage (BSSM) can act as a passive storage



(BSSO)

Multi-Functional

Storage (BSSM)



Stretch

Pedestal

(BSSP)



Lateral File

(BSSL)



Storage

Cabinet (BSSD)





Recycling/ Waste Cabinet

Rectangular Grommets

- · Provide openings for electrical wiring and communication cables
- Worksurfaces can be specified without (N) or with rectangular grommets. Four position styles are available:
- Both Ends (B)
- Centered (C)
- Left (L)
- Right (R)
- They can be replaced with Elliptical Grommets (BLGE) which can be specified separately

run-off & high secondary desk basics

fixed-height configurations




- Enables L- or T-Shaped Configurations
- One end must be mounted on a High Secondary Desk
- Three grommet options are available: Centered (C) Rectangular, Offset (O) Rectangular, and No Grommet (N)
- Only an optional Suspended Modesty Panel or a Power Tray can be used under these worksurfaces and can be specified separately. For application of a modesty panel, refer to page 194
- Cannot support any storage or Wall Panels
- The grommet position varies depending the worksurface specified, refer to page 171 for more details



Run-Off Worksurface – High Secondary Desk (B MHH)


- Available in thicknesses (1 3/16" (M), 1 3/16" Knife Edge (V) or 1 9/16" (X))
- Three configurations are available:
 - Left Handed (L) (Shown)
 - Right Handed (R)
- Non Handed (No Grommet only)
- The other end is supported by one of the six support styles below (**not** included):





Run-Off with Glass Top – High Secondary Desk (BGMTH)

- Two configurations are available:
- Left Handed (L) (Shown)
- Right Handed (R)
- Only Bevel Base (B) Support Styles is available and are included with Run-Off
- A 28" high freestanding storage cannot be installed under a glass top product
- Available in 3/8" (10 mm) tempered glass
- Not all optical computer mouse are compatible on glass worksurface, Desk Pad (YPDP) is recommended (see Complements products)
- Cannot suspend any accessories or storage



* The recessed frame of Run-Off with Glass Top reduced the gap by 1 11/16"

overlapping bridge & high secondary desk basics

fixed-height configurations


Also available:



Overlapping Bridge – High Secondary Desk (B_MBH)

- Available in thicknesses:
- 1 3/16" (M)
- 1 9/16" (X)
- Enables U-Shaped Configurations
- Must be supported by a High Secondary Desk on one end and connected to a desk to create a U-shaped configuration
- Must be linked with:
- Primary Desk for U-Shape Configuration (B_MDG)
- Primary Peninsula Desk for U-Shape Configuration (B_MDS)
- Preconfigured Desks, Credenzas, Table Desks (B_MDWO or B_MDWF), Fixed-Height Desk (B_MDWB) or Standard Desks
- Non handed and reversible on-site

- Worksurface can be specified without (N) or with a centered rectangular grommet (C)
- Only an optional Suspended Modesty Panel or Power Tray can be used under the bridge and can be specified separately. For application of a modesty panel, refer to page 194
- Cannot support any storage or wall panels



low secondary desk basics

fixed-height configurations


Expansion Casegoods low secondary desk can be used individually or with run-off or overlapping bridges to create diverse workstation configurations.



Grain direction is available along the width only

Low Secondary Desk (B_MSDL)

- The products listed below must only be installed on Low Secondary Desk. It provides a support for:
- Run-Off Worksurface (B_MPL)
- Run-Off with Glass Top (BGMTL)
- Overlapping Bridge (B_MBL)
- Run-Off Worksurface with End Support (B_MPG)
- Overlapping Bridge with End Support (B_MBG)
- Must always be installed against a building wall
- When 1 3/16" (M) thickness is specified, the gables are 1" thick
- When 1 9/16" (X) thickness is specified, the gables are 1 1/2" thick
- Can support Wall Panel Styles (B_WCC, B_WCO, B_WAA, B_WOO, B_WMD, B_WMO or B_WMM or Mounted Towers for Low Secondary Desk (BRLL, BRLG or BRLO)



- Three Storage for Secondary Desks can be specified separately and installed under a Low Secondary Desk
- Bookcase (BSSO) can act as a passive storage







Bookcase Lateral File (BSSO) (BSSL)

Recycling/ Waste Cabinet (BSSRW)

run-off & low secondary desk basics

fixed-height configurations




- Enables L- or T-Shaped Configurations
- One end must be mounted on a Low Secondary Desk
- A Wall Panel is mandatory to support Run-Off Worksurface (B_MPL) or Run-Off with Glass Top (BGMTL) for Low Secondary Desks
- Cannot support any storage or wall panels
- Cannot suspend any accessories or storage
- A Power Tray can be used under these worksurfaces and can be specified separately
- The grommet position varies depending the worksurface specified, refer to page 171 for more details



Run-Off with Glass Top - Low Secondary Desk (BGMTL)


- Two configurations are available:
- Left Handed (L)
- Right Handed (R) (Shown)
- Only Bevel Base (B) Support Styles is available and are included with Run-Off
- Worksurfaces can be specified without (N) or with rectangular grommets. Three position styles are available:
- Centered (C)
- End of Worksurface (E)
- Offset (O)
- Offset grommet locations are handed configurations
- Half solid modesty panel is included and cannot be specified separately. When Grommet Option (C or O) is specified, the modesty panel comes also with a central grommet
- Available in 3/8" (10 mm) tempered glass
- Not all optical computer mouse are compatible on glass worksurface, Desk Pad (YPDP) is recommended (see Complements products)
- A 28" high freestanding storage cannot be installed under a glass top product



Position of modesty panel can interfere with under-worksurface power and data specified on the Wall Panel. Use specification software appropriately


run-off & low secondary desk basics (continued)

fixed-height configurations





Run-Off Worksurface – Low Secondary Desk (B_MPL) and Run-Off Worksurface with End Support – Low Secondary Desk (B_MPG)

• The other end is supported by one of the five support styles below (not included):



- Run-Off Worksurface Low Secondary Desk (B_MPL) is non handed and reversible on-site
- Worksurfaces can be specified without (N) or with rectangular grommets. Four position styles are available:
- Centered (C)
- End of Worksurface (E)
- Left (L)
- Right (R)
- Half solid modesty panel is included and cannot be specified separately. When Grommet Option (C) is specified
 for Run-Off Worksurface (B_MPL) or Grommet Option (C, L, R) is specified for Run-Off Worksurface with
 End Support (B_MPG), the modesty panel comes also with a central grommet
- Run-Off Worksurface with End Support (B_MPG) can be specified with Under Worksurface Center (UC) or No (NN) Power and Data





9 3/4'

10 3/8'

overlapping bridge & low secondary desk basics

fixed-height configurations

Also available:




Overlapping Bridge - Low Secondary Desk (B_MBL) or Overlapping Bridge with End Support - Low Secondary Desk (B_MBG)

- Enables U-Shaped Configurations
- · Must be supported by a Low Secondary Desk on one end and connected to a desk to create a U-shaped configuration
- A Wall Panel is mandatory to support Overlapping Bridge for Low Secondary Desks (B_MBL)
- Must be linked with:
- Primary Desk for U-Shape Configuration (B_MDG)
- Primary Peninsula Desk for U-Shape Configuration (B_MDS)
- Preconfigured Desks, Credenzas, Table Desks (B_MDWO or B_MDWF), Fixed-Height Desk (B_MDWB) or Standard Desks

- · Non-handed and reversible on-site
- Worksurfaces can be specified without (N) or with rectangular grommets. Two position styles are available:
- Centered (C)
- End of Worksurface (E)
- · Half Solid Modesty Panel is included and cannot be specified separately. When Grommet Option (C), the modesty panel comes also with a central grommet
- · Cannot support any storage or wall panels
- · A Power Tray can be used under the bridge and can be specified separately



- Run-Off Worksurface with End Support (B_MPL) can be specified with Under Worksurface – Center (UC) or No (NN) Power and Data
- · Each cut out comes with a Power Bar and
- The Under Run-Off Worksurface Center (UC) cut-out option is available only on the 30" or 36" deep Overlapping Bridge with End Support (B_MBG)
- When a No Power and Data style (NN) is specified, a Cable Pass-Through Ring is



run-off worksurface support applications

fixed-height configurations

Run-Off Worksurfaces - High or Low Secondary Desk can be used with a variety of support styles.




- Supports the end of a worksurface to maintain stability
- The supports listed below can be specified under Run-Off Worksurfaces (B_MDS, B_MHH, B_MPL or B_MPG) but are **not** included and must be ordered separately
- If applicable, 1 3/16" Knife Edge (V) Worksurface Thickness is specified, only Support Styles (K or Q) are available

supporting applications – 28" high freestanding storage and other supports

Supported by a Freestanding Storage (S)

- Can only be installed under a Run-Off Worksurface - High Secondary Desk (B_MHH)
- The option is not available with 60" and 66" wide worksurface
- · The metal Freestanding Storage cannot be used as a support
- Must be installed with Spacer Attachments to maintain stability
- · When storage style is specified, only the Spacer Attachments and hardware are included with worksurface



Square Post Leg (Q)

- Can be used under Run-Off Worksurface - High or Low Secondary Desk
- The option is not available with 60" and 66" wide worksurface




Blade Leg (K)


- Can be used under Run-Off Worksurface - High or Low Secondary
- It is not available with 24" deep worksurface

Frame Leg (W)

- Must equal the depth of Run-Off Worksurface High or Low Secondary Desk under which it is installed
- Three Frame Leg support styles are available:







Semi-Supported Leg (E)

- Must equal the depth of Run-Off Worksurface - High or Low Secondary Desk under which it is installed
- Specified thicknesses of Semi-Supported Leg and Run-Off Worksurface must be the same
- Cannot be replaced by a Semi-Supported Gable with Spacer (BWGG)



Bevel Base (B)

- Must equal the depth of Run-Off Worksurface – High or Low Secondary Desk worksurface under which it is
- It is **not** available with 24" deep worksurface

planning with fixed-height worksurfaces


fixed-height configurations


The maximum unsupported span rule is the key of planning Multi-Level Workstations efficiently.




The applications shown below are applicable with High or Low Secondary Desk workstations

maximum unsupported span allowed - loaded rule








With Mounted Towers Application

- Secondary Desk is considered loaded when used with:
- Wall Panel for Overhead Cabinet (B_WCC)
- Wall Panel for Overhead Cabinet and Shelf (B_WCO)
- Wall Panel for Solid Shelves (B_WOO)
- Wall Panel for Media and Shelves (B_WMO)
- Wall Panel for Metal Accessory Shelves (B_WMM)
- Mounted Towers

- Maximum unsupported span allowed is 66"
- If the Secondary Desk is wider than 66", a Storage for Secondary Desk is necessary to reduce its unsupported span to a
- On these applications shown above, the Run-Off Worksurface or Run-Off with Glass Top can be placed off-module on the Secondary Desk
- L-, T- or U-Shape Configurations are allowed

maximum unsupported span allowed - not loaded rule






With or Without Wall Panel or Run-Off Worksurface or Run-Off with Glass Top Application

- Maximum unsupported span allowed is 84"
- If the Secondary Desk is wider than 84", a Storage for Secondary Desk is necessary to reduce its unsupported span to a maximum of 84'
- · On these applications shown above, the Run-Off Worksurface or Run-Off with Glass Top must be placed at one extremity of the Secondary Desk. If not, the loaded rule applies
- · Only L- or U-Shape Configurations are allowed


recesses for run-off worksurfaces or run-off with glass top

- · Only applicable for Run-Off Worksurfaces, Run-Off with Glass Top and Overlapping Bridge for High Secondary Desk
- Two recess styles are allowed:



Recessed Visitor Option

- Allows more kneespace clearance for visitors and lengthens the usable footprint of a workstation
- Can be offset by up to 6"
- · Applicable on High and Low Secondary Desk Workstations



Recessed from Rear End of the **High Secondary Desk**

- Four positions are allowed:
- Flush: does **not** allow mounting a wall panel
- 1" recessed: flush with wall
- 2" recessed: 1" gap between wall panel and end worksurface edge allows routing wires
- 6" recessed: provides direct access to the grommet on secondary desk and lengthens the usable footprint of the workstation


table/fixed-height desk basics

fixed-height configurations

Expansion Casegoods multi-level workstations offer two desk styles; Table and Fixed-Height Desks.



- Grain direction is available along the width only
- All solid products are available in thicknesses (1 3/16" (M) or 1 9/16" (X))



• Rectangular Grommets can be replaced with Elliptical Grommets

(BLGE) which can be specified separately

table/fixed-height desk basics (continued)

fixed-height configurations



- These desks are freestanding
- Height is 29" from floor to top of finished worksurface
- Cannot support any storage or wall panels
- Cannot suspend any accessories and storage
- A Power Tray can be used under these desks and can be specified separately

Also available:



Table Desk with Full Modesty – Open Frame Legs (B_MFWO)

- Includes two Open Frame Legs
- A solid full height Modesty Panel is also included. No grommet is provided on the modesty panel, a clearance of 5 1/8" has been planned in front of the modesty for visitor space
- Worksurfaces can be specified No Cut-Out (N) or with cut-outs. Six position styles are available:
- Left Diamond Cut-Out (0)
- Left Square Cut-Out (1)
- Left Diamond & Square Cut-Outs (2)
- Right Diamond Cut-Out (3)
- Right Square Cut-Out (4)
- Right Diamond & Square Cut-Outs (5)
- Rectangular and square grommets are not included and must be specified separately.
- All 21" or 28" high non-metal Freestanding Storage can be specified separately and installed under desk




Fixed-Height Desk - Bevel Bases (B_MDWB)

- Comes with two fixed-height Bevel Bases and Solid End Panels
- Available depth: 30"
- Available widths: 60" to 84" (6" increments)
- Worksurfaces can be specified without (N) or with rectangular grommets. Three position styles are available:
- Both Ends (B)
- Left (L)
- Right (R)

Rectangular and square grommets are also available.

Four position styles are available:

- Both Ends (H) Rectangular (L) and Square (R)
- Both Ends (I) Square (L) and Rectangular (R)
- Left (M) Rectangular and Square
- Right (S) Rectangular and Square
- A 28" high freestanding storage cannot be installed under this products
- A Solid Suspended Modesty Panel is included. No grommet is provided on the modesty panel, a clearance of 3/8" has been planned between the worksurface and the base of the modesty panel to route the cables



primary desk for U-shape configuration basics

fixed-height configurations

Expansion Casegoods multi-level workstations offer two U-Shape desk styles; Primary Desk and Primary Peninsula Desk.



- Grain direction is available along the width only
- All solid products are available in thicknesses (1 3/16" (M) or 1 9/16" (X))
- These desks are semi-freestanding and must be connected to a Overlapping Bridge for U-shape applications. They cannot be used alone
- Must be connected with:
- Overlapping Bridge with End Support -Low Secondary Desk (B_MBG)
- When 1 3/16" (M) thickness is specified, the gables are 1" thick
- When 1 9/16" (X) thickness is specified, the gables are 1 1/2" thick
- All 21" or 28" high non-metal Freestanding Storage can be specified separately and installed under desk
- Standard position of reinforcing bar will limit the use of pedestal or Multi-Functional Drawer, Stow(Away) Drawer (BADF) to one unit, refer to page 212 for more details
- An optional Suspended Modesty Panel or Power Tray can be used under refer to page 194




Primary Desk for U-Shape Configuration (B_MDG)

- · Comes with two Semi-Supported Legs
- · Worksurface can be specified without (N) or with rectangular grommets on Both Ends (B)



Primary Peninsula Desk for U-Shape Configuration (B_MDS)

- · Comes with one Semi-Supported Leg
- Worksurface can be specified without (N) or with rectangular grommets on End of Worksurface (E)
- The other end is supported by one of these support styles



24", 30", 36" d


fixed-height worksurface finishes

fixed-height configurations

Multi-Level Workstations and related parts are available in a wide variety of finish colors. Finish codes must be included in the order.



- All Laminate components are protected with a solid plastic edge
- For an overview of which products are offered in Flintwood finishes, refer to the Expansion Casegoods product map on Teknion's website



fixed-height worksurface finishes (continued)

fixed-height configurations

Hardware or Worksurface Supports for Fixed Run-Off -Mid-Height

- Available in Foundation, Mica, Accent or Coordinate Colors
- Coordinate colors are solid colors that can be used to match wood prints



- M8 Royal Cherry
- NB Ivory Birch
- NC Provincial Oak ND Coastal Elm
- Q4 Espresso Reflect
- Q6 Stainless
- Walnut Cathedralgrain
- Mercurial Walnut Q9
- **R**7 Java Walnut
- Choice Maple R9
- V1 Estate Cherry
- Urban Walnut VV Pecan Reflect W8 Cocoa Brown Reflect W9 Sycamore Reflect


Edge Trims (Full-Modesty Fixed Run-Off)

• Are available: Straight Trim (6), Flintwood Flat Trim (9), Flat Trim (8) or Full Knife Trim (F)

VD Campus Oak

VL Flax Reflect

• M and X Thicknesses are available with Straight Trim (6), Flat Trim (8) or Flintwood Flat Trim (9)



^{*} The Foundation Laminate Patterns are not available with Fixed-Height Desk – Bevel Bases (B_MDWB) only.

understanding height-adjustable worksurfaces

height-adjustable configurations


Expansion Casegoods Multi-Level Workstations offer three Height-Adjustable L-Shape Desk styles that can be used individually. These height-adjustable desks offer three different main worksurface configurations allowing to create different work styles.

All dimensions in this section are nominal

planning with height-adjustable L-shape desks


- A Wall Panel cannot be mounted on a Height-Adjustable L-Shape Desk
- Enables users to work or do meeting in sit/stand positions

Height-Adjustable L-Shape Desk - Bevel Bases




This configuration can be created with a:

 Height-Adjustable L-Shape Desk – Bevel Bases (BH_LD)




Height-Adjustable L-Shape Peninsula Desk – Bevel Post Leg



This configuration can be created with a:

Height-Adjustable L-Shape Peninsula
 Desk – Bevel Post Leg (BH_B)



understanding height-adjustable worksurfaces (continued)

height-adjustable configurations

Height-adjustability can be configured in multiple ways based on workstyle and storage needs. Worksurfaces must be specified based on product on which it will be installed. The Workwall Storage illustrated below can receive height-adjustable worksurfaces.

planning with workwall kneespace modules

- Workwall Kneespace Modules must be anchored to a wall that has load bearing capabilities, refer to the installation guide for details
- A Wall Panel is **not** mandatory for mounting a Height-Adjustable Worksurface
- Enable users to work in a sit/stand position, while preserving maximum knee clearance

Workwall Kneespace Module – Height-Adjustability combined with Height-Adjustable Rectangular Worksurface




This configuration can be created with a combination of:

- Workwall Kneespace Module Height-Adjustability (BHKHW)
- Height-Adjustable Rectangular Worksurface (BH_RL)




Workwall Kneespace Module – Height-Adjustability and Workwall Kneespace Module – Fixed Worksurface combined with Height-Adjustable Rectangular Worksurface and Fixed Rectangular Meeting Peninsula



This configuration can be created with a combination of:

- Workwall Kneespace Module Height-Adjustability (BHKHW)
- Workwall Kneespace Module Fixed Worksurface (BHKFW)
- Height-Adjustable Rectangular Worksurface (BH RL)
- Fixed Rectangular Meeting Peninsula (BC_FR)




understanding height-adjustable worksurfaces (continued)

height-adjustable configurations


planning with workwall kneespace modules (continued)

Workwall Kneespace Module – Height-Adjustabilty combined with Height-Adjustable Tapered Peninsula




This configuration can be created with a combination of:

- Workwall Kneespace Module Height-Adjustability (BHKHW)
- Height-Adjustable Tapered Peninsula Bevel Post Leg (BH_TP)



Workwall Kneespace Module – Height-Adjustabilty combined with Extended Tapered Peninsula




This configuration can be created with a combination of:

- Mid-Height Kneespace Module Height-Adjustability (BHKHW)
- Height-Adjustable Extended Tapered Peninsula – Bevel Post Leg (BH_PE)



Workwall Kneespace Module – Height-Adjustabilty combined with Height-Adjustable L-Shape Tapered Peninsula



This configuration can be created with a combination of:

- Mid-Height Kneespace Module Height-Adjustability (BHKHW)
- Height-Adjustable L-Shape Tapered
 Peninsula Bevel Post Leg (BH_LT)




understanding height-adjustable worksurfaces (continued)

height-adjustable configurations

planning with workwall credenzas

- · Workwall Credenza provides all-in-one unit with selection of pre-configured functionalities and fully dissimulating heightadjustable mechanism
- Must be installed against a building wall
- A Wall Panel is not mandatory for mounting a Height-Adjustable Worksurface

Workwall Credenza – Height-Adjustable Run-Off combined with Height-Adjustable Run-Off




This configuration can be created with a combination of:

- Workwall Credenza with Open and Drawers - Height-Adjustable Run-Off -Mid – 21" h (BSMHLR)
- Height-Adjustable Run-Off Bevel Base




Workwall Credenza - Height-Adjustable Peninsula combined with Height-Adjustable Peninsula



This configuration can be created with a combination of:

- Workwall Credenza with Open and Drawers - Height-Adjustable Peninsula -Mid – 21" h (BSMHDP)
- Height-Adjustable Peninsula Bevel Post Leg (BH_ŔP)






understanding height-adjustable worksurfaces (continued)

height-adjustable configurations

planning with secondary desks

- · All secondary desks for height-adjustable worksurfaces must be installed against a building wall
- The addition of Wall Panels, Mounted Towers and Storage for Secondary Desk has an impact on the maximum unsupported span allowed. Refer to page 167 for more details
- A Storage for Secondary Desk (BSSP, BSSL, BSSO, BSSD, BSSM or BSSRW) or an Open Section Cover Secondary Desk (BSSCM) is mandatory to hide Height-Adjustable Mechanism
- A Wall Panel is not mandatory for mounting a Height-Adjustable Worksurface
- Edge-clamped accessories cannot be positioned above the High Secondary Desk
- Available in two heights, secondary desk allows combination of multiple storage units and working space as needed, ideal solution for maximum versatility

High Secondary Desk combined with Height-Adjustable Desk




This configuration can be created with a combination of:

- High Secondary Desk (B_MSDH)
- Height-Adjustable Desk Bevel Bases (BH FB)




Low Secondary Desk combined with Height-Adjustable Desk



This configuration can be created with a combination of:

- Low Secondary Desk (B_MSDL)
- Height-Adjustable Desk Bevel Bases (BH_FB)




understanding height-adjustable worksurfaces (continued)

height-adjustable configurations


planning with secondary desks (continued)

High Secondary - Height-Adjustable Worksurface combined with Height-Adjustable Run-Off




This configuration can be created with a

- High Secondary Desk Height-Adjustable Run-Off or U-Shape (BH_SRH)
- Height-Adjustable Run-Off Bevel Base (BH_RB)
- Bookcase for Secondary Desk High Secondary Desk (BSSOH)




High Secondary Desk - Height-Adjustable Worksurface combined with Height-Adjustable **Extended Tapered Peninsula**



This configuration can be created with a combination of:

- High Secondary Desk Height-Adjustable Peninsula (BH_SBH)
- Height-Adjustable Extended Tapered Peninsula – Bevel Post Leg (BH_PE)
- Open Section Cover High Secondary Desk (BSSCMH)




understanding height-adjustable worksurfaces (continued)

height-adjustable configurations


planning with secondary desks (continued)

 $Low \ Secondary \ Desk-Height-Adjustable \ Worksurface \ combined \ with \ Height-Adjustable \ L-Shape \ Tapered \ Peninsula$




This configuration can be created with a combination of:

- Low Secondary Desk Height-Adjustable
 L-Shape Worksurface (BH_SLL)
- Height-Adjustable L-Shape Tapered
 Peninsula Bevel Post Leg (BH_LT)
- Bookcase for Secondary Desk Low Secondary Desk (BSSOL)




Low Secondary Desk – Height-Adjustable Worksurface combined with Height-Adjustable Desk for U-Shape Workstation



This configuration can be created with a combination of:

- Low Secondary Desk Height-Adjustable Run-Off or U-Shape (BH_SRL)
- Height-Adjustable Desk for U-Shape Workstation – Bevel Bases (BH_UB)
- Bookcase for Secondary Desk Low Secondary Desk (BSSOL)




understanding full-modesty height-adjustable worksurfaces

height-adjustable configurations

planning with workwall stretch pedestal

Workwall Stretch Pedestal combined with Full-Modesty Height-Adjustable Desk

- This desk is used standalone and can be positioned in front of a storage wall
- Enable user to work in a sit/stand position




planning with workwall kneespace module


- · All Workwall Kneespace Modules must be anchored to a wall that has load bearing capabilities, refer to the installation guide
- A Wall Panel is not mandatory for mounting a Height-Adjustable Worksurface
- Enable users to work in a sit/stand position, while preserving maximum knee clearance
- The Workwall Kneespace Module can be combined with Workwall Stretch Pedestal, Workwall Credenza, High Secondary Desk, Freestanding Tower and Workwall with Integral Top to create a complete workstation

Workwall Kneespace Module - Full-Modesty Height-Adjustable Run-Off combined with Full-Modesty Height-Adjustable Run-Off

This configuration can be created with a combination of:

- Workwall Kneespace Module Full-Modesty Height-Adjustable Run-Off (BHKHM)
- Full-Modesty Height-Adjustable Run-Off Offset Base (BF_R)






understanding full-modesty height-adjustable worksurfaces (continued)

height-adjustable configurations


planning with workwall kneespace module (continued)

Workwall Kneespace Module Full-Modesty Height-Adjustable Extended or "L" Run-Off combined with Full-Modesty Height-Adjustable Extended Run-Off




This configuration can be created with a combination of:

- Workwall Kneespace Module Full-Modesty Height-Adjustable Extended or "L" Run-Off (BHKHL)
- Full-Modesty Height-Adjustable Extended Run-Off – Offset Base (BF_E)




Workwall Kneespace Module Full-Modesty Height-Adjustable Extended or "L" Run-Off combined with Full-Modesty Height-Adjustable L-Shape Run-Off



This configuration can be created with a combination of:

- Workwall Kneespace Module Full-Modesty Height-Adjustable Extended or "L" Run-Off (BHKHL)
- Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (BF_L)




understanding full-modesty height-adjustable worksurfaces (continued)

height-adjustable configurations


planning U-shape workstation with workwall credenza

Workwall Credenza with Open & Combo – Height-Adjustable Run-Off combined with Full-Modesty Height-Adjustable Desk for U-Shape Workstation



planning with secondary desk

- Secondary Desk allows combination of multiple storage units and working space as needed, it is an ideal solution for maximum versatlity
- Only High Secondary Desk can be used to create an U-shape workstation with the Full-Modesty Height-Adjustable Desk
- Secondary Desk for Height-Adjustable Worksurfaces must be installed against a building wall
- The addition of an Overhead Cabinet for Wall Panel, a Mounted Tower and a Storage for Secondary Desk has a impact on the maximum unsupported span allowed. Refer to page 167 for more details
- A Storage for Secondary Desk (BSSP, BSSL, BSSO, BSSD, BSSM or BSSRW) or an Open Section Cover Secondary Desk (BSSCM) is mandatory to hide Height-Adjustable Mechanism
- A Wall Panel is not mandatory for mounting Height-Adjustable Worksurface
- Edge-clamped accessories cannot be positionned above the High Secondary Desk




understanding mounting styles for height-adjustable & full-modesty height-adjustable worksurfaces

height-adjustable configurations

workwall kneespace modules for height-adjustable worksurfaces

- · Must always be installed and anchored to a building wall
- For more details on workwall storage for fixed worksurfaces, refer to Workwall Storage section


Only worksurfaces illustrated below are compatible with Workwall Kneespace Module - Height-Adjustability:



Full-Modesty Height-Adjustable Run-Off illustrated below is only compatible with Workwall Kneespace Module – Full-Modesty Height-Adjustable Run-Off:



Only worksurfaces illustrated below are compatible with Workwall Kneespace Module - Full-Modesty Height-Adjustable Extended or "L" Run-Off:



Only worksurfaces illustrated below are compatible with Workwall Kneespace Module - Height-Adjustability and Fixed Worksurface:



understanding mounting styles for height-adjustable & full-modesty height-adjustable worksurfaces (continued)

height-adjustable configurations

workwall bookcase & credenzas for height-adjustable worksurfaces

- When applicable, 29", 35" 46", 52" or 58" deep Height-Adjustable Worksurface can be specified
- Two worksurface positions are available with Workwall Credenzas only:
- Right (R)
- For more details on Workwall Storage for Height-Adjustable Worksurfaces, refer to Workwall Storage section

Only worksurfaces illustrated below are comptatible with Workwall Bookcase or Credenzas:






Height-Adjustable Peninsula (BH_RP)

Height-Adjustable Tapered Peninsula (BH_TP)



Height-Adjustable Extended Tapered Peninsula (BH_PE)*






66" to 84"



Workwall Bookcase - Height-Adjustable Worksurface - Mid - 21" h (BSMOBH)*

Workwall Credenza with Open and Combo -Height-Adjustable Peninsula- Mid - 21 " h (BSMHCP)*


* Only these products are compatible with Height-Adjustable Extended Tapered Peninsula (BH_PE)



Workwall Credenza with Open and Drawers -Height-Adjustable Peninsula – Mid – 21 " h (BSMHDP)

Only worksurfaces illustrated below are comptatible with Workwall Credenzas:





Height-Adjustable Run-Off (BH_RB)

Height-Adjustable Run-Off with Glass Top (BHGRB)




Adjustable Desk for U-Shape Workstation

(BF_U)

Full-Modesty Height-

Height-Adjustable Desk for Ú-Shape Workstation (BH_UB)



Workwall Credenza with Open and Drawers - Height-Adjustable Run-Off - Mid - 21 " h (BSMHLR)






Workwall Credenza with Open and Combo - Height-Adjustable Run-Off - Mid - 21 " h (BSMHCR)

understanding mounting styles for height-adjustable & full-modesty height-adjustable worksurfaces (continued)


height-adjustable configurations

high or low secondary desks for height-adjustable worksurfaces


- Can support Wall Panels (B_WCC, B_WCO, B_WAA, B_WOO, B_WMD, B_WMO or B_WMM) or Mounted Towers for High or Low Secondary Desk
- Must be installed against a wall
- Only worksurfaces illustrated below are comptatible with Secondary Desk Height-Adjustable Run-Off or U-Shape:
- 23", 29" or 35" deep Height-Adjustable Worksurfaces can be specified



- Only worksurfaces illustrated below are comptatible with Secondary Desk Height-Adjustable Peninsula:
- 35", 46", 52" or 58" deep Height-Adjustable Worksurfaces can be specified



• Only worksurfaces illustrated below are comptatible with Secondary Desk – Height-Adjustable L-Shape Worksurface:




height-adjustable desk & worksurface components

height-adjustable configurations

- Worksurfaces are available with or without cut-outs for Rectangular and/or Duo Square Grommets
- 2 Height-Adjustable Bevel Bases are included with all Height-Adjustable L-Shape Desks. The base is composed of two metal skins that hide Height-Adjustable Mechanism
- 3 Height-Adjustable Bevel Post Leg is included with Height-Adjustable L-Shape Peninsula Desk only. The leg is composed of two metal skins that hide Height-Adjustable Mechanism. Clear leg space and give access all around the worksurface for collaboration
- 4 Levelers are included with base, post and height-adjustable mechanism and have an adjustment range of 3"
- **Switch** can be placed on-site left or right under the primary or return worksurface
- 6 Electric Control Box
 - Is concealed in the Power Tray of the return
 - · Plugs directly on the building wall outlet
- 7 Reinforcing Channels
 - Provide easy installation and routes wires below the worksurface
- 8 Cable Tray
- 9 Optional Powerbar Integrated with IEC
 - 180" power cord length

height-adjustable L-shape desk or corner desk - bevel bases



Weight Capacity

Height-Adjustable Rectangular Worksurfaces (BH_RL or BH_RC): 150 lbs

Height-Adjustable Desk (BH_FB) and Run-Off (BH_RB or BHGRB): 200 lbs


Height-Adjustable Peninsulas (BH_RP, BH_TP, or BH_PE), L-Shape Worksurfaces (BH_LB, BH_L or BH_LT), Desk (BH_UB) and L-Shape Desks (BH_LD, BH_LC or BH_LB):

300 lbs

Energy Consumption

- Maximum Power draw is 300 Watts (Height-Adjustable Rectangular Worksurface and Height-Adjustable Run-Off)
- Maximum Power draw is 450 Watts (Height-Adjustable Peninsulas and L-Shape Worksurfaces)
- 0.1 Watt resting Power draw

height-adjustable L-shape peninsula desk – bevel post leg




height-adjustable desk & worksurface components (continued)

height-adjustable configurations

- 1 Worksurface
- 2 Height-Adjustable Bevel Post Leg is included with all Height-Adjustable Peninsula styles. The leg is composed of two metal skins that hide Height-Adjustable Mechanism. Clear leg space and give access all around the worksurface for collaboration
- 3 Levelers are included with base and height-adjustable mechanism and have an adjustment range of 3"
- 4 Switch can be placed on-site left or right
- 5 Electric Control Box
 - Is concealed in the center Power Tray
 - · Plugs directly on the building wall outlet
- The Height-Adjustable Mechanism uses a Collision Detection feature. In spite of this feature being in place, there may still be a risk of pinching. Close supervision is necessary when this furniture is used by individual with limited physical, sensory or mental abilities, or with a lack of experience
- 7 Reinforcing Bars
 - Provide easy installation and routes wires below the worksurface
- 8 Cable Organizer
- Optional Powerbar Integrated with IEC
 - 180" power cord length
- 10 Height-Adjustable Mechanism with Cover is included with Height-Adjustable Worksurfaces. The cover also allows electricity management
- 11 Vertical Wire Carrier
 - Manage wires inside the Workwall Storage

height-adjustable worksurface on workwall kneespace module



Weight Capacity

Height-Adjustable Rectangular Worksurfaces (BH_RL or BH_RC): 150 lbs

Height-Adjustable Desk (BH_FB) and Run-Off (BH_RB or BHGRB): 200 lbs

Height-Adjustable Peninsulas (BH_RP, BH_TP, or BH_PE), L-Shape Worksurfaces (BH_LB, BH_L or BH_LT), Desk (BH_UB) and L-Shape Desks (BH_LD, BH_LC or BH_LB):

300 lbs


- Maximum Power draw is 300 Watts (Height-Adjustable Rectangular Worksurface and Height-Adjustable Run-Off)
- Maximum Power draw is 450 Watts (Height-Adjustable Peninsulas and L-Shape Worksurfaces)
- 0.1 Watt resting Power draw

height-adjustable desk & worksurface components (continued)


height-adjustable configurations

- Worksurface
- Height-Adjustable Bevel Bases are included with a Height-Adjustable Desk and Run-Off. The leg is composed of two metal skins that hide Height-Adjustable Mechanism
- 3 Levelers are included with base and height-adjustable mechanism and have an adjustment range of 3"
- Switch can be placed on-site left or right
- **Electric Control Box**
 - · Is concealed in the center Power Tray
 - · Plugs directly on the building wall outlet
- 6 Reinforcing Channel, Power Bar Bracket and Wire Clips
 - · Manage wires below the worksurface
 - A Plug-In Power-Bar No Mounting Hardware (BLPPN) can be specified separately and can be installed in the supplied Power Bar Bracket
- 7 Height-Adjustable Mechanism with Cover is included with Height-Adjustable Worksurfaces. The cover also allows electricity management
- Height-Adjustable Foot with Levelers comes with worksurfaces and allows to fix the Height-Adjustable Mechanism to the Secondary Desk or Workwall
- 9 Reinforcing Bars
 - · Provide easy installation and routes wires below the worksurface
- 10 Cable Organizer
- Optional Powerbar Integrated with IEC
 - 180" power cord length

height-adjustable desk (freestanding desk)




height-adjustable worksurface on secondary



Weight Capacity

- Solid Top with Mechanism:
 - Run-Off: 200 lbs*
- Freestanding Desk: 200 lbs*
- Peninsula, Tapered Peninsula, Extended Tapered Peninsula, L-Shape Worksurfaces and Desks for U-shape Workstation:
- Run-Off with Glass Top with Mechanism: 200 lbs*
- st Note: Load must not exceed 100 lbs on a single motor. All additions on Height-Adjustable Worksurfaces must be considered (ie: Computer, Keyboard Support, Display, Monitor Arm, Privacy Screen, Modesty Panel, Casual Drawer and other accessories...)

- Maximum Power draw is 300 Watts (Height-Adjustable Desk and Height-Adjustable Run-Off)
- Maximum Power draw is 450 Watts (Height-Adjustable Peninsulas and L-Shape Worksurfaces)
- 0.1 Watt resting Power draw




full-modesty height-adjustable desk & worksurface components

height-adjustable configurations

- 1 Worksurfaces are available with or without Diamond and/or Square cut-outs for accessories
- 2 Height-Adjustable Offset Bases are included with all Full-Modesty Height-Adjustable Desk/Worksurfaces The base is composed of two metal skins that hide Height-Adjustable Mechanism
- 3 Levelers are included with base and height-adjustable mechanism and have an adjustment range of 3"
- 4 Height-Adjustable Mechanism with Cover is included with height-adjustable worksurfaces
- 5 Height-Adjustable Foot with levelers comes with worksurfaces and allows to fix the Height-Adjustable Mechanism to the Workwall Kneespace Module Full-Modesty
- 6 Full Height Modesty Panels
- 7 Modesty to Module Support and Slider
- 8 Switch can be placed on-site left or right under the worksurface
- 9 Electric Control Box
 - Is concealed in the center Power Tray
 - · Plugs directly on the building wall outlet
- 10 Reinforcing Channels
 - Provide easy installation and routes wires below the worksurface
 - Support and fix the Modesty Panel
 - Fix the Power Tray and Cable Trays
- 11 Cable Trays
- 12 Vertical Wire Carrier manages wire to the floor or inside the Workwall Kneespace Module
- 13 Optional Powerbar Integrated with IEC
 - 180" power cord length

full modesty height-adjustable desk - offset bases



Weight Capacity


Full-Modesty Height-Adjustable Desk (BF_F): 200 lbs

- Maximum Power draw is 300 Watts
- 0.1 Watt resting Power draw

full-modesty height-adjustable desk & worksurface components (continued)

height-adjustable configurations

full-modesty height-adjustable run-off – offset base




Weight Capacity

Full-Modesty Height-Adjustable Run-Off 200 lbs


Energy Consumption

- Maximum Power draw is 300 Watts
- 0.1 Watt resting Power draw

full-modesty height-adjustable extended run-off - offset base



full-modesty height-adjustable L-shape run-off - offset base



Weight Capacity

Full-Modesty Height-Adjustable Extended 300 lbs Run-Off (BF_E):

Full-Modesty Height-Adjustable L-Shape Run-Off (BF_L): 300 lbs

- Maximum Power draw is 450 Watts (Height-Adjustable Extended and L-Shape Worksurfaces)
- 0.1 Watt resting Power draw

full-modesty height-adjustable desk & worksurface components (continued)


height-adjustable configurations

- 1 Worksurfaces are available with or without Diamond and/or Square cut-outs for accessories
- 2 Height-Adjustable Offset Bases are included with all Full-Modesty Height-Adjustable Desk/Worksurfaces The base is composed of two metal skins that hide Height-Adjustable Mechanism
- 3 Levelers are included with base and height-adjustable mechanism and have an adjustment range of 3"
- 4 Height-Adjustable Mechanism with Cover is included with height-adjustable worksurfaces. The cover also allows electricity management
- **Height-Adjustable Foot with levelers** comes with worksurfaces and allows to fix the Height-Adjustable Mechanism to the Workwall Kneespace Module Full-Modesty
- 6 Full Height Modesty Panels
- **7** Switch can be placed on-site left or right under the worksurface
- 8 Electric Control Box
 - · Is concealed in the center Power Tray
 - Plugs directly on the building wall outlet
- 9 Reinforcing Channels
 - Provide easy installation and routes wires below the worksurface
 - · Support and fix the Modesty Panel
 - Fix the Power Tray and Cable Trays
- 10 Cable Trays

Vertical Wire Carrier manages wire to the floor or inside the Workwall Kneespace Module

- 11 Optional Powerbar Integrated with IEC
 - 180" power cord length

full modesty height-adjustable U-shape workstation - offset base



height-adjustable & full-modesty height-adjustable worksurface switches

height-adjustable configurations

Switch for Height-Adjustable Mechanism

- Supports sit-to-stand height-adjustment
- Can be placed on-site, left or right
- Cannot be located over a High Secondary Desk because of the minimun clearance required
- Three underworksurface switches can be specified:



Display with Up/Down Memory

- Basic up/down function
- Display
- Three programmable memory settings
- Error code read-out

Finish:

Ebony Coordinate



Toggle Up/Down (F, G or H)

- Basic up/down function
- · Soft touch material
- Contoured shape for ease of use

Finishes:

Platinum (F), Crisp Grey (G) or Anthracite (H)



Display Toggle with Memory (M, N or O)

- Large display
- Four programmable memory settings
- GPS: Teknion's Sit/Stand Guidens and Reminders Aid
- · Soft touch material
- Can be reprogrammed using Teknion Switch Configuration software
- Error code read-out with QR code

Finishes:

Platinum (M), Crisp Grey (N) or Anthracite (O)

NOTE

Display switches include the ability to change units from metric/imperial and the display height to reflect the actual height once installed.

Switch Positions Underworksurface

Switch Style	Laminate Edge	Glass Edge	Knife Edge
Display with Up/Down Memory (D)			
Toggle Up/Down (F, G or H)			
Display Toggle with Memory (M, N or O)			

height-adjustment range for height-adjustable & full-modesty height-adjustable worksurfaces

height-adjustable configurations


The following should be considered when planning with all height-adjustable worksurfaces.




- Height-Adjustable solutions with Bevel Base, Bevel Post Leg and Panel Bases use Piezo collision detection technology, a hardware-based sensor that is integrated in the height-adjustable lifting column. Travel speed of 1 inch per second complies with safety standards. Refer to Complements Price and Product Guide for more details.
- Can be easily adjusted to fit the individual and support multiple work styles
- Enable working in both seated and standing postures, supporting neutral postures, movement and comfort references throughout the work day
- Available for 1 3/16" (M) or 1 9/16" (X) Worksurface Thickness

Extended Range Application (E)


workwall storage



low secondary desk



high secondary desk



120

height-adjustment range for height-adjustable & full-modesty height-adjustable worksurfaces (continued)

height-adjustable configurations

Expansion Casegoods offers a variety of Worksurfaces that can be used with Workwall Storage for height-adjustability.




- Worksurface thickness do not affect clearance gap
- Depending the worksurface styles, one or two Height-Adjustable Mechanisms will be mounted on a Workwall Storage for height-adjustability


Solid tops are available in thicknesses:

- 1 3/16" (M) 1 3/16" Knife Edge (V) 1 9/16" (X)

example with workwall kneespace module - height-adjustability

example with workwall credenza height-adjustability






Gap between Workwall Storage for heightadjustability underneath height-adjustable worksurface

Surface at 26"	Surface at 48"	
(Min.)	(Max.)	
3.81"	25.81"	


height-adjustment range for height-adjustable & full-modesty height-adjustable worksurfaces (continued)

height-adjustable configurations

example with height-adjustable run-off & low secondary desk



example with height-adjustable desk for U-shape workstation & high secondary desk




height-adjustable & full-modesty height-adjustable worksurfaces clearance with overhead cabinets or shelves

height-adjustable configurations


Height-Adjustable Worksurfaces requires special dimensional considerations. The following outlines the planning recommendations and restrictions.



- Teknion does not recommend the use of any overhead cabinet or shelves above the Height-Adjustable Worksurfaces.
 Damages or personal injuries may occur if accessories are positioned beneath the cabinet
- The clearance between the bottom of the overhead cabinet and the top of the worksurface at its highest position is provided below for guidance only



Standard Overhead Cabinet and Shelves



Clearance between the top of the height-adjustable worksurface and underside of the standard overhead cabinet

Worksurface Style	Height-Adjustable Worksurface		
Height Application	1 3/16" (M or V – 48")	1 9/16" (X – 48")	
66" (51" h Bottom Overhead)	2"	1 5/8"	
72" (57" h Bottom Overhead)	8 1/4"	7 7/8"	
81" (66" h Bottom Overhead)	17 3/8"	17"	

NOTE: Substract 7/8" if used with Support for Linear LED Light – Overhead (BLEDS)



When using 81" Datum Height, a Double (30" high) Overhead Cabinet or middle shelf can be specified over a height-adjustable worksurface. The clearance will then be equal to the one under a Standard (15" high) at 66" Datum Height

powerbar for height-adjustable & full-modesty height-adjustable worksurface applications


height-adjustable configurations




- The following options are available for integrated power below the worksurface. Each can be specified as an option on all Height-Adjustable Worksurfaces
- Three powerbar styles are available:
 - Integrated Powerbar (I)
 - Integrated Powerbar with IEC Outlet (P)
 - None (N)
- Powerbars cannot be daisy chained

long power tray


This Long Power Tray style is only included with Height-Adjustable L-Shape Desks (BH_LD, BH_LC or BH_B) and Full-Modesty Worksurfaces (BF_F, BF_R, BF_E, BF_L or BF_U)






Integrated Powerbar (I)


- Mounted inside the Power Tray
- Four outlets and one internal cord that continues power through to the Control Box
- · Available in all worksurface widths






Integrated Powerbar with IEC Outlet (P)

- Mounts inside the Power Tray
- Three outlets, one IEC outlet and one internal cord that continues power through to the Control Box
- IEC Outlet allows installation of the Power Qube with IEC Connector option (C) that reduces the cable management underneath a worksurface and also removes the cable management outside the table
- · Available in all worksurface widths





None (N

When None Powerbar (N) is specified, a cover will be in place


powerbar for height-adjustable & full-modesty height-adjustable worksurface applications (continued)

height-adjustable configurations


short power tray

This Short Power Tray style is included with:


- Height-Adjustable Rectangular Worksurfaces (BH_RL and BH_RC)
- Height-Adjustable Run-Off with solid top (BH_RB), Peninsula (BH_RP), Tapered Peninsula (BH_TP) and Extended Tapered Peninsula (BH_PP)
- Height-Adjustable L-Shape Run-Off (BH_LB), L-Shape Peninsula (BH_L) and L-Shape Tapered Peninsula (BH_LT)
- Height-Adjustable Desk for U-Shape Workstation (BH_UB)



Integrated Powerbar (I)



Integrated Powerbar with IEC Outlet (P)



height-adjustable desk basics

height-adjustable configurations




- Grain direction is available along the width only
- Available in thicknesses (1 3/16" (M) or 1 9/16" (X))



Height-Adjustable Desk - Bevel Bases (BH_FB)

- This desk is freestanding and comes with two height-adjustable Bevel Bases and Solid End Panels
- Three Powerbar styles:
- Integrated Powerbar (I)
- Integrated Powerbar with IEC Outlet (P)
- None (N)
- Comes with a switch to control height-adjustable worksurface. Three styles are available:
- Display with Up/Down Memory (D)
- Toggle Up/Down (F, G, or H)
- Display Toggle with Memory (M, N or O)
- A 28" high freestanding storage cannot be installed under this product
- · Cannot support any storage or Wall Panel
- An optional Suspended Modesty Panel can be specified separately. For application of a modesty panel, refer to page 194
- An optional Worksurface Edge Screen (BASWL or BASWG) or a Desk Screen (BASFF or BASFG) can be specified separately with restrictions. For Worksurface Edge Screens application, refer to page 202 and for Desk Screens application, to page 205



Rectangular and/or Square Grommets

- Provide openings for electrical wiring and communication cables
- Worksurfaces can be specified without (N) or with rectangular grommets. Three position styles
 are available:
- Both Ends Rectangular (B)
- Left Rectangular (L)
- Right Rectangular (R)

Rectangular and square grommets are also available. Four position styles are available:


- Both Ends (I) Square (L) and Rectangular (R)
- Left (M) Rectangular and Square
- Right (S) Rectangular and Square
- When the Square Grommet is specified, the worksurface only comes with a cut-out and without grommet. The Power Qube or Duo Grommet Square must be specified to complete the installation.
- Left or right option Rectangular Grommet are optimized for MAST or Swerv Monitor Arm application, see on page 170 for detail
- Only Rectangular Grommets can be replaced with Elliptical Grommets (BLGE) which can be specified separately

height-adjustable L-shape desk basics

height-adjustable configurations



- Available in thicknesses (1 3/16" (M) or 1 9/16" (X))
- These desks are freestanding and comes with three height-adjustable bases
- Three Powerbar styles can be specified: Integrated Powerbar (I), Integrated Powerbar with IEC Outlet (P) or None (N)
- All Switch Styles (Display with Up/Down Memory (D), Toggle Up/Down (F, G, H) or Display Toggle with Memory (M, N, O) can be specified
- Can be specified Left (Shown) or Right Handed
- Cannot support any storage or wall panels
- An optional Personal Screen Felt (BAPSE), a Worksurface Edge Screen (BASWL or BASWG) or a Desk Screen (BASFF or BASFG) can be specified separately with restrictions. For Worksurface Edge Screens application, refer to page 202 and for Desk Screens application, to page 205
- An optional Suspended Modesty Panel can be specified separately. For application of a modesty panel, refer to page 194



Height-Adjustable L-Shape Corner Desk -Bevel Bases (BH_LC)

- · Comes with three Height-Adjustable Bevel Bases with Solid End Panels
- Two grommet options are available: Rectangular and Square (A) and No Grommet (N)

Height-Adjustable L-Shape Desk – Bevel Bases (BH_LD)

- · Comes with three Height-Adjustable Bevel Bases with Solid End Panels
- Three grommet options are available: Rectangular and Square on Return (A), Rectangular on Desk/Square on Return (Q) and No Grommet (N)

Height-Adjustable L-Shape Peninsula Desk – Bevel Post Leg (BH_B)

- Comes with two Height-Adjustable Bevel Bases with Solid End Panels and one Height-Adjustable Bevel Post Leg
- · Two Corner Detail Styles are available:





Radius (R)

Straight (S)

 Two grommet options are available: Rectangular and Square on Return (A) and No Grommet (N)

height-adjustable rectangular worksurface & run-off basics

height-adjustable configurations



- Three Powerbar styles can be specified: Integrated Powerbar (I), Integrated Powerbar with IEC Outlet (P) or None (N)
- All Switch Styles (Display with Up/Down Memory (D), Toggle Up/Down (F, G, H) or Display Toggle with Memory (M, N, O) can be specified
- Cannot support any storage or wall panels
- Cannot suspend any accessories or storage

height-adjustable rectangular worksurfaces



Height-Adjustable Rectangular Worksurface (BH_RL) or Cross Grain Height-Adjustable Rectangular Worksurface (BH_RC)

- Solid tops are available in thicknesses:
- 1 3/16" (M)
- 1 3/16" Knife Edge (V)
- 1 9/16" (X)
- · Come with two Height-Adjustable Mechanisms
- Configuration:
- Mid-Height (K) (Shown on next page)
- Two Corner Detail Styles are available:



Radius (R)
(Not available with
V Thickness)

Straight (S

- Four grommet options are available: Centered (C) Rectangular, Centered (D) Rectangular (L) and Square (R) and Centered (E) Square (L) and Rectangular (R) and No Grommet (N)
- Can be used with:
 - Workwall Kneespace Modules Height-Adjustability (BHKHW)
 - Workwall Kneespace Modules Height-Adjustability and Fixed Worksurface (BHKHF)

height-adjustable run-off

- Comes with one Height-Adjustable Bevel Base and two Height-Adjustable Mechanisms
- Solid tops are available in thicknesses:
- 1 3/16" (M)
- 1 9/16" (X)
- Configuration:
- High Secondary (H)
- Mid-Height (K) (Shown on next page)
- Low Secondary (L)
- Can be specified Left (L) (Shown) or Right Handed (R)
- One end can be mounted on a:
- Workwall Credenza with Open and Drawers Height-Adjustable Run-Off Mid 21" h (BSMHLR)
- Workwall Credenza with Open and Combo Height-Adjustable Run-Off Mid 21" h (BSMCHR)
- Secondary Desk Height-Adjustable Run-Off or U-Shape High or Low (BH_SR)
- An optional Suspended Modesty Panel can be specified separately. For application of a modesty panel, refer to page 194



Height-Adjustable Run-Off - Bevel Base (BH_RB)

 Three grommet options are available: Offset (O) – Rectangular, Offset (P) – Rectangular and Square and No Grommet (N)




Height-Adjustable Run-Off with Glass Top - Bevel Base (BHGRB)

- Two grommet options are available: Offset (O) Rectangular and No Grommet (N)
- Available in 3/8" (10 mm) tempered glass
- Not all optical computer mouse are compatible on glass worksurface, Desk Pad (YPDP) is recommended (see Complements products)


height-adjustable rectangular worksurface & run-off basics (continued)

height-adjustable configurations

example with height-adjustable rectangular worksurface & workwall kneespace module – height-adjustability



example with height-adjustable run-off (solid or glass top) & workwall credenza – height-adjustable run-off



height-adjustable peninsula basics

height-adjustable configurations



- Comes with one Height-Adjustable Bevel Post Leg and two Height-Adjustable Mechanisms
 - Three configurations are available: High Secondary (H), Mid-Height (K) and Low Secondary (L)
 - Three Powerbar styles can be specified: Integrated Powerbar (I), Integrated Powerbar with IEC Outlet (P) or None (N)
 - All Switch Styles (Display with Up/Down Memory (D), Toggle Up/Down (F, G, H) or Display Toggle with Memory (M, N, O) can be specified
 - Cannot support any storage or wall panels
 - Can be used with a Stow[Away] Drawer (BADF). Refer to page 209 for more details
 - An optional Suspended Modesty Panel can be specified separately. For application of a modesty panel, refer to page 194

height-adjustable peninsulas



Height-Adjustable Peninsula – Bevel Post Leg (BH_RP)

- Available in thicknesses:
- 1 3/16" (M)
- 1 3/16" Knife Edge (V)
- 1 9/16" (X)
- Available depth: 35"
- Available widths: 57" to 87" (6" increments)
- Two Corner Detail Styles are available:



Radius (R)

(Not available with V Thickness)

- Three grommet options are available: Offset (O) Rectangular, Offset (P) – Rectangular and Square and No Grommet (N)
- One end can be mounted on a:
- Workwall Kneespace Module Height-Adjustability (BHKHW)
- Workwall Bookcase Height-Adjustability (BSMOBH)
- Workwall Credenza Height-Adjustable Peninsula (BSMHDP
- Secondary Desk Height-Adjustable Peninsula High or Low (BH_SB)



Height-Adjustable Tapered Peninsula – Bevel Post Leg (BH_TP)

- Available in thicknesses:
- 1 3/16" (M)
- 1 9/16" (X)
- Three grommet options are available: Offset (O) Rectangular, Offset (P) – Rectangular and Square and No Grommet (N)
- One end can be mounted on a:
 - Workwall Kneespace Module Height-Adjustability (BHKHW)
 - Workwall Bookcase Height-Adjustability (BSMOBH)
- Workwall Credenza Height-Adjustable Peninsula (BSMHDP or BSMHCP)
- Secondary Desk Height-Adjustable Peninsula High or Low (BH_SB) (Shown)




Height-Adjustable Extended Tapered Peninsula - Bevel Post Leg (BH_PE)

- Available in thicknesses:
 - 1 3/16" (M)
 - 1 9/16" (X)
- Three grommet options are available: Offset (O) Rectangular, Offset (P) - Rectangular and Square and No Grommet (N)
- One end can be mounted on a:
- Workwall Kneespace Module Height-Adjustability (BHKHW) in on-module application only
- Workwall Bookcase Height-Adjustability (BSMOBH)
- Workwall Credenza Height-Adjustable Peninsula (BSMHCP)
- Secondary Desk Height-Adjustable Peninsula High or Low (BH SB) (Shown)


height-adjustable peninsula basics (continued)

height-adjustable configurations

example with height-adjustable tapered peninsula & low secondary desk



example with height-adjustable extended tapered peninsula & high secondary desk



height-adjustable L-shape worksurface basics

height-adjustable configurations



- Three configurations are available: High Secondary (H), Mid-Height (K) and Low Secondary (L)
- Three Powerbar styles can be specified: Integrated Powerbar (I), Integrated Powerbar with IEC Outlet (P) or None (N)
- All Switch Styles (Display with Up/Down Memory (D), Toggle Up/Down (F, G, H) or Display Toggle with Memory (M, N, O) can be specified
- Cannot support any storage or wall panels
- Can be used with a Stow[Away] Drawer (BADF). Refer to page 209 for more details
- Cannot suspend any accessories or storage
- Can be specified Left (Shown) or Right handed
- An optional Suspended Modesty Panel can be specified separately. For application of a modesty panel, refer to page 194

height-adjustable L-shape worksurfaces



Height-Adjustable L-Shape Run-Off - Bevel Base (BH_LB)

- Available in thicknesses:
 - 1 3/16" (M)
 - 1 9/16" (X)
- Come with one Bevel Base and two Height-Adjustable Mechanisms
- Four grommet options are available for Mid-Height (K) and Low Secondary (L) configurations: Centered (C) –
 Rectangular on Desk and Return, Rectangular on Desk and Return (O), Rectangular on Desk and Return/Square
 on Desk (P), and No Grommet (N)
- Four grommet options are available for High Secondary (H) configuration: Centered (C) Rectangular on Desk and Return, Rectangular on Desk (O), Rectangular on Desk/Square on Desk (P), and No Grommet (N)
- · Can be used with:
- Workwall Kneespace Module Height-Adjustability (BHKHW) in on-module application only
- Secondary Desk Height-Adjustable L-Shape Worksurface High or Low (BH_SL)



$Height-Adjustable \ L-Shape \ Peninsula - Bevel \ Post \ Leg \ (BH_L)$

- · Available in thicknesses:
- 1 3/16" (M)
- 1 3/16" Knife Edge (V)
- 1 9/16" (X)
- Come with one Bevel Post Leg and two Height-Adjustable Mechanisms
- Two Corner Detail Styles are available:



Radius (R)

Straight (S)

(Not available with V Thickness)

- Three grommet options are available for Mid-Height (K) and Low Secondary (L) configurations: Rectangular on Desk and Return (O), Rectangular on Desk and Return/Square on Desk (P), and No Grommet (N)
- Three grommet options are available for High Secondary (H) configuration: Rectangular on Desk (O), Rectangular on Desk/Square on Desk (P), and No Grommet (N)
- Can be used with:
- Workwall Kneespace Module Height-Adjustability (BHKHW) in on-module application only
- Secondary Desk Height-Adjustable L-Shape Worksurface High or Low (BH_SL) (Shown)




Height-Adjustable L-Shape Tapered Peninsula – Bevel Post Leg (BH_LT)


- Available in thicknesses:
 - 1 3/16" (M)
- 1 9/16" (X)
- · Come with one Bevel Post Leg and two Height-Adjustable Mechanisms
- Three grommet options are available for Mid-Height (K) and Low Secondary (L) configurations: Rectangular on Desk and Return (O), Rectangular on Desk and Return/Square on Desk (P), and No Grommet (N)
- Three grommet options are available for High Secondary (H) configuration: Rectangular on Desk (O), Rectangular on Desk/Square on Desk (P), and No Grommet (N)
- Can be used with:
- Workwall Kneespace Module Height-Adjustability (BHKHW) in on-module application only
- Secondary Desk Height-Adjustable L-Shape Worksurface High or Low (BH_SL)

height-adjustable L-shape worksurface basics (continued)

height-adjustable configurations

example with height-adjustable L-shape worksurface & low secondary desk





 It is not recommended to specify the return of a L-Shape Worksurface deeper than the Secondary Desk, when in combination with a Lateral File – Secondary Desk (BSSL)

height-adjustable desk for U-shape workstation basics


height-adjustable configurations



Height-Adjustable Desk for U-Shape Workstation - Bevel Bases (BH_UB)

- Available in thicknesses:
- 1 3/16" (M)
- 1 9/16" (X)
- Comes with Height-Adjustable Desk with Bevel Bases and Return with one Height-Adjustable Mechanism
- Three Configurations are available:
 - High Secondary (H)
 - Mid-Height (K)
 - Low Secondary (L)
- Five grommet options are available: Rectangular and Square on Return (A), Rectangular on Return (C), Rectangular on Desk and Return (O), Rectangular on Desk and Return/Square on Desk and Return/Square on Return (Q)
- Can be specified Left (Shown) or Right handed
- Three Powerbar styles can be specified: Integrated Powerbar (I), Integrated Powerbar with IEC Outlet (P) or None (N)
- All Switch Styles (Display with Up/Down Memory (D), Toggle Up/Down (F, G, H) or Display Toggle with Memory (M, N, O) can be specified
- · Cannot support any storage or wall panels
- · Cannot suspend any accessories or storage
- •An optional Suspended Modesty Panel can be specified separately. For application of a modesty panel, refer to page 194
- Can be used with:
 - Workwall Credenza Height-Adjustable Run-Off (BSMHLR or BSMCHR)
- Secondary Desk Height-Adjustable Run-Off or U-Shape High or Low (BH_SR) (Shown)

example with height-adjustable desk for U-shape workstation & high secondary desk



planning with height-adjustable worksurfaces

height-adjustable configurations


clearance around height-adjustable L-shape desks

A minimum 1" clearance must be respected to the initial dimension all around the desk to allow up and down movement of the mechanism without damaging the adjacent products. When accessories are attached to worksurface, the thickness of the accessory and brackets should be included in desk dimensions to calculate 1" clearance

- - - = Footprint

Clearance around Height-Adjustable L-Shape Desk without Screen

Clearance around Height-Adjustable L-Shape Desk with Worksurface Edge Screen or Desk Screen



With Worksurface Edge or Desk Screen a minimum 1" clearance must be maintained

height-adjustable configurations


clearance around height-adjustable worksurface mounted on workwall kneespace module – height-adjustability


- These combinations of products will automatically ensure the 1" minimum clearance required all around the height-adjustable worksurface. Allowing up and down movement of the mechanism without damaging the adjacent products
- Wall Panel with optional Tackboard or Markerboard can be installed and maintain a minimum of 1" clearance

- - - = Footprint

Clearance around Height-Adjustable Rectangular Worksurface


Clearance around Fixed Run-Off $\,-\,$ Mid-Height and Height-Adjustable Rectangular Worksurface





* Three positions are available for the Fixed Run-Off – Mid-Height. Refer to next page for more details

Clearance around L-Shape Worksurface




height-adjustable configurations

clearance around height-adjustable worksurface mounted on workwall credenza – height-adjustability

- These combinations of products will automatically ensure the 1" minimum clearance required all around the height-adjustable worksurface. Allowing up and down movement of the mechanism without damaging the adjacent products
- Other restrictions are applied when Height-Adjustable Worksurfaces are mounted on a Workwall Credenza Height-Adjustability, refer to Workwall Storage section

Clearance around Height-Adjustable Peninsula or Run-Off (Shown)




Clearance around Height-Adjustable Tapered Peninsula

1" Gap

– – – = Footprint


Recessed from Rear End of the Workwall Credenza or Kneespace Module – Height-Adjustability and for Height-Adjustable Worksurface

- Without wall panel: 3" recessed allows up/down movement without damaging the building wall
- With Wall Panel: Minimum 1" recessed allows up/down movement without damaging the Wall Panel or the mounted accessories




3" Recessed without Wall Panel


1" gap with Wall Panel with mounted accessories




Workwall Credenza – Height-Adjustable Peninsula

Clearance around Height-Adjustable Extended Tapered Peninsula








 The bottom shelf on Wall Panel cannot be specified right next to a Height-Adjustable Peninsula (BH_RP or BH_TP) or Run-Off (BH_RB or BHGRB) because the shelf may come into conflict


height-adjustable configurations

clearance around height-adjustable worksurface mounted on secondary desk

These combinations of products will automatically ensure the 1" minimum clearance required all around the height-adjustable worksurface. Allowing up and down movement of the mechanism without damaging the adjacent products




Special considerations must be taken when planning these following combinations of products, since the 1" minimum clearance required all around the height-adjustable worksurface will not be automatically ensured



Minimum clearance allowed between Height-Adjustable Tapered Peninsula, a Mounted Tower on both sides and a Wall Panel

Recessed from Rear End of the Secondary Desk for Solid Height-Adjustable Worksurface

- Without wall panel: 3" recessed allows up/down movement without damaging the building wall
- With Wall Panel: Minimum 1" recessed allows up/down movement without damaging the Wall Panel or the mounted accessories



Minimum clearance allowed between Height-Adjustable U-Shape Desk, a Mounted Tower, a freestanding Tower and a Wall Panel



 A Power Bar and Cover included with Wall Panel cannot be aligned with the end of a Height-Adjustable Worksurface because the worksurface interfered with electric plugs. Refer to page 266 for details


height-adjustable configurations


Height-Adjustable Worksurfaces requires special considerations when used with a Secondary Desk. The following outlines the planning recommendations and restrictions.

height-adjustable worksurfaces and desk offset positions mounted on secondary desk

3" recessed from rear end of the Secondary Desk – Height-Adjustable Worksurface

Solid worksurfaces for Height-Adjustable Run-Off, Peninsula, Tapered Peninsula or Desk for U-Shape Workstation, or Run-Off with Glass Top allows a 1" gap on the visitor side







Height-Adjustable Peninsula (BH_RP) on High or Low Secondary Desk (BH_SBL or H)


height-adjustable configurations

height-adjustable worksurfaces offset positions mounted on secondary desk (continued)



Solid height-adjustable worksurfaces for 46" deep Height-Adjustable Extended Tapered Peninsula or all styles L-Shape Worksurfaces allows a 1" gap on visitor and user sides





Height-Adjustable L-Shape Worksurfaces (BH_LB, BH_L, BH_LT) on High or Low Secondary Desk (BH_SLL or H)

full-modesty height-adjustable worksurface basics


height-adjustable configurations



- Available in thicknesses (M, X or V), except for Full-Modesty Height-Adjustable Extended Run-Off is available with
- Three Powerbar styles can be specified: Integrated Powerbar (I), Integrated Powerbar with IEC Outlet (P) or None (N)
- All Switch Styles (Display with Up/Down Memory (D), Toggle Up/Down (F, G, H) or Display Toggle with Memory (M, N, O) can be specified
- Comes with a modesty panel in two sections to maintain full privacy
- Include a Vertical Wire Carrier to manage cables from worksurface to the floor. It can be positioned at left or right as
- Available with Straight (S) Corner Detail only



Straight (S)





Full-Modesty Height-Adjustable Desk - Offset Bases (BF_F)

- · This desk is freestanding and comes with two height-adjustable Offset Bases
- Available depths: 29" or 35"
- Available widths: 70" to 88" (6" increments)
- Five Cut-Out Styles are available:
- Left Diamond Cut-Out (0)
- Left Square Cut-Out (1)
- Right Diamond Cut-Out (3)
- Right Square Cut-Out (4)
- No Cut-Out (N)



Full-Modesty Height-Adjustable Run-Off - Offset Base (BF_R)

- · Comes with one Height-Adjustable Offset Base and two Height-Adjustable Mechanisms
- Only Mid-Height (K) Configuration is available
- Available depths: 28" or 34"
- Available widths: 69" to 87" (6" increments)
- Four Cut-Out Styles are available:
 - Offset Diamond Cut-Out (0)
- Offset Square Cut-Out (1)
- Offset Square & Diamod Cut-Out (2)
- No Cut-Out (N)
- Can be specified Left (L) (Shown) or Right Handed (R)
- One end can be mounted on a Workwall Kneespace Module -Full-Modesty Height-Adjustable Run-Off (BHKHM)


full-modesty height-adjustable worksurface basics (continued)

height-adjustable configurations



Full-Modesty Height-Adjustable Extended Run-Off - Offset Base (BF_E)

- · Comes with one Height-Adjustable Offset Base and two Height-Adjustable Mechanisms
- Only Mid-Height (K) Configuration is available
- Available depths A: 29" or 35"
- Available depths B: 46" to 58" (6" increments)
- Available widths: 69" to 87" (6" increments)
- Four Cut-Out Styles are available:
- Offset Diamond Cut-Out (0)
- Offset Square Cut-Out (1)
- Offset Square & Diamod Cut-Out (2)
- No Cut-Out (N)
- Can be specified Left (L) (Shown) or Right Handed (R)
- One end can be mounted on a Workwall Kneespace Module Full-Modesty Height-Adjustable Extended or "L" Run-Off (BHKHL)



$Full-Modesty\ Height-Adjustable\ L\text{-}Shape\ Run-Off-Offset\ Base\ (BF_L)$

- Comes with one Height-Adjustable Offset Base and two Height-Adjustable Mechanisms
- Only Mid-Height (K) Configuration is available
- Available depths A: 29" or 35"
- Available depths B: 21" to 27" (3" increments)
- Available widths A: 69" to 87" (6" increments)
- Available widths B: 58" to 88" (6" increments)
- Four Cut-Out Styles are available:
- Offset Diamond Cut-Out (0)
- Offset Square Cut-Out (1)
- Offset Square & Diamod Cut-Out (2)
- No Cut-Out (N)
- Can be specified Left (L) (Shown) or Right Handed (R)
- One end can be mounted on a Workwall Kneespace Module Full-Modesty Height-Adjustable Extended or "L" Run-Off (BHKHL)



Full-Modesty Height-Adjustable Desk for U-Shape Workstation - Offset Bases (BF_U)

- Comes with rwo Height-Adjustable Offset Bases and one Height-Adjustable Mechanism
- Mid-Height (K) and High Secondary Desk Configurations are available
- Available depths A: 29" or 35"
- Available depths B: 23" or 35"
- Available widths A: 71" to 89" (6" increments)
- Available widths B: 93" to 105" (6" increments)
- Four Cut-Out Styles are available:
- Offset Diamond Cut-Out (0)
- Offset Square Cut-Out (1)
- Offset Square & Diamod Cut-Out (2)
- No Cut-Out (N)
- Can be specified Left (L) (Shown) or Right Handed (R)
- One end can be mounted on a:
- Workwall Credenza with Open and Drawers Height-Adjustable Run-Off Mid 21" h (BSMHLR)
- Workwall Credenza with Open and Combo Height-Adjustable Run-Off Mid 21" h (BSMCHR)
- High Secondary Desk Height-Adjustable Run-Off or U-Shape (BH_SRH)

full-modesty height-adjustable worksurface basics (continued)

height-adjustable configurations

cable management

For more details for Grommets and Monitor Arm applications, refer to page 170


Square Cut-Out Details

- The cut-out is not finished and one of the accessory listed below must be ordered separately:
- Duo Grommet Square (BLGQX) provide openings for electrical wiring and communication cables
- Power Qube (BEEPC) provide quick power, data and USB access at the worksurface level

AND/OR


Diamond Cut-Out Details

- The cut-out is not finished and one of the accessory listed below must be ordered separately:
- Rectangular (BLGC) provide openings for electrical and communication cables
- MAST or Sverw Monitor Arm (for Expansion Grommet) provide a variety of technology support options with many possible adjustment



clearance under full-modesty height-adjustable worksurfaces

BOTTOM VIEW



The fixed-height or Height-Adjustable Offset Base(s) will be at 13" from the end of the all full-modesty worksurface


If 28" or 29" H.-A. Work. Depth = 3" If 34" or 35" H.-A. Work. Depth = 7" If 30" Fixed Work. Depth = 4" If 36" Fixed Work. Depth = 8"

161

full-modesty height-adjustable worksurface basics (continued)

full-modesty height-adjustable positions

Depending on the application, the modesty will be recessed where visitor can sit, and flush where the workstation should be against a wall




planning with full-modesty height-adjustable worksurfaces

height-adjustable configurations

clearance around full-modesty height-adjustable desk - offset bases


A minimum 1" clearance must be respected all around the desk to allow up and down movement of the mechanism without damaging the adjacent products. When accessories are attached to worksurface, the thickness of the accessory and brackets should be included in the desk dimensions to calculate 1" clearance





clearance around full-modesty height-adjustable run-off, extended run-off or L-shape run-off – offset base with workwall kneespace module

- These combinations of products will automatically ensure the 1" minimum clearance required all around the Full-Modesty Height-Adjustable Worksurface. Allowing up and down movement of the mechanism without damaging the adjacent products
- Wall Panel with optional tackboard or whiteboard can be installed on the rear 3" gap and maintain a minimum of 1" clearance
- When storage is specified on the visitor side, it is recommended to specify the Extension Panel on the Workwall Kneespace Module even if no wall panel is needed. The panel will ensure that required 1" clearance is respected




planning with full-modesty height-adjustable worksurfaces (continued)

height-adjustable configurations


clearance around full-modesty height-adjustable desk for U-shape workstation – offset bases with workwall credenza or high secondary desk

- These combinations of products will automatically ensure the 1" minimum clearance required all around the Full-Modesty Height-Adjustable Worksurface. Allowing up and down movement of the mechanism without damaging the adjacent products
- Other restrictions are applied when Full-Modesty Height-Adjustable Worksurfaces are mounted on a Workwall Credenza for Height-Adjustability, refer to Workwall Storage Section
- Wall Panel with optional tackboard or markerboard can be installed on the rear 3" gap and maintain a minimum of 1" clearance





 A Power Bar and Cover included with Wall Panel cannot be aligned with the end of a Full-Modesty Height-Adjustable Worksurface because the worksurface interfered with electric plugs. Refer to page 266 for details



 The bottom shelf on Wall Panel cannot be specified right next to a Full-Modesty Height-Adjustable Desk for U-Shape Workstation because the shelf may come into conflict

secondary desk basics

height-adjustable configurations

Expansion Casegoods high or low secondary desk can be used with Height-Adjustable Worksurface to create diverse workstation configurations.




- Grain direction is available along the width only
- Available in thicknesses (M or X)


secondary desks

- \bullet When 1 3/16" (M) thickness is specified, the gables are 1" thick
- When 1 9/16" (X) thickness is specified, the gables are 1 1/2" thick
- Two Configurations are available:
 - High (H)
 - Low (L)
- Widths: 60" to 108" (6" increments)
- Depths: 20" or 24"
- · Height-Adjustable Mechanism hardware comes with the Height-Adjustable Worksurfaces or Desks (as specified) to allow the use of a Secondary Desk
- Worksurfaces can be specified without (N) or with rectangular grommets, except for Secondary Desk Height-Adjustable L-Shape Worksurface (BH_SL) comes with no grommet. Two position styles are available:
- Right (R)
- Left or right option Rectangular Grommet are optimized for MAST or Swerv Monitor Arm application, see on page 170 for details
- Three styles can be specified:


$Secondary\ Desk-Height-Adjustable\ Run-Off\ or\ U-Shape$ (BH_SR)



Secondary Desk – Height-Adjustable Peninsula (BH_SB)




Low Secondary Desk - Height-Adjustable L-Shape Worksurface (BH_SL)




High Configuration only:

• These storage or Open Section Cover (BSSCMH) are mandatory under high secondary desk to hide height-adjustable mechanism. Only Bookcases (BSSOH) and Multi-Functional Storage (BSSMH) can act as a passive storage



• Stretch Pedestal (BSSPH), Lateral File (BSSLH), Storage Cabinet (BSSDH) cannot be installed in front of height-adjustable mechanism



Low Configuration only:

• These storage or Open Section Cover (BSSCML) are mandatory under low secondary desk to hide height-adjustable mechanism. Only Bookcases (BSSOL) can act as a passive storage



• Lateral File (BSSLL) cannot be installed in front of height-adjustable mechanism




planning with secondary desks

height-adjustable configurations

Expansion Casegoods high or low secondary desk must be used with Height-Adjustable Worksurface to create diverse workstation configurations.



- Grain direction is available along the width only
- All solid products are available in thicknesses (1 3/16" (M) or 1 9/16" (X))



Mechanism Cut-out Position for Secondary Leg Mechanism on Secondary

The cut-out on secondary desk is determined with the Height-Adjustable Worksurface Depth and the Worksurface Position (always specified from left)

Example 1: 29" deep worksurface positionned at 18" from left Worksurface Position 00' (From Left) Height-Adjustable Worksurface Depth (29")

Example 2: 23" deep worksurface positioned at 60" from left (aligned with the right 60" end of the secondary desk while preserving the 1" pinch gap

planning with secondary desks (continued)


height-adjustable configurations


The maximum unsupported span rule is the key of planning efficiently Height-Adjustable Multi-Level Workstations with Secondary Desk.



- The applications shown below are applicable with High or Low Secondary Desk for Height-Adjustable Worksurfaces.
- Enables L- or T-Shaped Configurations, but a maximum span must be respected
- Unsupported span rules illustred below are applicable with all Height-Adjustable Worksurfaces
- For more details on Height-Adjustable Worksurface on Secondary Desk Applications, refer to page 156

maximum unsupported span allowed - loaded rule






- Secondary Desk is considered loaded when used with:
- Wall Panels (B_WCC, B_WCO, B_WOO, B_WMO or B_WMM)
- Mounted Towers (BRLL, BRLG, BRLO, BRHL, BRHG or BRHO)

With Wall Panel for Overhead Cabinet and Overhead Cabinet Application


With Mounted Towers Application

- Maximum unsupported span allowed is 66"
- If the Secondary Desk is wider than 66", a Storage for Secondary Desk is necessary to reduce its unsupported span to a maximum of 66" between Height-Adjustable Mechanism and gable
- Open Section Cover Secondary Desk is not structural and therefore cannot be used to reduce the unsupported span

maximum unsupported span allowed - not loaded rule



With or Without Wall Panel and Height-Adjustable Worksurface Application




With or Without Wall Panel or Height-Adjustable Worksurface Application

- Maximum span allowed is 78"
- If the Secondary Desk is wider than 78", a Storage for Secondary Desk is necessary to reduce its unsupported span to a maximum of 78" between Height-Adjustable Mechanism and gable
- Open Section Cover Secondary Desk is not structural and therefore cannot be used to reduce the unsupported span

height-adjustable worksurface finishes

height-adjustable configurations

Multi-Level Workstations and related parts are available in a wide variety of finish colors. Finish codes must be included in the order.




height-adjustable worksurface finishes (continued)

height-adjustable configurations



- All Laminate components are protected with a solid plastic edge
- For an overview of which products are offered in Flintwood finishes, refer to the Expansion Casegoods product map on Teknion's website



Worksurface Thickness	Worksurface	Edge Trim Finish	Gable/ End Panel for Bevel Base Thickness	Gable/ End Panel for Bevel Base/ Finish
M 1 3/16"	Foundation Lam.*	All	1"	Source Lam.
	or Flintwood (No Cathedral)	N/A	1"	Flintwood (No Cathedral)
X 1 9/16"	Foundation Lam. (Storm White, Very White, Crisp Grey, Soft Gris or W. Prints)	StormWhite, 1 1/2" Very White, Crisp Grey, Soft Gris or W. Prints		Source Lam. (Storm White, Very White Crisp Grey, Soft Gris or W. Prints)
	or Flintwood (No Cathedral)	N/A	1 1/2"	Flintwood (No Cathedral)
V 1 3/16"	Foundation Lam.	All	1"	Source Lam.

^{*} The Foundation Laminate abstracts **are not** available with Height-Adjustable Desk – Bevel Bases (BH_FB, BH_LD, BH_LC, BH_B or BH_UB)

worksurface grommet, cut-out & monitor arm applications

fixed-height & height-adjustable configurations



- · Product comes with worksurface grommets or cut-outs to add functionality above the worksurface
- Not all worksurface grommet or cut-out option/desk combinations are available. For details, refer to the following pages

Grommet Option


Two worksurface grommets are available:


- Rectangular Grommet: When this option is specified, the worksurface comes with a Rectangular Grommet that fit in a diamond cut-out. The diamond cut-out offer other accessory alternatives depending of desired functionality and must be specified separately
- Square Grommet: When this option is specified, the worksurface only comes with a cut-out and without grommet. The square cut-out allows installation of many accessories depending of desired functionality and must be specified to complete the installation

Cut-Out Option

Also two worksurface cut-outs are available:

- Diamond Cut-Out: When this option is specified, the worksurface only comes with a cut-out and without finition. The Diamond Cut-Out offer many accessory alternatives and must be specified separately
- Square Cut-Out: When this option is specified, the worksurface only comes with
 a cut-out and without finition. The Square Cut-Out allows installation of many
 accessories depending of desired functionality and must be specified to complete
 the installation
- Only available with:
- Table Desk with Full Modesty Open Frame Legs (B_MFWO)
- Full-Modesty Fixed Run-Off Offset Bases (BF_MR)
- Full-Modesty Desks/Run-Offs Offset Base(s) (BF_F, BF_R, BF_E, BF_L or BF_U)





Swerv Monitor Arm with Markerboard, Fabric or Felt Screen

Swerv Monitor Arms

- Complements Swerv Monitor Arm with desk edge clamp option can be installed on height-adjustable worksurface. Except worksurface with glass
- When planning with High Secondary Desk, edge-clamped monitor arm cannot be mounted above the secondary desk

- Are designed for various levels of technology support (see Complements products)
- The Rectangular Grommet on worksurfaces can be replaced by a MAST Monitor Arm for Expansion Grommet (mounting option 5) or by a Swerv Monitor Arm for Diamond Grommet (mounting option 4)
- Left (shown below) and right rectangular grommet positions are optimized for monitor arms and prevent interference of mounting hardware with High Secondary Desks
- MAST Stanchions are limited to Single-Height only
- A maximum of two monitors can be mounted on all Height-Adjustable products and must remain above the worksurface at all time
- For glass top a specific shim is supply with the table to use it with a monitor arm in a Rectangular Grommet cut-out

fixed-height & height-adjustable configurations




- Grommet or Cut-Out Style should be determined at time of specification. The surface will come with pre-drilled holes to ease the installation
- The grommet or cut-out position may slighly vary depending the worksurface type (solid or glass top and with or without Workwall Storage or Secondary Desk)
- Not all grommet or cut-out option/desk combinations are available; see individual product pages

fixed-height worksurfaces

(M) Left - Rectangular & Square

 $\label{lem:continuous} \begin{tabular}{ll} Table Desk - Open Frame Legs (B_MDWO), Table Desk with End Panels - Frame Legs with Infill (B_MDWF) and Primary Desk for U-Shape Configuration (B_MDG) \\ \end{tabular}$

(N) No Grommet



(S) Right - Rectangular & Square

(R) Right - Rectangular

fixed-height & height-adjustable configurations




The orientation of the surface is determined when the user is positioned in front of the wall panel and/or the mounting support of the worksurface

fixed-height & full-modesty fixed worksurfaces (continued)

Primary Peninsula Desk for U-Shape Configuration (B_MDS)







(E) End of Worksurface – Rectangular


(N) No Grommet


Fixed Run-Off - Mid-Height (BM_R)

(Mid-Height (K) - Workwall Kneespace Modules (BHKHF or BHKFW), Workwall Bookcase (BSMOBW) or Workwall Credenzas (BSMWL or BSMCFW))










(E) End of Worksurface – Rectangular (N) No Grommet


(O) Offset - Rectangular


(P) Offset – Rectangular and Square

Fixed Extended Tapered Peninsula - Mid-Height (BM_EP)

(Mid-Height (K) - Workwall Kneespace Module (BHKFW), Workwall Bookcase (BSMOBW) or Workwall Credenza (BSMCFW))








(N) No Grommet


(O) Offset - Rectangular


(P) Offset - Rectangular and Square


Full-Modesty Fixed Run-Off - Offset Base (BF_MR)

(Mid-Height (K) – Workwall Kneespace Module (BHKFR))









(N) No Cut-Out

(0) Offset - Diamond Cut-Out


(1) Offset - Square Cut-Out


(2) Offset – Square and Diamond Cut-Outs


fixed-height & height-adjustable configurations

fixed-height worksurfaces (continued)

Run-Off Worksurface – High Secondary Desk (B_MHH) (High Secondary Desk (B_MSDH))








(C) Centered - Rectangular

(N) No Grommet

(O) Offset - Rectangular

Run-Off with Glass Top – High Secondary Desk (BGMTH) (High Secondary Desk (B_MSDH))









(C) Centered - Rectangular

(N) No Grommet

(O) Offset - Rectangular

Overlapping Bridge – High Secondary Desk (B_MBH) (High Secondary Desk (B_MSDH))








(C) Centered - Rectangular


(N) No Grommet

Run-Off Worksurface – Low Secondary Desk (B_MPL) and Run-Off Worksurface with End Support – Low Secondary Desk (B_MPG) (Low Secondary Desk (B_MSDL))










(C) Centered - Rectangular

(E) End of Worksurface – Rectangular (L) Left - Rectangular

(N) No Grommet




(R) Right - Rectangular


fixed-height & height-adjustable configurations

fixed-height worksurfaces (continued)


Run-Off with Glass Top – Low Secondary Desk (BGMTL) (Low Secondary Desk (B_MSDL))



Overlapping Bridge – Low Secondary Desk (B_MBL) and Overlapping Bridge with End Support – Low Secondary Desk (B_MBG) (Low Secondary Desk (B_MSDL))



High or Low Secondary Desk (B_MSDH or L)




fixed-height & height-adjustable configurations




The orientation of the surface is determined when the user is positioned in front of the wall panel and/or the mounting support of the worksurface

height-adjustable worksurfaces


Height-Adjustable Desk - Bevel Bases (BH_FB)



Height-Adjustable L-Shape Desk - Bevel Bases (BH_LD)



Height-Adjustable L-Shape Corner Desk - Bevel Bases (BH_LC)




(A) Rectangular and Square

fixed-height & height-adjustable configurations

height-adjustable & full-modesty height-adjustable worksurfaces (continued)

Height-Adjustable L-Shape Peninsula Desk - Bevel Post Leg (BH_B)





Ę Desk Left (L) or Right (R) (Shown) Handed


(A) Rectangular and Square on Return


(N) No Grommet


Full-Modesty Height-Adjustable Desk - Offset Bases (BF_F)













(N) No Cut-Out


(0) Left - Diamond Cut-Out (1) Left - Square Cut-Out


(3) Right - Diamond Cut-Out (4) Right - Square Cut-Out

Full-Modesty Height-Adjustable Run-Off - Offset Base (BF_R) (Mid-Height (K) - Workwall Kneespace Module (BHKHM))










(N) No Cut-Out


(0) Offset - Diamond Cut-Out


(1) Offset - Square Cut-Out


(2) Offset - Square & Diamond Cut-Outs

Full-Modesty Height-Adjustable Extended Run-Off - Offset Base (BF_E) (Mid-Height (K) – Workwall Kneespace Module (BHKHL))









(N) No Cut-Out

(0) Offset - Diamond Cut-Out

(1) Offset - Square Cut-Out


(2) Offset - Square & Diamond **Cut-Outs**

fixed-height & height-adjustable configurations


full-modesty height-adjustable worksurfaces (continued)

Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (BF_LK) (Mid-Height (K) – Workwall Kneespace Module (BHKHL))

Left (L) or Right (R) (Shown) Handed



Full-Modesty Height-Adjustable Desk for U-Shape – Offset Bases (BF_U) (Mid-Height (K) – Workwall Credenzas (BSMHLR or BSMCHR) or High Secondary (H) – Secondary Desk (BH_SR)




Left (L) or Right (R) (Shown) Handed

fixed-height & height-adjustable configurations

height-adjustable worksurfaces (continued)

Height-Adjustable Rectangular Worksurfaces (BH_RL and BH_RC) (Mid-Height (K) – Workwall Kneespace Modules (BHKHW or BHKHF))



(C) Centered – Rectangular



(D) Centered – Rectangular (L) and Square (R)




(E) Centered – Square (L) and Rectangular (R)




(N) No Grommet


Height-Adjustable Run-Off – Bevel Base (BH_RB) or Height-Adjustable Run-Off with Glass Top – Bevel Base (BHGRB) (Mid-Height (K) – Workwall Credenzas (BSMLHR or BSMCHR) or Low Secondary (L) – Secondary Desk (BH_SR))



(N) No Grommet




(O) Offset - Rectangular




(P) Offset – Rectangular and Square


Height-Adjustable Run-Off– Bevel Base (BH_RB) or Height-Adjustable Run-Off with Glass Top – Bevel Base (BHGRB) (High Secondary (H) – Secondary Desk BH_SR))



(N) No Grommet




(O) Offset - Rectangular




(P) Offset – Rectangular & Square *Not applicable with BHGRB


Height-Adjustable Peninsula – Bevel Post Leg (BH_RP) (Mid-Height (K) – Workwall Kneespace Modules (BHKHW), Workwall Bookcase (BSMOBH), Workwall Credenzas (BSMHDP or BSMHCP) or Low Secondary (L) – Secondary Desk (BH_SB))



(N) No Grommet



(O) Offset - Rectangular





(P) Offset – Rectangular and Square


fixed-height & height-adjustable configurations

height-adjustable worksurfaces (continued)

Height-Adjustable Peninusla – Bevel Post Leg (BH_RP) (High Secondary (H) – Secondary Desk (BH_SB))









(N) No Grommet


(O) Offset - Rectangular

(P) Offset – Rectangular and Square

Height-Adjustable Tapered Peninsula – Bevel Post Leg (BH_TP) (Mid-Height (K) – Workwall Kneespace Modules (BHKHW), Workwall Bookcase (BSMOBH), Workwall Credenzas (BSMHDP or BSMHCP) or Low Secondary (L) – Secondary Desk (BH_SB))









(N) No Grommet


(O) Offset - Rectangular

(P) Offset – Rectangular and Square

Height-Adjustable Peninusla – Bevel Post Leg (BH_TP) High Secondary (H) – Secondary Desk (BH_SB))









(N) No Grommet


(O) Offset - Rectangular

(P) Offset – Rectangular and Square

Height-Adjustable Extended Tapered Peninsula – Bevel Post Leg (BH_PE) (Mid-Height (K) – Workwall Kneespace Modules (BHKHW), Workwall Bookcase (BSMOBH), Workwall Credenzas (BSMHCP) or Low Secondary (L) – Secondary Desk (BH_SB))







(N) No Grommet


(O) Offset - Rectangular

(P) Offset - Rectangular and Square


fixed-height & height-adjustable configurations

height-adjustable worksurfaces (continued)

Height-Adjustable Extended Tapered Peninsula – Bevel Post Leg (BH_PE) (High Secondary (H) – Secondary Desk (BH_SB)



Height-Adjustable L-Shape Run-Off – Bevel Base (BH_LB) (Mid-Height (K) – Workwall Kneespace Module (BHKHW) or Low Secondary (L) – Secondary Desk (BH_SL))




planning with multi-level workstations – worksurface grommet or cut-out positions (continued)

fixed-height & height-adjustable configurations


height-adjustable worksurfaces (continued)

Height-Adjustable L-Shape Run-Off – Bevel Base (BH_LB) (High Secondary (H) – Secondary Desk (BH_SL))

* When Grommet Option (C, O or P) is specified on High Secondary (H) configuration, the Rectangular Grommet is **not** available on Return.



Height-Adjustable L-Shape Peninsula – Bevel Post Leg (BH_L) (Mid-Height (K) – Workwall Kneespace Module (BHKHW) or Low Secondary (L) – Secondary Desk (BH_SL))




planning with multi-level workstations – worksurface grommet or cut-out positions (continued)


fixed-height & height-adjustable configurations


height-adjustable worksurfaces (continued)

Height-Adjustable L-Shape Peninsula – Bevel Post Leg (BH_L) (High Secondary (H) – Secondary Desk (BH_SL))

* When Grommet Option (O or P) is specified on High Secondary (H) configuration, the Rectangular Grommet is **not** available on Return.









(N) No Grommet

(O) Rectangular on Desk and Return* (P) Rectangular on Desk and Return/Square on Desk*

Height-Adjustable L-Shape Tapered Peninsula – Bevel Post Leg (BH_LT) (Mid-Height (K) – Workwall Kneespace Module (BHKHW) or Low Secondary (L) – Secondary Desk (BH_SL))





C Tapered Peninsula

Left (L) or Right (R) (Shown) Handed


(N) No Grommet


(O) Rectangular on Desk and


(P) Rectangular on Desk and Return/Square on Desk

Height-Adjustable L-Shape Tapered Peninsula – Bevel Post Leg (BH_LT) (High Secondary (H) – Secondary Desk (BH_SL))

* When Grommet Option (O or P) is specified on High Secondary (H) configuration, the Rectangular Grommet is **not** available on Return.







(N) No Grommet

(O) Rectangular on Desk and Return*


(P) Rectangular on Desk and Return/Square on Desk*

planning with multi-level workstations – worksurface grommet or cut-out positions (continued)

fixed-height & height-adjustable configurations

height-adjustable worksurfaces (continued)

Height-Adjustable Desk for U-Shape Workstation – Bevel Bases (BH_UB) on Mid-Height (K) – Workwall Credenzas (BSMHLR or BSMCHR), Low (L) or High Secondary (H) – Secondary Desk (BH_SR))




(Q) Rectangular on Desk and Return/

Square on Return


High or Low Secondary Desk - Height-Adjustable Run-Off or U-Shape (BH_SRH or L)

(P) Rectangular on Desk & Return/

Square on Desk



High or Low Secondary Desk - Height-Adjustable Peninsula (BH_SBH or L)



Ę

multi-level workstations - edge trim styles overview

fixed-height & height-adjustable configurations

The chart below indicates which edge trim styles can be specified with all multi-level surface finishes.

The Flintwood Flat Trim (9) always match surface color finish

edge on product	description	source or foundation laminate worksurface finish	flintwood worksurface finish	applicable with multi-level worksurface
	Straight Corner Style 3 mm thick on all edges	Yes	n/a	B_MDWO B_MPG BH_RL B_MDWF B_MBG BH_RC B_MFWO B_MSD BH_RB B_MDWB BH_FB BH_RP B_MDG BH_LD BH_LB B_MDS BH_B BH_L BM_R BF_F BH_UB BF_MR BF_R BH_SR B_MBH BF_L BH_SL B_MPL BF_U B_MBL
Straight Trim (6) (Only available with 13/16" (M) or 19/16" (X) Thickness)	Radius Corner Style 2.5 mm thick on depth radius edges, 3 mm thick non-user edge 3 mm thick Straight Trim (Only available with 1 9/16 " (X) Thickness)	Yes	n/a	BM_R BH_EP BH_LC BH_B BH_RL BH_RC BH_RP BH_TP BH_TP BH_LE BH_L BH_L BH_L
Flat Trim (8) (Only available with 1 3/16" (M) or 1 9/16" (X) Thickness)	Straight Corner Style only 1.5 mm thick on all edges	Yes	n/a	BF_MR B_MSD (High only) BF_F BF_R BF_L BF_U BH_SR (High only)
	Straight Corner Style 2.8 mm thick on width edges, 1.4 mm thick on depth edges and 0.5 mm non-user edge	n/a	Yes	B_MDWO B_MPG BH_RL B_MDWF B_MBG BH_RC B_MFWO B_MSD BH_RB B_MDWB BH_FB BH_RP B_MDG BH_LD BH_LB B_MDS BH_B BH_L BM_R BF_F BH_UB BF_MR BF_R BH_SR B_MHH BF_E BH_SR B_MBH BF_L BH_SL B_MPL BF_U B_MBL
Flintwood Flat Trim (9)	Radius Corner Style 1.5 mm thick on all edges	n/a	Yes	BM_R BH_RP BH_EP BH_TP BH_LC BH_PE BH_B BH_L BH_RL BH_LT BH_RC
Full Knife Trim (F) (Only available with 1 3/16" Knife Edge (V) Thickness only)	Straight Corner Style only 1.5 mm thick on all edges	Yes (foundation laminate only)	n/a	BM_R BF_U BF_MR BH_RL B_MHH BH_RC BF_F BH_RP BF_R BH_L BF_L

multi-level workstations - edge trim styles overview (continued)

fixed-height & height-adjustable configurations

full knife trim (F) applications

Shading indicates Full Knife Edge (F) applications. Other edges are using Flat Trim (8)

multi-level workstation - fixed-height products



Run-Off Worksurface - High Secondary Desk (B_MHH)

Only with Blade Leg (K) or Central Square Post Leg (Q) Support Style



Fixed Run-Off - Mid-Height (BM_R) Only with Blade Leg (K) or Bevel Post Leg (L) Support Style



Full-Modesty Fixed Run-Off - Offset Base (BF_MR)


multi-level workstation - height-adjustable products



Full-Modesty Height-Adjustable Desk -Offset Bases (BF_F)




Full-Modesty Height-Adjustable Run-Off -Offset Base (BF_R)



Full-Modesty Height-Adjustable L-Shape Run-Off Worksurface - Offset Base (BF_L)



Full-Modesty Height-Adjustable Desk for U-Shape Workstation - Offset Bases (BF_U)



Heigh-Adjustable Rectangular Worksurfaces (BH_RL or BHRC)



Height-Adjustable Run-Off Peninsula -Bevel Post Leg (BH_RP)




Height-Adjustable L-Shape Peninsula – Bevel Post Leg (BH_L)



multi-level workstations - grain direction/user edge

fixed-height & height-adjustable configurations

- Grain direction is an important factor when planning workstation, if a different grain direction is required, please contact your Teknion Customer Service Representative
- The pattern/grain direction of Laminate are **not** "centered"




multi-level workstations – grain direction/user edge (continued)

fixed-height & height-adjustable configurations


Grain direction on Supports is always vertical

For Height-Adjustable L-Shape Worksurfaces, Height-Adjustable L-Shape Desks and Height-Adjustable Desk for U-Shape Workstation (Shown)



There is no matching grain across Support (A), Modesty Panel (B), Worksurface (C) and Return (D)

For Full-Modesty Height-Adjustable L-Shape Run-Off and Full-Modesty Height-Adjustable Desk U-Shape Workstation (Shown) only



There is no matching grain across Worksurface (A), Return (B), and Full Modesty Panel (C)

desk accessories

desk accessories

UNDERSTANDING DESK ACCESSORIES
MODESTY PANEL BASICS
PLANNING WITH MODESTY PANELS
SUPPORT BASICS
WORKSURFACE EDGE SCREEN BASICS
PLANNING WITH WORKSURFACE EDGE SCREENS
DESK SCREEN BASICS
PLANNING WITH DESK SCREENS
PERSONAL SCREEN - FELT BASICS
STOW[AWAY] DRAWER BASICS
MULTI-FUNCTIONAL DRAWER BASICS
PLANNING WITH MULTI-FUNCTIONAL DRAWER212
DESK ACCESSORY COMPLEMENT BASICS


understanding desk accessories

A variety of desk accessories are available to enhance the functionality to Expansion Casegoods workstations.

All dimensions in this section are nominal



- All accessories must be specified separately
- For an overview of which products are offered in Flintwood finishes, refer to the Expansion Casegoods product map on Teknion's website




- Peninsula and Suspended Modesty Panels provides additional seated privacy for a variety of configurations
- Gables, Legs and Bases provide fixed-height supports for worksurfaces.
- Worksurface Edge Screens and Desk Screens attache to the worksurface and provide casual privacy and space division Personal Screen attaches to the worksurface and provides additional casual privacy and magnetic surface for message
- 4 Stow[Away] Drawer provides convenient small storage space for a workstation Other Desk Accessories available to complement the workstation:
 - Multi-Functional Drawer provides convenient small lockable (if specified) storage space for a workstation
 - Box Drawer Organizer provides compartmentalized drawer
 - Keyboard Retractable Shelf provides a retractable support for both a keyboard and a mouse
 - Center Pencil Drawer and Half Moon Pencil Tray attache under a worksurface to store office supplies.
 - Lateral Worksurface Organizer provides compartmentalized accessories above a worksurface
 - S Seat Pad and Seat Cushion provides guest seating on a mobile pedestal, a mid-height storage (freestanding or workwall) or a low secondary desk

modesty panel basics

Peninsula and Suspended Modesty Panels create seated privacy below the worksurface.




- Can be specified separately and used only with specific desks; see following pages
- · Width of modesty panel specified depends on supports selected





Peninsula Modesty Panels (BAMPL, BAMPM) Peninsula style can be specified Laminate and Metal



Suspended Modesty Panels (BASML, BASMG, BASMM, BASME)

- Suspended style can be specified Solid, Glass, Metal and Felt
- Only the suspended modesty panels are available from 11" to 84" wide (in 1" increments), except Glass Suspended Modesty Panel (BASMG) is available from 30" to 84" wide (in 1" increments)

Solid Modesty Panels

- Solid Peninsula Modesty Panels are available in Source Laminate colors
- Solid Suspended Modesty Panels are available in Source Laminate or Flintwood (No Cathedral) colors

Glass Modesty Panels

Available in 1/4" (6 mm) Standard glass finish: Frosted (FT) or in Back-Painted tempered glass

Metal Modesty Panels

Available in Foundation or Mica colors

Felt Modesty Panels

Available in Loft finishes

Hardware


Available in Foundation or Mica colors, except Modesty Panel – Felt, the hardware is finished in Black

planning with modesty panels

The following modesty panels are available for use with specific desks.

Peninsula Modesty Panels (BAMPL, BAMPM)

- All Peninsula Desks without integrated half modesty panels
- Cannot be installed under a glass top products
- · Can be specified on the following desks:
- Extended D-Shaped Peninsula Desk Half Gables (B_PDH)
- D-Shaped Peninsula Worksurface (B_BWW)
- Extended P-Shaped Peninsula Desk Half Gables (B_EPH)
- Rectangular Peninsula Worksurface (B_RPW)
- Cross Grain Rectangular Peninsula Worksurface (B_RPC)
- Width specified depends of three elements; support selected (dual-legs, mono-leg or base), modesty height (half or full) and desk width
- No grommet on modesty panel
- 1" thick laminate panels available in full- or half-height; metal panels available in half-height only



Suspended Modesty Panels (BASML, BASMG, BASMM, BASME)

- Can be specified in 1" thick Solid panels, Glass, Metal or Felt panel
- No grommet on modesty panel
- Can be specified on Standard Solid Top D, M, X (S) or Glass Top (G) listed below:

Desks section


- Rectangular Worksurfaces (B_RWL and B_RWC)
- Table (B_RTD)

Multi-Level Workstations section

- Primary Desks for U-Shape Configuration (B_MDG and B_MDS)
- Run-Off Worksurface, Run-Off or Overlapping Bridge without integrated half modesty panel (B_MHH, BGMTH and B_MBH)
- Table Desks Frame Legs without or with Infill (B_MDWO and B_MDWF)
- Fixed Run-Off Mid-Height (BM_R)
- Fixed Extended Tapered Peninsula Mid-Height (BM_EP)
- Height-Adjustable Desk Bevel Bases (BH_FB)
- Height-Adjustable L-Shape Desk Bevel Bases (BH_LD)
- Height-Adjustable L-Shape Corner Desk Bevel Bases (BH_LC)
- Height-Adjustable L-Shape Peninsula Desk Bevel Post Leg (BH_B)
- Height-Adjustable Run-Off Bevel Base (BH_RB)
- Height-Adjustable Run-Off with Glass Top (BHGRB)
- Height-Adjustable Peninsula Bevel Post Leg (BH_RP)
- Height-Adjustable Tapered Peninsula Bevel Post Leg (BH_TP)
- Height-Adjustable Extended Tapered Peninsula Bevel Post Leg (BH_PE)
- Height-Adjustable L-Shape Run-Off Bevel Base (BH_LB)
- Height-Adjustable L-Shape Peninsula Bevel Post Leg (BH_L)
- Height-Adjustable L-Shape Tapered Peninsula Bevel Post Leg (BH_LT)
- Height-Adjustable Desk for U-Shape Workstation (BH_UB)

• Cannot be installed on:


- Height-Adjustable Meeting Peninsula (B_HRW, B_HDW, B_HBW and B_HPW)
- Fixed Meeting Peninsulas (BC_FR, BC_FD, BC_FT and BC_FP)
- All Multi-Level products with Full Modesty Panel, except Full-Modesty Height-Adjustable Desk for U-Shape Workstation – Offset Bases (BF_U)




planning with modesty panels (continued)

suspended modesty panel specifications

The appropriate width of a Suspended Modesty Panel is determined by substracting the corresponding value of a support style (see Suspended Modesty Panel Width Reduction Chart) for each end of the worksurface from nominal width of the worksurface. Use the specification software for a better fit




Worksurface width minus 6" for the Framed Leg (W) and minus 22" for 20" deep High Secondary Desk (B_MSD)



Height-Adjustable Worksurface on Low Secondary Desk


All modesty panel styles can be specified in 6" or 10" half-height. Only 6" can be installed pass-over a Low Secondary Desk – Height-Adjustable Worksurfaces



Height-Adjustable L-Shape Peninsula Desk with Bevel Post Leg (BH_B)


For modesty panel on Width A: use Width A minus 19" for 1 3/16" (M) or 1 9/16" (X) configurations


For modesty panel on Width B: use Width B minus Depth A and minus 2" for 1 3/16" (M) and minus 3" for 1 9/16" (X) configurations



BH_FB Height-Adjustable Desk with Bevel Bases

** When using products with two Bevel Bases: use a total of minus 9" for 1 3/16" (M) configurations and minus 10" for 1 9/16" (X) configurations






Height-Adjustable L-Shape Desk or Corner Desk with Bevel Bases

** For modesty panel on Width A: use Width A minus 9" for 1 3/16" (M) and minus 10" for 1 9/16" (X) configurations

For modesty panel on Width B: use Width B minus Depth A and minus 2" for 1 3/16" (M) and minus 3" for 1 9/16" (X) configurations

Height-Adjustable Desk with Bevel Bases






planning with modesty panels (continued)

suspended modesty panel width reduction chart

Application with Fixed or Height-Adjustable Worksurface	Combined with	Style Description		Modesty Panel Width Reduction
	High Secondary Desk	20" d. High Secondary Desk (BH_SRH, BH_SBH or BH_SLH)		- 19"
	Thigh occordally Desk	24" d. High Secondary Desk (BH_SRH, BH_SBH or BH_SLH)		- 23"
Height-Adjustable Worksurface	Low Secondary Desk	20" or 24" d. Low Secondary Desk (BH_SRL, BH_SBL or BH_SLL)		- 14"
	Workwall Kneespace Module	9" d. Workwall Kneespace Module – Height-Adjustability (BHKHW or BHKHF)		- 14"
	Workwall Bookcase &	20" d. Workwall Credenza – Height-Adjustability (BSMOBH, BSMHLR, BSMHDP, BSMCHR or BSMHCP)		- 19"
	Workwall Credenza	24" d. Workwall Credenza – Height-Adjustability (BSMHLR, BSMHDP, BSMCHR or BSMHCP)		- 23"
	Main Desk Section:	1 3/16" (M) thickness		– 9"
	BH_FB, BH_LD, BH_LC or BH_UB	1 9/16" (X) thickness		– 10 "
Height-Adjustable	Return Section: BH_FB, BH_LD or BH_LC			** (see on page 194)
Specific Worksurface	29" Depth A Return (BH_UB) with	20" d. High Sec. Desk (BH_SRH) o	r Work. Credenza (BSMHLR)	- 48"
	High Sec. Desk or Workwall Credenza	24" d. High Sec. Desk (BH_SRH) or Work. Credenza (BSMHLR)		- 52"
	25" Daniel A Dagana (DII IID) aniel	20" d. High Sec. Desk (BH_SRH) or Work. Credenza (BSMHLR)		- 54"
	35" Depth A Return (BH_UB) with High Sec. Desk or Workwall Credenza			- 58"
	High Secondary Desk	20" d. High Secondary Desk (B_MSDH)		- 22"
		24" d. High Secondary Desk (B_MSDH)		- 26"
	Low Secondary Desk	20" or 24" d. Low Secondary Desk (B_MSDL)		0"
Fixed Worksurface	Workwall Kneespace Module	9" d. Workwall Kneespace Module – Fixed Run-Off (BHKHF or BHKFW)		- 11"
	Workwall Bookcase &	20" d. Workwall Credenza – Fixed Run-Off (BSMOBW, BSMWL or BSMCFW)		- 19"
	Workwall Credenza	24" d. Workwall Credenza – Fixed Run-Off (BSMWL or BSMCFW)		- 23"
Fixed or	В	Bevel Base – Solid End Panel (M or	X)	- 5"
Height-Adjustable		Bevel Base – Glass End Panel		- 4"
Worksurface	L	Bevel Post Leg		- 14"
	A	Angular Legs		-7"
	E	Semi-Supported Leg		- 3"
	G	Semi-Supported Gable with Spacers		
	F	Flush Plates		+ 6"
	Н	Hang-On		- 1"
Fixed	K	Blade Legs		- 12"
Worksurface		Pedestal		- 16"
	S	Dual Square Post Legs		- 6"
		Lateral File, Combo Pedestal or 28" h Storage Cabinet	18" w	- 19"
			24" w 30" w	- 25" - 31"
			30 w 36" w	- 31 - 37"
	0			- 3/ - 16"
	Q	Square Post Leg		
	W	Framed Leg		- 6"


planning with modesty panels (continued)

recessed suspended modesty panel positions



support basics

The following outlines the features of supports that connect horizontally, either below worksurfaces.







Semi-Supported Legs - Solid (BWGL)

- Supports the end of a worksurface to maintain stability
- Cannot be used to support a glass top
- It can be installed under a :
- Rectangular Worksurface (B_RWL or B_RWC)
- Run-Off Worksurface High Secondary Desk (B_MHH)
- Run-Off Worksurface Low Secondary Desk (B_MPL)
- Run-Off Worksurface with End Support Low Secondary Desk (B_MPG)
- Are available in the same styles/thicknesses (D, M, X) than the worksurfaces
- Must be specified the same depth than the worksurface
- Is not designed with a 1/4" gap that allows mounting of accessories and wiring
- Cannot replace a Semi-Supported Gable with Spacers (BWGG)
- Cannot be used to build a freestanding desk
- When 1" (D) or 1 3/16" (M) thickness is specified, the gables are 1" thick
- \bullet When 1 9/16" (X) thickness is specified, the gables are 1 1/2" thick
- Mounting Bracket is available in Coordinate Colors and will match the gable finish
- Are available in Source Laminate or Flintwood (No Cathedral) colors
- 1 9/16" thickness (X) available in Source Laminate colors (Storm White, Very White, Crisp Grey, Soft Gris or Wood Prints colors only)


support basics (continued)





Semi-Supported Gable with Spacers - Solid (BWGG)

- Can only support the end of a Rectangular Worksurface (B_RWL or B_RWC) to maintain stability
- Cannot be used to support a glass top
- \bullet Must be specified the same depth than the worksurface
- Require the worksurface to be specified with this option. It cannot replace a Semi-Supported Leg (BWGL)
- Cannot be used to build a freestanding desk
- Is designed with a 1/4" gap that allows keeping the uniformity of spacing along the workstation
- Only available in 1" thick
- Elliptical Attachment Spacers are available in Foundation or Mica colors
- Are available in Source Laminate colors






Fixed-Height Bevel Base - Solid End Panel (BWWB)

- Support the end of a worksurface to maintain stability
- Cannot be used to support a glass top
- Specify the worksurface Thickness and Depth options accordingly with the woksurface under which the Bevel Base will be installed
- Is not avalable with 24" deep worksurface
- Solid End Panel is available in the same styles/thicknesses (D, M, X) than the worksurfaces and is available in Source Laminate or Flintwood (No
- 1 9/16" thickness (X) available in Source Laminate colors (Storm White, Very White, Crisp Grey, Soft Gris or Wood Prints colors only)
- \bullet When 1" (D) or 1 3/16" (M) thickness is specified, the gable is 1" thick
- When 1 9/16" (X) thickness is specified, the gable is 1 1/2" thick
- Metal Bevel Base is available in Foundation, Mica or Coordinate Colors
- Levelers will match the Metal Bevel Base color




Frame Legs

• Three styles are available:




- Support the end of a worksurface to maintain stability
- Cannot be used to support a glass top
- Must be specified the same depth than the worksurface
- Centered Glass Infill End Panel is available in 5/32" (4 mm) thick Standard glass finish: Frosted (FT) or Back-Painted tempered glass
- Frames are available in Foundation or Mica colors, or Clear Anodized
- Centered Solid Infill End Panel is 11/16" thick Source Laminate or Flintwood (No Cathedral) colors
- · Levelers and support brackets come in Black

support basics (continued)




Legs and Bases

Six support styles are available:



- Cannot be installed under a glass top products
- · Available in Foundation or Mica colors, except Central Square Post Leg which can also be specified Clear Anodized
- Only Back Leg and Front Leg Blade Leg can be specified Foundation, Accent or Mica
- Leveler comes in Black, except for Blade Leg, the leveler is Silver and the Fixed-Height Bevel Post Leg, the levelers match the Metal Base color
- Fixed-Height Bevel Post Leg (BWBL) can be used with Fixed Run-Off Mid-Height (BM_R) or Fixed Extended Tapered Peninsula Mid-Height (BM_EP) only. For more details, refer to page 95
- Blade Leg (BWSLB) allows routing of cable inside the leg. Fore more details, refer to the Meeting Tables section




worksurface edge screen basics

The following outlines the features of the worksurfaces edge screens.



- A casual screen that is mounted to the back of rectangular worksurfaces
- Available in laminate or glass
- Mounting hardware available in Foundation or Mica colors





$Worksurface\ Edge\ Screens-Solid\ (BASWL)$

- Are available in Source Laminate colors
- 11/16" thick



$Worksurface\ Edge\ Screens-Glass\ (BASWG)$


- Available in 1/4" (6 mm) Frosted tempered glass (FT) finish
- Frosted (FT) is a single-sided etched tempered glass which is facing inward of desk

planning with worksurface edge screens

Information on this page should be considered when planning with Worksurface Edge Screens.




- Edge Screens can only be attached to all Returns without Flush Full or Wall Access Modesty Panel, Rectangular Peninsula Worksurfaces (B_RPW or B_RPC), Rectangular Worksurfaces (B_RWL or B_RWC), Rectangular Table (B_RTD), all Freestanding Desks with Frame Legs, all Primary Desks for U-Shape Configuration, Run-Off Worksurfaces for High Secondary Desks (B_MPH, B_MBH)
- Can also be installed on worksurface(s) of the Fixed or Height-Adjustable Desks with Bevel Bases
- Cannot be installed on worksurface with glass top and on worksurface with Knife Edge Trims
- The Worksurface Edge Screen (BASWL, BASWG) can only be mounted on the back side of a worksurface and extends 8" below the worksurface
- Cannot be used in combination with a desk/worksurface with integrated modesty panel or a Suspended Modesty Panel (BASML, BASMG, BASMM, BASME)
- Can be placed anywhere on the back of the worksurface
- Cannot be installed on surfaces with Knife Edge Trim (V)
- Cannot be installed on Full-Modesty products (BF_R, BF_MR, BF_F, BF_E, BF_L or BF_U)
- Cannot be installed on Meeting Tables or Meeting Peninsulas
- Height matches 42" datum line



screen widths

 Screens can be specified with different widths depending on the intended result


Full width for total privacy




Open Width

Angular Legs, Blade Legs, Semi-Supported Leg or Semi-Supported Gable with Spacers (Maximum width = width minus 3" on each side)

Casual width for partial privacy



- Must be installed within open width available
- Cannot overlap legs, bases, gables, storage, credenzas, secondary desks or standard desks









planning with worksurface edge screens (continued)

screen widths (continued)


- Each section of a Height-Adjustable L-Shape Desk can support a maximum 60 lbs screen. Worksurface Edge Screen selection must be validated with the Weights & Volumes document
- Only 23" and 29" Depth B are compatible with screen
- Only 29" Depth A is compatible with screen




Can be installed on primary and return worksurfaces at the same time




Primary Worksurface: Can be specified offmodule only. To determine the width of the screen, a minimum of 3" gap must be kept on each side of the desk




Return Worksurface: Can be specified off-module only. Use Width B minus Depth A and keep a minimum of 3" from the end of the desk




Worksurface Edge Screen cannot be installed on Primary Worksurface, when 35" Depth A is specified




The Worksurface Edge Screen can only be installed on Return when 35" Depth A is specified




A screen on Return cannot be specified the same dimension than the Width B





The Worksurface Edge Screen can only be installed on Return of L-Shape Peninsula Desk




- Can be installed on Fixed-Height Desk – Bevel Bases (B_MDWB)
- Can be installed on 29" deep Height-Adjustable Desk - Bevel Bases (BH_FB) only
- When a screen is used with a Height-Adjustable Rectangular Desk, the screen does not exceed 13" height

desk screen basics

Desk Edge Screens can be used with multi-level workstation or fresstanding worksurfaces to provide visual privacy.



- With the use of clamps, table screens can be installed into the 1/4" gap between the worksurface and supports
- Can be installed on all desks, except Executive Desks, and must be installed on a back straight edge
- Can be used on D, M or X solid worksurfaces
- Can be specified on- or off-module on a desk or table, but it cannot exceed a worksurface
- Cannot be used on worksurface with Knife Edge Trims
- Cannot be installed on Full-Modesty products (BF_R, BF_MR, BF_F, BF_E, BF_L or BF_U)
- Cannot be installed on Meeting Tables or Meeting Peninsulas





Desk Screen - Fabric (BASFF)

- Two-sided with same fabric
- Tackable on both sides
- Available in Teknion's Standard Panel Fabric





Non-Magnetic Glass (G)

Magnetic Glass (M)


Desk Screen - Glass (BASFG)

- Two Glass Styles are available:
 - Non-Magnetic Glass (G) is available for Frost or Back-Painted Glass
 Magnetic Glass (M) is available with Back-Painted Glass only
- Two 5/32" (4 mm) thick Frost (FT) Single-Sided etched tempered glass facing inward of screen assembly or Back-Painted tempered glass
- Tempered glass infills are double for a flush look.
- Back-Painted can be used as a writable worksurface. Only dry erasable markers can be used
- Back-Painted magnetic option requires rare earth magnets. 8 or 16 included depending on product width


planning with desk screens

Information on this page should be considered when planning with Desk Screens.


fixed or height-adjustable desks - desk screen applications




When installed against a building wall or with a return there are no restrictions




Desk Screen Brackets can be movable up to 8" if there is conflict with hardware




Desk Screen can overlap up to 8" over a storage section




Can be installed on all Multi-Level products, but must be specified off-module only



Two Desk Screens cannot be installed on module in a 90° configuration



Cannot be installed on credenza with no open section (B_ZFL, B_ZFS, B_ZFD, B_ZFDB, B_ZFDF)




On- (Shown) or Off-Module

- Can be installed on Fixed-Height Desk Bevel Bases (B_MDWB)
- Can be installed on 29" deep Height-Adjustable Desk - Bevel Bases (BH_FB) only
- When a screen is used with a Height-Adjustable Rectangular Desk, the screen does not exceed 13"

planning with desk screens (continued)

height-adjustable L-shape desks - desk screen applications


- Each section of a Height-Adjustable L-Shape Desk can support a maximum 60 lbs screen. Desk Screen selection must be validated with the Weights & Volumes document
- Only 23" and 29" Depth B are compatible with screen
- Only 29" Depth A is compatible with screen




Can be installed on primary and return worksurfaces at the same time

Primary Worksurface: Can be specified off-module only. Use the closest dimension smaller than Width A for a more "on-module" look


Return Worksurface: Can only be specified off-module. The screen **cannot** exceed the Width B minus Depth A




A Desk Screen **cannot** be installed on Primary Worksurface, when 35" Depth A is specified



The Desk Screen can only be installed on Return when 35" Depth A is specified



The screen on Return **cannot** be specified the same dimension than the Width B




The Desk Screen can only be installed on Return of L-Shape Peninsula Desk

planning with desk screens (continued)


stability restrictions on freestanding rectangular desks, tables & credenzas*

Are applicable with:


- Rectangular Desks: B_RR, B_RF
- Table Desks: B_MDWO, B_MDWF
- Primary Desk: B_MDG,
- Rectangular Table: B_RTD



Desk Screens cannot be used with a 20" deep desk or table



A 22" high Desk Screen – Glass (BASFG) cannot be used with a 24" deep desk or table



Cannot be installed on 18" deep credenza

^{*} When installed against a building wall or with a return there are **no** restrictions


personal screen – felt basics

Personal Screen can be installed on back edge of a rectangular worsurface to provide additional privacy.



Cannot be used on worksurface with Knife Edge Trim (V) or on worksurface with glass

User View



Personal Screen - Felt (BAPSE)

- Provides additional privacy and can be used with specific desks and tables. For more details, refer to the specification software
- Mounted to the end back edge of a worksurface
- · Location of the screen on the surface visitor edge of worksurfaces allows hide the small accessories (phone, wires, glass, etc.) on worksurfaces
- Can be used on solid worksurfaces only
- The interior of the Personal Screen comes in metal and allows magnetic memo


Exterior is available in Loft finishes

Interior is available in Foundation, Accent or Mica colors

stow[away] drawer basics


The Stow[Away] Drawer provides additional small storage under a worksurface.







Power[Away] Drawer (BADF)

- Provide additional small not lockable storage space underworksurface (W)
- Two sizes are available:
- Pocket (P)
- Standard (S)
- The Standard (S) size drawer can accommodate letter size paper and comes with a pencil tray
- Integrated pull in the lower part of the drawer front
- Drawers have full extension slides
- Metal Drawer and Metal Case is finished in Foundation, Accent and Mica colors
- Bottom Felt Liner is finished in Carbon (RB11) only
- This product is **not** compatible with all Expansion Casegooods products, refer to next page for more details



Standard Size






planning with stow[away] drawer

Information on this page should be considered when planning with Stow[Away] Drawer.


drawer compatibility products

- Pocket (P) and Standard (D) drawer sizes can be used with:
- All Preconfugured Desks
- All Returns
- All Standard Credenzas
- All Standard Desks
- All Main Worksurface for Reception Desks
- All Returns for Reception Desks
- Most Multi-Level products, except the configurations listed below:



Standard (S) Drawer Size is compatible on all Multi-Level products, except these configurations:

- 23" deep Height-Adjustable Desk Bevel Bases (BH_FB) (Shown)
- 29" deep Height-Adjustable Run-Off Bevel Bases (BH_RB)
- 23" deep Return of a Height-Adjustable L-Shape Desk Bevel Bases (BH_LD)
- 23" deep Return of a Height-Adjustable L-Shape Corner Desk Bevel Bases (BH_LC)
- 23" deep Return of a Height-Adjustable L-Shape Peninsula Desk Bevel Post Leg (BH_B)
- 21" or 24" deep Height-Adjustable Rectangular Worksurface (BH_RL or BH_RC)
- 23" or 29" deep B Return of a Height-Adjustable Desk for U-Shape Workstation Bevel Bases (BH_UB)
- 23" or 29" deep B Return of a Full-Modesty Height-Adjustable Desk for U-Shape Workstation – Offset Bases (BF_U)
- 24" deep Table Desk with Open Frame Legs (B_MDWO)
- 24" deep Table Desk Frame Legs with Infill (B_MDWF)
- 24" deep Table Desk with Full-Modesty Open Frame Legs (B_MFWO)
- 24" deep Primary Desk for U-Shape Configuration (B_MDG)
- 24" deep Peninsula Desk for U-Shape Configuration (B_MDS)
- 24" deep Fixed Run-Off Mid-Height (BM_R) (Shown)
- 24" deep Overlapping Bridge High Secondary Desk (B_MBH)
- 24" deep Overlapping Bridge Low Secondary Desk (B_MBL)
 20" deep Secondary Desk (B_MSD, BH_SR, BH_SB or BH_SL)




Pocket (P) Drawer Size is compatible on all Multi-Level products, except these configurations:


- 23" or 29" deep B Return of a Height-Adjustable Desk for U-Shape Workstation Bevel Bases (BH_UB)
- 28" deep Full-Modesty Height-Adjustable Run-Off Offset Base (BF_R)
- 23" deep B Return of a Full-Modesty Height-Adjustable Desk for U-Shape Workstation – Offset Bases (BF_U)

drawer applications


- This drawer can be used under a fixed or height-adjustable worksurface depending on th type of worksurface, there is recommend position where it can be used
- · Cannot be used under a glass top worksurface




Can be installed anywhere along the



Can be installed at the end of the worksurface, over a mid-height storage or Low Secondary Desk




Can be installed on a return of a L-Shape Desk



Can be installed right next to a offset bases of a Full-Modesty Desk

multi-functional drawer basics


The Multi-Functional Drawer provides additional small storage under a worksurface or inside of a tower.





Multi-Functional Drawers (BADMF)

- Provide convenient small lockable (if specified) storage space for a workstation
- Have no pull; slides have an integrated touch-latch for the opening
- Drawers have full extension slides
- Drawer Front and Pencil Tray are finished in Clear Anodized and Case Finish is available in Arctic color only
- Internal space capacity is 12 1/2" deep x 14 1/2" wide x 2" high with pencil tray
- Removing the pencil tray will provide an additional depth of:
 - 2" (with lock)3 1/2" (no lock)
- Wires up to 5/8" diameter can be routed inside the drawer; wires can be restrained using tie wraps (not included)
- Multi-Functional Drawer applications is specified on page 212
- Included Features (actual dimensions):



planning with multi-functional drawer

Provide convenient small lockable (if specified) storage space for a workstation.

•


Cannot be installed under all glass tops (BGMTH, BGMTL and BHGRB), all height-adjustable products, all Full-Modesty Height Worksurfaces (BF_F, BF_R, BF_E, BF_L or BF_U) and all Secondary Desks – Height-Adjustability (BH_SR, BH_SB or BH_SL)


product	 Preconfigured Desks Returns Credenzas Standard Desks Main Worksurf. for Reception Desks Return for Reception Desks 	Low Secondary Desks (B_MSD) Run-Off Worksurfaces* Run-Off Worksurfaces with End Support* Table or Fixed-Height Desks (Multi-Level Workstations) Overlapping Bridges* Overlapping Bridge with End Support* Primary Peninsula Desks	High Secondary Desk (B_MSD)
application graphic			
allowed position	Anywhere along worksurface	Left or Right (One per desk)	Left or Right (One per desk)
allows double- stacking		Yes, but could block the access, to the power bar on the Wall Panel or on the End Support	Yes, but could block the opening of the Multi-Functional Storage door if its position is within 18" from the drawer
product	 Standard Freestanding Storage Towers (BCFSO, BFRL or BFRG) 	Towers for Low Secondary Desk Mounted (BRLL (Shown), BRLG or BRLO)	Towers for High Secondary Desk Mounted (BRHL (Shown), BRHG or BRHO)
product application graphic		Mounted (BRLL (Shown), BRLG or	Mounted (BRHL (Shown), BRHG or
application	Towers (BCFSO, BFRL or BFRG) will interfere	Mounted (BRLL (Shown), BRLG or	Mounted (BRHL (Shown), BRHG or

^{*} Refer to specification software for compatibility with Run-Off Worksurfaces or Run-Off – Low Secondary Desk

desk accessory complement basics

Expansion Casegoods offers a variety of desk accessories designed to create functional workspaces.





Half-Moon Pencil Tray (BRAX01) and Center Pencil Drawer (BRAX05)

- Cannot be installed under a glass top product, a Height-Adjustable product and a Secondary Desk – Height-Adjustable Run-Off or U-Shape Workstation or a Low Secondary Desk
- Finished in Black



Retractable Keyboard Shelf (RAKB)

- Provides a retractable support for both a keyboard and a mouse
- Cannot be installed under a glass top product or a Height-Adjustable product
- The shelf is available in Source Laminate colors
- The wrist support and retaining rods are finished in Black


desk accessory complement basics (continued)




Box Drawer Organizer (BAWO)

- Provides compartmentalized accessories above a mobile storage or a worksurface. Can also be placed inside a small box drawer or standard a box drawer. The Sliding Tray can be moved and removed from organizer
- · Comes with one Sliding Tray and bottom felt liner
- Two Drawer Styles are available:
- Letter (L)
- Legal (G)


Organizer and Sliding Tray are available in Foundation, Accent or Mica colors Bottom Felt Liner is available in Carbon (RB11) Loft finish






• 4" high standard box drawer allows to stack its Pencil Tray over the Box Drawer Organizer. Both items must be placed side-by-side in a 3" high small box drawer


box drawer organizer applications



Inside Box Drawer



Onto Storage




Box Drawer Dimension vs Box Drawer Organizer




The Letter (L) Organizer can be placed along the width of:

- Pedestal (BSPSS)
- Mobile Pedestal (BSPMS)
- Mobile Pedestal with Seat (BSMCS)
- Suspended Pedestal (BSPUS)
- Mid-Height Stretch Pedestal (BSMPS) (16" width only)




TOP VIEW



The Letter (L) Organizer can be placed along the depth of:


- All Workwall Storage, except:
 - Workwall Stretch Pedestal (BSPT)
 - Workwall Cabinet (BSCT)
- 48" & 54" wide Workwall Credenza for Media with Open and Drawers (BSMDOD)




The Legal (G) Organizer can be placed along the depth of:

- All Returns and Credenzas
- All Storage for Secondary Desk
- All Freestanding Storage, except:
- Mid-Height Storage which should use Letter (L)

desk accessory complement basics (continued)



Run-Off




Lateral Worksurface Organizer (BALWO)


- Provides compartmentalized accessories above a worksurface. The Sliding Tray can be moved and removed inside organizer
- · Can be used on end of a solid multi-level worksurface or Height-Adjustable Meeting Peninsula. See illustrations below for positions
- Cannot be used at the end of a Fixed Meeting Peninsula (BC_FR, BC_FD, BC_FT or BC_FP)
- Can be used on M or X thick worksurface. Organizer height matches 1 3/16" (M) thick worksurface, therefore it is not recommended on knife edge worksurface (V)
- The number of the Sliding Tray included varies depending the depth specified:
- 1 Sliding Tray, if 17" or 21" depth
- 2 Sliding Trays, if 23" to 40" depths
 3 Sliding Trays, if 41" depth and more

Organizer and Sliding Tray are available in Foundation, Accent or Mica colors Liner is available in Loft finish

• The depth to specified depends on worksurface depth selected and must be on module (same dimension):



desk accessory complement basics (continued)



- Can be placed anywhere along the top of a low secondary desk or storage (with or without Wall Panel)
- Three configuration are available:
- Low Secondary Desk (L)
- Mid-Height (K)
- Mobile Pedetal (M)
- Can be used with:
- Low Secondary Desks (B_MSDL, BH_SRL, BH_SBL or BH_SLL)*
- 21" high Mobile Pedetal (BSPMS)
- Mid-Height Freestanding Storage (BSMPS or BSMFL)
- Mid-Height Workwall Storage (BSMO, BSMD, BSMSP, BSMCD, BSMOD, BSMWL, BSMHLR, BSMHDP, BSMDOD, BSMCFW, BSMCHR or BSMHCP)
- * A Storage for Secondary Desk must be installed under a Low Secondary Desk, when a Seat Cushion or Pad is specified on a top of a low secondary desk to provide more structural support



Seat Pad - Felt (BASEP)

- Available in Loft finishes and four Stitches Finishes are available: Carbon Coordinate (C), Shale Coordinate (E), Carrara Coordinate (G) or Umber Coordinate (M)
- Seat always comes with Velcro® bands and is not removable



Seat Cushion - Fabric (BASFC)


- Cannot be used with Flintwood finishes
- Available in Teknion Standard Seating Fabrics and Leather
- When Low Secondary Desk (L) or Mid-Height (K) configuration is specified, the cushion comes with bumpers and is removable
- When Mobile Pedestal (M) configuration is specified, the cushion comes with Velcro® bands and is **not** removable and ensure stability

desk accessory complement basics (continued)

seat/pad cushion applications

(!)

When used with a Workwall Credenza for Fixed or Height-Adjustable Worksurface (BSMWL, BSMHLR, BSMHDP, BSMCFW, BSMCHR or BSMHCP), the Seat/Pad Cushion cannot exceed under the worksurface area



72"


seat/pad cushion compatibility chart

Not all combinations are available, see below for more details

Configurations and dimensions available:

Configuration	+	Width	+	Storage Depth
Low Secondary Desk (L)	─	18" to 36"	\longrightarrow	20" or 24"
Mid-Height (K)	→	18" to 72"	\longrightarrow	18", 20", 24"
Mobile Pedestal (M)	→	16" only	\longrightarrow	18" only

Three Depth Reduction are available:



mounted storage & accessories

mounted storage & accessories

HUTCH BASICS224
PLANNING WITH HUTCHES
HUTCH ACCESSORIES
HUTCH ACCESSORY COMPATIBILITY CHART229
HUTCHES - PRODUCT OFFERING
HUTCHES - LOCK CHART
HUTCH FINISHES
HUTCHES - GRAIN DIRECTION
UNDERSTANDING MOUNTED TOWERS FOR SECONDARY DESKS 234
MOUNTED TOWER FOR SECONDARY DESK BASICS
INTERIOR CLEARANCE & DATUM LINE FOR MOUNTED TOWERS . 237
PLANNING WITH MOUNTED TOWER FOR SECONDARY DESKS240
MOUNTED TOWERS - PRODUCT OFFERING
MOUNTED TOWERS - LOCK CHART
MOUNTED TOWER FINISHES
MOUNTED TOWERS - GRAIN DIRECTION
STANDARD & DOUBLE OVERHEAD CABINET BASICS 245
STANDARD & DOUBLE OVERHEAD CABINETS - WALL-MOUNTED APPLICATIONS

mounted storage & accessories (continued)

STANDARD & DOUBLE OVERHEAD CABINETS - WALL PANEL

MOUNTED APPLICATIONS
STANDARD & DOUBLE OVERHEAD CABINETS - ACCESSORIES 250
STANDARD & DOUBLE OVERHEAD CABINETS – PRODUCT OFFERING. 251
STANDARD & DOUBLE OVERHEAD CABINETS - LOCK CHART 253
STANDARD & DOUBLE OVERHEAD CABINET & ACCESSORY FINISHES
STANDARD & DOUBLE OVERHEAD CABINETS – GRAIN DIRECTION 256
UNDERSTANDING WALL-MOUNTED PANELS
WALL PANEL ALIGNEMENTS OVERVIEW
WALL-MOUNTED TACKBOARD BASICS262
WALL PANEL BASICS
WALL PANELS - GENERAL APPLICATIONS
PLANNING WITH WALL PANEL FOR OVERHEAD CABINET 271
PLANNING WITH WALL PANEL FOR OVERHEAD CABINET & SHELF
PLANNING WITH WALL PANEL FOR SOLID SHELVES
PLANNING WITH WALL PANEL FOR MEDIA
PLANNING WITH WALL PANEL FOR MEDIA AND SHELVES 280
PLANNING WITH WALL PANEL FOR METAL ACCESSORY SHELVES
SOLID SHELF & SOLID DISPLAY SHELF FOR WALL PANEL BASICS 285

mounted storage & accessories (continued)

METAL ACCESSORY SHELVES FOR WALL PANEL BASICS 287
SIDE FILLER FOR WALL PANEL BASICS
TACKBOARD & MARKERBOARD – WALL PANEL MOUNTED BASICS . 289
PLANNING WITH TACKBOARD & MARKERBOARD - WALL PANEL MOUNTED
WALL PANEL & ACCESSORY FINISHES
EARDIC DIDECTIONAL CHIDELINES

hutch basics


Hutches come in a variety of configurations and sizes to complement any workstation requirement.

All dimensions in this section are nominal




- Not all style/configuration combinations are available
- Hutches are shipped semi-knocked down
- Tangent Undercabinet Light (BLYTU) and the Linear LED Light (BLEDD) can be mounted to the underside of hutches

hutch anatomy



tower hutch anatomy



Binder Applications

hutch basics (continued)

Laminate and Glass Doors

- No pull on hinged doors they can be handled with the fingertips
- Laminate door fronts are 11/16" thick
- Glass doors are made with 5/32" (4 mm) Standard or Back-Painted tempered glass inserted in an aluminum frame
- · Glass and laminate doors are lockable


Double Tower

Hutch with

Doors

Single Tower

Hutch with Doors




planning with hutches



- Hutch gables or towers must never rest on the unsupported end of a return or on a bridge
- Must be specified the same worksurface thickness option (D, M, X) as the desk or credenza on which the hutch will be installed
- Can be mounted above a standard desk, return, bridge or credenza. Cannot be mounted on a preconfigured executive desk, freestanding storage or secondary desk
- Hutches used with a 20" deep standard desk must be mounted against a wall for stability

hutches used with executive desks


Entirely supported by a Executive Desk



Cannot be installed on a Executive Desk. The desk must serve as the primary worksurface and to welcome visitors


hutches mounted on a freestanding storage or a secondary desk

Entirely supported by storage




Width are not the same

Entirely supported by a secondary desk




Cannot be mounted on a secondary desk; the total height (hutch + secondary desk) will not match the standard datum line (66" or 72" height)

hutches used in conjunction with a desk and return



Supported by the Gable and Storage of the Return




Cannot be specified on the unsupported end of the Return

planning with hutches (continued)


hutches mounted on a credenza

Entirely supported by the Credenza




Supported by the Gable and Storage of the Credenza

hutches used in conjunction with a bridge



Not supported by a Bridge



Cannot be supported by the Bridge

hutch accessories




Top for Hutch (B_HT)

- Available in thicknesses (D, M, X) to match the worksurfaces
- Installation is compatible with all hutches, excluding those equipped with flipper door(s) (B_HFL)
- Specify the width based on the hutch onto which the top is mounted
- Cannot be used with Standard or Double Overhead Cabinets, and Towers



Tool Rail (BOTR)

- Mounted in the corner extrusion of the hutch side panels
- Can be installed at various heights and be vertically superimposed to increase capacity
- See the compatibility chart on page 229 to specify the exact width
- Available in Foundation or Mica colors



tackboard and markerboard - hutch mounted

- Fixed on the back panel of the hutch between the worksurface and the bottom shelf of a hutch only
- Specify the width according to the dimension between the two towers or gables of the hutch to which the tackboard or markerboard is mounted. See compatibility chart on page 229 to specify the exact width
- Cannot be used on building wall and Wall Panels





Non-Magnetic Glass (BOTMG)

Magnetic Glass (BOTMM)

Tackboard – Hutch Mounted (BOTB)

- Provide a tackable surface accommodate the visual display of paper-based information
- Available in Teknion's Standard Panel Fabrics

Glass Markerboard – Hutch Mounted (BOTM)

• Are available in two glass markerboard styles:

Non-Magnetic Glass (G):

Provides an erasable message board

Magnetic Glass (M):

Provides an erasable message board and accepts magnets

- Only dry erase markers can be used
- Are available in 5/32" (4 mm) Back-Painted tempered glass
- · Mounting Extrusion will match the glass finish

hutch accessory compatibility chart


	HUTCH	WIDTH									
PRODUCT CODE	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
	TOOL RAIL (BOTR), TACKBOARD (BOTB), AND MARKERBOARD (BOTM) WIDTH										
	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
	TANGENT UNDERCABINET LIGHT (BLYTU) WIDTH										
B_HCL B_HCG	20"	20" or 23"	20" to 30"	20" to 33"	20" to 43"						
B_HFL B_HO	LINEAR	LED LIGH	T (BLEDE) width							
	n/a	24"	24"	24" to 36"	24" to 36"	24" to 48"	24" to 48"	24" to 48"	24" to 48"	24" to 48"	24" to 48"
	TOOL RAIL (BOTR), TACKBOARD (BOTB), AND MARKERBOARD (BOTM) WIDTH										
	n/a	n/a	n/a	n/a	24"	30"	36"	42"	48"	54"	60"
	TANGENT UNDERCABINET LIGHT (BLYTU) WIDTH										
	n/a	n/a	n/a	n/a	n/a	20" or 23"	20" to 30"	20" to 33"	20" to 43"	20" or 23"	20" or 23"
B_TLL	LINEAR LED LIGHT (BLEDD) WIDTH										
	n/a	n/a	n/a	n/a	n/a	24"	24"	24" to 36"	24" to 36"	24" to 48"	24" to 48"
	TOOL RA	al (botr), таскво	DARD (BC	тв), and	MARKER	BOARD (1	вотм) w	IDTH		
	n/a	n/a	24"	30"	36"	42"	48"	54"	60"	66"	72"
	TANGENT UNDERCABINET LIGHT (BLYTU) WIDTH										
	n/a	n/a	n/a	20" or 23"							
B_ELL	LINEAR	LED LIGH	T (BLEDD) width				1	1		1
	n/a	n/a	n/a	24"	24"	24" to 36"	24" to 36"	24" to 48"	24" to 48"	24" to 48"	24" to 48"

hutches - product offering




- · All specified dimensions are nominal. This page provides actual dimensions in all cases
- For a list of available dimension combinations, refer to pricing tables in the price guide or to the specification software

$Standard\ Hutch-Solid\ Hinged\ Doors\ (B_HCL)$




hinged doors

Standard Hutch - Glass Hinged Doors (B_HCG)




hinged doors

Standard Hutch - Solid Flipper Door(s) (B_HFL)




flipper door(s)


Standard Hutch - Open (B_HO)



Double Tower Hutch - Solid Doors (B TLL)



Single Tower Hutch - Solid Doors (B_ELL)





1 tower and hinged doors

hutches - lock chart




When sepcified, all closed storage products can be specified with a lock and key set and can be keyed randomly or alike. A Key Chart must accompany every order






hutches – lock chart (continued)



hutch finishes



- All Laminate components are protected with a solid plastic edge
- Flintwood finishes are not available with these products



hutches - grain direction

hutches

- Hinged Door grain direction will always be vertical
- Flipper and Sliding Door grain direction will vary depending on finish selected


Cathedral Grain Pattern:

Source Laminate

$$\cdot 3A - 3B - 3C - 3D - 3E - 3L - 3M - 3X - XQ - XR$$

Foundation Laminate

For colors listed above, the Cathedral Grain Pattern for doors will be horizontal



Straight Grain Pattern:

Source Laminate

•
$$3F - 3J - 3K - 3N - 3P - XJ - XK$$

Foundation Laminate

•
$$2F - 2J - 2K - 2N - 2P - JG - RN$$

For colors listed above, the Straight Grain Pattern for doors will be vertical



understanding mounted towers for secondary desks


The mounted towers offer several storage types and alignment possibilities.




- Mounted Towers can be used in two different applications. Some are dedicated for Low Secondary Desk applications as the others are dedicated for High Secondary Desk applications
- Can only be mounted on all Secondary Desks (B_MSD, BH_SR, BH_SB or BH_SL)


mounted towers for low secondary desk

mounted towers for high secondary desk





- Low and High Secondary Desks are nominally 20" or 24" deep, so run-off worksurfaces and towers can be layered over secondary desk
- Stacking sets back from the secondary desk, for an increased sense of spaciousness



All 18" depth available in Standard Overhead Cabinets –Wall Panel Mounted (BOSHW, BOGHW, BOSSW, BOGSW, BOSOSW, BOSOGW or BOCOLW), Double Overhead Cabinets –Wall Panel Mounted (BODSHW, BODGHW, BODSSW or BODGSW), Mounted Towers and freestanding Towers can achieve a flush front look

mounted tower for secondary desk basics low secondary desk


Mounted Towers for Secondary Desks provide additional storage at seated height.



- Solid or Glass Doors have a touch-latch installed on each full door for the opening
- · Door swing direction can be specified left or right
- When applicable, a Multi-Functional Drawer (BADMF) can be added. For more details, refer to page 212
- · Cannot be used alone. It must be connected to another mounted tower, freestanding tower, wall panel, standard or Double Overhead Cabinet

full door and open towers

- · Provides closed or open storage with pigeonhole at base of unit
- · A Multi-Functional Drawer can only be installed into the pigeonhole



- Desk Mounted (BRLO) • Two open tower configurations are available:
- 18" width (Shown)
- -36" width
- · Must specify open tower to align with full door towers datums


Towers with Full Solid or Glass Door - Low Secondary Desk Mounted (BRLL or BRLG)

- Three tower configurations are available:
- 1 File Drawer + 1 Adjustable Shelf (_F)
- 2 Adjustable Shelves (_S) (Shown)
- 1 Wardrobe (with 2 coat hooks) (_W)
- The interior configuration (_F) is not available for towers with full
- Each shelf has a range of adjustment of five positions of 1 1/4"
- When specified, the integrated file drawer comes with a touchlatch and provides full extension slides that can accommodate both letter- and legal-size paper
- · Door front finishes are available in laminate, Flintwood or glass

mounted tower for secondary desk basics – high secondary desk (continued)

full door and open towers

- Provides closed or open storage with pigeonhole at base of unit
- A Multi-Functional Drawer can only be installed into the pigeonhole



- Come with Shelf (S) Interior Configuration
- Come with one adjustable shelf and has holes in 5 1/8" intervals on the inside walls for shelf height adjustment
- Two Swing Door Directions are available:
- Left Side (L)
- Right Side (R)
- Door front finishes are available in laminate, Flintwood or glass


interior clearance & datum line for mounted towers

The following outlines the shelf positions of open towers (freestanding or mounted) when combined with different tower configurations.




81" Datum height is **not** available with Low Secondary Desk


66" datum height – low secondary desk




72" datum height – low secondary desk



interior clearance & datum line for mounted towers (continued)




72" datum height high secondary desk



(BRHL or BRHG)

interior clearance & datum line for mounted towers (continued)




81" datum height – high secondary desk

planning with mounted tower for secondary desks


Following should be considered when planning with Expansion Casegoods Mounted Towers.



- All restrictions below apply to both Low or High Secondary Desk mounted
- · All mounted towers must be used against a wall for stability




A mounted tower **cannot** be installed alone on a secondary desk. It must be connected with another product for more stability. See the illustrations below for the multiple possibilities



When a tower is monted on a **secondary desk** that is wider than 66", a Storage for Secondary Desk must be installed under the secondary desk to reduce its unsupported span to a maximum 66"


Only the products listed below can be linked with a mounted tower for secondary desk:

Tower for Secondary Desk




Can be connected to another mounted tower

Standard or Double Overhead Cabinet




Can be connected to a Standard or Double Overhead Cabinet mounted on a Wall Panel for Overhead Cabinet (B_WCC) or Wall Panel for Overhead and Shelf (B_WCO)

Wall Panel



Can be connected directly to a Wall Panel


Tower




Can be connected to all freestanding Towers

planning with mounted tower for secondary desks (continued)


The applications shown below are not applicable with mounted tower for secondary desk:




A mounted tower cannot be used directly on the floor. It must always be supported



Towers **cannot** be mounted on a **standard desk**. They can only be supported by a Low or High Secondary Desk



Towers cannot be stacked




mounted towers - product offering




- All specified dimensions are nominal. This page provides actual dimensions in all cases
- For a list of available dimension combinations, refer to pricing tables in the price guide or to the specification software

Towers with Full Solid Door - Low Secondary Desk Mounted (BRLL)



Towers with Full Glass Door - Low Secondary Desk Mounted (BRLG)

Open Towers — Low Secondary Desk Mounted (BRLO)



Tower with Full Solid Door – High Secondary Desk Mounted (BRHL)



1 adjustable shelf (66" or 72" h) or 2 adjustable shelves (81" h) 1 rectangular door, 1 pigeonhole

Tower with Full Glass Door — High Secondary Desk Mounted (BRHG)




1 adjustable shelf (66" or 72" h) or 2 adjustable shelves (81" h) 1 rectangular door, 1 pigeonhole

Open Towers - High Secondary Desk Mounted (BRHO)



1 adjustable shelf (66" or 72" h) or 2 adjustable shelves (81" h) 1 pigeonhole




2 adjustable shelves (66" or 72" h) or 4 adjustable shelves (81" h) 1 pigeonhole


mounted towers - lock chart

All closed storage products can be specified with a lock and key set and can be keyed randomly or alike. A Key Chart must accompany every order

Towers with Full Door or Open Tower - Low Secondary Desk Mounted (BRLL, BRLG, BRLO)



 $Towers\ with\ Full\ Door\ or\ Open\ Tower-High\ Secondary\ Desk\ Mounted\ (BRHL,\ BRHG,\ BRHO)$



mounted tower finishes



- All Laminate components are protected with a solid plastic edge
- For an overview of which products are offered in Flintwood finishes, refer to the Expansion Casegoods product map on Teknion's website

Glass Doors

• Available in 5/32" (4 mm) Standard or Back-Painted tempered glass

Standard Glass finishes:

- Clear (CL)
- Frosted (FT) is a single-sided etched tempered glass which is facing inward of desk
- When a wardrobe with Full Glass Door (BRLGFW) is specified, only Standard glass (Frosted (FT)) or Back-Painted glass is available

 Hinged door frames are available Foundation, Accent or Mica colors, or Clear Anodized (AC)

Solid Doors

Available in Source Laminate or Flintwood (No Cathedral) colors

Hinged Doors

Hinges allow the door to open up to 110°




Frame Less Look

• When Back-Painted glass finish is specified, the glass is glued on the frame for a frameless appearance



- Available in Source Laminate or Flintwood (No Cathedral) colors
- Flintwood Case finish is only available with Flintwood or Glass Door Front finish



Framed

framed

• When Clear (CL) or

Frosted (FT) glass finish

is specified, the door is



Available in Source Laminate or Flintwood (No Cathedral) colors

Edge Trims

- Available in Straight Trim (6)
- Available in Edge Trim colors (for Source Laminate Fronts only)

mounted towers - grain direction

mounted towers


Door front grain direction will always be vertical

Cathedral Grain Pattern:

Source Laminate

• 3A - 3B - 3C - 3D - 3E - 3L - 3M - 3X - XQ - XR

For colors listed above, the Cathedral Grain Pattern for doors and drawer fronts will be book-matched when fully enclosed




standard & double overhead cabinet basics

Expansion Casegoods offers a variety of overhead cabinets that provide storage alternatives above the workstation.



- All overheads are shipped assembled
- Top for Overhead Cabinet (B_OT) can be mounted on hinged or sliding doors cabinet only
- Two overhead heights are available: 15"standard height or 30" double height
- All overhead cabinets come with a laminate or Flintwood case, with the exception of the Flipper Doors configuration (BOCF), which is exclusively available in laminate
- Available in two mounting styles:
- Wall Panel Mounted (B), except for Double Overhead Cabinet Open (BODOL)
- Wall-Mounted (W) (Shown)
- · Wall-Mounted Overhead Cabinets are secured to the building wall using the provided mounting hardware, with the exclusion of the wall anchors
- Wall Panel Mounted Overhead Cabinets are supported by a wall panel (B_WCC or B_WCO) which is anchored to the wall
- If Wall Panel Mounted Style (B) is specified, overhead cabinet width must be specified in the same width than the wall panel on which it is installed



light management

- Standard or Double Overhead Cabinets can be specified with ou without Light Management options:
- Linear LED Light Ready (L)
- No Ligth Management (N)
- When Linear Light Ready (L) is specified, a plastic light wire cover is included with overhead and is coordinated with the case finish
- Not available with 24" wide overhead cabinet
- When Linear Light Ready (L) is specified, Linear LED Light (BLEDD) and Support for Linear LED Light – Overhead (BLEDS) (mandatory) must be ordered separately

Doors


- Solid doors are 11/16" thick
- Hinged Doors are available in:
- Laminate
- Flintwood
- 11/16" thick aluminum frame with a 5/32" (4 mm) Standard or Back-Painted tempered glass
- Flipper Doors are available in:
 - Laminate only
- Sliding Doors and Overlay Sliding Door are available in:
- Laminate
- Flintwood
- 5/32" (4 mm) Standard or Back-Painted tempered glass (Sliding Doors only)
- 11/16" thick aluminum frame with a 5/32" (4 mm) Standard or Back-Painted tempered glass (Overlay Sliding Doors only)
- Standard or Double Overhead Cabinets Solid or Glass Overlay Door (BOSOS, BOSOG, BODSS or BODSG) are only available with One Door (O) configuration and can be specified on Left (L) or Right (R)
- The lock option is available on all overhead cabinets, except solid or glass overlay sliding doors
- Hinged doors and overlay door have no pull and no touch latch.
 They can be handled with the fingertips
- Hinges allow doors to open up to 110°

Divider(s)

If applicable, overhead cabinets come with laminate divider(s)

Fixed or Height-Adjustable Shelf(ves)


- All Double Overhead Cabinets come with laminate shelf(ves)
- Only Double Overhead Cabinets Solid or Glass Hinged Doors come with Adjustable Shelf(ves) (BODSH or BODGH)
- The adjustable shelf has a eleven positions adjustment in 1 1/4" intervals
- Double Overhead Cabinets Solid or Glass Overlay Sliding Door and Open come with Fixed-Height Shelf(ves) (BODSS, BODGS or BODOL)



 Wire guided to the back of the Overhead (hidden pass-through opening on the wall panel)

standard & double overhead cabinet basics (continued)


wall clearance




Wall Panel Mounted

Clearance allows to free the objects (baseboard, wall molding, etc.) that could interfere with the Expansion Casegoods furniture


interior height



15" high Overhead Cabinet (Standard)



30" high Double Overhead



Flush Front Look

A flush front look can be achieved using a 18" deep overhead with Wall Panel Mounted option next to a 18" deep Freestanding




Frame Less Look

• When Back-Painted glass finish is specified, the glass is glued on the frame for a frameless appearance



• When Clear (CL) or Frosted (FT) glass finish is specified, the door is framed



Three pull styles are available

- Available for flipper door(s) only
- Interchangable
- Refer to the page 225 to see the pull styles offered




Sliding Doors

• Laminate or glass doors come with

standard & double overhead cabinets – wall-mounted applications


overhead clearance with fixed-height worksurfaces or storage

15" high Overhead Cabinets (Standard)




Worksurface Style Height	Mid- Height Storage	High Secondary Desk*	Standard Desks, Run-Off, Run-Off Worksurfaces, Primary Desks or Credenzas 1" 13/16" 19/16" 10 mm				
Application 66" (Bottom overhead 51")	29"	23"	(D) 21 1/8"	(M) 21"	20 5/8"	(Glass) 20 7/8"	
72" (Bottom overhead 57")	35 1/4"	29 1/4"	27 3/8"	27 1/4"	26 7/8"	27 1/8"	
81" (Bottom overhead 66")	44 3/8"	38 3/8"	36 1/2"	36 3/8"	36"	36 1/4"	

30" high Double Overhead Cabinets




Worksurface Style Height Application	Mid- Height Storage	High Secondary Desk	Standard Desks, Run-Off, Run-Off Worksurfaces, Primary Desks or Credenzas				
			1" (D)	1 3/16" (M)	1 9/16" (X)	10 mm (Glass)	
81" (Bottom overhead 51")	29"	23"	21 1/8"	21"	20 5/8"	20 7/8"	




standard & double overhead cabinets - wall-mounted applications (continued)



- The overhead cabinets can be mounted above a standard desks, credenzas, low or high secondary desks (B_MDS, BH_SR, BH_SB or BH_SL), Mid-Height Freestanding Storage (BSMPS or BSMLF) and all Workwall Storage
 - · When Wall-Mounted style is specified, the overhead cabinet is attached with the mounting hardware to the building wall
 - Double Overhead Cabinet Open (BODOL) can be specified wall-mounted (W) only




Can be installed on- or off-module above a table/fixed-height/standard desk (D, M, X), credenza, low or high secondary desk



A tower or storage can be installed beside a wallmounted overhead cabinet

Cannot be mounted directly on top of a freestanding Tower or Storage



All kinds of stacking are restricted

Double Overhead Cabinet can be used to provide a similar look and more storage capacity


WHAT IS EXPANSION CASEGOODS? | INDEX | APPLICATION GUIDE | PRICE & PRODUCT GUIDE

standard & double overhead cabinets - wall panel mounted applications




- When Wall Panel Mounted style is specified, the overhead cabinet must be mounted on a Wall Panel for Overhead Cabinet (B_WCC) or Wall Panel for Overhead Cabinet and Shelf (B_WCO)
- For more details on overhead clereance with fixed or height-adjustable worksurfaces, refer to page 272 and 273


on high or low secondary desks



Maximum Unsupported Span Allowed




Can be installed on-module above low or high secondary desks



Off-Module


- · Off-modularity is possible only with Low or High Secondary Desks
- · One end of the overhead must align with one of the desk gables



Juxtaposed Combination


A tower or storage can be installed beside a wall panel mounted overhead cabinet

on freestanding desks or credenzas (overhead cabinets)



Can be installed on-module above freestanding desks (M or X) or credenzas


with height-adjustable worksurface




On-Module

Can be installed on-module above a Height-Adjustable Worksurface, but clearance may be limited and must be considered


on workwall storage



On-Module



Off-Module




On-Module


standard & double overhead cabinets - accessories



Top for Overhead Cabinet (B_OT)

- Available in the same styles/thicknesses (D, M, X) as worksurfaces
- Only available in 16" depth
- Available in widths: 24" to 84" (6"increments)
- Can only be mounted on overhead with hinged doors (standard or double)
- Specify the width according to the standard or double overhead cabinet width on which the top is mounted
- Cannot be used with Hutches and Mounted Towers
- Includes a 3/8" thick neoprene spacer kit





Wall-Mounted Tackboard – Fabric (BOWF) and Wall-Mounted Tackboard – Felt (BOWE)

- These tackable surfaces accommodate the visual display of paper-based information
- Attach to the vertical surface (building wall) from Standard Worksurface (W) (Standard Desk, Return or Credenza, Secondary Desk and between bottom the Standard or Double Overhead Cabiner)
- Cannot be used on a hutch or wall panel
- A Linear LED Light (BLEDD) or a Tangent Undercabinet Light (BLYTU) cord can be run behind the tackboard for a descreet installation
- For more details on these products, refer to page 262



Lighting (BLYTU or BLEDD)

When required, these lighting solutions can be mounted beneath all Expansion Casegoods overhead cabinets products


standard & double overhead cabinets - product offering



- All specified dimensions are nominal. This page provides actual dimensions in all cases
- For a list of available dimension combinations, refer to pricing tables in the price guide or to the specification software

standard overhead cabinets


Overhead Cabinet - Solid Hinged Doors (BOSH)




59 11/16", 65 11/16",

Overhead Cabinet - Glass Hinged Doors (BOGH)

Overhead Cabinet - Solid Overlay Sliding Door





Overhead Cabinet - Glass Overlay Sliding

Overhead Cabinet - Open (BOCOL)


standard & double overhead cabinets – product offering (continued)

double overhead cabinets

Double Overhead Cabinet - Solid Hinged Doors (BODSH)


Double Overhead Cabinet - Glass Hinged Doors (BODGH)

Double Overhead Cabinet - Glass Overlay Sliding Door




(BODGS)

Double Overhead Cabinet – Solid Overlay Sliding Door (BODSS)



Double Overhead Cabinet - Open (BODOL)




standard & double overhead cabinets - lock chart




All closed storage products can be specified with a lock and key set and can be keyed randomly or alike. A Key Chart must accompany every order

standard overhead cabinets


Overhead Cabinet - Solid or Glass Hinged Doors (BOSH or BOGH)




Overhead Cabinet - Solid Flipper Door(s) (BOSF)



Overhead Cabinet - Solid or Glass Sliding Doors (BOSS or BOGS)




 $Overhead\ Cabinet-Solid\ or\ Glass\ Overlay\ Sliding\ Door\ (BOSOS_O\ or\ BOSOG_O)$



Lockable Double Doors Lockable Single Door Not Lockable


standard & double overhead cabinets – lock chart (continued)


standard overhead cabinets (continued)




double overhead cabinets









standard & double overhead cabinet & accessory finishes



- All Laminate components are protected with a solid plastic edge
- For an overview of which products are offered in Flintwood finishes, refer to the Expansion Casegoods product map on Teknion's website

Glass Doors

• Available in 5/32" (4 mm) Standard or Back-Painted tempered glass


Standard Glass finishes (BOGH, BOGS or BODGH):


- Frosted (FT) is a single-sided etched tempered glass which is facing inward of desk

Back-Painted Glass finishes (BOGH, BOGS, BOSOG, BODGH or BODGS)

- · Hinged Door Frames (BOGH or BODGH) are available Foundation, Accent or Mica colors, or Clear Anodized (AC)
- · Overlay Sliding Door Frames (BOGH, BOSOG or BODGS) are available Foundation, Accent or Mica colors

- · Hinged Doors (BOSH or BODSH) are available in Source Laminate, Foundation Laminate or Flintwood (No Cathedral) colors
- Flipper Door(s) (BOSF), are available in Source Laminate or Foundation Laminate.
- · Sliding Doors (BOSS) and Overlay Sliding Doors (BOSOS or BODSS) are available in Source Laminate or Flintwood (No Cathedral)
- When Foundation Laminate is specified, Abstract colors are not available. Not applicable with overheads (BOSS, BOSOS or BODSS)





Dividers, Shelves (if applicable) and Solid Case


- All Standard or Double Overhead Cabinets, are available in Source Laminate or Flintwood (No Cathedral) colors
- Overhead Cabinet with Flipper Door(s) (BOSL) is available in Source Laminate
- · When Source or Foundation Laminate Door Front finish is specified, only Source Laminate Case finish is available
- When Flintwood Case finish is specified for Overhead Cabinet Solid Overlay Sliding Door (BOSOS), only Flintwood Overlay Door Front finish is available
- If applicable, fixed or height-adjustable shelves match the Case finish

standard & double overhead cabinets - grain direction


standard or double overhead cabinets

- All overhead doors feature a vertical grain
- The back of overhead always features a horizontal grain


Overhead Cabinet - Solid Hinged Doors




Double Overhead Cabinet – Solid Flipper Door(s)




Overhead Cabinet - Solid Overlay Door




Double Overhead Cabinet - Solid Hinged Doors



Overhead Cabinet - Solid Sliding Doors



Overhead Cabinet - Open




understanding wall-mounted panels

The following should be considered when planning with Expansion Casegoods wall-mounted panels and wall panels




- All Wall-Mounted Tackboard must be attached to a building wall
- · All Wall Panels must be used against a building wall
- Cannot be mounted above a Glass Top product


wall-mounted tackboard (BOWF or BOWE)




wall panel for overhead cabinet (B_WCC) (shown) or wall panel for overhead and shelf (B_WCO)



- Two finish styles are available: fabric (BOWF) and felt (BOWE)
- Can be installed under all Wall-Mounted Standard or Double Overhead Cabinets and above a standard worksurface (desk, return or 29" high credenza)
- · Must be installed directly on a building wall
- When a Wall-Mounted Tackboard is used over a Secondary Desk or mid-height storage, it will **not** reach down to the worksurface
- When installed over a worksurface with thickness (X – 1 9/16"), the final datum height will be 3/8" higher than standard datum height




- These wall panels can support all Standard or Double Overhead Cabinets
- Must be connected on a Secondary Desk (Low or High), Standard Desks, Freestanding Desks (M or X), all 29" high Credenzas, Mid-Height Freestanding Storage or Workwall Storage
- Can be specified with or without power and data
- Must be anchored to a building wall






understanding wall-mounted panels (continued)

wall panels (B_WAA (shown), B_WOO or B_WMD, B_WMO or B_WMM)



- These wall panels cannot support Standard or Double Overhead Cabinets
- Can hold a variety of accessories
- Must be connected on a Secondary Desk (Low or High), Standard Desks, Freestanding Desks (M or X), all 29" high credenza, Mid-Height Freestanding Storage or Workwall Storage
- Can be specified with or without power and data
- All wall panels must be anchored to a building wall, with the exception of B_WAA, which must be used againts a wall but anchoring is optional




wall panel alignments overview

Here is an overview detailling the available options for each datum height and the achievable alignment between products


66" datum height

- Only 15" high overhead cabinet can be used
- Up to 2 solid shelves can be specified (many combinations available)
- Top Solid Shelf aligns with the bottom of a 15" high overhead cabinet
- A 51" high Wall Panel (B_WAA) aligns with the bottom of a 15" high overhead cabinet
- Up to 2 metal shelves can be specified (many combinations available)
- Top Metal Shelf aligns with the bottom of a 15" high overhead cabinet
- Bottom Metal and Solid Shelves align
- Wall Panel for Media and Shelves (B_WMO) is not available at 66"



72" datum height


- Only 15" high overhead cabinet can be used
- Up to 2 solid shelves can be specified (many combinations available)
- Top Solid Shelf aligns with the bottom of a 15" high overhead cabinet
- A 57" high Wall Panel (B_WAA) aligns with the bottom of a 15" high overhead cabinet
- Up to 2 metal shelves can be specified (many combinations available)
- Top Metal Shelf aligns with the bottom of a 15" high overhead cabinet
- \bullet Metal Shelves position is \mathbf{not} aligned with other products




wall panel alignments overview (continued)

81" datum height

- 15" or 30" high overhead cabinet can be used
- Up to 3 solid shelves can be specified (many combinations available)
- Top Solid Shelf aligns with the bottom of a 15" high overhead cabinet
- Middle Solid Shelf aligns with the bottom of a 30" high overhead cabinet
- A 66" high Wall Panel (B_WAA) aligns with the bottom of a 15" high overhead cabinet
- A 51" high Wall Panel (B_WAA) aligns with the bottom of a 30" high overhead cabinet
- Up to 2 metal shelves can be specified (many combinations available)
- Metal Shelves position is not aligned with other products






wall-mounted tackboard basics

Expansion Casegoods offers a variety of wall-mounted panels providing tackable surface on the building wall.




- Provide a tackable fabric or felt surface
- Must be attached directly on a building wall
- Can be mounted between Standard Desk, Table/Fixed-Height Desks, Return or Credenza and a Standard Overhead
 Cabiner






Three finishing heights (51, 57 or 66) are available:




Wall-Mounted Tackboard – Fabric (BOWF) or Wall-Mounted Tackboard – Felt (BOWE)

- This tackable surface accommodates the visual display of paper-based information
- Are available in finished height in 51", 57" or 66"
- Are available in widths: 24" to 84" (6" increments)
- There is a 3/16" (4 mm) behind the fabric tackboard (BOWF) and a 1/4" (6 mm) gap behind the felt tackboard (BOWE) to manage small cables




Must be specified on-module only with the overhead cabinet installed above

66" height workstation



 Align with bottom of Overhead Cabinet mounted at 66" (51)

72" height workstation




 Align with bottom of Overhead Cabinet mounted at 72" (57)

81" height workstation



 Align with bottom of Overhead Cabinet mounted at 81" (66)



 Align with bottom of Double Overhead Cabinet mounted at 81" (51)

- · When a Wall-Mounted Tackboard is used over a secondary desk or mid-height storage, it will not reach down to the worksurface
- When installed over a worksurface with thickness (X 1 9/16"), the final datum height will be 3/8" higher than standard datum height

wall panel basics


Expansion Casegoods offers a variety of desk mounted wall panels providing support for overhead cabinets, tackboard and diverse accessories.



- Attach to the back of a standard or table/fixed-height desk with modesty panel or a Secondary Desk (B_MDS, BH_SR, BH_SB or BH_SL), or directly on the back of a 29" high credenza, Mid-height Freestanding Storage or Workwall Storage
- Wall Panels can be specified in Horizontal (H) or Vertical (V) Grain Direction
- Additional Tackboard (BAWAT or BAWAE), Glass Markerboard (BAWAM) for Wall Panel can be specified separately
- Some Wall Panel can be specified with or without Power and Data. Some jurisdictions require Resettable Breakers. Check local codes
- Wall Panels are offered separately and are available in seven styles:

wall panel for overhead cabinet (B_WCC) or wall panel for overhead cabinet and shelf (B_WCO)

- A Standard (15" h) (Shown) or Double (30" h) Overhead Cabinet is not included and must be specified separately. For more details on Overhead Cabinet, refer to pages 245 to 246
- Not all Mounting Styles, Datum Heights and Widths are available with Overhead Height (30), refer individual product pages for details



- · Solid Shelf for Wall Panel (BAWSS) or Solid Display Shelf for Wall Panel (BAWDS) is not included and must be specified separately For more details on solid shelf, refer to page 285 to 286
- Two Configuration are available depending on the configuration on the overhead height and datum height of the wall panel:
- Bottom and Middle Shelves (BM)
- Bottom Shelf (BN) (Shown)
- · Solid shelf needs to be specified with the same width as the wall panel or the combined width of multiple wall panels

- Datum heights available: 66", 72" and 81"
- Available in widths: 24" to 84" (6" increments)
- Come with 1 or 2 pieces, the number of panels may vary depending of the dimension and grain direction selected, refer to page 271 and 274 for more details
- Five Mounting Styles are available:
- On 1 3/16" (M) thick Standard Worksurface
- On 1 9/16" (X) thick Standard Worksurface

Attach to the back of a standard or table/fixed-height desk with modesty panel or 29" high credenza or Workwall Storage with Integral Top

- On High (H) Secondary Desk (All Thicknesses)
- On Low (L) Secondary Desk (All Thicknesses) (Shown)

Attach to the back of a Secondary Desk (B_MSD) or a Secondary Desk for Height-Adjutability (BH_SR, BH_SB or BH_SL)

- On Mid-Height (K) Storage


Attached to the back of a mid-height Freestanding Storage or mid-height Workwall Storage

- · Can be specified with or without Power and Data:
- Over Worksurface Center (OC)
- Over Worksurface Left (OL) (Shown)
- Over Worksurface Right (OR)
- No Power and Data (NN)
- · A square cut-out is always included to route lighting cable rear the panel

wall panel basics (continued)

- Following Wall Panels always come in one piece
- Five Mounting Styles are available:
- On 1 3/16" (M) thick Standard Worksurface
- On 1 9/16" (X) thick Standard Worksurface
- On High (H) Secondary Desk (All Thicknesses)
- On Low (L) Secondary Desk (All Thicknesses) (Shown)
- On Mid-Height (K) Storage
- · Dimensions are limited according to the grain direction, refer to individual product pages for more details

wall panel (B_WAA)



- Datum Heights available: 51", 57", 66", 72" or 81"
- Available in widths: 24" to 90" (6" increments)
- Can be specified with or without Power and Data Cut-Out:
- Over Worksurface Center (OC) (Shown)
- Over Worksurface Left (OL)
- Over Worksurface Right (OR)
- No Power and Data (NN)

wall panel for solid shelves (B_WOO)

➤ OR

- Datum Heights available: 66", 72" or 81"
- Available in widths: 24" to 90" (6" increments)
- Solid Shelf for Wall Panel (BAWDS) or Solid Display Shelf for Wall Panel (BAWDS) are not
 included and must be specified separately. For more details on solid shelf, refer to page 285 to
 286
- Solid shelves need to be specified with the same width as the wall panel or the combined width of
 multiple wall panels
- Six Configurations are available depending on the configuration, mounting style and datum height of the wall panel:
- Bottom Shelf (BN)
- Bottom and Top Shelves (BT)
- Middle Shelf (MN)
- Middle and Top Shelves (MT)
- Top Shelf (NT) (Shown)
- Bottom, Middle and Top Shelves (SS)

refer to page 276 for more details

- Can be specified with or without Power and Data Cut-Out:
 - Over Worksurface Center (OC) (Shown)
 - Over Worksurface Left (OL)
 - Over Worksurface Right (OR)
 - No Power and Data (NN) (Shown)

wall panel for metal accessory shelves (B_WMM)



- Datum Heights available: 66", 72" or 81"
- Available in widths: 30" to 60" (6" increments)
- Metal Accessory Shelves for Wall Panel (BBAMS) are not included and must be specified separately. For more details on metal shelves, refer to page 287
- Shelves can be installed in standard or upside-down positions
- Only Center (C) shelf position is available
- Three Configurations are available:
- Bottom Shelf (BN)
- Bottom and Top Shelves (BT)
- Top Shelf (NT) (Shown)


refer to page 282 for more details

• Only No Power and Data (NN) can be specified

wall panel basics (continued)


- Following Wall Panels always come in one piece
- TV Monitor Mount and Cable Pass-Through Ring are included
- Three Mounting Styles are available:
- On High (H) Secondary Desk (All Thicknesses)
- On Low (L) Secondary Desk (All Thicknesses) (Shown)
- On Mid-Height (K) Storage
- Power and Data cannot be specified with these products
- · A Pass-Through Cut-Out and Cable Pass-Through Grommet are always included to route TV monitor cable rear the panel
- Can also be specified with or without Cable Management:
- No Grommet (N)
- Duo Grommet (S) (Shown); when specified, a Duo Grommet Square (ring and cover) is included
- Dimensions are limited according to the grain direction, refer to individual product pages for more details

wall panel for media (B_WMD)




- Datum Heights available: 66", 72" or 81"
- Available in widths: 36" to 90" (6" increments)

wall panel for media and shelves (B_WMO)




- Datum Heights available: 72" or 81"
- \bullet Available in widths: 36" to 90" (6" increments)
- Solid Shelf for Wall Panel (BAWDS) or Solid Display Shelf for Wall Panel (BAWDS) are not
 included and must be specified separately. For more details on solid shelf, refer to page 285 to
 286
- · Solid Shelves is always at the top position
- Solid shelf needs to be specified with the same width as the wall panel or the combined width of
 multiple wall panels

wall panel basics (continued)





• Four Power and Data Cut-Out configurations are available:



- 24" or 30" wide wall panel can only be specified with No Power and Data (NN) for Wall Panels (B_WCC, B_WCO, B_WAA or B_WOO)
- 36" to 48" wide wall panel can only be specified with No Power and Data (NN) or Over Worksurface – Center (OC) cut-out for Wall Panels (B_WCC, B_WCO, B_WAA or B_WOO)
- 54" to 90" wide wall panel can only be specified with No Power and Data (NN) or Over Worksurface – Left or Right (OL or OR) cut-out for Wall Panels (B_WCC, B_WCO, B_WAA or B_WOO)







The Power Bar and Cover on Wall Panel cannot be specified over height-adjustable worksurface, as it may lead to conflicts with plugged-in power


wall panels – general applications

The following should be considered when planning with all Expansion Casegoods Wall Panels.


1 3/16" (M) & 1 9/16" (X) thick standard worksurface mounting styles

The examples and applications illustrated below are applicable for all wall panel styles

desks (M or X)




A Wall Panel mounted on the back of a desk on its modesty panel side



Can be installed on-module only




Only use one wall panel per desk




A Wall Panel cannot be mounted above multiple desks




Wall Panel combinations are allowed when using only one wall panel per desk




When power and data is specified for a wall panel, a wall access modesty must be specified on desk to allow cable access



The wall panel can only be mounted on the modesty panel side




Cannot be mounted on the gable




Cannot be mounted on a Return or Desk Return


• 29" high credenzas



A Wall Panel mounts onto the rear side of a 29" high credenza




Can be installed on-module only



Make sure the wall outlet remains accessible when planning with a Wall Panel mounted onto a full storage credenza and specified with Power and Data

workwall storage with integral top (M or X)




Can be installed on Workwall Storage with Integral Top (BSLFT, BSLFC, BSCT, BSDC, BSOBT or BSOBC). Cannot be installed on regular freestanding storage with optional top (B_STR or B_NSTR)


wall panels – general applications (continued)

high (H) or low (L) secondary desk (all thicknesses) mounting styles


- The examples and applications illustrated below are applicable for all wall panel styles
- Low Secondary Desk (All Thicknesses) (L) Mounting Style is not available in 81" Datum Height




A Wall Panel mounts onto the rear side of a secondary desk




- Can be linked to a Mounted Tower or a freestanding Tower
- A Wall Panel is mandatory to support Run-Off Worksurfaces or Run-Off with Glass Top for Low Secondary Desks




Can be installed on-module



- Can be installed off-module
- One end of the overhead must align with one of the desk gables






Wall Panel combinations are allowed on the same secondary desk

wall panels - general applications (continued)


mid-height (K) mounting style

The examples and applications illustrated below are applicable for all wall panel styles

• freestanding storage (mid-height stretch pedestal or mid-height credenza) applications



A Wall Panel mounts onto the rear side of a Workwall Storage



Can be installed on-module




Can be installed off-module



A Wall Panel can be mounted over multiple mid-height products

• workwall kneespace modules for height-adjustability applications




A Wall Panel mounts onto the rear side of a Workwall Kneespace Module




Can be installed on-module



Can be installed off-module



Wall Panel combinations are allowed on the same Workwall Kneespace Module




A Wall Panel can span over multiple Workwall products of the same height

wall panels - general applications (continued)

mid-height (K) mounting style

The examples and applications illustrated below are applicable for all wall panel styles (B_WAA, B_WCC, B_WOO or B_WMM)


• workwall credenza for fixed worksurfaces or height-adjustability applications




A Wall Panel mounts onto the rear side of a Workwall Credenza for Fixed Worksurfaces or Height-Adjustability



Can be installed on-module




Can be installed off-module




Wall Panel combinations are allowed on the same Workwall Credenza


• workwall storage (with integral top or freestanding credenzas) applications




A Wall Panel mounts onto the rear side of a 29" high Workwall Storage with Integral Top



Can be installed on-module



A Wall Panel can span over multiple midheight Workwall products (21" h)




A Wall Panel cannot span over Workwall Storage with Integral Top and mid-height storage, as they are not the same datum height. Each must have their own Wall Panel

planning with wall panel for overhead cabinet


The following should be considered when planning with Expansion Casegoods Wall Panels for Overhead Cabinet.



- Wall Panel for Overhead Cabinet (B_WCC) must always be specified the same width as the overhead cabinet
 - Overhead Cabinet is not included with the wall panel and must always be specified separately
 - Optional Power and Data can also be specified. Refer to page 266 for more details
 - Can accommodate Overhead Cabinet (15) or Double Overhead Cabinet (30)



OR




Wall Panel for 15" high Overhead Cabinet


Wall Panel comes with mounting holes for Standard Overhead Cabinet

Wall Panel for 30" high Overhead Cabinet

Wall Panel comes with mounting holes for Double Overhead Cabinet







NOTE: Some confgurations of the Wall Panel for Overhead Cabinet will come in two pieces. Here are the options where this will occur:

- Source Laminate finish with Vertical Grain and a width of 66" or more (any mounting style)
- Flintwood finish at 72" datum height, width of 54" or more, mounted on a Low Secondary Desk or mid-height storage
- Flintwood finish at 81" datum height, width of 54" or more (any mounting style)

planning with overhead cabinet (continued)


overhead clearance with fixed-height worksurfaces or storage

Clearance between the top of worksurface and bottom 15" high Standard Overhead Cabinet

Worksurface Style	Style Height Storage	High	Standard Desks, Run-Off, Run-Off Worksurfaces, Primary Desks or Credenzas				
Height Application			1" (D)	1 3/16" (M)	1 9/16" (X)	10 mm (Glass)	
66" (Bottom overhead 51")	29"	23"	21 1/8"	21"	20 5/8"	20 7/8"	
72" (Bottom overhead 57")	35 1/4"	29 1/4"	27 3/8"	27 1/4"	26 7/8"	27 1/8"	
81" (Bottom overhead 66")	44 3/8"	38 3/8"	36 1/2"	36 3/8"	36"	36 1/4"	

Clearance between the top of worksurface and bottom 30" high Double Overhead Cabinet

Worksurface Style	Mid- Height Storage	Mid- Height Storage High Desk	Standard Desks, Run-Off, Run-Off Worksurfaces, Primary Desks or Credenzas					
Height Application			1" (D)	1 3/16" (M)	1 9/16" (X)	10 mm (Glass)		
81" (Bottom overhead 51")	29"	23"	21 1/8"	21"	20 5/8"	20 7/8"		



planning with overhead cabinet (continued)



The clearance between the bottom of the overhead and the top of the worksurface at its highest position is provided below for guidance only


overhead clearance with height-adjustable worksurfaces


Clearance between the top of a raised height-adjustable worksurface at 48" height and the bottom of a 15" height Overhead Cabinet

Worksurface Style	Height-Adjustable Worksurfaces				
Height Application	1 3/16" (M or V – 48")	1 9/16" (X – 48")			
66" (Bottom overhead 51")	2"	1 5/8"			
72" (Bottom overhead 57")	8 1/4"	7 7/8"			
81" (Bottom overhead 66")	17 3/8"	17"			

Clearance between the top of a raised height-adjustable worksurface at 48" height and the bottom of a 30" height Double Overhead Cabinet

Wor	ksurface Style	Worksurfaces				
Height Applicat	ion	1 3/16" (M or V – 48")	1 9/16" (X – 48")			
	1" rerhead 51")	2"	1 5/8"			





Teknion does **not** recommend the use of any overhead above the Height-Adjustable Worksurfaces. Damages or personal injuries may occur if accessories are positioned beneath the overhead


planning with wall panel for overhead cabinets & shelf

The following should be considered when planning with Expansion Casegoods Wall Panels for Overhead Cabinet and Shelf.



- Wall Panel for Overhead Cabinet and Shelf (B_WCO) must always be specified the same width as the overhead
- Overhead Cabinet and Solid Shelves are not included with the wall panel and must be specified separately
- Optional Power and Data can also be specified. Refer to page 266 for more details
- Can accommodate Overhead Cabinet (15) or Double Overhead Cabinet (30). For details on overhead cabinets, refer to page 245
- Two version of solid shelves are available and compatible with this wall panel:
 - Solid Shelf for Wall Panel (BAWSS)
 - Solid Display Shelf for Wall Panel (BAWDS)

For details, refer to page 285



OR


Solid Shelf for Wall Panel or OR

Solid Display Shelf for Wall Panel


Wall panel comes with mounting holes for solid

Wall Panel for 15" high Overhead Cabinet

Wall panel comes with mounting holes for Standard Overhead Cabinet



Wall panel comes with mounting holes for Double Overhead Cabinet








NOTE: Some configurations of the Wall Panel for Overhead Cabinet will come in two pieces. Here are the options where this will occur:


- Source Laminate finish with Vertical Grain and a width of 66" or more (all mounting style)
- Flintwood finish at 72" datum height, width of 54" or more, mounted on a Low Secondary Desk or mid-height storage
- Flintwood finish at 81" datum height, width of 54" or more (any mounting style)

shelf configurations

Two Shelf Configurations are available:




Bottom & Middle Shelf (BM)



planning with wall panel for overhead cabinet & shelf (continued)

overhead & shelf clearance with fixed-height worksurfaces only

Clearance between the top of worksurface and underside of the bottom solid shelf



Overhead Cabinet and Shelf on Wall Panel (B_WCO) can be used over the fixed worksurface on the Workwall Credenza without conflict

Overhead Cabinet and Shelf on Wall Panel (B_WCO) cannot be specified over or right next to a height-adjustable worksurface because the bottom shelf may interfere. This interference only occur when specifying a Height-Adjustable Run-Off with Bevel Base (BH_RB or BHGRB) and Height-Adjustable Peninsula with Bevel Post Leg (BH_RP or BH_TP)


planning with wall panel for solid shelves

The following should be considered when planning with Expansion Casegoods Wall Panels for Overhead Cabinet and Shelf.



- Solid shelves are **not** included with the wall panel and must be specified separately
- Optional Power and Data can also be specified. Refer to page 266 for more details
- Two version of solid shelves are available and compatible with this wall panel:
 - Solid Shelf for Wall Panel (BAWSS)
 - Solid Display Shelf for Wall Panel (BAWDS)

For details, refer to page 285



Shelves Spacing


- The distance between the top of the wall panel and the top shelf is always the same, regardless of the chosen datum height. This distance will also be replicated between each successive shelf
- Therefore, Tackboard (BAWAM or BAWAE) or Markerboard (BAWAM) Wall Panel Mounted can be mounted in any of these identical spaces. From Bottom Shelf (B) Starting Height and Datum Height (15) need to be specified for these application
- The distance between the bottom shelf and the storage on which the wall panel is mounted will vary and cannot accept any accessories

Solid Shelf for Wall Panel or OR

Solid Display Shelf for Wall Panel Wall panel comes with mounting holes for solid shelf(ves)

shelf configurations

- Not all configurations are available, refer to the price guide or specification software for details
- Six Shelf Configurations are available:



planning with wall panel for solid shelves (continued)

•

The use of any solid shelf above the Height-Adjustable Worksurfaces is not allowed

shelf clearance with fixed worksurfaces or storage

Clearance between the top of worksurface and underside of the top solid shelf

Worksurface Style	Mid- Height Storage	High Secondary	Standard Desks, Run-Off, Run-Off Worksurfaces, Primary Desks or Credenzas				
Height Application			1" (D)	1 3/16" (M)	1 9/16" (X)	10 mm (Glass)	
66"	29"	23"	21 1/8"	21"	20 5/8"	20 7/8"	
72"	35 1/4"	29 1/4"	27 3/8"	27 1/4"	26 7/8"	27 1/8"	
81"	44 3/8"	38 3/8"	36 1/2"	36 3/8"	36"	36 1/4"	

Clearance between the top of worksurface and underside middle of the solid shelf

Worksurface Style	IVIId-	High Secondary	Standard Desks, Run-Off, Run-Off Worksurfaces, Primary Desks or Credenzas				
III.i.l.	Storage	Desk	1" (D)	1 3/16" (M)	1 9/16" (X)	10 mm (Glass)	
81"	29"	23"	21 1/8"	21"	20 5/8"	20 7/8"	

Clearance between the top of worksurface and underside of the bottom solid shelf

Worksurface Style	Mid-	High Secondary	Standa Worksurfa	ard Desks, R aces, Primary	tun-Off, Ru y Desks or (n-Off Credenzas		
Height Application	Storage	Desk	1" (D)	1 3/16" (M)	1 9/16" (X)	10 mm (Glass)		
66"	13 5/8"	7 5/8"	5 3/4"	5 5/8"	5 1/4"	5 1/2"		
72"	21"	13 7/8"	12"	11 7/8"	11 1/2"	11 3/4"		
81"	13 5/8"	7 5/8"	5 3/4"	5 5/8"	5 1/4"	5 1/2"		
		He 66 dat	Mid-H Clear Gight matches 7,72" or 81"	Clearance leight ance	Credenzas			

planning with wall panel for solid shelves (continued)

shelf clearance with height-adjustable worksurfaces



- Teknion does **not** recommend the use of any shelves above the Height-Adjustable Worksurfaces. Damages or personal injuries may occur if accessories are positioned beneath the shelf
- The clearance between the bottom of the top shelf and the top of the worksurface at its highest position is provided below for guidance only


Clearance between the top of a raised height-adjustable worksurface at 48" height and the underside of the top solid shelf


Worksurface Style	Height-Adjustable Worksurfaces						
Height Application	1 3/16" (M or V – 48")	1 9/16" (X – 48")	10 mm (Glass – 48")				
66"	2"	1 5/8"	1 3/4"				
72"	8 1/4"	7 7/8"	8"				
81"	17 3/8"	17"	17 1/8"				


Clearance between the top of the height-adjustable worksurface and underside of Middle Solid Shelf

Worksurface Style	Height-Adjustable Worksurfaces					
Height Application	1 3/16" (M or V – 48")	1 9/16" (X – 48")	10 mm (Glass – 48")			
81" Middle shelf at 51"	2"	1 5/8"	1 3/4"			


Middle Shelves Application








Wall Panel with Solid Shelves (B_WOO) can be used over the fixed worksurface on the Workwall Credenza without conflict



The bottom solid shelf cannot be specified right next to a height-adjustable worksurface because it may interfere. This interference only occur when specifying a Height-Adjustable Run-Off with Bevel Base (BH_RB or BHGRB) and Height-Adjustable Peninsula with Bevel Post Leg (BH_RP or BH_TP)



The bottom shelf on Wall Panel cannot be specified over a height-adjustable worksurface because the shelves may come into conflict

planning with wall panel for media


The following should be considered when planning with Expansion Casegoods Wall Panel for Media.





- A TV Monitor Mount is included with wall panel
- The TV Monitor Mount is always centered in the panel
- Comes with a Cable Pass-Through behind the TV rack to route the wire behind the Wall Panel for Media and a optional Duo Square Grommet at the bottom of the panel
- The use of a TV Monitor above the Height-Adjustable Worksurfaces is not allowed

tv monitor mount


- · Meets VESA (Video Electronics Standards Association) standards for easy installation. Monitor not included
- TV rack is finished in Black
- It is recommended that total width of monitor do not exceed the width of the specified wall panel
- · Wall panel comes with mounting holes for TV rack







Wall Panel for Media cannot be specified over a height-adjustable worksurface



A minimum of 1" gap must be preserve between the monitor mounted on the wall panel and the adjacent height-adjustable worksurface to avoid potential damage or injury

planning with wall panel for media and shelves


The following should be considered when planning with Expansion Casegoods Wall Panel for Media and Shelves.




- A TV Monitor Mount is included with the wall panel
- The TV Monitor Mount is always centered in the panel
- Solid shelves are not included with wall panel and must be specified separately
- Comes with a Cable Pass-Through being the TV rack to route the wire behind the Wall Panel for Media and a optional Duo Square Grommet at the bottom of the panel
- Two version of solid shelves are available and compatible with this wall panel:
 - Solid Shelf for Wall Panel (BAWSS)
 - Solid Display Shelf for Wall Panel (BAWDS)

For details, refer to page 285

tv monitor mount




- Same specifications than the TV Monitor Mount on page the previous page
- Wall panel comes with mounting holes for TV rack



Wall panel comes with mounting holes for solid shelf(ves)

shelf configuration

Top Shelf only



Applicable with 72" or 81" Datum Height


planning with wall panel for media and shelves (continued)

•

The use of a TV Monitor and shelf above the Height-Adjustable Worksurfaces is not allowed

shelf clearance with fixed worksurfaces or storage

Clearance between the top of fixed worksurface and underside of the top solid shelf



Wall Panel for Media and shelf **cannot** be specified over a height-adjustable worksurface

A minimum of 1" gap must be preserve between the monitor mounted on the wall panel and the adjacent height-adjustable worksurface to avoid potential damage or injury

planning with wall panel for metal accessory shelves


The following should be considered when planning with Wall Panels for Metal Accessory Shelves.



- Metal Accessory Shelves used with Wall Panel for Metal Accessory Shelves (B_WMM) only
- Metal Accessory Shelves (BBAMS) are not included with Wall Panel and must be specified separately, for details, refer to page 287
- Metal Accessory Shelves are supported by a wall panel which is anchored to the wall
- Only No Power and Data (NN) can be specified
- Shelves can be installed centered (C) in wall panel width only


shelf configurations

Three Shelf Configurations are available:




• Wall Panel comes with one set pattern holes on bottom for Metal Accessory Shelf






 Wall Panel comes with one set pattern holes on top for Metal Accessory Shelf

Bottom & Top Shelf (BT)



 Wall Panel comes with two set pattern holes on top and bottom for Metal Accessory Shelves

end gaps



Wall Panel	Metal Accessory Shelf Width				
Width	27"	33"			
24"	n/a	n/a			
30"	1 1/2"	n/a			
36"	4 1/2"	1 1/2"			
42"	7 1/2"	4 1/2"			
48"	10 1/2"	7 1/2"			
54"	13 1/2"	10 1/2"			
60"	16 1/2"	13 1/2"			

planning with wall panel for metal accessory shelves (continued)

•

The use metal shelf above the Height-Adjustable Worksurfaces is not allowed


shelf clearance with fixed worksurfaces or storage

Clearance between the top of fixed worksurface and underside of the top metal shelf

Worksurface Style		High	Standard Desks, Run-Off, Run-Off Worksurfaces, Primary Desks or Credenzas					
Height Application			1" (D)	1 3/16" (M)	1 9/16" (X)	10 mm (Glass)		
66"	29"	23"	21 1/8"	21"	20 5/8"	20 7/8"		
72"	32 5/8"	26 3/4"	24 7/8"	24 3/4"	24 3/8"	24 5/8"		
81"	40 1/8"	34 1/8"	32 1/4"	32 1/8"	31 3/4"	32"		

Clearance between the top of fixed worksurface and underside of the bottom metal shelf

Worksurface Style	Mid- Height	id- High Wo		Standard Desks, Run-Off, Run-Off Worksurfaces, Primary Desks or Credenzas			
Height Application	Storage	Desk	1" (D)	1 3/16" (M)	1 9/16" (X)	10 mm (Glass)	
66"	13 5/8"	7 5/8"	5 3/4"	5 5/8"	5 1/4"	5 1/2"	
72"	13 3/4"	7 3/4"	5 7/8"	5 3/4"	5 3/8"	5 5/8"	
81"	17 1/2"	11 1/2"	9 5/8"	9 1/2"	9 1/8"	9 3/8"	




planning with wall panel for metal accessory shelves (continued)

shelf clearance with height-adjustable worksurfaces




- Teknion does **not** recommend the use of any shelves above the Height-Adjustable Worksurfaces. Damages or personal injuries may occur if accessories are positioned beneath the shelf
- The clearance between the bottom of the top shelf and the top of the worksurface at its highest position is provided below for guidance only




Clearance between the top of a raised height-adjustable worksurface at $48^{\prime\prime}$ height and the bottom of a top metal shelf

Worksurface Style	Height-Adjustable Worksurfaces		
Height Application	1 3/16" (M or V – 48")	1 9/16" (X – 48")	10 mm (Glass – 48")
66"	2"	1 5/8"	1 3/4"
72"	5 3/4"	5 3/8"	5 5/8"
81"	13 1/8"	12 3/4"	12 7/8"



The bottom shelf on Wall Panel cannot be specified over a height-adjustable



Wall Panel with Metal Accessory Shelves (B_WMM) can be used over the fixed worksurface on the Workwall Credenza without conflict

solid shelf & solid display shelf for wall panel basics



- Shelves are supported by a wall panel which is anchored to the wall
- Shelf can be placed on-module only but it can overlap multiple of the panels
- Solid Shelf (BAWSS) and Solid Display Shelf (BAWDS) are **not** included with Wall Panels. They must be specified separately

Two Edge Details are available:





Standard (D) Knife Edge (V)

- Can be used with:
- Wall Panel for Overhead and Shelf (B_WCO)
- Wall Panel for Solid Shelves (B_WOO)
- Wall Panel for Media and Shelves (B_WMO)




Solid Shelf for Wall Panel (BAWSS)

- · Comes with one piece only
- Available in Widths: 24" to 90" (6" increments)
- Available in Depths: 9" or 13"
- Four Alignment Hole Options are available:
- Alignment Holes Both Sides (B)
- Alignment Holes Left (L)
- Alignment Holes Right (R)
- No Alignment Holes (N)

to connect shelves together and ensure a better alignment


• When 90" width is specified, only No Aligmnent Holes (N) option is available





Solid Display Shelf for Wall Panel (BAWDS)


- When combine with Wall Panel is provide display for decorative objects
- Available in Depths: 5"
- 24" to 60" wide comes with one piece
- 66" to 90" wide comes with two pieces
- A small Metal Lip at the front creates a ledge perfect for frames, books and small objects
- Alignment Hole Options are not available with this product




solid shelf & solid display shelf for wall panel basics (continued)

alignment holes applications

- Only applicable with Solid Shelf for Wall Panel (BAWSS)
- Allow to connect 9" or 13" deep shelves together
- Shelf comes with as a single piece, but the alignment holes can be specified on both shelves to enable a multiple connections
- · Alignment devices are also included when Aligment Holes are specified. They are not visible once the installation is complete









Connecting Shelves with Knife Edge (V)

overlap multiple panels applications

- Shelf must be specified with the same width as the wall panel or with the combined width of multiple wall panels
- Applicable with Solid Shelf (BAWSS) and with Solid Display Shelf(ves) (Shown) for Wall Panel



Example of joint position with a 84" wide shelf (in 2 pieces) over mutiple panels




Example of joint position with a smaller shelf (24" and 60" widths) specified

- Using a 66" to 90" wider shelf over multiple wall panels may result in misaligned joints since the shelf will be splitted in the center
- It is recommended to use the Solid Display Shelf for Wall Panel (BAWDS) on-module on one Wall Panel only

metal accessory shelf for wall panel basics




- Metal Accessory Shelves are supported by a wall panel which is anchored to the wall
- Shelves cannot be overlap across multiple panels
- · Metal Accessory Shelves (BBAMS) are not included with Wall Panels. They must be specified separately





Metal Accessory Shelves for Wall Panel (BBAMS)

- Provides an aesthetic solution to display objects and books (No binders)
- Constructed with metal 2.7 mm thick metal
- Two Level Orientations can be specified Left (L) (Shown) or Right (R). The small shelf determines the orientation
- Two Shelf Configurations are available:



- Available in Widths: 27" or 33"
- Loading Capacity:
- If 27" width = 52 lbs
- If 33" width = 64 lbs
- A 33" wide shelf cannot be installed on a 30" wide Wall Panel
- Can only be mounted Centered on a Wall Panel for Metal Accessory Shelves (B_WMM). For more details, refer to page 282
- Back surface can be used as a magnetic board. Rare Earth Magnets are not included and can be specified separately
- Can be installed in (installation on-site) two positions:
- Standard Position (Deeper shelf on bottom)
- Upside-Down Position (Deeper Shelf on top)





side filler for wall panel basics




- The Side Filler for Wall Panel is designed to fill the gap created by the mounting bracket of the wall panel
- Cannot be used with Hutches


side filler for wall panel (BAWPF)




- Available with Datum Heights: 66", 72" or 81"
- Can be mounted behind Wall Panel or Freestanding Storage of 66", 72" or 81" datum height
- Need to be specified the same datum height as the Wall Panel or Freestading Storage on which it is be installed
- · Non-handed product
- · Available in Foundation, Accent or Mica colors



side filler for wall panel applications



Wall Panel Application The Side Filler is 1 5/8" recessed from the side of the wall panel (pre-drill pattern for easy installation)



Application When used behind

Freestanding Storage

Freestanding Storage, there are no pre-drill holes. It is recommended using the same 1 5/8" gap from the side of the storage

Wall Panel or Freestanding

Storage Application A 6" gap from the floor to the start of the Side Filler ensure a clearance for wall baseboard moulding

FRONT VIEW OR

Secondary Desk and Storage for Multi-Level Workstation Application




- NOTE: When used with Wall Panel for Low or High Secondary Desk, the Side Filler will be visible under Secondary Desk
- \bullet Therefore the used of Storage for Multi-Level Workstation or a Cover for Height-Adjustable Mecahnism (BSSCM) to hide the side cover is recommended


tackboard & markerboard - wall panel mounted basics


Wall Panels can support a variety of accessories.



- Wall Panel Accessories cannot be mounted directly on a building wall. Must be installed on a wall panel
- When a Tackboard or Markerboard is used over a Low Secondary Desk (B_MSDL, BH_SRL, BH_SBL or BH_SLL), it will **not** reach down to the worksurface. Used the From Power and Data (P) Starting Height in this application










Fabric Tackboard – Wall Panel Mounted (BAWAT) or Felt Tackboard - Wall Panel Mounted (BAWAE)

Provide a tackable surface to accommodate the visual display of paper-based information



Magnetic Glass Glass (BAWAMG) (BAWAMM)

Glass Markerboard - Wall Panel Mounted (BAWAM)

• Are available in two glass markerboard styles:

Non-Magnetic Glass (G): Provides erasable message board

Magnetic Glass (M):

Provides an horizontal erasable message board and accepts magnets

· Only dry erase markers can be used



Tray for Markerboard (BACT)

- Provides storage for up to four dry-erase markers and one eraser
- · Can be installed on a markerboard or other solid surface with Velcro® bands
- Dry erase markers and eraser are not included
- The position of Markerboard Tray can interfere with Heigh-Adjustable Worksurface, refer to Multi-Level Workstation for Height-Adjustability section to ensure to respect the required gap
- · Available in Foundation, Accent or Mica colors



Marker Holder for Markerboard (BACMT)

- Provides storage for erase markers and eraser and can be installed on a markerboard with Velcro® bands
- Dry erase markers and eraser are not included
- Available in Foundation, Accent or Mica



Rare Earth Magnet Kit (BAREM)

- · Can be used with Magnetic Glass Markerboard, Personal Screen - Felt (BAPSE) or Accessory Metal Shelves (BBAMS)
- · Are finishes in Black only

planning with tackboard & markerboard – wall panel mounted


The following should be considered when planning with Expansion Casegoods Tackboard & Markerboard for Wall Panel.

Six Starting Heights are available:

- From 1 3/16" thick worksurface (Standard Desk or Run-Off) (M)
- From 1 9/16" thick worksurface (Standard Desk or Run-Off) (X)
- From High Secondary Desk (All thicknesses) (H)
- From Bottom Shelf (B)
- From Power and Data (P)
- From Mid-Height (K)


starting heights (H, K, M or X) application

- The tackboard or markerboard will entirely cover the wall panel from starting height to the finishing datum
- The 51", 57" or 66" Datum Height can either match the bottom of a Standard Overhead Cabinet, a Double Overhead Cabinet or the bottom of a Solid Shelf or a Solid Display Shelf
- This example illustrated are not applicable with Wall Panel for Metal Accessory Shelves (B_WMM) and Wall Panel for Media (B_WMD)




starting height (B) application

- This example shows three different applications for this option:
- From Top Solid Shelf to the top of a Wall Panel
- Between Two Solid Shelves
- Between a Solid Shelf and a Overhead Cabinet
- Not applicable with Wall Panel for Metal Accessory Shelves (B_WMM)
- This is the only configuration compatible with the Wall Panel for Media and Shelves (B_WMO)
- Only the Datum Height (15) is available



starting height (P) application

- Not applicable with Wall Panel for Metal Accessory Shelves (B_WMM)
- The Tackboard or Markerboard will partially cover the wall panel From the Power and Data (P) to the finishing datum
- It is the recommended starting height to use in a Low Secondary Desk set-up (even when No Power and Data is specified)
- The starting height (P) corresponds to the top of a bottom shelf and could be used in this application



wall panel & accessory finishes

Wall panels and related parts are available in a variety of finish colors. Finish codes must be included in the order.



- All Laminate components are protected with a solid plastic edge
- For an overview of which products are offered in Flintwood finishes, refer to the Expansion Casegoods product map on Teknion's website

Wall Panel (B_WAA), Wall Panel for Solid Shelves (B_WOO), Wall Panel for Media (B_WMD), Wall panel for Media and Shelves (B_WMO) or Wall Panel for Metal Accessory Shelves (B_WMM)

Panel offered in Source Laminate or Flintwood (No Cathedral) colors Wall Panel for Overhead Cabinet (B_WCC) or Wall Panel for Overhead Cabinet and Shelves (B_WCO)

Panel offered in Source Laminate or Flintwood (No Cathedral) colors



TV Monitor Mount Available in Black only

Solid Shelf for Wall Panel (BAWSS) and Solid Display Shelf for Wall Panel (BAWDS)


- Shelves are available in Source Laminate or Flintwood (No Cathedral) colors
- Two Edge Details are available: Standard (D or Knife Edge (V)
- Edge Trims: Are available: Straight Trim (6), Flintwood Flat Trim (9) or Full Knife

Trim (F) Straight Trim (6) and Full Knife Trim (F) are available in Edge Trim colors, Flintwood Flat Trim (9) will match the

• D Edge Detail is available with Straight Trim (6) or Flintwood Flat Trim (9)

surface color

- V Edge Detail is available with Full Knife Trim (F) only
- Lip of the Shelf
 Display is available in
 Foundation, Accent or
 Mica colors



Fabric Tackboard – Wall Panel Mounted (BAWAT)


- Tackable
- Available in Teknion's Standard Panel Fabric

Glass Markerboard – Wall Panel Mounted (BAWAM)


- Are available in 5/32" (4 mm) Back-Painted tempered glass
- Mounting Extrusion will match the color glass finish

Felt Tackboard - Wall Panel Mounted (BAWAE)

- Tackable
- Available in Loft finishes
- Stitches are available in Carbon Coordinate (C), Shale Coordinate (E), Carrara Coordinate (G) or Umber Coordinate (M)



Available in Foundation, Accent or Mica colors




Metal Accessory Shelf for Wall Panel (BBAMS)

Available in Foundation, Accent or Mica colors

fabric directional guidelines

Pattern orientation of the fabric is an important factor when planning Fabric Tackboard for Wall Panel Mounted, if a different pattern orientation is required, refer to Teknion Textile Program Guide for more details





Fabric Tackboard - Wall Panel Mounted (BAWAT)

- Available in Teknion's Standard Panel Fabric
- Depending the dimensions specified, the fabric orientation may vary. This won't show for more uniform textile, but may be visible for fabric with a stronger pattern
- When 72" Datum Height is specified on Mid-Height Mounting Style or when 81" Datum Height is specified on all Mounting Style, the fabric orientation will be vertical. We don't recommend to blend solutions using vertical and horizontal pattern orientations for a nice fit and finish

freestanding storage & accessories

freestanding storage & accessories

FREESTANDING STORAGE BASICS
PEDESTAL BASICS
LATERAL FILE BASICS
STORAGE CABINETS BASICS
28" HIGH FREESTANDING STORAGE COMPATIBLITY304
MID-HEIGHT FREESTANDING STORAGE BASICS
MID-HEIGHT CREDENZA DRAWER WIDTHS
PLANNING WITH MID-HEIGHT FREESTANDING STORAGE308
TOWER BASICS
INTERIOR CLEARANCE & DATUM LINE FOR TOWERS
PLANNING WITH TOWERS
STORAGE UNIT BASICS
STORAGE UNIT DOOR & DRAWER WIDTHS

freestanding storage & accessories (continued)

LAMINATE FREESTANDING STORAGE - FILING DRAWER CAPACITIES
METAL FREESTANDING STORAGE - FILING DRAWER CAPACITIES
BOOKCASE BASICS324
ACCESSORY BASICS325
FREESTANDING STORAGE - PRODUCT OFFERING326
FREESTANDING STORAGE - LOCK CHART
FREESTANDING STORAGE FINISHES
FREESTANDING STORAGE - GRAIN DIRECTION

freestanding storage basics

Freestanding Storage is an extensive storage system that responds to a variety of information management needs whether personal, group, team or archival. Freestanding Storage is equally proficient in private office or shared workstation settings and as a standalone storage solution.

All dimensions in this section are actual



- 28" high storage with drawers must be installed under a desk; other 28" high storage can be installed under a desk or fitted with a top (B_STR or B_NSTR)
- 28" high non-metal storage can be used to support one end of a semi-supported worksurface, using the Suspended Pedestal Kit (included with worksurface) to maintain stability
- All 28" high storage cannot be installed under all glass top products, Fixed-Height Desk with Bevel Bases (B_MDWB) or all Height-Adjustable products
- Storage higher than 28" can also be used to support one end of a semi-supported worksurface, using the Hang-On Kit (included with worksurface) to maintain stability

freestanding storage types

28" high Freestanding Storage:


- Metal or Solid Pedestals and Mobile Pedestals (BSNS, BSNM, BSPSS, BSPMS)
- Metal or Solid Combo Pedestals and Lateral Files (BSNCP, BSCPS, BSNLF, BSLFS)
- Storage Cabinet with Solid Doors (BSCDS)
- Storage Cabinet with Drawer(s) (BSCC)
- Bookcases (BSUOB, BSOB)


Freestanding Storage Lower 28" high:


- Mobile Pedestal with Seat Cushion (BSMCS)
- Suspended Pedestal (BSPUS)

Towers:

- Full Doors (BRFL, BRFG)
- Open (BCFSO)
- Box/Box/File or File/File Drawers (BFDS, BFDOS)









Multi-Level Freestanding Storage:

- Mid-Height Stretch Pedestal (BSMPS)
- Mid-Height Credenza (BSMFL)



Freestanding Storage higher than 28":


- Half Wardrobe Units (BSWFS, BSCWOS, BSCWS, BSCWG)
- Storage Units (BSUS, BSUOS, BSWUS)
- 4-Door Storage Cabinets (BSDS, BSDG)
- Wardrobe Cabinets (BSWCS, BSWCG)
- Bookcase (BSOB)



freestanding storage basics (continued)




- All Freestanding Storage products include levelers with a minimum adjustment range of 1"
- Storage and desk must be carefully specified to fit together. Refer to the Compatibility Chart on page 304
- Available lock option in Key Alike (K), Key Randomly (R) and No Lock (N)
- Hinges allow the all doors to open up to 110°



- All drawers have full extension slides, except for Box Drawers of the mid-height storage
- File bars are included in each file drawer; quantity is indicated on individual product pages
- · Drawers can be specified lockable
- If applicable, the box drawers include pencil tray and drawer divider. The file drawer includes hanging/cross file bars
- Laminate case pedestals can be specified with Pulls (P) Storage Style

Pull Styles

- Interchangeable
- Three pull styles are available:







Rectilinear Pull Position

Rectilinear Pull has changed since May 2021, except for metal storage

Storage Styles

- Not available with all storage: see individual product page
- Half wardrobe and storage section (if applicable) come always with a touch-to-open mechanism
- Four Storage Styles available:



Drawers or Doors (Shown) have pulls



Touch-to-Open (T)

Doors have touch-latch



Touch-to-Open Doors/Pulls on Solid Doors (D)




Touch-to-Open Doors/Pulls on Drawers (S)

pedestal basics

Expansion Casegoods Pedestals are storage units that have been configured to work optimally. They are available as freestanding units or suspended above the floor.




- Come with a central locking system and full extension drawers that can accommodate both letter- and legal-size paper
- The Metal Pedestals cannot be used as a support
- A box drawer includes a pencil tray and a drawer divider, and file drawer includes hanging file bars
- Available with either:
- Metal Case (with Metal (M) or Solid (S) drawer fronts)
- Solid Case (with Solid (S) drawer fronts only)
- Come with levelers or casters



Metal Pedestal (BSNS)

- Accommodate storage of work tools, files and personal items
- Available in 18" or 22" deep, 15" wide and 28" high
- · Available with levelers only
- Counterweigths can be specified on this storage, but they must be specified for metal pedestals not located directly under a worksurface




Metal Combo Pedestal (BSNCP)

- Available in 18" deep, 30" wide and 28" high
- 15" wide file drawer can be specified Left (L) or Right (R)
- · Available with levelers only
- Counterweigths can be specified on this storage, but they must be specified for metal pedestals not located directly under a worksurface

Metal Mobile Pedestal (BSNM)


- Mobile Pedestal expands the storage capacity of s traditional pedestal
- Available in 18" or 22" deep, 15" wide and 28" high
- · Comes with not lockable casters only

pedestal basics (continued)




Pedestal (BSPSS)

- · Accommodate storage of work tools, files and personal items
- Depths: 18", 22", 24", 30"
- Available in 15 1/2" wide and 28" high
- · Available with levelers only
- 30" deep pedestal comes with 20" deep drawers



Mobile Pedestal (BSPMS)

- Mobile Pedestal expands the storage capacity of traditional pedestal
- Depths: 18", 22", 30"
- Box, Box, File (B) and File, File (F) are available in 15 1/2" wide and 28" high
- Box, File (A) Configuration is available in 18" deep, 15 1/2" wide and 21" high only
- · Available with lockable casters only
- 30" deep pedestal comes with 20" deep drawers
- A Seat/Pad Cushion (BASFC or BASEP) can be specified separately on 21" high only



Combo Pedestal (BSCPS)

- Available in 18" or 24" deep, 30" wide and 28"
- 15" wide file drawer can be specified Left (L) or Right (R)
- · Available with levelers only



Mobile Pedestal with Seat Cushion (BSMCS)

- · Provides convenient personal storage equipped with seat and casters for easy maneuverability
- Has a soft molded foam handle (in Black) and a curved cushion
- Available in 18" deep, 15 1/2" wide and 22" high
- · Available with lockable casters only





Suspended Pedestal (BSPUS)

- Fixed under a worksurface and allows personal storage requirements
- Available in 18" deep, 15 1/2" wide and 19" high
- Suspended 18 7/8" off the floor
- · Brackets included
- · Cannot be fitted with a top
- Cannot be installed under all glass top products, Fixed-Height Desk with Bevel Bases (B_MDWB) or all Height-Adjustable products

Metal Storage Drawer Datum Line

- Drawer datum line creating a difference with existing metal and solid storage when positioned side-by-side
- When Metal Storage are positioned side-by-side, ensure product is leveled. If front/door alignment is needed, it can be done by either releasing the front mounting screws, adjusting the front/door and tightening the screws, or by using hinge adjustments to ensure an equal gap






lateral file basics

The following outlines the features of Expansion Casegoods Lateral Files.




- Drawer datum line creating a difference with existing metal and solid storage when positioned side-by-side, refer to previous page for details
- A Metal Lateral file cannot be used as a support
- Come with a central locking system and full extension drawers that can accommodate both letter- and legal-size paper (see filing charts for filing capacity)
- Equipped with an interlock system that prevents opening more than one drawer at a time
- Available lock option in Key Alike (K), Key Randomly (R) and No Lock (N)





Metal Lateral File (BSNLF)

- Depth: 18"
- Widths: 30" or 36"
- Height: 28"
- Available with two file drawers only
- Metal casing comes with Metal (M) or Solid (S) drawer fronts
- Counterweigths can be specified on this storage, but they must be specified for metal pedestals not located directly under a worksurface



Lateral File (BSLFS)

- Depths: 18" or 24'
- Widths: 24" to 36" (6" increments)
- Available in heights:
 - 28" high (2 file drawers)
 - 40" high (3 file drawers)
- 53" high (4 file drawers)
- · Solid casing comes with solid drawer fronts
- The 28" high version must be used under a worksurface for stability

storage cabinets basics

Storage Cabinets provide to diverse storage requirements including reference materials, equipment and files for person or group use.



- 28" high cabinet with optional top (B_STR) can be fitted with a 29" high worksurface of a desk
- A Wall Panel cannot be mounted on these storage, refer to page 267, for more details
- These storage do not provide any space at the back for wire management or wall outlet clearance
- Have holes in 1 1/4" intervals on the inside walls for shelf height adjustment
- Can store two rows of standard letter-size binders
- Additional shelves (BSHS) can be specified separately (24", 30" or 36" width only).
- Available lock option in Key Alike (K), Key Randomly (R) and No Lock (N)





Pulls (P) Touch-to-Open (T)

Storage Cabinet - Solid Doors (BSCDS)

- Depths: 18", 20", 24"
- Widths: 18" to 36" (6" increments)
- · Available in heights:
 - 28" high (1 adjustable shelf)
 - 40" or 53" high (2 adjustable shelves)
 - 66" high (3 adjustable shelves)
 - 72" high (4 adjustable shelves)
 - 81" high (5 adjustable shelves)
- 24" to 36" wide cabinets come with two doors and is only available with Not Applicable (N) Door Swing Direction
- 18" wide cabinet is available at a height of 28" and comes with one door. Left Side (L) (Shown) or Right Side (R) swing direction must be specified







Touch-to-Open (T)

Storage Cabinet - Glass Doors (BSCDGS)

- Depths: 18", 20", 24"
- Widths: 24" to 36" (6" increments)
- · Available in heights:
 - 40" or 53" high (2 adjustable shelves)
 - 66" high (3 adjustable shelves)
 - 72" high (4 adjustable shelves)
- 81" high (5 adjustable shelves)







Pull(s) on Drawer(s) (S)

Storage Cabinet with Drawer(s) (BSCC)

- Depths: 18"
- Widths: 24" to 36" (6" increments)
- Height: 28" (1 adjustable shelf)
- · Drawers are not lockable

28" high freestanding storage compatibility





all other standard desks


Desk Depth Depth	20"	24"	30"	36"
18"	Does not fit (see Note A)	3 3/4" (see Note B)	9 5/8" (see Note B)	15 5/8" (see Note B)
22"	Does not fit	Does not fit (see Note A)	5 5/8" (see Note B)	11 5/8" (see Note B)
24"	Does not fit	Does not fit	3 5/8" (see Note B)	9 5/8" (see Note B)
30"	Does not fit	Does not fit	Does not fit	3 5/8" (see Note B)

Note A: Would only fit on type Flush Full-Height Modesty Panel (1), type Flush Half-Height Modesty Panel (5) or type Flush Full-Height, No Grommet Modesty Panel (7) when **not** installed in its power plug-clearance position. Wire routing through grommet would be disabled.

Note B: Add 1" to clearance dimension if type Flush Full-Height Modesty Panel (1), type Flush Half-Height Modesty Panel (5) or type Flush Full-Height, No Grommet Modesty Panel (7) is not installed in its power-plug clearance position.

See on page 70 for more details on the power-plug clearance position.

storage width compatibility



mid-height freestanding storage basics


Mid-Height Freestanding Storage consist of a variety of storage units to create open and/or closed storage for Multi-Level Workstations products




- Can be used freestanding only
- These mid-height storage fit with Workwall Kneespace Module height
- Equipped with an interlock system that prevents opening more than one drawer at a time
- Drawers come with Rectilinear Pull (9) only
- A box drawer includes pencil tray, drawer divider (16" pedestal width only) and file drawers include hanging/cross file bars
- The Mid-Height Stretch Pedestal and Mid-Height Credenza come with connecting hardware to ensure a better fit and finish, and to provide additional stability, for more details refer to page 395

Mid-Height Freestanding Storage


- Two storage styles are available:
- Mid-Height Stretch Pedestal (BSMPS)
- Mid-Height Credenza Open and Drawers (BSMFL)
- Available in 21" high from floor to top of finished worksurface with leveling range of 1"
- · A Seat Pad/Cushion can be mounted on these storage
- · Constructed without toe kick
- · Counterweigths are included, when needed
- The bottom drawer of the Mid-Height Storage are aligned with the second drawer with the 28" high Lateral File (BSLFS), when placed side-by-side






Mid-Height Stretch Pedestal (BSMPS)


- Only one Box and File Drawers configurations
- Depth: 20"
- Widths: 16", 24" to 36" in 6" increments
- These storage do not provide any space at the back for wire management or wall outlet clearance
- Can be used freestanding (no wall anchor needed)





Mid-Height Credenza - Open with Drawers (BSMFL)

- Depths: 18" or 20"
- Widths: 42" to 84" in 3" increments
- Comes with two open compartments and:
- One box and file drawers (42" to 72" widths)
- Two box and file drawers (75" to 84" widths)
- Drawer Configurations:
- Left (L) (Shown)
- Right (R)
- Have holes in 1 1/4" intervals on the inside walls for shelf height adjustment
- · Additional shelves cannot be specified separately
- Can be used freestanding (no wall anchor needed)




mid-height credenza drawer widths

The following illustrates Expansion Casegoods Mid-Height Credenza drawer and open widths.

mid-height credenza - one drawer section


Only Drawers on Left (L) are showned



mid-height credenza drawer widths (continued)

mid-height credenza - two drawer sections


Only Drawers on Left (L) are showned




planning with mid-height freestanding storage

• Can be used freestanding only and cannot be used to support one end of a worksurface


mid-height stretch pedestal applications



When positioned beside a Workwall Kneespace Module, drawer fronts of 20" depth storage is designed to align with 17" depth height-adjustable worksurface



When positioned beside a Workwall Kneespace Module, drawer fronts of 24" depth storage is designed to align with 21" depth height-adjustable worksurface




When positioned in front a Workwall Kneespace Module, drawer fronts of 20" depth storage is designed to align with 27" depth height-adjustable worksurface

planning with mid-height freestanding storage (continued)




- Can be used freestanding only
- Can be placed in front of the Workwall Kneespace Module
- Mounted Towers are not compatible with Mid-Height Credenza

mid-height credenza applications



- Available in 3" increment to maintain the overall footprint of the workstation, when positioned in front of the Workwall Kneespace Module
- Mid-Height Credenza is freestdanding and can be used alone
- When specified perpendicular to a worksurface, the open section should be oriented under the worksurface



When a 42" wide Mid-Height Credenza is specified perpendicular to a 27" deep worksurface, a small portion of the drawers will be under the worksurface

tower basics


New contemporary style Towers have been added to the generous Expansion Casegoods storage offering. They can either be used in new Multi-Level Workstation or with standard desk based layouts.



- Overall height of Towers align with other freestanding storage but door and drawer datum lines will **not** match
- All Towers are 18" wide, except open towers which are also offered at 36" wide
- When applicable, a Multi-Functional Drawer (BADMF) can be added. For more details, refer to page 212
- Have no pull; a touch-latch on each door is installed for the opening
- Include levelers with a minimum adjustment range of 1"
- Door swing direction can be specified left side or right side
- · Additional shelves (BSHT) are only available with Full Door Towers (BFRL or BFRG) and must be ordered separately
- All Towers come with connecting hardware to ensure a better fit and finish, and to provide additional stability, for more details refer to page 395


Glass Doors

- · Available in Standard or Back-Painted glass
- Freestanding Wardrobe Tower with Full Glass Door (BFRG) which comes with Standard glass (Frosted (FT)) or Back-Painted glass
- Frame finish is available in Foundation, Accent and Mica colors, or Clear Anodized (AC)



tower basics (continued)


open towers



Open Tower (BCFSO)

- When a 18" wide configuration is specified, the tower comes with three adjustable shelves. If a 36" wide configuration is specified, it comes with six
- · Open compartments allow storing letter-size binders
- · Multi-Functional Drawer cannot be installed inside this tower
- Shelf for Tower (BSHT) cannot be used with Open Tower

full door towers



Towers with Full Solid (BFRL) or Glass Door (BFRG)

- · Interior configurations available:
- 2 File Drawers + 1 Adjustable Shelf (F) 66" or 72" Height or
- 2 File Drawers + 2 Adjustable Shelves (F) 81" Height only
- 3 Adjustable Shelves (S) 66" or 72" Height or
- 4 Adjustable Shelves (S) 81" Height only
- 1 Wardrobe with 2 coat hooks (18" or 20" deep) or with 1 coat road (24" deep) and 1 Adjustable Shelf (W) 66" or 72" Height or 1 Wardrobe with 2 coat hooks (18" or 20" deep) or with 1 coat road (24" deep) and 1 Fixed Shelf (W) 81" Height only
- The interior configuration (F) is **not** available for towers with full glass door
- · Adjustable shelves have several series of holes in 5 1/8" intervals on the inside walls for shelf height adjustment and to match other storage shelf position
- · When specified, the enclosed file drawer comes with full extension slides that can accommodate both letter- and legal-size paper
- Multi-Functional Drawer cannot be installed inside this tower
- · Door front finish is available in laminate, Flintwood or glass


towers with drawers



Pulls on Drawers (S)

Tower with Drawers - Solid Door (BFDS)

- Drawer configurations available:
- 2 Box Drawers + 1 File Drawer (B)
- 2 File Drawers (F)
- Solid door is only available with touch-to-open option
- Comes with 2 Adjustable Shelves (66" or 72" Height) or 3 Adjustable Shelves (81" Height)



Tower with Drawers - Open Shelves (BFDOS)

- Drawer configurations available:
- 2 Box Drawers + 1 File Drawer (B)
- 2 File Drawers (F)
- Comes with 2 Adjustable Shelves (66" or 72" Height) or 3 Adjustable Shelves (81" Height)

- · Must be attached to other furniture for stability
- Adjustable shelves have several series of holes in 5 1/8" intervals on the inside walls for shelf height adjustment and to match other storage shelf position
- · Each file drawer comes with one hanging file bar. It provides full extension slides that can accommodate both letter- and legal-size paper
- The tower is equipped with an interlock system that prevents the opening of a second drawer
- · Open and closed compartments allow storing letter-size binders
- · Multi-Functional Drawer cannot be installed inside this tower
- Door and/or drawer fronts finishes are available in laminate or Flintwood


interior clearance & datum line for towers

The following outlines the shelf positions of open towers (freestanding or mounted) when combined with different tower configurations.




- Towers with Full Door (BFRL or BFRG) with shelves come a hole pattern allowing adjustable shelves to align with any shelf position of other Towers and Mounted Towers
- The shelf holes, spaced at 5 1/8" intervals on the inside walls, enable adjustable shelf height to align with other storage shelf
 positions
- The adjustable shelves in tower can match the shelf positions in a Mounted Tower

combined with fully enclosed towers - 66" datum height




interior clearance & datum line for towers (continued)

combined with fully enclosed towers - 72" datum height




interior clearance & datum line for towers


66" datum height – low secondary desk




72" datum height – low secondary desk



interior clearance & datum line for towers (continued)



66" datum height high secondary desk




72" datum height high secondary desk

(BRHL or BRHG)

interior clearance & datum line for towers (continued)


4 81" datum height Mounted Towers are **not** available on Low Secondary Desk




81" datum height – high secondary desk

planning with towers


For perfect door alignment, used the same height configuration




When two file drawer configurations (BFRL (F), BFDS (B, F) and BFDOS (B, F)) are specified, they **cannot** be used alone. They must be connected to a none-drawer freestanding tower, a mounted tower, a wall panel, an overhead cabinet or a workwall kneespace module in order to ensure stability




Must be ganged with towers with no drawer



Must be connected beside an overhead cabinet



Must also be connected beside a Mounted Tower



Must be connected beside a wall panel and a Workwall Kneespace Module


storage unit basics


Storage Units provide convenient lockable storage space for a workstation.



- Available in a combination of Wardrobe, Open Shelves and Drawers
- Drawer wide is fixed, only the wardrobe wide varies
- Available lock option in Key Alike (K), Key Randomly (R) and No Lock (N)
- Wardrobe full door comes always with a touch-to-open mechanism
- Doors have their own its own locking system
- Box and file drawers are equipped with a central locking systems.
- BSWFS, BSUS, BSUOS, BSUG and BSWUS are equipped with a security system that prevents the opening of a second file drawer
- Box drawer includes pencil tray, drawer divider and file drawers include hanging/cross file bars
- Have holes in 5 1/8" intervals on the inside walls for shelf height adjustment
- May be fitted with a top (B_STR)


 Additional shelves (BSHS) are available and must be ordered seprarately, for storage units BSCDS, BSCDGS, BSCC, BSUS, BSUG, BSUOS, BSWCS, BSWCG, BSDS or BSDG





Half Wardrobe Filing Storage Cabinet (BSWFS)


- Depth: 24'
- Widths: 24" to 36" (6" increments)
- Available in heights:
 - 66" or 72" high
 - 81" high (1 adjustable shelf in the storage section and 1 adjustable shelf in the wardrobe section)
- Wardrobe Full Door can be specified on Left (L) (Shown) or on Right (R)
- · Comes in storage unit above the file drawers that is not lockable
- Wardrobe Full Door is always Touch-to-Open



Half Wardrobe Unit with Drawers - Open Shelves (BSCWOS)

- Depths: 18", 20", 24"
- Widths: 24" to 36" (6" increments)
- Available in heights:
 - 66" or 72" high (2 adjustable shelves)
 - 81" high (2 adjustable shelves in the storage section and 1 adjustable shelf in the wardrobe section)
- Two Drawer Configurations are available:
- 2 Box Drawers + 1 File Drawer (B)
- 2 File Drawers (F)
- Wardrobe Full Door can be specified on Left (L) (Shown) or on Right (R) and is always Touch-to-Open

storage unit basics (continued)




Half Wardrobe Units with Drawers - Solid Doors (BSCWS) or Glass Door (BSCWG)

- Depths: 18", 20", 24"
- Widths: 24" to 36" (6" increments)
- Available in heights:
 - 66" or 72" high (2 adjustable shelves)
 - 81" high (2 adjustable shelves in the storage section and 1 adjustable shelf in the wardrobe section)
- Two Drawer Configurations are available:
- 2 Box Drawers + 1 File Drawer (B)
- 2 File Drawers (F)
- Wardobe Full Door can be specified on Left (L) (Shown) or on Right (R) and is always Touch-to-Open
- Storage unit above the drawers come only with a touch-to-open mechanism



Storage Unit - Open Shelves (BSUOS)

- Depths: 18", 20", 24"
- Widths: 24" to 36" (6" increments)
- · Available in heights:
 - 66" high (2 adjustable shelves)
 - 72" high (2 adjustable shelves)
 - 81" high (3 adjustable shelves)




4-Door Storage Units - Solid Doors (BSDS) or Glass Doors (BSDG)

- Depth: 24"
- Widths: 30" or 36"
- · Available in heights:
- 66" high (3 adjustable shelves)
- 72" high (3 adjustable shelves)
- 81" high (4 adjustable shelves)

Pulls (P) Touch-to-Open Doors/ Pulls on Drawers (S)


Storage Units - Solid Doors (BSUS) or Glass Doors (BSUG)

- Depths: 18", 20", 24"
- Widths: 24" to 36" (6" increments)
- · Available in heights:
 - 66" high (2 adjustable shelves)
 - 72" high (2 adjustable shelves)
 - 81" high (3 adjustable shelves)



Half Wardrobe Unit with Drawers - Solid Doors (BSWUS)

- Depth: 24"
- Widths: 30" or 36"
- · Available in heights:
 - 66" or 72" high (2 adjustable shelves)
 - 81" high (3 adjustable shelves in the storage section and 1 adjustable shelf in the wardrobe section)
- Wardrobe Full Doors can be specified on Left (L) (Shown) or on Right (R) and is always Touch-to-Open



Wardrobe Cabinets - Solid Doors (BSWCS) or Glass Doors


- Depths: 18"*, 20"*, 24"
- *These depths are **not** applicable with Glass Doors configuration and with Undivided Wardrobe Cabinets - Solid Doors (BSWCSU)
- Widths: 24"* to 36" (6" increments)
 - *This width is **not** applicable with Glass Doors configuration
- Available in heights:
 - 66" or 72" high (3 adjustable shelves (style D only))
 - 81" high (4 adjustable shelves (style D) or 1 adjustable shelf (style U))

storage unit door & drawer widths

The following illustrates Expansion Casegoods Storage Units door & drawer nominal widths.


storage units - door & drawer widths

Half Wardrobe Filing Cabinet (BSWFS)




- The 24" to 36" wide half wardrobe filing cabinets come with 15" wide file drawers and have one door on the secured storage section
- The 24" wide cabinet has a 9" wide wardrobe, the 30" wide cabinet has a 15" wide wardrobe and the 36" wide cabinet has a 21" wide wardrobe

Half Wardrobe Unit with Drawers – Open Shelves (BSCWOS)




- The 24" to 36" wide half wardrobe units come with 15" wide pedestal and no door on open shelves section
- The 24" wide cabinet has a 9" wide wardrobe, the 30" wide cabinet has a 15" wide wardrobe and the 36" wide cabinet has a 21" wide wardrobe

Half Wardrobe Unit with Drawers – Solid Doors (BSCWS) (Shown) or Half Wardrobe Unit with Drawers – Glass Door (BSCWG) Storage Unit with Wardrobe - Solid Doors (BSWUS)



- The 24" to 36" wide half wardrobe units come with 15" wide pedestal and have one door on the secured storage section.
- The 24" wide cabinet has a 9" wide wardrobe, the 30" wide cabinet has a 15" wide wardrobe and the 36" wide cabinet has a 21" wide wardrobe




- The 30" wide storage unit has a 22" wide lateral file drawers and the 36" wide storage unit has a 24" wide lateral file drawers
- The 30" wide cabinet has an 8" wide wardrobe and the 36" wide cabinet has a 12" wide wardrobe


laminate freestanding storage - filing drawer capacities


Lateral file drawer laminate storage capacities are shown below.




- The dimensions listed below are inside drawer
- Drawer width in Mid-Height Storage are reduced by 1/8"
- For lateral drawer capacities for Mid-Height Credenza (BSMFL), refer to page 387, for more details







15 1/2" wide drawer





Paper Sizes Allowed:


- Letter
- A4
- Legal




Paper Size Allowed:

• Legal

18" wide drawer





Paper Sizes Allowed:


- Letter
- A4
- Legal



Paper Size Allowed:

• Legal

22" wide drawer





Paper Sizes Allowed:

- Letter
- A4
- Legal




Paper Size Allowed:


• Legal




^{*} The Letter or A4 paper size is allowed but require optional Hanging File Bar (RSLB)


laminate freestanding storage – filing drawer capacities (continued)







24" wide drawer






Paper Sizes Allowed:

- Letter
- A4 • Legal



- Paper Sizes Allowed:
- Letter*
- A4*
- Legal


30" wide drawer





Paper Sizes Allowed:

- A4
- Legal



Paper Size Allowed:


• Letter




Paper Sizes Allowed:

- Letter*
- A4*
- Legal

36" wide drawer





Paper Sizes Allowed:

- Letter
- A4
- Legal



Paper Sizes Allowed:

- Letter*
- A4*
- Legal





^{*} The Letter or A4 paper size is allowed but require optional Hanging File Bar (RSLB)


metal freestanding storage - filing drawer capacities

Lateral file drawer metal storage capacities are shown below.

The dimensions listed below are inside drawer













30" wide drawer





Paper Sizes Allowed:

- A4*
- Legal*



Paper Size Allowed: • Letter**







Paper Sizes Allowed:

- Letter
- A4
- Legal

36" wide drawer





Paper Sizes Allowed:

- Letter**
- A4**
- Legal**



Paper Sizes Allowed:

- Letter
- A4
- Legal




* For front-to-back application, the optional Cross File Bars (RBNSA03) are required (1 kit) or ** (2 kits)

bookcase basics



Underworksurface Bookcase (BSUOB)

- Depths: 18" or 24"
- Widths: 24" to 36" (6" increments)
- Height: 28" (1 adjustable shelf)
- Can store two rows of standard letter-size binders
- Can be placed under a worksurface




Bookcase (BSOB)

- Depths: 12", 18", 20", 24"
- Widths: 24" to 36" (6" increments)
- Available in heights:
- 28" high (1 adjustable shelf)
- 40" or 53" high (2 adjustable shelves)
- 66" high (3 adjustable shelves)
- 72" high (4 adjustable shelves)
- 81" high (5 adjustable shelves)
- 28" high bookacse can be placed under a worksurface
- Two rows of standard letter-size binders will fit in the 28" high bookcase
- 12" deep bookcase must be placed against and secured to a wall for stability
- Have holes in 1 1/4" intervals on the inside walls for shelf height adjustment
- May be fitted with a top (B_STR)
- Additional shelves (BSHB) are only compatible with Bookcase (BSOB)



Storage Mounted Bookcase (BSSS)

- Depths: 12" or 18"
- Widths: 24" to 36" (6" increments)
- Height: 37" (1 adjustable shelf)
- Must specify the style (D, M, X) according to the top on which it will be installed



Storage Mounted Bookcase Application


- The 37" high Storage Mounted Bookcase must be installed onto the following units (listed below) when a Top for Solid Storage (B_STR) is also installed:
- Combo Pedestal (BSCPS)
- Lateral File (BSLFS)
- 28" high Storage Cabinet (BSCDS, BSCC)
- 28" high Bookcase (BSOB)
- Cannot be mounted on a desk and on all Workwall Storage with Integral Top (BSOBT, BSBOC, BSCT, BSDC, BSLFT, BSLFC, BSPT or BSPC)

accessory basics

Expansion Casegoods offers a wide variety of acessories to add functionality to freestanding storage units.

Top for Storage (B_NSTR, B_STR)

- Depths: 12", 18", 20", 22", 24", 30" for (B_STR) configuration and 18" or 22" for (B_NSTR) configuration
- Widths: 15", 24", 30", 31", 36" to 84" (6" increments) for (B_STR) configuration and 15", 30", 36" for (B_NSTR) configuration
- Not all combination (widths and depth) are available, refer to individual product page
- · Top for Laminate and Metal Storage are available in the same styles/thicknesses (D, M, X) as worksurfaces
- Provides additional worksurface space, on 28" high storage
- Must be firmly attached to the storage unit using the supplied mounting hardware
- Specifiy B_NSTR for metal case units and B_STR for laminate case units
- The Top for Solid Storage Cabinet (B_STR) has been design to fit in a continuous datum line. However, if the top is used on a storage with no door (BSUOB, BFDOS, BSCWOS, BSUOS, BSSS, BSOB) a 3/4" brown backing can be visible underneath



Shelf for Tower (BSHT)

- Depths: 18", 20" or 24'
- Storage Width: 18"
- This shelf is compatible with the following products: (BFRL or BFRG)

Shelf for Bookcase (1-in) (BSHB)

- Depths: 12", 18", 20" or 24"
- Storage Widths: 24" to 36" (3" increments)
- Only compatible with Bookcase (BSOB)
- · All Shelf styles are available in Source Laminate or Flintwood (No Cathedral) colors


Hanging File Bar (RSLB)

- Widths: 12", 15", 24", 30", 36"
- · Enables the hanging of letter-size files in all storage cabinets with a file drawer
- · For laminate case units only
- · Available in Black only

Also available:

Metal Storage Accessories (RBNSA)

- · For metal case units only
- · Available in Black only



freestanding storage - product offering




All dimensions on this page are actual


Metal Pedestal (BSNS)

Metal Mobile Pedestal (BSNM)

Pedestal (BSPSS)







2 box drawers, 1 file drawer (B)



2 file drawers



2 box drawers, 1 file drawer (B)




2 file drawers


Mobile Pedestal (BSPMS)

Mobile Pedestal with Seat Cushion (BSMCS)

Suspended Pedestal (BSPUS)









box drawer, 1 file drawer (BF)




Metal Combo Pedestal (BSNCP)

Combo Pedestal (BSCPS)






2 box drawers, 1 file drawer, 1 large file drawer



2 box drawers, 1 file drawer, 1 large file drawer





2 large file drawers


Lateral File (BSLFS)

Storage Cabinet - Solid Doors (BSCDS)

Storage Cabinet - Glass Doors (BSCDGS)







freestanding storage – product offering (continued)




All dimensions on this page are actual


Storage Cabinet with Drawer(s) (BSCC)


Underworksurface Bookcase (BSUOB)

Mid-Height Stretch Pedestal (BSMPS)











Mid-Height Credenza - Open and Drawers (BSMFL)









2 box drawers, 2 file drawers, 1 adjust. shelf


Open Tower (BCFSO)




Tower with Full Solid Door (BFRL)



1 wardrobe and adjustable shelf, 1 rectangular door



3 adjustable shelves, 1 réctangular door




2 inside file drawers, 1 adjustustable shelf, 1 rectangular door


Tower with Full Glass Door (BFRG)

18", 20", 24" d 65.166", 71.406" or 80 1/2" h 3 adjust. shelves, 1 wardrobe and 1 rect. door adjust. shelf, 1 rect. door

Tower with Drawers - Solid Door (BFDS)



Tower with Drawers - Open Shelves (BFDOS)




freestanding storage – product offering (continued)




All dimensions on this page are actual


Half Wardrobe Filing Cabinet (BSWFS)



Half Wardrobe Unit with Drawers – Open Shelves (BSCWOS)




1 half wardrobe, open shelves, 2 box and 1 file drawers (B)



1 half wardrobe, open shelves, 2 file drawers (F)

Half Wardrobe Unit with Drawers – Solid Doors (BSCWS)




1 half wardrobe, 1 half storage unit, 2 box and 1 file drawers (B)



1 half wardrobe, 1 half storage unit, 2 file drawers (F)

Half Wardrobe Unit with Drawers – Glass Door (BSCWG)




1 half wardrobe, 1 half storage unit, 2 box and 1 file drawers (B)




1 half wardrobe, 1 half storage unit, 2 file drawers (F)


Storage Unit - Solid Doors (BSUS)



Storage Unit – Open Shelves (BSUOS)



Storage Unit - Glass Doors (BSUG)




1 storage unit, 2 large file drawers

Storage Unit with Wardrobe – Solid Doors (BSWUS)




1 half wardrobe, 1 storage unit, 2 large file drawers

4-Door Storage Cabinet - Solid Doors (BSDS)




4 solid doors


4-Door Storage Cabinet - Glass Doors (BSDG)




Wardrobe Cabinet - Solid Doors (BSWCS)



Wardrobe Cabinet - Glass Doors (BSWCG)



shelves, divided (D)




 $undivided \ (U)$


freestanding storage - product offering (continued)

• All dimensions on this page are actual

Storage Mounted Bookcase (BSSS)

Bookcase (BSOB)






freestanding storage - lock chart


•


If specified, all closed storage products come with a lock and key set and can be keyed alike or randomly. A Key Chart must accompany every order, otherwise orders will be shipped keyed randomly




freestanding storage – lock chart (continued)

Mid-Height Credenza - Open and Drawers (BSMFL)






freestanding storage – lock chart (continued)




freestanding storage – lock chart (continued)



freestanding storage finishes



For an overview of which products are offered in Flintwood finishes, refer to the Expansion Casegoods product map on Teknion's website



• Edge Trim finish will always

• When Foundation Laminate

Drawer Front Finish is specified,

Abstract colors are not available

for (BSPMS, BFDS, BFDOS,

Front finish

BSCWG) only

match the Door and Drawer

Metal Cases

- · Available in Foundation, Mica or Coordinate Colors
- · Coordinate colors are solid colors that can be used to match wood prints and only available with laminate drawer front finishes.

Coordinate Color Finishes:

M8 Royal Cherry R8 Urban Walnut NB Ivory Birch Choice Maple NC Provincial Oak V1 Estate Cherry ND Coastal Elm VD Campus Oak VL Flax Reflect Q4 Espresso Reflect VV Pecan Reflect **Q6** Stainless Walnut Cathedralgrain W8 Cocoa Brown Reflect W9 Sycamore Reflect Mercurial Walnut Java Walnut

Hinged Doors

Hinges allow the door to open up to 110°



Seat Upholstery

Available in Teknion Standard Seating Fabrics or Leather

freestanding storage - grain direction

freestanding storage

- Door grain direction will always be vertical
- Drawer front grain direction will vary depending on product and finish selected

Cathedral Grain Pattern:

towers & mid-height storage


Source Laminate


•
$$3A - 3B - 3C - 3D - 3E - 3L - 3M - 3X - XQ - XR$$

Foundation Laminate

•
$$2A - 2B - 2C - 2D - 2E - 2L - 2M - 2X - RQ - YR$$

For colors listed above, the Cathedral Grain Pattern for door and drawer fronts will be book-matched





Straight Grain Pattern:


Source Laminate


•
$$3F - 3J - 3K - 3N - 3P - XJ - XK$$

Foundation Laminate

Flintwood

For colors listed above, the Straight Grain Pattern for drawer fronts will be vertical





workwall storage

workwall storage

UNDERSTANDING WORKWALL KNEESPACE MODULES340
WORKWALL KNEESPACE MODULE COMPONENTS343
WORKWALL KNEESPACE MODULE BASICS
WORKWALL KNEESPACE MODULE REMOVABLE FRONT PANEL WIDTHS
UNDERSTANDING WORKWALL BOOKCASES – MID – 21" H 354
WORKWALL BOOKCASE - MID - 21" H - COMPONENTS356
WORKWALL BOOKCASE - MID - 21" H - BASICS
WORKWALL BOOKCASE - MID - 21" H - OPEN COMPARTMENT WIDTHS
WORKWALL BOOKCASE – MID – 21" H – INTERIOR CLEARANCE360
PLANNING WITH WORKWALL KNEESPACE MODULES & WORKWAL BOOKCASES – MID – 21" H
WORKWALL STORAGE - INTEGRAL TOP - 29" H - BASICS 363
WORKWALL CABINET & STRETCH PEDESTAL - MID - 21" H - BASICS

workwall storage (continued)

WORKWALL CABINET – MID – 21" H – INTERIOR CLEARANCE 366
UNDERSTANDING WORKWALL CREDENZAS – MID – 21" H 367
WORKWALL CREDENZA – MID – 21" H – COMPONENTS370
WORKWALL CREDENZA – MID – 21" H – BASICS
WORKWALL CREDENZAS FOR FIXED OR HEIGHT-ADJUSTABLE WORKSURFACES – DRAWER WIDTHS
WORKWALL CREDENZA – MID – 21" H – INTERIOR CLEARANCE 386
WORKWALL CREDENZAS – MID – 21" H FOR FIXED OR HEIGHT- ADJUSTABLE WORKSURFACES – FILING DRAWER CAPACITIES 387
PLANNING WORKWALL CREDENZAS – MID – 21" H FOR FIXED OR HEIGHT-ADJUSTABLE WORKSURFACES
WORKWALL STORAGE – PRODUCT OFFERING389
WORKWALL STORAGE – LOCK CHART
WORKWALL STORAGE - CONNECTING DEVICES
WORKWALL STORAGE FINISHES
WORKWALL STORAGE – GRAIN DIRECTION

understanding workwall kneespace modules

All dimensions in this section are nominal

workwall kneespace modules

- Two styles can be specified:
- Standard:

Fixed or Height-Adjustable Worksurfaces (BHKHW, BHKHF or BHKFW)


- Full-Modesty:
 - Fixed or Height-Adjustable Worksurfaces (BHKHM, BHKHL or BHKFR)
- Can support Wall Panels (B_WCC, B_WCO, B_WAA, B_WOO, B_WMD, B_WMO or B_WMM)
- For more details on Workwall Kneespace Module Applications, refer to page 361

standard style

Workwall Kneespace Module - Height-Adjustability (BHKHW)

Only products illustred below can be installed on this module:

For more details on theses products listed below, refer to Multi-Level Workstations Section



 $Height-Adjustable\ Rectangular\ Worksurfaces\\ (BH_RL\ or\ BH_RC)$



Height-Adjustable Rectangular Peninsula (BH_RP)



Height-Adjustable Tapered Peninsula (BH_TP)



Height-Adjustable Extended Tapered Peninsula (BH_PE)



Height-Adjustable L-Shape Run-Off (BH_LB)



Height-Adjustable L-Shape Peninsula (BH_L)



Height-Adjustable L-Shape Tapered Peninsula (BH_LT)

For more details on theses products listed below, refer to Meeting Tables Section



Height-Adjustable Rectangular Meeting Peninsula (B_HRW)



Height-Adjustable D-Shape Meeting Peninsula (B_HDW)



Height-Adjustable Tapered Meeting Peninsula (B_HBW)



Height-Adjustable Diamond Meeting Peninsula (B_HPW)



understanding workwall kneespace modules (continued)


standard style (continued)

Workwall Kneespace Module - Height-Adjustability and Fixed Worksurface (BHKHF)


Only products illustred can be installed on this module:

For more details on theses products listed below, refer to Multi-Level Workstations Section





For more details on this product, refer to page 92 and following pages



For more details on theses products listed below, refer to Meeting Tables Section



Fixed Rectangular Meeting Peninsula (BC_FR)



Fixed D-Shape Meeting Peninsula (BC_FD)

Workwall Kneespace Module - Fixed Worksurface (BHKFW)

Only products illustred can be installed on this module:

For more details on theses products listed below, refer to Multi-Level Workstations Section



Fixed Run-Off - Mid-Height (BM_R)

For more details on this product, refer to page 92 and following pages



Fixed Extended Tapered - Mid-Height (BM_EP)

For more details on this product, refer to page 93 and following pages

For more details on theses products listed below, refer to Meeting Tables Section



Fixed Rectangular Meeting Peninsula (BC_FR)



Fixed D-Shape Meeting Peninsula (BC_FD)



Fixed Tapered Meeting Peninsula (BC_FT)



Fixed Diamond Meeting Peninsula (BC_FP)



understanding workwall kneespace modules (continued)

workwall kneespace modules (continued)


full-modesty style

Can be specified with or wihtout Extension Panel, three styles available:

- No Extension Panel (N)
- With Extension Panel Solid Colors/Horizontal (E)
 With Extension Panel Vertical (V)

for more details, refer to page 345

Workwall Kneespace Module for Full-Modesty Height-Adjustable Run-Off (BHKHM)




Only product illustred below can be installed on this module:



Full-Modesty Height-Adjustable Run-Off (BF_R)


Workwall Kneespace Module for Full-Modesty Height-Adjustable Extended or "L" Run-Off (BHKHL)

Only products illustred below can be installed on this module:






Full-Modesty Height-Adjustable Run-Off (BF_E)



Full-Modesty Height-Adjustable Run-Off (BF_L)

Workwall Kneespace Module for Full-Modesty Fixed Run-Off (BHKFR)



Only product illustred below can be installed on this module:




Full-Modesty Fixed Run-Off (BF_MR)

workwall kneespace module components


The following should be considered when planning with Expansion Casegoods Workwall Kneespace Modules for Height-Adjustability or Fixed Worksurfaces.

components & cable routing for fixed-height configurations (standard or full-modesty (shown))

FRONT VIEW




When specified a Extension Panel can be included to support the Wall Panel. A Extension Panel can only be specified with Workwall Kneespace Module – Full-Modesty Fixed Run-Off (BHKFR). Refer to page 345 for more details



workwall kneespace module components (continued)


components & cable routing for height-adjustable configurations (standard (shown) or full-modesty style)

A Extension Panel can be specified to support a Wall Panel. Refer to the following page for more details



user kneespace

(Height-adjustable Rectangular Worksurfaces (BH_RL or BH_RC) (Shown), Height-Adjustable L-Shape for Workstations (BH_LB, BH_L or BH_LT) and Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (BF_L))



workwall kneespace module components (continued)


extension panel applications for full-modesty style only- fixed-height or height-adjustable configurations

Three Extension Panel options are available:

no extension panel (N)


Workwall Kneespace Module - Full-Modesty can be specified without Extension Panel when:

- no Wall Panel is needed on top of the module
- no storage is needed on the visitor side




with extension panel - solid colors/horizontal (E) or - vertical (V)


Three Extension Panel are available to fit with Wall Panel Grain:



The Extension Panel has two purposes:



It must be specified when a wall panel is installed on a Workwall Kneespace Module for Full-Modesty. The Extension Panel **not** only offers support to the wall panel but also ensures that the worksurface depth remains completely enclosed within the wall panel




It provides a continuous aesthetic with storage on visitor side. It also preserves the mandatory 1-inch pinch gap for height-adjustable worksurface when specified with storage

workwall kneespace module basics


Expansion Casegoods Workwall Kneespace Modules can be used with Fixed and/or Height-Adjustable Worksurfaces to create diverse workstation configurations.



- The installation of the Workwall Kneespace Modules for Height-Adjustability relies on the structural wall it is anchored to. The warranty on the Workwall Kneespace Module applies only to the product itself, and not to the durability of the wall. Installation on building/structural walls that do not meet local code requirements will affect the safety and durability of the product
- The Workwall Kneespaces Modules (BHKHW, BHKHM, BHKHL and BHKHF) must always be anchored to the wall. Depending on the wall condition or the geographic region, especially for seismic zones, an engineer of record could have to evaluate the wall capabilities to support this product
- In addition to wall anchoring, when planning with Workwall Kneespace Module Full-Modesty (BHKFR or BHKHM) it is recommended to link the module to another Workwall Storage or Freestanding Storage on the user side for optimal stiffness (hardware supplied)
- When using a Workwall Kneespace Module Fixed Worksurface (BHKFW), wall anchored is recommended for optimal stiffness but is **not** mandatory
- · When using a Workwall Kneespace Module Full-Modesty Fixed Run-Off (BHKFR), it must be wall anchored




- All Workwall Kneespace Module styles (Standard or Full-Modesty) provide maximum knee clearance
- Workwall Kneespace Module does not require attachment to another Freestanding or Workwall Storage unit. However, when connected together, they ensure a perfect installation.
 Refer to page 395 for more details
- Only a freestanding mid-height storage can be used in front of the module
- Includes removable front panel to access the wall behind and to allow cable management
- Height: 21"
- Depth: 9"
- Include levelers with a 1" adjustment range
- A Wall Panel is **not** mandatory for mounting fixed or Height-Adjustable Worksurface




workwall kneespace module basics (continued)

standard style



Workwall Kneespace Module - Height-Adjustability (BHKHW)

- Widths: 36" to 90" (6" increments)
- Can be used with:
- Height-Adjustable Rectangular Worksurfaces Mid-Height (BH_RL or BH_RC)
- Height-Adjustable Peninsulas Bevel Post Leg (BH_RP, BH_TP or BH_PE)
- Height-Adjustable L-Shaped Worksurfaces (BH_LB, BH_L or BH_LT)
- Height-Adjustable Meeting Peninsulas (B_HRW, B_HDW, B_HBW or B_HPW)
- On-module application only



Workwall Kneespace Module - Height-Adjustability and Fixed Worksurface (BHKHF)

- Widths: 66" to 96" (6" increments)
- Can accomodate Run-Off Depths: 24" to 36" (6" increments)
- Run-Off Configuration:
 - Left (L)
- Right (R) (Shown)
- Can be used with:
- Height-Adjustable Rectangular Worksurfaces Mid-Height (BH_RL or BH_RC)
- Fixed Run-Off Mid-Height (BM_R)
- Fixed Meeting Peninsulas (BC_FR or BC_FD)




Workwall Kneespace Module – Fixed Worksurface (BHKFW)

- Can accomodate Worksurface Depths: 36" to 60" (6" increments)
- Can be used with:
 - Fixed Run-Off Mid-Height (BM_R)
 - Fixed Extended Tapered Peninsula Mid-Height (BM_EP)
- Fixed Meeting Peninsulas (BC_FR, BC_FD, BC_FT or BC_FP)


workwall kneespace module basics (continued)

full-modesty style




Workwall Kneespace Module – Full-Modesty Height-Adjustable Run-Off (BHKHM)

- Can accomodate Worksurface Depths: 28" or 34"
- Extension Panel (for details, refer to page 345):
- No Extension Panel (N)
- With Extension Panel Horizontal or Solid Colors (Shown) (E)
- With Extension Panel Vertical (V)
- · Configuration:
- Left Handed (L) (Shown)
- Right Handed (R)
- · Can only be used with:
 - Full-Modesty Height-Adjustable Run-Off Offset Base (BF_R)




58" to 88"



Workwall Kneespace Module – Full-Modesty Height-Adjustable Extended or "L" Run-Off (BHKHL)

- Can accomodate Worksurface Depths A: 29" or 35"
- Can accomodate Worksurface Widths B: 46" to 88" (6" increments)
- Extension Panel (for details, refer to page 345):
 - No Extension Panel (N)
 - With Extension Panel Horizontal or Solid Colors (Shown) (E)
 - With Extension Panel Vertical (V)
- Configuration:
- Left Handed (L) (Shown)
- Right Handed (R)
- Can be used with:
- Full-Modesty Height-Adjustable Extended Run-Off Offset Base (BF_E)
- Full-Modesty Height-Adjustable L-Shape Run-Off Offset Base (BF_L)




Workwall Kneespace Module - Full-Modesty Fixed Run-Off (BHKFR)

- Can accomodate Worksurface Depths: 30" or 36"
- Extension Panel (for details, refer to page 345):
- No Extension Panel (N)
- With Extension Panel Horizontal or Solid Colors (Shown) (E)
- With Extension Panel Vertical (V)
- Configuration:
- Left Handed (L) (Shown)
- Right Handed (R)
- Can only be used with:
 - Full-Modesty Fixed Run-Off Offset Base (BF_MR)


workwall kneespace module removable front panel widths


The following illustrates the nominal width of the Workwall Kneespace Module removable front panel.


workwall kneespace module - height-adjustability (BHKHW)



• Include one removable front panel for two compartments









54" Width



60" Width




66" Width



• Come with two compartments

• Include two removable front panels (one panel for each compartments)



78" Width




84" Width



• Come with two compartments

• Include two removable front panels (one panel for each compartments)




workwall kneespace module removable front panel widths (continued)

workwall kneespace module - height-adjustability and fixed worksurface (BHKHF)

Both sides of the panel below the Fixed-Run-Off – Mid-Height are aligned with worksurface width


- Come with two compartments
- Include two removable front panels (one panel for each compartments)
- Come with three compartments
- Include two removable front panels (one panel for one panel for two other compartments)
- Come with three compartments
- Include three removable front panels (one panel



workwall kneespace module removable front panel widths (continued)


workwall kneespace module - fixed worksurface (BHKFW)

All Fixed Worksurface depths must be specified same width as kneespace module, except for Fixed Diamond Meeting Peninsula (BC_FP)




workwall kneespace module removable front panel widths (continued)

workwall kneespace module – full-modesty height-adjustable run-off (BHKHM) without (N) or with extension panel (E or V) (shown)




workwall kneespace module – full-modesty height-adjustable extended or "L" run-off (BHKHL) without (N) or with extension panel (E or V) (shown)




workwall kneespace module removable front panel widths (continued)


workwall kneespace module – full-modesty height-adjustable extended or "L" run-off (BHKHL) without (N) or with extension panel (E or V) (shown) (continued)




workwall kneespace module – full-modesty fixed run-off (BHKFR) without (N) or with extension panel (E or V) (shown)









understanding workwall bookcases - mid - 21" h

All dimensions in this section are nominal

workwall bookcases - mid - 21" h

- Two styles can be specified:
- Standard:


21" high Workwall Bookcases (BSMO)

- Supporting:

Fixed or Height-Adjustable Worksurfaces – Mid – 21" h (BSMOBW or BSMOBH)

- Can support Wall Panels (B_WCC, B_WCO, B_WAA, B_WOO, B_WMD, B_WMO or B_WMM)
- For more details on mid-height Workwall Bookcase Applications, refer to page 361

standard style



supporting style

36" w

Workwall Bookcase - Fixed Worksurface - Mid - 21" h (BSMOBW)

42" to 60" w

Only products illustred below can be installed on this module:

For more details on theses products listed below, refer to Multi-Level Workstations Section



 $Fixed \ Run-Off-Mid-Height \\ (BM_R)$

For more details on this product, refer to page 92 and following pages



Fixed Extended Tapered – Mid-Height (BM_EP)

For more details on this product, refer to page 93 and following pages

For more details on theses products listed below, refer to Meeting Tables Section



Fixed Rectangular Meeting Peninsula (BC_FR)



Fixed D-Shape Meeting Peninsula (BC_FD)



Fixed Tapered Meeting Peninsula (BC_FT)



Fixed Diamond Meeting Peninsula (BC_FP)

understanding workwall bookcases – mid – 21" h (continued)


workwall bookcases - mid - 21" h (continued)

supporting style (continued)

Workwall Bookcase - Height-Adjustable Worksurface - Mid - 21" h (BSMOBH)

Only products illustred below can be installed on this module:

For more details on theses products listed below, refer to Multi-Level Workstations Section




Height-Adjustable Rectangular Peninsula (BH_RP)



Height-Adjustable Tapered Peninsula (BH_TP)



Height-Adjustable Extended Tapered Peninsula (BH_PE)



For more details on theses products listed below, refer to Meeting Tables Section



Height-Adjustable Rectangular Meeting Peninsula (B_HRW)



Height-Adjustable D-Shape Meeting Peninsula (B_HDW)



Height-Adjustable Tapered Meeting Peninsula (B_HBW)




Height-Adjustable Diamond Meeting Peninsula (B_HPW)

workwall bookcase - mid - 21" h - components


The following should be considered when planning with Expansion Casegoods mid-height Workwall Bookcases for Height-Adjustability or Fixed Worksurfaces.

components & cable routing for fixed-height configurations (standard or supporting (shown) style)



components & cable routing for height-adjustable configurations (standard or supporting (shown) style)

BACK VIEW




workwall bookcase - mid - 21" h - basics

Expansion Casegoods mid-height Workwall Bookcase can be used alone or with fixed or height-adjustable worksurfaces to create diverse workstation configurations.




- The mid-height Workwall Bookcase provides a variety of option to create the optimal combination of functionality for the office or meeting room
- Can accommodate fixed or height adjustable worksurfaces
- Must be against a building wall
- Workwall Bookcase Mid 21" h (BSMO) can be used freestanding, no wall anchoring is required
- When using a mid-height Workwall Bookcase for Fixed or Height-Adjustable Worksurface (BSMOBW or BSMOBH), wall anchored is recommended for optimal stiffness but is **not** mandatory



- The mid-height Workwall Bookcases provide a base support and storage for a fixed or height-adjustable worksurface. Ideal for small meeting room
- The Mid-height Workwall Bookcase does not require attachment to another Freestanding or Workwall Storage unit. However, when connected together, they ensure a perfect installation. Refer to page 395 for more details
- Fixed worksurface depth must match the bookcase width, except for Fixed Diamond Meeting Peninsula (BC_FP)
- Storage is non-handed
- Height: 21"
- Open section with adjustable shelf configuration has holes in 1 1/4" intervals on the inside walls for shelf height adjustment
- Additional shelves cannot be specified for these products
- Include levelers with a 1" adjustment range

workwall bookcase – mid – 21" h – basics (continued)


standard style



Workwall Bookcase - Mid - 21" h (BSMO)

- Depths: 20" or 24"
- Widths: 24" to 84" (6" increments)
- Each open compartment comes with one adjustable shelf


supporting style



Workwall Bookcase - Fixed Worksurface - Mid - 21" h (BHKHW)

- Only available in 20" depth
- Widths: 36" to 60" (6" increments)
- Can be used with:
- Fixed Run-Off Mid-Height (BM_R)
- $-\ Fixed\ Extended\ Tapered\ Peninsula-Mid-Height\ (BM_EP)$
- Fixed Meeting Peninsulas (BC_FR, BC_FD, BC_FT pr BC_FP)
- Each open compartment comes with one adjustable shelf





Workwall Bookcase – Height-Adjustable Worksurface – Mid – 21" h (BHKHW)

- Only available in 20" depth
- Widths: 36" to 60" (6" increments)
- Can be used with:
- Fixed Run-Off Mid-Height (BM_R)
- Height-Adjustable Peninsulas Bevel Post Leg (BH_RP, BH_TP or BH_PE)
- Height-Adjustable Meeting Peninsulas (B_HRW, B_HDW, B_HBW or B_HPW)
- Each open compartment comes with one adjustable shelf

workwall bookcase – mid – 21" – open compartment widths


The following illustrates Expansion Casegoods mid-height Workwall Bookcases for Fixed Worsurfaces or Height-Adjustability open sections nominal widths.


Workwall Bookcase – Mid – 21" h (BSMO) (Shown), Workwall Bookcase – Fixed Worksurface – Mid – 21" h (BSMOBW) or Workwall Bookcase – Height-Adjustable Worksurface – Mid – 21" h (BSMOBH)

42" Width

54" Width

- Comes with one open compartment
- Includes one removable back access panel







48" Width


60" Width


72" Width





- Comes with two open compartments
- Includes two removable back access panels





66" Width		
31 3/4"	31 3/4"	
Open	Open	

34 3/4" Open	34 3/4" Open

vv.	ıu	ш
	vv	Wid

84" Width

25"	25"	25"
Open	Open	Open
L .	•	

- Comes with three open compartments
- Includes three removable back access panels


27"	27"	27"
Open	Open	Open

workwall bookcase - mid -21" h - interior clearance

The following outline the interior clearance available for all mid-height Workwall Bookcases.


interior clearance height

- The open section features holes at 1 1/4" intervals on the interior walls, allowing for convenient adjustment of shelf height
- The interior height dimension is 17 5/8" for all mid-height Workwall Bookcases




interior clearance depth

Standard or Fixed Worksurface: mid-height Workwall Bookcases (BSMO) and Workwall Bookcases – Fixed Worksurface (BSMOBW)



Height-Adjustable Worksurface: mid-height Workwall Bookcases – Height-Adjustable Worksurface (BSMOBH)



planning with worwall kneespace modules & workwall bookcases – mid – 21" h


The following should be considered when planning with Expansion Casegoods Workwall Kneespace Modules & Workwall Bookcases.



- Depending on the worksurface shape, the Workwall Kneespace Module or Bookcase required special consideration when planning worstation set-up
- Other special considerations must be taken when planning with Fixed or Height-Adjustable Worksurfaces, or with Full-Modesty Fixed or Height-Adjustable Worksurfaces. For more details, refer to Multi-Level Workstation section
- Other special considerations must be taken when planning with Fixed or Height-Adjustable Meeting Peninsulas. For details, refer to Meeting Tables section


workwall kneespace module – height-adjustability (BHKHW) (shown) or workwall bookcase – height adjustable worksurface – mid – 21" h (BSMOBH)


with height-adjustable meeting peninsulas




When the Workwall Kneespace Module or Bookcase is used with a Height-Adjustable Meeting Peninsula (B_HRW, B_HDW or B_HBW) the combination of products will automatically ensure the 1" minimum clearance all around worksurface

with height-adjustable peninsula (BH_RP) or height-adjustable tapered peninsula (BH_TP)








WARNING: When used with Height-Adjustable Peninsula (BH_RP) or Height-Adjustable Tapered Peninsula (BH_TP), surrounding storage on user side **MUST BE** specified Mid-Height Datum (21" height) to avoid conflict with worksurface. If **not**, 1" pinch gap must be preserved


planning with worwall kneespace modules & workwall bookcases – mid – 21" h (continued)

workwall kneespace module – height-adjustability (BHKHW) (shown) or workwall bookcase – height adjustable worksurface – mid – 21" h (BSMOBH) (continued)




- When the Workwall Kneespace Module or Bookcase is used with the Height-Adjustable Diamond Meeting Peninsula (B_HWP), the worksurface exceed the kneespace by 6" on each side
- Surrounding storage must be specified mid-height (21" height) to avoid conflict with the worksurface

workwall kneespace module – fixed worksurface (BHKFW) (shown) or workwall bookcase – fixed worksurface – mid – 21" h (BSMOBW)



When used with Fixed Run-Off – Mid Height (BM_R) (Shown) or Fixed Extended Tapered Peninsula (BM_EP), surronding storage on both side MUST BE specified Mid-Height Datum (21" height) to avoid conflict with worksurface. This conflict will not occur with Fixed Meeting Peninsula (BC_FR, BC_FS or BC_FT), since the worksurface will not exceed the module



- When the module or bookcase (Shown) is used with the Fixed Diamond Meeting Peninsula (BC_FP), the worksurface exceed by 6" on each side
- Surrounding storage must be specified mid-height (21" height) to avoid conflict with the worksurface


workwall storage – integral top – 29" h – basics



- When using a 29" high Workwall Storage with Integral Top (BSBOT, BSOBC, BSCT, BSDC, BSLFT, BSLFC, BSPT and BSPC), **no** wall anchoring is needed
- · Door and drawers come with Rectilinear Pull (9) only, except for storage (BSCT) can also be specified without pulls
- Cannot be installed under a desk
- These storage come with a closed back and do not provide any space for wire management or wall outlet clearance
- Cannot support one end of a semi-supported worksurface

Storage with Integral Top

- Eight storage styles are available:
- 2 open compartments, Straight (BSOBT) or with Cross Grain Top
- 2 solid doors, Straight (BSCT) or with Cross (BSDC) Grain Top
- 2 file drawers, Straight (BSLFT) or with Cross (BSLFC) Grain Top
- 2 file boxes and 1 file drawer, Straight (BSBT) or with Cross (BSPC) Grain Top
- Depths: 20", 24", 27"
- Widths : 24" to 36" in 6" increments
- Height: 29" from the floor to the top of finished worksurface with a leveling range of 1"
- Top are available in the same styles/thicknesses (1 3/16" (M) or 1 9/16" (X)) as worksurfaces
- · Four finish configurations are available:
- -All Laminate (L)
- -Wood Top; Laminate Front and Case (T)
- Wood Top and Front; Laminate Case (U)
- All Wood (W)
- A Wall Panel can be mounted on these storage, refer to page 270, for more details
- · Constructed without toe kick



Workwall Lateral Files – Integral Top – 29" h (BSLFT) (Shown)

- Additional shelves cannot be specified separately
- · Can store two rows of standard letter-size binders
- Have holes in 1 1/4" intervals on the inside walls for shelf height adjustment





Workwall Bookcase – Integral Top – 29" h (BSOBT) or Workwall Bookcase – Integral Top – 29" h – Cross Grain (BSOBC)

- Comes with 1 adjustable shelf
- · Bookcase depth is designed to align with the case of the other storage units with front

TOP VIEW







Workwall Storage Cabinet – Integral Top – 29" h (BSCT) or Workwall Bookcase – Integral Top – 29" h – Cross Grain (BSDC)

Two Storage Styles are available:






Pulls (P)

Touch-to-Open (T)


- · Comes with 1 adjustable shelf
- · Door fronts are flushed with front edge of the top

workwall storage – integral top – 29" h – basics (continued)




Workwall Lateral File – Integral Top – 29" h (BSLFT) or Workwall Lateral File – Integral Top – 29" h – Cross Grain (BSLFC)

- Comes with two file drawers
- Come with a central locking system and full extension drawers that can accommodate both letter- and legal-size paper
- Equipped with an interlock system that prevents opening more than one drawer at a time
- Drawer fronts edge is flushed with front of the top
- · Counterweigths are included with this storage
- File drawers include 15" Cross File Bars




Storage Drawer Datum Line

Only the worksurface top and bottom drawers datum line are aligned with existing laminate storage and optional top when positioned side-by-side



Workwall Stretch Pedestal – Integral Top – 29" h (BSPT) or Workwall Stretch Pedestal – Integral Top – 29" h – Cross Grain (BSPC)


- · Comes with two box drawers and one file drawer
- Come with a central locking system and full extension drawers that can accommodate both letter- and legal-size paper
- Equipped with an interlock system that prevents opening more than one drawer at a time
- Drawer fronts edge is flushed with front of the top
- Counterweights are included with this storage
- Include Anodized Pencil Tray in one box file drawer et one 15" Cross File Bars in the file drawer



workwall cabinet & stretch pedestal – mid – 21" h – basics



- Door or drawers come with Rectilinear Pull (9) only
- Back is partially open to provide wall access (electricity management)
- Cannot support one end of a semi-supported worksurface




- The mid-height Workwall Cabinet (BSMD) or Workwall Stretch Pedestal (BSMSSP) provide against the wall storage for the office or meeting room
- Can support Wall Panels (B_WCC, B_WCO, B_WAA, B_WOO, B_WMD, B_WMO or B_WMM)
- Available in 21" high from floor to top of finished worksurface with leveling range of 1"
- Storage is non handed



Workwall Cabinet - Mid - 21" h (BSMD)

- Available in depths: 20" or 24"
- Available in widths: 24" to 36" (6" increments)
- •Comes with one adjustable shelf
- Have holes in 1 1/4" intervals on the inside walls for shelf height adjustment
- Additional shelves cannot be specified separately
- Cannot be stored two rows of standard letter-size binders
- Can be used freestanding, no wall anchoring is needed



Workwall Stretch Pedestal - Mid - 21" h (BSMSSP)


- · Comes with box and file drawers
- Available in depths: 20" or 24"
- Available in widths: 24" to 72" (6" increments)
- Come full extension drawers that can accommodate both letter- and legal-size paper
- Must be wall anchored

workwall cabinet - mid - 21" h - interior clearance


The following outline the interior clearance available for all mid-height Workwall Cabinet (BSMD).

interior clearance height

- The open section features holes at 1 1/4" intervals on the interior walls, allowing for convenient adjustment of shelf height
- The following height dimension listed below are available for all mid-height Workwall Cabinet



interior clearance depth (20" deep shown)



understanding workwall credenzas - mid - 21" h

All dimensions in this section are nominal


workwall credenzas - mid - 21" h

- Two styles can be specified:
- Standard:
- 21" high Workwall Credenzas (BSMCD, BSMOD or BSMDOD)
- Supporting:


Fixed or Height-Adjustable Worksurfaces - Mid - 21" h (BSMWL, BSMHLR, BSMHDP, BSMCFW, BSMCHR or BSMHCP) Height-Adjustable Worksurface - Mid - 21" h (BSMHLR or BSMCHR)

- Can support Wall Panels (B_WCC*, B_WCO*, B_WAA, B_WOO, B_WMD, B_WMO or B_WMM)
- .• Two worksurface positions are available:
- Left (L)
- Right (R)
- For more details on mid-height Workwall Credenza Applications, refer to page 388


standard style



Workwall Credenza with Cabinet & Drawers - Mid - 21" h (BSMCD)



Workwall Credenza with Open & Drawers - Mid - 21" h (BSMOD)




Workwall Credenza with Open & Drawers - Mid - 21" h (BSMDOD)


supporting style

For more details on this product listed below, refer to Multi-Level Workstations & Meeting Tables Sections

Workwall Credenza with Open & Drawers - Fixed Worksurface - Mid - 21" h (BSMWL)

Only products illustred below can be installed on this credenza:







Fixed Run-Off - Mid-Height (BM R)

For more details on this product, refer to page 92 and following pages



Fixed Rectangular Meeting Peninsula (BC_FR)




Fixed D-Shape Meeting Peninsula (BC_FD)


For more details on these products, refer to page 490 and following pages

Workwall Credenza with Open & Combo - Fixed Worksurface - Mid - 21" h (BSMCFW)

Only products illustred below can be installed on this module:



Recycling/Waste Bins (R)



 (BM_R)





Fixed Extended Tapered - Mid-Height (BM_EP)

For more details on this product, refer to page 93 and following pages


understanding workwall credenzas – mid – 21" h (continued)

supporting style

For more details on these products listed below, refer to Multi-Level Workstations Section

Workwall Credenza with Open & Drawers – Height-Adjustable Run-Off – Mid – 21" h (BSMHLR)

Only products illustred below can be installed on this credenza:





Height-Adjustable Run-Off (BH_RB)



Height-Adjustable Desk for U-Shape Workstation (BH_UB)




Height-Adjustable Run-Off with Glass Top (BHGRB)




Full-Modesty Height-Adjustable Desk for U-Shape Workstation (BF_U)

Workwall Credenza with Open & Drawers - Height-Adjustable Peninsula - Mid - 21" h (BSMHDP)

Only products illustred below can be installed on this credenza:







Height-Adjustable Peninsula (BH_RP)



Height-Adjustable Tapered Peninsula (BH_TP)


understanding workwall credenzas – mid – 21" h (continued)


supporting style (continued)

For more details on these products listed below, refer to Multi-Level Workstations Section

Workwall Credenza with Open & Combo - Height-Adjustable Run-Off - Mid - 21" h (BSMCHR)


Only products illustred below can be installed on this credenza:






Workwall Credenza with Open & Combo - Height-Adjustable Peninsula - Mid - 21" h (BSMHCP)

Only products illustred below can be installed on this credenza:






workwall credenza – mid – 21" h – components

The following should be considered when planning with Expansion Casegoods mid-height Workwall Credenzas for Height-Adjustability or Fixed Worksurfaces.


components & cable routing on standard or fixed worksurface supporting style (shown)

BACK VIEW



components & cable routing on standard or height-adjustable worksurface supporting style

BACK VIEW



workwall credenza – mid – 21" h – components (continued)

door configurations on workwall credenzas with cabinet section configuration


- Come with 18" central door front nominal width
- Come with Rectilinear Pulls (9) only
- Four Workwall Credenzas for Fixed or Height-Adjustability styles:
 - Workwall Credenza with Cabinet and Drawers Mid 21" h (BSMCD)
 - Workwall Credenza with Open Combo Fixed Worksurface Mid 21" h (BSMCFW)
 - Workwall Credenza with Open Combo Height-Adjustable Run-Off Mid 21" h (BSMCHR)
 - Workwall Credenza with Open Combo Height-Adjustable Peninsula Mid 21" h (BSMHCP)
- Two Door Configurations are available:


Recycling and Waste Bins (R)

- · Provides closed recycling and/or waste bin storage
- Storage Bins are removable
- Comes with one flip-down door
- This section is not lockable

Recycling and Waste Bins Anatomy


Waste bin require a 20" wide x 12" hide bag (13 Liter Capacity) for a true fit. Waste bin include side detail to manage the excess of bag





Storage (S)

- Provides closed and lockable storage with one adjustable shelf
- Comes with one adjustable shelf and has holes in 1 1/4" intervals on the inside walls for shelf height adjustment





workwall credenza – mid – 21" h – basics

Expansion Casegoods Workwall Credenzas can be used alone or with a selection of Fixed or Height-Adjustable Worksurfaces.




- When using a Workwall Credenza (BSMCD, BSMOD, BSMWL, BSMHLR, BSMDOD and BSMCHR), wall anchored
 is recommended for optimal stiffness but is not mandatory
- When using a Workwall Credenza (BSMHDP, BSMCFW and BSMHCP), no wall anchoring is needed
- Door or drawers come with Rectilinear Pull (9) only
- Cannot be installed under a desk
- Back is partially open to provide wall access (electricity management)
- A Seat Pad/Cushion can be installed on these credenzas
- Workwall Credenza with Open and
 Drawers Fixed Worksurface Mid
 21" h (BSMWL) (Shown)
- Provides storage against the wall and support for one end Fixed or Height-Adjustable Worksurfaces
- Height: 21"
- Depths: 20" or 24"
- Include levelers with an adjustment range of 1"
- Lock option is standard lock
- If applicable, open section with adjustable shelf configurations has holes in 1 1/4" intervals on the inside walls for shelf height adjustment
- Additional shelves cannot be specified for these products
- A Wall Panel is **not** mandatory for mounting fixed or Height-Adjustable Worksurface
- The bottom drawer of the Storage are aligned with the bottom drawer off all filing storage of the Freestanding Storage section, except the metal one, when placed side-by-side






workwall credenza – mid – 21" h – basics (continued)




Workwall Credenza with Cabinet and Drawers - Mid - 21" h (BSMCD)

- Cannot support one end of a semi-supported worksurface
- Widths: 36" to 72" (6" increments)
- When 60" wide and more is specified, an additional door section appears, opposite side to drawer's section
- Features full-extension drawers capable of accommodating both letter- and legal-size paper
- Drawer Configurations:
- Drawers on Left (L) (Shown)
- Drawer on Right (R)




Workwall Credenza with Open and Drawers - Mid - 21" h (BSMOD)

- Cannot support one end of a semi-supported worksurface
- Widths: 42" to 84" (6" increments)
- Features full-extension drawers capable of accommodating both letter- and legal-size paper
- Drawer Configurations:
- Drawers on Left (L) (Shown)
- Drawer on Right (R)




Workwall Credenza with Open and Drawers - Fixed Worksurface - Mid 21" h (BSMWL)

- Widths: 60" to 84" (6" increments)
- Fixed Worksurface Depths: 30" or 36"
- Worksurface Positions:
- Left (L)
- Right (R) (Shown)
- · Features full-extension drawers capable of accommodating both letter- and legal-size paper
- Must be used with:
- Fixed Run-Off Mid-Height (BM_R)
- Fixed Rectangular Meeting Peninsula (BC_FR)
- Fixed D-Shape Meeting Peninsula (BC_FD)



Worwall Credenza with Open and Drawers - Height-Adjustable Run-Off - Mid - 21" h (BSMHLR)


- Widths: 60" to 84" (6" increments)
- Height-Adjustable Worksurface Depths: 23", 29" or 35"
- Worksurface Positions:
- Left (L)
- Right (R) (Shown)
- · Features full-extension drawers capable of accommodating both letter- and legal-size paper
- Must be used with:
- Full-Modesty Height-Adjustable Desk for U-Shape Workstation Offset Bases (BF_U)
- Height-Adjustable Run-Off Bevel Base (BH_RB)
- Height-Adjustable Run-Off with Glass Top Bevel Base (BHGRB)
- Height-Adjustable Desk for U-Shape Workstation Bevel Bases
 - Mid-Height (BH_UBK)



Workwall Credenza with Open and Drawers – Height-Adjustable Peninsula – Mid – 21" h (BSMHDP)


- Widths: 60" to 84" (6" increments)
- Height-Adjustable Worksurface Depth: 35"
- Worksurface Positions:
 - Left (L)
- Right (R) (Shown)
- · Features full-extension drawers capable of accommodating both letter- and legal-size paper
- Must be used with:
- Height-Adjustable Peninsula Bevel Post Leg (BH_RP or BH_TP)

workwall credenza – mid – 21" h – basics (continued)



Workwall Credenza for Media with Open and Drawers - Mid - 21" h (BSMDOD)

- Cannot support one end of a semi-supported worksurface
- Widths: 42" to 84" (6" increments)
- Features full-extension drawers capable of accommodating both letter- and legal-size paper



Workwall Credenza with Open and Combo - Fixed Worksurface - Mid 21" h (BSMCFW)

- Widths: 66" to 84" (6" increments)
- Fixed Worksurface Depth: 30" to 54" (6" increments)
- Worksurface Positions:
 - Left (L)
- Right (R) (Shown)
- Door Configurations:
- Recycling/Waste Bins (R)
- Storage (S)
- Features full-extension drawers capable of accommodating both letter- and legal-size paper

Workwall Credenza with Open and Combo - Height-Adjustable Run-Off - Mid - 21" h (BSMCHR)

- Fixed Run-Off Bevel Base (BM_R)
- Fixed Extended Tapered Peninsula Bevel Post Leg (BM_EP)







• Widths: 66" to 84" (6" increments)

- Height-Adjustable Worksurface Depths: 23", 29", 35"
- Worksurface Positions:
- Left (L)
- Right (R) (Shown)
- Door Configurations:
- Recycling/Waste Bins (R)
- Storage (S)
- Features full-extension drawers capable of accommodating both letter- and legal-size paper
- Must be used with:
- Full-Modesty Height-Adjustable Desk for U-Shape Workstation Offset Bases (BF_U)
- Height-Adjustable Run-Off Bevel Base (BH_RB)
- Height-Adjustable Run-Off with Glass Top Bevel Base (BHGRB)
- Height-Adjustable Desk for U-Shape Workstation Bevel Bases
- Mid-Height (BH_UBK)

Workwall Credenza with Open and Combo - Height-Adjustable Peninsula - Mid - 21" h (BSMHCP)

- Widths: 66" to 84" (6" increments)
- Height-Adjustable Worksurface Depth: 35", 46" or 52"
- Worksurface Positions:
 - Left (L)
- Right (R) (Shown)
- Door Configurations:
- Recycling/Waste Bins (R)
- Storage (S)
- · Features full-extension drawers capable of accommodating both letter- and legal-size paper
- Must be used with:
 - Height-Adjustable Peninsula Bevel Post Leg (BH_RP, BH_TP or BH_PE)







The following illustrates Expansion Casegoods mid-height Workwall Credenzas drawer and open sections nominal widths.

workwall credenza with cabinet & drawers – mid – 21" h (BSMCD)

Only Drawers on Left (L) is showned



- Comes one Box & File Drawers Section
- Includes one Recycling/ Waste Bins and one Storage Sections




Recycling/Waste Bins Section

66" Width

Section


workwall credenza with open & drawers - mid - 21" h (BSMOD)




workwall credenza for media with open & drawers - mid - 21" h (BSMDOD)

• Comes with Box


Section




workwall credenza with with open & drawers – height-adjustable run-off– mid – 21" h (BSMHLR)




workwall credenza with with open & combo – height-adjustable run-off– mid – 21" h (BSMCHR)




workwall credenza with with open & drawers – fixed worksurface – mid – 21" h (BSMWL) or workwall credenza with with open & drawers – height-adjustable run-off– mid – 21" h (BSMHLR)




workwall credenza with with open & drawers – fixed worksurface mid – 21" h (BSMWL) or workwall credenza with with open & drawers – height-adjustable run-off – mid – 21" h (BSMHLR) workwall credenza with with open & drawers – height-adjustable peninsula – mid – 21" h (BSMHDP)




workwall credenza with with open & combo – fixed-worksurface – mid – 21" h (BSMCFW) or workwall credenza with with open & combo – height-adjustable run-off – mid – 21" h (BSMCHR)




workwall credenza with with open & combo – fixed-worksurface – mid – 21" h (BSMCFW) or workwall credenza with with open & combo – height-adjustable run-off – mid – 21" h (BSMCHR) workwall credenza with with open & combo – height-adjustable peninsula – mid – 21" h (BSMHCP)



workwall credenza with with open & combo – fixed-worksurface – mid – 21" h (BSMCFW) or workwall credenza with with open & combo – height-adjustable peninsula – mid – 21" h (BSMHCP)



workwall credenza with with open & combo – fixed-worksurface – mid – 21" h (BSMCFW) or workwall credenza with with open & combo – height-adjustable peninsula – mid – 21" h (BSMHCP)




workwall credenza – mid –21" h – interior clearance


The following outline the interior clearance available for all mid-height Workwall Bookcases.

interior clearance height

- The open section features holes at 1 1/4" intervals on the interior walls, allowing for convenient adjustment of shelf height
- The following height dimension listed below are available for all midheight Workwall Credenzas and Mid-Height Credenza (BSMFL) of the Freestanding Storage & Accessories section


interior clearance depth (20" deep shown)






drawer depths

All mid-height Workwall Credenzas with drawers feature 12" deep Box Drawer and 15" deep File Drawer. Only exceptions are 48" or 54" wide Workwall Credenza for Media with Open and Drawers – Mid – 21" h (BSMDOD) which feature 15" deep Box Drawer





workwall credenzas – mid – 21" h for fixed or height-adjustable worksurfaces – filing drawer capacities


Lateral file drawer mid-height Workwall Credenzas capacities are shown below.




- The dimensions listed below are inside drawer
- These dimensions are also available for Mid-Height Credenza (BSMFL) of the Freestanding Storage & Accessories section




- * The Letter or A4 paper size is allowed but require optional Hanging File Bar (RSLB)
- 15 1/2" wide drawer




18" wide drawer




24" wide drawer




30" wide drawer



36" wide drawer





Front-to-Back



Paper Sizes Allowed:

- Letter
- A4



Paper Sizes Allowed:

- Letter
- A4




Paper Sizes Allowed:


- Letter
- A4
- Legal




Paper Sizes Allowed:

- A4
- Legal









Paper Size Allowed:

• Legal



Paper Size Allowed:

• Legal



Paper Sizes Allowed:

- Letter*
- A4*
- Legal



Paper Sizes Allowed:

- Letter*
- A4*
- Legal



Paper Sizes Allowed:

- Letter*
- A4*
- Legal

Paper Size Allowed:

Paper Sizes Allowed:

• Letter


• Letter


• A4 • Legal

planning with workwall credenzas – mid – 21" h for fixed or height-adjustable worksurfaces


•


Credenzas are configured based on worksurface style and dimension to ensure that drawers are **not** located underneath worksurface. For some configurations, the door of mid-height Workwall Credenza with Open and Combo – Fixed Worksurface (BSMCFW) or mid-height Workwall Credenza with Open and Combo – Height-Adjustability (BSMCHR (Shown) or BSMHCP) may be located underneath the worksurface.






Fixed Extended Tapered Peninsula with Workwall Credenza with Open and Combo – Fixed Worksurface (BSMCFW) or Height-Adjustable Extended Tapered Peninsula with Workwall Credenza with Open and Combo – Height-Adjustability (BSMCHR or BSMHCP)






Recycling/waste bins or storage section is located underneath worksurface

Height-Adjustable Peninsula with mid-height Workwall Credenza with Open and Combo – Height-Adjustable Peninsula (BSMHCP)





When a 46" or 52" deep Height-Adjustable Peninsula is specified above a mid-height Workwall Credenza with Open and Combo – Height-Adjustable Peninsula, the recycling/waste bins or storage section is more difficult to access, because the surface covered completely the storage access


workwall storage - product offering



All dimensions on this page are actual

Workwall Kneespace Module – Height-Adjustable (BHKHW)

Workwall Kneespace Module – Full-Modesty Height-Adjustable Run-Off (BHKHM)







1 access panel, no extension panel

1 access panel, 1 extension panel

Workwall Kneespace Module - Full-Modesty Height-Adjustable Extended or "L" Run-Off (BHKHL)

For 29" depth A

no extension panel

53 1/8", 59 1/8", 65 1/8", 71 1/8", 41 1/4 47 1/4" 1 access panel, 2 access panels,

For 35" depth A


37 1/4" or 43 1/4"w

no extension panel

49 1/8", 55 1/8", 61 1/8", 67 1/8", 1 access panel, 2 access panels,

For 29" or 35" depth A

1 extension panel



2 access panels, 1 extension panel

Workwall Kneespace Module - Height-Adjustability and

no extension panel

Fixed Worksurface (BHKHF)

Workwall Kneespace Module – Fixed Worksurface (BHKFW)

no extension panel

Workwall Kneespace Module – Fixed Worksurface (BHKFR)





1 access panel


1 access panel, no extension panel

1 access panel, 1 extension panel

Workwall Bookcase - Mid - 21" h (BSMO)

Workwall Bookcase - Fixed Worksurface - Mid - 21" h (BSMOBW)







2 adjustable shelves

workwall storage - product offering (continued)




All dimensions on this page are actual

Workwall Bookcase – Height-Ajustable Worksurface – Mid – 21" h (BSMOBH)




2 adjustable shelves

Workwall Bookcase – Integral Top – 29" h



1 adjustable shelf

Workwall Bookcase – Integral Top – 29" h – Cross Grain (BSOBC)




1 adjustable shelf


Workwall Cabinet - Mid - 21" h - (BSMD)

19 1/8" d


1 adjustable shelf




Workwall Cabinet – Integral Top – 29" h (BSCT)




Workwall Cabinet – Integral Top – 29" h - Cross Grain (BSDC)



Workwall Lateral Files – Integral Top – 29" h (BSLFT)




Workwall Lateral Files – Integral Top – 29" h – Cross Grain (BSLFC)




2 large file drawers


Workwall Stretch Pedestal - Mid - 21" h




Workwall Stretch Pedestal – Integral Top – 29" h (BSPT)




Workwall Stretch Pedestal – Integral Top – 29" h - Cross Grain (BSPC)



Workwall Credenza with Cabinet and Drawers -Mid - 21" h (BSMCD)



1 door (recycling/waste bins)




1 file drawer. 1 door (recycling/waste bins), 1 door and 1 adj. shelf (storage)

workwall storage - product offering (continued)


All dimensions on this page are actual

Workwall Credenza with Open and Drawers - Mid - 21" h (BSMOD)





Workwall Credenza with Open and Drawers - Fixed Worksurface - Mid - 21" h (BSMWL)




1 box drawer, 1 file drawer, 1 adjustable shelf (open)




2 box drawers, 2 file drawers, 1 adjustable shelf (open)

Workwall Credenza with Open and Drawers – Height-Adjustable Run-Off – Mid – 21" h (BSMHLR)




1 box drawer. 1 file drawer. 1 adjustable shelf (open)




2 box drawers. 2 file drawers, 1 adjustable shelf (open)

Workwall Credenza with Open and Drawers – Height-Adjustable Peninsula – Mid – 21" h (BSMHDP)




1 box drawer, 1 file drawer, 1 adjustable shelf (open)




2 box drawers, 2 file drawers, 1 adjustable shelf (open)


Workwall Credenza for Media with Open and Drawers -Mid - 21" h (BSMDOD)



Workwall Credenza with Open and Combo – Fixed Worksurface – Mid – 21" h (BSMCFW)




box drawer, 1 file drawer, 1 door (recycling/waste bins), 1 adjustable shelf (open)



1 box drawer, 1 file drawer, 1 door and 1 adj. shelf (storage), 1 adjustable shelf (open)

Workwall Credenza with Open and Combo – Height-Adjustable Run-Off – Mid – 21" h (BSMCHR)




1 box drawer, 1 file drawer, 1 door (recycling/waste bins), 1 adjustable shelf (open)




1 box drawer, 1 file drawer, 1 door and 1 adj. shelf (storage), 1 adjustable shelf (open)

Workwall Credenza with Open and Combo – Height-Adjustable Peninsula – Mid – 21" h (BSMHCP)



1 box drawer, 1 file drawer, 1 door (recycling/waste bins), 1 adjustable shelf (open)




1 box drawer, 1 file drawer, 1 door and 1 adj. shelf (storage), 1 adjustable shelf (open)

workwall storage - lock chart




If specified, all closed storage products come with a lock and key set and can be keyed alike or randomly. A Key Chart must accompany every order, otherwise orders will be shipped keyed randomly




Workwall Stretch Pedestal - Mid - 21" h (BSMSSP)


Workwall Stretch Pedestal – Integral Top – 29" h (BSPT) or Workwall Stretch Pedestal – Integral Top – 29" h – Cross Grain (BSPC)



Workwall Credenza with Cabinet and Drawers – Mid – 21" h (BSMCD)




Workwall Credenza with Open and Drawers – Mid – 21" h (BSMOD)




workwall storage - lock chart (continued)


Workwall Credenza with Open and Drawers - Fixed Worksurface - Mid - 21" h (BSMWL)




Workwall Credenza with Open and Drawers - Height-Adjustable Run-Off - Mid - 21" h (BSMHLR) or Workwall Credenza with Open and Drawers - Height-Adjustable Peninsula - Mid - 21" h (BSMHDP)



Workwall Credenza for Media with Open and Drawers - Mid - 21" h (BSMDOD)



Workwall Credenza with Open and Combo - Fixed Worksurface - Mid - 21" h (BSMCFW)




workwall storage – lock chart (continued)

Workwall Credenza with Open Combo – Height-Adjustable Run-Off – Mid – 21" h (BSMCHR) or Workwall Credenza with Open Combo – Height-Adjustable Peninusla – Mid – 21" h (BSMHCP) Available for following Available for following configurations: configurations: Recycling/Waste Bins 66" w X 29" d 66" w X 29" d 72" w X 29" d 72" w X 29" d 72" w X 35" d 72" w X 35" d 78" w X 29" d 78" w X 35" d 78" w X 29" d OR 78" w X 35" d 84" w X 29" d 84" w X 29" d 84" w X 35" d 84" w X 35" d Work. on Left Work. on Right Work. on Left Work. on Right number of 1 x2 x locks Lockable Single Door Lockable Drawers Not Lockable

workwall storage - connecting devices

The following outline the connecting devices available for all mid-height Workwall Storage.


- All Workwall Storage can be connected together and with Freestanding Towers or Stretch Pedestal of the Freestanding Storage & Accessories section
- This supplied hardware ensures a perfect installation
- Can only be connected with following Freestanding Storage:




workwall storage finishes


•

For an overview of which products are offered in Flintwood finishes, refer to the Expansion Casegoods product map on Teknion's website



workwall storage finishes (continued)





Integral Top

- 1 3/16" thickness (M) available in Foundation Laminate colors
- 1 9/16" thickness (X) available in Foundation Laminate colors (Storm White, Very White, Crisp Grey, Soft Gris or Wood Prints colors only)
- Also available in Flintwood (No Cathedral) for Integral Top only

Edge Trims Styles & Finishes

- Available in Straight Trim (6), Flat Trim (8) or Flintwood Flat Trim (9)
- Available in Edge Trim colors (for trim style 6 or 8)
- For Workwall Stretch Pedestals (BSMSSP), the edge trim finish on drawer front always match drawer front finish
- For Workwall Storage (BSMD, BSMCD, BSMOD), the edge trim finish on door front always match door front finish

workwall storage - grain direction

workwall storage

Door fronts grain direction will always be vertical




Cathedral Grain Pattern:

Source Laminate

$$\bullet$$
 3A - 3B - 3C - 3D - 3E - 3L - 3M - 3X - XQ - XR

For colors listed above, the Cathedral Grain Pattern for door and drawer fronts will be book-matched




Straight Grain Pattern:

Source Laminate


• 3F - 3J - 3K - 3N - 3P - XJ - XK


Flintwood


For colors listed above, the Straight Grain Pattern for drawer fronts will be vertical




flintwood surface grain/pattern direction











storage for multi-level workstations

storage for multi-level workstations

STORAGE FOR SECONDARY DESK BASICS
LATERAL FILE FOR SECONDARY DESK – CENTER POSITION – FILING DRAWER CAPACITIES410
LATERAL FILE FOR SECONDARY DESK – END POSITION – 1 3/16" WORKSURFACE THICKNESS – FILING DRAWER CAPACITIES
LATERAL FILE FOR SECONDARY DESK – END POSITION – 1 9/16" WORKSURFACE THICKNESS – FILING DRAWER CAPACITIES 412
PLANNING WITH STORAGE FOR SECONDARY DESKS413
STORAGE FOR MULTI-LEVEL WORKSTATIONS – PRODUCT OFFERING
STORAGE FOR MULTI-LEVEL WORKSTATIONS – LOCK CHART . 416
STORAGE FOR MULTI-LEVEL WORKSTATIONS – INTERIOR CLEARANCE
STORAGE FOR MULTI-LEVEL WORKSTATIONS FINISHES 418
STORAGE FOR MULTI-LEVEL WORKSTATIONS – GRAIN DIRECTION

storage for secondary desk basics

Expansion Casegoods offers storage options for Secondary Desk Applications. The storage attaches under a secondary desk and provides additional storage and stability to the workstation.

All dimensions in this section are nominal



- Must be mounted under a 20" or 24" deep Low or High Secondary Desk (B_MSD, BH_SR, BH_SB or BH_SL) only
- Can be specified Center (C) or End (M or X) position worksurface thicknesses as secondary desks
- Door and Drawer Fronts come with Rectilinear Pulls (9) only. The pulls are flush with front of gable
- · The end position must be specified next to a secondary desk gable in order compensate its thickness creepage
- All storage products include levelers with a minimum adjustment range of 1"

Depth Storage for Secondary Desk

Depth varies when specified in-front or not in-front of Height-Adjustable Mechanism:


In Front of Height-Adjustable Mechanism (No):

- 20" or 24" Secondary Desk depth = 18" storage depth

In Front of Height-Adjustable Mechanism (Yes) (Shown):

- 20" Secondary Desk depth = 12" storage depth
- 24" Secondary Desk depth = 16" storage depth

The storage depth is smaller to clear the Height-Adjustable Mechanism




- Stretch Pedestal Secondary Desk (BSSP)
- Provides closed storage under a High (H) Secondary Desk
- For a ergonomic and accessibility reasons, it is not recommended to used this storage under a worksurface perpendicular to a high secondary desk
- Cannot be specified in front of Height-Adjustable Mechanism (N)
- · Has a central locking system and full extension drawers that can accommodate both letter- and legalsize paper
- · Box drawer include an anodized pencil tray with mounting brackets. File drawer includes one or two 15" cross file bar(s)


Supporting Brackets

· Two supporting brackets are provided with all storage for secondary desk



- Mount to the underside of a secondary desk and to the top of a storage for secondary desk to provide additional support to secondary desk
- · The supporting brackets are finished in Recycled Paint





Lateral File - Secondary Desk (BSSL)

- Provides closed storage under a High (H) or Low (L) Secondary Desk
- · Must be specified the same height than the secondary desk
- · For a ergonomic and accessibility reasons, it is not recommended to used this storage under a worksurface perpendicular to a high or low secondary desk
- Cannot be specified in front of Height-Adjustable Mechanism (N)
- When a 30" wide Lateral File for Secondary Desk End Position (M or X) is specified, it cannot accommodate side-to-side filing
- When a 42" wide Lateral File for Secondary Desk is specified, only End Position (M or X) is available and the file drawer width will be reduced by 6"
- Provides full extension slides that can accommodate both letter- and legal-size paper
- Equipped with an interlock system that prevents opening more than one drawer at a time (high version only)
- File drawer includes one or two 15" cross file bar(s)



Storage for Secondary Desk is mandatory in front a Height-Adjustable Mechanism (Y), if a Open Section Cover (BSSCM) is not specified

Bookcase - Secondary Desks (BSSO)

- Provides open storage under a High (H) or Low (L) Secondary Desk
- Must be specified the same height than the secondary desk
- Can be used as a passive storage under a worksurface perpendicular to a low or high secondary desk
- Can be specified under a Run-Off, Run-Off with Glass Top, Overlapping Bridge or Height-Adjustable Worksurface. When specified, the storage allows to hide the Height-Adjustable Mechanism
- Can be specified under a Height-Adjustable Worksurface or return. When specified, the storage allows to hide the Height-Adjustable Mechanism
- Two height styles are available:




High (H)


- Must be specified under High (H) Secondary Desk only
- Comes with one adjustable shelf
- Adjustable shelf configurations has five holes in 1 1/4" intervals on the inside walls for shelf height adjustment
- The high version will not allow two rows of standard letter-size binders
- Additional shelves **cannot** be specified separately



I ow (I)

- Must be specified under Low (L) Secondary Desk only
- Comes with one open compartment







Storage Cabinet - Secondary Desk (BSSD)


- Provides closed storage under a High (H) Secondary Desk only
- Can be used as a passive storage under a worksurface perpendicular to a high secondary desk
- Can be specified under a Run-Off, Run-Off with Glass Top, Overlapping Bridge or Height-Adjustable Worksurface. When specified, the storage allows to hide the Height-Adjustable Mechanism
- For a ergonomic and accessibility reasons, it is not recommended to used this storage under a worksurface perpendicular to a high secondary desk
- Hinges allow the door to open up to 120°
- Comes with one adjustable shelf
- · Additional shelves cannot be specified separately
- \bullet Adjustable shelf configurations have five holes in 1 1/4" intervals on the inside walls for shelf height adjustment
- This product will not allow storing two rows of standard letter-size binders
- 24" to 42" wide cabinets come with two doors. Only Not Applicable (N) Door Swing Direction is available
- Only 18" wide cabinet comes with one door. Left (Shown) or Right swing direction must be specified





$Multi-Functional\ Storage-Secondary\ Desk\ (BSSM)$

- Provides closed storage under a **High** (H) Secondary Desk only. It can be used to hide a personal computer tower or a recycling bin
- Must be used as a passive storage under a worksurface perpendicular to a high secondary desk
- Can be specified under a Run-Off, Run-Off with Glass Top, Overlapping Bridge or Height-Adjustable Worksurface. When specified, the storage allows to hide the Height-Adjustable Mechanism
- Comes with one rectangular grommet on the front and one ventilation slot with ring on the back
- Can be specified left or right and needs 24" of nominal clear space to allow full door opening
- Hinged doors have no pull and no touch latch. They can be handled with the fingertips
- Shorter door acts as a paper slot
- Hinges allow the door to open up to 120°
- A single Multi-Functional Drawer will not disable the opening of the door but will block the paper slot



Recycling/Waste Cabinet - Secondary Desk (BSSRW)

- Provides closed recycling and/or waste bin storage under a High (H) or Low (L) Secondary Desk
- For a ergonomic and accessibility reasons, it is not recommended to used this storage under a worksurface perpendicular to a high or low secondary desk
- Can be specified in front of Height-Adjustable Mechanism of heightadjustable return
- Comes with one flip-down door.
- Door have a pull and is not lockable




High (H)

- Must be specified under **High** (H) Secondary Desk only
- Comes with one Recycling Bin, one Waste Bin and one Fixed Shelf




Low (L)

- Must be specified under Low (L) Secondary Desk only
- Comes with one Waste Bin only




Opening Door Configurations

- With high configuration, the hinges allow the door to open up to 30°
- \bullet With low configuration, the hinges allow the door to open up to 40°




Recycling and Waste Bins Anatomy

Waste bin require a 20" wide x 12" hide bag (13 Liter Capacity) for a true fit. Waste bin include side detail to manage the excess of bag is used






- Open Section Cover Secondary Desk is mandatory under a Height-Adjustable Worksurfaces, if a Storage for Secondary Desk (BSSO, BSSM, BSSD or BSSRW) is not specified
- Can be specified High (H) or Low (L) under Secondary Desk for Height-Adjustable Worksurfaces (BH_SR, BH_SB or BH_SL) only
- Width Reduction (M or X) must be specified for End Off-Module (E) and Full Secondary Desk Width Position (F) in order to compensate the secondary desk gable(s) thickness creepage
- When Center Position (C) is specified, only None (N) Width Reduction is available
- · Can be installed under the secondary desk alone or combined with other Storage for Secondary Desk




center (C)



full secondary desk width (F)

When Full Secondary Desk Width (F) is specified, only 60" to 78" wide panel are available





lateral file for secondary desk - center position filing drawer capacities


Lateral file drawer storage capacities are shown below.




The dimensions listed below are inside drawer








18" wide drawer





24" wide drawer



Paper Size Allowed:

- Letter
- A4

Paper Size Allowed:

• Legal





Paper Sizes Allowed:

- Letter
- Legal


• Legal




Paper Sizes Allowed:

- Letter*
- A4* Legal

30" wide drawer



Paper Sizes Allowed:






• Letter




Paper Sizes Allowed:

- Letter*
- A4*
- Legal

36" wide drawer



* The Letter or A4 paper size is allowed but require optional Hanging



Paper Sizes Allowed:

- Letter
- A4
- Legal



Paper Sizes Allowed:


- Letter*
- A4*
- Legal


lateral file for secondary desk – end position – 1 3/16" work. thickness – filing drawer capacities


Lateral file drawer storage capacities are shown below.




The dimensions listed below are inside drawer












Paper Size Allowed:

Legal

24" or 30" wide drawers








Paper Sizes Allowed:

- Letter
- A4
- Legal


Paper Size Allowed: Legal






Paper Size Allowed:

• Legal





36" wide drawer




** The Letter or A4 paper size is allowed but require optional 36" Hanging File Bar (RSLB36)

Paper Sizes Allowed:

- Letter
- A4

Paper Size Allowed:

• Legal





Paper Sizes Allowed:

- Letter
- A4 • Legal



Paper Sizes Allowed:


- Letter**
- A4**
- Legal


lateral file for secondary desk – end position – 1 9/16" work. thickness – filing drawer capacities


Lateral file drawer storage capacities are shown below.





The dimensions listed below are inside drawer












Paper Size Allowed: • Legal

24" or 30" wide drawers


36" wide drawer









- Paper Sizes Allowed:
- Letter
- A4
- Legal



Paper Size Allowed: • Legal







Paper Sizes Allowed:




Paper Size Allowed:

Legal


- Letter
- A4

Paper Size Allowed:

• Legal



** The Letter or A4 paper size is allowed but require optional





- Letter
- A4
- Legal




Paper Sizes Allowed:

- Letter**
- A4**
- Legal


planning with storage for secondary desks



- The storage for secondary desk can be placed anywhere under low or high secondary desk (B_MSD, BH_SR, BH_SB or BH_SL)
- When a secondary desk exceeds the maximum span allowed, a Storage for Secondary Desk (BSSP, BSSL, BSSO, BSSD, BSSM or BSSRW) must be placed underside to maintain integrity
- The Open Section Cover Secondary Desk (BSSCM) cannot be used to reduce unsupported span
- The restrictions illustrated below apply to Fixed-Height or Height-Adjustable Multi-Level Workstations








storage for multi-level workstations - product offering




All dimensions on this page are actual


Stretch Pedestal – Secondary Desk – Center Position (BSSPC)



Stretch Pedestal – Secondary Desk – End Position (BSSPM, X)



 $\begin{tabular}{ll} Lateral File-Secondary Desk-Center Position \\ (BSSLC) \end{tabular}$







2 large file drawers

1 large file drawer

Lateral File - Secondary Desk - End Position (BSSLM, X)





Bookcase - Secondary Desk - Center Position (BSSOC)



Bookcase - Secondary Desk - End Position (BSSOM, X)


Storage Cabinet - Secondary Desk - Center Position (BSSDC)






storage for multi-level workstations – product offering (continued)

 $Storage\ Cabinet-Secondary\ Desk-End\ Position\ (BSSDM,\ X)$




 $\label{eq:multi-Functional} \textbf{Multi-Functional Storage-Secondary Desk-Center Position} \\ \textbf{(BSSMC)}$





 $\begin{array}{l} \textbf{Multi-Functional Storage-Secondary Desk--}\\ \textbf{End Position (BSSMM}, X) \end{array}$

Recycling/Waste Cabinet – Secondary Desk – Center Position (BSSRWC)

Recycling/Waste Cabinet for Secondary Desk – End Position (BSSRWM, X)








storage for multi-level workstations – lock chart


• If specified, all closed storage products come with a lock and key set and can be keyed alike or randomly. A Key Chart must accompany every order, otherwise orders will be shipped keyed randomly



storage for multi-level workstations – interior clearance

The following outline the interior clearance available for storage for multi-level workstations.

low-height bookcase for secondary desk




Bookcase – Secondary Desk – Center or End Position – Low Secondary Desk For end position storage, the interior compartment dimension is the same for 1 3/16" (M) or 1 9/16" (X) worksurface thickness

storage for multi-level worwkstations finishes

•

For an overview of which products are offered in Flintwood finishes, refer to the Expansion Casegoods product map on Teknion's website



storage for multi-level workstations - grain direction


Door and drawer front grain direction will always be vertical

Cathedral Grain Pattern:

Source Laminate

•
$$3A - 3B - 3C - 3D - 3E - 3L - 3M - 3X - XQ - XR$$

For colors listed above, the Cathedral Grain Pattern for drawer fronts will be book-matched




Straight Grain Pattern:


Source Laminate


•
$$3F - 3J - 3K - 3N - 3P - XJ - XK$$

Flintwood (No Cathedral)

For colors listed above, the Straight Grain Pattern for drawer fronts will be vertical







reception

reception

UNDERSTANDING RECEPTION DESKS
STRAIGHT RECEPTION DESK MODULE BASICS
L-SHAPED RECEPTION DESK MODULE BASICS
U-SHAPED RECEPTION DESK MODULE BASICS 428
RECEPTION DESK MODULE CONFIGURATIONS
MAIN WORKSURFACE & RETURN FOR RECEPTION DESK CONFIGURATIONS
PLANNING WITH RECEPTION DESKS
RECEPTION DESK ELEMENT BASICS
RECEPTION DESK FINISHES
PECEPTION DESK CRAIN DIRECTION/USER ECDE 437

understanding reception desks


The following should be considered when planning with Expansion Casegoods Reception Desks.


All dimensions in this section are nominal



- All worksurfaces and modules available in reception desks are semi-freestanding. They cannot be used alone. The reception desk modules must always be connected to a Main Worksurface and/or Return for Reception Desks, or Expansion Casegoods standard desks for stability
- The Main Worksurfaces or Return for Reception Desk cannot be replaced by a Freestanding or Primary Desk (Multi-Level Workstations)

reception desk module - straight






This configuration can be created with a combination of:


- Reception Desk Module Straight (B_CRF)
- Main Worksurface with Two Gables (B_CWG)

reception desk module – L-shaped



This configuration can be created with a combination of:

- Reception Desk Module Right L-Shaped (B_CRL)
- Left Main Worksurface with One Gable (B CWL)
- Right Cross Grain Return (B_CWR)



reception desk module - U-shaped

This configuration can be created with a combination of:


- Reception Desk Module U-Shaped (B_CRU)
- Main Worksurface (B_CWU)
- Left Cross Grain Returns (B_CWR)
- Right Cross Grain Returns (B_CWR)

straight reception desk module basics

Expansion Casegoods offers a wide variety of reception desks. They can be used to create other styles of reception stations.



- The Straight Reception Desk Module is compatible with the Main Worksurface with Two Gables (B_CWG) only. For other product compatibility, see the Expansion Casegoods standard desk product list below
- The Reception Desk Elements can be specified separately



Reception Desk Module - Straight (B_CRF)


- Worksurfaces and gables are available in two (M, X) of the three original Expansion Casegoods thicknesses
- When 1 3/16" (M) thickness is specified, the gables are 1" thick
- When 1 9/16" (X) thickness is specified, the gables are 1 1/2" thick
- The number of worksurfaces and inset panels can vary depending on the width specified. Refer to page 430 for more details
- Inset panels are available in 1" thick
- In addition to fit with the main worksurface (B_CWG), it can also be connected with:

Expansion Casegoods Standard Desks:

- All Rectangular Desks
- All Corner Desks
- All Extended Corner Desks
- All Extended Peninsula Desks, except: (B_BWW, B_RPW and B_RPC)


The Straight Module and Main Worksurface must be specified this way:

Example:



- Reception module gable thickness and bracket clearance gaps are added to the nominal width
- This product also offers offmodularity capabilities. Refer to page 432 for details

straight reception desk module basics (continued)



Main Worksurface with Two Gables – Reception Desk (B_CWG)

- Cannot be used with L- or U-Shaped Reception Desk Module
- The worksurfaces and gables are available in the same style/ thicknesses (M or X) as original Expansion Casegoods products
- When 1 3/16" (M) thickness is specified, the gables are 1" thick
- When 1 9/16" (X) thickness is specified, the gables are 1 1/2" thick
- The number of worksurfaces can vary and a half gable can be added depending on the width specified. Refer to page 431 for more details
- Cannot be used alone. Both ends of the worksurface must be attached to the Straight Reception Desk Module
- Worksurface can be specified with grommets (The Cable Trays are also provided, when the grommets are specified). Two grommet position styles are available:
- Both Ends (B)
- Centered (C) (this option cannot be specified when 78" or 84" worksurface width is specified)
- All 28" high Freestanding Storage and the Multi-Functional Drawer can be specified separately and installed under the worksurface
- Cannot support any storage or Wall Panel



Rectangular Grommets


- All Main Worksurfaces and Return for Reception Desks are available with factory-made grommet cut outs
- Provide openings for electrical wiring and communication cables
- Can be changed with Elliptical Grommet (BLGE) which can be specified separately
- When grommets are specified, the Cable Trays are also provided and is mounted below any worksurface to manage cables coming from the worksurface level

L-shaped reception desk module basics

Expansion Casegoods offers a wide variety of reception desks. They can be used to create other styles of reception stations.



- The L-Shaped Reception Desk Module is compatible with the Main Worksurface with One Gable (B_CWL) which can also be fitted with a Cross Grain Return (B_CWR). For other product compatibility, see the Expansion Casegoods standard desk product list below
- The Reception Desk Elements can be specified separately




- original Expansion Casegoods thicknesses
- The number of worksurfaces and inset panels can vary depending on the width specified. Refer to page 430 for more details
- Can be specified left or right (shown). The configuration is determined by the side of the return width in sitting position
- Inset panels are available in 1" thick
- In addition to connect to the main worksurface (B_CWL) and return (B_CWR), it can also be connected with:

Expansion Casegoods Standard Desks*:

- All Rectangular Desks
- All Corner Desks
- All Extended Corner Desks
- All Extended Peninsula Desks, except: (B_BWW, B_RPW and B RPC))
- * When fitting a single desk in the Reception Desk Module -L-Shaped, make sure at least one dimension of the Reception

 Main Worksurface Desk Module is greater than those of the desk to enable installation

The L-Shaped Module, Main Worksurface and Return must be specified in this way:




- · Reception module gable thickness, overhang of return worksurface depth and bracket clearance gaps are added to the nominal width
- This product also offers off-modularity capabilities. Refer to page 432 for

L-shaped reception desk module basics (continued)



Main Worksurface with One Gable – Reception Desk (B_CWL)

- Worksurfaces and gable are available in the same style/thicknesses (M or X) as Main Worksurface with Two Gables
- The number of worksurfaces can vary and a half gable can be added depending on the width specified. Refer to page 431 for more details
- Cannot be used with Straight or U-Shaped Reception Desk Module
- Cannot be used alone. It must be attached on the module, particularly to the junction of the two inset panels
- Worksurface can be specified with grommets (The Cable Trays are also provided, when the grommets are specified). Two grommet position styles are available:
- Both Ends (B)
- Centered (C) (this option cannot be specified when 78" or 84" worksurface width is specified)
- All 28" high Freestanding Storage and the Multi-Functional Drawer can be specified separately and installed under the worksurface




- Cross Grain Return Reception Desk (B_CWR)
- Worksurfaces and gable are available in the same style/thicknesses (M or X) as Main Worksurface with Two Gables
- Cannot be used with Straight Reception Desk Module
- Cannot be used alone. It must always be connected to the straight user edge on a Main Worksurface with One or without Gable and to the inset panel of the Reception Desk Module Return
- Worksurfaces can be specified without or with grommet (The Cable Trays are also provided, when the grommets (C or E) are specified). Two grommet position styles are available:
- Centered (C)
- End Grommet (E)
- All 28" high Freestanding Storage and the Multi-Functional Drawer can be specified separately and installed under the worksurface
- Cannot support any storage or Wall Panel

U-shaped reception desk module basics

Expansion Casegoods offers a wide variety of reception desks. They can be used to create other styles of reception stations.




- The U-Shaped Reception Desk Module is compatible with the Main Worksurface (B_CWU) which can also be fitted with a Cross Grain Return (B_CWR). For other product compatibility, see the Expansion Casegoods standard desk product list below
- The Reception Desk Elements can be specified separately



- Reception Desk Module U-Shaped (B_CRU)
- Worksurfaces and gables are available in two (M, X) of the three original Expansion Casegoods thicknesses
- The number of worksurfaces and inset panels can vary depending to the width specified. Refer to page 430 for more details
- Inset panels are available in 1" thick
- In addition to connect to the main worksurface (B_CWU) and return (B_CWR), it can also be connected with:


Standard Desks Expansion Casegoods*:

- All Rectangular Desks
- All Corner Desks
- All Extended Corner Desks
- All Extended Peninsula Desks, except: (B_BWW, B_RPW and B_RPC)
- All Bridges (B_RBL or B_RB)
- * When fitting a single desk in the Reception Desk Module L-Shaped, make sure at least one dimension of the Reception Desk Module is greater than those of the desk to enable installation



- Overhang of return worksurface depths and bracket clearance gaps are added to the nominal width
- This product also offers off-modularity capabilities. Refer to page 432 for details

U-shaped reception desk module basics (continued)



- Cannot be used with Straight or L-Shaped Reception Desk Module
- It must be specified the same width than the Reception Desk Module Main Inset Panel
- Worksurfaces and half gable (if applicable) are available in the same
- Worksurfaces and nair gable (if applicable) are available in the same style/thicknesses (M or X) as Main Worksurface with Two Gables
- The number of worksurfaces can vary and a half gable can be added depending on the width specified. Refer to page 431 for more details
- Worksurface can be specified with grommets. Two position styles are available:
- Both Ends (B)
- Centered (C) (this option cannot be specified when 78" or 84" worksurface width is specified)
- \bullet Height is 29" from floor to top of finished worksurface
- All 28" high Freestanding Storage and the Multi-Functional Drawer can be specified separately and installed under the worksurface
- Cannot support any storage or Wall Panel


reception desk module configurations

The number of pieces can varied depending on the width specified.




- The nominal dimension is given according to the usable space inside gables and inset panels. Use specification software to determine actual footprint of reception station
- Number of pieces are shown on drawings below

reception desk module - straight



reception desk module - L- shaped



Main width comes with:

- 1 worksurface
- 1 inset panel

Main width comes with:

- 1 worksurface
- 2 inset panels

Main width comes with:


• 2 inset panels

- · 2 worksurfaces
- 2 inset panels

Return width comes with:

- 1 worksurface
- 1 inset panel

reception desk module - U - shaped



- 1 worksurface

- 1 Inset Panel

Each return width comes with:

- 1 worksurface
- 1 inset panel
- - expansion casegoods price & application guide January 22, 2024

• 2 inset panels


main worksurface & return for reception desk configurations

The number of pieces can varied depending on the width specified.

•

Number of pieces are shown on drawings below

main worksurfaces - reception desk



cross grain return - reception desk

Comes in one piece and with one full gable




planning with reception desks

The following should be considered when planning with Expansion Casegoods Reception Desks.




Not all Main Worksurfaces or Returns that can be used on-module. Refer to the basics pages in this section, for more details

reception desk module - straight




reception desk module - L-shaped





On-Module Application

- The main width determines the side where Main Worksurface will be installed
- A Main Worksurface cannot be installed as Return and vice and versa




- In a L-shaped configuration, the Main Worksurface can be used alone. The Return is not necessary, but the side unsupported must always be attached to the junction of two inset panels
- Contrary to the Main Worksurface, the Return cannot be used alone and cannot be specified on the main width of the Reception Desk Module






Off-Module Application


- Main Worksurface with One Gable and the Return can be installed on- or off-module, as long as it is attached to the junction of two inset panels
- Main Worksurface must cover at least 66 % of the MAIN width of the L-Shaped Reception Desk Module



Alone




- A L-Shaped Reception Desk Module wider than 96" is available and comes in two pieces allowing to extend the surface of reception while keeping a clean and perfectly linear look
- A Straight Module and a L-Shaped Module cannot be specified and installed side by side




planning with reception desks (continued)


reception desk module - U-shaped




- The main width determines the side where Main Worksurface will be installed
- A Main Worksurface cannot be installed instead of a Return and vice and versa




- In an U-shaped configuration, the Main Worksurface can be used alone and must be specified the same width than the reception module. A Return is not mandatory
- Contrary to the Main Worksurface, the Return cannot be used alone and cannot be attached directly to the junctions of inset panels







- The Main Worksurface must be installed on-module
- The Return(s) can be installed on- or off-module




It is also possible to create a L-shaped worksurface configuration inside a U-Shaped Reception Desk Module



Cannot be used alone. It must always be connected to a Main Worksurface or standard desks for stability



- A U-Shaped Reception Desk Module wider than 96" is also available and comes in two pieces allowing to extend the surface of reception while keeping a clean and perfectly linear look
- Two L-Shaped Modules cannot be specified side by side




reception desk element basics

The Reception Desk Elements are mounted on the inset panel above reception worksurfaces.

•

The Reception Desk Elements can be installed on- or off-module



- Tackboard (BCAT)

 This tackable surface
- This tackable surface accommodate the visual display paper-based information
- It must be installed directly on the inset panel
- Available in Teknion's Standard Panel Fabric


Reception Desk Element Applications

$Element\ Size-Main\ Width\ Module$

The sum of element widths should **not** exceed the Reception Desk Module width

Element Size – Return Width Module

Element is the same width that the return width minus 1"




reception desk finishes

Reception Desks and related parts are available in a wide variety of finish colors. Finish codes must be included in the order.




- All Laminate components are protected with a solid plastic edge
- For an overview of which products are offered in Flintwood finishes, refer to the Expansion Casegoods product map on Teknion's website



Worksurfaces and Gables for Reception Desks

Worksurface Thickness	Worksurface Finish	Edge Trim Finish	Gable Thickness	Gable Finish
M 1 3/16"	Foundation Lam.	All	1"	Source Lam.
	Flintwood (No Cathedral)	N/A	1"	Flintwood (No Cathedral)
X 1 9/16"	Foundation Lam. (Storm White, Very White, Crisp Grey, Soft Gris, W. Prints)	Storm White, Very White, Crisp Grey, Soft Gris or W. Prints	1 1/2"	Source Lam. (Storm White, Very White, Crisp Grey, Soft Gris or W. Prints)
	Flintwood (No Cathedral)	N/A	1 1/2"	Flintwood (No Cathedral)

reception desk finishes (continued)



Finishes

M8 Royal Cherry R8 Urban Walnut Choice Maple NB Ivory Birch NC Provincial Oak Estate Cherry ND Coastal Elm VD Campus Oak Q4 Espresso Reflect VL Flax Reflect Q6 Stainless VV Pecan Reflect W8 Cocoa Brown Reflect Q7 Walnut Cathedralgrain Mercurial Walnut W9 Sycamore Reflect Java Walnut

• See below for corner extrusion color match suggestion

Flintw	ood Inset Panel Finish	Close	est Match for Corner Extr	usion Finish		
Code	Color	Code	Color	Finish Style		
FX	Flax	VL	Flax Reflect	Coordinate		
FN	Natural Pecan	VV	Pecan Reflect	Coordinate		
FM	Medium Sycamore	V1	Estate Cherry	Coordinate		
FC	Chianti	V1	Estate Cherry	Coordinate		
FD	Dark Walnut	R7	Java Walnut	Coordinate		
NR	Sierra Flint	Q7*	Walnut Cathedralgrain	Coordinate		
NT	Cocoa Brown Flint	W8	Cocoa Brown Reflect	Coordinate		
VA	Sycamore	W9	Sycamore Reflect	Coordinate		
VB	Black Walnut	X*	Anthracite	Mica		
VZ	Blonde Maple	R9	Choice Maple	Coordinate		
5N	White Oak	VD	Campus Oak	Coordinate		
5P	Poppy Seed	R8	Urban Walnut	Coordinate		
5Q	Harvest Cherry	V1	Estate Cherry	Coordinate		
5R	Earl Grey	S	Sepia Bronze	Mica		
5S	Silverwash	4	Earth	Foundation		
5T	White Truffle	ND	Coastal Elm	Coordinate		
5V	Caraway	4	Earth	Foundation		
5W	Drift Oak	3	Sand	Foundation		
5Z	American Walnut	Q7	Walnut Cathedralgrain	Coordinate		

 $^{^{}st}$ This match suggestion is **not** close enough to be considered as tone on tone


reception desk - grain direction/user edge


Grain direction is an important factor when planning adjacent worksurfaces. The direction of grain patterns varies depending on the type of worksurface specified.

•


Worksurface user edge is indicated with a shaded line








worksurface module, gable and inset panel grain direction





meeting tables

meeting tables

MEETING TABLE OVERVIEW446
HEIGHT-ADJUSTABLE CONFERENCE TABLE BASICS448
HEIGHT-ADJUSTABLE MEETING TABLE BASICS450
CONFERENCE TABLE BASICS
SOLID MEETING TABLE BASICS
WRITABLE GLASS MEETING TABLE BASICS
TABLE COMPANION MARKER KIT BASICS
COFFEE TABLE BASICS456
MEETING TABLE EDGE TRIM STYLES OVERVIEW458
MEETING TABLE USER EDGES
POWER & DATA BASICS
TABLE BASE DIMENSIONS
MEETING TABLE CONFIGURATIONS & SUPPORTS465

meeting tables (continued)

MEETING TABLE - ACCESSORIES
MEETING TABLE FINISHES471
UNDERSTANDING FIXED & HEIGHT-ADJUSTABLE MEETING PENINSULAS
UNDERSTANDING HEIGHT-ADJUSTABLE MEETING PENINSULAS WITH WORKWALL STORAGE474
HEIGHT-ADJUSTABLE MEETING PENINSULA COMPONENTS475
HEIGHT-ADJUSTMENT RANGE – HEIGHT-ADJUSTABLE MEETING PENINSULAS
POWER & DATA MANAGEMENT – HEIGHT-ADJUSTABLE MEETING PENINSULAS
HEIGHT-ADJUSTABLE MEETING PENINSULA BASICS 481
PLANNNIG WITH HEIGHT-ADJUSTABLE MEETING PENINSULAS . 483
UNDERSTANDING FIXED MEETING PENINSULAS486
FIXED MEETING PENINSULA COMPONENTS

meeting tables (continued)

POWER & DATA MANAGEMENT - FIXED MEETING PENINSULAS. 489
FIXED MEETING PENINSULA BASICS
PLANNING WITH FIXED MEETING PENINSULAS
EDGE TRIM STYLES OVERVIEW - HEIGHT-ADJUSTABLE & FIXED MEETING PENINSULAS
PLANNING WITH POWER MODULE CUT-OUTS - HEIGHT-ADJUSTABLE & FIXED MEETING PENINSULAS
GABLE FOR MEETING PENINSULA COMPONENTS
GABLE FOR MEETING PENINSULA BASICS
UNDERSTANDING MEDIA WALL
MEDIA WALL COMPONENTS500
MEDIA WALL & METAL SHELF FOR MEDIA WALL BASICS 501
PLANNING WITH WORKING DATUM HEIGHTS - MEDIA WALL. 502
PLANNING WITH TV MONITOR MOUNT - MEDIA WALL 503

meeting tables (continued)

PLANNING WITH METAL SHELF - MEDIA WALL504
POWER & DATA MANAGEMENT - MEDIA WALL50
PLANNING WITH MEDIA WALL500
MEDIA WALL & GABLE FOR MEETING PENINSULA – GRAIN/PATTERN DIRECTION
TV STAND & METAL SHELF FOR TV STAND BASICS508
PLANNING WITH TV MONITOR MOUNT - TV STAND 509
POWER & DATA MANAGEMENT – TV STAND & METAL SHELF FOR TV STAND
HEIGHT-ADJUSTABLE OR FIXED MEETING PENINSULAS & MEDIA

meeting table overview



- Provide a meeting area in a variety of shapes, power modules cut-outs and bases
- Expansion Casegoods offers an extensive selection meeting solutions: Fixed-Height or Height-Adjustable Meeting Tables, Fixed-Height or Height-Adjustable Conference Tables, Fixed-Height Meeting Peninsulas for Media Wall and Height-Adjustable Meeting Peninsula. Complementary Coffee Tables are also available
- Large tables with multiple power modules may require dedicated electrical circuit and/or floor outlets for each power module. Refer to local electrical code for guidance
- · All dimensions in this section are nominal


height-adjustable conference table

- Height-Adjustable Conference Table is highly versatile. It provides various working positions in large boardroom configuration
- Multiple pieces depending width specified
- Multiple height-adjustable panel bases are included
- Only available in Solid top




height-adjustable meeting table

- Height-Adjustable Meeting Table maximize use of space and unify structure and appearance. Ideal for small collaborative meeting rooms
- Come in a one-piece worksurface
- Two Height-Adjustable Bevel Bases are included
- Only available in Solid top



fixed-height conference tables


- Conference Tables are highly versatile. They adapt to the space and ideal for spacious boardroom
- Multiple pieces depending width specified
- Multiple base options: Panel Bases, Square Bases, Worshop Legs or Blade Legs



meeting table overview (continued)


fixed-height meeting tables

- A selection of meeting tables complements the Expansion Casegoods offering. Ideal for small informal meeting rooms
- · All sizes come in a one-piece worksurface
- Multiple base options: Panel Bases, Blade Legs, Workshop Legs, Square Post Legs, T-Legs, Square Base or Four-Point Base
- Are available in Solid or Back-Painted top



coffee tables

- Complementary tables
- Rectangular or square shape come in a one-piece worksurface
- Two base options are available: Angular Legs or Square Post Legs
- Are available in Solid or Glass top



height-adjustable meeting peninsula

- A selection of Height-Adjustable Meeting Peninsula is ideal for small or medium meeting rooms
- Can be combined with Workwall Storage for Height-Adjustability:
- Workwall Kneespace Module
- Workwall Bookcase
- Workwall Credenza
- · Rectangular, D-Shape, Tapered or Diamond shape comes in a onepiece solid worksurface
- · Come with a Bevel Post Leg
- A TV Stand can also be installed and specified separately

fixed-height peninsula

- A selection of fixed-height peninsulas anchored on Media Wall (not included) is ideal for small or medium informal meeting rooms
- Can be combined with a:
- Workwall Kneespace Module
- Workwall Bookcase
- Gable for Fixed Meeting Table (Shown)
- Two Working Datum Heights are available: 29" or 42" (if applicable)
- · Rectangular, D-Shape, Tapered or Diamond shape comes in a onepiece solid worksurface
- Three base options are available: Blade Legs, Bevel Post Leg or Monopod Base (if applicable)
- A Media Wall with Monitor Mounting Hardware can be specified separately



height-adjustable conference table basics

Height-Adjustable Conference Tables outfit meeting spaces. They are available in a range of sizes to accommodate diverse numbers of participants.



- For the number of pieces, power module cut-outs and supports included for each table, refer to Meeting Table Configurations & Supports Chart in this section
- Power Modules are not included and must be specified separately

Height-Adjustable Conference Tables

- · Two thicknesses available:
- M: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16"
- V: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16" with Knife Edge Trim
- X: high pressure laminate (HPL) with a 1 1/2" thick baseboard for a total surface thickness of 1 9/16"
- Two Corner Details can be specified with rectangular worksurfaces:
- Straight (S)
- Radius (R)*
- * When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is not available
- Comes with two switches to control height-adjustable worksurface. Three styles are available:
- Display with Up/Down Memory (D)
- Toggle Up/Down (F, G, or H)
- Display Toggle with Memory (M, N or O)

• Only one shape is available:



Rectangular Worksurfaces



- Are available with Standard Range 28" to 43" (S) from floor to top of finished worksurface
- Include levelers with a 1" adjustment range



Power Modules Cut-Outs

Worksurfaces are available with or without cut outs for Power Modules illustrated below:



Quad (PQ)






Standard 18" (LS)

Power Pill (BLEPP)


Linear Power Module (BLELP)

height-adjustable conference table basics (continued)

Standard Range Application (S)



anatomy



- Worksurface
- Reinforcing Bar
- Height-Adjustable Panel Base is composed of two solid panels with metal end supports. A metal skin covers mechanism for a cleaner aesthetic
- Height-Adjustable Mechanism is included with Height-Adjustable Worksurfaces
- Power Tray and Switch Wire Clamps Manage wires below the worksurface
- **Electric Control Box**
 - · One Electric Control Box when a table comes with two bases or two Electric Control Box when a table comes with three bases
 - · Is concealed in the center Power Tray
 - · Plugs directly on the building wall outlet
- Two Switches can be placed on-site left or right
- Levelers are included with bases and heightadjustable mechanism and have an adjustment range of 1"

Weight Capacity

Solid Top with Mechanisms: 200 lbs *

* Note: Load must not exceed 100 lbs on a single motor. All additions on Height-Adjustable Worksurfaces must be considered (ie: Computer, Keyboard Support, Display, Monitor Arm, Privacy Screen, Modesty Panel, Casual Drawer and other accessories...)

Energy Consumption

- Maximum Power draw is 450 Watts (2-Bases Tables)
- Maximum Power draw is 900 Watts (3-Bases Tables)
- 0.1 Watt resting Power draw

height-adjustable meeting table basics

Height-Adjustable Meeting Tables outfit meeting spaces. They are available in a range of sizes to accommodate diverse numbers of participants.



- For the number power module cut-outs included for table, refer to Meeting Table Configurations & Supports Chart in this
- Power Modules are not included and must be specified separately

Height-Adjustable Meeting Tables


- Two thicknesses available:
- M: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16"
- V: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16" with Knife Edge Trim
- X: high pressure laminate (HPL) with a 1 1/2" thick baseboard for a total surface thickness of 1 9/16"
- · Come in a one-piece worksurface
- Two Corner Details can be specified
- Straight (S)
- Radius (R)*
- * When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is not available
- Comes with a switch to control height-adjustable worksurface. Three styles are available:
- Display with Up/Down Memory (D)
- Toggle Up/Down (F, G, or H)
- Display Toggle with Memory (M, N or O)

for more switch details, refer to page 476

• Only one shape is available:



Rectangular Worksurfaces



Support

Are available with Standard Range - 28" to 43" (S) from floor to top of finished worksurface



Height-Adjustable Bevel Base

Power Modules Cut-Outs

Worksurfaces are available with or without cut outs for Power Modules illustred below:



Quad (PQ)






Compact 8" (LC) Standard 18" (LS)

Power Pill (BLEPP)


Linear Power Module (BLELP)

height-adjustable meeting table basics (continued)

Standard Range Application (S)



anatomy



- Worksurface
- Reinforcing Bar
- Height-Adjustable Bevel Base are included with Height-Adjustable Meeting Table. The leg is composed of two metal skins that hide Height-Adjustable Mechanism
- Height-Adjustable Mechanism is included with Height-Adjustable Worksurfaces
- Power Tray and Wire Management Kit Manage wires below the worksurface
- **Electric Control Box**
 - Is concealed in the center Power Tray
 - · Plugs directly on the building wall outlet
- Two Switches can be placed on-site left or right
- Levelers are included with bases and heightadjustable mechanism and have an adjustment range of 3"

Weight Capacity

Solid Top with Mechanisms: 200 lbs *

* Note: Load must not exceed 100 lbs on a single motor. All additions on Height-Adjustable Worksurfaces must be considered (ie: Computer, Keyboard Support, Display, Monitor Arm, Privacy Screen, Modesty Panel, Casual Drawer and other accessories...)

Energy Comsumption

- Maximum Power draw is 300 Watts
- 0.1 Watt resting Power draw

conference table basics

Conference Tables outfit meeting spaces. They are available in a range of sizes to accommodate diverse numbers of participants.





- For the number of pieces, power module cut-outs and supports included for each table, refer to Meeting Table Configurations & Supports Chart in this section
- Power Modules are not included must be specified separately

Conference Tables

- Two thicknesses available:
- M: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16"
- V: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16" with Knife Edge Trim (Rectangular Shape only)
- X: high pressure laminate (HPL) with a 1 1/2" thick baseboard for a total surface thickness of 1 9/16'
- Two Corner Details can be specified with rectangular worksurfaces:
- Straight (S)
- Radius (R)*


When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is not available








Video Conference Worksurface



- Include levelers with a 1" adjustment range
- 29" from floor to top of finished worksurface
- Five support styles are available:



Power Modules Cut-Outs

Worksurfaces are available with or without cut outs for Power Modules illustred below:







Standard 18" (LS) Extended 28" (LX)

Power Pill (BLEPP)

Linear Power Module (BLELP)

solid meeting table basics

Meeting Tables outfit meeting spaces. They are available in a range of sizes to accommodate diverse numbers of participants.



- For number of power module cut-outs and supports included for each table, refer to Meeting Table Configurations & Supports Chart in this section
- Power Modules on solid worksurfaces are not included and can be specified separately

Solid Meeting Tables

- Four thicknesses available:
- D: 1" thick low pressure laminate (LPL). Can only be specified with following meeting tables: BC_MRLB, BC_MRTB, BC_TRTB, BC_MWA, BC_MBTB, BC_MOK, BC_MOLB, BC_MOSB, BC_ROF, BC_MSK, BC_MSLB, BC_MSSB or BC_MSF)
- M: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16"
- V: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16" with Knife Edge Trim (Rectangular and Square Worksurfaces
- X: high pressure laminate (HPL) with a 1 1/2" thick baseboard for a total surface thickness of 1 9/16"
- · Come in a one-piece worksurface
- Two Corner Details can be specified with rectangular or square solid worksurfaces:
- Straight (S)
- Radius (R)*
- * When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is not available
- The Diamond Meeting Table shape is optimized for small to medium size video conference room (3 or 5 people). Refer to page 501 for more details

• Five solid shapes are available:












Rectangular Worksurface

Boat Worksurface

Diamond Worksurface


Round Worksurface

Square Worksurface



Supports

- Include levelers with a 1" adjustment range
- · The Square Post Legs features an aluminum top frame to support the glass top
- 29" from floor to top of finished worksurface
- · Eight support styles are available:



outs for Power Modules illustrated below:









Dual (PD) Quad (PQ) Power Pill (BLEPP)

If applicable,

Linear Power Module (BLELP)

Blade Star Base

- Two base styles are available:
- With Wire Management (P)
- No Wire Management (N)
- When a Power Module Cut-Out (PD, PQ or LC) is specified, the Blade Star Base comes With Wire Management (P). When No Power Module Cut-Out (NN), the base comes with No Wire Management (N)





No Wire With Wire Management (N) Management (P)

writable glass meeting table basics

Writable Glass Meeting Tables outfit meeting spaces. They are available in a range of sizes to accommodate diverse numbers of participants.



- For number of power module cut-outs and supports included for each table, refer to Meeting Table Configurations & Supports Chart in this section
- Power Modules are not included and can be specified separately. Worksurface cut-out must be specified and cannot be
- Writable Glass Worksurface do not accept product with clamp-on fixation

Writable Glass Meeting Tables

- · Consist a back-painted writable glass mounted on a 1" thick low pressure laminate (LPL) and finished with Metal Tapered Edge shape
- Available with a 5/32" (4 mm) thick tempered glass
- Come in a one-piece worksurface
- The Metal Tapered Edge shape give a unic look to the writable glass worksurface and invite to the collaboration
- · Only available with Radius Corner Details




- A Table Companion Marker Kit is included with writable glass worksurfaces. For details on this accessory, refer to the following page
- Not all optical computer mouse are compatible on glass worksurface, Desk Pad (YPDP) is recommended (see Complements products)

• Two shapes are available:



Rectangular Worksurface



Supports

- Include levelers with a 1" adjustment range
- The Square Post Legs features an aluminum top frame to support the glass top
- 29" from floor to top of finished worksurface
- · Two support styles are available for rectangular shape:





Dual (PD) Quad (PQ)



Power Pill (BLEPP)



Compact 8" (LC) Standard 18" (LS) Linear Power Module (BLELP)

Blade Star Base

- Two base styles are available with Square shape:
- With Wire Management (P)
- No Wire Management (N)
- When a Power Module Cut-Out (PD, PQ or LC) is specified, the Blade Star Base comes With Wire Management (P). When No Power Module Cut-Out (NN), the base comes with No Wire Management (N)





No Wire Management (N) Management (P)

table companion marker kit basics

writable glass worksurface profile





table companion marker kit



coffee table basics



Power Modules cannot be specified on these products

Coffee Tables

- Four thicknesses available:
- D: 1" thick low pressure laminate (LPL)
- M: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16"
- X: high pressure laminate (HPL) with a 1 1/2" thick baseboard for a total surface thickness of 1 9/16"
- Come in a one-piece worksurface


• Two solid shapes are available:







Square Worksurface





Supports

- Include levelers with a 1" adjustment range
- The Square Post Legs are linking with aluminum top frame to support the glass top
- 15" or 18" height options from floor to top of finished worksurface
- Only Angular Leg is available



meeting table edge trim style overview

The chart below indicates which edge trim styles can be specified with all meeting surface finishes.

 $lack {f \Phi}$ The Flintwood Flat Trim (9) always match surface color finish

conference tables edge trim chart (for tables with non-user edge)

		lo i i i	l a ıı	4 1: 11 : 1
edge on product	description	foundation laminate worksurface finish	flintwood worksurface finish	Applicable with Meeting Tables
	Straight Corner Style 3 mm thick on all edges and 1,5 mm thick non-user edges	Yes	n/a	BC_CHP BC_CRP BC_CRK BC_CRLB BC_CRTB BC_CWA
Straight Trim (6) (Only available with 1" (D) or 1 3/16" (M) Thickness)	Radius Corner Style 2,5 mm thick on depth radius edge 3 mm thick on width straight edges 1,5 mm thick non-user edges 3 mm thick Straight Trim (Only available with 1 9/16 " (X) Thicknes	and	n/a	BC_CHP BC_CRP BC_CRK BC_CRLB BC_CRTB BC_CWA
	Curved Worksurface with Straight Corners 2,5 mm thick on width curved edge 3 mm on depth straight edges and 1,5 mm thick non-user edges 3 mm thick Straight Trim (Only available with 1 9/16 " (X) Thicknes		n/a	BC_CBP BC_CBK BC_CVP
	Straight Corner Style 2,8 mm thick on width edges 1,4 mm thick on depth edge and 0.5 mm non-user edges	s	Yes	All Conference Tables
Flintwood Flat Trim (9)	Radius Corner Style 1,5 mm thick on all edges	n/a	Yes	BC_CHP BC_CRP BC_CRK BC_CRLB BC_CRTB BC_CWA
Full Knife Trim (F) (Only available with 1 3/16" Knife Edge (V) Thickness only)	Straight Corner Style only 1,5 mm thick on all edges	Yes (foundation laminate only)	n/a	BC_CHP BC_CRP BC_CRK BC_CRLB BC_CRTB BC_CWA

meeting table edge trim style overview (continued)

meeting tables edge trim chart (for tables without non-user edge)

edge on product	description	foundation laminate worksurface finish	flintwood worksurface finish	writable glass worksurface finish	Applicable with Meeting Tables
	Straight Corner Style 3 mm thick on all edges	Yes	n/a	n/a	BC_MHRB BC_MSSB BC_MRP BC_MSF BC_MRLB BC_CT BC_MWA BC_MRTB BC_TRTB BC_TRTB BC_MSK BC_MSLB
Straight Trim (6) (Only available with 1" (D) or 1 3/16" (M)	Radius Corner Style 2,5 mm thick on all edges 3 mm thick Straight Trim (Only available with 1 9/16 " (X) Thickness)	Yes	n/a	n/a	BC_MHRB BC_MSK BC_MRP BC_MSLB BC_MRLB BC_MSSB BC_MWA BC_MRTB BC_TRTB BC_TRTB BC_MOLB BC_MOLB BC_MOSB BC_ROF
Thickness)	Curved Worksurface with Straight Corners 2,5 mm thick on width curved edges and 3 mm depth straight edges 3 mm thick Straight Trim (Only available with 1 9/16 " (X) Thickness)	Yes	n/a	n/a	BC_MBP BC_MBTB
	Straight Corner Style 2,8 mm thick on width edges and 1,4 mm thick on depth edges	n/a	Yes	n/a	All Meeting Tables
Flintwood Flat Trim (9)	Radius Corner Style 1,5 mm thick on all edges	n/a	Yes	n/a	BC_MHRB BC_MOLB BC_MRP BC_MSB BC_MRLB BC_MSK BC_TRTB BC_MSK BC_TRTB BC_MSLB BC_MWA BC_MSS BC_MOK BC_MSF
Metal Tapered Edge	Radius Corner Style only	n/a	n/a	Yes	BCGRLB BCGRTB BCGSSB
Full Knife Trim (F) (Only available with 1 3/16" Knife Edge (V) Thickness only)	Straight Corner Style only 1,5 mm thick on all edges	Yes (foundation laminate only)	n/a	n/a	BC_MHRB BC_MWA BC_MRP BC_MSK BC_MRLB BC_MSLB BC_MRTB BC_MSSB BC_TRTB BC_MSF

meeting table user edges

Illustrations below show user edge for Solid Meeting Tables.




For grain direction details, refer to Meeting Table Configurations & Supports Chart in this section


straight trim (6) or flintwood (9) applications

Shading indicates all Straight Trim (6) or Flintwood Flat Trim (9)

conference tables



meeting tables




= Straight Trim or Flintwood Flat Trim
= Straight Trim or Flintwood Flat Trim

meeting table user edges (continued)


full knife trim (V) application

Shading indicates Full Knife Edge (F) and Flat Trim (8) is use on other edges

conference tables





meeting tables



power & data basics

The illustration below shows how Power/Data is incoporporate into Expansion Casegoods Meeting Tables.





power & data basics (continued)




table base dimensions



- Refer to the following pages to find the cross-referenced dimensions
 - All dimensions are actual

base			dimensi	ions		
Panel Base	'X'	24"	30"	36"		
'Z'	'Y'	21 3/4"	27 3/4"	33 3/4"		
'Y' ———	'Z'	2 1/2"	2 1/2"	2 1/2"		
Cubic Base	'X'	20"	21 1/2"	23"	24"	26"
Y	'Y'	18 1/2"	20"	21 1/2"	22 1/2"	24 1/2"
Bevel Base 'X' 'Z' 'Y'	'X'	26"				
	'Y'	2 13/16"				
	'Z'	1 9/16"				
Height-Adjustable Panel Base	'X'	24"	30"	•		
'Z'	'Y'	22 1/4"	28 1/4"			
'Y'	'Z'	3"	3"			
Workshop Leg	'X'	26"	30"			
	'Z'	1 3/4"	1 3/4"			
Blade T-Leg	'X'	29 3/4"		-		
	'Y'	3"				
d' 'Z'	'Z'	1 1/4"				

meeting table configurations & supports



- Drawings on the left show the number of pieces and the grain direction for each table
- The Power Modules are **not** included with tables and must be specified separately

		Height- Adjustable Bevel Base	stable Adjustable		Panel Base			Square Base				Cut-Out for Linear for Power Power Module Pill OR OR OR				
			₩								\$					
		26"	24"	30"	Total		Depth 30"	Total	20"	22"	23"	Total	4 Outlets	3 Outlets (Compact 8")	6 Outlets (Standard 18")	12 Outlets (Extended 28")
Rectangular M (BC_MHRB o	eeting Worksurfaces r BC_MRP)													Number o	of Cut-Out	
	72" W	2	_	_	-	2	_	2	_	_	_	_	1	1	1	_
	78" W	2	-	_	-	2	_	2	_	_	-	-	1	1	1	-
←→	84" W	2	-	_	-	2	_	2	_	_	-	_	1	1	1	-
	90" W	2	-	-	-	2	_	2	_	_	_	_	1	1	1	-
	96" W	2	-	_	-	2	_	2	_	_	-	_	1	1	1	-
U	onference Worksurfaces C_CRP or BC_CRK)															
(* == = = = ,)	108" W x 42" D	_	2	_	2	2	_	2	_	_	_	_	2	_	2	1
	120" W x 42" D	_	2	_	2	2	_	2	_	_	_	_	2	_	2	1
	120" W x 48" D	_	2	_	2	2	_	2	2	_	_	2	2	_	2	1
	120" W x 54" D	_	_	2	2	 	2	2	_	2	_	2	2	_	2	1
	120" W x 60" D	_	_	2	2	 	_	_	_	_	_	_	2	_	2	1
	132" W x 42" D	_	2	-	2	2	_	2	_	_	-	_	2	_	2	1
	132" W x 48" D	_	2	-	2	2	_	2	2	_	-	2	2	_	2	1
	132" W x 54" D	_	_	2	2	 	2	2	_	2	-	2	2	_	2	1
	132" W x 60" D	_	_	2	2	 	_	_	_	_	_	_	2	_	2	1
 ←→ ←	→ 144" W x 42" D	_	2	-	2	2	_	2	_	_	-	_	2	_	2	1
	144" W x 48" D	_	2	-	2	2	_	2	2	_	-	2	2	_	2	1
	144" W x 54" D	_	_	2	2	 	2	2	_	2	_	2	2	_	2	1
	144" W x 60" D	_	_	2	2	 	2	2	_	_	2	2	2	_	2	1
	156" W x 42" D	_	3	_	3	3	_	3	_	_	_	_	2	_	2	1**
	156" W x 48" D	_	3	_	3	3	_	3	2	_	_	2	2	_	2	1**
	156" W x 54" D*	_	_	3	3	 	3	3	_	2	_	2	2	_	2	1**
	156" W x 60" D*	_	_	3	3	 	3	3	_	_	2	2	2	_	2	1**
	168" W x 42" D	_	3	_	3	3	_	3	_	_	_	_	2	_	2	1**
	168" W x 48" D	_	3	_	3	3	_	3	2	_	_	2	2	_	2	1**
	168" W x 54" D*	_	_	3	3	<u> </u>	3	3	_	2	 	2	2	_	2	1**
	168" W x 60" D*	_	_	3	3	l -	3	3	_	 	2	2	2	_	2	1**
_	180" W x 54" D	_	_	-	_	 	3	3	_	3	-	3	3	_	3	1
	180" W x 60" D	_	_	-	_	l -	3	3	_	-	3	3	3	_	3	1
	192" W x 54" D	_	_	-	_	l -	3	3	_	3	-	3	3	_	3	1
 ← → ← →	→ 192" W x 60" D	_	_	-	_	l -	3	3	_	-	3	3	3	_	3	1
	204" W x 60" D	_	_	-	_	l -	3	3	_	_	3	3	3	_	3	1
	216" W x 60" D	_	_	<u> </u>	_	 	3	3	_	_	3	3	3	_	3	1

^{*} These configurations come with 3 pieces on Height-Adjustable Conference Table (BC_CHP) thickness 1 9/16" (X) only

^{**} The Linear Power Module - Extended 28" (LX) is not available with this configuration (BC_CHP)

meeting table configurations & supports (continued)

Recrangelar Meeting Wichterflows Recrangelar Me			Blade T-Leg	Workshop Legs			Blade Leg	Cut-Out for Power Pill	Cut-Out for Linear Power Module			
Recangular Meeting Workstarfices RC_MWA, RC_MRTB or RC_TRTB) Recangular Meeting Workstarfices RC_MWA, RC_MRTB, RC_MRTB or RC_TRTB) RC_MRTB or RC_TRTB									or c	OR O	R	
(BC_MWA, BC_MRIB, BC_MRIB or BC_TRIB) 60° W								4 Outlets	(Compact	(Standard	(Extended	
Fig. 1			TDTR)						NY 1			
Fig. 2	(BC_WWA, BC_WK			_	_	_	_	1			_	
72" W 2 2 2pr 2pr. 4 1 1 1" 1" 1" - 90" W 2 2 2pr 2pr. 4 1 1 1" 1" 1" - 90" W 2 2 2pr 2pr. 4 1 1 1" 1" 1" - 90" W 2 2pr 2pr. 4 1 1 1" 1" 1" - 90" W 2 2pr 2pr. 4 1 1 1" 1" 1" - 90" W 2 2pr 2pr. 4 1 1 1" 1" 1" - 90" W 2 2pr 2pr. 4 1 1 1" 1" 1" - 90" W 2 2pr 2pr. 4 1 1 1" 1" 1" - 90" W 2 2pr 2pr. 4 1 1 1" 1" 1" - 90" W 2pr 2pr. 4 1 1 1" 1" 1" - 90" W 2pr 2pr. 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1											_	
78" W 2 2 2 pr 2 pr. 4 1 1 1 1 1 1 1 - 90" Mat W 2 2 2 pr 2 pr. 4 1 1 1 1 1 1 1 1 - 90" Mat W 2 2 2 pr 2 pr. 4 1 1 1 1 1 1 1 1 1 - 90" Mat Witable Glass Rectangular Meeting Worksurfaces (BCCRIB or BCCRIB) 72" W 2 4 1 1 1 1 1 1 - 90" Mat W 2 2 4 1 1 1 1 1 1 1 - 90" Mat W 2 2 1 1 100" Wat 8" D - 2 pr. 9 F. 6 2 2 - 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	←→			2 pr.	_	2 pr.	4				_	
84" W 2 2 2 pr 2 pr. 4 1 1 1* 1* 1* - 90" W 2 2 2 pr 2 pr. 4 1 1 1* 1* 1* 1* - 90" W 2 2 2 pr 2 pr. 4 1 1 1* 1* 1* 1* - 90" W 2 2 2 pr 2 pr. 4 1 1 1* 1* 1* 1* - 90" W 1 2 2 pr 2 pr. 4 1 1 1* 1* 1* 1* - 90" W 1 2 1 - 2 pr. 4 1 1 1* 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		78" W	2		_		4	1	1*	1*	_	
90" W 2 2 2 pr 2 pr. 4 1 1 1 1 1 1 1 - 9 96 W 2 2 2 pr 2 pr. 4 1 1 1 1 1 1 1 1 - 9 96 W 2 2 2 pr 2 pr. 4 1 1 1 1 1 1 1 1 - 9 96 W 2 2 - 2 pr 2 pr. 4 1 1 1 1 1 1 1 1 - 9 96 W 2 2 4 1 1 1 1 1 1 1 - 9 96 W 2 2 4 1 1 1 1 1 1 1 - 9 96 W 2 2 4 1 1 1 1 1 1 1 - 9 96 W 2 2 4 1 1 1 1 1 1 1 - 9 96 W 2 2 4 1 1 1 1 1 1 1 - 9 96 W 2 2 4 1 1 1 1 1 1 1 - 9 96 W 2 2 4 1 1 1 1 1 1 1 - 9 96 W 2 2 4 1 1 1 1 1 1 1 - 9 96 W 2 2 4 1 1 1 1 1 1 1 - 9 96 W 2 2 4 1 1 1 1 1 1 1 - 9 96 W 2 2 4 1 1 1 1 1 1 1 - 9 96 W 2 2 4 1 1 1 1 1 1 1 - 9 96 W 2 2 4 1 1 1 1 1 1 1 - 9 96 W 2 2 4 1 1 1 1 1 1 1 - 9 96 W 2 2 W 3 2 W 3 2 Pr 2 Pr 4 1 1 1 1 1 1 1 1 - 9 96 W 3 W 3 2 Pr 2 Pr 2 Pr 6 6 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1		84" W	2	_	_		4	1	1*	1*	_	
Writable Glass Rectangular Meeting Worksurfaces (BCGRIB or BCGRTB) 72° W		90" W	2		_	2 pr.	4	1	1*	1*	_	
REGRIB or BCGRTB		96" W	2		_		4	1	1*	1*	-	
T8" W 2			ırfaces									
84" W 2		72" W	2	_	_	-	4	1	1	1	-	
90" W 2		78" W	2	1	_	-	4	1	1	1	_	
Rectangular Conference Worksurfaces (BC_CRIB, BC_CRTB or BC_CWA) 108" W 3 2 pr 2 pr. 6 2 - 2 11** 120" W x 42" D 3 2 pr 2 pr. 6 2 - 2 11** 120" W x 48" D - 2 pr 2 pr. 6 2 - 2 11** 132" W x 42" D 3 2 pr 2 pr. 6 2 - 2 11** 132" W x 42" D 3 2 pr 2 pr. 6 2 - 2 11** 132" W x 48" D - 2 pr 2 pr. 6 2 - 2 11** 132" W x 48" D - 2 pr 2 pr. 6 2 - 2 11** 132" W x 48" D - 2 pr 2 pr. 6 2 - 2 11** 132" W x 48" D - 2 pr 2 pr. 6 2 - 2 11** 132" W x 48" D - 2 pr 2 pr. 6 2 - 2 11** 144" W x 48" D - 2 pr 2 pr. 6 2 - 2 11** 144" W x 48" D - 2 pr 2 pr. 6 2 - 2 11** 144" W x 48" D - 2 pr 2 pr. 6 2 - 2 11** 144" W x 48" D - 2 pr 2 pr. 6 2 - 2 11** 144" W x 48" D - 2 pr 2 pr. 6 2 - 2 11** 144" W x 60" D - 2 pr. 2 pr. 6 2 - 2 11** 156" W x 42" D 3 3 3 pr 2 pr. 6 2 - 2 11** 156" W x 48" D - 3 pr. 6 2 - 2 11** 156" W x 48" D - 3 pr. 6 2 - 2 11** 156" W x 48" D - 3 pr. 6 2 - 2 11** 156" W x 48" D - 3 pr. 6 2 - 2 11** 168" W x 48" D - 3 pr. 6 2 - 2 11** 168" W x 48" D - 3 pr. 6 2 - 2 11** 168" W x 48" D - 3 pr. 6 2 - 2 11** 168" W x 48" D - 3 pr. 6 2 - 2 11** 168" W x 48" D - 3 pr. 6 2 - 2 11** 168" W x 48" D - 3 pr. 6 2 - 2 11** 168" W x 48" D - 3 pr. 6 2 - 2 11** 168" W x 48" D - 3 pr. 6 2 - 2 11** 168" W x 48" D - 3 pr. 6 2 - 2 11** 168" W x 48" D - 3 pr. 6 2 - 2 11** 180" W x 54" D - 3 pr. 3 pr. 6 2 - 2 11** 180" W x 54" D - 3 pr. 3 pr. 6 2 - 2 11** 180" W x 54" D - 3 pr. 3 pr. 6 2 - 2 11** 180" W x 54" D - 3 pr. 3 pr. 6 2 - 2 11** 180" W x 54" D - 3 pr. 3 pr 3 pr. 6 2 - 2 11** 180" W x 54" D - 3 pr. 3 pr 3 pr. 6 2 - 2 11** 180" W x 54" D - 3 pr. 3 pr 3 pr. 6 2 2 - 2 11** 180" W x 54" D - 3 pr. 3 pr 3 pr. 6 3 - 3 11** 192" W x 60" D - 3 pr. 3 pr 3 pr. 3 pr 3 - 3 11** 192" W x 60" D 3 pr. 3 pr 3 pr. 3 pr 3 3 - 3 11** 192" W x 60" D 3 pr. 3 pr 3 pr. 3 pr 3 3 - 3 11** 192" W x 60" D 3 pr. 3 pr 3 pr. 3 pr 3 3 - 3 3 11** 192" W x 60" D 3 pr. 3 pr 3 pr. 3 pr 3 3 - 3 3 11**	"	84" W	2	_	_	_	4	1	1	1	_	
Rectangular Conference Worksurfaces (BC_CRLB, BC_CKTB or BC_CWA) 100" W			2	_	_	-		1	1	1	_	
188" W 3 2 pr. - 2 pr. 6 2 - 2 1 to		96" W	2	_	_	-	4	1	1	1	_	
120" W x 42" D 3 2 pr 2 pr. 6 2 - 2 1** 120" W x 48" D - 2 pr 2 pr. 6 2 - 2 1 120" W x 48" D - 2 pr 2 pr. 6 2 - 2 1 132" W x 42" D 3 2 pr 2 pr. 6 2 - 2 1 132" W x 48" D - 2 pr 2 pr. 6 2 - 2 1 132" W x 54" D - 2 pr 2 pr. 6 2 - 2 1 132" W x 54" D - 2 pr 2 pr. 6 2 - 2 1 144" W x 42" D 3 2 pr 2 pr. 6 2 - 2 1 144" W x 42" D 3 2 pr 2 pr. 6 2 - 2 1 144" W x 48" D - 2 pr 2 pr. 6 2 - 2 1 144" W x 56" D - 2 pr 2 pr. 6 2 - 2 1 144" W x 60" D - 2 pr. 2 pr. 6 2 - 2 1 156" W x 48" D - 2 pr. 2 pr. 6 2 - 2 1 156" W x 48" D - 3 pr 2 pr. 6 2 - 2 1 156" W x 48" D - 3 pr 2 pr. 6 2 - 2 1 156" W x 48" D - 3 pr 2 pr. 6 2 - 2 1 156" W x 48" D - 3 pr 2 pr. 6 2 - 2 1 156" W x 48" D - 3 pr 2 pr. 6 2 - 2 1 168" W x 48" D - 3 pr 3 pr. 6 2 - 2 1 168" W x 48" D - 3 pr 3 pr. 6 2 - 2 1 168" W x 48" D - 3 pr 3 pr. 6 2 - 2 1 168" W x 54" D - 3 pr 3 pr. 6 2 - 2 1 168" W x 54" D - 3 pr 3 pr. 6 2 - 2 1 180" W x 54" D 3 pr. 3 pr. 6 2 - 2 1 180" W x 54" D 3 pr. 3 pr. 6 2 - 2 1 180" W x 54" D 3 pr. 3 pr. 6 3 - 3 1 192" W x 50" D 3 pr. 3 pr 3 - 3 1 192" W x 50" D 3 pr. 3 pr 3 - 3 1 192" W x 50" D 3 pr. 3 pr 3 - 3 1 204" W x 60" D 3 pr. 3 pr 3 - 3 1												
120" W x 48" D			3	2 pr.	_	2 pr.	6	2	_	2		
120" W x 54" D			3	2 pr.	-	2 pr.	6		_		1**	
132" W x 42" D 3 2 pr. - 2 pr. 6 2 - 2 1 1 1 1 1 1 1 1 1			_	2 pr.	-		6		_	2	1	
132" W x 48" D					2 pr.				_			
132" W x 54" D			3	2 pr.	-				_		1**	
144" W x 42" D 3 2 pr 2 pr. 6 2 - 2 1** 144" W x 48" D - 2 pr 2 pr. 6 2 - 2 1 144" W x 54" D 2 pr. 2 pr. 6 2 - 2 1 144" W x 60" D 2 pr. 2 pr. 6 2 - 2 1 156" W x 42" D 3 3 pr 2 pr. 6 2 - 2 1 156" W x 48" D - 3 pr 2 pr. 6 2 - 2 1 156" W x 54" D - 3 pr 2 pr. 6 2 - 2 1 156" W x 54" D - 3 pr. 6 2 - 2 1 156" W x 54" D - 3 pr. 3 pr. 6 2 - 2 1 168" W x 42" D 3 3 pr 3 pr. 6 2 - 2 1 168" W x 42" D 3 3 pr 3 pr. 6 2 - 2 1 168" W x 48" D - 3 pr 3 pr. 6 2 - 2 1 168" W x 48" D - 3 pr 3 pr. 6 2 - 2 1 168" W x 54" D - 3 pr 3 pr. 6 2 - 2 1 180" W x 54" D 3 pr. 3 pr. 6 2 - 2 1 180" W x 54" D 3 pr. 3 pr. 6 2 - 2 1 180" W x 54" D 3 pr. 3 pr. 6 2 - 2 1 180" W x 54" D 3 pr. 3 pr 3 - 3 1 192" W x 54" D 3 pr. 3 pr 3 - 3 1 192" W x 54" D 3 pr. 3 pr 3 - 3 1 204" W x 60" D 3 pr. 3 pr 3 pr. 3 pr 3 - 3 1			_						_			
144" W x 48" D					-				_			
144" W x 54" D									_			
144" W x 60" D	→											
156" W x 42" D 3 3 pr 2 pr. 6 2 - 2 1** 156" W x 48" D - 3 pr 2 pr. 6 2 - 2 1 156" W x 54" D 3 pr. 3 pr. 6 2 - 2 1 156" W x 60" D 3 pr. 3 pr. 6 2 - 2 1 168" W x 42" D 3 3 pr 3 pr. 6 2 - 2 1 168" W x 48" D - 3 pr 3 pr. 6 2 - 2 1 168" W x 48" D - 3 pr. 6 2 - 2 1 168" W x 54" D 3 pr. 3 pr. 6 2 - 2 1 180" W x 54" D 3 pr. 3 pr. 6 2 - 2 1 180" W x 54" D 3 pr. 3 pr. 6 2 - 2 1 180" W x 54" D 3 pr. 3 pr. 6 2 - 2 1 180" W x 54" D 3 pr. 3 pr 3 pr. 3 pr 3 1 192" W x 54" D 3 pr. 3 pr 3 1 192" W x 56" D 3 pr. 3 pr 3 - 3 1 192" W x 56" D 3 pr. 3 pr 3 - 3 1 204" W x 60" D 3 pr. 3 pr 3 1		-										
156" W x 48" D												
156" W x 54" D												
156" W x 60" D												
168" W x 42" D 3 3 pr 3 pr. 6 2 - 2 1** 168" W x 48" D - 3 pr 3 pr. 6 2 - 2 1 168" W x 54" D - 3 pr. 3 pr. 6 2 - 2 1 168" W x 54" D 3 pr. 3 pr. 6 2 - 2 1 180" W x 60" D 3 pr. 3 pr 3 - 3 1 180" W x 54" D 3 pr. 3 pr 3 - 3 1 180" W x 60" D 3 pr. 3 pr 3 - 3 1 192" W x 54" D 3 pr. 3 pr 3 - 3 1 192" W x 54" D 3 pr. 3 pr 3 - 3 1 10204" W x 60" D 3 pr. 3 pr 3 - 3 1				-		_						
168" W x 48" D - 3 pr. - 3 pr. 6 2 - 2 1 168" W x 54" D - - 3 pr. 6 2 - 2 1 168" W x 60" D - - 3 pr. 6 2 - 2 1 180" W x 54" D - - 3 pr. - 3 - 3 1 180" W x 60" D - - 3 pr. - 3 - 3 1 192" W x 54" D - - 3 pr. - 3 - 3 1 192" W x 60" D - - 3 pr. - 3 - 3 1 204" W x 60" D - - 3 pr. - 3 - 3 1					-	_						
168" W x 54" D												
168" W x 60" D												
180" W x 54" D				-		_						
180" W x 60" D				-		_						
192" W x 54" D				_	-				-			
192" W x 60" D		192" W x 54" D	_	_	-		-	3	-	3	1	
204" W x 60" D - 3 pr. 3 pr 3 1	 	192" W x 60" D	_	_			_	3	-	3	1	
		204" W x 60" D	_	_		3 pr.	_	3	-	3	1	
		216" W x 60" D	_	_	3 pr.		-	3	-	3	1	

^{*} The Linear Power Modules – Compact 8" (LC) and – Standard 18" (LS) are not available with this configuration (BC_TRTB)

^{**} These products are **not** available with this configuration (BC_CRTB)

meeting table configurations & supports (continued)



- Drawings on the left show the number of pieces and the grain direction for each table
- The Power Modules are **not** included and with tables and must be specified separately, except for Meeting Tables with Glass Top the Recessed Power/Data Module is included

		Panel Base Square Base				Blade T-Leg	Cut-Out for Power Pill						
		*				^	C	I OR C	OR C	R			
		٠						>		\$			
		24"	30"	Base	Depth 20"	22"	23"	Total	One size only	4 Outlets	3 Outlets (Compact 8")	6 Outlets (Standard 18")	12 Outlets (Extended 28")
Boat Meeting Works (BC_MBP or BC_M											Number of	Cut-Out	
	72" W	2	_	2	-	_	_	_	2	1	1	1	-
	78" W	2	_	2	-	-	_	_	2	1	1	1	-
←→	84" W	2	_	2	-	-	_	_	2	1	1	1	-
	90" W	2	_	2	-	-	_	_	2	1	1	1	-
	96" W	2	_	2	_	-	_	_	2	1	1	1	-
Boat Conference Wo (BC_CBP or BC_CF													
`	108" W	2	_	2	_	_	_	_	_	2	_	2	1
	120" W x 42" D	2	_	2	_	-	_	_	_	2	-	2	1
	120" W x 48" D	2	_	2	2	_	_	2	_	2	-	2	1
	120" W x 54" D	-	2	2	_	2	-	2	_	2	-	2	1
	132" W x 42" D	2	_	2	_	-	-	-	_	2	_	2	1
	132" W x 48" D	2	-	2	2	-	-	2	_	2	-	2	1
	132" W x 54" D	_	2	2	_	2	-	2	_	2	-	2	1
	144" W x 42" D	2	_	2	_	-	-	-	_	2	-	2	1
\longleftrightarrow	144" W x 48" D	2	-	2	2	_	_	2	_	2	-	2	1
	144" W x 54" D	-	2	2	_	2	_	2	-	2	-	2	1
	144" W x 60" D	-	2	2	_	_	2	2	-	2	-	2	1
	156" W x 48" D	3	-	3	2	_	-	2	-	2	-	2	1
	156" W x 54" D	-	3	3	_	2	-	2	-	2	-	2	1
	156" W x 60" D	-	3	3	_	_	2	2	-	2	-	2	1
	168" W x 48" D	3	_	3	2	-	-	2	_	2	-	2	1
	168" W x 54" D	-	3	3	_	2	-	2	_	2	-	2	1
	168" W x 60" D	-	3	3	_	_	2	2	-	2	-	2	1
	180" W x 54" D	_	3	3	_	3	-	3	-	3	-	3	1
	180" W x 60" D	-	3	3	_	-	3	3	_	3	-	3	1
	192" W x 54" D	-	3	3	_	3	-	3	_	3	-	3	1
	192" W x 60" D	-	3	3	_	_	3	3	-	3	-	3	1
	204" W x 60" D	-	3	3	_	-	3	3	_	3	-	3	1
	216" W x 60" D	_	3	3	_	_	3	3	-	3	_	3	1

meeting table configurations & supports (continued)

		Blade Leg	Cut-Out for Power Pill	Cut-Out f	Cut-Out for Linear Power Module	
					OR OR	
		One size only	4 Outlets	3 Outlets (Compact 8")	6 Outlets (Standard 18")	
Diamond Meeting V	orksurface					
(BC_MPLB)	60" W	4	Number of			
	66" W	4	1	1		
	72" W	4	1	1	- 1	
(\rightarrow)	78" W	4	1		1	
				1	1	
	84" W	4	1	1	1	
	90" W	4	1	1	1	

		Panel Base Cut-Out for Power Pill			Cut-Out for Linear Power Module			
					OR OR OR			
		٧						
		Base Depth 24" 36" Total			3 Outlets	6 Outlets	12 Outlets	
				Total	4 Outlets	(Compact 8")	(Standard 18")	(Extended 28")
Video Conference Wor	rksurface							
(BC_CVP)			1			Number of 0	Cut-Outs	
	96" W x 60" D	1	1	2	2	_	2	1
 ←→ ←→ 	120" W x 60" D	1	1	2	2	_	2	1
	144" W x 60" D	2	1	3	2	-	2	1
	168" W x 60" D	2	1	3	3	-	3	1
$ \longleftarrow \longleftarrow $	192" W x 60" D	2	1	3	3	_	3	1
	216" W x 60" D	2	1	3	3	-	3	1

meeting table configurations & supports (continued)




- Drawings on the left show the number of pieces and the grain direction for each table
- The Power Modules are not included and with tables and must be specified separately

		Square Base					Blade Leg	Blade Star Base	Four-Point Base	Cut-o Power		Cut-Out for Linear Power Module
		20"	21"	Base Dep	23"	Total	One size only	One size only	One size only	2 Outlets	4 Outlets	3 Outlets (Compact 8")
Round Meeting Work (BC_MOK)	surface										Number o	of Cut-Out
	48" W	_	1	_	_	1	_	_	_	1	1	1
$\overline{\longleftrightarrow}$	54" W	-	_	1	_	1	_	_	_	1	1	1
	60" W	_	_	_	1	1	_	-	_	1	1	1
Round Meeting Work (BC_MOLB)	surface											
/	42" W	_	_	_	_	_	4	-	_	1	1	1
	48" W	-	_	_	_	_	4	-	_	1	1	1
	54" W	-	_	-	_	_	4	-	_	1	1	1
	60" W	-	-	-	-	-	4	-	_	1	1	1
Round Meeting Work (BC_MOSB*)	surface		•	•	•					•		
	36" W	_	_	_	_	_	-	1	_	1	1	1
\longleftrightarrow	42" W	-	_	_	-	_	_	1	_	1	1	1
	48" W	-	_	_	-	_	-	1	-	1	1	1
Round or Square Mee (BC_ROF or BC_MS)	ting Worksurface F)											
	36" W	-	_	_	_	-	-	_	1	_	-	_
(\longleftarrow)	42" W	-	_	_	_	-	-	-	1	_	_	-
	48" W	_	_	_	_	_	-	-	1	_	_	-
Square Meeting Work (BC_MSK)	surface											
	48" W	1	_	_	_	1	-	_	1	1	1	1
←→	54" W	-	-	1	-	1	_	-	_	1	1	1
	60" W	_	-	_	1	1	-	_	_	1	1	1
Square Meeting Work (BC_MSLB)												
	42" W	-	-	_	_	_	4	-	-	1	1	1
←→	48" W	-	-	_	_	_	4	-	-	1	1	1
	54" W	_	_	_	_	_	4	-	-	1	1	1
Square Meeting Work (BC_MSSB***)												
←→	36" W	_	_	-	_	_	_	1	_	1	1	1
	42" W	_	-	-	_	-	_	1	_	1	1	1
	48" W	_	_	_	_	_	-	1	_	1	1	1
Square Writable Glass (BCGSSB)	Meeting Worksurface											
	36" W	_	-	-	_	-	-	1	_	1	1	1
	42" W	-	-	_	_	-	-	1	_	1	1	1
	48" W	_	_	_	-	-	-	1	-	1	1	1

^{*} The Power Pill or Linear Power Module position is the same that the grain direction.

meeting table - accessories





Wall-Mounted Whiteboard (BAWW)

- Provides a vertical writable surface for collaborative environments
- Whiteboard is a high quality Porcelain:
 - This product accepts magnets
- -Only dry erase markers can be used
- Marker Tray is available in Foundation or Mica colors



Non-Magnetic Glass (G)



Magnetic Glass (M)

Wall-Mounted Glass Markerboard (BAWMG)

- Are available in two glass markerboard styles:
- Non-Magnetic Glass (G): Provides erasable message board

Magnetic Glass (M):

Provides an horizontal erasable message board and accepts magnets

- When specified, comes with (Y) or without (N) Pencil Tray
- Only dry erase markers can be used
- Are available in 5/32" (4 mm) Back-Painted tempered glass
- Pencil Tray and Top Trim are available in Foundation or Mica colors, but textured finishes are not available

meeting table finishes

Tables and related parts are available in a variety of finish colors. Finish codes must be included in the order.



- All Laminate components are protected with a solid plastic edge
- For an overview of which products are offered in Flintwood finishes, refer to the Expansion Casegoods product map on Teknion's website

Available in Foundation, Accent


Available in Foundation, Accent

Mica or Clear Anodized (AC)

Panel Supports for Height-Adjustable Panel Bases


Worksurfaces

- 1" thickness (D) available in Source Laminate colors. Available with all Round, Square, Rectangular, Workshop Meeting Tables and Coffee Worksurfaces
- 1 3/16" thickness (M) available in Foundation Laminate or Flintwood (No Cathedral) colors on a limited selection of tables • 1 3/16" thickness with Knife Edge (V) available in Foundation Laminate colors on a



Edge Trims

- Available in Straight Trim (6), Flintwood Flat Trim (9) or Full Knife Trim (F)
- · Available in Edge Trim colors (for trim syle 6 or F only)
- D, M and X Thicknesses are available in Straight Trim (6) or Flintwood Flat Trim (9)
- V Thickness is available with Full Knife Trim (F) only




Power Modules

Are not included with tables and can be specified separately

Also available:

Supports and Hardware







Leg Back & Leg Front are available in Foundation, Accent or Mica colors



Workshop


Foundation, Accent or Mica colors



Height-Adjustable Bevel Base

Base is available in Foundation, Mica or Coordinate Colors

End Panel is available in Source Laminate or Flintwood (No Cathedral) colors



Base Infills for Cubic, Panel or

Height-Adjustable Panel Bases

Available in Source Laminate or

Flintwood (No Cathedral) colors on a limited selection of tables

understanding fixed & height-adjustable meeting peninsulas


Expansion Casegoods offers a variety of fixed or height-adjustable meeting peninsulas that can be mounted on a Workwall Storage, Media Wall or Gable for Fixed Meeting Peninsula.




All dimensions in this section are nominal

fixed meeting peninsulas

Workwall Bookcase combine Fixed D-Shape Meeting Peninsula



Gable for Fixed Meeting Peninsula combine Fixed D-Shape Meeting Peninsula



This configuration can be created with a combination of:


- Gable for Fixed Meeting Peninsula (BC, G)
- Fixed D-Shape Meeting Peninsula (BC_FDG)



understanding fixed & height-adjustable meeting peninsulas (continued)


fixed meeting peninsulas (continued)

Media Wall combine Fixed D-Shape Meeting Peninsula



height-adjustable meeting peninsulas

Workwall Bookcase combine Height-Adjustable Rectangular Meeting Peninsula



understanding height-adjustable meeting peninsulas with workwall storage

workwall storage for height-adjustability

- · Workwall Kneespace Module must always be anchored to a building wall
- · When planning with Workwall Bookcase for Fixed or Height-Adjustable Worksurface wall anchored is recommended for optimal stiffness but is not mandatory
- Can support Wall Panels (B_WCC*, B_WCO*, B_WAA, B_WOO, B_WMD, B_WMO or B_WMM). *NOTE: Overhead above the height-adjustable surface is not recommended.
- · Workwall Storage for Height-Adjustability are not included with Height-Adjustable Meeting Peninsulas. For more details on these storage, refer to Workwall Storage section

Height-Adjustable Meeting Peninsulas illustrated below can only be installed on these Workwall Storage:




Height-Adjustable Rectangular Meeting Peninsula (B_HRW)



Height-Adjustable D-Shape Meeting Peninsula (B_HDW)



Height-Adjustable Tapered Height-Adjustable Diamond Meeting Peninsula Meeting Peninsula (B_HBW) (B_HPW)



Workwall Kneespace Module Height-Adjustability (BHKHW)





42" to 60" w


Workwall Bookcase - Height-Adjustable Worksurface - Mid - 21" h (BSMOBH)

TV Stand Ready

- When TV Stand Ready (R) is specified, pre-drilled holes and a Square Grommet Ring are included with worksurface to allow installation of a TV Stand - Meeting Peninsula (BCTV)
- Two TV Stand configurations can be specified:









Metal Shelf Ready (M)



No Shelf (N)



• These accessories can be specified separately



Metal Shelf - TV Stand (BCSTV)


height-adjustable meeting peninsula components

- Worksurface is available with or without cut-outs for Power Modules
- 2 Height-Adjustable Bevel Post Leg is included with all Height-Adjustable Meeting Peninsula styles. The leg is composed of two metal skins that hide Height-Adjustable Mechanism. Clear leg space and give access all around the worksurface for collaboration
- 3 Levelers are included with base and height-adjustable mechanism and have an adjustment range of 3"
- 4 Switch can be placed on-site left or right
- 5 Electric Control Box
 - Is concealed in the center Power Tray
 - 87" to 102" power cord length
 - Plugs directly on the building wall outlet
- The Height-Adjustable Mechanism uses a Collision Detection feature. In spite of this feature being in place, there may still be a risk of pinching. Close supervision is necessary when this furniture is used by individual with limited physical, sensory or mental abilities, or with a lack of experience
- **Reinforcing Bars** provide easy installation
- 8 Cable Organizer routes wires and organizes electronics below worksurface

Optional Integrated Powerbar with or without IEC Outlet

- 180" power cord length
- 9 Height-Adjustable Mechanism with Cover is included and hide Cable Management with Height-Adjustable Meeting Peninsula.
- 10 Vertical Wire Carrier
 - Manages wires in side the Workwall Storage.
- 11 TV Stand Meeting Peninsula (optional)
 - · Can be specified and installed on worksurface
- 12 Workwall Kneespace Module Height-Adjustability
 - Can be specified separately

height-adjustable meeting peninsula components



Weight Capacity

All Height-Adjustable Meeting Peninsulas: 300 lbs

Energy Consumption

- Maximum Power draw is 450 Watts
- 0.1 Watt resting Power draw

height-adjustable meeting peninsula components (continued)

switch for height-adjustable mechanism

- Supports sit-to-stand height-adjustment
- Can be placed on-site, left or right
- Three underworksurface switches can be specified:



Display with Up/Down Memory (D)

- Basic up/down function
- Display
- Three programmable memory settings
- Error code read-out

Finish: Ebony Coordinate



Toggle Up/Down (F, G or H)

- Basic up/down function
- · Soft touch material
- Contoured shape for ease of use

Finishes: Platinum (F), Crisp Grey (G) or Anthracite (H)



Display Toggle with Memory (M, N or O)

- Large display
- Four programmable memory settings
- GPS: Teknion's Sit/Stand Guidens and Reminders Aid
- · Soft touch material
- Can be reprogrammed using Teknion Switch Configuration software
- Error code read-out with QR code

Finishes:

Platinum (M), Crisp Grey (N) or Anthracite (O)

NOTE

Display switches include the ability to change units from metric/imperial and the display height to reflect the actual height once installed.

Switch Positions Underworksurface

Switch Style	Laminate Edge
Display with Up/Down Memory (D)	
Toggle Up/Down (F, G or H)	
Display Toggle with Memory (M, N or O)	


height-adjustment range – height-adjustable meeting peninsulas

The following should be considered when planning with all Height-Adjustable Meeting Peninsulas.




- Height-Adjustable Meeting Peninsula with Bevel Post Leg use Piezo collision detection technology, a hardware-based sensor that is integrated in the height-adjustable lifting column. Travel speed of 1 inch per second complies with safety standards. Refer to Complements Price and Product Guide for more details.
- Can be easily adjusted to fit the individual and support multiple work styles
- Enable working in both seated and standing postures, supporting neutral postures, movement and comfort preferences throughout the work day

Extended Range Application (E)



heigh-adjustable meeting peninsula example




The top of the Workwall Kneespace Module or Workwall Bookcase should remain free of any storage

Gap between Workwall Storage and Height-Adjustable Meeting Peninsula

Surface at 26"	Surface at 48"
(Min.)	(Max.)
3.81"	25.81"

power & data management – height-adjustable meeting peninsulas




powerbar vs power module

- The following options are available for integrated power below the worksurface. Each can be specified as an option on all Height-Adjustable Meeting Peninsulas
- Powerbars cannot be daisy chained
- Above power solution can only be daisy chained with Integrated Powerbar with IEC Outlet
- Three powerbar styles are available:

Integrated Powerbar (I)

- Mounts inside the Power Tray
- Four outlets and one internal cord that continues power through to the Control Box
- · Available in all worksurface widths
- Can be specified with Power Module Cut-Outs (NN, SE, LC, LS or PQ)





power & data management – height-adjustable meeting peninsulas (continued)

powerbar vs power module (continued)

Integrated Powerbar with IEC Outlet (P)

- Mounts inside the Power Tray
- Three outlets, one IEC outlet and one internal cord that continues power through to the Control Box
- IEC Outlet allows installation of the Power Qube with IEC Connector option (C) that reduces the cable management underneath a worksurface and also removes the cable management outside the table
- Available in all worksurface widths
- Can be specified with Power Module Cut-Out (SE) only
- Power Module Cut-Out (SE) should be specified for the integration of the Power Qube







power & data management – height-adjustable meeting peninsulas (continued)

powerbar vs power module (continued)

None (N)

- When None Powerbar (N) is specified, a cover will be in place
- Can be specified with Power Module Cut-Outs (NN, SE, LC, LS or PQ)





Dual or Quad Power Qube (BEEPC)

With Plug-In option
(A) only

Three Power Module can be specified for this

application:

height-adjustable meeting peninsula basics

Expansion Casegoods Height-Adjustable Meeting Peninsulas mounted on Workwall Storage for Adjustability allow to create diverse workstation configurations.



- A Height-Adjustable Meeting Peninsula comes with Height-Adjustable Bevel Post Leg and two Height-Adjustable
- All meeting peninsulas are available in a thickness 1 3/16" (M), with the exception of the Height-Adjustable Rectangular Meeting Peninsula (B_HRW), which is also available with a 1 3/16" Knife Edge (V)
- · Can only be mount onto mid-height Workwall Storage
- Three Powerbar styles can be specified: Integrated Powerbar (I), Integrated Powerbar with IEC Outlet (P) or None (N)
- All Switch Styles (Display with Up/Down Memory (D), Toggle Up/Down (F, G, H) or Display Toggle with Memory (M, N, O) can be specified
- Cannot support any storage and suspend any accessories or storage
- Suspended Modesty Panel cannot be specified with these products





Height-Adjustable Rectangular Meeting Peninsula (B_HRW)

- Available in depths of 34", 40" and 46"
- Available in widths of 57" to 87" (6" increments)
- Two Corner Detail Styles are available:





Radius (R)*

Straight (S)

- * When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is not available
- Two TV Stand Configurations are available: TV Stand Ready (R) and No TV Stand (N)
- Five Power Module Cut-Out options are available: Linear Power Module Compact 8" (LC) or Standard 18" (LS), Power Pill Quad (PQ), Square - End (SE) and No Cut-Out (NN)
- Ideal for 3 to 4 people (57" to 75" width) and 3 to 5 people (81" or 87" width)

height-adjustable meeting peninsula basics (continued)





Height-Adjustable D-Shape Meeting Peninsula (B_HDW) or Height-Adjustable Tapered Meeting Peninsula (B_HBW)

- D-Shape is available in depths of 34" to 58" (6" increments)
- Tapered shape is available in depths of 40" to 58" (6" increments)
- Available in widths of 57" to 87" (6" increments)
- Two TV Stand Configurations are available: TV Stand Ready (R) and No TV Stand (N)
- Five Power Module Cut-Out options are available: Linear Power Module Compact 8" (LC) or Standard 18" (LS), Power Pill Quad (PQ), Square End (SE) and No Cut-Out (NN)
- D-Shape is ideal for 3 to 4 people (57" to 75" width) and 3 to 6 people (81" or 87" width)
- Tapered shape is ideal for 3 people (57" to 75" width) and 3 to 5 people (81" or 87" width)



Height-Adjustable Diamond Meeting Peninsula (B_HPW)

- Available in depths of 48" to 60" (6" increments)
- Available in widths of 57" to 87" (6" increments)
- Two TV Stand Configurations are available: TV Stand Ready (R) and No TV Stand (N)
- Five Power Module Cut-Out options are available: Linear Power Module Compact 8" (LC) or Standard 18" (LS), Power Pill Quad (PQ), Square End (SE) and No Cut-Out (NN)
- Ideal for 3 to 4 people (57" to 75" width) and 3 to 6 people (81" or 87" width)
- This shape is optimized to enhance the viewing angle while been seated in ergonomic position

E

TV Stand Configurations

- Two configurations are available:
- No TV Stand (N)
- TV Stand Ready (R)
- When TV Stand Ready (R) is specified, the worksurface comes with two mounting holes and square cut-out for installation of a TV Stand – Meeting Peninsula (BCTV)
- TV Stand Meeting Peninsula (BCTV) is not included and can be specified separately. For more details on product and restrictions, refer to page 508



Power Modules Cut-Outs

Worksurfaces are available with or without (NN) cut outs for Power Modules:
 Dual or Ouad











Square – End (SE)
Power Qube
(BEEPC)

Quad (PQ) Power Pill (BLEPP)

Compact 8" (LC) Standard 18" (LS)

Linear Power Module
(BLELP)

- · Power Modules are not included and can be specified separately
- Not all Power Module Cut-Outs options are available according to the depth or width specified. For details, refer to page 495

planning with height-adjustable meeting peninsulas


Height-Adjustable Meeting Peninsulas required special considerations, the following outlines the planning recommendations and restrictions

The mid-height Workwall Storage width (BHKHW or BSMOBH) should always match the dimensions of the worksurface, with the exception of the diamond-shaped peninsula, which necessitates a 12-inch shorter module


- - - = Footprint

module flush with the worksurface

Applicable with Height-Adjustable Meeting Peninsulas (B_HRW, B_HDW and B_HBW)




module recessed from the worksurface Only applicable with Height-Adjustable Diamond Meeting Peninsula (B_HPW)




clearance

The combination of these Meeting Peninsulas (B_HRW, B_HDW or B_HBW) and the Workwall Storage (BHKHW or BSMOBH) will automatically ensure the 1" minimum clearance required all around the Height-Adjustable Worksurface. Allowing up and down movement of the mechanism without damaging the adjacent products



 $\begin{array}{l} \mbox{Minimum clearance between Height-Adjustable} \\ \mbox{Meeting Peninsula } (B_HRW, B_HDW \mbox{ and} \\ \mbox{B_HBW)} \mbox{ and a storage} \end{array}$


Special consideration must be taken when planning the diamond-shaped peninsula since the 1" minimum clearance required all around the Height-Adjustable Worksurface will not be automatically ensured with surrounding products





planning with height-adjustable meeting peninsulas (continued)

clearance (continued)


the Height-Adjustable Meeting Peninsula Once installed, the Height-Adjustable Meeting Peninsula is 3" away from the building wall - When used in combination with Wall Panel and








1" Recessed with Wall Panel with Accessory Board



• A Power Bar and Cover included with Wall Panel cannot be aligned with the end of a Height-Adjustable Meeting Peninsula because the worksurface would interfere with electric plugs. Refer



 Teknion does not recommend the use of any overhead cabinet or shelves above the Height-Adjustable Worksurfaces. Damages or personal injuries may occur if accessories are positioned beneath the cabinet. The use of a TV Stand is impossible in this application.

understanding fixed meeting peninsulas

support for fixed meeting peninsulas

- Three mounting styles available (not included):
- Freestanding Gable (G)
- Mid-Height Support (K)
- Media Wall (M)
- Two Working Datum Heights are available:
- 29" Standard Height
- 42" High Height
- Media Wall must always be installed and anchored to a building wall
- When planning with Workwall Bookcase (BSMOBW) or Workwall Kneespace Module Fixed Workurface (BHKFW) wall anchored is recommended for
 optimal stiffness but is not mandatory
- When planning with Gable for Fixed Meeting Peninsula (BC_G) no wall anchor is needed
- For more details on Workwall Storage for Fixed Worksurface, refer to Workwall Storage section

freestanding gable (G)

- Other the 29" high Fixed D-Shape Meeting Peninsula (BC_FD) can be specified with the Freestanding Gable (G) mounting style
- A TV Stand Ready (R) can be specified



Fixed D-Shape Meeting Peninsula (BC_FD)

Can be specified with Monopod Base (M) only



Gable for Fixed Meeting Peninsula (BC_G)

mi-height support (K)

- All 29" high Fixed Meeting Peninsulas illustrated below can be specified with Mid-Height Support (K) mounting style
- Depending on peninsula shape, it can be specified with different support: Blade Legs (K), Bevel Post Leg (L) or Monopod Base (M)
- A TV Stand Ready (R) can be specified
- Workwall Storage (BHKFW or BSMOBW) must be specified the same width as Meeting Peninsula, with the exception of the diamond-shaped peninsula, which necessitates a 12-inch shorter module
- For more details on all Workwall Storage applications, refer to Workwall Storage section



Fixed Rectangular Meeting Peninsula (BC_FR)

Can be specified with Support Styles (K, L or M)



Fixed D-Shape Meeting Peninsula (BC_FD)

Can be specified with Support Styles (L or M)



Fixed Tapered Meeting Peninsula (BC_FT)


Can be specified with Support Styles (L or M)



Fixed Diamond Meeting Peninsula (BC_FP)

Can be specified with Support Styles (L or M)






Workwall Kneespace Module – Height-Adjustability and Fixed Worksurface (BHKHF)



Workwall Kneespace Module – Fixed Worksurface (BHKFW)



Workwall Bookcase – Fixed Worksurface – Mid – 21" h (BSMOBW)

486

understanding fixed meeting peninsulas (continued)

support for fixed meeting peninsulas (continued)

29" high media wall (M)

- All 29" high Fixed Meeting Peninsulas illustred below can be installed on a Media Wall
- 36" deep Fixed Meeting Peninsulas cannot be specified with Media Wall
- If applicable, Meeting Peninsulas can be specified with Blade Legs (K), Bevel Post Leg (L) or Monopod Base (M) only
- · Only No TV Stand (N) option is available with peninsulas when Media Wall is specified, since the TV will be supported by the Media Wall



Fixed Rectangular Meeting Peninsula (BC_FR)

• Can be specified with Support Styles (K, L or M)



Fixed Tapered Meeting Peninsula (BC_FT)

• Can be specified with Support Styles (L or M)



Fixed D-Shape Meeting Peninsula (BC_FD)

· Can be specified with Support Styles (L or M)




Fixed Diamond Meeting Peninsula (BC_FP)

• Can be specified with Support Styles (L or M)


Media Wall for Peninsula - For Peninsula (BCMWF)

• 29" Working Datum Height only




42" high media wall (M)

- Only 42" high Fixed Meeting Peninsulas illustred below must be installed on this 42" high Media Wall
- 36" deep Fixed Meeting Peninsulas cannot be specified with Media Wall
- Meeting Peninsulas can be specified with Bevel Post Leg (L) or Monopod Base (M) only
- Only No TV Stand (N) option is available with peninsulas when Media Wall is specified




Media Wall for Peninsula - For Peninsula (BCMWF)

• 42" Working Datum Height only



fixed meeting peninsula components

- 1 Worksurface is available with or without cut-outs for Power Modules
- 2 29" or 42" high Bevel Post Leg, 29" high Blade Legs or 29" high Monopod Base can be specified and is included with Fixed Meeting Peninsulas
- 3 Levelers included with Bevel Post Leg or Blade Legs have an adjustment range of 1", or with Monopod Base have an adjustment range of 1/2"
- 4 Reinforcing Bars
- Wire Management Clips route wires and organize electronics below worksurface with Power Module cut-outs. Not included when Square End (SE) or No Cut-Out (NN) option
- 6 Power Module Cover
 - Is included with 42" high Fixed Meeting Peninsula when a Power Module Cut-Out is specified (Linear Power Module or Power Pill). Not included when Square End (SE) or No Cut-Out (NN) option
- 7 Media Wall, 8 Gable for Fixed Meeting Peninsula or 9 Workwall Storage (optional)
 - Must be specified for the peninsula installation





power & data management – fixed meeting peninsulas




- Power Module and Power Bar cannot be daisy chained
- · Power and data cord can be routed inside a Media Wall or Workwall Storage
- When specified with a freestanding gable, a cable pass-through is included to route cable behind the unit

With Square - End (SE) (Shown) or with No Cut-Out (NN) options






- Available for 29" or 42" high peninsula
- No Wire Management Clips and Power Module Cover
- Square End (SE) option allows to install Power Qube (BEEPC with Integrated Powerbar with IEC (P))



Square Grommet Ring is included with Power Qube and Power Qube - Desk Edge Clamp cannot be installed in the worksurface end gap

- Available for 29" or 42" high peninsula
- Wire Management Clips are included
- Three Power Module can be specified for this application:



- Included when Linear Power Module or Power Pill cut-
- out styles are specified
- Only available with 42" height Fixed Meeting Peninsulas

fixed meeting peninsula basics

Various Fixed Meeting Peninsulas can be mounted on-module the Media Wall, Freestanding Gable (if applicable) or Workwall Storage.



- A Fixed Meeting Peninsula comes with a Peninsula Worksurface and a support (Base or Legs)
- Only available in thickness 1 3/16" (M), except Fixed Rectangular Meeting Peninsula (BC_FR), which is also available in thickness 1 3/16" Knife Edge (V)
- 29" high meeting peninsulas can be mounted on a Media Wall (BCMW), a Gable for Fixed Meeting Peninsula (BC_G) and Workwall Storage. 42" high meeting peninsula can only be mounted on a Media Wall (BCMW 42" Working Datum Height), refer to page 486 fore more details
- Cannot support any storage and suspend any accessories or storage
- An optional Suspended Modesty Panel cannot be specified with these products





Fixed Rectangular Meeting Peninsula (BC_FR)

- Two Mounting Styles are available: Mid-Height Support (K) or Media Wall (M) (Shown)
- Available in depths of 36" to 48" (6" increments)
- Available in widths of 60" to 90" (6" increments)
- Only Available in height of 29"
- Three Support Styles are available: Blade Legs (K), Bevel Post Leg (L) or Monopod Base (M)
- Two Corner Detail Styles are available:






Straight (S)

- When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is not available
- Two TV Stand Configurations are available: TV Stand Ready (R) and No TV Stand (N). When Mid-Height Support (K) option is specified
- Five Power Module Cut-Out options are available: Linear Power Module Compact 8" (LC) or Standard 18" (LS), Power Pill Quad (PQ), Square - End (SE) and No Cut-Out (NN)
- Ideal for 3 people (60" to 78" width) and 3 to 5 people (84" or 90" width)

fixed meeting peninsula basics (continued)



29" high Fixed D-Shape Meeting Peninsula (BC_FD) or 29" high Fixed Tapered Meeting Peninsula (BC_FT)



42" high Fixed D-Shape Meeting Peninsula (BC_FD) or 42" high Fixed Tapered Meeting Peninsula (BC_FT)

- Three Mounting Styles are available: Freestanding Gable (G) (BC_FD only), Mid-Height Support (K) or Media Wall (M)
- Two 29" high Support Styles are available: Bevel Post Leg (L) or Monopod Base (M)
- Only Bevel Post Leg (L) for 42" high Support style is available
- D-Shape shape is available in depths of 36" to 60" (6" increments)
- Tapered shape is available in depths of 42" to 60" (6" increments)
- Available in widths of 60" to 90" (6" increments)
- Available in heights of 29" or 42"
- Two TV Stand Configurations are available: TV Stand Ready (R) and No TV Stand (N). When Mounting Style (G or K) is specified
- Five Power Module Cut-Out options are available: Linear Power Module Compact 8" (LC) or Standard 18" (LS), Power Pill Quad (PQ), Square End (SE) and No Cut-Out (NN)
- D-Shape is ideal for 3 to 4 people (60" to 78" width) and 3 to 6 people (84" or 90" width)
- Tapered shape is ideal for 3 people (60" to 78" width) and 3 to 5 people (84" or 90" width)




29" high Fixed Diamond Meeting Peninsula (BC_FP)



42" high Fixed Diamond Meeting Peninsula (BC_FP)

- Two Mounting Styles are available: Mid-Height Support (K) or Media Wall (M)
- Two 29" high Support Styles are available: Bevel Post Leg (L) or Monopod Base (M)
- Only Bevel Post Leg (L) for 42" high Support style is available
- Available in depths of 48", 54" and 60"
- Available in widths of 60" to 90" (6" increments)
- Available in heights of 29" or 42"
- Two TV Stand Configurations are available: TV Stand Ready (R) and No TV Stand (N). When Mid-Height Support (K) option is specified
- Five Power Module Cut-Out options are available: Linear Power Module Compact 8" (LC) or Standard 18" (LS), Power Pill Quad (PQ), Square End (SE) and No Cut-Out (NN)
- Ideal for 3 to 4 people (60" to 78" width) and 3 to 6 people (84" or 90" width)
- This shape is optimized to enhance the TV viewing angle while being seated in ergonomic position



Power Module Cut-Outs

Worksurfaces are available with or without (NN) cut-outs for Power Modules illustrated below:

Dual or Quad



Square – End (SE)
Power Qube



Quad (PQ) Power Pill (BLEPP)



Compact 8" (LC) Standard 18" (LS)

Linear Power Module
(BLFLP)

planning with fixed meeting peninsulas


Special considerations, the following outlines the planning recommendations and restrictions

media wall (M)

– – – = Footprint


Applicable with 29" or 42" high Fixed Meeting Peninsulas (BC_FR, BC_FD and BC_FT)

Worksurface Depth can be specified equal, 6" **shorter** or 12" **shorter** than the Media Wall Width



Only applicable with 29" or 42" high Fixed Diamond Meeting Peninsula (BC_FP) $\,$

Worksurface Depth can be specified equal, 6" larger or 12" larger than the Media Wall Width




planning with fixed meeting peninsulas (continued)

freestanding gable (G)


Applicable with 29" high Fixed D-Shape Meeting Peninsula (BC_FD) only

When used with a Fixed D-Shape Meeting Peninsula (BC_FD) the Freestanding Gable (G) must be specified the same depth than the peninsula




mid-height support (K)

Only applicable with 29" high Fixed Meeting Peninsulas (BC_FR, BC_FD and BC_FT)



When used with a Fixed Meeting Peninsula (BC_FR, BC_FS or BC_FT) and a mid-height suppport, the worksurface will be flush with the sides of the Workwall Storage

Only applicable with 29" high Diamond Meeting Peninsula (BC_FP)



When a mid-height support is used with the Fixed Diamond Meeting Peninsula (BC_FP), the worksurface exceed the storage by 6" each side

 ^{*} The gap of the back worksurface can vary with back mi-height support. Refer on page 96 and 97 for more details

edge trim styles overview- height-adjustable & fixed meeting peninsulas

The chart below indicates which edge trim styles can be specified with all Height-Adjustable or Fixed Meeting Peninsulas

The Flintwood Flat Trim (9) always match surface color finish

edge trim chart

crimi criare	ı	foundation laminate	flintwood worksurface	Applicable with meeting
edge on product	description	worksurface finish	finish	peninsulas
Straight Trim (6) (Only available with 1" (D) or 1 3/16" (M) Thickness)	Straight Corner Style 3 mm thick on all edges	Yes	n/a	B_HRW (Straight) BC_FR (Straight)
	Radius Corner 2.5 mm thick on all edges 3 mm thick Straight Trim (Only available with 1 9/16 " (X) Thickness)	Yes	n/a	B_HPW BC_FP
	Curved Worksurface with Straight Corners 2.5 mm thick on width curved edges and 3 mm depth straight edges 3 mm thick Straight Trim (Only available with 1 9/16 " (X) Thickness)	Yes	n/a	B_HRW (Radius) B_HDW B_HBW BC_FD BC_FR (Radius) BC_FT
Flintwood Flat Trim (9)	Straight & Radius Corner Style 2.8 mm thick thick on all edges	n/a	Yes	B_HRW (Straight) B_HRW (Radius) B_HDW B_HBW B_HPW BC_FD BC_FP BC_FR (Straight) BC_FR (Radius) BC_FT
Full Knife Trim (F) (Only available with 1 3/16" Knife Edge (V) Thickness only)	Straight Corner Style only 1.5 mm thick thick on all edges	Yes (foundation laminate only)	n/a	B_HRW (Straight) BC_FR (Straight)

grain direction & shading indicates user edge



When specified, Knife Edge will only be applied on user edge


planning with power module cut-outs – heightadjustable & fixed meeting peninsulas



- Power module styles should be determined at time of specification. The surface will come with pre-drilled holes to ease the installation
- Power Module can be specified separately


Height-Adjustable Rectangular Meeting Peninsula (B_HRW) Height-Adjustable D-Shape Meeting Peninsula (B_HDW) Height-Adjustable Tapered Meeting Peninsula (B_HBW) Height-Adjustable Diamond Meeting Peninsula (B_HPW)

Square cut-out position may slighly vary depending if TV Stand Ready (R) or not (N) is specified, see below for more details



Linear Power Module – Standard 18" (LS)

- Not available when 34" depth is specified (B_HRW or B_HDW)
- Not available when 57" to 69" width is specified (All Peninsulas)




 Not available when 34" depth (B_HRW or B_HDW)

• Not available when 57" or 63" width is specified (All Peninsulas)



No Cut-Out (NN)


• Available with all dimensions




• Available with all dimensions

planning with power module cut-outs – height-adjustable & fixed meeting peninsulas (continued)

Fixed Rectangular Meeting Peninsula (BC_FR) Fixed D-Shape Meeting Peninsula (BC_FD) Fixed Tapered Meeting Peninsula (BC_FT) Fixed Diamond Meeting Peninsula (BC_FP)




Not available when 60" or 66" width is specified (All Peninsulas)



gable for meeting peninsula components

The Gable for Meeting Peninsula is a low cost effective solution in any meeting room environment.


- 1 Gable is 1" thick, available with or without cut-out for Cable Pass-Through
- 2 Levelers are included with gable and have an adjustment range of 4"
- 3 Cable Pass-Through Ring is included to route wires behind the gable. Only included when the option is specified
- Reinforcing Brackets provides easy installation for the reinforcing bar included with worksurface



gable for meeting peninsula basics




- Can only be used to support a 29" high Fixed D-Shaped Meeting Peninsula (BC_FD)
- Must be specified the same width as worksurface





Gable for Fixed Meeting Peninsula (BC_G)

- Only available in thickness 1"
- Available in depths 36" to 60" (6" increments)
- Can be specified with (Y) or without (N) Cable Pass-Through. If specified, it is included to route wires from building wall to level of the worksurface
- Comes with Peninsula Brackets to support peninsula
- Support & Hardware Finishes are available in Foundation, Mica, Accent or Coordinate Colors
- Cable Pass-Through Ring is finished in Platinum Coordinate




understanding media wall



- Media Wall is offered in two configurations: For Peninsula (BCMWF) or Standalone (BCMWS)
- Must be installed and anchored to a building wall
- Standalone (S) Media Wall style can be specified to use with a Freestanding Meeting Table
- For Peninsula (F) Media Wall style can be specified to use with a Fixed Meeting Peninsula, for details refer to page 487
- 29" or 42" Standard Height Working Datum Height is available
- When specified For Peninsula (F), a worksurface supporting bracket is included

media wall


Media Wall with Standalone (BCMWS)



media wall components

The frame is attached to the wall and is the main structure to support Fascias, TV Monitor, Metal Shelf and peninsula to create a Expansion Casegoods meeting aeras, as well as managing power and communication distribution.

- 1 Frame is shipped with the necessary 2 wall rail for installation
- 3 Levelers are included with frame and have an adjustment range of 3" and clear wall molding
- 4 Upper Fascia is fixed and can support a Monitor Wall Mount with TV Monitor and Metal Shelf
- **Cable Pass-Through** is included to route wires of the TV Monitor, behind the Media Wall
- 6 Monitor Wall Mount
- Metal Shelf Media Wall (optional)
 - · Media Wall comes with two holes for Metal Shelf installation and a cable pass-through, only when Metal Shelf Ready (M) option is specified
 - · Metal Self is specified separately
- 8 Removable Bottom Fascia provides access to building power and communication outlets
- **Peninsula Brackets** support Fixed Meeting Peninsula. Only included when For Peninsula (F) option is specified
- 10 Cable Organizer routes wires and organizes electronics below worksurface. Data Faceplates can be installed in the organizer and must be specified separately



media wall & metal shelf for media wall basics


The Media Wall is a cost effective solution to integrate TV and manage cabling in any meeting room environment. It mounts to existing building walls and when specified, allows mounting of attachment of worksurface, support TV Monitor and managing wire and electronic devices in one application.




- Can be used standalone with Meeting Table or supported a 29" or 42" Fixed Meeting Peninsula
- Must always be anchored to a building wall
- Comes with 1" solid panel thickness
- A TV Monitor Mount is included to support a TV Monitor
- Can be used on all walls with load bearing capacity. Consult your local building code and authority for further guidance
- Cannot be used on Altos walls
- The purchaser and installer are responsible to ensure application of appropriate attachment methods and hardware for a secure and safe installation that meets the applicable local building code and laws

media wall for fixed meeting peninsula (F)

media wall standalone (S) & meeting table





For Peninsula (F)

Standalone (S)

Media Wall (BCMW)

- Available in heights 72" and 81"
- Available in widths 42" to 60" (6" increments)
- Available in Working Datum Heights 29" and 42"
- Two Corner Detail Styles are available:






adius (R) Straight (S)

• Two Shelf Options are available: Metal Shelf Ready (M) and No Shelf (N)





Metal Shelf - Media Wall (BCSMW)

- Mounts only on the Media Wall (BCMW) and can support accessories.
 Openings on the back and bottom allows the wires to run from the surface or inside the Media Wall to the shelf
- Available in depth 7"
- Available in Widths 18", 24", 30"
- Available in height 6"
- Metal Shelf is fixed
- The Metal Shelf Ready (M) option on Media Wall must be specified to install this shelf

planning with working datum heights - media wall

The following should be considered when planning with Working Datum Heights for Media Wall.

•


Working Datum Height should be specified accordingly to attached Fixed Meeting Peninsula or standalone worksurface height. When used in combinaison with Height-Adjustable Meeting Table (Standalone (S)), it is recommended to use 42" Working Datum Height

29" working datum height

The solid panel is available in 72" or 81" height

For peninsula (F)

The Bottom Fascia height varies with Working Datum configuration




with 29" high Fixed Meeting Peninsula

42" working datum height

- The solid panel is available in 81" height only
- · It provides seated and standing height working positions







with 42" high Fixed Meeting Peninsula

Standalone (S)

The Bottom Fascia height does not vary with Working Datum configuration



with 29" high Fixed-Height Meeting Table




with Height-Adjustable Meeting Table (Shown) or any Fixed-Height 36" or 42" high Meeting or Conference Tables

planning with TV monitor mount - media wall

The following should be considered when planning with TV Monitor Mount on Media Wall.


TV Monitor Mount

- Included with the Media Wall
- · Meets VESA (Video Electronics Standards Association) standards for easy installation. Monitor not included



TV monitor dimensions recommended


A Metal Shelf (BCSMW) can be used with the TV Monitor




Media Wall

planning with metal shelf - media wall

metal shelf for media wall compatibility




metal shelf for media wall heights



power & data management - media wall

Expansion Casegoods offers options for adding power and communications to a workstation.

Position of electrical and communication outlets on the building wall must be taken into account before planning electrics



 Bottom Fascia can be removed to allow access and maintenance to building power and communication outlets, while adding aesthetic


standalone configuration

Floor Cable Cover – Meeting

Table (BLFCM)

Not included and can be specified separately. For details, refer on Lighting, Electrics & Communications section

for peninsula configuration




1" gap at the end of the peninsula allows to route cables in the bracket opening and reach the back of the Media Wall through a fascia space gap

NOTE: The Fascia Wire Pass-Through is only available with Media Wall for peninsula (F) option


planning with media wall

The following should be considered when planning Expansion Casegoods Media Walls.



Media Wall Clearance on both sides

• A minimum 1" functional clearance must be respected on each side of the Media Wall to allow easy opening and access to the building wall and electrical components



Clearance in front of the Bottom Fascia

• The front of the Bottom Fascia should be clear at all time for electrical accessibility


media wall & gable for meeting peninsula – grain/pattern direction


Laminate or Flintwood Fascias both have vertical grain direction.



- Grain direction is an important factor when planning workstation, if a different grain direction is required, please contact your Teknion Customer Service Representative
- Each fascia is independent, there will be no pattern across horizontal or vertical reveals
- Grain/patterns are not "centered" on Fascias

laminate fascias (source laminate)








Flintwood =

Grain will appear in the same direction (vertical) for all Fascias

flintwood fascias









Grain will appear in the same direction (from bottom to top) for all Fascias

TV stand & metal shelf for TV stand basics

TV Stand and Metal Shelf for TV Stand are available to complete the Expansion Casegoods Height-Adjustable Meeting Peninsula.








Ready (M)


TV Stand – Meeting Peninsula Unit (BCTV)


- Provides a TV Monitor mounting and power routing management
- Two Shelf options are available: Metal Shelf Ready (M) or No Shelf (N)
- Metal Shelf TV Stand (BCSTV) is not included



Metal Shelf - TV Stand (BCSTV)

- Mounts only on the TV Stand (BCTV) and can support accessories.
 Openings on the back and bottom allow the wires to run from the surface or inside the TV Stand to the shelf
- Available in depth of 7"
- Available in Widths of 18" or 24"
- Metal Shelf is fixed
- The Metal Shelf Ready (M) option on TV Stand must be specified to install this shelf






planning with TV monitor mount - TV stand

The following should be considered when planning with TV Monitor Mount.

TV Monitor Mount

- Included with TV Stand (BCTV)
- Is designed to accommodate a variety of display up to 55" wide. For a better fit, refer to specification software and refer at the monitor mounting pattern documentation
- · Meets VESA (Video Electronics Standards Association) standards for easy installation. Monitor not included




 Come with fixation holes to lock the monitor in place and to ensure the monitor is centered on the tile

planning with TV monitor mount – TV stand (continued)

TV monitor dimensions recommended

- It is recommended to install a TV Monitor smaller than the surface width
- A Metal Shelf (BCSTV) can be used with a TV Monitor


Applicable with Fixed or Height-Adjustable Meeting Peninsulas



Worksurface Depth ('A')	34" - 36"	40" - 42"	46" - 48"	52" - 54"	58" - 60"
Maximum Diagonal TV Monitor ('B')	40"	43"	50"	58"	60"
Maximun TV Monitor Width ('C')	34"	37 1/2"	43 5/8"	50 5/8"	52 3/8"
Minimum TV Monitor Height ('D')	20 1/4"	20 1/4"	20 1/4"	20 1/4"	20 1/4"

• It is also recommended using a TV Monitor that has a minimum height 20 1/4", otherwise TV Stand may be visible

TV Stand applications




 When the TV Monitor width exceeds the surface width, always keep a 1" gap with surrounding object or furniture to avoid collision hazard.


planning with TV monitor mount - TV stand (continued)

TV stand applications (continued)

TV Monitor Clearance

WARNING: When the TV Monitor width exceeds the surface width, always keep a 1" gap with surronding object or furniture to avoid collision hazard (when surface datum height is exceed)








TV Stand with Wall Panel

- LIMITATION: When the TV Stand Ready is selected, only wall panels listed below can be used:
- Wall Panel (B_WAA)
- 81" high Wall Panel and 15" high Overhead Cabinet (B_WCO) 81" high Wall Panel with top solid shelf (B_WOO) (Shown)
- TV size and installation height must be considered when Wall Panel for Overhead Cabinet (B_WCO) or Wall Panel for Solid Shelves (B_WOO) is used


power & data management – TV stand & metal shelf for TV stand

Expansion Casegoods offers options for adding power and communications to a workstation.


TV stand without metal shelf



The Back Cover can be opened to route cables through the Square Grommet




Comes with a slot on rear to route cables from the worksurface directly



TV stand with metal shelf

• Cable can be routed through multiple openings on the TV Stand, through the Metal Shelf (if specified) and through the worksurface on which it is mounted


BACK VIEW



height-adjustable or fixed meeting peninsulas & media wall finishes




- · All Laminate components are protected with a solid plastic edge
- For an overview of which products are offered in Flintwood finishes, refer to the Expansion Casegoods product map on Teknion's website



or Mica colors

height-adjustable or fixed meeting peninsulas & media wall finishes (continued)



Media Wall

- 1" thickness available in Source Laminate colors or Flintwood (No Cathedral) colors
- 60" wide panel is not available in Flintwood panel finishes

TV Monitor Mount for Media Wall

• Finition: Black

Media Wall Frame

- Available in Foundation, Accent, Mica or Coordinate colors
- Coordinate colors are solid colors that can be used to match wood prints

Coordinate Color Finishes

M8	Royal Cherry	R8	Urban Walnut
NB	Ivory Birch	R9	Choice Maple
NC	Provincial Oak	V1	Estate Cherry
ND	Coastal Elm	VD	Campus Oak
Q4	Espresso Reflect	VL	Flax Reflect
Q6	Stainless	VV	Pecan Reflect
Q7	Walnut Cathedralgrain	W8	Cocoa Brown Reflect
Q9	Mercurial Walnut	W9	Sycamore Reflect
R 7	Java Walnut		

• See below for metal shelf color match suggestion

Flint	wood Case Finish	Close	st Match for Metal Finish	1	
Code Color		Code	Color	Finish Style	
FX	Flax	VL	Flax Reflect	Coordinate	
FN	Natural Pecan	VV	Pecan Reflect	Coordinate	
FM	Medium Sycamore	V1	Estate Cherry	Coordinate	
FC	Chianti	V1	Estate Cherry	Coordinate	
FD	Dark Walnut	R7	Java Walnut	Coordinate	
NR	Sierra Flint	Q7*	Walnut Cathedralgrain	Coordinate	
NT	Cocoa Brown Flint	W8	Cocoa Brown Reflect	Coordinate	
VA	Sycamore	W9	Sycamore Reflect	Coordinate	
VB	Black Walnut	X*	Anthracite	Mica	
VZ	Blonde Maple	R9	Choice Maple	Coordinate	
5N	White Oak	VD	Campus Oak	Coordinate	
5P	Poppy Seed	R8	Urban Walnut	Coordinate	
5Q	Harvest Cherry	V1	Estate Cherry	Coordinate	
5R	Earl Grey	S	Sepia Bronze	Mica	
5S	Silverwash	4	Earth	Foundation	
5T	White Truffle	ND	Coastal Elm	Coordinate	
5V	Caraway	4	Earth	Foundation	
5W	Drift Oak	3	Sand	Foundation	
5Z	American Walnut	Q7	Walnut Cathedralgrain	Coordinate	

 $^{^{}st}$ This match suggestion is **not** close enough to be considered as tone on tone

lighting, electrics & communications

lighting, electrics & communications

LIGHTI	NG a	& SU	PPOR	ΓS I	FOR	LINEAR	LED	LIGHT	BASICS	 518
POWER	& D	АТА	DIST	RIB	UTI) N				520

lighting & supports for linear LED light basics

Expansion Casegoods lighting solutions answer all task illumination needs. LED technology provide high quality lighting over the worksurface.



- All dimensions in this section are nominal
- Check local codes for potential limits or restrictions on products and local authority approval may be required prior to use
- Some jurisdictions require Resettable Breakers. Check local codes


linear LED light (BLEDD)



- · Equipped with an energy-efficient strip of LEDs
- Available in widths 24", 36" or 48"
- The cords can be concealed in the hutch corner extrusion groove. It is managed with wire clips that route the cord to power at the
 access level
- Must be used with Support for Linear LED Light Overhead (BLEDS), when mounted under a overhead cabinet (not included, must be specified separately)
- Must be used with Support for Linear LED Light Wall Panel (BLEDW), when mounted on top of a Wall Panel (not included, must be specified separately)
- Can be used under Hutches without Support for Linear LED Light
- Linear LED Light width should match Support for Linear LED Light width
- This product includes a 216" cord length with a standard plug (0) option
- Made with 95 % of recycled material. Life expectancy of 50 000 hours
- Finished in Clear Anodized (AC) only

supports for linear LED light


These supports maintain in place the Linear LED Light (BLEDD) on top edge of a Wall Panel or underneath a solid Overhead Cabinet





Support for Linear LED Light – Wall Panel (BLEDW)

- It can be positioned anywhere along the width of the Wall Panel
- Available in widths 24", 36" or 48"
- Width Support Size according to Width Wall Panel:
- Use 24" wide light support (A) to use with 30" to 90" wide Wall Panel
- Use 36" wide light support (B) to use with 36" to 90" wide Wall Panel
- Use 48" wide light support (C) to use with 48" to 90" wide Wall Panel
- Finished in Foundation, Accent or Mica colors






Support for Linear LED Light – Overhead (BLEDS)

- It can be positioned underneath a Hutch, a Standard or Double Overhead Cabinet
- Available in widths 24", 36" or 48'
- Width Support Size according to Width Overhead:
 - Use 24" wide light support (A) to use with 30" to 84" wide overhead
 - Use 36" wide light support (B) to use with 42" to 84" wide overhead
 - Use 48" wide light support (C) to use with 54" to 84" wide overhead
- The Overhead Cabinet must be specified with Linear LED Light Ready (L) option
- Finished in Foundation, Accent or Mica colors


lighting & supports for linear LED light basics (continued)

supports for linear LED light - overhead applications



The support is undermount and installed 8 5/8" from the back of the overhead


tangent undercabinet light






Tangent Undercabinet Light (BLYTU)

- Mounts to the underside of Hutches
- Can be mounted under the metal shelf of mounted storage, except for solid shelves, magnetic plates with wood screws are provided for non-magnetic application
- This product includes two cord management adhesive clips
- Tangent Light is compatible with controlled wall outlets
- Finished in Clear Anodized (AC) only





When a temperature change is detected in the field of view, the PIR shut-off timer resets to 20 minutes

Nominal Width	20"	23"	30"	33"	40"	43"
Actual Width (po)	20	20 + 2 1/2	30	30 + 2 1/2	40	40 + 2 1/2
3" PIR Occupancy Sensor	n/a	Yes	n/a	Yes	n/a	Yes
Use with Cabinet Width*	24" to 84"	30" to 84"	42" to 84"	42" to 84"	48" to 84"	54" to 84"
Luminosity (lm)	500	500	750	750	900	900
Power Consumption (w)	10	10	15	15	18	18

^{*} See Hutch Accessory Compatibility Chart on page 229, for more details on use with hutch width

power & data distribution

Expansion Casegoods offers a wide variety of components for efficient and discrete management of electrical wiring and communication cables.



- Grommets on worksurfaces and modesty panels provide openings for routing cables
- All items listed in the section are approved for use in both Canada and the United States. If a product is to be used elsewhere, contact Teknion's Customer Service
- No daisy chain allowed with other modules
- Each power module can support 15A. For more details, refer to local electrical code

Plug-In Power Bar (BLPP)

- Four Mounting Configuration are available:
 - No Mouting Hardware (N)
- Desk Mounted with Wire Clips (D)
- Height-Adjustable Mounted with Wire Clips (H)
- Worksurface Mounted with Cable Tray and Wire Clips (W)
- This product includes, when specified, one power bar, adjoining clips, wire management clips and/or cable tray
- Adjoining Clips and Wire Management Clips: Can be placed anywhere along 1/4" gap between the worksurface and the support or modesty panel
- · Installs under a worksurface and provides a 3-wire system. It can be used to connect up to four pieces of electrical equipment
- This product includes a 72", 120" or 180" cord length
- Plugs directly into standard receptables
- Features a flat 45° plug that enables placing furniture closer to the wall
- · The power bar is finished in Clear Anodized. The wire management clips, adjoining clips and cable tray are finished in Black only

Mounting Configuration Kits

The number of the Wire Managament Clip varies, refer to product pages for details

No Mounting Hardware (N)

Comes alones and be placed anywhere under a worksurface

Height-Adjustable Mounted (H)

Bracket and Wire Management Clips are included with Power Bar



Desk Mounted (D)


Wire Adjoining Clip and Wire Management Clips are included with Power Bar



Worksurface Mounted (W)

Cable Tray and Wire Management Clips are included with Power Bar






Height-Adjustable Run-Off with Glass Top must be specified No Mounting Hardware (BLPPN) configuration



Wire Management Clips (BLWC)

- Manage and conceal wires under the worksurface
- These clips can be attached anywhere along 1/4" gap between the worksurface and the support or modesty panel





Power/Data Center (BLMC)

- Opens up through the worksurface to provide power, data and USB access. It retracts to allow use of the entire worksurface
- This product includes a 72" or 120" cord length
- Must be field-installed as per template included
- acks are **not** included and must be field

USB

0

Communi-

cation Opening Configu-

ration


221

301

- receptables
- oft Gris (26)

	Voice/Data faceplates and jac supplied and installed
	Plugs directly into standard re
	• Finished in Ebony (52) or So
	Power Simplex Receptacle
	2
	3
Cable Tray (BLCT)	4
- T	11

- · Is mounted below any worksurface to manage cables coming from the worksurface level
- Allows installation of Plug-In Power Bar No Mounting Hardware (BLPPN) only
- · Finished in Black only



Power Modules also available:

- Used with Meeting Tables only to supply access to electrics
- Cannot be used on Expansion Casegoods desks
- A template is included allowing to cut Solid worksurface on-site, except for tables with Blade
- Plugs directly into standard receptables, except Linear Power Module can also be used with Hard Wire Base Feed

• For more details on these Power Modules, refer to the following pages





Linear Power Module (BLELP)

• Hard Wire Base Feed Configuration (H) cannot be used with height-adjustable



The Power Qube is a 3-wire alternative to provide power/communication/USB charging above worksurfaces.



- The product below can be specified separately
- Power Qube must be plugged into a wall outlet
- · Not all power cord lenghts, plug types and configurations are available. Refer to individual product pages for details



Plug-In (A)

(Canada/U.S.A.)

OR

IEC Connector (C)


(Canada/U.S.A.)

Power Qube (BEEPC)


- Provides power, data or USB charging access above worksurface
- Alternative for Height-Adjustable with Solid Top, compare to wall panel with power and data
- Voice/Data jacks are **not** included and must be field supplied and installed
- Each USB Outlet has one USB-A port and one USB-C port for charging only
- The USB-A port always supplies 10 Watts maximum at 5 Volts DC when used alone



- The USB-C port supplies 18 Watts maximum at 5 to 12 Volts DC when used alone
- Maximum combined output is 15 Watts when both ports are used together: 5 Watts for USB-A and 10 Watts for USB-C



- The USB-C port supplies 65 Watts at 5 to 20 Volts DC when used alone
- Due to limitations with transformer design, the maximum combined output is 30 Watts when both ports are used together: 10 Watts for USB-A port and 20 Watts for USB-C port



- The USB-C port will charge laptops up to 65 Watts and support Quick Charge when used in single port mode
- Power cord is a grey cloth covered type
- Square Cut-Out Mounting Option (Q) and all Quad Configurations cannot be specified with 60" wide and less Rectangular Worksurfaces
- · Case and Front are available in Foundation, Accent or Mica colors
- When Under Worksurface (U) option is specified, the underworksurface bracket will match the Case and Front finish
- Plug-In (A) Connector is plugged directly into standard receptable outlets
- IEC Connector (C) is plugged directly into the Integrated Power Bar with IEC Outlet of Height-Adjustable Worksurface only. Reduces the cable management underneath the worksurface and also removes the cable management outside the worksurface
- For more information about IEC Connector option (C), refer to One Table One Plug Application Guide in Complement: Teknion's Ergonomics & Accessories Programm
- This product includes 48", 72", 120" or 180" power cord length
- · Power cord is a grey cloth covered type


Dual Power

Case and Front Finishes are available in Foundation, Mica and Accent colors

Two mounting options are available


Square Cut-Out (Q)

- Fits into Square Grommet Ring on Standard Solid Top (D, M, X) and a twistable attachment ring allows to tight the Qube casing between the top and bottom worksurface. The Square Cut-Out mounting option must be specified on worksurfaces for installation
- Can also be field installed using the template and grommet ring of the Square Grommet (ordered separately)
- Permanent equipment cords can pass through the square cut-out using the side slot



Desk Edge Clamp (D)

- A Power Qube with Desk Edge Clamp option can be installed on height-adjustable worksurface, including the Wall Panel side
- A Desk Edge Clamp Power Qube cannot be installed in modular desk 1/4" gap.
- When planning with High Secondary Desk, edgeclamped power Qube cannot be mounted above the secondary desk



Clamp-On Markerboard, Fabric or Felt Screen


		Qube (E))			Qube (Q)			
Configuration	D101N	D120S**	D200N	Q202N	Q221H*	Q221S**	Q240S**	Q320H*	Q320S**
Power Simplex Receptacle	1	1	2	2	2	2	2	3	3
USB	0	2	0	0	2	2	4	2	2
Communication Opening	1	0	0	2	1	1	0	0	0

Quad Power

* H = High USB-C Capacity

** S = Standard USB-C Capacity

The following should be considered when planning with Power Pill.




Power Pill Details

- · Provides above worksurface power and USB access
- USB-A Output: 5VDC (10 Watts)
- Available in Anthracite (68), Crisp Grey (25) or Platinum (60)
- The brackets is always finished Greystone

• Not available with Quad Outlets Module

Configurations

- When Anthracite (68) finish is specified, outlets default to Black
- When Crisp Grey (25) or Platinum (60) finish is specified, outlets default to White
- The Power Pill is available in four power configurations and two sizes that are predetermined depending on the cut out specified











Quad - 3 Power/ 2 USB (D320)


Quad – 2 Power/ 4 USB (D240)

Dual - 1 Power/ 2 USB (D120)

Dual - 2 Power/ 0 USB (D200)

• Are not included with each tables, refer to Meeting Table Configurations & Supports Chart in previous section for more details


module configurations



module orientation in table


Module Position

As cut out in table for Power Pill is 4 5/8" by 2 1/4" or 7 3/4" by 3 1/4" pill, unit may be oriented in 1 of 2 directions



[·] When a Quad Outlets Power Pill is used, a 0" to 3/8" gap for cable routing is allowed. No gap when a Dual Outlets Pill is specified

The following should be considered when planning with Linear Power Module.



Faceplates (BLECF)

- Can be installed directly on rectangular communication/data opening of the Linear Power Module (BLELP) only
- Are not compatible with Compact 8" configuration (C0220 or C0300)
- · Finished in Grey
- Three configurations are available:

Audio Video Interface (A)

- One HDMI with 36" patch cord attached
- One 15pin VGA with 60" patch cord attached
- One Mini Stereo Inline F/F



Dual Data (B)

- Two RJ-45 Cat6 data jack




Quad Data (C)

Four RJ-45 Cat6 data jack


Linear Power Module Details

- Provides above worksurface power, USB access and Media Connections
- Each USB Outlet has one USB-A port and one USB-C port for charging only
- The USB-A port always supplies 10 Watts maximum at 5 Volts DC when used alone
- The USB-C port supplies 18 Watts maximum at 5 to 12 Volts DC when used alone
- Maximum combined output is 15 Watts when both ports are used together: 5 Watts for USB-A port and 10 Watts for USB-C port
- Door & Case are finished in Foundation or Mica colors
- Frame is finished in Foundation, Accent or Mica colors
- · Outlets are finished in Soft Gris
- The Linear Power Module is available in six power configurations and three sizes that are predetermined depending on the cut out specified



- Are not included with each tables, refer to Meeting Table Configurations & Supports Chart in previous section for more details
- · Media Faceplates (BLECF) are not included and can be installed and specified separately


module configurations



- Are available with 72" or 180" long with 3-prong straight plug (P) (Shown)
- Are available with 72" long Hard Wire Base Feed (Single Circuit) (H) (Not available with Compact 8" Configuration only)
- · Hard Wire Base Feed (H) can only be used on Fixed-Height Meeting and Conference Tables

Module Position

As cut out in table for Lateral Power Module is 4 1/2" by 7 7/16", 4 1/2" by 16 1/2" or 4 1/2" by 26 5/8" linear, unit may be oriented in 1 of 2 directions





The following should be considered when planning with electrical components on a Height-Adjustable Worksurface to be plugged on wall outlet.



Longer cord is required when specifying electrical accessories on a Height-Adjustable Worksurface since 51" of cord will be needed to allow up and down movement. Therefore electrical cord length should be specified as follow:

 Length needed to reach Height-Adjustable Mechanism from wall outlet + 51" (required for up and down movement) + Length needed to reach accessory position on worksurface = minimum cord length required






Power Tray (BLEPT)

- Is mounted below any worksurface (solid or glass) to manage cables coming from the worksurface level
- Comes with a power bar bracket that allows installation of Plug-In Power Bar No Mounting Hardware (BLPPN) only
- Provide 5/8" gap between the worksurface and tray to insert the fingers for opening tray
- If needed, the Electric Control Box for Height-Adjustable Mechanism can be inserted inside the Power Tray
- Tray is available in Foundation, Mica or Coordinate Colors
- Clips are finished in Soft Gris (B)
- Power Tray width depends on products and supports and/or secondary desk selected:


Examples:


With 72" Table/Fixed-Height Desk (Worksurface Width minus Supports Dimensional)




With 72" Run-Off with Glass Top – High Secondary Desk (Worksurface Width minus Support and Secondary Desk Dimensional)

Product Description	Worksurface Width	Support and/or Secondary Desk Dimensional
Table/Fixed-Height Desks (Multi-Level Workstation Products)		
Table/Fixed-Height Desks (B_MDWO, B_MDWF, B_MFWO or B_MDWB) or Desks for U-Shape Configuration (B_MDG or B_MDS)	54" to 90"	- 12"
On High Secondary Desks Products		
Run-Off Worksurface (B_MHH), Run-Off with Glass Top (BGMTH) or Overlapping Bridge (B_MBH)	60" to 90"	- 30"
On Low Secondary Desks Products		
Run-Off Worksurface (B_MPL), Run-Off with Glass Top (BGMTL), Overlapping Bridge (B_MBL) or Worksurfaces with End Support (B_MPG, B_MBG)	60" to 90"	- 12"






With 72" Run-Off with Glass Top – Low Secondary Desk (Worksurface Width minus Support and Secondary Desk Dimensional)



This component can be installed to run cables from the floor to the Meeting Tables.

⋪

The product below can be specified separately






Wrap Around Cable Manager (BLWAC)

- Fixed-Height Table configuration (FF) has also a diameter of 2" and is 29" long. It allows routing plug-in cable from underside of a worksurface to the floor (Shown). Can also routing Hard Wire Base Feed/Data cables coming from the floor to the underside of a worksurface
- Height-Adjustable Table Standard Range 28" to 43" h configuration (HS) has a diameter of 2" and is 43" long. It allows routing plug-in cable from cable tray of a Height-Adjustable Meeting Table to the floor.
- Available in Black (B) or Grey (G)

fixed-height configuration (FF)


height-adjustable configuration (HS)



This component can be installed to run cables from the floor to the Meeting Tables.




- Check local codes for potential limits or restrictions on products and local authority approval may be required prior to use
- Not intended to be used in corridors or circulation paths, the product is designed for low traffic area like meeting room



Floor Cable Cover - Meeting Table (BLFCM)

- The Floor Cable Cover offers a secure way to route cables on the floor from the power source to the meeting table
- Widths available: 36" to 96" (1" increments)
- Offers flexibility when the power source location is separated from the furniture layout
- Comes with Velcro® and mounting holes to ensure the fixation on a variety of flooring style
- Finished in Clear Anodized (AC), Foundation, Accent or Mica color


floor cable cover components



- **1** Base Section will be fixed to the floor and organizes the cable
- Top Cover is hinged to allow access to the cables
- Foam Tape offers protection to the cable at the end of the Floor Cable Cover and also help keeping the cables securely in place
- 4 Metal Clips allow the base and top cover to maintain in the close position
- 5 Underside Velcro® allow the product to be fixed to a multiple type flooring. Use the appropriate combination of male and female Velcro® depending on the flooring material. Mounting holes are also available to use screws (not included)


floor cable cover capacity

- This cover allows routing power and data cables. It can also run audio and video cables to the meeting table
- A Hard Wire Base Feed **cannot** be routed from power module or power hardness
- Routed inside the Floor Cable Cover



6 plug-in cables

The Floor Cable Cover has a capacity of 6 plug-in cables (up to 3/8" diameter each) when used in combination with the Wrap Around Cable Manager (BLWAC)






8 data cables (CAT6a)

The Floor Cable Cover has a capacity of 8 data cables (up to 5/16" diameter each (Cat6a)) when used in combination with the Wrap Around Cable Manager (BLWAC)


planning with floor cable cover

- The Floor Cable Cover is offered at every inch, up to 96". To specify the exact length, refer to the floor plant in the specification software
- Depending on the type of meeting room and the where the electricity need to go, the length of the Floor Cable Cover may vary



Run to a Table Leg


- Use where the cables can route in the leg of the table.
 Worksurfaces with Blade Legs, Blade T-Legs, Workshop Legs or Blade Star Base
- For cable management inside a leg or base, refer to page 463 for more detail



Run to the Center of the Table

Use where the cables start from the floor directly to the power module in the center of the tables


planning with cable cover (continued)



Run to a Table Base


- Use where the cables can route in the base of the table to the power module. Worksurfaces with Panel or Square Bases or Height-Adjustable Boyel Bases
- For cable management inside a Panel or Square Base or a Height-Adjustable Panel or Bevel Base, refer to page 462 for more detail

NOTE: It is recommended to not run the Floor Cable Cover **under** the Media Wall or Metal Table base. It will **not** open properly




Floor Cable Cover with Wrap Around Cable Manager

A Floor Cable Cover can be used in combination with Wrap Around Cable Manager (BLWAC) to manage cable from Floor Cover to Worksurface



It is recommended to use the Wrap Around Cable Manager when the cables are exposed, like in the case of the cable is going straight from the cover to the worksurface



The Wrap Around Cable Manager is **not** necessary when cables are completely out of range from the user, like when the cables pass through a table base




- Can be specified separately on worksurfaces or wall panels (if applicable)
- · Can also be specified as an option on worksurfaces or wall panel. The surface will come with pre-drilled holes for easy installation on-site




Duo Grommet - Square (BLGQX)

- All surfaces with Square Cut-Out are ready to receive a Square Grommet if needed
- Cover can be locked in place with wood screws (not included)
- Cover and rings are available in Foundation, Accent or Mica colors

Duo Square Grommet Application



Design to accommodate three thicknesses:








Holes allow cable passing but avoid falling under worksurface by retaining cable connector

They are interchangeable between them



Rectangular Grommets (BLGC)


- · Cover finish is available in Foundation, Accent or Mica colors
- Rectangular Grommet Ring is finished in Ebony only
- Rectangular Grommet Applications:





Elliptical Grommets (BLGE)

- \bullet Are available in the same styles/thicknesses (D, M, X) than the worksurfaces
- Are available in Foundation, Mica or Source Laminate (Wood Prints only colors)



price & product guide

price & product guide

PRECONFIGURED DESKS537
RETURNS & CREDENZAS
DESKS599
MULTI-LEVEL WORKSTATIONS
DESK ACCESSORIES
MOUNTED STORAGE & ACCESSORIES871
FREESTANDING STORAGE & ACCESSORIES
WORKWALL STORAGE
STORAGE FOR SECONDARY DESKS
RECEPTION
MEETING TABLES
LIGTHING, ELECTRICS & COMMUNICATIONS

preconfigured desks


preconfigured desks product map


B _ D R F S Rectangular Desk with Double Pedestals – Box/Box/File and File/ File

B _ S R B S Rectangular Desk with Single Pedestal

Page 538

Page 540







B _ D C F S Convex Desk with Double Pedestals - Box/Box/File and File/File

B_SCBS Rectangular Desk with Single Pedestal

Page 542

Page 544







B _ X R L S Rectangular Executive Desk with Double Pedestals – Solid Modesty

B _ Y R L S Rectangular Executive Desk with Single Pedestal – Solid Modesty

Page 546 Page 548





Xpress

B_DRFS

Rectangular Desk with Double Pedestals – Box/Box/File and File/File

This preconfigured desk is freestanding and cannot be attached to other desks.

WHAT'S INCLUDED

1 worksurface, 2 full gables with levelers, 1 box, box, file pedestal (comes with 1 pencil tray, 1 drawer divider and 1 12" hanging file bar), 1 file, file pedestal (comes with 2 12" hanging file bars), 1 full modesty panel, pulls (as specified), grommets (as specified), hardware, lock and keys (as specified).

NOTES

Modesty panel is recessed from rear of worksurface as follows:

Wo	orksurface De	pth
24"	30"	36"
n/a	5"	8"


Recess from rear

Only the box/box/file pedestal is lockable.

When No Grommet (N) option is specified, Grommet Finish is **not** available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Worksurface Finish	Edge Trim Style	Edge Trim Finish
D 1" M 1 3/16" X 1 9/16"	24, 30, 36	60, 66, 72, 78, 84	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors

SAMPLE ORDER CODE

	BDDRFS	24	60	N	3E	6	4E
--	--------	----	----	---	----	---	----

PRODUCT OPTIONS CONTINUED

Drawer Front Finish	Case, Gable and Modesty Panel Finish	Pull Style	Hardware and Pull Finish	Grommet Finish (If Applicable)	Key Style
Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion6 Arched9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

3E	3E	1	7	K

See Pricing on the following page.

Xpress

B_DRFS

Rectangular Desk with Double Pedestals – Box/Box/File and File/File (Continued)

DIMENSIONS INCHES / MM


PRICING

		1" (D)	1 3/16" (M)		1 9/16" (X)	
		SOURCE LAMINATE	FOUNDATION LA	MINATE		
		DRAWER FRONT FINISH				
D	W	Source Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
24 / 610	60 / 1524	2242	2438	2541	2546	2649
24 / 610	66 / 1676	2270	2468	2571	2589	2692
24 / 610	72 / 1829	2299	2501	2604	2633	2736
24 / 610	78 / 1981	n/a	2540	2643	2678	2781
24 / 610	84 / 2134	n/a	2574	2677	2723	2826
30 / 762	60 / 1524	2405	2613	2716	2748	2851
30 / 762	66 / 1676	2439	2652	2755	2803	2906
30 / 762	72 / 1829	2468	2695	2798	2854	2957
30 / 762	78 / 1981	n/a	2734	2837	2909	3012
30 / 762	84 / 2134	n/a	2776	2879	2963	3066
36 / 914	60 / 1524	n/a	2805	2908	2963	3066
36 / 914	66 / 1676	n/a	2854	2957	3026	3129
36 / 914	72 / 1829	n/a	2901	3004	3091	3194
36 / 914	78 / 1981	n/a	2950	3053	3152	3255
36 / 914	84 / 2134	n/a	3000	3103	3217	3320

Xpress

B_SRBS

Rectangular Desk with Single Pedestal



This preconfigured desk can be used alone or in conjunction with a bridge, return or peninsula worksurface to create a "L" or "U" configuration.

WHAT'S INCLUDED

1 worksurface, 2 full gables with levelers, 1 box, box, file pedestal (with 1 pencil tray, 1 drawer divider and 1 12" hanging file bar), 1 full modesty panel, pulls (as specified), grommets (as specified), hardware, lock and keys (as specified).

NOTES

Modesty panel is recessed from rear of worksurface as follows:

W	orksurface D	epth
24"	30"	36"
n/a	5"	8"

Recess from rear

When No Grommet (N) option is specified, Grommet Finish is \mbox{not} available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

•	Worksurface Thickness	Depth	Width	Grommet Option	Storage Configuration	Worksurface Finish	Edge Trim Style	Edge Trim Finish
D	1"	24, 30, 36	60, 66, 72, 78, 84	E Elliptical Grommet	L Left	Source Laminate	6 Straight Trim	Edge Trim Colors
	1 3/16"			(Shown)	R Right (Shown)	Foundation Laminate		
X	1 9/16"			G Rectangular Grommet		Lammace		
				N No Grommet				

SAMPLE ORDER CODE

BDSRBS	30	60	G	R	3E	6	4E
D <u>D</u> SKDS	30	00	u u	1	J L	U	TL

PRODUCT OPTIONS CONTINUED

Drawer Front Finish	Case, Gable and Modesty Panel Finish	Pull Style	Hardware and Pull Finish	Grommet Finish (If Applicable)	Key Style
Source Laminate Foundation Laminate	Source Laminate	Standard ExpansionArchedRectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

	3E	3E	1	7	7	K			

See Pricing on the following page.

$B_S R B S$

Rectangular Desk with Single Pedestal (Continued)

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)		1 9/16" (X)	
		SOURCE LAMINATE	FOUNDATION LA	MINATE		
		DRAWER FRONT FINISH				
D	W	Source Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
24 / 610	60 / 1524	1587	1857	1908	2067	2118
24 / 610	66 / 1676	1634	1894	1945	2096	2147
24 / 610	72 / 1829	1666	1919	1970	2147	2198
24 / 610	78 / 1981	n/a	1964	2015	2192	2243
24 / 610	84 / 2134	n/a	2016	2067	2236	2287
30 / 762	60 / 1524	1732	1943	1994	2124	2175
30 / 762	66 / 1676	1766	1996	2047	2178	2229
30 / 762	72 / 1829	1783	2083	2134	2209	2260
30 / 762	78 / 1981	n/a	2122	2173	2275	2326
30 / 762	84 / 2134	n/a	2167	2218	2322	2373
36 / 914	60 / 1524	n/a	1973	2024	2160	2211
36 / 914	66 / 1676	n/a	2031	2082	2214	2265
36 / 914	72 / 1829	n/a	2122	2173	2255	2306
36 / 914	78 / 1981	n/a	2129	2180	2317	2368
36 / 914	84 / 2134	n/a	2211	2262	2369	2420

B DCFS

Convex with Double Pedestals – Box/Box/File and File/File

This preconfigured desk is freestanding and cannot be attached to other desks.

WHAT'S INCLUDED

1 worksurface, 2 full gables with levelers, 1 box, box, file pedestal (comes with 1 pencil tray, 1 drawer divider and 1 12" hanging file bar), 1 file, file pedestal (comes with 2 12" hanging file bars), 1 full modesty panel, grommets (as specified), pulls (as specified), hardware, lock and keys (as specified).

NOTES

Modesty panel is recessed from rear of worksurface as follows:

Worksurf	face Depth
30"	36"
8"	11"


Recess from rear

Only the box/box/file pedestal is lockable.

When No Grommet (N) option is specified, Grommet Finish is **not** available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Worksurface Finish	Edge Trim Style	Edge Trim Finish
D 1" M 1 3/16" X 1 9/16"	30, 36	60, 66, 72, 78, 84	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors

SAMPLE ORDER CODE

B <u>M</u>	I DCFS	30	60	E	2D	6	4D
------------	---------------	----	----	---	----	---	----

PRODUCT OPTIONS CONTINUED

Drawer Front Finish	Case, Gable and Modesty Panel Finish	Pull Style	Hardware and Pull Finish	Grommet Finish (If Applicable)	Key Style
Source Laminate Foundation Laminate	Source Laminate	Standard ExpansionArchedRectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

-5		_	_	· ·	**
3D	3D	1	E	E	K

B_DCFS

Convex with Double Pedestals – Box/Box/File and File/File (Continued)

DIMENSIONS INCHES / MM

		1" (D) SOURCE LAMINATE	1 3/16" (M) Foundation La	MINATE	1 9/16" (X)	
		DRAWER FRONT FINISH				
D	W	Source Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
30 / 762	60 / 1524	2446	2668	2771	2813	2916
30 / 762	66 / 1676	2485	2712	2815	2871	2974
30 / 762	72 / 1829	2518	2756	2859	2929	3032
30 / 762	78 / 1981	n/a	2801	2904	2988	3091
30 / 762	84 / 2134	n/a	2844	2947	3047	3150
36 / 914	60 / 1524	n/a	2857	2960	3028	3131
36 / 914	66 / 1676	n/a	2910	3013	3095	3198
36 / 914	72 / 1829	n/a	2963	3066	3162	3265
36 / 914	78 / 1981	n/a	3014	3117	3234	3337
36 / 914	84 / 2134	n/a	3067	3170	3303	3406

B_SCBS

Convex Desk with Single Pedestal

This preconfigured desk can be used alone or in conjunction with a bridge, return or peninsula worksurface to create a "L" or "U" configuration.

WHAT'S INCLUDED

1 worksurface, 2 full gables with levelers, 1 pedestal (comes with 1 pencil tray, 1 drawer divider and 1 12" hanging file bar), 1 full modesty panel, pulls (as specified), grommets (as specified), hardware, lock and keys (as specified).

NOTES

Modesty panel is recessed from rear of worksurface as follows:


Worksurf	face Depth
30"	36"
5"	8"

Recess from rear

When No Grommet (N) option is specified, Grommet Finish is ${\bf not}$ available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Storage Configuration	Worksurface Finish	Edge Trim Style	Edge Trim Finish
D 1" M 1 3/16" X 1 9/16"	30, 36	60, 66, 72, 78, 84	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	L Left R Right (Shown)	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors

SAMPLE ORDER CODE

BDSCBS	30	60	N	R	3 E	6	4E
<u>D</u> 00D0	J 0	00	11	10	J D	•	111

PRODUCT OPTIONS CONTINUED

Drawer Front Finish	Case, Gable and Modesty Panel Finish	Pull Style	Hardware and Pull Finish	Grommet Finish (If Applicable)	Key Style
Source Laminate Foundation Laminate	Source Laminate	 Standard Expansion Arched Rectilinear (Shown) 	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

3E	3E	1	7	K

$B _ S C B S$


Convex Desk with Single Pedestal (Continued)

DIMENSIONS INCHES / MM

		1" (D) SOURCE LAMINATE	1 3/16" (M) Foundation La	MINATE	1 9/16" (X)		
D	W	DRAWER FRONT FINISH Source Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate	
30 / 762	60 / 1524	1788	1999	2050	2180	2231	
30 / 762	66 / 1676	1822	2052	2103	2235	2286	
30 / 762	72 / 1829	1840	2140	2191	2265	2316	
30 / 762	78 / 1981	n/a	2177	2228	2330	2381	
30 / 762	84 / 2134	n/a	2223	2274	2378	2429	
36 / 914	60 / 1524	n/a	2031	2082	2216	2267	
36 / 914	66 / 1676	n/a	2086	2137	2272	2323	
36 / 914	72 / 1829	n/a	2177	2228	2314	2365	
36 / 914	78 / 1981	n/a	2228	2279	2371	2422	
36 / 914	84 / 2134	n/a	2269	2320	2424	2475	

B_XRLS

Rectangular Executive Desk with Double Pedestals – Solid Modesty



This executive desk is supported by two pedestals and must be used alone.

WHAT'S INCLUDED

1 worksurface, 2 box, box, file pedestals (each with 1 pencil tray, 1 drawer divider, 1 12" hanging file bar) with levelers, 1 full modesty panel, pulls (as specified), grommets (as specified), hardware, lock and keys (as specified).

NOTES

Only the right pedestal is lockable.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Worksurface Finish	Edge Trim Style	Edge Trim Finish
M 1 3/16" X 1 9/16"	30, 36	60, 66, 72, 78, 84	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	Foundation Laminate	6 Straight Trim	Edge Trim Colors

SAMPLE ORDER CODE

BMXRLS	30	66	G	2E	6	4E
DIVI	J 0	00	-	21		

PRODUCT OPTIONS CONTINUED

Drawer Front Finish	Case Finish	Modesty Panel Finish	Pull Style	Hardware and Pull Finish	Grommet Finish (If Applicable)	Key Style
Source Laminate Foundation Laminate	Source Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

2E	LE	LE	6	7	7	R
----	----	----	---	---	---	---


B_XRLS Rectangular Executive Desk with Double Pedestals – Solid Modesty (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M)		1 9/16" (X)		
		FOUNDATION LAN	IINATE			
		DRAWER FRONT F	INISH			
D	W	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate	
30 / 762	60 / 1524	3073	3176	3307	3410	
30 / 762	66 / 1676	3123	3226	3364	3467	
30 / 762	72 / 1829	3219	3322	3403	3506	
30 / 762	78 / 1981	3261	3364	3470	3573	
30 / 762	84 / 2134	3307	3410	3518	3621	
36 / 914	60 / 1524	3185	3288	3422	3525	
36 / 914	66 / 1676	3242	3345	3485	3588	
36 / 914	72 / 1829	3340	3443	3532	3635	
36 / 914	78 / 1981	3351	3454	3590	3693	
36 / 914	84 / 2134	3436	3539	3649	3752	

B YRLS

Rectangular Executive Desk with Single Pedestal – Solid Modesty



This executive desk must be used in conjunction with a bridge or return to create a "L" or "U" configuration. It would be unstable if used alone.

WHAT'S INCLUDED

I worksurface, 1 closed space for wire management with levelers, 1 box, box, file pedestal (comes with 1 pencil tray, 1 drawer divider, 1 12" hanging file bar) with levelers, 1 full modesty panel, pulls (as specified), grommets (as specified), hardware, lock and keys (as specified).

NOTES

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate)

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Configuration	Worksurface Finish	Edge Trim Style	Edge Trim Finish
M 1 3/16" X 1 9/16"	30, 36	72, 78, 84	E Elliptical Grommet (Shown)	L Left Handed (Shown)	Foundation Laminate	6 Straight Trim	Edge Trim Colors
			G Rectangular Grommet N No Grommet	R Right Handed			

SAMPLE ORDER CODE

B <u>X</u> YRLS	30	72	N	L	2E	6	4E
_ <u></u>		, –		_		_	

PRODUCT OPTIONS CONTINUED

Drawer Front Finish	Case Finish	Modesty Panel Finish	Pull Style	Hardware and Pull Finish	Grommet Finish (If Applicable)	Key Style
Source Laminate Foundation Laminate	Source Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

2 E	IE	IE	1	7	D
ZE.	LE	LE	1	/	ĸ

$B _ Y R L S$

Rectangular Executive Desk with Single Pedestal – Solid Modesty (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M) Foundation Lam Drawer Front F		1 9/16" (X)	1 9/16" (X)		
D	W	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate		
30 / 762	72 / 1829	3014	3065	3195	3246		
30 / 762	78 / 1981	3052	3103	3263	3314		
30 / 762	84 / 2134	3098	3149	3312	3363		
36 / 914	72 / 1829	3134	3185	3325	3376		
36 / 914	78 / 1981	3141	3192	3385	3436		
36 / 914	84 / 2134	3229	3280	3442	3493		

returns & credenzas

returns & credenzas product map

B _ J B L Return with Pedestal – Box/Box/File

B_JBC Cross Grain Return with Pedestal – Box/Box/File

Page 556






B_JFL Return with Pedestal - File/File

B _ J F C Cross Grain Return with Pedestal – File/File

Page 558 Page 560







B_JCL Return with Combo Pedestal

B_JCC Cross Grain Return with Combo Pedestal

Page 562 Page 566





B_JLL Return with Lateral File

B $_$ J L C $\:$ Cross Grain Return with Lateral File

Page 568 Page 572






returns & credenzas product map


B _ Z P F Credenza with Double Pedestals – File/File

B _ Z P P Credenza with Double Pedestals – Box/Box/File and File/File

B _ Z U L Credenza with Single Lateral File

Page 576 Page 578






B _ Z U B Credenza with Single Pedestal – Box/Box/File

Page 580 Page 582





B _ Z U C Credenza with Single Combo Pedestal


Page 584 Page 586





B _ Z F S Credenza with Doors


Page 588



returns & credenzas product map

B _ Z F D Credenza with Doors and Drawers


Page 590



B _ Z F L Credenza with Doors and Lateral File


Page 592


Page 594



B _ Z F D B Credenza with Doors and Two Box/ Box/File Pedestals

Page 596





B _ Z F D F Credenza with Doors and Two File/

File Pedestals

B_JBL

Return with Pedestal - Box/Box/File

This return includes a lockable pedestal with full-extension drawers that can accommodate both letter- and legal-size paper. It is semi-supported, so it must be connected to the straight user edge and on the full gable side of a desk or credenza.

WHAT'S INCLUDED

1 worksurface, 1 box, box, file pedestal (comes with 1 pencil tray, 1 drawer divider, 1 12" hanging file bar) with levelers, 1 flush full modesty panel (as specifed), 2 grommets (1 on worksurface and 1 on full modesty panel) (as specifed), pulls (as specified), mounting hardware, lock and keys (as specifed).

WHAT'S EXCLUDED

Wire Management Clip.


NOTES

The included hanging file bar is to be installed along the width only.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

'	Worksurface Thickness	Modesty Panel Style	Depth	Width	Grommet Option	Storage Configuration	Worksurface Finish	Edge Trim Style
	1" 1 3/16" 1 9/16"	0 None 1 Flush, Full (Shown)	20, 24	30, 36, 42, 48, 54, 60	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	L Left Handed (Shown) R Right Handed	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

DACIDI		26	(0	F	т т	2D	
BMIBL		24	60	l E	L	20	6
_ <u></u>	_			_	_		_

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case and Modesty Panel Finish	Pull Style	Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Color	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

4 D	2D	1.17	•	102	177	T/
4D	2D	LE	· 9	L E	£	IX.
			*			

B_JBL

Return with Pedestal – Box/Box/File (Continued)

DIMENSIONS INCHES / MM

NCHES / I	VIIVI	FRICING			
		NONE MODESTY PAN	NEL (0)	FLUSH FULL MODES	STY PANEL (1)
		1" (D)			
		SOURCE LAMINATE			
		DRAWER FRONT FIN	ISH		
		Source		Source	
D	W	Laminate		Laminate	
20 / 508	30 / 762	1155		1260	
20 / 508	36 / 914	1184		1303	
20 / 508	42 / 1067	1208		1337	
20 / 508	48 / 1219	1240		1376	
20 / 508	54 / 1372	1255		1397	
20 / 508	60 / 1524	1299		1452	
24 / 610	30 / 762	1205		1319	
24 / 610	36 / 914	1244		1368	
24 / 610	42 / 1067	1268		1397	
24 / 610	48 / 1219	1305			
24 / 610	54 / 1372	1324		1473	
24 / 610	60 / 1524	1339		1488	
		1 3/16" (M)			
		FOUNDATION LAMIN			
		DRAWER FRONT FIN			P. 1.
		Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
20 / 508	30 / 762	1209	1260	1349	1400
20 / 508	36 / 914	1255	1306	1412	1463
20 / 508	42 / 1067	1299	1350	1462	1513
0 / 508	48 / 1219	1163	1207	1313	1357
20 / 508	54 / 1372	1392	1443	1569	1620
20 / 508	60 / 1524	1434	1445	1622	1673
201 700	00 / 1 / 24	14,74	170)	1022	10/ 3
24 / 610	30 / 762	1302	1353	1456	1507
24 / 610	36 / 914	1339	1390	1501	1552
24 / 610	42 / 1067	1384	1435	1556	1607
24 / 610	48 / 1219	1431	1482	1611	1662
24 / 610	54 / 1372	1478	1529	1661	1712
24 / 610	60 / 1524	1536	1587	1730	1781
		1 9/16" (X) FOUNDATION LAMIN	NATE		
		DRAWER FRONT FIN			
			Foundation	Source	Foundation
		Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
20 / 508	30 / 762	1284	1335	1430	1481
20 / 508	36 / 914	1324	1375	1481	1532
20 / 508	42 / 1067	1366	1417	1535	1586
20 / 508	48 / 1219	1416	1467	1598	1649
20 / 508	54 / 1372	1453	1504	1636	1687
20 / 508	60 / 1524	1492	1543	1681	1732
201)00	00 / 1)24	1472	1 / 1 .)	1001	1 / JL
24 / 610	30 / 762	1407	1458	1568	1619
24 / 610	36 / 914	1448	1499	1622	1673
24 / 610	42 / 1067	1498	1549	1681	1732
	48 / 1219	1550	1601	1740	1791
24 / 610					
24 / 610 24 / 610	54 / 1372	1601 1666	1652	1800	1851

B_JBC

Cross Grain Return with Pedestal -Box/Box/File

This return includes a lockable pedestal with full-extension drawers that can accommodate both letter- and legal-size paper. It is semi-supported, so it must be connected to the straight user edge and on the full gable side of a desk or credenza.

WHAT'S INCLUDED

1 worksurface, 1 box, box, file pedestal (comes with 1 pencil tray, 1 drawer divider, 1 12" hanging file bar) with levelers, 1 flush full modesty panel (as specified), 2 grommets (1 on worksurface and 1 on full modesty panel) (as specified), pulls (as specified), mounting hardware, lock and keys (as specified).

WHAT'S EXCLUDED


Wire Management Clip.

The included hanging file bar is to be installed along the width only.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is not available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

,	Worksurface Thickness	Modesty Panel Style	Depth	Width	Grommet Option	Storage Configuration	Worksurface Finish	Edge Trim Style
M	1" 1 3/16" 1 9/16"	0 None 1 Flush, Full (Shown)	20, 24	30, 36, 42, 48, 54, 60	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	L Left Handed (Shown) R Right Handed	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

B <u>M</u> JBC 0 24 48 G L 2D	6
-------------------------------	---

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case and Modesty Panel Finish	Pull Style	Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Color	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

4D	2 D	IE	0	E	TC TC	IV.
40	3D	LE	9	E	E	N.

B_JBC

Cross Grain Return with Pedestal – Box/Box/File (Continued)

DIMENSIONS INCHES / MM

		NONE MODESTY PAN	NEL (0)	FLUSH FULL MODES	TY PANEL (1)
		1" (D) SOURCE LAMINATE			
		DRAWER FRONT FINE	ISH		
		Source		Source	
D	W	Laminate		Laminate	
20 / 508	30 / 762	1155		1260	
20 / 508	36 / 914	1184		1303	
20 / 508	42 / 1067	1208		1337	
20 / 508	48 / 1219	1240		1376	
20 / 508	54 / 1372	1255		1397	
20 / 508	60 / 1524	1299		1452	
24 / 610	30 / 762	1205		1319	
24 / 610	36 / 914	1244		1368	
24 / 610	42 / 1067	1268		1397	
24 / 610	48 / 1219	1305		1441	
24 / 610	54 / 1372	1324		1473	
24 / 610	60 / 1524	1339		1488	
		1 2/16" (14)			
		1 3/16" (M) FOUNDATION LAMIN	JATE		
		DRAWER FRONT FIN			
		Source	Foundation Laminate	Source	Foundation Laminate
20 / 508	30 / 762	Laminate 1209	1260	<u>Laminate</u> 1349	1400
20 / 508	36 / 914	1255	1306	1412	1463
20 / 508	42 / 1067	1299	1350	1462	1513
20 / 508	48 / 1219	1349	1400	1523	1574
20 / 508	54 / 1372	1392	1443	1569	1620
20 / 508	60 / 1524	1434	1485	1622	1673
24 / 610	30 / 762	1302	1353	1456	1507
24 / 610	36 / 914	1339	1390	1501	1552
24 / 610	42 / 1067	1384	1435	1556	1607
24 / 610	48 / 1219	1431	1482		1662
24 / 610	54 / 1372	1478	1529	1661	1712
24 / 610	60 / 1524	1536	1587	1730	1781
		1 9/16" (X)			
		FOUNDATION LAMIN	IATE		
		DRAWER FRONT FIN	ISH		
		Source	Foundation	Source	Foundation
20 / 500	20 / 7/2	Laminate	Laminate	Laminate	Laminate
20 / 508	30 / 762	1284	1335	1430	1481
20 / 508 20 / 508	36 / 914	1324 1366	1375 1417	1481	1532 1586
	42 / 1067			1535	
20 / 508	48 / 1219 54 / 1372	1416	1467	1598	1649
20 / 508 20 / 508	60 / 1524	1453 1492	1504 1543		1687 1732
20 / 700	00 / 1/24	17/2	1,71,5	1001	1/32
24 / 610	30 / 762	1407	1458	1568	1619
24 / 610	36 / 914	1448	1499	1622	1673
24 / 610	42 / 1067	1498	1549	1681	1732
24 / 610	48 / 1219	1550	1601	1740	1791
24 / 610	54 / 1372	1601	1652	1800	1851
24 / 610	60 / 1524	1666	1717	1880	1931

B_JFL

Return with Pedestal - File/File

This return includes a lockable pedestal with full-extension drawers that can accommodate both letter- and legal-size paper. It is semi-supported, so it must be connected to the straight user edge and on the full gable side of a desk or credenza.

WHAT'S INCLUDED

1 worksurface, 1 file, file pedestal (comes with 2 12" hanging file bar) with levelers, 1 flush full modesty panel (as specified), 2 grommets (1 on worksurface and 1 on full modesty panel) (as specified), pulls (as specified), mounting hardware, lock and keys. (as specified)

WHAT'S EXCLUDED


Wire Management Clip.

The included hanging file bar is to be installed along the width only.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is not available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

,	Worksurface Thickness	Modesty Panel Style	Depth	Width	Grommet Option	Storage Configuration	Worksurface Finish	Edge Trim Style
M	1" 1 3/16" 1 9/16"	0 None 1 Flush, Full (Shown)	20, 24	30, 36, 42, 48, 54, 60	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	L Left Handed (Shown) R Right Handed	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

B <u>D</u> JFL	1	24	60	G	L	3D	6

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case and Modesty Panel Finish	Pull Style	Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Colors	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

4 D	2D	T TO	•	177	37	D
4D	3D	LE	١ 9	E	V	K


B_JFL Return with Pedestal - File/File (Continued)

DIMENSIONS INCHES / MM

		NONE MODESTY PA	NEL (0)	FLUSH FULL MODES	STY PANEL (1)
		1" (D) SOURCE LAMINATE			
		DRAWER FRONT FIN	ISH		
		Source		Source	
D	W	Laminate		Laminate	
20 / 508	30 / 762	1108		1213	
20 / 508	36 / 914	1134		1255	
20 / 508	42 / 1067	1161		1289	
20 / 508	48 / 1219	1192		1328	
20 / 508	54 / 1372	1208		1346	
20 / 508	60 / 1524	1252		1402	
24 / 610	30 / 762	1158		1268	
24 / 610	36 / 914	1196		1319	
24 / 610	42 / 1067	1219		1346	
24 / 610	48 / 1219	1256		1393	
24 / 610	54 / 1372	1277		1424	
24 / 610	60 / 1524	1290		1440	
		1 3/16" (M)			
		FOUNDATION LAMII	NATE		
		DRAWER FRONT FIN			
		Source	Foundation Laminate	Source	Foundation Laminate
20 / 508	30 / 762	Laminate 1162	1213		1351
20 / 508	36 / 914	1208	1259	1364	1415
20 / 508	42 / 1067	1252	1303	1414	1465
20 / 508	48 / 1219	1300	1351	1474	1525
20 / 508	54 / 1372	1342	1393	1522	1573
20 / 508	60 / 1524	1385	1436	1574	1625
24 / 610	30 / 762	1254	1305	1406	1457
24 / 610	36 / 914	1290	1341	1453	1504
24 / 610	42 / 1067	1337	1388	1507	1558
24 / 610	48 / 1219	1383	1434	1564	1615
24 / 610	54 / 1372	1429	1480	1612	1663
24 / 610	60 / 1524	1487	1538	1681	1732
		1 9/16" (X)			
		FOUNDATION LAMII	NATE		
		DRAWER FRONT FIN	ISH		
		Source	Foundation	Source	Foundation
		Laminate	Laminate	Laminate	Laminate
20 / 508	30 / 762	1237	1288	1382	1433
20 / 508	36 / 914	1277	1328	1431	1482
20 / 508	42 / 1067	1318	1369	1485	1536
20 / 508	48 / 1219	1369	1420	1550	1601
20 / 508	54 / 1372	1404	1455	1587	1638
20 / 508	60 / 1524	1444	1495	1633	1684
24 / 610	30 / 762	1358	1409	1520	1571
24 / 610	36 / 914	1399	1450	1574	1625
24 / 610	42 / 1067	1450	1501	1633	1684
24 / 610	48 / 1219	1501	1552	1692	1743
24 / 610	54 / 1372	1553	1604	1753	1804
24 / 610	60 / 1524	1621	1672	1830	1881

B_JFC

Cross Grain Return with Pedestal - File/File



This return includes a lockable pedestal with full-extension drawers that can accommodate both letter- and legal-size paper. It is semi-supported, so it must be connected to the straight user edge and on the full gable side of a desk or credenza.

WHAT'S INCLUDED

1 worksurface, 1 file, file pedestal (comes with 2 12" hanging file bar) with levelers, 1 flush full modesty panel (as specifed), 2 grommets (1 on worksurface and 1 on full modesty panel) (as specifed), pulls (as specified), mounting hardware, lock and keys (as specified).

WHAT'S EXCLUDED

Wire Management Clip.

The included hanging file bar is to be installed along the width only.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is not available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

'	Worksurface Thickness	Modesty Panel Style	Depth	Width	Grommet Option	Storage Configuration	Worksurface Finish	Edge Trim Style
	1" 1 3/16" 1 9/16"	0 None 1 Flush, Full (Shown)	20, 24	30, 36, 42, 48, 54, 60	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	L Left Handed (Shown) R Right Handed	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

	BXJFC	0	24	60	N	R	2E	6
--	-------	---	----	----	---	---	----	---

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case and Modesty Panel Finish	Pull Style	Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Color	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

4E	2E	l LE	6	7	N
			_	,	- •

B_JFC

Cross Grain Return with Pedestal – File/File (Continued)

DIMENSIONS INCHES / MM

TOTILO 7 I		Richito			
		NONE MODESTY PAI	NEL (0)	FLUSH FULL MODES	STY PANEL (1)
		1" (D)			
		SOURCE LAMINATE			
		DRAWER FRONT FIN	ISH		
Б	NV/	Source		Source	
D	W 20 / 762	Laminate		Laminate	
20 / 508	30 / 762	1108		1213	
20 / 508	36 / 914	1134		1255	
20 / 508	42 / 1067	1161		1289	
20 / 508	48 / 1219	1192		1328	
20 / 508	54 / 1372	1208		1346	
20 / 508	60 / 1524	1252		1402	
4 / 610	30 / 762	998		1093	
24 / 610	36 / 914	1196		1319	
24 / 610	42 / 1067	1219		1346	
24 / 610	48 / 1219	1256		1393	
24 / 610	54 / 1372	1277		1424	
24 / 610	60 / 1524	1290		1440	
		1 3/16" (M)			
		FOUNDATION LAMII	NATE		
		DRAWER FRONT FIN			
		Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
20 / 508	30 / 762	1162	1213	1300	1351
20 / 508	36 / 914	1208	1259	1364	1415
20 / 508	42 / 1067	1252	1303	1414	1465
20 / 508	48 / 1219	1300	1351	1474	1525
20 / 508	54 / 1372	1342	1393	1522	1573
20 / 508	60 / 1524	1385	1436	1574	1625
24 / 610	30 / 762	1254	1305	1406	1457
24 / 610	36 / 914	1290	1341	1453	1504
24 / 610	42 / 1067	1337	1388	1507	1558
24 / 610	48 / 1219	1383	1434	1564	1615
24 / 610	54 / 1372	1429	1480	1612	1663
24 / 610	60 / 1524	1487	1538	1681	1732
		1 9/16" (X)			
		FOUNDATION LAMIN	NATE		
		DRAWER FRONT FIN	ISH		
		Source	Foundation	Source	Foundation Laminate
20 / 500	20 / 762	Laminate	Laminate	Laminate	
20 / 508	30 / 762	1237	1288	1382	1433
20 / 508	36 / 914	1277	1328	1431	1482
20 / 508	42 / 1067	1318	1369	1485	1536
20 / 508	48 / 1219	1369	1420	1550	1601
20 / 508	54 / 1372	1404	1455	1587	1638
20 / 508	60 / 1524	1444	1495	1633	1684
24 / 610	30 / 762	1358	1409	1520	1571
24 / 610	36 / 914	1399	1450	1574	1625
24 / 610	42 / 1067	1450	1501	1633	1684
24 / 610	48 / 1219	1501	1552	1692	1743
24 / 610	54 / 1372	1553	1604	1753	1804
24 / 610	60 / 1524	1621	1672	1830	1881

B_JCL

Return with Combo Pedestal

This return is semi-supported and must be connected to the straight user edge and on the full gable side of a desk or credenza. Its full-extension drawers can accommodate both letter- and legal-size paper.

WHAT'S INCLUDED

hanging file bar and 2 15" cross file bars) with levelers, 1 flush full modesty panel (as specifed), 2 grommets (1 on worksurface and 1 on full modesty panel) (as specifed), mounting hardware, lock and keys (as specifed).

WHAT'S EXCLUDED

Wire Management Clip.

NOTES

The box drawers are **not** lockable.


The 12" hanging file bar installs along the width in the 15" file drawer.

The 15" cross file bars install along the depth in the 30" file drawer.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details



PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Grommet Option	Storage Configuration	Worksurface Finish	Edge Trim Style
D 1" M 1 3/16" X 1 9/16"	0 None 1 Flush, Full (Shown)	20, 24	42, 48, 54, 60, 66, 72, 78, 84	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	L Left Handed (Shown) R Right Handed	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

B <u>X</u> JCL 1 24 84	G L	2D 6
------------------------	-----	------

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case and Modesty Panel Finish	Pull Style	Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Colors	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

4D 2D LE 9	7	7	R
------------	---	---	---

B_JCL Return with Combo Pedestal (Continued)

DIMENSIONS INCHES / MM PRICING

24 / 610

84 / 2134

2299

2458

		NONE MODESTY PAI	NEL (0)	FLUSH FULL MODES	TY PANEL (1)
		1" (D)			
		SOURCE LAMINATE			
		DRAWER FRONT FIN	ISH		
		Source		Source	
D	W	Laminate		Laminate	
20 / 508	42 / 1067	1812		1913	
20 / 508	48 / 1219	1844		1952	
0 / 508	54 / 1372	1861		1973	
20 / 508	60 / 1524	1908		2029	
0 / 508	66 / 1676	1937		2059	
0 / 508	72 / 1829	1969		2094	
0 / 508	78 / 1981	2000		2127	
0 / 508	84 / 2134	2027		2158	
4 / 610	42 / 1067	1952		2039	
24 / 610	48 / 1219	1996		2086	
24 / 610	54 / 1372	2024		2120	
24 / 610	60 / 1524	2042		2137	
24 / 610	66 / 1676	2085		2182	
24 / 610	72 / 1829	2118		2214	
4 / 610	78 / 1981	2152		2247	
24 / 610	84 / 2134	2192		2292	
	_				
		1 3/16" (M)			
		FOUNDATION LAMII	NATE		
		DRAWER FRONT FIN	ISH		
		Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
20 / 508	42 / 1067	1923	2082	2031	2190
20 / 508	48 / 1219	1975	2134	2093	2252
0 / 508	54 / 1372	2022	2181	2141	2300
20 / 508	60 / 1524	2068	2227	2197	2356
0 / 508	66 / 1676	2125	2284	2256	2415
20 / 508	72 / 1829	2167	2326	2299	2458
20 / 508	78 / 1981	2216	2375	2362	2521
0 / 508	84 / 2134	2259	2418	2406	2565
4 / 610	42 / 1067	2021	2180	2130	2289
24 / 610	48 / 1219	2068	2227	2185	2344
4 / 610	54 / 1372	2117	2276	2240	2399
24 / 610	60 / 1524	2180	2339	2308	2467
4 / 610	66 / 1676	2189	2348	2315	2474
4 / 610	72 / 1829	2210	2369	2381	2540
4 / 610	78 / 1981	2253	2412	2464	2623
71 010	/0/1701		2712	2404	2023

Pricing is continued on the following page.

2702

2543

returns & credenzas

Xpress

$B\ _\ J\ C\ L$


Return with Combo Pedestal (Continued)

DIMENSIONS INCHES / MM

		NONE MODESTY PAI	NEL (0)	FLUSH FULL MODE	STY PANEL (1)
		1 9/16" (X)			
		FOUNDATION LAMI	NATE		
		DRAWER FRONT FIN	ISH		
D	W	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
20 / 508	42 / 1067	1995	2154	2108	2267
20 / 508	48 / 1219	2051	2210	2170	2329
20 / 508	54 / 1372	2085	2244	2209	2368
20 / 508	60 / 1524	2127	2286	2256	2415
20 / 508	66 / 1676	2154	2313	2283	2442
20 / 508	72 / 1829	2201	2360	2326	2485
20 / 508	78 / 1981	2241	2400	2368	2527
20 / 508	84 / 2134	2325	2484	2460	2619
24 / 610	42 / 1067	2143	2302	2264	2423
24 / 610	48 / 1219	2198	2357	2322	2481
24 / 610	54 / 1372	2253	2412	2380	2539
24 / 610	60 / 1524	2323	2482	2460	2619
24 / 610	66 / 1676	2355	2514	2491	2650
24 / 610	72 / 1829	2399	2558	2529	2688
24 / 610	78 / 1981	2439	2598	2619	2778
24 / 610	84 / 2134	2480	2639	2714	2873

 B_JCC

Cross Grain Return with Combo Pedestal



This return is semi-supported and must be connected to the straight user edge and on the full gable side of a desk or credenza. Its full-extension drawers can accommodate both letter- and legal-size paper.

WHAT'S INCLUDED

hanging file bar and 2 15" cross file bars) with levelers, 1 flush full modesty panel (as specifed), 2 grommets (1 on worksurface and 1 on full modesty panel) (as specifed), mounting hardware, lock and keys (as specifed).

WHAT'S EXCLUDED

Wire Management Clip.

NOTES

The box drawers are not lockable.

The 12" hanging file bar installs along the width in the 15" file drawer.

The 15" cross file bars install along the depth in the 30" file drawer.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Grommet Option	Storage Configuration	Worksurface Finish	Edge Trim Style
D 1" M 1 3/16" X 1 9/16"	0 None 1 Flush, Full (Shown)	20, 24	42, 48, 54, 60	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	L Left Handed (Shown) R Right Handed	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

H	B <u>X</u> JCC	0	24	42	N	R	2D	6
---	----------------	---	----	----	---	---	----	---

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case and Modesty Panel Finish	Pull Style	Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Colors	Source Laminate Foundation Laminate	Source Laminate	Expansion	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

4D 3D LE 9 E K	4D	3D	LE	9	E		K
--------------------------	----	----	----	---	---	--	---

B_JCC

Cross Grain Return with Combo Pedestal (Continued)

DIMENSIONS INCHES / MM

20 / 508

60 / 1524

2127

PRICING

		VONE MODERNA	AVEY (6)		
		NONE MODESTY PA	NEL (0)	FLUSH FULL MODES	SIY PANEL (I)
		1" (D)			
		SOURCE LAMINATE	TICLY		
		DRAWER FRONT FIN	пен		
D	W	Source Laminate		Source Laminate	
20 / 508	42 / 1067	1812		1913	
20 / 508	48 / 1219	1844		1952	
20 / 508	54 / 1372	1861		1973	
20 / 508	60 / 1524	1908		2029	
207 308	00 / 1)24	1906		2029	
24 / 610	42 / 1067	1952		2039	
24 / 610	48 / 1219	1996		2086	
24 / 610	54 / 1372	2024		2120	
24 / 610	60 / 1524	2042		2137	
		1 3/16" (M)			
		FOUNDATION LAMII	NATE		
		DRAWER FRONT FIN	IISH		
		Source	Foundation	Source	Foundation
		Laminate	Laminate	Laminate	Laminate
0 / 508	42 / 1067	1923	2082	2031	2190
0 / 508	48 / 1219	1975	2134	2093	2252
0 / 508	54 / 1372	2022	2181	2141	2300
0 / 508	60 / 1524	2068	2227	2197	2356
4 / 610	42 / 1067	2021	2180	2130	2289
4 / 610	48 / 1219	2068	2227	2185	2344
4 / 610	54 / 1372	2117	2276	2240	2399
4 / 610	60 / 1524	2180	2339	2308	2467
17010	00 / 1 / 24		233)		240/
		1 9/16" (X)			
		FOUNDATION LAMII	NATE		
		DRAWER FRONT FIN	1311		
		Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
20 / 508	42 / 1067	Source	Foundation		
20 / 508 20 / 508	42 / 1067 48 / 1219	Source Laminate	Foundation Laminate	Laminate	Laminate

24 / 610	42 / 1067	2143	2302	2264	2423	
24 / 610	48 / 1219	2198	2357	2322	2481	
24 / 610	54 / 1372	2253	2412	2380	2539	
24 / 610	60 / 1524	2323	2482	2460	2619	


2286

2256

2415

B_JLL

Return with Lateral File



This return is semi-supported and must be connected to the straight user edge and on the full gable side of a desk or credenza. Its full-extension drawers can accommodate both letter- and legal-size paper.

WHAT'S INCLUDED

1 worksurface, 1 lateral file (comes with 4 15" cross file bars) with levelers, 1 flush full modesty panel (as specifed), 2 grommets (1 on worksurface and 1 on full modesty panel) (as specifed), pulls (as specified), mounting hardware, lock and keys (as specifed).

WHAT'S EXCLUDED

Wire Management Clip.

NOTES

The included hanging file bar is to be installed along the depth only.

When No Grommet (N) option is specified, Grommet Finish is \mbox{not} available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Storage Width	Grommet Option	Storage Configuration	Worksurface Finish	Edge Trim Style
D 1" M 1 3/16" X 1 9/16"	0 None 1 Flush, Full (Shown)	20, 24	42, 48, 54, 60, 66, 72, 78, 84	30, 36	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	L Left Handed (Shown) R Right Handed	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

B D JLL	1	20	60	30	G	L	XS	6

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case and Modesty Panel Finish	Pull Style	Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Color	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

ST	XS	LE	9	7	7	R
-	120		_	·	/	

B_JLL Return with Lateral File (Continued)

DIMENSIONS INCHES / MM

PRICING

		NONE MODESTY PAI	NEL (0)	FLUSH FULL MODES	STY PANEL (1)
		30" STORAGE WIDTH	I		
		1" (D)			
		SOURCE LAMINATE			
		DRAWER FRONT FIN	ISH		
D	W	Source Laminate		Source Laminate	
0 / 508	42 / 1067	1423		1453	
0 / 508	48 / 1219	1457		1489	
0 / 508	54 / 1372	1474		1581	
0 / 508	60 / 1524	1523		1639	
0 / 508	66 / 1676	1550		1674	
0 / 508	72 / 1829	1580		1711	
0 / 508	78 / 1981	1612		1748	
0 / 508	84 / 2134	1643		1779	
4 / 610	42 / 1067	1556		1598	
4 / 610	48 / 1219	1600		1648	
4 / 610	54 / 1372	1629		1680	
4 / 610	60 / 1524	1651		1752	
4 / 610	66 / 1676	1692		1800	
/ / / 1 ^	72 / 1829	1725		1836	
1/610	/ 4 / 104/				
	78 / 1981	1759		1871	
4 / 610 4 / 610 4 / 610				1871 1915	
4 / 610	78 / 1981	1759	NATE		
4 / 610	78 / 1981	1759 1800			
4 / 610	78 / 1981	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source	ISH Foundation	Source	Foundation Laminate
4 / 610 4 / 610	78 / 1981 84 / 2134	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate	ISH Foundation Laminate	Source Laminate	Laminate
4 / 610 4 / 610 0 / 508	78 / 1981 84 / 2134 42 / 1067	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate 1516	ISH Foundation Laminate 1623	Source Laminate 1581	Laminate 1688
4 / 610 4 / 610 0 / 508 0 / 508	78 / 1981 84 / 2134	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate	ISH Foundation Laminate	Source Laminate	Laminate
4 / 610 4 / 610 0 / 508 0 / 508 0 / 508	78 / 1981 84 / 2134 42 / 1067 48 / 1219	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate 1516 1572	ISH Foundation Laminate 1623 1679	Source Laminate 1581 1648	Laminate 1688 1755
4 / 610 4 / 610 0 / 508 0 / 508 0 / 508 0 / 508	78 / 1981 84 / 2134 42 / 1067 48 / 1219 54 / 1372	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate 1516 1572 1616	Foundation Laminate 1623 1679 1723	Source Laminate 1581 1648 1721	Laminate 1688 1755 1828
4 / 610 4 / 610 0 / 508 0 / 508 0 / 508 0 / 508 0 / 508	78 / 1981 84 / 2134 42 / 1067 48 / 1219 54 / 1372 60 / 1524	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate 1516 1572 1616 1663	Foundation Laminate 1623 1679 1723 1770	Source Laminate 1581 1648 1721 1775	Laminate 1688 1755 1828 1882
4 / 610 4 / 610 0 / 508 0 / 508 0 / 508 0 / 508 0 / 508 0 / 508	78 / 1981 84 / 2134 42 / 1067 48 / 1219 54 / 1372 60 / 1524 66 / 1676	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate 1516 1572 1616 1663 1721	Foundation Laminate 1623 1679 1723 1770 1828	Source Laminate 1581 1648 1721 1775 1897	Laminate 1688 1755 1828 1882 2004
4 / 610 4 / 610 0 / 508 0 / 508 0 / 508 0 / 508 0 / 508 0 / 508 0 / 508	78 / 1981 84 / 2134 42 / 1067 48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate 1516 1572 1616 1663 1721 1760	Foundation Laminate 1623 1679 1723 1770 1828 1867	Source Laminate 1581 1648 1721 1775 1897 1943	Laminate 1688 1755 1828 1882 2004 2050
4 / 610 4 / 610 0 / 508 0 / 508	78 / 1981 84 / 2134 42 / 1067 48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate 1516 1572 1616 1663 1721 1760 1812	Foundation Laminate 1623 1679 1723 1770 1828 1867 1919	Source Laminate 1581 1648 1721 1775 1897 1943 2004	Laminate 1688 1755 1828 1882 2004 2050 2111
4 / 610 4 / 610 0 / 508 0 / 508	78 / 1981 84 / 2134 42 / 1067 48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate 1516 1572 1616 1663 1721 1760 1812 1854	Foundation Laminate 1623 1679 1723 1770 1828 1867 1919	Source Laminate 1581 1648 1721 1775 1897 1943 2004 2052	Laminate 1688 1755 1828 1882 2004 2050 2111 2159
4 / 610 4 / 610 0 / 508 0 / 508	78 / 1981 84 / 2134 42 / 1067 48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 42 / 1067 48 / 1219	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate 1516 1572 1616 1663 1721 1760 1812 1854 1684 1738	Foundation Laminate 1623 1679 1723 1770 1828 1867 1919 1961	Source Laminate 1581 1648 1721 1775 1897 1943 2004 2052	Laminate 1688 1755 1828 1882 2004 2050 2111 2159
4 / 610 4 / 610 0 / 508 0 / 508	78 / 1981 84 / 2134 42 / 1067 48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 42 / 1067	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate 1516 1572 1616 1663 1721 1760 1812 1854	Foundation Laminate 1623 1679 1723 1770 1828 1867 1919 1961	Source Laminate 1581 1648 1721 1775 1897 1943 2004 2052 1764 1825	Laminate 1688 1755 1828 1882 2004 2050 2111 2159 1871 1932
4 / 610 4 / 610 0 / 508 0 / 508	78 / 1981 84 / 2134 42 / 1067 48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 42 / 1067 48 / 1219 54 / 1372 60 / 1524	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate 1516 1572 1616 1663 1721 1760 1812 1854 1684 1738 1788 1855	Foundation Laminate 1623 1679 1723 1770 1828 1867 1919 1961 1791 1845 1895 1962	Source Laminate 1581 1648 1721 1775 1897 1943 2004 2052 1764 1825 1880	Laminate 1688 1755 1828 1882 2004 2050 2111 2159 1871 1932 1987 2107
4 / 610 4 / 610 0 / 508 0 / 508	78 / 1981 84 / 2134 42 / 1067 48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 42 / 1067 48 / 1219 54 / 1372	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate 1516 1572 1616 1663 1721 1760 1812 1854 1684 1738 1788	Foundation Laminate 1623 1679 1723 1770 1828 1867 1919 1961 1791 1845 1895	Source Laminate 1581 1648 1721 1775 1897 1943 2004 2052 1764 1825 1880 2000	Laminate 1688 1755 1828 1882 2004 2050 2111 2159 1871 1932 1987
4 / 610	78 / 1981 84 / 2134 42 / 1067 48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 42 / 1067 48 / 1219 54 / 1372 60 / 1524 66 / 1676	1759 1800 1 3/16" (M) FOUNDATION LAMIN DRAWER FRONT FIN Source Laminate 1516 1572 1616 1663 1721 1760 1812 1854 1684 1738 1788 1855 1871	Foundation Laminate 1623 1679 1723 1770 1828 1867 1919 1961 1791 1845 1895 1962 1978	Source Laminate 1581 1648 1721 1775 1897 1943 2004 2052 1764 1825 1880 2000 2024	Laminate 1688 1755 1828 1882 2004 2050 2111 2159 1871 1932 1987 2107 2131

Pricing is continued on the following page.

$B\ _\ J\ L\ L$

Return with Lateral File (Continued)

DIMENSIONS INCHES / MM

PRICING

		30" STORAGE WIDTH	I (CONTINUED)		STY PANEL (1)
		19/16" (X)	I (CONTINUED)		
		FOUNDATION LAMI	NATE		
		DRAWER FRONT FIN			
D	W	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
0 / 508	42 / 1067	1586	1693	1632	1739
0 / 508	48 / 1219	1646	1753	1712	1819
0 / 508	54 / 1372	1681	1788	1791	1898
0 / 508	60 / 1524	1725	1832	1837	1944
0 / 508	66 / 1676	1755	1862	1926	2033
0 / 508	72 / 1829	1801	1908	1975	2082
0 / 508	78 / 1981	1842	1949	2016	2123
0 / 508	84 / 2134	1927	2034	2116	2223
4 / 610	42 / 1067	1775	1882	1894	2001
4 / 610	48 / 1219	1833	1940	1957	2064
4 / 610	54 / 1372	1888	1995	2066	2173
4 / 610	60 / 1524	1965	2072	2149	2256
4 / 610	66 / 1676	1998	2105	2184	2291
4 / 610	72 / 1829	2042	2149	2233	2340
4 / 610	78 / 1981	2085	2192	2278	2385
		-			
4 / 610	84 / 2134	2127	2234	2321	2428
4 / 610	84 / 2134	2127 36" STORAGE WIDTH 1" (D) SOURCE LAMINATE DRAWER FRONT FIN	H	2321	
4 / 610	84 / 2134	2127 36" STORAGE WIDTE 1" (D) SOURCE LAMINATE	H		
	84 / 2134 48 / 1219	2127 36" STORAGE WIDTE 1" (D) SOURCE LAMINATE DRAWER FRONT FIN Source	H	2321 Source	
0 / 508		2127 36" STORAGE WIDTE 1" (D) SOURCE LAMINATE DRAWER FRONT FIN Source Laminate	H	Source Laminate	
0 / 508 0 / 508	48 / 1219	2127 36" STORAGE WIDTH 1" (D) SOURCE LAMINATE DRAWER FRONT FIN Source Laminate 1534	H	Source Laminate 1563	
0 / 508 0 / 508 0 / 508	48 / 1219 54 / 1372	2127 36" STORAGE WIDTE 1" (D) SOURCE LAMINATE DRAWER FRONT FIN Source Laminate 1534 1553	H	Source Laminate 1563 1656	
0 / 508 0 / 508 0 / 508 0 / 508 0 / 508 0 / 508	48 / 1219 54 / 1372 60 / 1524	2127 36" STORAGE WIDTH 1" (D) SOURCE LAMINATE DRAWER FRONT FIN Source Laminate 1534 1553 1600	H	Source Laminate 1563 1656 1713	
0 / 508 0 / 508 0 / 508 0 / 508	48 / 1219 54 / 1372 60 / 1524 66 / 1676	2127 36" STORAGE WIDTH 1" (D) SOURCE LAMINATE DRAWER FRONT FIN Source Laminate 1534 1553 1600 1625	H	Source Laminate 1563 1656 1713 1748	
0 / 508 0 / 508 0 / 508 0 / 508 0 / 508 0 / 508	48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829	2127 36" STORAGE WIDTH 1" (D) SOURCE LAMINATE DRAWER FRONT FIN Source Laminate 1534 1553 1600 1625 1659	H	Source Laminate 1563 1656 1713 1748 1784	
0 / 508 0 / 508	48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 48 / 1219	2127 36" STORAGE WIDTH 1" (D) SOURCE LAMINATE DRAWER FRONT FIN Source Laminate 1534 1553 1600 1625 1659 1691 1720	H	2321 Source Laminate 1563 1656 1713 1748 1784 1825 1857	
0 / 508 0 / 508	48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134	2127 36" STORAGE WIDTH 1" (D) SOURCE LAMINATE DRAWER FRONT FIN Source Laminate 1534 1553 1600 1625 1659 1691 1720	H	Source Laminate 1563 1656 1713 1748 1784 1825 1857	
0 / 508 0 / 508 4 / 610 4 / 610	48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 48 / 1219 54 / 1372 60 / 1524	2127 36" STORAGE WIDTH 1" (D) SOURCE LAMINATE DRAWER FRONT FIN Source Laminate 1534 1553 1600 1625 1659 1691 1720 1679 1708 1725	H	Source Laminate 1563 1656 1713 1748 1784 1825 1857 1721 1791 1830	
0 / 508 0 / 508 0 / 508 0 / 508 0 / 508 0 / 508 0 / 508 4 / 610 4 / 610 4 / 610	48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 48 / 1219 54 / 1372 60 / 1524 66 / 1676	2127 36" STORAGE WIDTH 1" (D) SOURCE LAMINATE DRAWER FRONT FIN Source Laminate 1534 1553 1600 1625 1659 1691 1720 1679 1708 1725 1772	H	Source Laminate 1563 1656 1713 1748 1784 1825 1857 1721 1791 1830 1882	
0 / 508 0 / 508 0 / 508 0 / 508 0 / 508 0 / 508 0 / 508 4 / 610 4 / 610 4 / 610 4 / 610	48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829	2127 36" STORAGE WIDTH 1" (D) SOURCE LAMINATE DRAWER FRONT FIN Source Laminate 1534 1553 1600 1625 1659 1691 1720 1679 1708 1725 1772 1803	H	Source Laminate 1563 1656 1713 1748 1784 1825 1857 1721 1791 1830 1882 1919	
0 / 508 0 / 508 0 / 508 0 / 508 0 / 508	48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 48 / 1219 54 / 1372 60 / 1524 66 / 1676	2127 36" STORAGE WIDTH 1" (D) SOURCE LAMINATE DRAWER FRONT FIN Source Laminate 1534 1553 1600 1625 1659 1691 1720 1679 1708 1725 1772	H	Source Laminate 1563 1656 1713 1748 1784 1825 1857 1721 1791 1830 1882	

Pricing is continued on the following page.

B_JLL Return with Lateral File (Continued)

DIMENSIONS INCHES / MM

24 / 610

84 / 2134

2202

2309

PRICING


· CIILO / I					
		NONE MODESTY PA	NEL (0)	FLUSH FULL MODE	STY PANEL (1)
		36" STORAGE WIDTH	I (CONTINUED)		
		1 3/16" (M)			
		FOUNDATION LAMI			
		DRAWER FRONT FIN	ISH		
ъ.	NV.	Source	Foundation	Source	Foundation
D	W 48 / 1219	Laminate	Laminate	Laminate	Laminate
20 / 508		1648	1755	1714	1821
20 / 508	54 / 1372	1690	1797	1795	1902
20 / 508	60 / 1524	1738	1845	1847	1954
20 / 508	66 / 1676	1796	1903	1971	2078
20 / 508	72 / 1829	1834	1941	2015	2122
20 / 508	78 / 1981	1885	1992	2080	2187
20 / 508	84 / 2134	1927	2034	2126	2233
24 / 610	48 / 1219	1813	1920	1897	2004
24 / 610	54 / 1372	1862	1969	1952	2059
24 / 610	60 / 1524	1929	2036	2079	2186
24 / 610	66 / 1676	1945	2052	2103	2210
24 / 610	72 / 1829	1970	2077	2126	2233
24 / 610	78 / 1981	2011	2118	2173	2280
24 / 610	84 / 2134	2064	2171	2226	2333
		1 9/16" (X) FOUNDATION LAMI DRAWER FRONT FIN			
		Source	Foundation	Source	Foundation
		Laminate	Laminate	Laminate	Laminate
20 / 508	48 / 1219	1717	1824	1781	1888
20 / 508	54 / 1372	1754	1861	1859	1966
20 / 508	60 / 1524	1799	1906	1909	2016
20 / 508	66 / 1676	1828	1935	2001	2108
20 / 508	72 / 1829	1876	1983	2053	2160
20 / 508	78 / 1981	1913	2020	2094	2201
20 / 508	84 / 2134	2000	2107	2192	2299
24 / 610	48 / 1219	1906	2013	2033	2140
24 / 610	54 / 1372	1965	2072	2140	2247
24 / 610	60 / 1524	2037	2144	2226	2333
24 / 610	66 / 1676	2069	2176	2261	2368
24 / 610	72 / 1829	2116	2223	2314	2421
24 / 610	78 / 1981	2158	2265	2357	2464
21/010	/0/1/01		220)		ムコリコ

2404

2511

B_JLC

Cross Grain Return with Lateral File



This return is semi-supported and must be connected to the straight user edge and on the full gable side of a desk or credenza. Its full-extension drawers can accommodate both letter- and legal-size paper.

WHAT'S INCLUDED

1 worksurface, 1 lateral file (comes with 4 15" cross file bars) with levelers, 1 flush full modesty panel (as specifed), 2 grommets (1 on worksurface and 1 on full modesty panel) (as specifed), pulls (as specified), mounting hardware, lock and keys (as specified).

WHAT'S EXCLUDED

Wire Management Clip.

NOTES

The included hanging file bar is to be installed along the depth only.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Storage Width	Grommet Option	Storage Configuration	Worksurface Finish	Edge Trim Style
D 1" M 1 3/16" X 1 9/16"	0 None 1 Flush, Full (Shown)	20, 24	42, 48, 54, 60		E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	L Left Handed (Shown) R Right Handed	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

BDIC 1 20 48 30 N L XS	B D JLC	1	20	48	30	I N	L	xs	6
------------------------	----------------	---	----	----	----	-----	---	----	---

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case and Modesty Panel Finish	Pull Style	Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Color	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

CT	vc	IE	0	TC TC	D
31	AS	LE	9	E	I.

B_JLC

Cross Grain Return with Lateral File (Continued)

DIMENSIONS INCHES / MM

PRICING

NCHES / N	VIVI	PRICING			
		NONE MODESTY PAI	NFI (0)	FLUSH FULL MODES	TY PANEL (1)
		30" STORAGE WIDTH		I ECOII I CEE MODES	TTTMVEE (I)
		1" (D)	•		
		SOURCE LAMINATE			
		DRAWER FRONT FIN	ISH		
		Source	1311	Source	
D	W	Laminate		Laminate	
20 / 508	42 / 1067	1423		1453	
20 / 508	48 / 1219	1457		1489	
20 / 508	54 / 1372	1474		1581	
20 / 508	60 / 1524	1523		1639	
24 / 610	42 / 1067	1556		1598	
24 / 610	48 / 1219	1600		1648	
24 / 610	54 / 1372	1629		1680	
24 / 610	60 / 1524	1651		1752	
		1 3/16" (M)			
		FOUNDATION LAMIN	NATE		
		DRAWER FRONT FIN	ISH		
		Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
20 / 508	42 / 1067	1516	1623	1581	1688
20 / 508	48 / 1219	1572	1679	1648	1755
20 / 508	54 / 1372	1616	1723	1721	1828
20 / 508	60 / 1524	1663	1770	1775	1882
24 / 610	42 / 1067	1684	1791	1764	1871
24 / 610	48 / 1219	1738	1845	1825	1932
24 / 610	54 / 1372	1788	1895	1880	1987
24 / 610	60 / 1524	1855	1962	2000	2107
		1 9/16" (X) FOUNDATION LAMIN	NATE		
		DRAWER FRONT FIN	ISH		
		Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
20 / 508	42 / 1067	1586	1693	1632	1739
20 / 508	48 / 1219	1646	1753	1712	1819
20 / 508	54 / 1372	1681	1788	1791	1898
20 / 508	60 / 1524	1725	1832	1837	1944
	(2 / 10/7	1775	1882	1894	2001
24 / 610	42 / 1067				
	48 / 1219	1833	1940	1957	2064
24 / 610 24 / 610 24 / 610			1940 1995		2064 2173

Pricing is continued on the following page.

$B\ _\ J\ L\ C$


Cross Grain Return with Lateral File (Continued)

DIMENSIONS INCHES / MM

	-				
		NONE MODESTY PA	NEL (0)	FLUSH FULL MODES	STY PANEL (1)
		36" STORAGE WIDTH	Ĭ		
		1" (D)			
		SOURCE LAMINATE			
		DRAWER FRONT FIN	ISH		
	****	Source		Source	
D	W (0./1210	Laminate		Laminate	
20 / 508	48 / 1219	1534		1563	
20 / 508	54 / 1372	1553		1656	
20 / 508	60 / 1524	1600		1713	
24 / 610	48 / 1219	1679		1721	
24 / 610	54 / 1372	1708		1791	
24 / 610	60 / 1524	1725		1830	
		1 3/16" (M)			
		FOUNDATION LAMII	NATE		
		DRAWER FRONT FIN	ISH		
		Source	Foundation	Source	Foundation
		Laminate	Laminate	Laminate	Laminate
20 / 508	48 / 1219	1648	1755	1714	1821
20 / 508	54 / 1372	1690	1797	1795	1902
20 / 508	60 / 1524	1738	1845	1847	1954
24 / 610	48 / 1219	1813	1920		2004
24 / 610	54 / 1372	1862	1969	1952	2059
24 / 610	60 / 1524	1929	2036	2079	2186
		1.0/16" (%)			
		1 9/16" (X) FOUNDATION LAMIN	NATE		
		DRAWER FRONT FIN			
		Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
20 / 508	48 / 1219	1717	1824	1781	1888
20 / 508	54 / 1372	1754	1861	1859	1966
20 / 508	60 / 1524	1799	1906	1909	2016
		1006	2012	2033	2140
24 / 610	48 / 1219	1906	2013		
24 / 610 24 / 610	48 / 1219 54 / 1372	1906 1965	2013 2072	2140	2247

B ZPF

Credenza with Double Pedestals -File/File



This credenza combines two lockable pedestals with full-extension drawers that can accommodate both letter- and legal-size paper. It offers kneespace clearance.

WHAT'S INCLUDED

1 worksurface, 2 file, file pedestals (come with 4 12" hanging file bars) with levelers, 1 full modesty panel (as specified), 2 grommets (1 on worksurface and 1 on full modesty panel) (as specified), pulls (as specified), mounting hardware, lock and keys (as specified).

WHAT'S EXCLUDED

Wire Management Clip.

This credenza cannot be connected to a desk.

The included hanging file bar is to be installed along the width only.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Grommet Option	Worksurface Finish	Edge Trim Style
D 1" M 1 3/16" X 1 9/16"	0 None 1 Flush, Full (Shown)	18, 24	60, 66, 72, 78, 84	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

	BDZPF	0	18	84	N	XS	6
--	-------	---	----	----	---	----	---

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case and Modesty Panel Finish	Pull Style	Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Colors	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

ST	LE 1	LE 9	E	K

Credenza with Double Pedestals – File/File (Continued)

DIMENSIONS INCHES / MM

		NONE MODESTY PA	NEL (0)	FLUSH FULL MODES	TY PANEL (1)
		1" (D)			
		DRAWER ERONT FIN	TCII		
		DRAWER FRONT FIN	15H	C	
D	W	Source Laminate		Source Laminate	
18 / 457	60 / 1524	2072		2274	
18 / 457	66 / 1676	2095		2306	
18 / 457	72 / 1829	2125		2346	
18 / 457	78 / 1981	2154		2380	
8 / 457	84 / 2134	2180		2415	
4 / 610	60 / 1524	2300		2412	
4 / 610	66 / 1676	2346		2459	
4 / 610	72 / 1829	2377		2496	
4 / 610	78 / 1981	2409		2532	
4 / 610	84 / 2134	2451		2579	
		1 3/16" (M)			
		FOUNDATION LAMII	NATE		
		DRAWER FRONT FIN	ISH		
		Source	Foundation	Source	Foundation
1 / 67	60 / 1524	Laminate	Laminate	Laminate	Laminate
3 / 457		2234	2337	2427	2530
8 / 457	66 / 1676	2286	2389	2493	2596
8 / 457	72 / 1829	2323	2426	2542	2645
8 / 457 8 / 457	78 / 1981 84 / 2134	2375 2414	2478 2517	2603 2652	2706
5 / 4) /	84 / 2134	2414	231/	2632	2755
4 / 610	60 / 1524	2536	2639	2661	2764
4 / 610	66 / 1676	2547	2650	2725	2828
4/610		-	2679		
	72 / 1829	2576		2753	2856
4 / 610	78 / 1981	2619	2722	2799	2902
610	84 / 2134	2670	2773		2957
		1 9/16" (X)			
		FOUNDATION LAMIN	NATE		
		DRAWER FRONT FIN			
		Source	Foundation	Source	Foundation
		Laminate	Laminate	Laminate	Laminate
3 / 457	60 / 1524	2347	2450	2542	2645
3 / 457	66 / 1676	2375	2478	2576	2679
3 / 457	72 / 1829	2422	2525	2625	2728
3 / 457	78 / 1981	2463	2566	2670	2773
8 / 457	84 / 2134	2546	2649	2769	2872
/ / / / / /	(0.1:53/	2/00	2002	2025	2020
4 / 610	60 / 1524	2699	2802	2825	2928
4 / 610	66 / 1676	2729	2832	2917	3020
4 / 610	72 / 1829	2777	2880	2966	3069
4 / 610	78 / 1981	2823	2926	3013	3116
4 / 610	84 / 2134	2870	2973	3058	3161

B Z P P

Credenza with Double Pedestals – Box/Box/File and File/File

This credenza combine two lockable pedestals with full-extension drawers that can accommodate both letter- and legal-size paper. It offers kneespace clearance.

WHAT'S INCLUDED

with 1 worksurface, 1 box, box, file pedestal (comes with 1 pencil tray, 1 drawer divider, 1 12" hanging file bar) and 1 file, file pedestal (comes with 2 12" hanging file bars) with levelers, 1 full modesty panel (as specifed), 2 grommets (1 on worksurface and 1 on full modesty panel) (as specifed), pulls (as specified), mounting hardware, lock and keys (as specifed).

WHAT'S EXCLUDED

Wire Management Clip.

NOTES


This credenza cannot be connected to a desk.

The included hanging file bar is to be installed along the width only.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Grommet Option	Worksurface Finish	Edge Trim Style
D 1"	0 None	18, 24	60, 66, 72, 78, 84	E Elliptical Grommet	Source Laminate	6 Straight Trim
M 1 3/16"	1 Flush, Full			(Shown)	Foundation Laminate	
X 1 9/16"	(Shown)			G Rectangular Grommet		
				N No Grommet		

SAMPLE ORDER CODE

BMZPP 1	24	72	G	LW	6
---------	----	----	---	----	---

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case and Modesty Panel Finish	Pull Style	Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Colors	Source Laminate Foundation Laminate	Source Laminate	 Standard Expansion Arched Rectilinear (Shown) 	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

SТ	I W	YS	9	7	7	K
31	LW	AS	9	/	/	K

$B _ Z P P$

Credenza with Double Pedestals – Box/Box/File and File/File (Continued)

DIMENSIONS INCHES / MM

24 / 610

84 / 2134

2919

3022

PRICING

NCHES / I	IVI IVI	PRICING			
		NONE MODESTY PAI	NEL (0)	FLUSH FULL MODES	STY PANEL (1)
		1" (D)			
		SOURCE LAMINATE			
		DRAWER FRONT FIN	ISH		
D	w	Source Laminate		Source Laminate	
18 / 457	60 / 1524	2122		2322	
18 / 457	66 / 1676	2145		2356	
18 / 457	72 / 1829	2174		2398	
18 / 457	78 / 1981	2203		2430	
18 / 457	84 / 2134	2230		2464	
24 / 610	60 / 1524	2350		2459	
24 / 610	66 / 1676	2398		2504	
24 / 610	72 / 1829	2426		2545	
24 / 610	78 / 1981	2458		2581	
24 / 610	84 / 2134	2499		2625	
		1 3/16" (M)			
		FOUNDATION LAMIN			
		Source	Foundation	Source	Foundation
		Laminate	Laminate	Laminate	Laminate
18 / 457	60 / 1524	2283	2386	2479	2582
18 / 457	66 / 1676	2332	2435	2542	2645
18 / 457	72 / 1829	2372	2475	2588	2691
18 / 457	78 / 1981	2424	2527	2652	2755
18 / 457	84 / 2134	2463	2566		2805
24 / 610	60 / 1524	2582	2685	2709	2812
24 / 610	66 / 1676	2596	2699	2775	2878
24 / 610	72 / 1829	2623	2726	2801	2904
24 / 610	78 / 1981	2668	2771	2847	2950
24 / 610	84 / 2134	2720	2823	2901	3004
		1 9/16" (X)			
		FOUNDATION LAMIN			
		DRAWER FRONT FIN			
		Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
18 / 457	60 / 1524	2399	2502	2588	2691
18 / 457	66 / 1676	2424	2527	2623	2726
18 / 457	72 / 1829	2470	2573	2674	2777
18 / 457	78 / 1981	2508	2611	2720	2823
18 / 457	84 / 2134	2595	2698	2816	2919
24 / 610	60 / 1524	2748	2851	2872	2975
24 / 610	66 / 1676	2779	2882	2966	3069
24 / 610	72 / 1829	2826	2929	3014	3117
24 / 610	78 / 1981	2871	2974	3061	3164
2////10	0/./212/	2010	2022	2106	2200

3106

3209

$B _ Z U B$

Credenza with Single Pedestal – Box/Box/File

This credenza includes a lockable pedestal with full-extension drawers that can accommodate both letter- and legal-size paper. It can be used alone or is meant to be specified with a bridge, return or peninsula worksurface to form "L" or "U" configuration.

WHAT'S INCLUDED

1 worksurface, 1 full gable with levelers, 1 box, box, file pedestal (comes with 1 pencil tray, 1 drawer divider, 1 12" hanging file bar), 1 modesty panel (as specifed), 2 grommets (1 on worksurface and 1 on full modesty panel) (as specifed), pulls (as specified), mounting hardware, lock and keys (as specifed).

WHAT'S EXCLUDED

Wire Management Clip.


NOTES

The included hanging file bar is to be installed along the width only.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Grommet Option	Storage Configuration	Worksurface Finish	Edge Trim Style
D 1" M 1 3/16" X 1 9/16"	1 Flush, Full (Shown) 9 Wall Access	18, 24	60, 66, 72, 78, 84	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	L Left (Shown) R Right	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

B <u>D</u> ZUB	9	24	60	N	L	3D	6
----------------	---	----	----	---	---	----	---

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case, Modesty Panel and Gable Finish	Pull Style	Hardware and Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Colors	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

4D	3D	LE	9	E	R
10	J JD			L	10

$B _ Z U B$

Credenza with Single Pedestal – Box/Box/File (Continued)

DIMENSIONS INCHES / MM

		1" (D) SOURCE LAMINATE	1 3/16" (M) FOUNDATION LA	AMINATE	1 9/16" (X)	
D	W	DRAWER FRONT FINISH Source Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
18 / 457	60 / 1524	1540	1696	1747	1784	1835
18 / 457	66 / 1676	1572	1759	1810	1815	1866
18 / 457	72 / 1829	1607	1805	1856	1862	1913
18 / 457	78 / 1981	1646	1865	1916	1906	1957
18 / 457	84 / 2134	1676	1913	1964	2002	2053
24 / 610	60 / 1524	1633	1890	1941	2043	2094
24 / 610	66 / 1676	1681	1899	1950	2074	2125
24 / 610	72 / 1829	1714	1919	1970	2118	2169
24 / 610	78 / 1981	1748	1957	2008	2160	2211
24 / 610	84 / 2134	1795	2010	2061	2202	2253

B ZUF

Credenza with Single Pedestal -File/File

accommodate both letter- and legal-size paper. It can be used alone or is meant to be specified with a bridge, return or peninsula worksurface to form a "L" or "U" configuration. This credenza includes a lockable pedestal with full-extension drawers that can

WHAT'S INCLUDED

1 worksurface, 1 full gable with levelers, 1 file, file pedestal (comes with 2 12" hanging file bar), 1 modesty panel (as specifed), 2 grommets (1 on worksurface and 1 on full modesty panel) (as specifed), pulls (as specified), mounting hardware, lock and keys (as specifed).

WHAT'S EXCLUDED


Wire Management Clip.

The included hanging file bar is to be installed along the width only.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is not available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for



PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Grommet Option	Storage Configuration	Worksurface Finish	Edge Trim Style
D 1" M 1 3/16" X 1 9/16"	1 Flush, Full (Shown) 9 Wall Access	18, 24	60, 66, 72, 78, 84	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	L Left (Shown) R Right	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

B <u>X</u> ZUF 1 18 84 G R 2E 6	BXZUF	BXZUF
---------------------------------	-------	-------

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case, Modesty Panel and Gable Finish	Pull Style	Hardware and Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Colors	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

4E	2E	3E	6	7	7	R

B_ZUF


Credenza with Single Pedestal – File/File (Continued)

DIMENSIONS INCHES / MM

		1" (D) SOURCE LAMINATE	1 3/16" (M) Foundation L	AMINATE	1 9/16" (X)		
		DRAWER FRONT FINISH Source	Source	Foundation	Source	Foundation	
D	W	Laminate	Laminate	Laminate	Laminate	Laminate	
18 / 457	60 / 1524	1491	1650	1701	1738	1789	
18 / 457	66 / 1676	1523	1711	1762	1767	1818	
18 / 457	72 / 1829	1558	1757	1808	1815	1866	
18 / 457	78 / 1981	1597	1819	1870	1857	1908	
18 / 457	84 / 2134	1625	1864	1915	1953	2004	
24 / 610	60 / 1524	1585	1842	1893	1996	2047	
24 / 610	66 / 1676	1633	1851	1902	2025	2076	
24 / 610	72 / 1829	1665	1868	1919	2068	2119	
24 / 610	78 / 1981	1699	1909	1960	2114	2165	
24 / 610	84 / 2134	1743	1964	2015	2153	2204	

B_ZUC

Credenza with Single Combo Pedestal



This credenza includes a lockable pedestal with full-extension drawers that can accommodate both letter- and legal-size paper. It can be used alone or is meant to be specified with a bridge, return or peninsula worksurface to form a "L" or "U" configuration.

WHAT'S INCLUDED

1 worksurface, 1 full gable with levelers, 1 combo pedestal (comes with 1 pencil tray, 1 drawer divider, 1 12" hanging file bar and 2 15" cross file bars), 1 modesty panel (as specifed), 2 grommets (1 on worksurface and 1 on full modesty panel) (as specifed), pulls (as specified), mounting hardware, lock and keys (as specified).

WHAT'S EXCLUDED

Wire Management Clip.

NOTES

The box drawers are **not** lockable.

The 12" hanging file bar installs along the width in the 15" file drawer.

The 15" cross file bars install along the depth in the 30" file drawer.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksu Thick	Modesty Panel Style	Depth	Width	Grommet Option	Storage Configuration	Worksurface Finish	Edge Trim Style
D 1"M 1 3/16'X 1 9/16'	 Flush, Full (Shown) Wall Access 	18, 24	60, 66, 72, 78, 84	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	L Left (Shown) R Right	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

B D ZUC	9	24	60	N	L	3E	6

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case, Modesty Panel and Gable Finish	Pull Style	Hardware and Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Colors	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

4F	3 F	3 F	9	F	P
TL	JL	J JL		L	10

$B _ Z U C$

Credenza with Single Combo Pedestal (Continued)

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)		1 9/16" (X)				
		SOURCE LAMINATE	FOUNDATION LAMINATE						
		DRAWER FRONT FINISH							
D	W	Source Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate			
18 / 457	60 / 1524	2093	2209	2368	2325	2484			
18 / 457	66 / 1676	2123	2270	2429	2355	2514			
18 / 457	72 / 1829	2158	2318	2477	2405	2564			
18 / 457	78 / 1981	2197	2378	2537	2445	2604			
18 / 457	84 / 2134	2228	2424	2583	2543	2702			
24 / 610	60 / 1524	2228	2459	2618	2624	2783			
24 / 610	66 / 1676	2275	2464	2623	2652	2811			
24 / 610	72 / 1829	2311	2485	2644	2697	2856			
24 / 610	78 / 1981	2343	2526	2685	2739	2898			
24 / 610	84 / 2134	2386	2578	2737	2779	2938			

$B _ Z U L$

Credenza with Single Lateral File

This credenza includes a lockable pedestal with full-extension drawers that can accommodate both letter- and legal-size paper. It can be used alone or is meant to be specified with a bridge, return or peninsula worksurface to form a "L" or "U" configuration.

WHAT'S INCLUDED

1 worksurface, 1 full gable with levelers, 1 lateral file (comes with 4 15" cross file bars), 1 modesty panel (as specifed), 2 grommets (1 on worksurface and 1 on full modesty panel) (as specifed), pulls (as specified), mounting hardware, lock and keys (as specified).

WHAT'S EXCLUDED

Wire Management Clip.


NOTES

The included cross file bars are to be installed along the depth only.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Storage Width	Grommet Option	Storage Configuration	Worksurface Finish	Edge Trim Style
D 1" M 1 3/16" X 1 9/16"	1 Flush, Full (Shown) 9 Wall Access	18, 24	60, 66, 72, 78, 84		E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	L Left (Shown) R Right	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

B <u>D</u> ZUL	9	18	84	30	G	L	3D	6

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case, Modesty Panel and Gable Finish	Pull Style	Hardware and Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Colors	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

4D	3D	l vc	9	7	7	P
10	JD	AG		/	/	1

$B _ Z U L$

Credenza with Single Lateral File (Continued)


DIMENSIONS INCHES / MM

		30" STORAGE WIDTH				
		1" (D)	1 3/16" (M)		1 9/16" (X)	
		SOURCE LAMINATE	FOUNDATION L	AMINATE		
		DRAWER FRONT FINISH				
D	W	Source Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
18 / 457	60 / 1524	1651	1764	1871	1855	1962
18 / 457	66 / 1676	1680	1826	1933	1884	1991
18 / 457	72 / 1829	1717	1873	1980	1933	2040
18 / 457	78 / 1981	1754	1933	2040	1974	2081
18 / 457	84 / 2134	1784	1978	2085	2068	2175
24 / 610	60 / 1524	1772	1974	2081	2137	2244
24 / 610	66 / 1676	1821	1979	2086	2167	2274
24 / 610	72 / 1829	1855	1998	2105	2207	2314
24 / 610	78 / 1981	1886	2036	2143	2247	2354
24 / 610	84 / 2134	1931	2086	2193	2289	2396

		36" STORAGE WIDTH				
		1" (D)	1 3/16" (M)			
		SOURCE LAMINATE	FOUNDATION L	AMINATE		
		DRAWER FRONT FINISH				
		Source Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
18 / 457	60 / 1524	1724	1836	1943	1928	2035
8 / 457	66 / 1676	1757	1898	2005	1956	2063
8 / 457	72 / 1829	1796	1945	2052	2008	2115
8 / 457	78 / 1981	1833	2006	2113	2051	2158
8 / 457	84 / 2134	1862	2052	2159	2143	2250
4 / 610	60 / 1524	1855	2056	2163	2213	2320
24 / 610	66 / 1676	1902	2059	2166	2243	2350
4 / 610	72 / 1829	1937	2079	2186	2286	2393
4 / 610	78 / 1981	1971	2118	2225	2326	2433
24 / 610	84 / 2134	2015	2169	2276	2369	2476

$B _ Z F S$

Credenza with Doors



This stand-alone credenza provides a convenient storage areas with shelving.

WHAT'S INCLUDED

1 top, 4 grommets (2 on top, 2 on rear), (as specified), pulls (as specified), levelers, and elements listed below:

	V	Vidth	
	48" to 72"	78"	84"
Door	4	6	6
Adjustable Shelf	2	2	3
Lock & Keys (as specified)	2	3	3

NOTES

Holes at 1 1/4" intervals inside door sections allow for shelf height adjustment.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on door front always match door front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness	Storage Style	Depth	Width	Grommet Option	Worksurface Finish	Edge Trim Style
1" 1 1 3/16" 1 1 9/16"	P Pulls T Touch-to-Open	18, 24	78, 84	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

B <u>M</u> ZFS	Т	18	72	N	2E	6
----------------	---	----	----	---	----	---

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Door Front Finish	Case Finish	Pull Style (If Applicable)	Pull Finish (If Applicable)	Grommet Finish (If Applicable)	Key Style
Edge Trim Colors	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

4F	2 F	IF	1	7	ĸ
112			_	/	17

$\begin{array}{c} B\ _\ Z\ F\ S \\ Credenza\ with\ Doors\ (Continued) \end{array}$

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)		1 9/16" (X)	
		SOURCE LAMINATE	FOUNDATION LA	AMINATE		
		DOOR FRONT FINISH				
D	W	Source Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
8 / 457	48 / 1219	1674	1887	2052	1941	2106
8 / 457	54 / 1372	1750	1999	2175	2058	2234
8 / 457	60 / 1524	1873	2125	2327	2189	2391
8 / 457	66 / 1676	2001	2261	2480	2327	2546
8 / 457	72 / 1829	2069	2386	2619	2464	2697
8 / 457	78 / 1981	2587	2926	3184	3057	3315
8 / 457	84 / 2134	2687	3048	3323	3189	3464
24 / 610	48 / 1219	1924	2127	2292	2198	2363
24 / 610	54 / 1372	1971	2235	2411	2318	2494
24 / 610	60 / 1524	2103	2375	2577	2463	2665
24 / 610	66 / 1676	2236	2523	2742	2616	2835
24 / 610	72 / 1829	2439	2740	2973	2845	3078
24 / 610	78 / 1981	2902	3243	3501	3407	3665
24 / 610	84 / 2134	3001	3364	3639	3537	3812

B Z F D

Credenza with Doors and Drawers

This stand-alone credenza provides a convenient storage areas with shelving and box drawers.

WHAT'S INCLUDED


 $1\ \rm top,\,4$ grommets (2 on top, 2 on rear) (as specified), pulls (as specified), levelers, and elements listed below:

84"

6

2

 $\frac{7}{4}$




Holes at 1 1/4" intervals inside door sections allow for shelf height adjustment.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on door and drawer front always match door and drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Worksurface Finish	Edge Trim Style
D 1" M 1 3/16" X 1 9/16"	18, 24	48, 54, 60, 66, 72, 78, 84	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

BMZFD 18	72	N	LW	6
----------	----	---	----	---

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Door and Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Colors	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

ST	LW	XS	1	7		K
----	----	----	---	---	--	---

B_ZFD


Credenza with Doors and Drawers (Continued)

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)		1 9/16" (X)	
		SOURCE LAMINATE DOOR AND DRAWER FRONT FINIS	FOUNDATION LA	AMINATE		
D	W	Source Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
18 / 457	48 / 1219	2529	2756	2921	2807	2972
18 / 457	54 / 1372	2629	2873	3049	2937	3113
18 / 457	60 / 1524	2709	2958	3160	3024	3226
18 / 457	66 / 1676	2808	3089	3308	3159	3378
18 / 457	72 / 1829	2898	3189	3422	3268	3501
18 / 457	78 / 1981	3015	3330	3588	3459	3717
18 / 457	84 / 2134	3152	3735	4010	3864	4139
24 / 610	48 / 1219	2805	3019	3184	3091	3256
24 / 610	54 / 1372	2897	3146	3322	3228	3404
24 / 610	60 / 1524	2989	3242	3444	3329	3531
24 / 610	66 / 1676	3158	3430	3649	3525	3744
24 / 610	72 / 1829	3228	3522	3755	3626	3859
24 / 610	78 / 1981	3370	3686	3944	3847	4105
24 / 610	84 / 2134	3506	4089	4364	4250	4525

B ZFL

Credenza with Doors and Lateral File



This stand-alone credenza provides a convenient storage areas with shelving and filing that accepts both letter- and legal-size papers.

WHAT'S INCLUDED

1 top, 2 grommets (1 on top, 1 on rear) (as specified), 1 adjustable shelf, pulls (as specified), levelers, and elements listed below:

		Width		
	48"or 54"	60" to 72"	78"	84"
Door	1	2	1	2
Lateral File	2	2	4	4
15" Hanging File Bar	4	4	8	8
Lock & Keys (as specified)	2	2	3	3

NOTES

This lateral file section has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper. It is also equipped with an interlock system that prevents opening more than one drawer at a time.

Holes at 1 1/4" intervals inside door sections allow for shelf height adjustment.

The included hanging file bars are to be installed along the depth only.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on door and drawer front always match door and drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Lateral File Configuration	Worksurface Finish	Edge Trim Style
D 1" M 1 3/16" X 1 9/16"	18, 24	48, 54, 60, 66, 72, 78, 84	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	(48" to 72")	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

B <u>M</u> ZFL 18	78	G	N	3E	6
-------------------	----	---	---	----	---

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Door and Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Colors	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

4E 3E 3E 1 7 K	
--------------------------	--

B_ZFL

Credenza with Doors and Lateral File (Continued)


DIMENSIONS INCHES / MM

		LEFT OR RIGHT SIDE LATERAL FIL	E CONFIGURATION	(L OR R)		
		1" (D)	1 3/16" (M)		1 9/16" (X)	
		SOURCE LAMINATE	FOUNDATION L	AMINATE		
		DOOR AND DRAWER FRONT FINIS	Н			
D	W	Source Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
18 / 457	48 / 1219	1900	2141	2306	2196	2361
18 / 457	54 / 1372	2033	2283	2459	2346	2522
18 / 457	60 / 1524	2095	2359	2561	2427	2629
18 / 457	66 / 1676	2247	2525	2744	2591	2810
18 / 457	72 / 1829	2349	2652	2885	2731	2964
24 / 610	48 / 1219	2125	2368	2533	2439	2604
24 / 610	54 / 1372	2283	2537	2713	2618	2794
24 / 610	60 / 1524	2369	2633	2835	2721	2923
24 / 610	66 / 1676	2540	2818	3037	2914	3133
24 / 610	72 / 1829	2683	2999	3232	3106	3339

		NOT APPLICABLE LATERAL FILE CO	ONFIGURATION (N)			
		1" (D)	1 3/16" (M)		1 9/16" (X)	
		SOURCE LAMINATE	FOUNDATION I	AMINATE		
		DOOR AND DRAWER FRONT FINISH	I			
		Source Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
18 / 457	78 / 1981	3190	3530	3788	3659	3917
18 / 457	84 / 2134	3403	3764	4039	3905	4180
24 / 610	78 / 1981	3501	3837	4095	4005	4263
24 / 610	84 / 2134	3689	4051	4326	4227	4502

B ZFDB

Credenza with Doors and Two Box/Box/File Pedestals



This stand-alone credenza provides a convenient storage areas with shelving, box drawers and filling that accepts both letter- and legal-size papers.

WHAT'S INCLUDED

1 top, 2 grommets (1 on top, 1 on rear) (as specified), 4 box and 2 file drawers, 2 pencil trays, 2 drawer dividers, 2 12" hanging file bars, pulls (as specified), levelers, and elements listed below:

_		Width	
_	48"	54" to 72"	78" or 84"
Door	1	2	4
Adjustable Shelf	1	1	2
Lock & Keys (as specified)	2	2	3

NOTES

The rightmost pedestal section has a central locking system.

Pedestals have full extension drawers that can accommodate both letter- and legal-size paper.

Holes at 1 1/4" intervals inside door sections allow for shelf height adjustment.

The included hanging file bars are to be installed along the width only.

When No Grommet (N) option is specified, Grommet Finish is **not** available.

Edge trim finish on door and drawer front always match door and drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Worksurface Finish	Edge Trim Style
D 1" M 1 3/16" X 1 9/16"	18, 24	48, 54, 60, 66, 72, 78, 84	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

B <u>M</u> ZFDB 18 72	N	LW	6
-----------------------	---	----	---

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Door and Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Colors	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

ST	LW	XS	1	7		R
----	----	----	---	---	--	---

$B _ Z F D B$


Credenza with Doors and Two Box/Box/File Pedestal (Continued)

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	AMDIATE	1 9/16" (X)	
		SOURCE LAMINATE DOOR AND DRAWER FRONT FINISI	FOUNDATION L.	AMINATE		
D	W	Source Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
18 / 457	48 / 1219	2574	2854	3019	2906	3071
18 / 457	54 / 1372	2740	3067	3243	3129	3305
18 / 457	60 / 1524	2839	3183	3385	3247	3449
18 / 457	66 / 1676	2939	3315	3534	3386	3605
18 / 457	72 / 1829	3067	3448	3681	3529	3762
18 / 457	78 / 1981	3612	3982	4240	4113	4371
18 / 457	84 / 2134	3785	4189	4464	4328	4603
24 / 610	48 / 1219	2868	3192	3357	3262	3427
24 / 610	54 / 1372	3026	3361	3537	3442	3618
24 / 610	60 / 1524	3113	3482	3684	3568	3770
24 / 610	66 / 1676	3284	3662	3881	3762	3981
24 / 610	72 / 1829	3432	3819	4052	3924	4157
24 / 610	78 / 1981	3976	4349	4607	4508	4766
24 / 610	84 / 2134	4173	4575	4850	4749	5024

B ZFDF

Credenza with Doors and Two File/File Pedestals



This stand-alone credenza provides a convenient storage areas with shelving and filling that accepts both letter- and legal-size papers.

WHAT'S INCLUDED

1 top, 2 grommets (1 on top, 1 on rear) (as specified), 4 file drawers, 4 12" hanging file bars, pulls (as specified), levelers, and elements listed below:

_		Width	
	48"	54" to 72"	78" or 84"
Door	1	2	4
Adjustable Shelf	1	1	2
Lock & Keys (as specified)	2	2	3

NOTES

The rightmost pedestal section has a central locking system.

Pedestals full extension drawers that can accommodate both letter- and legal-size paper.

Holes at 1 1/4" intervals inside door sections allow for shelf height adjustment.

The included hanging file bars are to be installed along the width only.

When No Grommet (N) option is specified, Grommet Finish is not available.

Edge trim finish on door and drawer front always match door and drawer front finish (Source or Foundation Laminate).

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Elliptical Grommet (E) colors. Refer to the finish page of the Application Guide for details

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Worksurface Finish	Edge Trim Style
D 1" M 1 3/16" X 1 9/16"	18, 24	48, 54, 60, 66, 72, 78, 84	E Elliptical Grommet (Shown) G Rectangular Grommet N No Grommet	Source Laminate Foundation Laminate	6 Straight Trim

SAMPLE ORDER CODE

B <u>M</u> ZFDF	24	72	E	2D	6
~ <u>-112</u> ~-1~-		, -	_	20	_

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Door and Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Grommet Finish (If Applicable)	Key Style
Edge Trim Color	Source Laminate Foundation Laminate	Source Laminate	1 Standard Expansion 6 Arched 9 Rectilinear (Shown)	Foundation Mica	Rectangular Grommet: Foundation Mica Elliptical Grommet: Foundation Mica Source Laminate (Wood Prints only)	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE CONTINUED

4D	l LW	l XS	6	l E	E	K
12	**	110				



$B _ Z F D F$

Credenza with Doors and Two File/File Pedestals (Continued)

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)		1 9/16" (X)			
		SOURCE LAMINATE FOUNDATION LAMINATE						
		DOOR AND DRAWER FRONT FINISH	H					
D	W	Source Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate		
18 / 457	48 / 1219	2417	2767	2932	2820	2985		
18 / 457	54 / 1372	2640	2981	3157	3042	3218		
18 / 457	60 / 1524	2740	3095	3297	3160	3362		
18 / 457	66 / 1676	2842	3231	3450	3303	3522		
18 / 457	72 / 1829	2968	3363	3596	3443	3676		
18 / 457	78 / 1981	3515	3896	4154	4026	4284		
18 / 457	84 / 2134	3690	4030	4305	4174	4449		
24 / 610	48 / 1219	2784	3118	3283	3189	3354		
24 / 610	54 / 1372	2944	3284	3460	3364	3540		
24 / 610	60 / 1524	3030	3405	3607	3492	3694		
24 / 610	66 / 1676	3199	3587	3806	3688	3907		
24 / 610	72 / 1829	3351	3742	3975	3848	4081		
24 / 610	78 / 1981	3879	4272	4530	4437	4695		
4 / 610	84 / 2134	4073	4424	4699	4602	4877		

desks


B _ V F Convex Desk with Recessed Modesty - Full Gables


B _ R R Rectangular Desk with Recessed Modesty - Full Gables

B _ R S Rectangular Desk - Full and Half Gables

Page 603

Page 604





B_RF Rectangular Desk - Full Gables

Page 606 Page 608





B_RNL Desk Return

B _ R S C Cross Grain Rectangular Desk - Full and Half Gables

Page 612





B _ R H Rectangular Desk - Half Gables

B_RNC Cross Grain Desk Return

Page 614

Page 613

Page 610




B _ R H C Cross Grain Rectangular Desk - Half Gables

B_CD Corner Desk - Half Gable

Page 616 Page 618






B_EC Extended Corner Desk - Full Gable

B _ E D Extended Corner Desk - Half Gable

Page 620 Page 622





B _ P D W Extended D-Shaped Peninsula Desk with Half Modesty

B _ P D H Extended D-Shaped Peninsula Desk – Half Gables

Page 624 Page 626





B _ B D F D-Shaped Peninsula Desk with Half Modesty

B _ B W W D-Shaped Peninsula Worksurface

Page 628 Page 630





B _ E P W Extended P-Shaped Peninsula Desk with Half Modesty

B _ E P H Extended P-Shaped Peninsula Desk -**Half Gables**

Page 634



Page 632



B P A FP-Shaped Peninsula Desk with Half Modesty

Page 636

B R D FRectangular Peninsula Desk with Half Modesty

Page 638






B_RPW Rectangular Peninsula Worksurface

Page 640

B_RPC Cross Grain Rectangular Peninsula Worksurface

Page 642





B R T D Rectangular Table

Page 644

B_RWL Rectangular Worksurface

Page 646





B_RWC Cross Grain Rectangular Worksurface

B_RBL Rectangular Bridge

Page 648

Page 650






B_RB Cross Grain Rectangular Bridge

BAMLB Bridge Modesty Panel

Page 651

Page 652





This freestanding desk can be used alone or connected to one semi-supported desk, bridge or return to form a complete workstation.

B_VF Convex Desk with Recessed Modesty

WHAT'S INCLUDED

1 worksurface, 2 full gables with levelers, 1 modesty panel (as specified), grommets, and hardware.


NOTES

Modesty panel is recessed from rear of worksurface as follows:

Wo	orksurface De	pth
24"	30"	36"
6"	8"	11"

Recess from rear

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



- Full Gables

PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware Finish
D 1" M 1 3/16" X 1 9/16"	2 Recessed, Full (Shown) 6 Recessed, Half	24, 30, 36	60, 66, 72, 78, 84	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE


B <u>D</u> VF	2	24	60	XS	6	ST	LE	7

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
24 / 610	60 / 1524	933	1072	1203
24 / 610	66 / 1676	986	1102	1284
24 / 610	72 / 1829	1039	1203	1351
24 / 610	78 / 1981	n/a	1259	1402
24 / 610	84 / 2134	n/a	1341	1502
30 / 762	60 / 1524	1060	1203	1351
30 / 762	66 / 1676	1102	1284	1441
30 / 762	72 / 1829	1148	1341	1542
30 / 762	78 / 1981	n/a	1423	1623
30 / 762	84 / 2134	n/a	1491	1703
36 / 914	60 / 1524	n/a	1341	1502
36 / 914	66 / 1676	n/a	1423	1604
36 / 914	72 / 1829	n/a	1520	1703
36 / 914	78 / 1981	n/a	1580	1801
36 / 914	84 / 2134	n/a	1662	1902

B_RR

Rectangular Desk with Recessed Modesty – Full Gables



This freestanding desk can be used alone or connected to one semi-supported desk, bridge or return to form a complete workstation.

WHAT'S INCLUDED

 $1\ \mbox{worksurface},\ 2\ \mbox{full}$ gables with levelers, $1\ \mbox{modesty}$ panel (as specified), grommets, and hardware.

NOTES

Modesty panel is recessed from rear of worksurface as follows:

Wo	rksurface De	pth
24"	30"	36"
3"	5"	8"

Recess from rear

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware Finish
D 1" M 1 3/16" X 1 9/16"	2 Recessed, Full (Shown) 6 Recessed, Half	24, 30, 36	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

B <u>M</u> RR	2	24	60	LW	6	ST	LE	E
---------------	---	----	----	----	---	----	----	---

DIMENSIONS INCHES / MM

PRICING

		1" (D)	1 3/16" (M)	1 9/16" (X)	
D	W	Source Laminate	Foundation Laminate	Foundation Laminate	
24 / 610	24 / 610	602	761	898	
24 / 610	30 / 762	632	839	1005	
24 / 610	36 / 914	683	882	1043	_
24 / 610	42 / 1067	710	941	1102	
24 / 610	48 / 1219	761	1005	1165	_
24 / 610	54 / 1372	792	1060	1234	
24 / 610	60 / 1524	811	1139	1324	
24 / 610	66 / 1676	863	1151	1351	
24 / 610	72 / 1829	898	1170	1402	
24 / 610	78 / 1981	n/a	1220	1453	
24 / 610	84 / 2134	n/a	1284	1502	

Pricing is continued on the following page.

$\mathbf{B} - \mathbf{R} \mathbf{R}$

Rectangular Desk with Recessed Modesty – Full Gables (Continued)

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
30 / 762	24 / 610	683	839	1052
30 / 762	30 / 762	699	898	1089
30 / 762	36 / 914	732	992	1139
30 / 762	42 / 1067	771	1005	1180
30 / 762	48 / 1219	832	1031	1220
30 / 762	54 / 1372	871	1081	1341
30 / 762	60 / 1524	915	1147	1382
30 / 762	66 / 1676	952	1203	1441
30 / 762	72 / 1829	971	1300	1482
30 / 762	78 / 1981	n/a	1341	1553
30 / 762	84 / 2134	n/a	1391	1604
36 / 914	24 / 610	n/a	882	1089
36 / 914	30 / 762	n/a	922	1139
36 / 914	36 / 914	n/a	1020	1192
36 / 914	42 / 1067	n/a	1031	1253
36 / 914	48 / 1219	n/a	1043	1300
36 / 914	54 / 1372	n/a	1102	1382
36 / 914	60 / 1524	n/a	1180	1423
36 / 914	66 / 1676	n/a	1242	1482
36 / 914	72 / 1829	n/a	1341	1531
36 / 914	78 / 1981	n/a	1351	1592
36 / 914	84 / 2134	n/a	1441	1653

B_RF

Rectangular Desk - Full Gables

This freestanding desk can be used alone or connected to one semi-supported desk, bridge or return to form a complete workstation.

WHAT'S INCLUDED

 $1\ \mbox{worksurface},\ 2\ \mbox{full}$ gables with levelers, $1\ \mbox{modesty}$ panel (as specified), grommets, and hardware.

NOTES

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware Finish
D 1" M 1 3/16" X 1 9/16"	 Flush, Full (Shown) Flush, Half Flush, Full, No Grommet Wall Access 	20, 24, 30, 36	18, 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

B <u>M</u> RF 1	24	48	LW	6	ST	LE	E
-----------------	----	----	----	---	----	----	---

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
	****	Source	Foundation	Foundation
D	W	Laminate	Laminate	Laminate
20 / 508	18 / 457	513	611	742
20 / 508	24 / 610	542	660	792
20 / 508	30 / 762	579	719	832
20 / 508	36 / 914	618	781	871
20 / 508	42 / 1067	650	832	922
20 / 508	48 / 1219	690	898	992
20 / 508	54 / 1372	708	952	1031
20 / 508	60 / 1524	771	1010	1081
20 / 508	66 / 1676	802	1081	1111
20 / 508	72 / 1829	839	1132	1165
20 / 508	78 / 1981	n/a	1203	1210
20 / 508	84 / 2134	n/a	1253	1324
24 / 610	18 / 457	551	660	850
24 / 610	24 / 610	602	761	898
24 / 610	30 / 762	632	839	1005
24 / 610	36 / 914	683	882	1043
24 / 610	42 / 1067	710	941	1102
24 / 610	48 / 1219	761	1005	1165
24 / 610	54 / 1372	792	1060	1234
24 / 610	60 / 1524	811	1139	1324
24 / 610	66 / 1676	863	1151	1351
24 / 610	72 / 1829	898	1170	1402
24 / 610	78 / 1981	n/a	1220	1453
24 / 610	84 / 2134	n/a	1284	1502


B_RF Rectangular Desk - Full Gables (Continued)

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
ъ.	W	Source	Foundation	Foundation
D	W	Laminate	Laminate	Laminate
30 / 762	18 / 457	611	710	981
30 / 762	24 / 610	683	839	1052
30 / 762	30 / 762	699	898	1089
30 / 762	36 / 914	732	992	1139
30 / 762	42 / 1067	771	1005	1180
30 / 762	48 / 1219	832	1031	1220
30 / 762	54 / 1372	871	1081	1341
30 / 762	60 / 1524	915	1147	1382
30 / 762	66 / 1676	952	1203	1441
30 / 762	72 / 1829	971	1300	1482
30 / 762	78 / 1981	n/a	1341	1553
30 / 762	84 / 2134	n/a	1391	1604
36 / 914	18 / 457	n/a	832	1043
36 / 914	24 / 610	n/a	882	1089
36 / 914	30 / 762	n/a	922	1139
36 / 914	36 / 914	n/a	1020	1192
36 / 914	42 / 1067	n/a	1031	1253
36 / 914	48 / 1219	n/a	1043	1300
36 / 914	54 / 1372	n/a	1102	1382
36 / 914	60 / 1524	n/a	1180	1423
36 / 914	66 / 1676	n/a	1242	1482
36 / 914	72 / 1829	n/a	1341	1531
36 / 914	78 / 1981	n/a	1351	1592
36 / 914	84 / 2134	n/a	1441	1653

$B _ R S$

Rectangular Desk – Full and Half Gables



This desk is ideal for completing a variety of workstation configurations.

WHAT'S INCLUDED

 $1\ worksurface,\ 1\ full\ and\ 1\ half\ gables\ with\ levelers,\ 1\ modesty\ panel\ (as\ specified),\ 1\ linking\ plate,\ grommets,\ and\ hardware.$

NOTES

This desk is semi-supported and must be connected to another desk or credenza on the half-gable side.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Configuration	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware Finish
D 1" M 1 3/16" X 1 9/16"	1 Flush, Full (Shown) 5 Flush, Half 9 Wall Access	20, 24, 30, 36	18, 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84		Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

B <u>D</u> RS 9 24 48 L	3E 6	4E 3E	7
-------------------------	------	-------	---

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
_		Source	Foundation	Foundation
D	W	Laminate	Laminate	Laminate
20 / 508	18 / 457	513	611	742
20 / 508	24 / 610	542	660	792
20 / 508	30 / 762	579	719	832
20 / 508	36 / 914	618	781	871
20 / 508	42 / 1067	650	832	922
20 / 508	48 / 1219	690	898	992
20 / 508	54 / 1372	708	952	1031
20 / 508	60 / 1524	771	1010	1081
20 / 508	66 / 1676	802	1081	1111
20 / 508	72 / 1829	839	1132	1165
20 / 508	78 / 1981	n/a	1203	1210
20 / 508	84 / 2134	n/a	1253	1324
				<u> </u>
24 / 610	18 / 457	551	660	850
24 / 610	24 / 610	602	761	898
24 / 610	30 / 762	632	839	1005
24 / 610	36 / 914	683	882	1043
24 / 610	42 / 1067	710	941	1102
24 / 610	48 / 1219	761	1005	1165
24 / 610	54 / 1372	792	1060	1234
24 / 610	60 / 1524	811	1139	1324
24 / 610	66 / 1676	863	1151	1351
24 / 610	72 / 1829	898	1170	1402
24 / 610	78 / 1981	n/a	1220	1453
24 / 610	84 / 2134	n/a	1284	1502

$B _ R S$


Rectangular Desk – Full and Half Gables (Continued)

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
30 / 762	18 / 457	611	710	981
30 / 762	24 / 610	683	839	1052
30 / 762	30 / 762	699	898	1089
30 / 762	36 / 914	732	992	1139
30 / 762	42 / 1067	771	1005	1180
30 / 762	48 / 1219	832	1031	1220
30 / 762	54 / 1372	871	1081	1341
30 / 762	60 / 1524	915	1147	1382
30 / 762	66 / 1676	952	1203	1441
30 / 762	72 / 1829	971	1300	1482
30 / 762	78 / 1981	n/a	1341	1553
30 / 762	84 / 2134	n/a	1391	1604
36 / 914	18 / 457	n/a	832	1043
36 / 914	24 / 610	n/a	882	1089
36 / 914	30 / 762	n/a	922	1139
36 / 914	36 / 914	n/a	1020	1192
36 / 914	42 / 1067	n/a	1031	1253
36 / 914	48 / 1219	n/a	1043	1300
36 / 914	54 / 1372	n/a	1102	1382
36 / 914	60 / 1524	n/a	1180	1423
36 / 914	66 / 1676	n/a	1242	1482
36 / 914	72 / 1829	n/a	1341	1531
36 / 914	78 / 1981	n/a	1351	1592
36 / 914	84 / 2134	n/a	1441	1653

B_RSC

Cross Grain Rectangular Desk - Full and Half Gables



This desk is ideal for completing a variety of workstation configurations.

WHAT'S INCLUDED

 $1\ worksurface,\ 1\ full\ and\ 1\ half\ gables\ with\ levelers,\ 1\ modesty\ panel\ (as\ specified),\ 1\ linking\ plate,\ grommets,\ and\ hardware.$

NOTES

This desk is semi-supported and must be connected to another desk or credenza on the half-gable side.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Configuration	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware Finish
D 1" M 1 3/16" X 1 9/16"	 Flush, Full (Shown) Flush, Half Wall Access 		18, 24, 30, 36, 42, 48, 54, 60	L Left Handed (Shown) R Right Handed	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

B <u>M</u> RSC	1 30	60	R	LW	6	ST	XS	7
----------------	------	----	---	----	---	----	----	---

DIMENSIONS INCHES / MM

PRICING

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
20 / 508	18 / 457	513	611	742
0 / 508	24 / 610	467	569	683
20 / 508	30 / 762	579	719	832
20 / 508	36 / 914	618	781	871
20 / 508	42 / 1067	650	832	922
20 / 508	48 / 1219	690	898	992
20 / 508	54 / 1372	708	952	1031
20 / 508	60 / 1524	771	1010	1081
24 / 610	18 / 457	551	660	850
24 / 610	24 / 610	602	761	898
24 / 610	30 / 762	632	839	1005
24 / 610	36 / 914	683	882	1043
24 / 610	42 / 1067	710	941	1102
24 / 610	48 / 1219	761	1005	1165
24 / 610	54 / 1372	792	1060	1234
24 / 610	60 / 1524	811	1139	1324

Pricing is continued on the following page.

$\boldsymbol{B} \; \boldsymbol{L} \; \boldsymbol{R} \; \boldsymbol{S} \; \boldsymbol{C}$

Cross Grain Rectangular Desk - Full and Half Gables (Continued)

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)	
D	W	Source Laminate	Foundation Laminate	Foundation Laminate	
30 / 762	18 / 457	611	710	981	
30 / 762	24 / 610	683	839	1052	
30 / 762	30 / 762	699	898	1089	
30 / 762	36 / 914	732	992	1139	
30 / 762	42 / 1067	771	1005	1180	
30 / 762	48 / 1219	832	1031	1220	
30 / 762	54 / 1372	871	1081	1341	
30 / 762	60 / 1524	915	1147	1382	
36 / 914	18 / 457	n/a	832	1043	
36 / 914	24 / 610	n/a	882	1089	
36 / 914	30 / 762	n/a	922	1139	
36 / 914	36 / 914	n/a	1020	1192	
36 / 914	42 / 1067	n/a	1031	1253	
36 / 914	48 / 1219	n/a	1043	1300	
36 / 914	54 / 1372	n/a	1102	1382	
36 / 914	60 / 1524	n/a	1180	1423	

$B _ R N L$

Desk Return


The Desk Return cannot be used alone, it must be connected to the straight user edge and on the full gable side of a desk or credenza.

WHAT'S INCLUDED

1 worksurface, 1 full gable with levelers, 1 modesty panel (as specified), 1 linking plate, grommets, and hardware.

NOTES

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurfac Thickness		Depth	Width	Configuration	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware Finish
D 1" M 1 3/16" X 1 9/16"	1 Flush, Full (Shown) 9 Wall Access	20, 24	18, 24, 30, 36, 42, 48, 54, 60	L Left Handed (Shown) R Right Handed	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

B <u>M</u> RNL	1	20	60	R	LW	6	ST	XS	Q
----------------	---	----	----	---	----	---	----	----	---

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
20 / 508	18 / 457	429	528	659
20 / 508	24 / 610	459	578	710
20 / 508	30 / 762	496	637	748
20 / 508	36 / 914	538	697	789
20 / 508	42 / 1067	568	748	839
20 / 508	48 / 1219	608	818	909
20 / 508	54 / 1372	628	869	949
20 / 508	60 / 1524	689	929	999
24 / 610	18 / 457	470	578	771
24 / 610	24 / 610	520	677	818
24 / 610	30 / 762	548	757	921
24 / 610	36 / 914	599	800	962
24 / 610	42 / 1067	630	861	1020
24 / 610	48 / 1219	677	921	1081
24 / 610	54 / 1372	710	977	1151
24 / 610	60 / 1524	727	1058	1240

The Desk Return ${f cannot}$ be used alone, it must be connected to the straight user edge and on the full gable side of a desk or credenza.

B_RNC


WHAT'S INCLUDED

Cross Grain Desk Return

1 worksurface, 1 full gable with levelers, 1 modesty panel (as specified), 1 linking plate, grommets, and hardware.

NOTES

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Configuration	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware Finish
D 1" M 1 3/16" X 1 9/16"	1 Flush, Full (Shown) 9 Wall Access	20, 24	18, 24, 30, 36, 42, 48, 54, 60	L Left Handed (Shown) R Right Handed	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

B <u>X</u> RNC	9	20	36	L	LW	6	ST	XS	7
----------------	---	----	----	---	----	---	----	----	---

DIMENSIONS **INCHES / MM**

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
20 / 508	18 / 457	429	528	659
20 / 508	24 / 610	459	578	710
20 / 508	30 / 762	496	637	748
20 / 508	36 / 914	538	697	789
20 / 508	42 / 1067	568	748	839
20 / 508	48 / 1219	608	818	909
20 / 508	54 / 1372	628	869	949
20 / 508	60 / 1524	689	929	999
24 / 610	18 / 457	470	578	771
24 / 610	24 / 610	520	677	818
24 / 610	30 / 762	548	757	921
24 / 610	36 / 914	599	800	962
24 / 610	42 / 1067	630	861	1020
24 / 610	48 / 1219	677	921	1081
24 / 610	54 / 1372	710	977	1151
24 / 610	60 / 1524	727	1058	1240

$B_R H$

Rectangular Desk - Half Gables

This desk is used as a bridge between other semi-supported desks.


WHAT'S INCLUDED

 $1\ \mbox{worksurface},\ 2\ \mbox{half gables}$ with levelers, $1\ \mbox{modesty}$ panel (as specified), $2\ \mbox{linking}$ plates, grommets, and hardware.

NOTES

This desk is semi-supported and must be connected to other desks or credenzas on both sides.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware Finish
D 1" M 1 3/16" X 1 9/16"	 Flush, Full (Shown) Flush, Half Wall Access 	20, 24, 30, 36	18, 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

B <u>M</u> RH 1 24 48 2D 6 4D 3D E		1	24	48	2D	6	4D	3D	E
------------------------------------	--	---	----	----	----	---	----	----	---

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
20 / 508	18 / 457	513	611	742
20 / 508	24 / 610	542	660	792
20 / 508	30 / 762	579	719	832
20 / 508	36 / 914	618	781	871
20 / 508	42 / 1067	650	832	922
20 / 508	48 / 1219	690	898	992
			· -	
20 / 508	54 / 1372	708	952	1031
20 / 508	60 / 1524	771	1010	1081
20 / 508	66 / 1676	802	1081	1111
20 / 508	72 / 1829	839	1132	1165
20 / 508	78 / 1981	n/a	1203	1210
20 / 508	84 / 2134	n/a	1253	1324
24 / 610	18 / 457	551	660	850
24 / 610	24 / 610	602	761	898
24 / 610	30 / 762	632	839	1005
24 / 610	36 / 914	683	882	1043
24 / 610	42 / 1067	710	941	1102
24 / 610	48 / 1219	761	1005	1165
24 / 610	54 / 1372	792	1060	1234
24 / 610	60 / 1524	811	1139	1324
24 / 610	66 / 1676	863	1151	1351
24 / 610	72 / 1829	898	1170	1402
24 / 610	78 / 1981	n/a	1220	1453
24 / 610	84 / 2134	n/a	1284	1502

$B _ R H$ Rectangular Desk - Half Gables (Continued)

DIMENSIONS INCHES / MM

D W Source Laminate Foundation Laminate Foundation Laminate 30 / 762 18 / 457 611 710 981 30 / 762 24 / 610 683 839 1052 30 / 762 30 / 762 699 898 1089 30 / 762 36 / 914 732 992 1139 30 / 762 42 / 1067 771 1005 1180	
30 / 762 18 / 457 611 710 981 30 / 762 24 / 610 683 839 1052 30 / 762 30 / 762 699 898 1089 30 / 762 36 / 914 732 992 1139	
30 / 762 24 / 610 683 839 1052 30 / 762 30 / 762 699 898 1089 30 / 762 36 / 914 732 992 1139	
30 / 762 30 / 762 699 898 1089 30 / 762 36 / 914 732 992 1139	
30 / 762 36 / 914 732 992 1139	
30 / 762 42 / 1067 771 1005 1180	
30 / 762 48 / 1219 832 1031 1220	
30 / 762 54 / 1372 871 1081 1341	_
30 / 762 60 / 1524 915 1147 1382	
<u>30 / 762 66 / 1676</u> 952 1203 1441	
30 / 762 72 / 1829 971 1300 1482	
30 / 762 78 / 1981 n/a 1341 1553	
30 / 762 84 / 2134 n/a 1391 1604	
36 / 914 18 / 457 n/a 832 1043	
36 / 914 24 / 610 n/a 882 1089	
36 / 914 30 / 762 n/a 922 1139	
36 / 914 36 / 914 n/a 1020 1192	
36 / 914 42 / 1067 n/a 1031 1253	
36 / 914 48 / 1219 n/a 1043 1300	
36 / 914 54 / 1372 n/a 1102 1382	
36 / 914 60 / 1524 n/a 1180 1423	
36 / 914 66 / 1676 n/a 1242 1482	
36 / 914 72 / 1829 n/a 1341 1531	
36 / 914 78 / 1981 n/a 1351 1592	
36 / 914 84 / 2134 n/a 1441 1653	

B_RHC

Cross Grain Rectangular Desk -Half Gables

Width

This desk is used as a bridge between other semi-supported desks.

WHAT'S INCLUDED

 $1\ \mbox{worksurface},\ 2\ \mbox{half gables}$ with levelers, $1\ \mbox{modesty}$ panel (as specified), $2\ \mbox{linking}$ plates, grommets, and hardware.

NOTES

This desk is semi-supported and must be connected to other desks or credenzas on both sides

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware Finish
D 1" M 1 3/16" X 1 9/16"	 Flush, Full (Shown) Flush, Half Wall Access 	20, 24, 30, 36	18, 24, 30, 36, 42, 48, 54, 60	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

B <u>M</u> RHC 9 24 48	LW 6	ST	LE	E
------------------------	------	----	----	---

DIMENSIONS INCHES / MM

PRICING

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
20 / 508	18 / 457	513	611	742
20 / 508	24 / 610	542	660	792
20 / 508	30 / 762	579	719	832
20 / 508	36 / 914	618	781	871
20 / 508	42 / 1067	650	832	922
20 / 508	48 / 1219	690	898	992
20 / 508	54 / 1372	708	952	1031
20 / 508	60 / 1524	771	1010	1081
24 / 610	18 / 457	551	660	850
24 / 610	24 / 610	602	761	898
24 / 610	30 / 762	632	839	1005
24 / 610	36 / 914	683	882	1043
24 / 610	42 / 1067	710	941	1102
24 / 610	48 / 1219	761	1005	1165
24 / 610	54 / 1372	792	1060	1234
24 / 610	60 / 1524	811	1139	1324

$B_R H C$

Cross Grain Rectangular Desk -Half Gables (Continued)

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
30 / 762	18 / 457	611	710	981
30 / 762	24 / 610	683	839	1052
30 / 762	30 / 762	699	898	1089
30 / 762	36 / 914	732	992	1139
30 / 762	42 / 1067	771	1005	1180
30 / 762	48 / 1219	832	1031	1220
30 / 762	54 / 1372	871	1081	1341
30 / 762	60 / 1524	915	1147	1382
36 / 914	18 / 457	n/a	832	1043
36 / 914	24 / 610	n/a	882	1089
36 / 914	30 / 762	n/a	922	1139
36 / 914	36 / 914	n/a	1020	1192
36 / 914	42 / 1067	n/a	1031	1253
36 / 914	48 / 1219	n/a	1043	1300
36 / 914	54 / 1372	n/a	1102	1382
36 / 914	60 / 1524	n/a	1180	1423

B_CD

Corner Desk - Half Gable

This desk is for use in corners between two semi-supported desks.

WHAT'S INCLUDED

 $1\ worksurface,\ 1\ full\ and\ 1\ half\ gables\ with\ levelers,\ 1\ modesty\ panel\ (as\ specified),\ 2\ linking\ plates,\ grommets,\ and\ hardware.$


NOTES

This desk is semi-supported and must be connected to other desks on both sides.

This product does not accept a keyboard shelf.

For wood prints, grain direction may be selected independently from the orientation.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth	Width	Configu- ration	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware Finish	Grain Direction (If Applicable)
D 1" M 1 3/16" X 1 9/16"	Flush, Full Flush, Half Wall Access (Shown)	24, 30, 36	36, 42, 48, 54	L Left Handed (Shown) R Right Handed	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica	L Left (Shown) R Right

SAMPLE ORDER CODE

B <u>M</u> CD 1 24 42 L LW 6 ST XS	E	E	L
------------------------------------	---	---	---

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
24 / 610	36 / 914	930	1203	1324
24 / 610	42 / 1067	1060	1402	1542
24 / 610	48 / 1219	1139	1472	1641
24 / 610	54 / 1372	1284	1604	1801
30 / 762	36 / 914	962	1284	1346
30 / 762	42 / 1067	1122	1441	1580
30 / 762	48 / 1219	1192	1491	1682
30 / 762	54 / 1372	1324	1623	1840
36 / 914	42 / 1067	n/a	1382	1580
36 / 914	48 / 1219	n/a	1520	1720
36 / 914	54 / 1372	n/a	1682	1883
-				

B_EC

Extended Corner Desk -Full Gable


This desk is semi-supported and must be connected to another desk. It is designed to maximize space in confined areas.

WHAT'S INCLUDED

1 worksurface, 2 full gables with levelers, 1 modesty panel (as specified), 1 linking plate, grommets, and hardware.

NOTES

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth A	Depth B	Width A	Width B		onfigu- ration	Worksurface Finish		Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware Finish
D 1" M 1 3/16" X 1 9/16"	1 Flush, Full 5 Flush, Half 9 Wall Access (Shown)	24, 30, 36	24, 30, 36	42, 48, 54	60, 66, 72, 78, 84	R	Left Handed (Shown) Right Handed	Source Laminate Foundation Laminate	6	Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

BMEC	1	24	24	48	78	L	LW	6	ST	LE	E

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				1" (D)	1 3/16" (M)	1 9/16" (X)
				Source	Foundation	Foundation
Da	Db	Wa	Wb	Laminate	Laminate	Laminate
24	24	42	60	1165	1430	1491
24	24	42	66	1180	1502	1580
24	24	42	72	1203	1604	1759
24	24	42	78	n/a	1662	1801
24	24	42	84	n/a	1703	1902
24	24	48	60	1234	1531	1611
24	24	48	66	1253	1623	1712
24	24	48	72	1293	1706	1854
24	24	48	78	n/a	1797	1923
24	24	48	84	n/a	1887	1972
24	24	54	60	1293	1641	1734
24	24	54	66	1324	1747	1840
24	24	54	72	1364	1847	1980
24	24	54	78	n/a	1948	2043
24	24	54	84	n/a	2053	2083

$\mathbf{B} - \mathbf{E} \mathbf{C}$

Extended Corner Desk -Full Gable (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

				1" (D)	1 3/16" (M)	1 9/16" (X)
				Source	Foundation	Foundation
Da	Db	Wa	Wb	Laminate	Laminate	Laminate
24	30	48	60	1253	1564	1611
24	30	48	66	1293	1653	1712
24	30	48	72	1351	1833	1923
24	30	48	78	n/a	1931	1980
24	30	48	84	n/a	2029	2083
24	30	54	60	1341	1692	1760
24	30	54	66	1382	1813	1876
24	30	54	72	1402	1902	2002
24	30	54	78	n/a	1964	2062
24	30	54	84	n/a	2058	2103
30	30	48	60	1253	1564	1611
30	30	48	66	1293	1653	1712
30	30	48	72	1351	1833	1923
30	30	48	78	n/a	1931	1980
30	30	48	84	n/a	2029	2083
30	30	54	60	1341	1692	1760
30	30	54	66	1382	1813	1876
30	30	54	72	1402	1902	2002
30	30	54	78	n/a	1964	2062
30	30	54	84	n/a	2058	2103
36	36	54	60	n/a	1833	1795
36	36	54	66	n/a	1920	1902
36	36	54	72	n/a	1960	2032
36	36	54	78	n/a	2022	2093
36	36	54	84	n/a	2120	2132

B_ED

Extended Corner Desk - Half Gable


This desk is semi-supported and must be connected to other desks on both sides. It is designed to maximize space in confined areas.

WHAT'S INCLUDED

1 worksurface, 1 full and 1 half gables with levelers, 1 modesty panel (as specified), 2 linking plates, grommets, and hardware.

NOTES

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Modesty Panel Style	Depth A	Depth B	Width A	Width B	C	onfigu- ration	Worksurface Finish		Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware Finish
D 1" M 1 3/16" X 1 9/16"	1 Flush, Full 5 Flush, Half 9 Wall Access (Shown)	24, 30, 36	24, 30, 36	42, 48, 54	60, 66, 72, 78, 84	R	Left Handed (Shown) Right Handed	Source Laminate Foundation Laminate	6	Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

B <u>M</u> ED	9	24	24	48	78	L	2D	6	4D	3D	E
---------------	---	----	----	----	----	---	----	---	----	----	---

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				1" (D)	1 3/16" (M)	1 9/16" (X)
Da	Db	Wa	Wb	Source Laminate	Foundation Laminate	Foundation Laminate
24	24	42	60	1165	1430	1491
24	24	42	66	1180	1502	1580
24	24	42	72	1203	1604	1759
24	24	42	78	n/a	1662	1801
24	24	42	84	n/a	1703	1902
24	24	48	60	1234	1531	1611
24	24	48	66	1253	1623	1712
24	24	48	72	1293	1706	1854
24	24	48	78	n/a	1797	1923
24	24	48	84	n/a	1887	1972
24	24	54	60	1293	1641	1734
24	24	54	66	1324	1747	1840
24	24	54	72	1364	1847	1980
24	24	54	78	n/a	1948	2043
24	24	54	84	n/a	2053	2083

$B _ E D$ Extended Corner Desk - Half Gable (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

				1" (D)	1 3/16" (M)	1 9/16" (X)
_				Source	Foundation	Foundation
Da	Db	Wa	Wb	Laminate	Laminate	Laminate
24	30	48	60	1253	1564	1611
24	30	48	66	1293	1653	1712
24	30	48	72	1351	1833	1923
24	30	48	78	n/a	1931	1980
24	30	48	84	n/a	2029	2083
24	30	54	60	1341	1692	1760
24	30	54	66	1382	1813	1876
24	30	54	72	1402	1902	2002
24	30	54	78	n/a	1964	2062
24	30	54	84	n/a	2058	2103
30	30	48	60	1253	1564	1611
30	30	48	66	1293	1653	1712
30	30	48	72	1351	1833	1923
30	30	48	78	n/a	1931	1980
30	30	48	84	n/a	2029	2083
30	30	54	60	1341	1692	1760
30	30	54	66	1382	1813	1876
30	30	54	72	1402	1902	2002
30	30	54	78	n/a	1964	2062
30	30	54	84	n/a	2058	2103
36	36	54	60	n/a	1833	1795
36	36	54	66	n/a	1920	1902
36	36	54	72	n/a	1960	2032
36	36	54	78	n/a	2022	2093
36	36	54	84	n/a	2120	2132

B_PDW

Extended D-Shaped Peninsula Desk with Half Modesty

This desk combines an extended corner with the rounded end of a bullet top. Its asymmetrical shape is ideal for meetings.

WHAT'S INCLUDED

1 worksurface, 1 full gable with levelers, 1 support with leveler (as specified), 1 laminate half modesty panel, 1 linking plate, grommets, and hardware.


NOTES

This desk is semi-supported and must be connected to another desk.

This product does not accept a keyboard shelf.

The half modesty panel is included and cannot be replaced.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



'X' = 24"

If 48" or 54" Wie

If 42" Width A:

If 48" or 54" Width A: 'X' = 30"

PRODUCT OPTIONS

Worksurface Thickness	Support Style	Depth	Width A	Width B	Configu- ration	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware and Support Finish
D 1" M 1 3/16" X 1 9/16"	C Column Leg (Shown) L Elliptical Base	24, 30, 36	42, 48, 54	60, 66, 72, 78, 84	L Left Handed (Shown) R Right Handed	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

	B <u>D</u> PDW	С	24	48	60	L	3E	6	4E	3E	7
--	----------------	---	----	----	----	---	----	---	----	----	---

DIMENSIONS INCHES / MM

PRICING

			WITH LEG (C)		
			1" (D)	1 3/16" (M)	1 9/16" (X)
D	Wa	Wb	Source Laminate	Foundation Laminate	Foundation Laminate
24 / 610	42 / 1067	60 / 1524	1000	1232	1355
24 / 610	42 / 1067	66 / 1676	1028	1277	1416
24 / 610	42 / 1067	72 / 1829	1053	1326	1477
24 / 610	42 / 1067	78 / 1981	1087	1370	1537
24 / 610	42 / 1067	84 / 2134	1123	1419	1597
24 / 610	48 / 1219	60 / 1524	1122	1321	1464
24 / 610	48 / 1219	66 / 1676	1148	1373	1531
24 / 610	48 / 1219	72 / 1829	1172	1426	1601
24 / 610	48 / 1219	78 / 1981	1209	1480	1666
24 / 610	48 / 1219	84 / 2134	1245	1531	1737
24 / 610	54 / 1372	60 / 1524	1220	1413	1572
24 / 610	54 / 1372	66 / 1676	1231	1469	1650
24 / 610	54 / 1372	72 / 1829	1235	1528	1725
24 / 610	54 / 1372	78 / 1981	1264	1587	1799
24 / 610	54 / 1372	84 / 2134	1264	1650	1879

B_PDW

Extended D-Shaped Peninsula Desk with Half Modesty (Continued)

DIMENSIONS INCHES / MM

			WITH LEG (C) (CON	NTINUED)		
			1" (D)	1 3/16" (M)	1 9/16" (X)	
D	Wa	Wb	Source Laminate	Foundation Laminate	Foundation Laminate	
30 / 762	48 / 1219	66 / 1676	1190	1402	1566	
30 / 762	48 / 1219	72 / 1829	1211	1456	1632	
30 / 762	48 / 1219	78 / 1981	1256	1511	1703	
30 / 762	48 / 1219	84 / 2134	1256	1564	1771	
30 / 762	54 / 1372	66 / 1676	1290	1499	1682	
30 / 762	54 / 1372	72 / 1829	1310	1558	1757	
30 / 762	54 / 1372	78 / 1981	1356	1622	1836	
30 / 762	54 / 1372	84 / 2134	1402	1680	1915	
36 / 914	54 / 1372	72 / 1829	n/a	1589	1796	
36 / 914	54 / 1372	78 / 1981	n/a	1653	1876	
36 / 914	54 / 1372	84 / 2134	n/a	1713	1951	

			WITH BASE (L)			
			1" (D)	1 3/16" (M)	1 9/16" (X)	
			Source Laminate	Foundation Laminate	Foundation Laminate	
24 / 610	42 / 1067	60 / 1524	1093	1326	1452	
24 / 610	42 / 1067	66 / 1676	1123	1370	1511	
24 / 610	42 / 1067	72 / 1829	1147	1419	1569	
24 / 610	42 / 1067	78 / 1981	1190	1462	1631	
24 / 610	42 / 1067	84 / 2134	1220	1513	1691	
24 / 610	48 / 1219	60 / 1524	1213	1415	1558	
24 / 610	48 / 1219	66 / 1676	1244	1465	1625	
24 / 610	48 / 1219	72 / 1829	1263	1517	1695	
24 / 610	48 / 1219	78 / 1981	1306	1574	1760	
24 / 610	48 / 1219	84 / 2134	1342	1625	1830	
24 / 610	54 / 1372	60 / 1524	1313	1505	1665	
24 / 610	54 / 1372	66 / 1676	1324	1564	1740	
24 / 610	54 / 1372	72 / 1829	1328	1623	1819	
24 / 610	54 / 1372	78 / 1981	1368	1682	1892	
24 / 610	54 / 1372	84 / 2134	1368	1740	1971	
30 / 762	48 / 1219	66 / 1676	1284	1498	1660	
30 / 762	48 / 1219	72 / 1829	1305	1549	1728	
30 / 762	48 / 1219	78 / 1981	1356	1605	1797	
30 / 762	48 / 1219	84 / 2134	1356	1655	1862	
30 / 762	54 / 1372	66 / 1676	1382	1592	1777	
30 / 762	54 / 1372	72 / 1829	1406	1653	1854	
30 / 762	54 / 1372	78 / 1981	1457	1713	1931	
30 / 762	54 / 1372	84 / 2134	1501	1775	2009	
36 / 914	54 / 1372	72 / 1829	n/a	1688	1887	
36 / 914	54 / 1372	78 / 1981	n/a	1748	1967	
36 / 914	54 / 1372	84 / 2134	n/a	1808	2045	

B_PDH

Extended D-Shaped Peninsula Desk - Half Gables

This desk combines an extended corner with the rounded end of a bullet top. Its asymmetrical shape is ideal for meetings.

WHAT'S INCLUDED

1 worksurface, 2 half gables with levelers, 1 support with leveler (as specified), 1 modesty panel (as specified), 1 linking plate, grommets, and hardware.

WHAT'S EXCLUDED


Peninsula Modesty Panels.

NOTES

This desk is semi-supported and must be connected to another desk.

When a Peninsula Modesty Panel is specified, a keyboard shelf cannot be installed.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



If 42" Width A: 'X' = 24"

If 48" or 54" Width A: 'X' = 30"

PRODUCT OPTIONS

Worl Thio	ksurface ckness	N	Modesty Panel Style	S	upport Style	Depth	Width A	Width B		Configu- ration	Worksurface Finish		Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware and Support Finish
	3/16"	1	Flush, Full (Shown	C	Leg (Shown)	24, 30, 36	42, 48, 54	60, 66, 72, 78, 84	L	Left Handed (Shown)	Foundation	6	Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica
A 1	9/10	9	Flush, Half Wall Access	L	Elliptical Base				R	Right Handed	Laminate					

SAMPLE ORDER CODE

BMPDH 1	С	24	48	78	L	LW	6	ST	XS	Q
---------	---	----	----	----	---	----	---	----	----	---

DIMENSIONS INCHES / MM

PRICING

			WITH LEG (C)		
			1" (D)	1 3/16" (M)	1 9/16" (X)
D	Wa	Wb	Source Laminate	Foundation Laminate	Foundation Laminate
24 / 610	42 / 1067	60 / 1524	1000	1232	1355
24 / 610	42 / 1067	66 / 1676	1028	1277	1416
24 / 610	42 / 1067	72 / 1829	1053	1326	1477
24 / 610	42 / 1067	78 / 1981	n/a	1370	1537
24 / 610	42 / 1067	84 / 2134	n/a	1419	1597
24 / 610	48 / 1219	60 / 1524	1122	1321	1464
24 / 610	48 / 1219	66 / 1676	1148	1373	1531
24 / 610	48 / 1219	72 / 1829	1172	1426	1601
24 / 610	48 / 1219	78 / 1981	n/a	1480	1666
24 / 610	48 / 1219	84 / 2134	n/a	1531	1737
24 / 610	54 / 1372	60 / 1524	1220	1413	1572
24 / 610	54 / 1372	66 / 1676	1231	1469	1650
24 / 610	54 / 1372	72 / 1829	1235	1528	1725
24 / 610	54 / 1372	78 / 1981	n/a	1587	1799
24 / 610	54 / 1372	84 / 2134	n/a	1650	1879

$B_P D H$

Extended D-Shaped Peninsula Desk - Half Gables (Continued)

DIMENSIONS INCHES / MM

		WITH LEG (C) (CO	NTINUED)	
		1" (D)	1 3/16" (M)	1 9/16" (X)
Wa	Wb	Source Laminate	Foundation Laminate	Foundation Laminate
48 / 1219	66 / 1676	1190	1402	1566
48 / 1219	72 / 1829	1211	1456	1632
48 / 1219	78 / 1981	n/a	1511	1703
48 / 1219	84 / 2134	n/a	1564	1771
54 / 1372	66 / 1676	1290	1499	1682
54 / 1372	72 / 1829	1310	1558	1757
54 / 1372	78 / 1981	n/a	1622	1836
54 / 1372	84 / 2134	n/a	1680	1915
54 / 1372	72 / 1829	n/a	1589	1796
54 / 1372	78 / 1981	n/a	1653	1876
54 / 1372	84 / 2134	n/a	1713	1951
	48 / 1219 48 / 1219 48 / 1219 48 / 1219 54 / 1372 54 / 1372 54 / 1372 54 / 1372 54 / 1372	48 / 1219 66 / 1676 48 / 1219 72 / 1829 48 / 1219 78 / 1981 48 / 1219 84 / 2134 54 / 1372 66 / 1676 54 / 1372 72 / 1829 54 / 1372 78 / 1981 54 / 1372 72 / 1829 54 / 1372 78 / 1981	Wa Wb Laminate 48 / 1219 66 / 1676 1190 48 / 1219 72 / 1829 1211 48 / 1219 78 / 1981 n/a 48 / 1219 84 / 2134 n/a 54 / 1372 66 / 1676 1290 54 / 1372 72 / 1829 1310 54 / 1372 78 / 1981 n/a 54 / 1372 72 / 1829 n/a 54 / 1372 72 / 1829 n/a 54 / 1372 78 / 1981 n/a	Wa Wb Laminate Foundation Laminate 48 / 1219 66 / 1676 1190 1402 48 / 1219 72 / 1829 1211 1456 48 / 1219 78 / 1981 n/a 1511 48 / 1219 84 / 2134 n/a 1564 54 / 1372 66 / 1676 1290 1499 54 / 1372 72 / 1829 1310 1558 54 / 1372 78 / 1981 n/a 1622 54 / 1372 72 / 1829 n/a 1589 54 / 1372 78 / 1981 n/a 1653

			WITH BASE (L)		
			1" (D)	1 3/16" (M)	1 9/16" (X)
			Source Laminate	Foundation Laminate	Foundation Laminate
24 / 610	42 / 1067	60 / 1524	1093	1326	1452
24 / 610	42 / 1067	66 / 1676	1123	1370	1511
24 / 610	42 / 1067	72 / 1829	1147	1419	1569
24 / 610	42 / 1067	78 / 1981	n/a	1462	1631
24 / 610	42 / 1067	84 / 2134	n/a	1513	1691
24 / 610	48 / 1219	60 / 1524	1213	1415	1558
24 / 610	48 / 1219	66 / 1676	1244	1465	1625
24 / 610	48 / 1219	72 / 1829	1263	1517	1695
24 / 610	48 / 1219	78 / 1981	n/a	1574	1760
24 / 610	48 / 1219	84 / 2134	n/a	1625	1830
24 / 610	54 / 1372	60 / 1524	1313	1505	1665
24 / 610	54 / 1372	66 / 1676	1324	1564	1740
24 / 610	54 / 1372	72 / 1829	1328	1623	1819
24 / 610	54 / 1372	78 / 1981	n/a	1682	1892
24 / 610	54 / 1372	84 / 2134	n/a	1740	1971
30 / 762	48 / 1219	66 / 1676	1284	1498	1660
30 / 762	48 / 1219	72 / 1829	1305	1549	1728
30 / 762	48 / 1219	78 / 1981	n/a	1605	1797
30 / 762	48 / 1219	84 / 2134	n/a	1655	1862
30 / 762	54 / 1372	66 / 1676	1382	1592	1777
30 / 762	54 / 1372	72 / 1829	1406	1653	1854
30 / 762	54 / 1372	78 / 1981	n/a	1713	1931
30 / 762	54 / 1372	84 / 2134	n/a	1775	2009
36 / 914	54 / 1372	72 / 1829	n/a	1688	1887
36 / 914	54 / 1372	78 / 1981	n/a	1748	1967
36 / 914	54 / 1372	84 / 2134	n/a	1808	2045

B_BDF

D-Shaped Peninsula Desk with Half Modesty



This desk is ideal for small meeting spaces or team workstations.

WHAT'S INCLUDED

 $1\ worksurface,\ 1\ full\ gable\ with\ levelers,\ 1\ support\ with\ leveler,\ 1\ laminate\ half\ modesty\ panel,\ 1\ linking\ plate,\ and\ hardware.$

NOTES

This desk is semi-supported and must be connected to another desk, bridge or return.

This product does not accept a keyboard shelf.

The half modesty panel is included and cannot be replaced.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness	Support Style	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware and Support Finish
D 1" M 1 3/16" X 1 9/16"	C Column Leg (Shown) L Elliptical Base	24, 30, 36	48, 54, 60, 66, 72, 78, 84	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

B <u>M</u> BDF	С	24	48	LW	6	ST	LE	E

DIMENSIONS INCHES / MM

PRICING

	WITH LEG (C)			
	1" (D)	1 3/16" (M)	1 9/16" (X)	
W	Source Laminate	Foundation Laminate	Foundation Laminate	
48 / 1219	877	923	1440	
54 / 1372	789	853	1305	
60 / 1524	937	1044	1579	
66 / 1676	963	1099	1646	
72 / 1829	1023	1148	1708	
78 / 1981	1060	1203	1771	
84 / 2134	1095	1253	1830	
48 / 1219	933	1031	1585	
54 / 1372	1007	1092	1670	
60 / 1524	1044	1165	1752	
66 / 1676	1079	1223	1826	
72 / 1829	1132	1290	1900	
78 / 1981	1177	1343	1974	
84 / 2134	1220	1404	2045	
60 / 1524	n/a	1278	1921	
66 / 1676	n/a	1349	2006	
72 / 1829	n/a	1423	2094	
78 / 1981	n/a	1488	2180	
84 / 2134	n/a	1558	2261	
	48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134	W Source Laminate 48 / 1219 877 54 / 1372 789 60 / 1524 937 66 / 1676 963 72 / 1829 1023 78 / 1981 1060 84 / 2134 1095 48 / 1219 933 54 / 1372 1007 60 / 1524 1044 66 / 1676 1079 72 / 1829 1132 78 / 1981 1177 84 / 2134 1220 60 / 1524 n/a 60 / 1524 n/a 66 / 1676 72 / 1829 78 / 1981 n/a	W Laminate I 3/16" (M) 48 / 1219 877 923 54 / 1372 789 853 60 / 1524 937 1044 66 / 1676 963 1099 72 / 1829 1023 1148 78 / 1981 1060 1203 84 / 2134 1095 1253 48 / 1219 933 1031 54 / 1372 1007 1092 60 / 1524 1044 1165 66 / 1676 1079 1223 72 / 1829 1132 1290 78 / 1981 1177 1343 84 / 2134 1220 1404 60 / 1524 n/a 1278 66 / 1676 n/a 1349 72 / 1829 n/a 1423 78 / 1981 n/a 1423 78 / 1981 n/a 1423	W Laminate Laminate Foundation Laminate Foundation Laminate 48 / 1219 877 923 1440 54 / 1372 789 853 1305 60 / 1524 937 1044 1579 66 / 1676 963 1099 1646 72 / 1829 1023 1148 1708 78 / 1981 1060 1203 1771 84 / 2134 1095 1253 1830 48 / 1219 933 1031 1585 54 / 1372 1007 1092 1670 60 / 1524 1044 1165 1752 66 / 1676 1079 1223 1826 72 / 1829 1132 1290 1900 78 / 1981 1177 1343 1974 84 / 2134 1220 1404 2045 60 / 1524 n/a 1278 1921 66 / 1676 n/a 1349 2006 72 / 1829 n/a 1423 2094

$B _B B D F$

D-Shaped Peninsula Desk with Half Modesty (Continued)

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
24 / 610	48 / 1219	969	1015	1535
24 / 610	54 / 1372	1007	1081	1608
24 / 610	60 / 1524	1032	1137	1674
24 / 610	66 / 1676	1057	1192	1738
24 / 610	72 / 1829	1122	1244	1800
24 / 610	78 / 1981	1159	1296	1862
24 / 610	84 / 2134	1195	1343	1924
30 / 762	48 / 1219	1023	1122	1679
30 / 762	54 / 1372	1100	1188	1763
30 / 762	60 / 1524	1137	1255	1842
30 / 762	66 / 1676	1170	1318	1921
30 / 762	72 / 1829	1226	1382	1998
30 / 762	78 / 1981	1279	1440	2067
30 / 762	84 / 2134	1324	1499	2140
36 / 914	60 / 1524	n/a	1371	2013
36 / 914	66 / 1676	n/a	1442	2102
36 / 914	72 / 1829	n/a	1515	2187
36 / 914	78 / 1981	n/a	1581	2272
36 / 914	84 / 2134	n/a	1653	2356

$B _B W W$

D-Shaped Peninsula Worksurface

This worksurface mounts to another desk at one end and is supported by a single support at the other. It is ideal for small meeting spaces or team workstations.

WHAT'S INCLUDED

1 worksurface, 1 support with leveler, 4 linking plates, and hardware.


WHAT'S EXCLUDED

Peninsula Modesty Panels.

NOTES

This desk is semi-supported and must always be connected to another desk.

When a Peninsula Modesty Panel is specified, a keyboard shelf cannot be installed.



PRODUCT OPTIONS

Worksurface Thickness	Support Style	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
D 1" M 1 3/16" X 1 9/16"	C Column Leg (Shown) L Elliptical Base	24, 30, 36	48, 54, 60, 66, 72	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	Foundation Mica

SAMPLE ORDER CODE

B <u>D</u> BWW	C	24	48	3E	6	4E	7
----------------	---	----	----	----	---	----	---

DIMENSIONS INCHES / MM

PRICING

D W I" (D) 1 3/16" (M) 1 9/16" (X) 24 / 610 48 / 1219 456 666 1183 24 / 610 54 / 1372 461 706 1231 24 / 610 60 / 1524 469 746 1281 24 / 610 66 / 1676 480 785 1335 24 / 610 72 / 1829 492 822 1380 30 / 762 48 / 1219 512 742 1295 30 / 762 54 / 1372 524 790 1369 30 / 762 60 / 1524 541 838 1426 30 / 762 66 / 1676 549 887 1489 30 / 762 72 / 1829 572 935 1545			WITH LEG (C)			
D W Laminate Laminate 24 / 610 48 / 1219 456 666 1183 24 / 610 54 / 1372 461 706 1231 24 / 610 60 / 1524 469 746 1281 24 / 610 66 / 1676 480 785 1335 24 / 610 72 / 1829 492 822 1380 30 / 762 48 / 1219 512 742 1295 30 / 762 54 / 1372 524 790 1369 30 / 762 60 / 1524 541 838 1426 30 / 762 66 / 1676 549 887 1489			1" (D)	1 3/16" (M)	1 9/16" (X)	
24 / 610 54 / 1372 461 706 1231 24 / 610 60 / 1524 469 746 1281 24 / 610 66 / 1676 480 785 1335 24 / 610 72 / 1829 492 822 1380 30 / 762 48 / 1219 512 742 1295 30 / 762 54 / 1372 524 790 1369 30 / 762 60 / 1524 541 838 1426 30 / 762 66 / 1676 549 887 1489	D	W				
24 / 610 60 / 1524 469 746 1281 24 / 610 66 / 1676 480 785 1335 24 / 610 72 / 1829 492 822 1380 30 / 762 48 / 1219 512 742 1295 30 / 762 54 / 1372 524 790 1369 30 / 762 60 / 1524 541 838 1426 30 / 762 66 / 1676 549 887 1489	24 / 610	48 / 1219	456	666	1183	
24 / 610 66 / 1676 480 785 1335 24 / 610 72 / 1829 492 822 1380 30 / 762 48 / 1219 512 742 1295 30 / 762 54 / 1372 524 790 1369 30 / 762 60 / 1524 541 838 1426 30 / 762 66 / 1676 549 887 1489	24 / 610	54 / 1372	461	706	1231	
24 / 610 72 / 1829 492 822 1380 30 / 762 48 / 1219 512 742 1295 30 / 762 54 / 1372 524 790 1369 30 / 762 60 / 1524 541 838 1426 30 / 762 66 / 1676 549 887 1489	24 / 610	60 / 1524	469	746	1281	
30 / 762 48 / 1219 512 742 1295 30 / 762 54 / 1372 524 790 1369 30 / 762 60 / 1524 541 838 1426 30 / 762 66 / 1676 549 887 1489	24 / 610	66 / 1676	480	785	1335	
30 / 762 54 / 1372 524 790 1369 30 / 762 60 / 1524 541 838 1426 30 / 762 66 / 1676 549 887 1489	24 / 610	72 / 1829	492	822	1380	
30 / 762 54 / 1372 524 790 1369 30 / 762 60 / 1524 541 838 1426 30 / 762 66 / 1676 549 887 1489						
30 / 762 60 / 1524 541 838 1426 30 / 762 66 / 1676 549 887 1489	30 / 762	48 / 1219	512	742	1295	
30 / 762 66 / 1676 549 887 1489	30 / 762	54 / 1372	524	790	1369	_
	30 / 762	60 / 1524	541	838	1426	
30 / 762 72 / 1829 572 935 1545	30 / 762	66 / 1676	549	887	1489	
	30 / 762	72 / 1829	572	935	1545	
36 / 914 60 / 1524 n/a 930 1575	36 / 914	60 / 1524	n/a	930	1575	
36 / 914 66 / 1676 n/a 991 1646	36 / 914	66 / 1676	n/a	991	1646	
36 / 914 72 / 1829 n/a 1049 1719	36 / 914	72 / 1829	n/a	1049	1719	

$\boldsymbol{B} \; \boldsymbol{_} \; \boldsymbol{B} \; \boldsymbol{W} \; \boldsymbol{W}$

D-Shaped Peninsula Worksurface (Continued)

DIMENSIONS INCHES / MM

	-	WITH BASE (L)	1 3/16" (M)	1 9/16" (X)	
D	W	Source Laminate	Foundation Laminate	Foundation Laminate	
24 / 610	48 / 1219	551	761	1279	
24 / 610	54 / 1372	553	802	1327	
24 / 610	60 / 1524	564	838	1375	
24 / 610	66 / 1676	573	879	1424	
24 / 610	72 / 1829	586	920	1477	
30 / 762	48 / 1219	604	835	1393	
30 / 762	54 / 1372	619	884	1458	
30 / 762	60 / 1524	636	933	1520	
30 / 762	66 / 1676	640	981	1585	
30 / 762	72 / 1829	665	1031	1646	
36 / 914	60 / 1524	n/a	1022	1663	
36 / 914	66 / 1676	n/a	1082	1742	
36 / 914	72 / 1829	n/a	1139	1812	

B_EPW

Extended P-Shaped Peninsula Desk with Half Modesty

This desk combines the large end of a Peninsula Desk with the curved corner of a D-Shaped Peninsula Desk. Its asymmetrical shape is ideal for meetings.

WHAT'S INCLUDED

1 worksurface, 1 full gable with levelers, 1 support with leveler (as specified), 1 laminate half modesty panel, 1 linking plate, grommets, and hardware.


NOTES

This desk is semi-supported and must be connected to another desk.

This product does not accept a keyboard shelf.

The half modesty panel is included and cannot be replaced.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Support Style	Depth	Width A	Width B	Configu- ration	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware and Support Finish
D 1" M 1 3/16" X 1 9/16"	C Column Leg (Shown) L Elliptical Base	24, 30, 36	48, 54	60, 66, 72, 78, 84	L Left Handed (Shown) R Right Handed	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

B <u>M</u> EPW	C	24	48	60	L	LW	6	ST	LE	E
----------------	---	----	----	----	---	----	---	----	----	---

DIMENSIONS INCHES / MM

PRICING

			WITH LEG (C)			
			1" (D)	1 3/16" (M)	1 9/16" (X)	
D	Wa	Wb	Source Laminate	Foundation Laminate	Foundation Laminate	
24 / 610	48 / 1219	60 / 1524	1102	1383	1549	
24 / 610	48 / 1219	66 / 1676	1128	1442	1624	
24 / 610	48 / 1219	72 / 1829	1152	1505	1699	
24 / 610	48 / 1219	78 / 1981	1188	1565	1777	
24 / 610	48 / 1219	84 / 2134	1219	1623	1854	
24 / 610	54 / 1372	60 / 1524	1203	1474	1655	
24 / 610	54 / 1372	66 / 1676	1231	1540	1739	
24 / 610	54 / 1372	72 / 1829	1235	1607	1825	
24 / 610	54 / 1372	78 / 1981	1264	1672	1907	
24 / 610	54 / 1372	84 / 2134	1302	1738	1995	
30 / 762	48 / 1219	66 / 1676	1168	1477	1656	
30 / 762	48 / 1219	72 / 1829	1194	1535	1735	
30 / 762	48 / 1219	78 / 1981	1239	1597	1813	
30 / 762	48 / 1219	84 / 2134	1284	1654	1888	
30 / 762	54 / 1372	66 / 1676	1263	1572	1739	
30 / 762	54 / 1372	72 / 1829	1276	1636	1859	
30 / 762	54 / 1372	78 / 1981	1318	1706	1946	
30 / 762	54 / 1372	84 / 2134	1364	1774	2032	

$\boldsymbol{B} \mathrel{_} \boldsymbol{E} \; \boldsymbol{P} \; \boldsymbol{W}$

Extended P-Shaped Peninsula Desk with Half Modesty (Continued)

DIMENSIONS INCHES / MM

			WITH LEG (C) (CONT	ΓINUED)	
			1" (D)	1 3/16" (M)	1 9/16" (X)
D	Wa	Wb	Source Laminate	Foundation Laminate	Foundation Laminate
36 / 914	48 / 1219	72 / 1829	n/a	1566	1767
36 / 914	48 / 1219	78 / 1981	n/a	1629	1847
36 / 914	48 / 1219	84 / 2134	n/a	1689	1929
36 / 914	54 / 1372	72 / 1829	n/a	1670	1898
36 / 914	54 / 1372	78 / 1981	n/a	1739	1982
36 / 914	54 / 1372	84 / 2134	n/a	1808	2069

			WITH BASE (L)		
			1" (D)	1 3/16" (M)	1 9/16" (X)
			Source Laminate	Foundation Laminate	Foundation Laminate
24 / 610	48 / 1219	60 / 1524	1195	1478	1641
24 / 610	48 / 1219	66 / 1676	1052	1327	1480
24 / 610	48 / 1219	72 / 1829	1248	1600	1796
24 / 610	48 / 1219	78 / 1981	1285	1656	1873
24 / 610	48 / 1219	84 / 2134	1321	1714	1946
24 / 610	54 / 1372	60 / 1524	1296	1568	1752
24 / 610	54 / 1372	66 / 1676	1324	1633	1834
24 / 610	54 / 1372	72 / 1829	1328	1699	1920
24 / 610	54 / 1372	78 / 1981	1368	1766	2002
24 / 610	54 / 1372	84 / 2134	1402	1833	2086
30 / 762	48 / 1219	66 / 1676	1259	1569	1753
30 / 762	48 / 1219	72 / 1829	1290	1629	1828
30 / 762	48 / 1219	78 / 1981	1336	1691	1906
30 / 762	48 / 1219	84 / 2134	1380	1750	1982
30 / 762	54 / 1372	66 / 1676	1364	1665	1834
30 / 762	54 / 1372	72 / 1829	1369	1734	1953
30 / 762	54 / 1372	78 / 1981	1415	1799	2042
30 / 762	54 / 1372	84 / 2134	1460	1865	2126
36 / 914	48 / 1219	72 / 1829	n/a	1660	1861
36 / 914	48 / 1219	78 / 1981	n/a	1720	1943
36 / 914	48 / 1219	84 / 2134	n/a	1779	2023
36 / 914	54 / 1372	72 / 1829	n/a	1763	1995
36 / 914	54 / 1372	78 / 1981	n/a	1834	2079
36 / 914	54 / 1372	84 / 2134	n/a	1902	2169

B_EPH

Extended P-Shaped Peninsula Desk - Half Gables

This desk combines the large end of a Peninsula Desk with the curved corner of a D-Shaped Peninsula Desk. Its asymmetrical shape is ideal for meetings.

WHAT'S INCLUDED

1 worksurface, 2 half gables with levelers, 1 support with leveler (as specified), 1 modesty panel (as specified), 1 linking plate, grommets, and hardware.

WHAT'S EXCLUDED


Peninsula Modesty Panels.

NOTES

This desk is semi-supported and must be connected to another desk.

When a Peninsula Modesty Panel is specified, a keyboard shelf cannot be installed.

The 1 9/16" (X) thickness is ${f not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

	odesty S anel tyle	upport Style	Depth	Width A	Width B		onfigu- ration	Worksurface Finish		Edge Trim Style	Edge Trim Finish	Gable and Modesty Panel Finish	Hardware and Support Finish
M 1 3/16"	Flush, Full Shown) Flush, Half Wall	Column Leg (Shown) Elliptical Base	24, 30, 36	48, 54	78, 84	L R	(Shown)	Source Laminate Foundation Laminate	6	Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

BDEPH 9	L	24	48	72	R	3D	6	4D	LE	7
---------	---	----	----	----	---	----	---	----	----	---

DIMENSIONS INCHES / MM

PRICING

			WITH LEG (C)		
			1" (D)	1 3/16" (M)	1 9/16" (X)
D	Wa	Wb	Source Laminate	Foundation Laminate	Foundation Laminate
24 / 610	48 / 1219	60 / 1524	1102	1383	1549
24 / 610	48 / 1219	66 / 1676	1128	1442	1624
24 / 610	48 / 1219	72 / 1829	1152	1505	1699
24 / 610	48 / 1219	78 / 1981	n/a	1565	1777
24 / 610	48 / 1219	84 / 2134	n/a	1623	1854
24 / 610	54 / 1372	60 / 1524	1203	1474	1655
24 / 610	54 / 1372	66 / 1676	1231	1540	1739
24 / 610	54 / 1372	72 / 1829	1235	1607	1825
24 / 610	54 / 1372	78 / 1981	n/a	1672	1907
24 / 610	54 / 1372	84 / 2134	n/a	1738	1995
30 / 762	48 / 1219	66 / 1676	1168	1477	1656
30 / 762	48 / 1219	72 / 1829	1194	1535	1735
30 / 762	48 / 1219	78 / 1981	n/a	1597	1813
30 / 762	48 / 1219	84 / 2134	n/a	1654	1888
30 / 762	54 / 1372	66 / 1676	1263	1572	1739
30 / 762	54 / 1372	72 / 1829	1276	1636	1859
30 / 762	54 / 1372	78 / 1981	n/a	1706	1946
30 / 762	54 / 1372	84 / 2134	n/a	1774	2032

$B _ E P H$

Extended P-Shaped Peninsula Desk - Half Gables (Continued)

DIMENSIONS INCHES / MM


	WITH LEG (C) (CONTINUED)								
			1" (D)	1 3/16" (M)	1 9/16" (X)				
D	Wa	Wb	Source Laminate	Foundation Laminate	Foundation Laminate				
36 / 914	48 / 1219	72 / 1829	n/a	1566	1767				
36 / 914	48 / 1219	78 / 1981	n/a	1629	1847				
36 / 914	48 / 1219	84 / 2134	n/a	1689	1929				
36 / 914	54 / 1372	72 / 1829	n/a	1670	1898				
36 / 914	54 / 1372	78 / 1981	n/a	1739	1982				
36 / 914	54 / 1372	84 / 2134	n/a	1808	2069	·			

			WITH BASE (L)		
			1" (D)	1 3/16" (M)	1 9/16" (X)
			Source Laminate	Foundation Laminate	Foundation Laminate
24 / 610	48 / 1219	60 / 1524	1195	1478	1641
24 / 610	48 / 1219	66 / 1676	1220	1539	1717
24 / 610	48 / 1219	72 / 1829	1248	1600	1796
24 / 610	48 / 1219	78 / 1981	n/a	1656	1873
24 / 610	48 / 1219	84 / 2134	n/a	1714	1946
24 / 610	54 / 1372	60 / 1524	1296	1568	1752
24 / 610	54 / 1372	66 / 1676	1324	1633	1834
24 / 610	54 / 1372	72 / 1829	1328	1699	1920
24 / 610	54 / 1372	78 / 1981	n/a	1766	2002
24 / 610	54 / 1372	84 / 2134	n/a	1833	2086
30 / 762	48 / 1219	66 / 1676	1259	1569	1753
30 / 762	48 / 1219	72 / 1829	1290	1629	1828
30 / 762	48 / 1219	78 / 1981	n/a	1691	1906
30 / 762	48 / 1219	84 / 2134	n/a	1750	1982
30 / 762	54 / 1372	66 / 1676	1364	1665	1834
30 / 762	54 / 1372	72 / 1829	1369	1734	1953
30 / 762	54 / 1372	78 / 1981	n/a	1799	2042
30 / 762	54 / 1372	84 / 2134	n/a	1865	2126
36 / 914	48 / 1219	72 / 1829	n/a	1660	1861
36 / 914	48 / 1219	78 / 1981	n/a	1720	1943
36 / 914	48 / 1219	84 / 2134	n/a	1779	2023
36 / 914	54 / 1372	72 / 1829	n/a	1763	1995
36 / 914	54 / 1372	78 / 1981	n/a	1834	2079
36 / 914	54 / 1372	84 / 2134	n/a	1902	2169

B_PAF

P-Shaped Peninsula Desk with Half Modesty





If 30" Depth: 'X' = 36"

If 36" Depth: 'X' = 42" This desk has a circular end that is wider than the worksurface depth. Its asymmetrical shape is ideal for meetings.

WHAT'S INCLUDED

1 worksurface, 1 full gable with levelers, 1 support with leveler (as specifed), 1 laminate half modesty panel, 1 linking plate, and hardware.

NOTES

This desk is semi-supported and must be connected to another desk, bridge, or return.

This product does not accept a keyboard shelf.

The half modesty panel is included and cannot be replaced.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness		Support Style	Depth	Width	Co	onfiguration	Worksurface Finish	E	Edge Trim Style	Edge Trim Finish	Gable and Modesty Finish	Hardware and Support Finish
D 1" M 13/16" X 19/16"	L	Column Leg (Shown) Elliptical Base	24, 30, 36	54, 60, 66, 72, 78, 84	R	Left Handed (Shown) Right Handed	Source Laminate Foundation Laminate	6	Straight Trim	Edge Trim Colors	Source Laminate	Foundation Mica

SAMPLE ORDER CODE

BMPAF	C	24	54	L	LW	6	ST	XS	Q

DIMENSIONS INCHES / MM

PRICING

		WITH LEG (C)			
		1" (D)	1 3/16" (M)	1 9/16" (X)	
D	W	Source Laminate	Foundation Laminate	Foundation Laminate	
24 / 610	54 / 1372	1065	1068	1622	
24 / 610	60 / 1524	1123	1137	1699	
24 / 610	66 / 1676	1161	1201	1775	
24 / 610	72 / 1829	1242	1259	1851	
24 / 610	78 / 1981	1281	1324	1924	
24 / 610	84 / 2134	1312	1380	1998	
30 / 762	54 / 1372	1130	1177	1778	
30 / 762	60 / 1524	1168	1254	1871	
30 / 762	66 / 1676	1253	1327	1956	
30 / 762	72 / 1829	1313	1394	2043	
30 / 762	78 / 1981	1360	1465	2126	
30 / 762	84 / 2134	1406	1535	2210	
36 / 914	60 / 1524	n/a	1346	1989	
36 / 914	66 / 1676	n/a	1427	2086	
36 / 914	72 / 1829	n/a	1510	2184	
36 / 914	78 / 1981	n/a	1585	2281	
36 / 914	84 / 2134	n/a	1662	2375	

B _ **P A F**

P-Shaped Peninsula Desk with Half Modesty (Continued)

DIMENSIONS INCHES / MM

		WITH BASE (L)			
		1" (D)	1 3/16" (M)	1 9/16" (X)	
D	W	Source Laminate	Foundation Laminate	Foundation Laminate	
24 / 610	54 / 1372	1163	1166	1713	
24 / 610	60 / 1524	1215	1234	1796	
24 / 610	66 / 1676	1253	1295	1871	
24 / 610	72 / 1829	1336	1355	1945	
24 / 610	78 / 1981	1376	1416	2016	
24 / 610	84 / 2134	1413	1474	2087	
30 / 762	54 / 1372	1223	1268	1876	
30 / 762	60 / 1524	1259	1346	1964	
30 / 762	66 / 1676	1343	1421	2053	
30 / 762	72 / 1829	1413	1491	2137	
30 / 762	78 / 1981	1459	1559	2223	
30 / 762	84 / 2134	1505	1629	2306	
36 / 914	60 / 1524			2083	
36 / 914	66 / 1676	n/a	1520	2181	
36 / 914	72 / 1829	n/a	1604	2278	
36 / 914	78 / 1981	n/a	1679	2375	
36 / 914	84 / 2134	n/a	1755	2468	

B_RDF

Rectangular Peninsula Desk with Half Modesty

This desk is ideal for small team workstations

WHAT'S INCLUDED

1 worksurface, 1 full gable with levelers, 1 support with leveler (as specified), 1 laminate half modesty panel, 1 linking plate, and hardware.

NOTES


This desk is semi-supported and must be connected to another desk, bridge or return.

This product does **not** accept a keyboard shelf.

The half modesty panel is included and cannot be replaced.

The Clear Anodized finish (AC) is only available with Central Square Post Leg (Q).

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

	rim Edge Trim Gable and Hardware e Finish Modesty and Support Panel Finish Finish
D 1" C Column Leg M 1 3/16" L Elliptical Base Q Central Square Post Leg (Shown) C Column Leg L Elliptical Base Q Central Square Post Leg (Shown) C Column Leg L Elliptical Base R Councation Laminate G Straigh Trim Trim	Edge Trim Colors Source Laminate AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

B <u>M</u> RDF	Q	30	84	LW	6	ST	LE	Е
	_	_						

DIMENSIONS INCHES / MM

		WITH LEG (C, Q)		
		1" (D)	1 3/16" (M)	1 9/16" (X)
		Source	Foundation	Foundation
D	W	Laminate	Laminate	Laminate
24 / 610	48 / 1219	877	923	1440
24 / 610	54 / 1372	915	989	1514
24 / 610	60 / 1524	937	1044	1579
24 / 610	66 / 1676	963	1099	1646
24 / 610	72 / 1829	1023	1148	1708
24 / 610	78 / 1981	1060	1203	1771
24 / 610	84 / 2134	1095	1253	1830
30 / 762	48 / 1219	933	1031	1585
30 / 762	54 / 1372	1007	1092	1670
30 / 762	60 / 1524	1044	1165	1752
30 / 762	66 / 1676	1079	1223	1826
30 / 762	72 / 1829	1132	1290	1900
30 / 762	78 / 1981	1177	1343	1974
30 / 762	84 / 2134	1220	1404	2045
36 / 914	48 / 1219	n/a	1138	1792
36 / 914	54 / 1372	n/a	1206	1856
36 / 914	60 / 1524	n/a	1278	1921
36 / 914	66 / 1676	n/a	1349	2006
36 / 914	72 / 1829	n/a	1423	2094
36 / 914	78 / 1981	n/a	1488	2180
36 / 914	84 / 2134	n/a	1558	2261
	_		-	

B R D F

Rectangular Peninsula Desk with Half Modesty (Continued)

DIMENSIONS INCHES / MM

		WITH BASE (L)		
		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
24 / 610	48 / 1219	969	1015	1535
24 / 610	54 / 1372	1007	1081	1608
24 / 610	60 / 1524	1032	1137	1674
24 / 610	66 / 1676	1057	1192	1738
24 / 610	72 / 1829	1122	1244	1800
24 / 610	78 / 1981	1159	1296	1862
24 / 610	84 / 2134	1195	1343	1924
			_	
30 / 762	48 / 1219	1023	1122	1679
30 / 762	54 / 1372	1100	1188	1763
30 / 762	60 / 1524	1137	1255	1842
30 / 762	66 / 1676	1170	1318	1921
30 / 762	72 / 1829	1226	1382	1998
30 / 762	78 / 1981	1279	1440	2067
30 / 762	84 / 2134	1324	1499	2140
36 / 914	40 / 1210		1242	
	48 / 1219	n/a		
36 / 914	54 / 1372	n/a	1305	1949
36 / 914	60 / 1524	n/a	1371	2013
36 / 914	66 / 1676	n/a	1442	2102
36 / 914	72 / 1829	n/a	1515	
36 / 914	78 / 1981	n/a	1581	
36 / 914	84 / 2134	n/a	1653	2356

B - R P W

Rectangular Peninsula Worksurface

This worksurface mounts to another desk at one end and is supported by a single support at the other. It is ideal for small meeting spaces or team workstations.

WHAT'S INCLUDED

1 worksurface, 1 support with leveler (as specified), 4 linking plates, and hardware.

WHAT'S EXCLUDED

Peninsula Modesty Panels.


NOTES

This desk is semi-supported and must be connected to another desk.

When a Peninsula Modesty Panel is specified, a keyboard shelf cannot be installed.

The Clear Anodized finish (AC) is only available with Central Square Post Leg (Q).

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Support Style	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
D 1" M 1 3/16" X 1 9/16"	C Column Leg L Elliptical Base Q Central Square Post Leg (Shown)	24, 30, 36	48, 54, 60, 66, 72, 78, 84	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

B <u>M</u> RPW C	30	84	2D	6	4D	E
------------------	----	----	----	---	----	---

DIMENSIONS INCHES / MM

		WITH LEG (C,Q)			
		1" (D)	1 3/16" (M)	1 9/16" (X)	
D	W	Source Laminate	Foundation Laminate	Foundation Laminate	
24 / 610	48 / 1219	536	724	826	
24 / 610	54 / 1372	572	786	896	
24 / 610	60 / 1524	608	846	969	
24 / 610	66 / 1676	643	908	1042	
24 / 610	72 / 1829	681	969	1115	
24 / 610	78 / 1981	n/a	1029	1190	
24 / 610	84 / 2134	n/a	1085	1256	
30 / 762	48 / 1219	608	846	969	
30 / 762	54 / 1372	652	920	1060	
30 / 762	60 / 1524	697	998	1152	
30 / 762	66 / 1676	744	1072	1241	
30 / 762	72 / 1829	789	1147	1332	
30 / 762	78 / 1981	n/a	1219	1421	
30 / 762	84 / 2134	n/a	1297	1513	
36 / 914	48 / 1219	n/a	906	1115	
36 / 914	54 / 1372	n/a	987	1220	
36 / 914	60 / 1524	n/a	1070	1332	
36 / 914	66 / 1676	n/a	1154	1438	
36 / 914	72 / 1829	n/a	1235	1549	
36 / 914	78 / 1981	n/a	1313	1656	
36 / 914	84 / 2134	n/a	1397	1766	

B - R P W


Rectangular Peninsula Worksurface (Continued)

DIMENSIONS INCHES / MM

		WITH BASE (L)			
		1" (D)	1 3/16" (M)	1 9/16" (X)	
D	W	Source Laminate	Foundation Laminate	Foundation Laminate	
24 / 610	48 / 1219	633	820	921	
24 / 610	54 / 1372	666	882	992	
24 / 610	60 / 1524	701	941	1065	
24 / 610	66 / 1676	741	1005	1137	
24 / 610	72 / 1829	775	1065	1209	
24 / 610	78 / 1981	n/a	1123	1284	
24 / 610	84 / 2134	n/a	1180	1353	
30 / 762	48 / 1219	701	941	1065	
30 / 762	54 / 1372	748	1014	1157	
30 / 762	60 / 1524	792	1093	1245	
30 / 762	66 / 1676	838	1167	1336	
30 / 762	72 / 1829	884	1241	1426	
30 / 762	78 / 1981	n/a	1318	1516	
30 / 762	84 / 2134	n/a	1393	1607	
36 / 914	48 / 1219	n/a	999	1209	
36 / 914	54 / 1372	n/a	1081	1319	
36 / 914	60 / 1524	n/a	1165	1426	
36 / 914	66 / 1676	n/a	1247	1535	
36 / 914	72 / 1829	n/a	1328	1643	
36 / 914	78 / 1981	n/a	1412	1753	
36 / 914	84 / 2134	n/a	1491	1859	·

B_RPC

Cross Grain Rectangular Peninsula Worksurface



This worksurface mounts to another desk at one end and is supported by a single support at the other. It is ideal for small meeting spaces or team workstations.

WHAT'S INCLUDED

 $1\ worksurface,\ 1\ support\ with\ leveler\ (as\ specified),\ 4\ linking\ plates,\ and\ hardware.$

WHAT'S EXCLUDED

Peninsula Modesty Panels.

NOTES

This desk is semi-supported and must be connected to another desk.

When a Peninsula Modesty Panel is specified, a keyboard shelf cannot be installed.

The Clear Anodized finish (AC) is only available with Central Square Post Leg (Q).

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness	Support Style	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
D 1" M 13/16" X 19/16"	C Column Leg L Elliptical Base Q Central Square Post Leg (Shown)	24, 30, 36	48, 54, 60	Source Laminate Foundation Laminate	6 Straight Trim	Edge Trim Colors	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

B <u>M</u> RPC	С	30	60	2D	6	4D	E
----------------	---	----	----	----	---	----	---

DIMENSIONS INCHES / MM

PRICING

		WITH LEG (C, Q)		
		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
24 / 610	48 / 1219	536	724	826
24 / 610	54 / 1372	572	786	896
24 / 610	60 / 1524	608	846	969
30 / 762	48 / 1219	608	846	969
30 / 762	54 / 1372	652	920	1060
30 / 762	60 / 1524	697	998	1152
36 / 914	48 / 1219	n/a	906	1115
36 / 914	54 / 1372	n/a	987	1220
36 / 914	60 / 1524	n/a	1070	1332

B_RPC

Cross Grain Rectangular Peninsula Worksurface (Continued)

DIMENSIONS INCHES / MM

		WITH BASE (L)			
		1" (D)	1 3/16" (M)	9/16" (X)	
D	W	Source Laminate	Foundation Laminate	Foundation Laminate	
24 / 610	48 / 1219	633	820	921	
24 / 610	54 / 1372	666	882	992	
24 / 610	60 / 1524	701	941	1065	
30 / 762	48 / 1219	701	941	1065	
30 / 762	54 / 1372	748	1014	1157	
30 / 762	60 / 1524	792	1093	1245	
36 / 914	48 / 1219	n/a	999	1209	
36 / 914	54 / 1372	n/a	1081	1319	
36 / 914	60 / 1524	n/a	1165	1426	

B_RTD

Rectangular Table



PRODUCT OPTIONS

This table can be used as a work table, a guest table or for team meetings.

WHAT'S INCLUDED

1 worksurface, 4 legs with levelers, grommets (as specified), and hardware.

WHAT'S EXCLUDED

Suspended Modesty Panel.

NOTES

This table is freestanding and cannot be linked with another desk.

The Leg Back and Leg Front Finishes are available with Blade Leg (K) only.

The Angular Leg Finish is available with Angular Leg (A) only.

When 1" (D), 1 3/16" (M) or 1 9/16" (X) thickness is specified, only Straight Trim (6) option is available.

When 1 3/16" Knife Edge (V) thickness is specified, only Full Knife Trim (F) option is available.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate, Edge Trim and Grommet Finish. Refer to the finish page of the Application Guide for details.

Work- surface Thickness	Support Style	Depth	Width	Grommet Option	Work- surface Finish		Edge Trim Style	Edge Trim Finish	Grommet Finish (If Applicable)	Leg Finish	Leg Back Finish (If Applicable)	Leg Front Finish (If Applicable)
D 1"	A Angular	24, 30, 36	48, 54, 60,	В	Source	6		Edge Trim	Source	Foundation	Foundation	Foundation
M 1 3/16"X 1 9/16"V 1 3/16" KnifeEdge	Leg (Shown) K Blade Leg		66, 72, 78, 84	Both Ends (Shown) N No Grommet	Laminate Foundation Laminate	F	Trim Full Knife Trim	Colors	Laminate	Mica	Mica Accent	Mica Accent

SAMPLE ORDER CODE

B <u>D</u> RTD K 30 72 B 3D 6 4D 3D	74	74
-------------------------------------	----	----

DIMENSIONS INCHES / MM

		WITH BASE (A)			
		1" (D)	1 3/16" (M)	1 3/16" Knife Edge (V)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate	Foundation Laminate
24 / 610	48 / 1219	1224	1383	1503	1484
24 / 610	54 / 1372	1266	1444	1574	1556
24 / 610	60 / 1524	1307	1506	1646	1629
24 / 610	66 / 1676	1346	1566	1716	1701
24 / 610	72 / 1829	1388	1629	1789	1774
24 / 610	78 / 1981	n/a	1689	1859	1846
24 / 610	84 / 2134	n/a	1743	1923	1919
30 / 762	48 / 1219	1307	1506	1636	1629
30 / 762	54 / 1372	1358	1578	1718	1719
30 / 762	60 / 1524	1405	1656	1806	1808
30 / 762	66 / 1676	1455	1732	1892	1899
30 / 762	72 / 1829	1506	1803	1973	1989
30 / 762	78 / 1981	n/a	1882	2062	2081
30 / 762	84 / 2134	n/a	1956	2146	2172
6 / 914	48 / 1219	n/a	1564	1704	1774
36 / 914	54 / 1372	n/a	1648	1798	1883
86 / 914	60 / 1524	n/a	1728	1888	1989
6 / 914	66 / 1676	n/a	1811	1981	2096
6 / 914	72 / 1829	n/a	1890	2070	2205
6 / 914	78 / 1981	n/a	1973	2163	2318
6 / 914	84 / 2134	n/a	2057	2257	2424

B - R T DRectangular Table (Continued)

DIMENSIONS INCHES / MM

		WITH BASE (K)			
		1" (D)	1 3/16" (M)	1 3/16" Knife Edge (V)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate	Foundation Laminate
30 / 762	48 / 1219	1435	1632	1762	1755
30 / 762	54 / 1372	1486	1706	1846	1846
30 / 762	60 / 1524	1533	1784	1934	1938
30 / 762	66 / 1676	1583	1860	2020	2027
30 / 762	72 / 1829	1634	1930	2100	2117
30 / 762	78 / 1981	n/a	2006	2186	2205
30 / 762	84 / 2134	n/a	2085	2275	2295
36 / 914	48 / 1219	n/a	1691	1831	1901
36 / 914	54 / 1372	n/a	1774	1924	2009
36 / 914	60 / 1524	n/a	1854	2014	2117
36 / 914	66 / 1676	n/a	1939	2109	2227
36 / 914	72 / 1829	n/a	2019	2199	2332
36 / 914	78 / 1981	n/a	2102	2292	2445
36 / 914	84 / 2134	n/a	2186	2386	2552

B R W L

Rectangular Worksurface

This worksurface may be used as a peninsula, a bridge or as a collaborative worksurface.

WHAT'S INCLUDED

1 worksurface, 1 grommet (as specified), 1 cable tray (as specified), 1 reinforcing bar (if applicable) and linking hardware (if applicable).

WHAT'S EXCLUDED

Supports and Suspended Modesty Panels.

NOTES

When the support style (F, H or S) is specified, the linking plates, hang-on or spacer attachments kit are included with the worksurface.

Cannot be supported by a metal storage

Hang-On Support Style (H) is not available with 30" or 36" worksurface depths.


If support style (A, E, G or K) is specified for Left Side, they cannot be specified for Right Side.

When Blade Leg Support Style (K) is specified, only 30" and 36" worksurface depths are available.

When Centered Grommet Option (C) is specified, a cable tray is also included.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate, Edge Trim and Grommet finishes. Refer to the finish page of the Application Guide for details.

Hardware is finished in Black.



Hang-On Blade (H) Leg (K)





Semi-

Supported

Gable with

Spacers (G)

PRODUCT OPTIONS

Centered Grommet

Worksurface Thickness	Depth	Width	Grommet Option
D 1"	24, 30, 36	42, 48, 54, 60, 66, 72, 78, 84	C Centered
M 1 3/16"			N No Grommet
X 1 9/16"			

SAMPLE ORDER CODE

B <u>X</u> RWL 36	84	C
-------------------	----	---

PRODUCT OPTIONS CONTINUED

	Support Left Side (Not Included)	5	Support Right Side (Not Included)	Worksurface Finish		Edge Trim Style	Edge Trim Finish	Grommet Finish (If Applicable)
A	Angular Leg	A	Angular Leg	Source Laminate	6	Straight Trim	Edge Trim Colors	Source Laminate
E	Semi-Supported Leg	E	Semi-Supported Leg	Foundation Laminate				
F	Flush Plate	F	Flush Plate					
G	Semi-Supported Gable with Spacers	G	Semi-Supported Gable with Spacers					
K	Blade Leg	K	Blade Leg					
Н	Hang-On	Н	Hang-On					
S	Storage	s	Storage					
W	Frame Leg	w	Frame Leg					

SAMPLE ORDER CODE CONTINUED

F	w	2E	6	4E	3E
-	•		l O	l IL	JL

See Pricing on the following page.

B - RWLRectangular Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING

		1" (D)	1 3/16" (M)	1 9/16" (X)
		Source	Foundation	Foundation
D	W	Laminate	Laminate	Laminate
24 / 610	42 / 1067	283	419	509
24 / 610	48 / 1219	320	480	579
24 / 610	54 / 1372	362	542	651
24 / 610	60 / 1524	403	600	723
24 / 610	66 / 1676	442	661	795
24 / 610	72 / 1829	484	723	869
24 / 610	78 / 1981	n/a	783	941
24 / 610	84 / 2134	n/a	839	1013
30 / 762	42 / 1067	356	527	635
30 / 762	48 / 1219	403	600	723
30 / 762	54 / 1372	454	674	814
30 / 762	60 / 1524	501	752	906
30 / 762	66 / 1676	551	828	995
30 / 762	72 / 1829	602	898	1085
30 / 762	78 / 1981	n/a	974	1173
30 / 762	84 / 2134	n/a	1053	1263
36 / 914	42 / 1067	n/a	577	762
36 / 914	48 / 1219	n/a	659	869
36 / 914	54 / 1372	n/a	742	977
36 / 914	60 / 1524	n/a	822	1085
36 / 914	66 / 1676	n/a	907	1195
36 / 914	72 / 1829	n/a	987	1300
36 / 914	78 / 1981	n/a	1070	1413
36 / 914	84 / 2134	n/a	1154	1520

If Support Style H is specified Left or Right, add 44. If Support Style H is specified Left and Right, add 88.

B RWC

Cross Grain Rectangular Worksurface

Support Styles No Grommet Flush Semi-Angular Semi-Supported Gable with Supported Plate (F) Leg (A) Leg (E) Right Side Spacers (G) Left Side Centered Grommet Hang-On (H) Blade Storage Frame Leg Leg (K) (W)

This worksurface may be used as a peninsula, a bridge or as a collaborative worksurface.

WHAT'S INCLUDED

 $1\ worksurface,\,1\ grommet$ (as specified), $1\ cable$ tray (as specified), $1\ reinforcing$ bar (if applicable) and linking hardware (if applicable).

WHAT'S EXCLUDED

Supports and Suspended Modesty Panels.

NOTES

When the support style (F, H or S) is specified, the linking plates, hang-on or spacer attachments kit are included with the worksurface.

Cannot be supported by a metal storage

Hang-On Support Style (H) is not available with 30" or 36" worksurface depths.

If support style (A, E, G or K) is specified for Left Side, they cannot be specified for Right Side.

When Blade Leg Support Style (K) is specified, only 30" and 36" worksurface depths are available.

When Centered Grommet Option (C) is specified, a cable tray is also included.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate, Edge Trim and Grommet finishes. Refer to the finish page of the Application Guide for details.

Hardware is finished in Black.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option
D 1"	24, 30, 36	42, 48, 54, 60	C Centered
M 1 3/16"			N No Grommet
X 1 9/16"			

SAMPLE ORDER CODE

B <u>X</u> RWC	36	60	С
----------------	----	----	---

PRODUCT OPTIONS CONTINUED

	Support Left Side (Not Included)	5	Support Right Side (Not Included)	Worksurface Finish		Edge Trim Style	Edge Trim Finish	Grommet Finish (If Applicable)
A	Angular Leg	A	Angular Leg	Source Laminate	6	Straight Trim	Edge Trim Colors	Source Laminate
E	Semi-Supported Leg	E	Semi-Supported Leg	Foundation Laminate				
F	Flush Plate	F	Flush Plate					
G	Semi-Supported Gable with Spacers	G	Semi-Supported Gable with Spacers					
K	Blade Leg	K	Blade Leg					
Н	Hang-On	Н	Hang-On					
S	Storage	s	Storage					
W	Frame Leg	w	Frame Leg					

SAMPLE ORDER CODE CONTINUED

E	W/	2D	6	4D	2 D
Г	W	20	U	4D	עכ

See Pricing on the following page.

$\boldsymbol{B} \; \boldsymbol{_} \; \boldsymbol{R} \; \boldsymbol{W} \; \boldsymbol{C}$

Cross Grain Rectangular Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
24 / 610	42 / 1067	283	419	509
24 / 610	48 / 1219	320	480	579
24 / 610	54 / 1372	362	542	651
24 / 610	60 / 1524	403	600	723
30 / 762	42 / 1067	356	527	635
30 / 762	48 / 1219	403	600	723
30 / 762	54 / 1372	454	674	814
30 / 762	60 / 1524	501	752	906
36 / 914	42 / 1067	n/a	577	762
36 / 914	48 / 1219	n/a	659	869
36 / 914	54 / 1372	n/a	742	977
36 / 914	60 / 1524	n/a	822	1085

If Support Style H is specified Left or Right, add 44.

If Support Style H is specified Left and Right, add 88.

B_RBL

Rectangular Bridge

This bridge must always be connected between freestanding desks, Peninsula Desks with Half Modesty or credenzas with full gables using linking plates.

WHAT'S INCLUDED


1 bridge, 1 grommet, 4 linking plates, and hardware.

WHAT'S EXCLUDED

Bridge Modesty Panel.

NOTES

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate, Edge Trim and Grommet finishes. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Ī	Worksurface Thickness	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet Finish
1) 1"	20, 24, 30	30, 36, 42, 48, 54, 60	Source Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate
1	M 1 3/16"			Foundation Laminate			
2	X 1 9/16"						

SAMPLE ORDER CODE

	B D RBL	20	48	XS	6	ST	XS
--	----------------	----	----	----	---	----	----

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
20 / 508	30 / 762	152	252	303
20 / 508	36 / 914	179	309	362
20 / 508	42 / 1067	212	370	423
20 / 508	48 / 1219	241	426	484
20 / 508	54 / 1372	271	480	544
20 / 508	60 / 1524	303	532	604
24 / 610	30 / 762	179	303	362
24 / 610	36 / 914	219	361	434
24 / 610	42 / 1067	253	419	509
24 / 610	48 / 1219	291	480	579
24 / 610	54 / 1372	326	542	651
24 / 610	60 / 1524	362	600	723
30 / 762	30 / 762	226	383	454
30 / 762	36 / 914	271	451	544
30 / 762	42 / 1067	317	527	635
30 / 762	48 / 1219	362	600	723
30 / 762	54 / 1372	406	674	814
30 / 762	60 / 1524	454	752	906

This bridge must always be connected between freestanding desks, Peninsula Desks with Half Modesty or credenzas with full gables using linking plates.

$\mathbf{B} - \mathbf{R} \mathbf{B}$ Cross Grain Rectangular Bridge


WHAT'S INCLUDED

1 bridge, 1 grommet, 4 linking plates, and hardware.

WHAT'S EXCLUDED

Bridge Modesty Panel.

The 1 9/16" (X) thickness is not available in all Foundation Laminate, Edge Trim and Grommet finishes. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

	Worksurface Thickness	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet Finish
1) 1"	20, 24, 30	30, 36, 42, 48, 54, 60	Source Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate
1	M 1 3/16"			Foundation Laminate			
2	X 1 9/16"						

SAMPLE ORDER CODE

B <u>M</u> RB 24 48 LW	6 ST XS
------------------------	---------

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)	
D	W	Source Laminate	Foundation Laminate	Foundation Laminate	
20 / 508	30 / 762	152	252	303	
20 / 508	36 / 914	179	309	362	
20 / 508	42 / 1067	212	370	423	
20 / 508	48 / 1219	241	426	484	
20 / 508	54 / 1372	271	480	544	
20 / 508	60 / 1524	303	532	604	
24 / 610	30 / 762	179	303	362	
24 / 610	36 / 914	219	361	434	
24 / 610	42 / 1067	253	419	509	
24 / 610	48 / 1219	291	480	579	
24 / 610	54 / 1372	326	542	651	
24 / 610	60 / 1524	362	600	723	
30 / 762	30 / 762	226	383	454	
30 / 762	36 / 914	271	451	544	
30 / 762	42 / 1067	317	527	635	
30 / 762	48 / 1219	362	600	723	
30 / 762	54 / 1372	406	674	814	
30 / 762	60 / 1524	454	752	906	

BAMLB

Bridge Modesty Panel


This modesty panel can be used only under the Rectangular Bridge (B_RBL and B_RB).

WHAT'S INCLUDED

 $1\ \mbox{modesty}$ panel (as specified), $1\ \mbox{grommet}$ (full-height only), $2\ \mbox{linking}$ plates, and hardware.

NOTES

Dimensions are nominal. Specify the width according to the width of the bridge worksurface under which the modesty panel is installed.



PRODUCT OPTIONS

	Modesty Panel Style	Width	Modesty Panel Finish
1	Flush, Full	30, 36, 42, 48, 54, 60	Source Laminate
5	Flush, Half		
9	Wall Access		

SAMPLE ORDER CODE

|--|

DIMENSIONS INCHES / MM

	FLUSH, HALF MODESTY PANEL (5) WALL ACCESS MODESTY PANEL (9)	
W	Source Laminate	
30 / 762	78	
36 / 914	89	
42 / 1067	99	
48 / 1219	118	
54 / 1372	129	
60 / 1524	142	

FLUSH, FULL MOI	DESTY PANEL (1)
Source Laminate	
150	
175	
202	
229	
256	
287	


multi-level workstations


B _ M D W O Table Desk - Open Frame Legs

B _ M D W F Table Desk - Frame Legs with

Page 662

Page 664






B MFWO Table Desk with Full Modesty -**Open Frame Legs**

B _ M D W B Fixed-Height Desk - Bevel Bases

Page 666

Page 668





B _ M D G Primary Desk for U-Shape Configuration

Page 672

Page 670



BM_R Fixed Run-Off - Mid-Height


 $\boldsymbol{B}\;\boldsymbol{M}\;_\;\boldsymbol{E}\;\boldsymbol{P}$ Fixed Extended Tapered Peninsula -Mid-Height

B _ M D S Primary Peninsula Desk for U-Shape

Configuration

Page 674





BF_MR Run-Off Worksurface - High B_MHH Run-Off Worksurface - High Secondary Desk Secondary Desk Page 678 Page 680 Run-Off with Glass Top – High Secondary Desk $B _ M B H$ Overlapping Bridge - High Secondary BGMTH Page 682 Page 684 B_MPL Run-Off Worksurface - Low BGMTL Run-Off with Glass Top - Low Secondary Desk Secondary Desk Page 686 Page 688 Run-Off Worksurface with End $B _ M P G$ B _ M B L Overlapping Bridge - Low Secondary Support – Low Secondary Desk Page 690 Page 692

Fixed-Height Conf.


B _ M B G Overlapping Bridge with End Support - Low Secondary Desk

Page 694



Page 696







BH_FB Height-Adjustable Desk - Bevel Bases

Page 698




Page 700







BH_LC Height-Adjustable L-Shape Corner Desk – Bevel Bases

Page 710



Page 718







Full-Modesty Height-Adjustable Desk -Offset Bases


Page 726

Height-Adjustable Configurations









Page 730

BF_L Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base

Page 734



BF_U Full-Modesty Height-Adjustable Desk for U-Shape Workstation – Offset Bases

Page 748

BH_RL Height-Adjustable Rectangular Worksurface

Page 754



BH_RC Cross Grain Height-Adjustable Rectangular Worksurface

Page 756

BH_RB Height-Adjustable Run-Off – Bevel

Page 758





B H G R B Height-Adjustable Run-Off with Glass Top – Bevel Base

Page 760

BH_RP Height-Adjustable Peninsula – Bevel Post Leg





BH_TP Height-Adjustable Tapered Peninsula - Bevel Post Leg

Page 764

BH_PE Height-Adjustable Extended Tapered Peninsula - Bevel Post Leg

Page 766





BH_LB Height-Adjustable L-Shape Run-Off-Bevel Base

Page 768

BH_L Height-Adjustable L-Shape Peninsula -Bevel Post Leg

Page 778






BH_LT Height-Adjustable L-Shape Tapered Peninsula - Bevel Post Leg

Page 794

 BH_UB Height-Adjustable Desk for U-Shape Workstation - Bevel Bases

Page 804







BH_SR Secondary Desk - Height-Adjustable Run-Off or U-Shape

Page 810


Secondary Desk - Height-Adjustable BH_SB Peninsula





H-A Configurations

B H _ S L Secondary Desk – Height-Adjustable L-Shape Worksurface



B_MDWO

Table Desk - Open Frame Legs

This table is an alternative to standard freestanding desks. It is only supported by two open frame legs and cannot be attached to other desks.

WHAT'S INCLUDED

1 worksurface, 2 open frame legs with levelers, 2 rectangular cut-outs with grommets (as specified), 1 cable tray (as specified), and mounting hardware.

WHAT'S EXCLUDED


Suspended Modesty Panel and Power Tray.

NOTES

When Both Ends – Rectangular Grommet (B) option is specified, a cable tray is also included.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Worksurface Finish
M 1 3/16"	24, 30, 36	54, 60, 66, 72, 78, 84, 90	B Both Ends – Rectangular	Foundation Laminate
X 1 9/16"			N No Grommet (Shown)	Flintwood (No Cathedral)

SAMPLE ORDER CODE

PRODUCT OPTIONS CONTINUED

	Edge Trim Style	Edge Trim Finish	Frame Leg Finish	Grommet Finish (If Applicable)
6	Straight Trim	Edge Trim Colors	AC Clear Anodized	Foundation
9	Flintwood Flat Trim	(for trim style 6)	Foundation	Mica
			Mica	

SAMPLE ORDER CODE CONTINUED

6	CT CT	A.C.	74
U	31	AC	/ 4

$B_M D W O$


Table Desk - Open Frame Legs (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M)		1 9/16" (X)	
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
24 / 610	54 / 1372	1450	2083	1507	2212
24 / 610	60 / 1524	1510	2180	1574	2301
24 / 610	66 / 1676	1569	2261	1639	2383
24 / 610	72 / 1829	1632	2342	1706	2469
24 / 610	78 / 1981	1691	2453	1774	2587
24 / 610	84 / 2134	1748	2532	1839	2671
24 / 610	90 / 2286	1808	2601	1906	2757
30 / 762	54 / 1372	1589	2189	1691	2411
30 / 762	60 / 1524	1663	2275	1775	2517
30 / 762	66 / 1676	1738	2399	1857	2616
30 / 762	72 / 1829	1815	2491	1943	2722
30 / 762	78 / 1981	1888	2611	2024	2854
30 / 762	84 / 2134	1965	2696	2109	2958
30 / 762	90 / 2286	2068	2812	2189	3058
36 / 914	54 / 1372	1808	2457	1897	2632
36 / 914	60 / 1524	1899	2561	1998	2755
36 / 914	66 / 1676	1987	2699	2095	2870
36 / 914	72 / 1829	2080	2807	2197	2992
36 / 914	78 / 1981	2170	2912	2294	3141
36 / 914	84 / 2134	2259	3016	2399	3265
36 / 914	90 / 2286	2349	3125	2495	3382

B_MDWF

Table Desk - Frame Legs with Infill



This table desk is an alternative to standard freestanding desks. It is only supported by two frame legs and cannot be attached to other desks.

WHAT'S INCLUDED

1 worksurface, 2 infill end panel frame legs with levelers (as specified), 2 rectangular cut-outs with grommets (as specified), 1 cable tray (as specified), and mounting hardware.

WHAT'S EXCLUDED

Suspended Modesty Panel and Power Tray.

NOTES

When Both Ends – Rectangular Grommet (B) option is specified, a cable tray is also included.

Frosted (FT) is a single-sided etched tempered glass which is facing inward of desk.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all options are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	End Panel Style	Depth	Width	Grommet Option	Worksurface Finish
M 1 3/16"	G Glass Infill	24, 30, 36	54, 60, 66, 72, 78, 84, 90	B Both Ends – Rectangular	Foundation Laminate
X 1 9/16"	L Solid Infill			N No Grommet (Shown)	Flintwood (No Cathedral)

SAMPLE ORDER CODE

BMMDWF	G	36	90	N	2E
DIVI MID W I	G	30	90	11	2 E

PRODUCT OPTIONS CONTINUED

Edge Trim Style	Edge Trim Finish	Base Finish	End Panel Finish	Grommet Finish (If Applicable)
6 Straight Trim	Edge Trim Colors	AC Clear Anodized	Solid Infill:	Foundation
9 Flintwood Flat Trim	(for trim style 6)	Foundation Mica Coordinate Colors	Source Laminate Flintwood (No Cathedral) Glass Infill: Standard: FT Frosted Back-Painted	Mica

SAMPLE ORDER CODE CONTINUED

	4 F	10	T/-	
0	4 E	A C	K/	
· ·			/	

B_MDWF Table Desk with End Panels – Frame Legs (Continued)

GLASS INFILL (G)

DIMENSIONS INCHES / MM


PRICING

SOLID INFILL (L)

		1 3/16" (M)					
		FOUNDATIO	ON LAMINATE	FLINTWOOL)	FOUNDATION LAMINATE	FLINTWOOD
			LL END PANEL				-
		Source		Source			
		Laminate	Flintwood	Laminate	Flintwood		
24 / 610	54 / 1372	1711	2114	2346	2749	2045	2680
24 / 610	60 / 1524	1771	2174	2443	2846	2108	2777
24 / 610	66 / 1676	1833	2236	2525	2928	2169	2859
24 / 610	72 / 1829	1892	2295	2601	3004	2230	2939
24 / 610	78 / 1981	1952	2355	2717	3120	2290	3050
24 / 610	84 / 2134	2009	2412	2796	3199	2346	3131
24 / 610	90 / 2286	2069	2472	2863	3266	2407	3199
							-
30 / 762	54 / 1372	1937	2403	2538	3004	2368	2967
30 / 762	60 / 1524	2015	2481	2625	3091	2445	3057
30 / 762	66 / 1676	2090	2556	2748	3214	2523	3176
30 / 762	72 / 1829	2166	2632	2837	3303	2590	3264
30 / 762	78 / 1981	2240	2706	2958	3424	2668	3386
30 / 762	84 / 2134	2318	2784	3047	3513	2747	3478
30 / 762	90 / 2286	2387	2853	3131	3597	2818	3561
26 / 01 /	54 / 1272	217/	2770	2020	2/2/	26/1	2200
36 / 914	54 / 1372	2174	2778	2820	3424	2641	3290
36 / 914	60 / 1524	2264	2868	2926	3530	2731	3395
36 / 914	66 / 1676	2355	2959	3065	3669	2820	3533
36 / 914	72 / 1829	2444	3048	3173	3777	2912	3644
36 / 914	78 / 1981	2536	3140	3278	3882	3002	3744
36 / 914	84 / 2134	2624	3228	3383	3987	3093	3849
	90 / 2286	2714 1 9/16" (X)	3318 Xpress ON LAMINATE	5489	4093	FOUNDATION LAMINATE	3957 FLINTWOOD
		2714 1 9/16" (X) FOUNDATIO		FLINTWOOI		FOUNDATION LAMINATE	5957 FLINTWOOD
		2714 1 9/16" (X) FOUNDATION SOLID INFIL	Xpress ON LAMINATE	FLINTWOOI FINISH			
		2714 1 9/16" (X) FOUNDATIO	Xpress ON LAMINATE	FLINTWOOI			
36 / 914		2714 1 9/16" (X) FOUNDATIO SOLID INFII Source	Xpress ON LAMINATE LL END PANEL	FLINTWOOI FINISH Source)		
36 / 914 24 / 610	90 / 2286	2714 1 9/16" (X) FOUNDATION SOLID INFII Source Laminate	Xpress ON LAMINATE LL END PANEL Flintwood	FLINTWOOI FINISH Source Laminate	Flintwood	FOUNDATION LAMINATE	FLINTWOOD
24 / 610 24 / 610	90 / 2286	2714 1 9/16" (X) FOUNDATION SOLID INFII Source Laminate 1769	DN LAMINATE LL END PANEL Flintwood 2172	FLINTWOOI FINISH Source Laminate 2474	Flintwood 2877	FOUNDATION LAMINATE 2105	FLINTWOOD 2810
24 / 610 24 / 610 24 / 610 24 / 610	90 / 2286 54 / 1372 60 / 1524 66 / 1676	2714 1 9/16" (X) FOUNDATIC SOLID INFII Source Laminate 1769 1835 1900	DN LAMINATE LL END PANEL Flintwood 2172 2238 2303	FLINTWOOI FINISH Source Laminate 2474 2562 2644	Flintwood 2877 2965 3047	2105 2172 2236	FLINTWOOD 2810 2899
24 / 610 24 / 610 24 / 610 24 / 610 24 / 610	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829	2714 1 9/16" (X) FOUNDATIC SOLID INFII Source Laminate 1769 1835 1900 1969	DN LAMINATE LL END PANEL Flintwood 2172 2238 2303 2372	FLINTWOOL FINISH Source Laminate 2474 2562 2644 2732	Flintwood 2877 2965 3047 3135	2105 2172 2236 2301	2810 2899 2980 3064
24 / 610 24 / 610 24 / 610 24 / 610 24 / 610 24 / 610	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981	2714 1 9/16" (X) FOUNDATIC SOLID INFII Source Laminate 1769 1835 1900 1969 2035	DN LAMINATE LL END PANEL Flintwood 2172 2238 2303 2372 2438	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848	Flintwood 2877 2965 3047 3135 3251	2105 2172 2236 2301 2371	2810 2899 2980 3064 3184
24 / 610 24 / 610 24 / 610 24 / 610 24 / 610 24 / 610 24 / 610	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829	2714 1 9/16" (X) FOUNDATIC SOLID INFII Source Laminate 1769 1835 1900 1969	DN LAMINATE LL END PANEL Flintwood 2172 2238 2303 2372	FLINTWOOL FINISH Source Laminate 2474 2562 2644 2732	Flintwood 2877 2965 3047 3135	2105 2172 2236 2301	2810 2899 2980 3064
24 / 610 24 / 610 24 / 610 24 / 610 24 / 610 24 / 610 24 / 610	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286	2714 1 9/16" (X) FOUNDATIC SOLID INFII Source Laminate 1769 1835 1900 1969 2035 2102 2169	Xpress DN LAMINATE LL END PANEL Flintwood 2172 2238 2303 2372 2438 2505 2572	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020	Flintwood 2877 2965 3047 3135 3251 3337 3423	2105 2172 2236 2301 2371 2439 2501	2810 2899 2980 3064 3184 3271 3352
24 / 610 24 / 610	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372	2714 1 9/16" (X) FOUNDATION SOLID INFII Source Laminate 1769 1835 1900 1969 2035 2102 2169	Xpress DN LAMINATE LL END PANEL Flintwood 2172 2238 2303 2372 2438 2505 2572 2476	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020 2730	Flintwood 2877 2965 3047 3135 3251 3337 3423	2105 2172 2236 2301 2371 2439 2501	2810 2899 2980 3064 3184 3271 3352
24 / 610 24 / 610 30 / 762	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524	2714 1 9/16" (X) FOUNDATIC SOLID INFII Source Laminate 1769 1835 1900 1969 2035 2102 2169 2010 2094	DN LAMINATE LL END PANEL Flintwood 2172 2238 2303 2372 2438 2505 2572 2476 2560	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020 2730 2836	Flintwood 2877 2965 3047 3135 3251 3337 3423 3196 3302	2105 2172 2236 2301 2371 2439 2501 2442 2526	2810 2899 2980 3064 3184 3271 3352 3162 3268
24 / 610 24 / 610 30 / 762 30 / 762	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676	2714 1 9/16" (X) FOUNDATIC SOLID INFII Source Laminate 1769 1835 1900 1969 2035 2102 2169 2010 2094 2177	Xpress DN LAMINATE LL END PANEL	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020 2730 2836 2936	Flintwood 2877 2965 3047 3135 3251 3337 3423 3196 3302 3402	2105 2172 2236 2301 2371 2439 2501 2442 2526 2605	2810 2899 2980 3064 3184 3271 3352 3162 3268 3364
24 / 610 24 / 610 230 / 762 30 / 762 30 / 762	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829	2714 1 9/16" (X) FOUNDATION SOURCE Laminate 1769 1835 1900 1969 2035 2102 2169 2010 2094 2177 2261	Xpress DN LAMINATE LL END PANEL	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020 2730 2836 2936 3040	Flintwood 2877 2965 3047 3135 3251 3337 3423 3196 3302 3402 3506	2105 2172 2236 2301 2371 2439 2501 2442 2526 2605 2690	2810 2899 2980 3064 3184 3271 3352 3162 3268 3364 3469
24 / 610 24 / 610 230 / 762 30 / 762 30 / 762 30 / 762	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981	2714 1 9/16" (X) FOUNDATION SOLID INFII Source Laminate 1769 1835 1900 1969 2035 2102 2169 2010 2094 2177 2261 2344	Xpress DN LAMINATE LL END PANEL	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020 2730 2836 2936 3040 3174	Flintwood 2877 2965 3047 3135 3251 3337 3423 3196 3302 3402 3506 3640	2105 2172 2236 2301 2371 2439 2501 2442 2526 2605 2690 2774	2810 2899 2980 3064 3184 3271 3352 3162 3268 3364 3469 3604
24 / 610 24 / 610 230 / 762 30 / 762 30 / 762 30 / 762 30 / 762 30 / 762	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134	2714 1 9/16" (X) FOUNDATIC SOLID INFII Source Laminate 1769 1835 1900 1969 2035 2102 2169 2010 2094 2177 2261 2344 2427	Xpress DN LAMINATE LL END PANEL Flintwood 2172 2238 2303 2372 2438 2505 2572 2476 2560 2643 2727 2810 2893	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020 2730 2836 2936 3040 3174 3276	Flintwood 2877 2965 3047 3135 3251 3337 3423 3196 3302 3402 3506 3640 3742	2105 2172 2236 2301 2371 2439 2501 2442 2526 2605 2690 2774 2857	2810 2899 2980 3064 3184 3271 3352 3162 3268 3364 3469 3604 3706
24 / 610 24 / 610 26 / 762 30 / 762 30 / 762 30 / 762 30 / 762 30 / 762	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981	2714 1 9/16" (X) FOUNDATION SOLID INFII Source Laminate 1769 1835 1900 1969 2035 2102 2169 2010 2094 2177 2261 2344	Xpress DN LAMINATE LL END PANEL	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020 2730 2836 2936 3040 3174	Flintwood 2877 2965 3047 3135 3251 3337 3423 3196 3302 3402 3506 3640	2105 2172 2236 2301 2371 2439 2501 2442 2526 2605 2690 2774	2810 2899 2980 3064 3184 3271 3352 3162 3268 3364 3469 3604
24 / 610 24 / 610 230 / 762 30 / 762 30 / 762 30 / 762 30 / 762 30 / 762	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286	2714 1 9/16" (X) FOUNDATION SOURCE Laminate 1769 1835 1900 1969 2035 2102 2169 2010 2094 2177 2261 2344 2427 2507	Xpress DN LAMINATE LL END PANEL	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020 2730 2836 2936 3040 3174 3276 3376	Flintwood 2877 2965 3047 3135 3251 3337 3423 3196 3302 3402 3506 3640 3742 3842	2105 2172 2236 2301 2371 2439 2501 2442 2526 2605 2690 2774 2857 2941	2810 2899 2980 3064 3184 3271 3352 3162 3268 3364 3469 3604 3706 3810
24 / 610 24 / 610 26 / 762 30 / 762	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372	2714 1 9/16" (X) FOUNDATIC SOLID INFII Source Laminate 1769 1835 1900 1969 2035 2102 2169 2010 2094 2177 2261 2344 2427 2507	Xpress	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020 2730 2836 2936 3040 3174 3276 3376	Flintwood 2877 2965 3047 3135 3251 3337 3423 3196 3302 3402 3506 3640 3742 3842	2105 2172 2236 2301 2371 2439 2501 2442 2526 2605 2690 2774 2857 2941	2810 2899 2980 3064 3184 3271 3352 3162 3268 3364 3469 3604 3706 3810
24 / 610 24 / 610 230 / 762 30 / 762	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524	2714 1 9/16" (X) FOUNDATIC SOLID INFII Source Laminate 1769 1835 1900 1969 2035 2102 2169 2010 2094 2177 2261 2344 2427 2507	Xpress DN LAMINATE LL END PANEL Flintwood 2172 2238 2303 2372 2438 2505 2572 2476 2560 2643 2727 2810 2893 2973 2865 2966	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020 2730 2836 2936 3040 3174 3276 3376 2996 3119	Flintwood 2877 2965 3047 3135 3251 3337 3423 3196 3302 3402 3506 3640 3742 3842 3600 3723	2105 2172 2236 2301 2371 2439 2501 2442 2526 2605 2690 2774 2857 2941 2728 2828	2810 2899 2980 3064 3184 3271 3352 3162 3268 3364 3469 3604 3706 3810
24 / 610 24 / 610 23 / 762 30 / 762 30 / 762 30 / 762 30 / 762 30 / 762 30 / 762 36 / 914 36 / 914 36 / 914	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676	2714 1 9/16" (X) FOUNDATIO SOLID INFII Source Laminate 1769 1835 1900 1969 2035 2102 2169 2010 2094 2177 2261 2344 2427 2507 2261 2362 2460	Xpress	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020 2730 2836 2936 3040 3174 3276 3376 2996 3119 3235	Flintwood 2877 2965 3047 3135 3251 3337 3423 3196 3302 3402 3506 3640 3742 3842 3600 3723 3839	2105 2172 2236 2301 2371 2439 2501 2442 2526 2605 2690 2774 2857 2941 2728 2828 2929	2810 2899 2980 3064 3184 3271 3352 3162 3268 3364 3469 3604 3706 3810 3463 3585 3704
24 / 610 24 / 610 23 / 762 30 / 762 36 / 914 36 / 914 36 / 914	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829	2714 1 9/16" (X) FOUNDATION SOLID INFII Source Laminate 1769 1835 1900 1969 2035 2102 2169 2010 2094 2177 2261 2344 2427 2507 2261 2362 2460 2557	Xpress DN LAMINATE LL END PANEL Flintwood 2172 2238 2303 2372 2438 2505 2572 2476 2560 2643 2727 2810 2893 2973 2865 2966 3064 3161	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020 2730 2836 2936 3040 3174 3276 3376 2996 3119 3235 3352	Flintwood 2877 2965 3047 3135 3251 3337 3423 3196 3302 3402 3506 3640 3742 3842 3600 3723 3839 3956	2105 2172 2236 2301 2371 2439 2501 2442 2526 2605 2690 2774 2857 2941 2728 2828 2929 3028	2810 2899 2980 3064 3184 3271 3352 3162 3268 3364 3469 3604 3706 3810 3463 3585 3704 3823
24 / 610 24 / 610 230 / 762 30 / 762 30 / 762 30 / 762 30 / 762 30 / 762 30 / 762 36 / 914 36 / 914 36 / 914 36 / 914	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981	2714 1 9/16" (X) FOUNDATIC SOLID INFII Source Laminate 1769 1835 1900 1969 2035 2102 2169 2010 2094 2177 2261 2344 2427 2507 2261 2362 2460 2557 2662	Xpress DN LAMINATE LL END PANEL Flintwood 2172 2238 2303 2372 2438 2505 2572	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020 2730 2836 2936 3040 3174 3276 3376 2996 3119 3235 3352 3509	Flintwood 2877 2965 3047 3135 3251 3337 3423 3196 3302 3402 3506 3640 3742 3842 3600 3723 3839 3956 4113	2105 2172 2236 2301 2371 2439 2501 2442 2526 2605 2690 2774 2857 2941 2728 2828 2929 3028 3130	2810 2899 2980 3064 3184 3271 3352 3162 3268 3364 3469 3604 3706 3810 3463 3585 3704 3823 3977
24 / 610 24 / 610 230 / 762 30 / 762 30 / 762 30 / 762 30 / 762 30 / 762 30 / 762 36 / 914 36 / 914 36 / 914	90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 90 / 2286 54 / 1372 60 / 1524 66 / 1676 72 / 1829	2714 1 9/16" (X) FOUNDATION SOLID INFII Source Laminate 1769 1835 1900 1969 2035 2102 2169 2010 2094 2177 2261 2344 2427 2507 2261 2362 2460 2557	Xpress DN LAMINATE LL END PANEL Flintwood 2172 2238 2303 2372 2438 2505 2572 2476 2560 2643 2727 2810 2893 2973 2865 2966 3064 3161	FLINTWOOD FINISH Source Laminate 2474 2562 2644 2732 2848 2934 3020 2730 2836 2936 3040 3174 3276 3376 2996 3119 3235 3352	Flintwood 2877 2965 3047 3135 3251 3337 3423 3196 3302 3402 3506 3640 3742 3842 3600 3723 3839 3956	2105 2172 2236 2301 2371 2439 2501 2442 2526 2605 2690 2774 2857 2941 2728 2828 2929 3028	2810 2899 2980 3064 3184 3271 3352 3162 3268 3364 3469 3604 3706 3810 3463 3585 3704 3823

B MFWO

Table Desk with Full Modesty -Open Frame Legs



This table is an alternative to standard freestanding desks. It is only supported by two open frame legs and cannot be attached to other desks.

WHAT'S INCLUDED

1 worksurface, 2 open frame legs with levelers, 1 modesty panel, 1 cable tray (as specified), grommet(s) cut-out(s) (as specified), and mounting hardware.

WHAT'S EXCLUDED

Grommets.

NOTES

When Cut-Out Style (1 to 5) is specified, a Cable Tray is included.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all options are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Style
M 1 3/16"	30, 36	54, 60, 66, 72, 78, 84, 90	N No Cut-Out (Shown)
X 19/16"	30, 30	71, 60, 60, 72, 76, 61, 76	O Left – Diamond Cut-Out O Left – Diamond Cut-Out
			1 Left – Square Cut-out
			2 Left – Square & Diamond Cut-Out
			3 Right – Diamond Cut-Out
			4 Right – Square Cut-Out
			5 Right – Square & Diamond Cut-Out

SAMPLE ORDER CODE

BMMFWO 36	90	N
-----------	----	---

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Modesty Finish	Frame Leg Finish
Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Source Laminate Flintwood (No Cathedral)	AC Clear Anodized Foundation
				Mica

SAMPLE ORDER CODE CONTINUED

B_MFWO

Table Desk with Full Modesty – Open Frame Legs (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M)		
		FOUNDATION LAMIN	ATE	FLINTWOOD
		MODESTY FINISH		
		Source Laminate	Flintwood	Source Laminate Flintwood
30 / 762	54 / 1372	1778	2411	2378 3011
30 / 762	60 / 1524	1870	2551	2482 3163
30 / 762	66 / 1676	1963	2692	2624 3353
30 / 762	72 / 1829	2059	2835	2735 3511
30 / 762	78 / 1981	2150	2973	2873 3696
30 / 762	84 / 2134	2245	3116	2976 3847
30 / 762	90 / 2286	2366	3285	3110 4029
36 / 914	54 / 1372	1975	2608	2624 3257
36 / 914	60 / 1524	2084	2765	2746 3427
36 / 914	66 / 1676	2190	2919	2902 3631
36 / 914	72 / 1829	2302	3078	3029 3805
36 / 914	78 / 1981	2410	3233	3152 3975
36 / 914	84 / 2134	2517	3388	3274 4145
36 / 914	90 / 2286	2625	3544	3401 4320

		1 9/16" (X)			
		FOUNDATION LAMIN	ATE	FLINTWOOD	
		MODESTY FINISH			
		Source Laminate	Flintwood	Source Laminat	
30 / 762	54 / 1372	1880	2513	2600	3233
30 / 762	60 / 1524	1982	2663	2724	3405
30 / 762	66 / 1676	2082	2811	2841	3570
30 / 762	72 / 1829	2187	2963	2966	3742
30 / 762	78 / 1981	2286	3109	3116	3939
30 / 762	84 / 2134	2389	3260	3238	4109
30 / 762	90 / 2286	2487	3406	3356	4275
36 / 914	54 / 1372	2064	2697	2799	3432
36 / 914	60 / 1524	2183	2864	2940	3621
36 / 914	66 / 1676	2298	3027	3073	3802
36 / 914	72 / 1829	2419	3195	3214	3990
36 / 914	78 / 1981	2534	3357	3381	4204
36 / 914	84 / 2134	2657	3528	3523	4394
36 / 914	90 / 2286	2771	3690	3658	4577

B MDWB

Fixed-Height Desk - Bevel Bases

This desk is an alternative to standard freestanding desks. It is only supported by two bevel bases and **cannot** be attached to other desks.

WHAT'S INCLUDED

1 worksurface, 2 bevel bases with levelers, 1 suspended modesty panel, 1 or 2 rectangular cut-outs with grommets (as specified), 1 square cut-out without ring (if applicable), 1 cable tray (as specified), and mounting hardware.

WHAT'S EXCLUDED

Power Tray.

NOTES

When Grommet option (B, H, I, L, M, R or S) is specified, a cable tray is also included.

No central grommet on half modesty panel.


When Foundation Laminate Worksurface and End Panel finish is specified, **not** all colors are available. Refer to the finish page of the Application Guide for details.

When Flintwood Worksurface and End Panel finish is specified, the Source Laminate Modesty Panel finish is **not** available.

When Foundation Laminate Worksurface and End Panel finish is specified, the Flintwood Modesty Panel finish is **not** available.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Worksurface and End Panel Finish
M 1 3/16"	30	60, 66, 72, 78, 84	B Both Ends – Rectangular	Foundation Laminate
X 1 9/16"			H Both Ends – Rectangular (L) & Square (R)	Flintwood (No Cathedral)
			I Both Ends – Square (L) & Rectangular (R)	
			L Left – Rectangular	
			M Left – Rectangular & Square	
			N No Grommet (Shown)	
			R Right – Rectangular	
			S Right – Rectangular & Square	

SAMPLE ORDER CODE

B <u>M</u> MDWB	30	78	S	LW
-----------------	----	----	---	----

PRODUCT OPTIONS CONTINUED

Edge Trim Style	Edge Trim Finish	Modesty Panel Finish	Base and Hardware Finish	Grommet Finish (If Applicable)
6 Straight Trim	Edge Trim Colors	Solid:	Foundation	Foundation
9 Flintwood Flat Trim	(for trim style 6)	Source Laminate Flintwood (No Cathedral) Glass: Standard: FT Frosted Back-Painted	Mica Coordinate Colors	Mica

SAMPLE ORDER CODE CONTINUED

6 ST XS	60 60
---------	-------

$B _ M D W B$

Fixed-Height Desk – Bevel Bases (Continued)

DIMENSIONS INCHES / MM


		1 3/16" (M)			
		FOUNDATION LAMI	NATE	FLINTWOOD	
		MODESTY PANEL FI	NISH		
D	W	Source Laminate	Glass Finish	Glass Finish	Flintwood
30 / 762	60 / 1524	1974	2343	4324	4401
30 / 762	66 / 1676	2035	2419	4495	4559
30 / 762	72 / 1829	2079	2497	4632	4691
30 / 762	78 / 1981	2123	2578	4800	4850
30 / 762	84 / 2134	2170	2654	4943	4979

		1 9/16" (X)		
		FOUNDATION LAMI	NATE	FLINTWOOD
		MODESTY PANEL FI	NISH	
		Source Laminate	Glass Finish	Glass Finish Flintwood
30 / 762	60 / 1524	2153	2522	4532 4610
30 / 762	66 / 1676	2225	2610	4714 4780
30 / 762	72 / 1829	2281	2699	4866 4922
30 / 762	78 / 1981	2333	2789	5047 5096
30 / 762	84 / 2134	2390	2877	5198 5236

expansion casegoods price & application guide – January 22, 2024	669

$B _ M D G$

Primary Desk for U-Shape Configuration



This desk must only be used in conjunction with the Overlapping Bridge (B $_$ MBH or B $_$ MBL) or Overlapping Bridge with End Support (B $_$ MBG) to create a "U" configuration. It would be unstable if used alone.

WHAT'S INCLUDED

 $1\ worksurface,\ 2\ laminate\ full\ gables\ with\ levelers,\ 2\ rectangular\ cut-outs\ with\ grommets\ (as\ specified),\ 1\ cable\ tray\ (as\ specified),\ and\ mounting\ hardware.$

WHAT'S EXCLUDED

Suspended Modesty Panel, Overlapping Bridge – High or Low Secondary Desk, Overlapping Bridge with End Support – Low Secondary Desk and Power Tray.

NOTES

When Both Ends – Rectangular Grommet (B) option is specified, a cable tray is also included.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Worksurface Finish
M 1 3/16"	24, 30, 36	60, 66, 72, 78, 84, 90	B Both Ends – Rectangular	Foundation Laminate
X 1 9/16"			N No Grommet (Shown)	Flintwood (No Cathedral)

SAMPLE ORDER CODE

B <u>M</u> MDG 24	72	N	RV
-------------------	----	---	----

PRODUCT OPTIONS CONTINUED

Edge Trim Style	Edge Trim Finish	Gable Finish	Grommet Finish (If applicable)
6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation
9 Flintwood Flat Trim	(for trim style 6)	Flintwood (No Cathedral)	Mica

SAMPLE ORDER CODE CONTINUED

6 SS	LE	
------	----	--

B - MDG

Primary Desk for U-Shape Configuration (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M) Foundati Laminate	ON	FLINTWOO	D	1 9/16" (X) Foundation Laminate	N	FLINTWOOD	
		GABLE FIN	ISH						
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
24 / 610	60 / 1524	1060	2101	1732	2773	1199	2240	1926	2967
24 / 610	66 / 1676	1121	2162	1812	2853	1261	2302	2009	3050
24 / 610	72 / 1829	1182	2223	1890	2931	1332	2373	2094	3135
24 / 610	78 / 1981	1242	2283	2004	3045	1399	2440	2211	3252
24 / 610	84 / 2134	1297	2338	2083	3124	1464	2505	2297	3338
24 / 610	90 / 2286	1360	2401	2153	3194	1531	2572	2381	3422
30 / 762	60 / 1524	1144	2314	1754	2924	1394	2564	1986	3156
30 / 762	66 / 1676	1201	2371	1857	3027	1469	2639	2103	3273
30 / 762	72 / 1829	1279	2449	1949	3119	1540	2710	2185	3355
30 / 762	78 / 1981	1332	2502	2051	3221	1609	2779	2300	3470
30 / 762	84 / 2134	1385	2555	2120	3290	1696	2866	2401	3571
30 / 762	90 / 2286	1496	2666	2236	3406	1784	2954	2502	3672
36 / 914	60 / 1524	1328	2887	1989	3548	1629	3188	2185	3744
36 / 914	66 / 1676	1393	2952	2105	3664	1713	3272	2314	3873
36 / 914	72 / 1829	1482	3041	2210	3769	1798	3357	2402	3961
36 / 914	78 / 1981	1550	3109	2292	3851	1883	3442	2491	4050
36 / 914	84 / 2134	1614	3173	2372	3931	1980	3539	2641	4200
36 / 914	90 / 2286	1740	3299	2517	4076	2087	3646	2775	4334

Support Styles


Central Square

Post Leg (Q)

Xpress

B - MDS

Primary Peninsula Desk for U-Shape Configuration



This desk must only be used in conjunction with the Overlapping Bridge (B_MBH or B_MBL) or Overlapping Bridge with End Support (B_MBG) to create a "U" configuration. It would be unstable if used alone.

WHAT'S INCLUDED

 $1\ worksurface,\,1$ laminate full gable with levelers, $1\ rectangular\ cut-out\ with\ grommet\ (as\ specified),\,1\ cable\ tray\ (as\ specified),\ and\ mounting\ hardware.$

WHAT'S EXCLUDED

Support, Suspended Modesty Panel, Overlapping Bridge – High or Low Secondary Desk, Overlapping Bridge with End Support – Low Secondary Desk and Power Tray.

NOTES

When End of Worksurface - Rectangular Grommet (E) option is specified, a cable tray is also included.

Blade Leg (K) support style is not available with 24" deep worksurface.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness M 1 3/16" X 1 9/16"	Depth 24, 30, 36	Width 60, 66, 72, 78, 84, 90	E End of Worksurface – Rectangular N No Grommet (Shown)	Support Style (Not Included) K Blade Leg Q Central Square Post Leg W Frame Leg (Shown)

SAMPLE ORDER CODE

B <u>M</u> MDS	24	72	E	Q
----------------	----	----	---	---

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable Finish	Grommet Finish (If Applicable)
Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation
Flintwood (No Cathedral)	9 Flintwood Flat Trim	(for trim style 6)	Flintwood (No Cathedral)	Mica

SAMPLE ORDER CODE CONTINUED

RV	6	SS	LE	60
IC V	0	33	LL	00



$B _ M D S$

Primary Peninsula Desk for U-Shape Configuration (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M)				1 9/16" (X)			
		FOUNDATIO LAMINATE	ON	FLINTWOO	D	FOUNDATIO LAMINATE	ON	FLINTWOOI)
		GABLE FINI	SH						
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
24 / 610	60 / 1524	832	1352	1502	2022	884	1404	1609	2129
24 / 610	66 / 1676	891	1411	1581	2101	950	1470	1695	2215
24 / 610	72 / 1829	954	1474	1661	2181	1015	1535	1779	2299
24 / 610	78 / 1981	1013	1533	1775	2295	1082	1602	1898	2418
24 / 610	84 / 2134	1070	1590	1855	2375	1152	1672	1980	2500
24 / 610	90 / 2286	1130	1650	1924	2444	1215	1735	2068	2588
30 / 762	60 / 1524	871	1459	1481	2069	1078	1666	1666	2254
30 / 762	66 / 1676	928	1516	1585	2173	1152	1740	1783	2371
30 / 762	72 / 1829	1005	1593	1677	2265	1220	1808	1868	2456
30 / 762	78 / 1981	1058	1646	1777	2365	1291	1879	1982	2570
30 / 762	84 / 2134	1115	1703	1846	2434	1377	1965	2081	2669
30 / 762	90 / 2286	1220	1808	1965	2553	1469	2057	2185	2773
36 / 914	60 / 1524	1014	1795	1677	2458	1257	2038	1819	2600
36 / 914	66 / 1676	1080	1861	1792	2573	1343	2124	1944	2725
36 / 914	72 / 1829	1168	1949	1898	2679	1429	2210	2032	2813
36 / 914	78 / 1981	1238	2019	1978	2759	1514	2295	2122	2903
36 / 914	84 / 2134	1300	2081	2059	2840	1612	2393	2274	3055
36 / 914	90 / 2286	1427	2208	2203	2984	1720	2501	2407	3188

BM_R

Fixed Run-Off - Mid-Height

This fixed run-off must only be mounted on the rear edge of a Workwall Storage (BHKHF, BHKFW, BSMOBW, BSMWL or BSMCFW) and is supported by a single support at the other end.

WHAT'S INCLUDED

 $1\ worksurface,\ 2\ worksurface$ supports for mid-height workwall storage, $1\ wire$ management kit, $1\ rectangular$ cut-out with grommet (as specified), $1\ square$ cut-out without ring (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Modules, Workwall Bookcase, Workwall Credenzas and Support.

NOTES

When Worksurface Thickness (V) option is specified, the Radius (R) Corner Detail is not available.

When Worksurface Thickness (V) option is specified, only Support Styles (K or L) options are available.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

When 24" x 57" configuration is specified, the Radius (R) Corner Detail is **not** available.

When Grommet Option (E or N) is specified, only Non-Handed (N) Configuration is available.


When Grommet Option (O or P) is specified, only Left- (L) or Right-Handed (R) Configuration are available.

Support Styles (B or K) are not available with 24" deep worksurface.

Support Styles (B, E or W) are not available with Radius (R) Corner Detail.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Configuration	Depth	Width	Corner Detail	Grommet Option	Configuration
M 1 3/16"	K Mid-Height	24, 30, 36	57, 63, 69, 75, 81	R Radius	E End of Work. – Rectangular	L Left Handed (Shown)
X 1 9/16" V 1 3/16" Knife Edge				S Straight (Shown)	N No Grommet (Shown) O Offset – Rectangular	N Non-Handed R Right Handed
					P Offset – Rectangular & Square	

SAMPLE ORDER CODE

BM <u>M</u> R K	30	81	S	E	N
-----------------	----	----	---	---	---

PRODUCT OPTIONS CONTINUED

	Support Style (Not Included)	Worksurface Finish		Edge Trim Style	Edge Trim Finish	Hardware Finish	Grommet Finish (If Applicable)
I	Bevel Base	Foundation Laminate	6	Straight Trim	Edge Trim Colors	Foundation	Foundation
I			9	Flintwood Flat Trim	(for trim style 6 or F)	Mica	Mica
ŀ	K Blade Leg	(No Cathedral)	F	Knife Edge Trim		Accent	
I	Bevel Post Leg					Coordinate Colors	
7	W Frame Leg						

SAMPLE ORDER CODE CONTINUED

E 2D 6 4D 83 83	E
-----------------	---

BM_R Fixed Run-Off - Mid-Height (Continued)

DIMENSIONS INCHES / MM


		1 3/16" (M)	
D	W	Foundation Laminate	Flintwood
24 / 610	57 / 1448	648	1312
24 / 610	63 / 1600	712	1394
24 / 610	69 / 1753	774	1474
24 / 610	75 / 1905	834	1571
24 / 610	81 / 2057	892	1666
30 / 762	57 / 1448	796	1398
30 / 762	63 / 1600	870	1505
30 / 762	69 / 1753	944	1609
30 / 762	75 / 1905	1018	1714
30 / 762	81 / 2057	1095	1819
36 / 914	57 / 1448	936	1589
36 / 914	63 / 1600	1027	1713
36 / 914	69 / 1753	1119	1837
36 / 914	75 / 1905	1209	1944
36 / 914	81 / 2057	1299	2050

GE (V)
Flintwood
n/a
n/a
n/a

Foundation	
Laminate	Flintwood
697	1413
764	1500
831	1585
897	1685
964	1787
854	1585
938	1689
1022	1792
1105	1909
1187	2027
1014	1760
1114	1881
1215	2001
1312	2133
1412	2269

BM_EP

Fixed Extended Tapered Peninsula – Mid-Height



Support Style

Bevel Post Leg
(L)

This fixed extended tapered peninsula must be mounted on a Workwall Storage (BHKFW, BSMOBW or BSMCFW).

WHAT'S INCLUDED

1 worksurface, 2 worksurface supports for mid-height workwall storage, 1 wire management kit, 1 rectangular cut-out with grommet (as specified), 1 square cut-out without ring (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, Workwall Bookcase, Workwall Credenza and Bevel Post Leg.

NOTES

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Configuration	Depth A	Depth B	Width A	Grommet Option	Configuration
M 1 3/16" X 1 9/16"	K Mid-Height	30, 36	48, 54	57, 63, 69, 75, 81, 87	N No Grommet (Shown)	L Left Handed (Shown)
A 1 //10					O Offset – Rectangular	R Right Handed
					P Offset – Rectangular & Square	

SAMPLE ORDER CODE

BM <u>M</u> EP	K	30	48	69	0	L
				~ /	_	_

PRODUCT OPTIONS CONTINUED

Ī	Support Style (Not Included)	Worksurface Finish		Edge Trim Style	Edge Trim Finish	Hardware Finish	Grommet Finish (If Applicable)
]	L Bevel Post Leg	Foundation Laminate	6	Straight Trim	Edge Trim Colors	Foundation	Foundation
		Flintwood (No Cathedral)	9	Flintwood Flat Trim	(for trim style 6)	Mica Accent Coordinate Colors	Mica

SAMPLE ORDER CODE CONTINUED

Ţ	2D	6	/ D	Q 2	9.3
L	20	U	40	0.5	8.5

BM_EP

Fixed Extended Tapered Peninsula – Mid-Height (Continued)

DIMENSIONS INCHES / MM

			1 3/16" (M)		1 9/16" (X)	
Da	Db	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
30 / 762	48 / 1219	57 / 1448	1110	2233	1427	2567
30 / 762	48 / 1219	63 / 1600	1195	2379	1541	2734
30 / 762	48 / 1219	69 / 1753	1279	2525	1655	2901
30 / 762	48 / 1219	75 / 1905	1365	2664	1769	3068
30 / 762	48 / 1219	81 / 2057	1452	2804	1883	3235
30 / 762	48 / 1219	87 / 2210	1539	2944	1998	3403
30 / 762	54 / 1372	57 / 1448	1188	2359	1534	2699
30 / 762	54 / 1372	63 / 1600	1279	2523	1657	2898
30 / 762	54 / 1372	69 / 1753	1370	2687	1779	3096
30 / 762	54 / 1372	75 / 1905	1462	2875	1901	3314
30 / 762	54 / 1372	81 / 2057	1556	3025	2024	3493
30 / 762	54 / 1372	87 / 2210	1650	3175	2148	3673
36 / 914	48 / 1219	57 / 1448	1110	2233	1427	2567
36 / 914	48 / 1219	63 / 1600	1195	2379	1541	2734
36 / 914	48 / 1219	69 / 1753	1279	2525	1655	2901
36 / 914	48 / 1219	75 / 1905	1365	2664	1769	3068
36 / 914	48 / 1219	81 / 2057	1452	2804	1883	3235
36 / 914	48 / 1219	87 / 2210	1539	2944	1998	3403
36 / 914	54 / 1372	57 / 1448	1188	2359	1534	2699
36 / 914	54 / 1372	63 / 1600	1279	2523	1657	2898
36 / 914	54 / 1372	69 / 1753	1370	2687	1779	3096
36 / 914	54 / 1372	75 / 1905	1462	2875	1901	3314
36 / 914	54 / 1372	81 / 2057	1556	3025	2024	3493
36 / 914	54 / 1372	87 / 2210	1650	3175	2148	3673



BF MR

Full-Modesty Fixed Run-Off - Offset Base

This fixed run-off offer a executive desk look with complete privacy by its full height modesty and the recessed Offset Base accentuate the intriguing flooting look. The run-off must only be mounted on a Workwall Kneespace Module (BHKFR) at one end and is supported by a Offset Base at the other.

WHAT'S INCLUDED

1 worksurface, 1 fixed height offset base with levelers, 1 worksurface support for workwall kneespace module, 1 wire management kit, diamond and/or square cut-out(s) (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, Duo Grommet - Square and Rectangular Grommet.

NOTES


When Worksurface Thickness (V) option is specified, only Foundation Laminate Worksurface and Modesty finishes is available.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6, 8 and 9) options are available.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Configuration	Depth	Width	Corner Detail	Cut-Out Style
M 1 3/16"	K Mid-Height	30, 36	69, 75, 81, 87	S Straight	N No Cut-Out (Shown)
X 1 9/16"					0 Offset – Diamond Cut-Out
V 1 3/16" Knife Edge					1 Offset – Square Cut-Out
					2 Offset – Square & Diamond Cut-Outs

SAMPLE ORDER CODE

	BFL <u>M</u> MR	K	36	69	S	2
--	-----------------	---	----	----	---	---

PRODUCT OPTIONS CONTINUED

Ī	Configuration	Worksurface Finish		Edge Trim Style	Edge Trim Finish	Modesty Finish	Base Finish
1	L Left Handed (Shown)	Foundation Laminate	6		Edge Trim Colors (for trim style 6, 8 or F)	Source Laminate	Foundation
1	R Right Handed	Flintwood (No Cathedral)	9 Flintwood Flat Trim	, , , , , , , , , , , , , , , , , , ,	Flintwood (No Cathedral)	Mica	
			F	Full Knife Trim			

SAMPLE ORDER CODE CONTINUED

L 2D 6	4D	3D	83
--------	----	----	----

BF_MR

Full-Modesty Fixed Run-Off – Offset Bases (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M)					
		FOUNDATION LAMIN	ATE	FLINTWOOI)		
		MODESTY FINISH					
D	W	Source Laminate	Flintwood		ource minate	Flintwood	
30 / 762	69 / 1753	1946	2522		2611	3187	
30 / 762	75 / 1905	1986	2613		2682	3309	
30 / 762	81 / 2057	2028	2705		2752	3429	
30 / 762	87 / 2210	2068	2797		2820	3549	
36 / 914	69 / 1753	2009	2585		2727	3303	
36 / 914	75 / 1905	2055	2682		2790	3417	
36 / 914	81 / 2057	2101	2778		2852	3529	
36 / 914	87 / 2210	2146	2875		2913	3642	

		1 3/16" KNIFE EDGE (V)				
		FOUNDATION LAMIN	ATE	F	LINTWOOD		
		MODESTY FINISH					
		Source Laminate	Flintwood		Source Laminate	Flintwood	
30 / 762	69 / 1753	2086	n/a		n/a	n/a	
30 / 762	75 / 1905	2136	n/a		n/a	n/a	
30 / 762	81 / 2057	2188	n/a		n/a	n/a	
30 / 762	87 / 2210	2238	n/a		n/a	n/a	
36 / 914	69 / 1753	2154	n/a		n/a	n/a	
36 / 914	75 / 1905	2210	n/a		n/a	n/a	
36 / 914	81 / 2057	2266	n/a		n/a	n/a	
36 / 914	87 / 2210	2321	n/a		n/a	n/a	

		1 9/16" (X)					
		FOUNDATION LAMIN	IATE	FLINTWO	OD		
		MODESTY FINISH					
		Source Laminate	Flintwood		Source Laminate	Flintwood	
30 / 762	69 / 1753	2034	2610		2804	3380	
30 / 762	75 / 1905	2082	2709		2886	3513	
30 / 762	81 / 2057	2131	2808		2971	3648	
30 / 762	87 / 2210	2179	2908		3055	3784	
36 / 914	69 / 1753	2116	2692		2902	3478	
36 / 914	75 / 1905	2170	2797		2991	3618	
36 / 914	81 / 2057	2226	2903		3083	3760	
36 / 914	87 / 2210	2280	3009		3173	3902	

B M H H **

Run-Off Worksurface -High Secondary Desk

This worksurface must only be mounted on a High Secondary Desk (B_MSD) at one end and is supported by a single support at the other.

WHAT'S INCLUDED

1 worksurface, 1 rectangular cut-out with grommet (as specified), 1 cable tray (as specified), and mounting hardware.

WHAT'S EXCLUDED

High Secondary Desk, Support, Suspended Modesty Panel and Power Tray.

NOTES

When Worksurface Thickness (V) option is specified, only Support Styles (K and Q) options are available.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available.

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

When Grommet Option (C or O) is specified, a cable tray is also included.

When Grommet Option (N) is specified, only Non-Handed (N) Configuration is available.

When Grommet Option (C or O) is specified, only Left- (L) or Right-Handed (R) Configuration are available.


When Storage (S) Support Style is specified, the spacer attachments kit is included with the worksurface.


The Support Styles (S or Q) are not available with 60" and 66" widths.

The The Support Styles (B or K) are not available with 24" deep worksurface.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.





Storage

(S)

Post Leg (Q)

Frame Leg

(W)

Support Styles

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Configuration	Support Style (Not Included)
M 1 3/16"	24, 30, 36		C Centered –	L Left Handed (Shown)	B Bevel Base
X 1 9/16"		090	Rectangular	R Right Handed	E Semi-Supported Leg
V 1 3/16" Knife Edge				N Non handed	K Blade Leg
			O Offset – Rectangular		Q Central Square Post Leg
					S Storage
					W Frame Leg (Shown)

SAMPLE ORDER CODE

В <u>М</u> МНН	30	090	С	L	W
----------------	----	-----	---	---	---

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Hardware Finish	Grommet Finish (If Applicable)
Foundation Laminate	6 Straight Trim	Edge Trim Colors	Foundation	Foundation
Flintwood (No Cathedral)	9 Flintwood Flat Trim F Full Knife Trim	(for trim style 6 or F)	Mica Coordinate Colors	Mica

SAMPLE ORDER CODE CONTINUED

RV	6	SS	83	68
----	---	----	----	----

$^{\prime\prime}$ B $_{-}$ M H H


Run-Off Worksurface – High Secondary Desk (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M)		1 3/16" KNIFE EDG	E (V)	1 9/16" (X)	
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
24 / 610	60 / 1524	619	1293	n/a	n/a	670	1397
24 / 610	66 / 1676	684	1375	n/a	n/a	737	1481
24 / 610	72 / 1829	746	1456	886	n/a	805	1568
24 / 610	78 / 1981	805	1566	955	n/a	871	1684
24 / 610	84 / 2134	862	1648	1022	n/a	937	1769
24 / 610	90 / 2286	922	1714	1092	n/a	1005	1856
30 / 762	60 / 1524	774	1383	899	n/a	836	1578
30 / 762	66 / 1676	847	1506	982	n/a	921	1680
30 / 762	72 / 1829	921	1596	1066	n/a	1005	1784
30 / 762	78 / 1981	996	1714	1151	n/a	1086	1916
30 / 762	84 / 2134	1073	1805	1238	n/a	1168	2017
30 / 762	90 / 2286	1148	1945	1323	n/a	1253	2122
36 / 914	60 / 1524	922	1585	1052	n/a	1005	1762
36 / 914	66 / 1676	1013	1723	1153	n/a	1105	1880
36 / 914	72 / 1829	1105	1833	1255	n/a	1203	1998
36 / 914	78 / 1981	1195	1937	1355	n/a	1302	2149
36 / 914	84 / 2134	1284	2039	1454	n/a	1402	2268
36 / 914	90 / 2286	1373	2198	1553	n/a	1498	2385

BGMTH

Run-Off with Glass Top – High Secondary Desk



With Bevel Base (B)

This run-off must only be mounted on a High Secondary Desk (B_MSD) at one end and is supported by a Bevel Base at the other.

WHAT'S INCLUDED

I glass worksurface, 1 top frame, 1 supports with levelers (as specified), 1 rectangular cut-out with grommet (as specified), 1 power bar bracket, management clips (as specified), and mounting hardware.

WHAT'S EXCLUDED

High Secondary Desk, Suspended Modesty Panel and Power Tray.

NOTES

When Grommet Option (C or O) option is specified, Management Clips are also included.

PRODUCT OPTIONS

Ī	Support Style	Depth	Width	Grommet Option	Configuration	Glass Thickness
]	B Bevel Base	30, 36		C Centered – Rectangular N No Grommet (Shown) O Offset – Rectangular	L Left Handed (Shown) R Right Handed	10 10 mm

SAMPLE ORDER CODE

BGMTHB 30 78 C L 10	
---------------------	--

PRODUCT OPTIONS CONTINUED

Worksurface Finish	End Panel Finish	Support and Frame Finish	Hardware Finish	Grommet Finish (If Applicable)
Back-Painted	Back-Painted	Foundation	Foundation	Foundation
		Mica	Mica	Mica
		Coordinate Colors	Coordinate Colors	

SAMPLE ORDER CODE CONTINUED

K 7	K7	60	60	60
11.7	11.7	00	00	00

B G M T H Run-Off with Glass Top – High Secondary Desk (Continued)

DIMENSIONS INCHES / MM

		SUPPORT STYLE
D	W	Bevel Base (B)
30 / 762	60 / 1524	3500
30 / 762	66 / 1676	3685
30 / 762	72 / 1829	3867
30 / 762	78 / 1981	4057
30 / 762	84 / 2134	4237
30 / 762	90 / 2286	4423
36 / 914	60 / 1524	3843
36 / 914	66 / 1676	4053
36 / 914	72 / 1829	4262
36 / 914	78 / 1981	4473
36 / 914	84 / 2134	4679
36 / 914	90 / 2286	4895

$B _ M B H$

Overlapping Bridge – High Secondary Desk

This bridge must only be mounted on a High Secondary Desk (B_MSD) at one end and is linked to a Primary Desk for U-Shape Configuration (B_MDG) or at the other.

WHAT'S INCLUDED

 $1\ worksurface,$ linking plate, $1\ rectangular$ cut-out with grommet (as specified), $1\ cable$ tray (as specified), and mounting hardware.

WHAT'S EXCLUDED


High Secondary Desk, Primary Desks for U-Shape Configuration, Suspended Modesty Panel and Power Tray.

NOTES

When Grommet Option (C) is specified, a cable tray is also included.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Worksurface Finish
M 1 3/16"	24, 30	60, 66, 72, 78, 84	C Centered – Rectangular	Foundation Laminate
X 1 9/16"			N No Grommet (Shown)	Flintwood (No Cathedral)

SAMPLE ORDER CODE

B <u>X</u> MBH 24	66	N	2D
-------------------	----	---	----

PRODUCT OPTIONS CONTINUED

Edge Trim Style	Edge Trim Finish	Hardware Finish	Grommet Finish (If applicable)
6 Straight Trim	Edge Trim Colors	Foundation	Foundation
9 Flintwood Flat Trim	(for trim style 6)	Mica	Mica
		Coordinate Colors	

SAMPLE ORDER CODE CONTINUED

6 4D	52
------	----

$B _ M B H$

Overlapping Bridge – High Secondary Desk (Continued)

DIMENSIONS INCHES / MM


D	W
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134

Foundation	
Laminate	Flintwood
619	1293
684	1375
746	1456
805	1566
862	1648
774	1383
847	1506
921	1596
996	1714
1073	1805

Foundation		
Laminate	Flintwood	
670	1397	
737	1427	
805	1514	
871	1633	
937	1721	
836	1448	
921	1578	
1005	1677	
1086	1805	
1168	1900	

B - MPL

Run-Off Worksurface – Low Secondary Desk



This worksurface must only be mounted on a Low Secondary Desk (B_MSD) and attached to a wall panel at one end and is supported by a single support at the other.

WHAT'S INCLUDED

1 worksurface, 1 half modesty panel, 1 rectangular cut-out with grommet (as specified), 1 cable tray (as specified), and mounting hardware.

WHAT'S EXCLUDED

Low Secondary Desk, Wall Panels, Support and Power Tray.

NOTE:

When Grommet Option (C) is specified, one grommet comes with half modesty panel.

When Grommet Option (C, E, L or R) is specified, a cable tray is also included.

Central Square Post Leg (Q) support style is not available with 60" and 66" widths.

The Support Styles (B or K) are not available with 24" deep worksurface.

The half modesty panel is included and cannot be replaced.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Support Style (Not Included)	Depth	Width	Grommet Option	Worksurface Finish
M 1 3/16"	B Bevel Base	24, 30, 36	060, 066, 072, 078, 084, 090	C Centered – Rectangular	Foundation Laminate
X 1 9/16"	E Semi-Supported Leg K Blade Leg			E End of Worksurface – Rectangular	Flintwood (No Cathedral)
	Q Central Square Post Leg W Frame Leg			L Left – RectangularN No Grommet (Shown)R Right – Rectangular	

SAMPLE ORDER CODE

PRODUCT OPTIONS CONTINUED

	Edge Trim Style	Edge Trim Finish	Modesty Panel Finish	Hardware Finish	Grommet Finish (If Applicable)
•	Straight Trim	Edge Trim Colors	Source Laminate	Foundation	Foundation
9	Flintwood Flat Trim	(for trim style 6)	Flintwood (No Cathedral)	Mica Coordinate Colors	Mica

SAMPLE ORDER CODE CONTINUED

6	22	IF	52	
U	33	LL)2	
	•			

B - MPL


Run-Off Worksurface – Low Secondary Desk (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M)				1 9/16" (X)			
		FOUNDATI LAMINATE	ON	FLINTWOO)D	FOUNDATION LAMINATE	N	FLINTWOOI)
		MODESTY	PANEL FINISH	I					
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
24 / 610	60 / 1524	696	1172	1456	1932	761	1237	1488	1964
24 / 610	66 / 1676	768	1273	1544	2049	838	1343	1582	2087
24 / 610	72 / 1829	839	1364	1634	2159	915	1440	1678	2203
24 / 610	78 / 1981	911	1511	1759	2359	992	1592	1805	2405
24 / 610	84 / 2134	977	1551	1847	2421	1070	1644	1902	247
24 / 610	90 / 2286	1049	1648	1927	2526	1147	1746	1998	2597
30 / 762	60 / 1524	847	1323	1543	2019	928	1404	1670	2146
30 / 762	66 / 1676	934	1439	1677	2182	1021	1526	1780	2285
30 / 762	72 / 1829	1015	1540	1775	2300	1115	1640	1894	2419
30 / 762	78 / 1981	1105	1705	1907	2507	1208	1808	2038	2638
30 / 762	84 / 2134	1192	1766	2008	2582	1300	1874	2149	2723
30 / 762	90 / 2286	1278	1877	2102	2701	1394	1993	2263	2862
36 / 914	60 / 1524	996	1472	1743	2219	1093	1569	1850	2326
36 / 914	66 / 1676	1096	1601	1892	2397	1203	1708	1978	2483
36 / 914	72 / 1829	1197	1722	2010	2535	1312	1837	2107	2632
36 / 914	78 / 1981	1296	1896	2125	2725	1424	2024	2271	2871
36 / 914	84 / 2134	1399	1973	2242	2816	1535	2109	2401	2975
36 / 914	90 / 2286	1499	2098	2359	2958	1646	2245	2533	3132

BGMTL

Run-Off with Glass Top - Low Secondary Desk



With Bevel Base (B)

This run-off must only be mounted on a Low Secondary Desk (B_MSD) and attached to a wall panel at one end and is supported by a Bevel Base at the other.

WHAT'S INCLUDED

1 glass worksurface, 1 top frame, 1 support with levelers (as specified), 1 half solid suspended modesty panel, 1 rectangular cut-out with grommet (as specified), 1 power bar bracket, management clips (as specified), and mounting hardware.

WHAT'S EXCLUDED

Low Secondary Desk, Wall Panels and Power Tray.

NOTES

When Grommet Option (C, E or O) is specified, Management Clips are also included.

The half modesty panel is included and cannot be replaced.

PRODUCT OPTIONS

	Support Style	Support Style Depth	Width	Grommet Option	Configuration	Glass Thickness
В	Bevel Base	30, 36	60, 66, 72, 78, 84, 90	C Centered – Rectangular	L Left Handed (Shown)	10 10 mm
				E End of Work. – Rectangular	R Right Handed	
				N No Grommet (Shown)		
				O Offset – Rectangular		

SAMPLE ORDER CODE

BGMTLB 30	78	С	L	10
-----------	----	---	---	----

PRODUCT OPTIONS CONTINUED

Edge Trim Style Worksurface Finish	End Panel Finish	Modesty Panel Finish	Support and Frame Finish	Grommet Finish (If Applicable)
Back-Painted	Back-Painted	Source Laminate	Foundation	Foundation
		Flintwood	Mica	Mica
		(No Cathedral)	Coordinate Colors	

SAMPLE ORDER CODE CONTINUED

K 7	K7	XG	60	83
------------	----	----	----	----

B G M T L Run-Off with Glass Top – Low Secondary Desk (Continued)


DIMENSIONS INCHES / MM

D	W
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134
30 / 762	90 / 2286
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829
36 / 914	78 / 1981
36 / 914	84 / 2134
36 / 914	90 / 2286

SUPPORT STYLE	
Bevel Base (B)	
3587	
3793	
3992	
4192	
4392	
4591	
3935	
4163	
4386	
4613	
4836	
5061	

B - M B L

Overlapping Bridge – Low Secondary Desk



This bridge must only be mounted on a Low Secondary Desk (B_MSD) and attached to a wall panel at one end and is linked to a Primary Desk for U-Shape Configuration (B_MDG) at the other.

WHAT'S INCLUDED

1 worksurface, 1 half modesty panel, 1 rectangular cut-out with grommet (as specified), 1 cable tray (as specified), linking plate, and mounting hardware.

WHAT'S EXCLUDED

Low Secondary Desk, Wall Panels, Primary Desk for U-Shape Configuration and Power Tray.

NOTES

When Grommet Option (C) is specified, one grommet comes with half modesty panel.

When Grommet Option (C or E) is specified, a cable tray is also included.

The half modesty panel is included and cannot be replaced.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see *Xpress* catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Worksurface Finish
M 1 3/16"	24, 30	60, 66, 72, 78, 84	C Centered – Rectangular	Foundation Laminate
X 1 9/16"			E End of Worksurface – Rectangular	Flintwood (No Cathedral)
			N No Grommet (Shown)	

SAMPLE ORDER CODE

B <u>X</u> MBL 24 78 N	В	BXMBL	24	78	N	2D
------------------------	---	-------	----	----	---	----

PRODUCT OPTIONS CONTINUED

Edge Trim Style	Edge Trim Finish	Modesty Panel Finish	Hardware Finish	Grommet Finish (If Applicable)
6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation	Foundation
9 Flintwood Flat Trim	(for trim style 6)	Flintwood (No Cathedral)	Mica Coordinate Colors	Mica

SAMPLE ORDER CODE CONTINUED

		_		
6	4D	3D	60	
~		02	• •	

B - M B L

Overlapping Bridge – Low Secondary Desk (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M)				1 9/16" (X)			
	FOUNDA LAMINA		ON	FLINTWOOD		FOUNDATION LAMINATE		FLINTWOOD	
		MODESTY P	ANEL FINISH						
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
24 / 610	60 / 1524	718	1194	1474	1950	782	1258	1596	2072
24 / 610	66 / 1676	790	1295	1566	2071	861	1366	1690	2195
24 / 610	72 / 1829	862	1387	1655	2180	935	1460	1783	2308
24 / 610	78 / 1981	933	1483	1779	2329	1013	1563	1912	2462
24 / 610	84 / 2134	998	1572	1868	2442	1089	1663	2008	2582
30 / 762	60 / 1524	869	1345	1565	2041	949	1425	1624	2100
30 / 762	66 / 1676	955	1460	1697	2202	1042	1547	1763	2268
30 / 762	72 / 1829	1037	1562	1797	2322	1134	1659	1865	2390
30 / 762	78 / 1981	1123	1673	1928	2478	1232	1782	2006	2556
30 / 762	84 / 2134	1210	1784	2029	2603	1325	1899	2112	2686

B MPG

Run-Off Worksurface with End Support - Low Secondary Desk

This worksurface must only be mounted on the rear edge of a Low Secondary Desk (B_MSD) and is supported by a single support at the other end.

WHAT'S INCLUDED

I worksurface, I half modesty panel, I half end support, I power bar and cover or I cable pass-through (as specified), I rectangular cut-out with grommet (as specified), I cable tray (as specified), and mounting hardware.

WHAT'S EXCLUDED

Low Secondary Desk, Support and Power Tray.

Central Square Post Leg (Q) Support Style is **not** available with 60" and 66" widths.

When Square Central Post Leg (Q) Support Style is specified, the Under Worksurface Power and Data (UC) option is ${\bf not}$ available.

The Support Styles (B or K) are not available with 24" deep worksurface.

When Grommet Option (C, L or R) is specified, one grommet comes with half modesty panel.

When Grommet Option (C, E, L or R) s specified, a cable tray is also included.


When No Power and Data option (NN) is specified, the half end support comes with a cut-out and a Cable Pass-Through Ring.


Power Bar and Cover are finish in Clear Anodized and Cable Pass-Through Ring comes in a Platinum Coordinate.


The half modesty panel is included and cannot be replaced.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.







(K)

PRODUCT OPTIONS

Worksurface Thickness	Support Style (Not Included)	Depth	Width	Grommet Option	Power and Data
M 1 3/16" X 1 9/16"	B Bevel Base E Semi-Supported Leg	24, 30, 36	060, 066, 072, 078, 084, 090	C Centered – Rectangular	UC Under Worksurface - Center
X 1 9/10	K Blade Leg			E End of Worksurface – Rectangular	NN No Power and Data (Shown)
	Q Central Square Post Leg			L Left – Rectangular	
	W Frame Leg			N No Grommet (Shown) R Right – Rectangular	

SAMPLE ORDER CODE

B <u>X</u> MPG	E 30	084	E	UC
----------------	------	-----	---	----

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	End Support Finish	Modesty Panel Finish	Grommet Finish (If Applicable)
Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Source Laminate	Foundation
Flintwood (No Cathedral)	9 Flintwood Flat Trim	(for trim style 6)	Flintwood (No Cathedral)	Flintwood (No Cathedral)	Mica

SAMPLE ORDER CODE CONTINUED

2E	6	4 E	3 E	3 E	60
		12	32	32	

$B _ M P G$

Run-Off Worksurface with End Support - Low Secondary Desk (Continued)


DIMENSIONS INCHES / MM

		1 3/16" (M)							
		FOUNDATIO	N LAMINATE	FLINTWOOD)	FOUNDATIO	N LAMINATE	FLINTWOOI)
		NO POWER	AND DATA (NI	4)		UNDER WOR	KSURFACE – C	CENTER (UC)	
		MODESTY P.	ANEL FINISH						
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
24 / 610	60 / 1524	828	1304	1868	2344	n/a	n/a	n/a	n/a
24 / 610	66 / 1676	899	1404	1957	2462	n/a	n/a	n/a	n/a
24 / 610	72 / 1829	970	1495	2050	2575	n/a	n/a	n/a	n/a
24 / 610	78 / 1981	1042	1642	2173	2773	n/a	n/a	n/a	n/a
24 / 610	84 / 2134	1110	1684	2261	2835	n/a	n/a	n/a	n/a
24 / 610	90 / 2286	1179	1778	2342	2941	n/a	n/a	n/a	n/a
30 / 762	60 / 1524	992	1468	1996	2472	1440	1916	2444	2920
30 / 762	66 / 1676	1078	1583	2126	2631	1527	2032	2578	3083
30 / 762	72 / 1829	1161	1686	2226	2751	1608	2133	2674	3199
30 / 762	78 / 1981	1247	1847	2358	2958	1696	2296	2807	3407
30 / 762	84 / 2134	1335	1909	2459	3033	1782	2356	2909	3483
30 / 762	90 / 2286	1419	2018	2551	3150	1868	2467	3002	3601
36 / 914	60 / 1524	1157	1633	2219	2695	1604	2080	2668	3144
36 / 914	66 / 1676	1254	1759	2369	2874	1704	2209	2816	3321
36 / 914	72 / 1829	1355	1880	2488	3013	1803	2328	2937	3462
36 / 914	78 / 1981	1456	2056	2600	3200	1904	2504	3048	3648
36 / 914	84 / 2134	1556	2130	2718	3292	2006	2580	3168	3742
36 / 914	90 / 2286	1655	2254	2835	3434	2105	2704	3285	3884

		1 9/16" (X)							
			N LAMINATE		1		N LAMINATE	FLINTWOOI)
		NO POWER	AND DATA (N	N)		UNDER WOR	KSURFACE – C	CENTER (UC)	
		MODESTY P.	ANEL FINISH						
		Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
24 / 610	60 / 1524	906	1382	2001	2477	n/a	n/a	n/a	n/a
24 / 610	66 / 1676	984	1489	2095	2600	n/a	n/a	n/a	n/a
24 / 610	72 / 1829	1060	1585	2192	2717	n/a	n/a	n/a	n/a
24 / 610	78 / 1981	1134	1734	2320	2920	n/a	n/a	n/a	n/a
24 / 610	84 / 2134	1213	1787	2414	2988	n/a	n/a	n/a	n/a
24 / 610	90 / 2286	1290	1889	2508	3107	n/a	n/a	n/a	n/a
30 / 762	60 / 1524	1086	1562	2074	2550	1537	2013	2525	3001
30 / 762	66 / 1676	1180	1685	2210	2715	1632	2137	2662	3167
30 / 762	72 / 1829	1278	1803	2318	2843	1724	2249	2765	3290
30 / 762	78 / 1981	1369	1969	2456	3056	1819	2419	2902	3502
30 / 762	84 / 2134	1462	2036	2557	3131	1912	2486	3009	3583
30 / 762	90 / 2286	1556	2155	2669	3268	2006	2605	3119	3718
36 / 914	60 / 1524	1276	1752	2235	2711	1721	2197	2683	3159
36 / 914	66 / 1676	1380	1885	2380	2885	1830	2335	2834	3339
36 / 914	72 / 1829	1489	2014	2496	3021	1941	2466	2945	3470
36 / 914	78 / 1981	1603	2203	2615	3215	2053	2653	3065	3665
36 / 914	84 / 2134	1712	2286	2776	3350	2160	2734	3225	3799
36 / 914	90 / 2286	1824	2423	2912	3511	2272	2871	3362	3961

$B _ M B G$

Overlapping Bridge with End Support – Low Secondary Desk



This bridge must only be mounted on the rear edge of a Low Secondary Desk (B_MSD) and is linked to a Primary Desk for U-Shape Configuration (B_MDG) at the other end

WHAT'S INCLUDED

1 worksurface, 1 half modesty panel, 1 half end support, 1 power bar and cover or 1 cable pass-through (as specified), 1 rectangular cut-out with grommet (as specified), 1 cable tray (as specified), linking plate, and mounting hardware.

WHAT'S EXCLUDED

Low Secondary Desk, Primary Desk for U-Shape Configuration and Power Tray.

NOTES

When Grommet Option (C) is specified, one grommet comes with half modesty panel.

When Grommet Option (C or E) is specified, a cable tray is also included.

When No Power and Data option (NN) is specified, the half end support comes with a cut-out and a Cable Pass-Through Ring.

Power Bar and Cover are finished in Clear Anodized and Cable Pass-Through Ring comes in a Platinum Coordinate.

The half modesty panel is included and cannot be replaced.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Power and Data	Worksurface Finish
	24, 30	60, 66, 72, 78, 84	C Centered – Rectangular	UC Under Worksurface - Center	
X 1 9/16"			e	NN No Power and Data (Shown)	Flintwood (No Cathedral)
			N No Grommet (Shown)		

SAMPLE ORDER CODE

B <u>X</u> MBG 30	084	С	NN	LW
-------------------	-----	---	----	----

PRODUCT OPTIONS CONTINUED

Edge Trim Style	Edge Trim Finish	End Support Finish	Modesty Panel Finish	Grommet Finish (If Applicable)
6 Straight Trim	Edge Trim Colors	Source Laminate	Source Laminate	Foundation
9 Flintwood Flat Trim	(for trim style 6)	Flintwood (No Cathedral)	Flintwood (No Cathedral)	Mica

SAMPLE ORDER CODE CONTINUED

6 ST XS XS 74	
---------------	--

$B _ M B G$

Overlapping Bridge with End Support – Low Secondary Desk (Continued)


DIMENSIONS INCHES / MM

		1 3/16" (M)							
		FOUNDATIO	N LAMINATE	FLINTWOOD)	FOUNDATIO	N LAMINATE	FLINTWOOL)
		NO POWER	AND DATA (N	N)		UNDER WOR	KSURFACE – C	CENTER (UC)	
		MODESTY P.	ANEL FINISH						
		Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
24 / 610	60 / 1524	848	1324	1887	2363	n/a	n/a	n/a	n/a
24 / 610	66 / 1676	921	1426	1979	2484	n/a	n/a	n/a	n/a
24 / 610	72 / 1829	993	1518	2068	2593	n/a	n/a	n/a	n/a
24 / 610	78 / 1981	1064	1614	2196	2746	n/a	n/a	n/a	n/a
24 / 610	84 / 2134	1129	1703	2283	2857	n/a	n/a	n/a	n/a
30 / 762	60 / 1524	1013	1489	2015	2491	1462	1938	2465	2941
30 / 762	66 / 1676	1099	1604	2148	2653	1549	2054	2598	3103
30 / 762	72 / 1829	1179	1704	2246	2771	1631	2156	2697	3222
30 / 762	78 / 1981	1264	1814	2378	2928	1717	2267	2828	3378
30 / 762	84 / 2134	1355	1929	2482	3056	1803	2377	2929	3503

		1 9/16" (X)							
		FOUNDATIO	N LAMINATE	FLINTWOOD		FOUNDATIO	N LAMINATE	FLINTWOOI)
		NO POWER	AND DATA (N	N)		UNDER WOR	KSURFACE – C	CENTER (UC)	
		MODESTY P.	ANEL FINISH						
		Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
24 / 610	60 / 1524	928	1404	2023	2499	n/a	n/a	n/a	n/a
24 / 610	66 / 1676	1006	1511	2118	2623	n/a	n/a	n/a	n/a
24 / 610	72 / 1829	1080	1605	2211	2736	n/a	n/a	n/a	n/a
24 / 610	78 / 1981	1159	1709	2340	2890	n/a	n/a	n/a	n/a
24 / 610	84 / 2134	1238	1812	2438	3012	n/a	n/a	n/a	n/a
30 / 762	60 / 1524	1111	1587	2094	2570	1558	2034	2544	3020
30 / 762	66 / 1676	1203	1708	2233	2738	1653	2158	2680	3185
30 / 762	72 / 1829	1296	1821	2333	2858	1747	2272	2785	3310
30 / 762	78 / 1981	1391	1941	2474	3024	1839	2389	2924	3474
30 / 762	84 / 2134	1484	2058	2581	3155	1933	2507	3030	3604

B - MSD

Secondary Desk



This desk provides a secondary working area (High only) and can support a fixed-height run-off worksurface (B_MHH, BGMTH, B_MPL, BGMTL or B_MPG), an overlapping bridge a Wall Panel and Mounted Towers. It must be installed against a wall.

WHAT'S INCLUDED

1 worksurface, 2 gables, 1 or 2 reinforcing bars, 1 or 2 rectangular cut-outs with grommets (as specified), and mounting hardware.

WHAT'S EXCLUDED

Low or High Run-Off Worksurfaces, Run-Off with Glass Top and Overlapping Bridges, Wall Panels, Mounted Towers and Storage for Secondary Desk.

NOTES

When Low Height (L) option is specified, only Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Height	Depth	Width	Grommet Option
M 1 3/16" X 1 9/16"	H High L Low		054, 060, 066, 072, 078, 084, 090, 096, 102, 108	B Both Ends – Rectangular C Centered – Rectangular L Left – Rectangular N No Grommet (Shown) R Right – Rectangular

SAMPLE ORDER CODE

B <u>X</u> MSD H 24	078	R
---------------------	-----	---

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable Finish	Grommet Finish (If Applicable)
Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 8 Flat Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6 or 8)	Source Laminate Flintwood (No Cathedral)	Foundation Mica

SAMPLE ORDER CODE CONTINUED

VZ 9	VZ	60
------	----	----

$\begin{array}{c} B_\,M\,\,S\,\,D \\ \\ Secondary\,\, Desk\,\, (Continued) \end{array}$

DIMENSIONS INCHES / MM


		LOW (L)				HIGH (H)			
		1 3/16" (M)							
		FOUNDATIO	N LAMINATE	FLINTWOOD)	FOUNDATIO	N LAMINATE	FLINTWOOI)
		GABLE FINIS	Н						
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
20 / 508	54 / 1372	848	1507	1216	1875	919	1730	1286	2097
20 / 508	60 / 1524	904	1563	1306	1965	970	1781	1376	2187
20 / 508	66 / 1676	965	1624	1375	2034	1034	1845	1441	2252
20 / 508	72 / 1829	1006	1665	1458	2117	1072	1883	1525	2336
20 / 508	78 / 1981	1044	1703	1523	2182	1114	1925	1592	2403
20 / 508	84 / 2134	1096	1755	1587	2246	1165	1976	1655	2466
20 / 508	90 / 2286	1157	1816	1654	2313	1220	2031	1721	2532
20 / 508	96 / 2438	1210	1869	1753	2412	1282	2093	1821	2632
20 / 508	102 / 2591	1263	1922	1817	2476	1335	2146	1885	2696
20 / 508	108 / 2743	1325	1984	1883	2542	1391	2202	1949	2760
24 / 610	54 / 1372	950	1633	1342	2025	1031	1968	1424	2361
24 / 610	60 / 1524	1010	1693	1424	2107	1092	2029	1506	2443
24 / 610	66 / 1676	1079	1762	1496	2179	1161	2098	1576	2513
24 / 610	72 / 1829	1148	1831	1568	2251	1231	2168	1651	2588
24 / 610	78 / 1981	1211	1894	1672	2355	1293	2230	1753	2690
24 / 610	84 / 2134	1279	1962	1741	2424	1356	2293	1825	2762
24 / 610	90 / 2286	1342	2025	1815	2498	1424	2361	1897	2834
24 / 610	96 / 2438	1412	2095	1920	2603	1489	2426	2000	2937
24 / 610	102 / 2591	1474	2157	1989	2672	1556	2493	2069	3006
24 / 610	108 / 2743	1540	2223	2061	2744	1622	2559	2141	3078

		1 9/16" (X)							
		FOUNDATIO	N LAMINATE	FLINTWOOD)	FOUNDATIO	N LAMINATE	FLINTWOOD)
		GABLE FINIS	Н						
		Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
20 / 508	54 / 1372	890	1549	1406	2065	977	1788	1491	2302
20 / 508	60 / 1524	954	1613	1528	2187	1041	1852	1614	2425
20 / 508	66 / 1676	1014	1673	1616	2275	1102	1913	1704	2515
20 / 508	72 / 1829	1076	1735	1720	2379	1163	1974	1807	2618
20 / 508	78 / 1981	1138	1797	1808	2467	1226	2037	1897	2708
20 / 508	84 / 2134	1201	1860	1897	2556	1288	2099	1982	2793
20 / 508	90 / 2286	1260	1919	1985	2644	1349	2160	2072	2883
20 / 508	96 / 2438	1328	1987	2105	2764	1415	2226	2192	3003
20 / 508	102 / 2591	1387	2046	2196	2855	1477	2288	2282	3093
20 / 508	108 / 2743	1453	2112	2282	2941	1539	2350	2369	3180
								-	
24 / 610	54 / 1372	1036	1719	1554	2237	1138	2075	1656	2593
24 / 610	60 / 1524	1110	1793	1666	2349	1210	2147	1772	2709
24 / 610	66 / 1676	1182	1865	1764	2447	1286	2223	1865	2802
24 / 610	72 / 1829	1254	1937	1858	2541	1358	2295	1964	2901
24 / 610	78 / 1981	1328	2011	1986	2669	1430	2367	2090	3027
24 / 610	84 / 2134	1400	2083	2083	2766	1505	2442	2185	3122
24 / 610	90 / 2286	1474	2157	2178	2861	1578	2515	2283	3220
24 / 610	96 / 2438	1551	2234	2306	2989	1654	2591	2409	3346
24 / 610	102 / 2591	1623	2306	2404	3087	1725	2662	2502	3439
24 / 610	108 / 2743	1697	2380	2496	3179	1800	2737	2600	3537

BH_FB

Height-Adjustable Desk – Bevel Bases

One Table One Plug



This desk is an alternative to standard freestanding desks. It allows to work at seated or standing position. It is supported by two height-adjustable bevel bases and **cannot** be attached to other desks.

WHAT'S INCLUDED

 $1\ worksurface,\ 2\ height-adjustable\ bevel bases with levelers,\ 1\ power\ tray,\ 1\ wire\ management\ kit,\ 1\ switch\ for\ height-adjustable\ mechanism\ (as\ specified),\ 1\ integrated\ powerbar\ (as\ specified),\ 1\ or\ 2\ rectangular\ cut-outs\ with\ grommets\ (as\ specified),\ 1\ square\ cut-out\ without\ ring\ (if\ applicable),\ and\ mounting\ hardware.$

WHAT'S EXCLUDED

Suspended Modesty Panel.

NOTES

When Flintwood Worksurface finish is specified, only Flintwood End Panel finish is available.

When Foundation Laminate Worksurface finish is specified, only Source Laminate End Panel finish is available.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

The 1 9/16" (X) thickness is ${f not}$ available in all Source Laminate , Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Grommet Option	Powerbar	Range
M 1 3/16" X 1 9/16"	23, 29, 35	58, 64, 70, 76, 82	 B Both Ends – Rectangular I Both Ends – Square (L) & Rectangular (R) L Left – Rectangular M Left – Rectangular & Square 	Powerbar N None	E Extended Range – 26" to 48"

SAMPLE ORDER CODE

BH <u>M</u> FB	29	76	I	I	E
----------------	----	----	---	---	---

PRODUCT OPTIONS CONTINUED

	Swi	itch	Worksurface Finish	Edge Trim Style	Edge Trim Finish	End Panel Finish	Base Finish	Grommet Finish (If Applicable)
]	Display with Up/ Down Memory	M Display Toggle with Memory – Platinum	Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate Flintwood	Foundation Mica	Foundation Mica
]	Toggle Up/Down – Platinum	N Display Toggle with Memory– Crisp Grev	Flintwood (No Cathedral)	9 Flintwood Flat Trim	(for trim style 6)	(No Cathedral)	Coordinate Colors	
(G Toggle Up/Down – Crisp Grey	O Display Toggle with Memory –						
]	I Toggle Up/Down – Anthracite	Anthracite						

SAMPLE ORDER CODE CONTINUED

OIMIT EE OND EN GODE COTTITIOED							
D	2D	6	4D	3D	7	7	

BH_FB Height-Adjustable Desk – Bevel Bases (Continued)

DIMENSIONS INCHES / MM

PRICING

		1 3/16" (M)			
		NONE POWERBA	AR (N)	INTEGRATED I	POWERBAR (I or P)
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
23 / 584	58 / 1473	4244	6053	4419	6226
23 / 584	64 / 1626	4290	6186	4465	6363
23 / 584	70 / 1778	4302	6224	4477	6399
23 / 584	76 / 1930	4328	6374	4503	6551
23 / 584	82 / 2083	4354	6463	4529	6640
29 / 737	58 / 1473	4439	6419	4614	6593
29 / 737	64 / 1626	4486	6557	4661	6733
29 / 737	70 / 1778	4516	6648	4691	6823
29 / 737	76 / 1930	4553	6777	4728	6953
29 / 737	82 / 2083	4590	6876	4765	7052
35 / 889	58 / 1473	4634	6785	4809	6960
35 / 889	64 / 1626	4682	6928	4857	7103
35 / 889	70 / 1778	4730	7072	4905	7247
35 / 889	76 / 1930	4778	7180	4953	7355
35 / 889	82 / 2083	4826	7289	5001	7464


		1 9/16" (X)			
		NONE POWERBA	AR (N)	INTEGRATED	POWERBAR (I or P)
		Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
23 / 584	58 / 1473	4372	6140	4547	6315
23 / 584	64 / 1626	4428	6290	4603	6467
23 / 584	70 / 1778	4443	6326	4618	6501
23 / 584	76 / 1930	4483	6491	4658	6666
23 / 584	82 / 2083	4516	6589	4691	6764
29 / 737	58 / 1473	4616	6626	4791	6801
29 / 737	64 / 1626	4675	6781	4850	6957
29 / 737	70 / 1778	4714	6879	4889	7054
29 / 737	76 / 1930	4765	7024	4940	7199
29 / 737	82 / 2083	4813	7135	4988	7310
35 / 889	58 / 1473	4860	7112	5035	7287
35 / 889	64 / 1626	4922	7272	5097	7447
35 / 889	70 / 1778	4985	7432	5160	7607
35 / 889	76 / 1930	5047	7557	5222	7732
35 / 889	82 / 2083	5110	7681	5285	7856

If Switch Style (D, M, N or O) is specified, add 129.

BH_LD

Height-Adjustable L-Shape Desk – Bevel Bases

One Table One Plug



This height-adjustable L-shape desk combines two rectangular worksurfaces allowing users to work on either side of the workstation and to work at seated and standing positions.

WHAT'S INCLUDED

2 worksurfaces, 3 height-adjustable bevel bases with levelers, wire management clips, 1 power tray, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), 1 square cut-out without ring (if applicable), 1 cable tray, rectangular cut-outs with grommets (as specified), mounting hardware.

WHAT'S EXCLUDED

Suspended Modesty Panel.

NOTES

When Foundation Laminate Worksurface Finish is specified, Bevel Base End Panel Finish is in coordinated Source Laminate finish.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth A	Depth B	Width A	Width B	Grommet Option	Configu- ration	Powerbar
M 1 3/16" X 1 9/16"	29, 35	23, 29	64, 70, 76, 82, 88	064, 070, 076, 082, 088, 094, 100, 106	A Rectangular & Square on Return N No Grommet (Shown) Q Rectangular on Desk & Return/ Square on Return	L Left Handed (Shown) R Right Handed	I Integrated Powerbar N None P Integrated Powerbar with IEC Outlet

SAMPLE ORDER CODE

BH <u>M</u> LD	29	23	88	064	A	L	I
----------------	----	----	----	-----	---	---	---

PRODUCT OPTIONS CONTINUED

	Range	Sw	itch	Worksurface and End Panel Finish	Edge Trim Style	Edge Trim Finish	Base Finish	Grommet Finish (If Applicable)
I	E Extended Range - 26" to 48"	D Display with Up/ Down Memory	M Display Toggle with Memory – Platinum	Foundation Laminate	6 Straight Trim	Edge Trim Colors	Foundation Mica	Foundation Mica
		F Toggle Up/Down – Platinum G Toggle Up/Down –	N Display Toggle with Memory – Crisp Grey	Flintwood (No Cathedral)	9 Flintwood Flat Trim	(for trim style 6)	Coordinate Colors	Wica
		Crisp Grey H Toggle Up/Down – Anthracite	O Display Toggle with Memory – Anthracite					

SAMPLE ORDER CODE CONTINUED

$B\ H\ _\ L\ D$

Height-Adjustable L-Shape Desk – Bevel Bases (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				NONE POWERBAR	(N)	INTEGRATED POWE	RBAR (I or P)
Da	DЬ	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	23	64	064	6758	9955	6933	10130
9	23	64	070	6798	10044	6973	10219
9	23	64	076	6838	10133	7013	10308
9	23	64	082	6876	10256	7051	10431
9	23	64	088	6918	10346	7093	10521
29	23	64	094	6954	10452	7129	10627
9	23	64	100	6992	10541	7167	10716
<u></u>	23	64	106	7032	10630	7207	10805
9	23	70	064	6802	10054	6977	10229
29	23	70	070	6842	10143	7017	10318
9	23	70	076	6882	10232	7057	10407
.9	23	70	082	6920	10355	7095	10530
9	23	70	088	6962	10445	7137	10620
9	23	70	094	6998	10551	7173	10726
9	23	70	100	7036	10640	7211	10815
)	23	70	106	7076	10729	7251	10904
)	23	76	064	6845	10151	7020	10326
9	23	76	070	6885	10240	7060	10415
1	23	76	076	6925	10329	7100	10504
)	23	76	082	6963	10452	7138	10627
)	23	76	088	7005	10542	7180	10717
)	23	76	094	7041	10648	7216	10823
9	23	76	100	7079	10737	7254	10912
)	23	76	106	7119	10826	7294	11001
)	23	82	064	6888	10284	7063	10459
9	23	82	070	6928	10373	7103	10548
)	23	82	076	6968	10462	7143	10637
)	23	82	082	7006	10585	7181	10760
)	23	82	088	7048	10675	7223	10850
)	23	82	094	7084	10781	7259	10956
)	23	82	100	7122	10870	7297	11045
)	23	82	106	7162	10959	7337	11134
)	23	88	064	6932	10382	7107	10557
9	23	88	070	6972	10471	7147	10646
9	23	88	076	7012	10560	7187	10735
9	23	88	082	7050	10683	7225	10858
29	23	88	088	7092	10773	7267	10948
9	23	88	094	7128	10879	7303	11054
)	23	88	100	7166	10968	7341	11143
9	23	88	106	7206	11057	7381	11232

If Switch Style (D, M, N or O) is specified, add 129.

Xpress

BH_LD

Height-Adjustable L-Shape Desk – Bevel Bases (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

				1 3/16" (M)			
				NONE POWERBAR (N)	INTEGRATED POW	ERBAR (Lor P)
Da	DЬ	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	29	64	064	n/a	n/a		n/a
29	29	64	070	n/a	n/a	n/a	n/a
29	29	64	076	n/a	n/a		n/a
29	29	64	082	n/a	n/a		n/a
29	29	64	088	n/a	n/a		n/a
29	29	64	094	n/a	n/a		n/a
29	29	64	100	n/a	n/a		n/a
29	29	64	106	n/a	n/a	n/a	n/a
29	29	70	064	6832	10184	7007	10359
29	29	70	070	6879	10284	7054	10459
29	29	70	076	6925	10383	7100	10558
29	29	70	082	6971	10499	7146	10674
29	29	70	088	7019	10599	7194	10774
29	29	70	094	7062	10733	7237	10908
29	29	70	100	7108	10833	7283	11008
29	29	70	106	7152	10967	7327	11142
29	29	76	064	6875	10281	7050	10456
29	29	76	070	6922	10381	7097	10556
29	29	76	076	6968	10480	7143	10655
29	29	76	082	7014	10596	7189	10771
29	29	76	088	7062	10696	7237	10871
29	29	76	094	7105	10830	7280	11005
29	29	76	100	7151	10930	7326	11105
29	29	76	106	7195	11064	7370	11239
29	29	82	064	6918	10414	7093	10589
29	29	82	070	6965	10514	7140	10689
29	29	82	076	7011	10613	7186	10788
29	29	82	082	7057	10729	7232	10904
29	29	82	088	7105	10829	7280	11004
29	29	82	094	7148	10963	7323	11138
29	29	82	100	7194	11063	7369	11238
29	29	82	106	7238	11197	7413	11372
29	29	88	064	6962	10512	7137	10687
29	29	88	070	7009	10612	7184	10787
29	29	88	076	7055	10711	7230	10886
29	29	88	082	7101	10827	7276	11002
29	29	88	088	7149	10927	7324	11102
29	29	88	094	7192	11061	7367	11236
29	29	88	100	7238	11161	7413	11336
29	29	88	106	7282	11295	7457	11470

If Switch Style (D, M, N or O) is specified, add 129.

BH_LD

Height-Adjustable L-Shape Desk – Bevel Bases (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				NONE POWERBAR	(N)	INTEGRATED POWERBAR (I or P)			
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood		
5	23	64	064	n/a	n/a		n/a		
5	23	64	070	7055	10520	7230	10695		
5	23	64	076	7095	10609	7270	10784		
35	23	64	082	7135	10698	7310	10873		
35	23	64	088	7174	10822	7349	10997		
35	23	64	094	7215	10911	7390	11086		
35	23	64	100	7251	11017	7426	11192		
5	23	64	106	7289	11106	7464	11281		
5	23	70	064	n/a	n/a		n/a		
5	23	70	070	7103	10664	7278	10839		
5	23	70	076	7143	10753	7318	10928		
5	23	70	082	7183	10842	7358	11017		
5	23	70	088	7222	10966	7397	11141		
5	23	70	094	7263	11055	7438	11230		
35	23	70	100	7299	11161	7474	11336		
5	23	70	106	7337	11250	7512	11425		
,	23	76	064	n/a	n/a	n/a	n/a		
5	23	76	070	7151	10772	7326	10947		
	23	76	076	7191	10861	7366	11036		
	23	76	082	7231	10950	7406	11125		
	23	76	088	7270	11074	7445	11249		
	23	76	094	7311	11163	7486	11338		
,	23	76	100	7347	11269	7522	11444		
,	23	76	106	7385	11358	7560	11533		
	23	82	064	n/a	n/a	n/a	n/a		
5	23	82	070	7199	10881	7374	11056		
	23	82	076	7239	10970	7414	11145		
	23	82	082	7279	11059	7454	11234		
,	23	82	088	7318	11183	7493	11358		
5	23	82	094	7359	11272	7534	11447		
5	23	82	100	7395	11378	7570	11553		
5	23	82	106	7433	11467	7608	11642		
5	23	88	064	n/a	n/a	n/a	n/a		
5	23	88	070	7248	11042	7423	11217		
5	23	88	076	7288	11131	7463	11306		
5	23	88	082	7328	11220	7503	11395		
35	23	88	088	7367	11344	7542	11519		
35	23	88	094	7408	11433	7583	11608		
5	23	88	100	7444	11539	7619	11714		
5	23	88	106	7482	11628	7657	11803		

If Switch Style (D, M, N or O) is specified, add 129.

Xpress

BH_LD

Height-Adjustable L-Shape Desk – Bevel Bases (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

				1 3/16" (M)			
				NONE POWERBAR	(N)	INTEGRATED POW	EDRAD (Lor D)
				Foundation	(14)	Foundation	ERBAR (1 01 1)
Da	Db	Wa	Wb	Laminate	Flintwood	Laminate	Flintwood
35	29	64	064	n/a	n/a	n/a	n/a
35	29	64	070	n/a	n/a	n/a	n/a
35	29	64	076	n/a	n/a	n/a	n/a
35	29	64	082	n/a	n/a	n/a	n/a
35	29	64	088	n/a	n/a	n/a	n/a
35	29	64	094	n/a	n/a	n/a	n/a
35	29	64	100	n/a	n/a	n/a	n/a
35	29	64	106	n/a	n/a	n/a	n/a
35	29	70	064	n/a	n/a	n/a	n/a
35	29	70	070	7133	10794	7308	10969
35	29	70	076	7180	10894	7355	11069
35	29	70	082	7226	10993	7401	11168
35	29	70	088	7273	11110	7448	11285
35	29	70	094	7320	11209	7495	11384
35	29	70	100	7363	11343	7538	11518
35	29	70	106	7409	11443	7584	11618
35	29	76	064	n/a	n/a	n/a	n/a
35	29	76	070	7181	10902	7356	11077
35	29	76	076	7228	11002	7403	11177
35	29	76	082	7274	11101	7449	11276
35	29	76	088	7321	11218	7496	11393
35	29	76	094	7368	11317	7543	11492
35	29	76	100	7411	11451	7586	11626
35	29	76	106	7457	11551	7632	11726
35	29	82	064	n/a	n/a	n/a	n/a
35	29	82	070	7229	11011	7404	11186
35	29	82	076	7276	11111	7451	11286
35	29	82	082	7322	11210	7497	11385
35	29	82	088	7369	11327	7544	11502
35	29	82	094	7416	11426	7591	11601
35	29	82	100	7459	11560	7634	11735
35	29	82	106	7505	11660	7680	11835
35	29	88	064	n/a	n/a	n/a	n/a
35	29	88	070	7278	11172	7453	11347
35	29	88	076	7325	11272	7500	11447
35	29	88	082	7371	11371	7546	11546
35	29	88	088	7418	11488	7593	11663
35	29	88	094	7465	11587	7640	11762
35	29	88	100	7508	11721	7683	11896
35	29	88	106	7554	11821	7729	11996

If Switch Style (D, M, N or O) is specified, add 129.

$B\ H\ _\ L\ D$

Height-Adjustable L-Shape Desk – Bevel Bases (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				NONE POWERBAR	(N)	INTEGRATED POW	ERBAR (I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	23	64	064	7113	10374	7288	10549
29	23	64	070	7165	10475	7340	10650
29	23	64	076	7217	10575	7392	10750
29	23	64	082	7268	10709	7443	10884
29	23	64	088	7321	10810	7496	10985
.9	23	64	094	7371	10927	7546	11102
29	23	64	100	7424	11028	7599	11203
9	23	64	106	7475	11128	7650	11303
29	23	70	064	7165	10486	7340	10661
29	23	70	070	7217	10587	7392	10762
29	23	70	076	7269	10687	7444	10862
29	23	70	082	7320	10821	7495	10996
29	23	70	088	7373	10922	7548	11097
29	23	70	094	7423	11039	7598	11214
29	23	70	100	7476	11140	7651	11315
9	23	70	106	7527	11240	7702	11415
29	23	76	064	7217	10597	7392	10772
9	23	76	070	7269	10698	7444	10873
9	23	76	076	7321	10798	7496	10973
9	23	76	082	7372	10932	7547	11107
29	23	76	088	7425	11033	7600	11208
9	23	76	094	7475	11150	7650	11325
29	23	76	100	7528	11251	7703	11426
9	23	76	106	7579	11351	7754	11526
.9	23	82	064	7269	10743	7444	10918
29	23	82	070	7321	10844	7496	11019
9	23	82	076	7373	10944	7548	11119
.9	23	82	082	7424	11078	7599	11253
9	23	82	088	7477	11179	7652	11354
29	23	82	094	7527	11296	7702	11471
29	23	82	100	7580	11397	7755	11572
29	23	82	106	7631	11497	7806	11672
29	23	88	064	7321	10856	7496	11031
.9	23	88	070	7373	10957	7548	11132
29	23	88	076	7425	11057	7600	11232
29	23	88	082	7476	11191	7651	11366
29	23	88	088	7529	11292	7704	11467
29	23	88	094	7579	11409	7754	11584
.9	23	88	100	7632	11510	7807	11685
9	23	88	106	7683	11610	7858	11785

If Switch Style (D, M, N or O) is specified, add 129.

Xpress

BH_LD

Height-Adjustable L-Shape Desk -Bevel Bases (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 **PRICING**

				1 9/16" (X)				
				NONE POWERBAR	(N)	INTEGRATED POW	EDDAD (Log D)	
				Foundation	(11)	Foundation	ERDAR (I OF P)	
Da	Db	Wa	Wb	Laminate	Flintwood	Laminate	Flintwood	
29	29	64	064	n/a	n/a	n/a	n/a	
29	29	64	070	n/a	n/a	n/a	n/a	
29	29	64	076	n/a	n/a	n/a	n/a	
29	29	64	082	n/a	n/a	n/a	n/a	
29	29	64	088	n/a	n/a	n/a	n/a	
29	29	64	094	n/a	n/a	n/a	n/a	
29	29	64	100	n/a	n/a	n/a	n/a	
29	29	64	106	n/a	n/a	n/a	n/a	
29	29	70	064	7215	10633	7390	10808	
29	29	70	070	7275	10747	7450	10922	
29	29	70	076	7333	10860	7508	11035	
29	29	70	082	7392	10991	7567	11166	
29	29	70	088	7452	11105	7627	11280	
29	29	70	094	7511	11253	7686	11428	
29	29	70	100	7570	11367	7745	11542	
29	29	70	106	7629	11514	7804	11689	
29	29	76	064	7267	10744	7442	10919	
29	29	76	070	7327	10858	7502	11033	
29	29	76	076	7385	10971	7560	11146	
29	29	76	082	7444	11102	7619	11277	
29	29	76	088	7504	11216	7679	11391	
29	29	76	094	7563	11364	7738	11539	
29	29	76	100	7622	11478	7797	11653	
29	29	76	106	7681	11625	7856	11800	
29	29	82	064	7319	10890	7494	11065	
29	29	82	070	7379	11004	7554	11179	
29	29	82	076	7437	11117	7612	11292	
29	29	82	082	7496	11248	7671	11423	
29	29	82	088	7556	11362	7731	11537	
29	29	82	094	7615	11510	7790	11685	
29	29	82	100	7674	11624	7849	11799	
29	29	82	106	7733	11771	7908	11946	
29	29	88	064	7371	11003	7546	11178	
29	29	88	070	7431	11117	7606	11292	
29	29	88	076	7489	11230	7664	11405	
29	29	88	082	7548	11361	7723	11536	
29	29	88	088	7608	11475	7783	11650	
29	29	88	094	7667	11623	7842	11798	
29	29	88	100	7726	11737	7901	11912	
29	29	88	106	7785	11884	7960	12059	

If Switch Style (D, M, N or O) is specified, add 129.

$B\ H\ _\ L\ D$

Height-Adjustable L-Shape Desk – Bevel Bases (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				NONE POWERBAR	(N)	INTEGRATED POW	ERBAR (I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
5	23	64	064	n/a	n/a		n/a
35	23	64	070	7423	11013	7598	11188
5	23	64	076	7475	11114	7650	11289
5	23	64	082	7527	11214	7702	11389
5	23	64	088	7579	11349	7754	11524
5	23	64	094	7631	11449	7806	11624
5	23	64	100	7681	11566	7856	11741
,	23	64	106	7734	11667	7909	11842
5	23	70	064	n/a	n/a		n/a
5	23	70	070	7486	11173	7661	11348
5	23	70	076	7538	11274	7713	11449
5	23	70	082	7590	11374	7765	11549
5	23	70	088	7642	11509	7817	11684
5	23	70	094	7694	11609	7869	11784
5	23	70	100	7744	11726	7919	11901
	23	70	106	7797	11827	7972	12002
 5	23	76	064	n/a	n/a		n/a
5	23	76	070	7548	11298	7723	11473
	23	76	076	7600	11399	7775	11574
	23	76	082	7652	11499	7827	11674
,	23	76	088	7704	11634	7879	11809
5	23	76	094	7756	11734	7931	11909
5	23	76	100	7806	11851	7981	12026
5	23	76	106	7859	11952	8034	12127
5	23	82	064	n/a	n/a	n/a	n/a
5	23	82	070	7611	11422	7786	11597
5	23	82	076	7663	11523	7838	11698
5	23	82	082	7715	11623	7890	11798
5	23	82	088	7767	11758	7942	11933
5	23	82	094	7819	11858	7994	12033
5	23	82	100	7869	11975	8044	12150
5	23	82	106	7922	12076	8097	12251
35	23	88	064	n/a	n/a	n/a	n/a
5	23	88	070	7674	11600	7849	11775
5	23	88	076	7726	11701	7901	11876
5	23	88	082	7778	11801	7953	11976
5	23	88	088	7830	11936	8005	12111
35	23	88	094	7882	12036	8057	12211
5	23	88	100	7932	12153	8107	12328
5	23	88	106	7985	12254	8160	12429

If Switch Style (D, M, N or O) is specified, add 129.

BH_LD

Height-Adjustable L-Shape Desk -Bevel Bases (Continued)

DIMENSIONS - INCHES

PRICING FOR MM X BY 25.4


				1 9/16" (X)						
				NONE POWERBAR	(N)	INTEGRATED POW	ERBAR (Lor P)			
Da	DЬ	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood			
35	29	64	064	n/a	n/a		n/a			
35	29	64	070	n/a	n/a	n/a	n/a			
35	29	64	076	n/a	n/a		n/a			
35	29	64	082	n/a	n/a		n/a			
35	29	64	088	n/a	n/a		n/a			
35	29	64	094	n/a	n/a	n/a	n/a			
35	29	64	100	n/a	n/a	n/a	n/a			
35	29	64	106	n/a	n/a	n/a	n/a			
35	29	70	064	n/a	n/a	n/a	n/a			
35	29	70	070	7536	11320	7711	11495			
35	29	70	076	7596	11434	7771	11609			
35	29	70	082	7654	11547	7829	11722			
35	29	70	088	7714	11679	7889	11854			
35	29	70	094	7773	11792	7948	11967			
35	29	70	100	7832	11940	8007	12115			
35	29	70	106	7891	12054	8066	12229			
35	29	76	064	n/a	n/a	n/a	n/a			
35	29	76	070	7598	11445	7773	11620			
35	29	76	076	7658	11559	7833	11734			
35	29	76	082	7716	11672	7891	11847			
35	29	76	088	7776	11804	7951	11979			
35	29	76	094	7835	11917	8010	12092			
35	29	76	100	7894	12065	8069	12240			
35	29	76	106	7953	12179	8128	12354			
35	29	82	064	n/a	n/a	n/a	n/a			
35	29	82	070	7661	11569	7836	11744			
35	29	82	076	7721	11683	7896	11858			
35	29	82	082	7779	11796	7954	11971			
35	29	82	088	7839	11928	8014	12103			
35	29	82	094	7898	12041	8073	12216			
35	29	82	100	7957	12189	8132	12364			
35	29	82	106	8016	12303	8191	12478			
35	29	88	064	n/a	n/a	n/a	n/a			
35	29	88	070	7724	11747	7899	11922			
35	29	88	076	7784	11861	7959	12036			
35	29	88	082	7842	11974	8017	12149			
35	29	88	088	7902	12106	8077	12281			
35	29	88	094	7961	12219	8136	12394			
35	29	88	100	8020	12367	8195	12542			
35	29	88	106	8079	12481	8254	12656			

If Switch Style (D, M, N or O) is specified, add 129.

BH_LC

Height-Adjustable L-Shape Corner Desk – Bevel Bases

One Table One Plug



This height-adjustable L-shape desk combines an extended corner worksurface and a rectangular worksurface allowing users to work on either side of the workstation and to work at seated and standing positions.

WHAT'S INCLUDED

2 worksurfaces, 3 height-adjustable bevel bases with levelers, wire management clips, 1 power tray, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), 1 cable tray, 1 rectangular cut-out with grommet (as specified) 1 square cut-out without ring (if applicable), mounting hardware.

WHAT'S EXCLUDED

Suspended Modesty Panel.

NOTES

When Foundation Laminate Worksurface Finish is specified, Bevel Base End Panel Finish is in coordinated Source Laminate finish.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth A	Depth B	Width A	Width B	Grommet Option	Configu- ration	Powerbar
M 1 3/16" X 1 9/16"	29, 35	23, 29		070, 076, 082, 088, 094, 100, 106	A Rectangular & Square on Return N No Grommet (Shown)	L Left Handed (Shown) R Right Handed	I Integrated Powerbar N None P Integrated Powerbar with IEC Outlet

SAMPLE ORDER CODE

BH <u>M</u> LC	29	23	88	070	A	L	I
----------------	----	----	----	-----	---	---	---

PRODUCT OPTIONS CONTINUED

Range	Switch	Worksurface and End Panel Finish	Edge Trim Style	Edge Trim Finish	Base Finish	Grommet Finish (If Applicable)
E Extended Range - 26" to 48"	 D Display with Up/Down Memory F Toggle Up/Down – Platinum G Toggle Up/Down – Crisp Grey H Toggle Up/Down – Anthracite M Display Toggle with Memory – Platinum N Display Toggle with Memory – Crisp Grey O Display Toggle with Memory – Anthracite 	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Foundation Mica Coordinate Colors	Foundation Mica

SAMPLE ORDER CODE CONTINUED

$B\ H\ _\ L\ C$

Height-Adjustable L-Shape Corner Desk – Bevel Bases (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				1 3/16" (M)			
				NONE POWERBAR	(N)	INTEGRATED POW	ERBAR (I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	23	64	070	7025	11191	7200	11366
29	23	64	076	7065	11280	7240	11455
29	23	64	082	7103	11403	7278	11578
29	23	64	088	7145	11493	7320	11668
29	23	64	094	7181	11599	7356	11774
29	23	64	100	7219	11688	7394	11863
.9	23	64	106	7259	11777	7434	11952
29	23	70	070	7069	11290	7244	11465
.9	23	70	076	7109	11379	7284	11554
29	23	70	082	7147	11502	7322	11677
9	23	70	088	7189	11592	7364	11767
.9	23	70	094	7225	11698	7400	11873
29	23	70	100	7263	11787	7438	11962
29	23	70	106	7303	11876	7478	12051
29	23	76	070	7112	11387	7287	11562
9	23	76	076	7152	11476	7327	11651
9	23	76	082	7190	11599	7365	11774
9	23	76	088	7232	11689	7407	11864
9	23	76	094	7268	11795	7443	11970
9	23	76	100	7306	11884	7481	12059
9	23	76	106	7346	11973	7521	12148
29	23	82	070	7155	11520	7330	11695
9	23	82	076	7195	11609	7370	11784
9	23	82	082	7233	11732	7408	11907
.9	23	82	088	7275	11822	7450	11997
:9	23	82	094	7311	11928	7486	12103
9	23	82	100	7349	12017	7524	12192
29	23	82	106	7389	12106	7564	12281
.9	23	88	070	7199	11618	7374	11793
9	23	88	076	7239	11707	7414	11882
9	23	88	082	7277	11830	7452	12005
9	23	88	088	7319	11920	7494	12095
9	23	88	094	7355	12026	7530	12201
9	23	88	100	7393	12115	7568	12290
9	23	88	106	7433	12204	7608	12379
9	29	64	070	n/a	n/a	n/a	n/a
9	29	64	076	n/a	n/a	n/a	n/a
29	29	64	082	n/a	n/a	n/a	n/a
29	29	64	088	n/a	n/a	n/a	n/a
29	29	64	094	n/a	n/a	n/a	n/a
29	29	64	100	n/a	n/a	n/a	n/a
29	29	64	106	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

Xpress

BH_LC

Height-Adjustable L-Shape Corner Desk – Bevel Bases (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

				1 3/16" (M)			
				NONE POWERBAR	(N)	INTEGRATED POW	ERRAR (Lor P)
				Foundation	(14)	Foundation	ERBAR (1 01 1)
Da	Db	Wa	Wb	Laminate	Flintwood	Laminate	Flintwood
29	29	70	070	7106	11431	7281	11606
29	29	70	076	7152	11530	7327	11705
29	29	70	082	7198	11646	7373	11821
29	29	70	088	7246	11746	7421	11921
29	29	70	094	7289	11880	7464	12055
29	29	70	100	7335	11980	7510	12155
29	29	70	106	7379	12114	7554	12289
29	29	76	070	7149	11528	7324	11703
29	29	76	076	7195	11627	7370	11802
29	29	76	082	7241	11743	7416	11918
29	29	76	088	7289	11843	7464	12018
29	29	76	094	7332	11977	7507	12152
29	29	76	100	7378	12077	7553	12252
29	29	76	106	7422	12211	7597	12386
29	29	82	070	7192	11661	7367	11836
29	29	82	076	7238	11760	7413	11935
29	29	82	082	7284	11876	7459	12051
29	29	82	088	7332	11976	7507	12151
29	29	82	094	7375	12110	7550	12285
29	29	82	100	7421	12210	7596	12385
29	29	82	106	7465	12344	7640	12519
29	29	88	070	7236	11759	7411	11934
29	29	88	076	7282	11858	7457	12033
29	29	88	082	7328	11974	7503	12149
29	29	88	088	7376	12074	7551	12249
29	29	88	094	7419	12208	7594	12383
29	29	88	100	7465	12308	7640	12483
29	29	88	106	7509	12442	7684	12617
35	23	64	070	n/a	n/a	n/a	n/a
35	23	64	076	7322	11756	7497	11931
35	23	64	082	7362	11845	7537	12020
35	23	64	088	7401	11969	7576	12144
35	23	64	094	7442	12058	7617	12233
35	23	64	100	7478	12164	7653	12339
35	23	64	106	7516	12253	7691	12428
35	23	70	070	n/a	n/a	n/a	n/a
35	23	70	076	7370	11900	7545	12075
35	23	70	082	7410	11989	7585	12164
35	23	70	088	7449	12113	7624	12288
35	23	70	094	7490	12202	7665	12377
35	23	70	100	7526	12308	7701	12483
35	23	70	106	7564	12397	7739	12572

If Switch Style (D, M, N or O) is specified, add 129.

$B\ H\ _\ L\ C$

Height-Adjustable L-Shape Corner Desk – Bevel Bases (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				1 3/16" (M)			
				NONE POWERBAR	(N)	INTEGRATED POW	ERBAR (I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	23	76	070	n/a	n/a	n/a	n/a
35	23	76	076	7418	12008	7593	12183
35	23	76	082	7458	12097	7633	12272
35	23	76	088	7497	12221	7672	12396
35	23	76	094	7538	12310	7713	12485
35	23	76	100	7574	12416	7749	12591
5	23	76	106	7612	12505	7787	12680
5	23	82	070	n/a	n/a	n/a	n/a
5	23	82	076	7466	12117	7641	12292
5	23	82	082	7506	12206	7681	12381
5	23	82	088	7545	12330	7720	12505
5	23	82	094	7586	12419	7761	12594
5	23	82	100	7622	12525	7797	12700
5	23	82	106	7660	12614	7835	12789
5	23	88	070	n/a	n/a	n/a	n/a
5	23	88	076	7515	12278	7690	12453
5	23	88	082	7555	12367	7730	12542
5	23	88	088	7594	12491	7769	12666
5	23	88	094	7635	12580	7810	12755
5	23	88	100	7671	12686	7846	12861
5	23	88	106	7709	12775	7884	12950
5	29	64	070	n/a	n/a	n/a	n/a
5	29	64	076	n/a	n/a	n/a	n/a
5	29	64	082	n/a	n/a	n/a	n/a
5	29	64	088	n/a	n/a	n/a	n/a
5	29	64	094	n/a	n/a	n/a	n/a
5	29	64	100	n/a	n/a	n/a	n/a
5	29	64	106	n/a	n/a	n/a	n/a
5	29	70	070	n/a	n/a	n/a	n/a
5	29	70	076	7407	12041	7582	12216
5	29	70	082	7453	12140	7628	12315
5	29	70	088	7500	12257	7675	12432
5	29	70	094	7547	12356	7722	12531
5	29	70	100	7590	12490	7765	12665
5	29	70	106	7636	12590	7811	12765
5	29	76	070	n/a	n/a	n/a	n/a
5	29	76	076	7455	12149	7630	12324
5	29	76	082	7501	12248	7676	12423
5	29	76	088	7548	12365	7723	12540
5	29	76	094	7595	12464	7770	12639
5	29	76	100	7638	12598	7813	12773
5	29	76	106	7684	12698	7859	12873

If Switch Style (D, M, N or O) is specified, add 129.

Xpress

BH_LC

Height-Adjustable L-Shape Corner Desk – Bevel Bases (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4

PRICING

				1 3/16" (M)		
				NONE POWERBAR	(N)	INTEGRATED POWERBAR (I or P)
				Foundation		Foundation
Da	Db	Wa	Wb	Laminate	Flintwood	Laminate Flintwood
35	29	82	070	n/a	n/a	n/a n/a
35	29	82	076	7503	12258	7678 12433
35	29	82	082	7549	12357	7724 12532
35	29	82	088	7596	12474	7771 12649
35	29	82	094	7643	12573	7818 12748
35	29	82	100	7686	12707	7861 12882
35	29	82	106	7732	12807	7907 12982
35	29	88	070	n/a	n/a	n/a n/a
35	29	88	076	7552	12419	7727 12594
35	29	88	082	7598	12518	7773 12693
35	29	88	088	7645	12635	7820 12810
35	29	88	094	7692	12734	7867 12909
35	29	88	100	7735	12868	7910 13043
35	29	88	106	7781	12968	7956 13143

				1 9/16" (X)				
				NONE POWERBAR	(N)	INTEGRATED POW	ERBAR (I or P)	
				Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
29	23	64	070	7392	11622	7567	11797	
29	23	64	076	7444	11722	7619	11897	
29	23	64	082	7495	11856	7670	12031	
29	23	64	088	7548	11957	7723	12132	
29	23	64	094	7598	12074	7773	12249	
29	23	64	100	7651	12175	7826	12350	
29	23	64	106	7702	12275	7877	12450	
29	23	70	070	7444	11734	7619	11909	
29	23	70	076	7496	11834	7671	12009	
29	23	70	082	7547	11968	7722	12143	
29	23	70	088	7600	12069	7775	12244	
29	23	70	094	7650	12186	7825	12361	
29	23	70	100	7703	12287	7878	12462	
29	23	70	106	7754	12387	7929	12562	
29	23	76	070	7496	11845	7671	12020	
29	23	76	076	7548	11945	7723	12120	
29	23	76	082	7599	12079	7774	12254	
29	23	76	088	7652	12180	7827	12355	
29	23	76	094	7702	12297	7877	12472	
29	23	76	100	7755	12398	7930	12573	
29	23	76	106	7806	12498	7981	12673	

If Switch Style (D, M, N or O) is specified, add 129.

BH_LC

Height-Adjustable L-Shape Corner Desk – Bevel Bases (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				1 9/16" (X) NONE POWERBAR	(N)	INTEGRATED POWERBAR (I or P)		
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
29	23	82	070	7548	11991	7723	12166	
29	23	82	076	7600	12091	7775	12266	
9	23	82	082	7651	12225	7826	12400	
9	23	82	088	7704	12326	7879	12501	
9	23	82	094	7754	12443	7929	12618	
9	23	82	100	7807	12544	7982	12719	
9	23	82	106	7858	12644	8033	12819	
9	23	88	070	7600	12104	7775	12279	
9	23	88	076	7652	12204	7827	12379	
9 9	23	88	082	7703	12338	7878	12513	
) 9	23	88	088	7756	12439	7931	12614	
9 9	23	88	094	7806	12556	7981	12731	
9	23	88	100	7859	12657	8034	12/31	
9	23	88	106	7910	12757	8085	12932	
9	29	64	070	n/a	n/a		n/a	
9	29	64	076	n/a	n/a	n/a	n/a	
9	29	64	082	n/a	n/a		n/a	
)	29	64	088	n/a	n/a		n/a	
)	29	64	094	n/a	n/a	n/a	n/a	
)	29	64	100	n/a	n/a	n/a	n/a	
)	29	64	106	n/a	n/a	n/a	n/a	
9	29	70	070	7502	11894	7677	12069	
9	29	70	076	7560	12007	7735	12182	
9	29	70	082	7619	12138	7794	12313	
9	29	70	088	7679	12252	7854	12427	
9	29	70	094	7738	12400	7913	12575	
9	29	70	100	7797	12514	7972	12689	
9	29	70	106	7856	12661	8031	12836	
9	29	76	070	7554	12005	7729	12180	
9	29	76	076	7612	12118	7787	12293	
9	29	76	082	7671	12249	7846	12424	
9	29	76	088	7731	12363	7906	12538	
9	29	76	094	7790	12511	7965	12686	
9	29	76	100	7849	12625	8024	12800	
9	29	76	106	7908	12772	8083	12947	
)	29	82	070	7606	12151	7781	12326	
9	29	82	076	7664	12264	7839	12439	
9	29	82	082	7723	12395	7898	12570	
9	29	82	088	7783	12509	7958	12684	
9	29	82	094	7842	12657	8017	12832	
9	29	82	100	7901	12771	8076	12946	
9	29	82	106	7960	12918	8135	13093	

If Switch Style (D, M, N or O) is specified, add 129.

Xpress

BH_LC

Height-Adjustable L-Shape Corner Desk – Bevel Bases (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

				1 9/16" (X)			
				NONE POWERBAR	(N)	INTEGRATED POW	ERBAR (I or P)
Da	DЬ	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	29	88	070	7658	12264	7833	12439
9	29	88	076	7716	12377	7891	12552
<u></u> 9	29	88	082	7775	12508	7950	12683
9	29	88	088	7835	12622	8010	12797
9	29	88	094	7894	12770	8069	12945
9	29	88	100	7953	12884	8128	13059
9	29	88	106	8012	13031	8187	13206
5	23	64	070	n/a	n/a	n/a	n/a
5	23	64	076	7702	12261	7877	12436
5	23	64	082	7754	12361	7929	12536
5	23	64	088	7806	12496	7981	12671
5	23	64	094	7858	12596	8033	12771
35	23	64	100	7908	12713	8083	12888
35	23	64	106	7961	12814	8136	12989
35	23	70	070	n/a	n/a	n/a	n/a
35	23	70	076	7765	12421	7940	12596
35	23	70	082	7817	12521	7992	12696
5	23	70	088	7869	12656	8044	12831
5	23	70	094	7921	12756	8096	12931
5	23	70	100	7971	12873	8146	13048
35	23	70	106	8024	12974	8199	13149
35	23	76	070	n/a	n/a	n/a	n/a
35	23	76	076	7827	12546	8002	12721
35	23	76	082	7879	12646	8054	12821
35	23	76	088	7931	12781	8106	12956
35	23	76	094	7983	12881	8158	13056
35	23	76	100	8033	12998	8208	13173
35	23	76	106	8086	13099	8261	13274
35	23	82	070	n/a	n/a	n/a	n/a
35	23	82	076	7890	12670	8065	12845
35	23	82	082	7942	12770	8117	12945
35	23	82	088	7994	12905	8169	13080
35	23	82	094	8046	13005	8221	13180
35	23	82	100	8096	13122	8271	13297
35	23	82	106	8149	13223	8324	13398
55	23	88	070	n/a	n/a	n/a	n/a
35	23	88	076	7953	12848	8128	13023
35	23	88	082	8005	12948	8180	13123
35	23	88	088	8057	13083	8232	13258
35	23	88	094	8109	13183	8284	13358
35	23	88	100	8159	13300	8334	13475
35	23	88	106	8212	13401	8387	13576

If Switch Style (D, M, N or O) is specified, add 129.

BH_LC

Height-Adjustable L-Shape Corner Desk – Bevel Bases (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING


				1 9/16" (X)			
				NONE POWERBAR	(N)	INTEGRATED POW	ERBAR (I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	29	64	070	n/a	n/a	n/a	n/a
35	29	64	076	n/a	n/a	n/a	n/a
35	29	64	082	n/a	n/a	n/a	n/a
35	29	64	088	n/a	n/a	n/a	n/a
35	29	64	094	n/a	n/a	n/a	n/a
35	29	64	100	n/a	n/a	n/a	n/a
35	29	64	106	n/a	n/a	n/a	n/a
35	29	70	070	n/a	n/a	n/a	n/a
35	29	70	076	7823	12581	7998	12756
35	29	70	082	7881	12694	8056	12869
35	29	70	088	7941	12826	8116	13001
35	29	70	094	8000	12939	8175	13114
35	29	70	100	8059	13087	8234	13262
35	29	70	106	8118	13201	8293	13376
35	29	76	070	n/a	n/a	n/a	n/a
35	29	76	076	7885	12706	8060	12881
35	29	76	082	7943	12819	8118	12994
35	29	76	088	8003	12951	8178	13126
35	29	76	094	8062	13064	8237	13239
35	29	76	100	8121	13212	8296	13387
35	29	76	106	8180	13326	8355	13501
35	29	82	070	n/a	n/a	n/a	n/a
35	29	82	076	7948	12830	8123	13005
35	29	82	082	8006	12943	8181	13118
35	29	82	088	8066	13075	8241	13250
35	29	82	094	8125	13188	8300	13363
35	29	82	100	8184	13336	8359	13511
35	29	82	106	8243	13450	8418	13625
55	29	88	070	n/a	n/a	n/a	n/a
35	29	88	076	8011	13008	8186	13183
35	29	88	082	8069	13121	8244	13296
35	29	88	088	8129	13253	8304	13428
35	29	88	094	8188	13366	8363	13541
35	29	88	100	8247	13514	8422	13689
35	29	88	106	8306	13628	8481	13803

If Switch Style (D, M, N or O) is specified, add 129.

BH_B

Height-Adjustable L-Shape Peninsula Desk – Bevel Post Leg

One Table One Plug



workstation and to work at seated and standing positions.

WHAT'S INCLUDED

2 worksurfaces, 2 height-adjustable bevel bases with levelers, 1 bevel post leg with levelers, wire management clips, 1 power tray, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), 1 cable tray, 1 rectangular cut-out with grommet (as specified) 1 square cut-out without ring (if applicable), mounting hardware.

This height-adjustable L-shape desk combines a peninsula worksurface with a Bevel Post Leg and a rectangular worksurface allowing users to work on either side of the

WHAT'S EXCLUDED

Suspended Modesty Panel.

NOTES

When Foundation Laminate Worksurface Finish is specified, Bevel Base End Panel Finish is in coordinated Source Laminate finish.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth A	Depth B	Width A	Width B	Corner Detail	Grommet Option	Configu- ration	Powerbar
M 1 3/16" X 1 9/16"	29, 35	23, 29	70, 76, 82, 88	064, 070, 076, 082, 088, 094, 100, 106	R Radius S Standard (Shown)	A Rectangular & Square on Return N No Grommet (Shown)	L Left Handed (Shown) R Right Handed	I Integrated Powerbar N None P Integrated Powerbar with IEC Outlet

SAMPLE ORDER CODE

BH <u>M</u> B	29	23	88	064	S	A	L	I
---------------	----	----	----	-----	---	---	---	---

PRODUCT OPTIONS CONTINUED

Range	Switch	Worksurface and End Panel Finish	Edge Trim Style	Edge Trim Finish	Base Finish	Grommet Finish (If Applicable)
E Extended Range – 26" to 48"	D Display with Up/Down Memory	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Foundation Mica Coordinate Colors	Foundation Mica

SAMPLE ORDER CODE CONTINUED

BH_B

Height-Adjustable L-Shape Peninsula Desk – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				NONE POWERBAR	. (N)	INTEGRATED POW	ERBAR (I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	23	70	064	6877	9589	7052	9764
29	23	70	070	6914	9677	7089	9852
9	23	70	076	6955	9766	7130	9941
29	23	70	082	6993	9890	7168	10065
29	23	70	088	7035	9979	7210	10154
29	23	70	094	7071	10085	7246	10260
29	23	70	100	7109	10174	7284	10349
29	23	70	106	7149	10263	7324	10438
29	23	76	064	6926	9702	7101	9877
29	23	76	070	6969	9791	7144	9966
29	23	76	076	7007	9879	7182	10054
29	23	76	082	7046	10005	7221	10180
29	23	76	088	7088	10093	7263	10268
29	23	76	094	7124	10199	7299	10374
29	23	76	100	7162	10288	7337	10463
9	23	76	106	7202	10377	7377	10552
29	23	82	064	6980	9853	7155	10028
29	23	82	070	7018	9942	7193	10117
9	23	82	076	7061	10032	7236	10207
9	23	82	082	7099	10154	7274	10329
9	23	82	088	7138	10244	7313	10419
9	23	82	094	7174	10350	7349	10525
9	23	82	100	7212	10439	7387	10614
.9	23	82	106	7252	10528	7427	10703
9	23	88	064	7032	9969	7207	10144
29	23	88	070	7073	10058	7248	10233
9	23	88	076	7112	10149	7287	10324
9	23	88	082	7150	10272	7325	10447
9	23	88	088	7194	10361	7369	10536
29	23	88	094	7230	10467	7405	10642
9	23	88	100	7268	10556	7443	10731
9	23	88	106	7308	10645	7483	10820
.9	29	70	064	n/a	n/a	n/a	n/a
29	29	70	070	n/a	n/a	n/a	n/a
29	29	70	076	n/a	n/a	n/a	n/a
29	29	70	082	n/a	n/a	n/a	n/a
29	29	70	088	n/a	n/a	n/a	n/a
29	29	70	094	n/a	n/a	n/a	n/a
.9	29	70	100	n/a	n/a	n/a	n/a
9	29	70	106	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

Xpress

 BH_B

Height-Adjustable L-Shape Peninsula Desk – Bevel Post Leg (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				1 3/16" (M)				
				NONE POWERBAR (N)		INTEGRATED POWERBAR (I or P)		
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
29	29	76	064	6950	9816	7125	9991	
29	29	76	070	6994	9915	7169	10090	
29	29	76	076	7041	10014	7216	10189	
29	29	76	082	7087	10131	7262	10306	
29	29	76	088	7135	10230	7310	10405	
29	29	76	094	7178	10364	7353	10539	
29	29	76	100	7224	10464	7399	10639	
29	29	76	106	7268	10598	7443	10773	
29	29	82	064	6999	9965	7174	10140	
29	29	82	070	7049	10065	7224	10240	
29	29	82	076	7093	10163	7268	10338	
29	29	82	082	7140	10282	7315	10457	
29	29	82	088	7188	10380	7363	10555	
29	29	82	094	7231	10514	7406	10689	
29	29	82	100	7277	10614	7452	10789	
29	29	82	106	7321	10748	7496	10923	
29	29	88	064	7054	10081	7229	10256	
29	29	88	070	7099	10181	7274	10356	
29	29	88	076	7148	10281	7323	10456	
29	29	88	082	7194	10396	7369	10571	
29	29	88	088	7239	10496	7414	10671	
29	29	88	094	7282	10630	7457	10805	
29	29	88	100	7328	10730	7503	10905	
29	29	88	106	7372	10864	7547	11039	
35	23	70	064	n/a	n/a	n/a	n/a	
35	23	70	070	7059	10070	7234	10245	
35	23	70	076	7097	10159	7272	10334	
35	23	70	082	7138	10247	7313	10422	
35	23	70	088	7177	10374	7352	10549	
35	23	70	094	7218	10463	7393	10638	
35	23	70	100	7254	10569	7429	10744	
35	23	70	106	7292	10658	7467	10833	
35	23	76	064	n/a	n/a	n/a	n/a	
35	23	76	070	7115	10195	7290	10370	
35	23	76	076	7156	10283	7331	10458	
35	23	76	082	7194	10374	7369	10549	
35	23	76	088	7233	10499	7408	10674	
35	23	76	094	7274	10588	7449	10763	
35	23	76	100	7310	10694	7485	10869	
35	23	76	106	7348	10783	7523	10958	

If Switch Style (D, M, N or O) is specified, add 129.

BH_B

Height-Adjustable L-Shape Peninsula Desk – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				NONE POWERBAR	(N)	INTEGRATED POW	ERBAR (I or P)
				Foundation		Foundation	
Da	Db	Wa	Wb	Laminate	Flintwood	Laminate	Flintwood
35	23	82	064	n/a	n/a	n/a	n/a
35	23	82	070	7170	10322	7345	10497
35	23	82	076	7210	10408	7385	10583
35	23	82	082	7251	10501	7426	10676
35	23	82	088	7290	10624	7465	10799
35	23	82	094	7331	10713	7506	10888
35	23	82	100	7367	10819	7542	10994
35	23	82	106	7405	10908	7580	11083
35	23	88	064	n/a	n/a	n/a	n/a
35	23	88	070	7230	10501	7405	10676
35	23	88	076	7267	10591	7442	10766
35	23	88	082	7309	10678	7484	10853
35	23	88	088	7349	10802	7524	10977
35	23	88	094	7390	10891	7565	11066
35	23	88	100	7426	10997	7601	11172
35	23	88	106	7464	11086	7639	11261
35	29	70	064	n/a	n/a		n/a
35	29	70	070	n/a	n/a	n/a	n/a
35	29	70	076	n/a	n/a	n/a	n/a
35	29	70	082	n/a	n/a	n/a	n/a
35	29	70	088	n/a	n/a	n/a	n/a
35	29	70	094	n/a	n/a	n/a	n/a
35	29	70	100	n/a	n/a	n/a	n/a
35	29	70	106	n/a	n/a	n/a	n/a
35	29	76	064	n/a	n/a		n/a
35	29	76	070	7163	10361	7338	10536
35	29	76	076	7207	10462	7382	10637
35	29	76	082	7255	10559	7430	10734
35	29	76	088	7303	10676	7478	10851
35	29	76	094	7350	10775	7525	10950
35	29	76	100	7393	10909	7568	11084
35	29	76	106	7439	11009	7614	11184
35	29	82	064	n/a	n/a		n/a
35	29	82	070	7211	10470	7386	10645
35	29	82	076	7255	10571	7430	10746
35	29	82	082	7303	10668	7478	10843
35	29	82	088	7351	10785	7526	10960
35	29	82	094	7398	10884	7573	11059
35	29	82	100	7441	11018	7616	11193
		82	106	7487	11118	7662	11293

If Switch Style (D, M, N or O) is specified, add 129.

BH_B

Height-Adjustable L-Shape Peninsula Desk – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				NONE POWERBAR (N)		INTEGRATED POW	ERBAR (I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	29	88	064	n/a	n/a	n/a	n/a
35	29	88	070	7260	10631	7435	10806
35	29	88	076	7304	10732	7479	10907
35	29	88	082	7352	10829	7527	11004
35	29	88	088	7400	10946	7575	11121
35	29	88	094	7447	11045	7622	11220
35	29	88	100	7490	11179	7665	11354
35	29	88	106	7536	11279	7711	11454

				1 9/16" (X)				
				NONE POWERBAR	(N)	INTEGRATED POWE	ERBAR (I or P)	
				Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
29	23	70	064	6877	9589	7052	9764	
29	23	70	070	6914	9677	7089	9852	
29	23	70	076	6955	9766	7130	9941	
29	23	70	082	6993	9890	7168	10065	
29	23	70	088	7035	9979	7210	10154	
29	23	70	094	7071	10085	7246	10260	
29	23	70	100	7109	10174	7284	10349	
29	23	70	106	7149	10263	7324	10438	
29	23	76	064	6926	9702	7101	9877	
29	23	76	070	6969	9791	7144	9966	
29	23	76	076	7007	9879	7182	10054	
29	23	76	082	7046	10005	7221	10180	
29	23	76	088	7088	10093	7263	10268	
29	23	76	094	7124	10199	7299	10374	
29	23	76	100	7162	10288	7337	10463	
29	23	76	106	7202	10377	7377	10552	
29	23	82	064	6980	9853	7155	10028	
29	23	82	070	7018	9942	7193	10117	
29	23	82	076	7061	10032	7236	10207	
29	23	82	082	7099	10154	7274	10329	
29	23	82	088	7138	10244	7313	10419	
29	23	82	094	7174	10350	7349	10525	
29	23	82	100	7212	10439	7387	10614	
29	23	82	106	7252	10528	7427	10703	
29	23	88	064	7032	9969	7207	10144	
29	23	88	070	7073	10058	7248	10233	
29	23	88	076	7112	10149	7287	10324	
29	23	88	082	7150	10272	7325	10447	
29	23	88	088	7194	10361	7369	10536	
29	23	88	094	7230	10467	7405	10642	
29	23	88	100	7268	10556	7443	10731	
29	23	88	106	7308	10645	7483	10820	

If Switch Style (D, M, N or O) is specified, add 129.

BH_B

Height-Adjustable L-Shape Peninsula Desk – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				NONE POWERBAR	t (N)	INTEGRATED POW	ERBAR (I or P)
Da	DЬ	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	29	70	064	n/a	n/a		n/a
29	29	70	070	n/a	n/a	n/a	n/a
29	29	70	076	n/a	n/a	n/a	n/a
29	29	70	082	n/a	n/a		n/a
29	29	70	088	n/a	n/a		n/a
29	29	70	094	n/a	n/a	n/a	n/a
29	29	70	100	n/a	n/a	n/a	n/a
29	29	70	106	n/a	n/a	n/a	n/a
29	29	76	064	6950	9816	7125	9991
29	29	76	070	6994	9915	7169	10090
29	29	76	076	7041	10014	7216	10189
29	29	76	082	7087	10131	7262	10306
29	29	76	088	7135	10230	7310	10405
29	29	76	094	7178	10364	7353	10539
29	29	76	100	7224	10464	7399	10639
29	29	76	106	7268	10598	7443	10773
29	29	82	064	6999	9965	7174	10140
29	29	82	070	7049	10065	7224	10240
29	29	82	076	7093	10163	7268	10338
29	29	82	082	7140	10282	7315	10457
29	29	82	088	7188	10380	7363	10555
29	29	82	094	7231	10514	7406	10689
29	29	82	100	7277	10614	7452	10789
29	29	82	106	7321	10748	7496	10923
29	29	88	064	7054	10081	7229	10256
29	29	88	070	7099	10181	7274	10356
29	29	88	076	7148	10281	7323	10456
29	29	88	082	7194	10396	7369	10571
29	29	88	088	7239	10496	7414	10671
29	29	88	094	7282	10630	7457	10805
29	29	88	100	7328	10730	7503	10905
.9	29	88	106	7372	10864	7547	11039
35	23	70	064	n/a	n/a	n/a	n/a
35	23	70	070	7059	10070	7234	10245
35	23	70	076	7097	10159	7272	10334
35	23	70	082	7138	10247	7313	10422
35	23	70	088	7177	10374	7352	10549
35	23	70	094	7218	10463	7393	10638
35	23	70	100	7254	10569	7429	10744
35	23	70	106	7292	10658	7467	10833

If Switch Style (D, M, N or O) is specified, add 129.

multi-level workstations

Xpress

BH_B

Height-Adjustable L-Shape Peninsula Desk - Bevel Post Leg (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				1 9/16" (X)			
				NONE POWERBAR	(N)	INTEGRATED POW	FRRAR (Lor P)
				Foundation	(14)	Foundation	ERBAR (1 01 1)
Da	Db	Wa	Wb	Laminate	Flintwood	Laminate	Flintwood
35	23	76	064	n/a	n/a	n/a	n/a
35	23	76	070	7115	10195	7290	10370
35	23	76	076	7156	10283	7331	10458
35	23	76	082	7194	10374	7369	10549
35	23	76	088	7233	10499	7408	10674
35	23	76	094	7274	10588	7449	10763
35	23	76	100	7310	10694	7485	10869
35	23	76	106	7348	10783	7523	10958
35	23	82	064	n/a	n/a	n/a	n/a
35	23	82	070	7170	10322	7345	10497
35	23	82	076	7210	10408	7385	10583
35	23	82	082	7251	10501	7426	10676
35	23	82	088	7290	10624	7465	10799
35	23	82	094	7331	10713	7506	10888
35	23	82	100	7367	10819	7542	10994
35	23	82	106	7405	10908	7580	11083
35	23	88	064	n/a	n/a	n/a	n/a
35	23	88	070	7230	10501	7405	10676
35	23	88	076	7267	10591	7442	10766
35	23	88	082	7309	10678	7484	10853
35	23	88	088	7349	10802	7524	10977
35	23	88	094	7390	10891	7565	11066
35	23	88	100	7426	10997	7601	11172
35	23	88	106	7464	11086	7639	11261
35	29	70	064	n/a	n/a	n/a	n/a
35	29	70	070	n/a	n/a	n/a	n/a
35	29	70	076	n/a	n/a	n/a	n/a
35	29	70	082	n/a	n/a	n/a	n/a
35	29	70	088	n/a	n/a	n/a	n/a
35	29	70	094	n/a	n/a	n/a	n/a
35	29	70	100	n/a	n/a	n/a	n/a
35	29	70	106	n/a	n/a	n/a	n/a
35	29	76	064	n/a	n/a	n/a	n/a
35	29	76	070	7163	10361	7338	10536
35	29	76	076	7207	10462	7382	10637
35	29	76	082	7255	10559	7430	10734
35	29	76	088	7303	10676	7478	10851
35	29	76	094	7350	10775	7525	10950
35	29	76	100	7393	10909	7568	11084
35	29	76	106	7439	11009	7614	11184

If Switch Style (D, M, N or O) is specified, add 129.

BH_B

Height-Adjustable L-Shape Peninsula Desk – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING


				1 9/16" (X)				
				NONE POWERBAR	(N)	INTEGRATED POWERBAR (I or P)		
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
35	29	82	064	n/a	n/a	n/a	n/a	
35	29	82	070	7211	10470	7386	10645	
35	29	82	076	7255	10571	7430	10746	
35	29	82	082	7303	10668	7478	10843	
35	29	82	088	7351	10785	7526	10960	
35	29	82	094	7398	10884	7573	11059	
35	29	82	100	7441	11018	7616	11193	
35	29	82	106	7487	11118	7662	11293	
35	29	88	064	n/a	n/a		n/a	
35	29	88	070	7260	10631	7435	10806	
35	29	88	076	7304	10732	7479	10907	
35	29	88	082	7352	10829	7527	11004	
35	29	88	088	7400	10946	7575	11121	
35	29	88	094	7447	11045	7622	11220	
35	29	88	100	7490	11179	7665	11354	
35	29	88	106	7536	11279	7711	11454	

If Switch Style (D, M, N or O) is specified, add 129.

BF F

Full-Modesty Height-Adjustable Desk - Offset Bases

One Table One Plug



PRODUCT OPTIONS

This standalone desk allows to work at seated and standing positions. It offer a executive desk look with complete privacy by its full height modesty and the recessed Offset Base accentuate the intriguing flooting look.

WHAT'S INCLUDED

1 worksurface, 2 height-adjustable offset bases with levelers, 2 modesty panels, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), 1 diamond or 1 square cut-out (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Duo Grommet - Square and Rectangular Grommet.

NOTES

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available.

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6, 8 or 9) options are available.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

The 1 9/16" (X) thickness is **not** available in all Source Laminate, Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification

Worksurface Thickness	Depth	Width	Corner Detail	Cut-Out Style	Configuration Powerbar	Range
M 1 3/16" X 1 9/16" V 1 3/16" Knife Edge	29, 35	70, 76, 82, 88	S Straight	N No Cut-Out (Shown) Ueft – Diamond Cut-Out Left – Square Cut-Out Right – Diamond Cut-Out Right – Square Cut-Out	N None Powerbar I Integrated Powerbar P Integrated Powerbar	E Extended Range – 26" to 48"
				4 Algin – Square Cut-Out	with IEC Outlet	

SAMPLE ORDER CODE

BF <u>M</u> F 29 70	S	1	N	E
---------------------	---	---	---	---

PRODUCT OPTIONS CONTINUED

Ī	Switch			Worksurface Finish		Edge Trim Style	Edge Trim Finish	Upper Modesty Finish	Lower Modesty Finish	Base Finish
]	Display with Up/ Down Memory	M	Display Toggle with Memory – Platinum	Foundation Laminate	6	Straight Trim	Edge Trim Colors	Source Laminate Flintwood	Source Laminate Flintwood	Foundation Mica
]	F Toggle Up/Down – Platinum	N	Display Toggle with Memory– Crisp Grey	Flintwood (No Cathedral)	8	Flat Trim Flintwood	(for trim style 6, 8 or F)	(No Cathedral)	(No Cathedral)	Wica
	G Toggle Up/Down – Crisp Grey	o	Display Toggle with Memory –		F	Flat Trim Full Knife				
]	H Toggle Up/Down – Anthracite		Anthracite			Trim				

SAMPLE ORDER CODE CONTINUED

SHATEE ORDER CODE CONTINUED						
D	2D	6	4D	3D	3D	83

B F _ F

Full-Modesty Height-Adjustable Desk - Offset Bases (Continued)

DIMENSIONS INCHES / MM

PRICING

		1 3/16" (M)					
		FOUNDATION LAMINA	TE		FLINTWOOD		
		UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD		UPPER MODESTY SOURCE LAMINATE	UPPER MODESTY FLINTWOOD	
		LOWER MODESTY FINI	SH				
D	W	Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood
29 / 737	70 / 1778	5021	5548	6075	6196	6723	7250
29 / 737	76 / 1030	5068	5641	6213	6283	6856	7428
29 / 737	82 / 2083	5115	5734	6352	6365	6984	7602
29 / 737	88 / 2235	5163	5827	6490	6457	7121	7784
35 / 889	70 / 1778	5235	5762	6289	6295	6822	7349
35 / 889	76 / 1030	5293	5866	6438	6387	6960	7532
35 / 889	82 / 2083	5351	5970	6588	6477	7096	7714
35 / 889	88 / 2235	5410	6074	6737	6572	7236	7899

		1 3/16" KNIFE EDGE (V))					
		FOUNDATION LAMINA	TE		FLINTWOOD			
		UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MODESTY FLINTWOOD		
		LOWER MODESTY FINI	SH					
		Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood	
29 / 737	70 / 1778	5186	n/a	n/a	n/a	n/a	n/a	
29 / 737	76 / 1030	5243	n/a	n/a	n/a	n/a	n/a	
29 / 737	82 / 2083	5300	n/a	n/a	n/a	n/a	n/a	
29 / 737	88 / 2235	5358	n/a	n/a	n/a	n/a	n/a	
35 / 889	70 / 1778	5410	n/a	n/a	n/a	n/a	n/a	
35 / 889	76 / 1030	5478	n/a	n/a	n/a	n/a	n/a	
35 / 889	82 / 2083	5546	n/a	n/a	n/a	n/a	n/a	
35 / 889	88 / 2235	5615	n/a	n/a	n/a	n/a	n/a	

		1 9/16" (X)					
		FOUNDATION LAMINA	TE		FLINTWOOD		
		UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD		UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY
		LOWER MODESTY FINI	SH				
		Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood
29 / 737	70 / 1778	5219	5746	6273	7090	7617	8144
29 / 737	76 / 1030	5280	5853	6425	7166	7739	8311
29 / 737	82 / 2083	5338	5957	6575	7296	7915	8533
29 / 737	88 / 2235	5397	6061	6724	7393	8057	8720
35 / 889	70 / 1778	5490	6017	6544	7214	7741	8268
35 / 889	76 / 1030	5562	6135	6707	7300	7873	8445
35 / 889	82 / 2083	5635	6254	6872	7437	8056	8674
35 / 889	88 / 2235	5709	6373	7036	7543	8207	8870

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

BF_R[™]

Full-Modesty Height-Adjustable Run-Off – Offset Base

One Table One Plug



This height-adjustable run-off allows to work at seated and standing positions. It offer a executive desk look with complete privacy by its full height modesty and the recessed Offset Base accentuate the intriguing flooting look. The run-off must only be mounted on a Workwall Kneespace Module (BHKHM) at one end and is supported by a Offset Base at the other.

WHAT'S INCLUDED

1 worksurface, 1 height-adjustable offset base with levelers, 2 modesty panels, 1 height-adjustable mechanism with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), diamond and/or square cut-out(s) (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, Duo Grommet – Square and Rectangular Grommet.

NOTES

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available.

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6, $8\ or\ 9$) options are available.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

The 1 9/16" (X) thickness is **not** available in all Source Laminate, Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Configuration	Depth	Width	Corner Detail	Cut-Out Style	Configuration	Powerbar
M 1 3/16"	K Mid-Height	28, 34	69, 75, 81, 87	S Straight	N No Cut-Out (Shown)	L Left Handed	N None
X 1 9/16" V 1 3/16"					Offset – Diamond Cut-Out Offset – Square Cut-Out	(Shown) R Right Handed	Powerbar I Integrated Powerbar
Knife Edge					2 Offset – Square & Diamond Cut-Outs		P Integrated Powerbar with IEC Outlet

SAMPLE ORDER CODE

BF <u>M</u> R K 34 69	S 1	L N
-----------------------	-----	-----

PRODUCT OPTIONS CONTINUED

	Range		Sw	itch	1	Work- surface Finish	E	dge Trim Style	Edge Trim Finish	Upper Modesty Finish	Lower Modesty Finish	Base Finish
I	E Extended Range – 26" to 48"	D F	Display with Up/ Down Memory Toggle Up/Down –	M N	Display Toggle with Memory – Platinum Display Toggle with	Foundation Laminate Flintwood	6	Straight Trim Flat Trim	Edge Trim Colors (for trim style 6, 8 or F)	Source Laminate Flintwood	Source Laminate Flintwood	Foundation Mica
			Platinum Toggle Up/Down – Crisp Grey Toggle Up/Down –	О	Memory- Crisp Grey Display Toggle with Memory – Anthracite	(No Cathedral)	9 F	Flintwood Flat Trim Full Knife Trim	_ ^	(No Cathedral)	(No Cathedral)	

SAMPLE ORDER CODE CONTINUED

F	D	2D	6	4D	3D	3D	83
	D	20		10	JD	J D	0.5

B F _ R

Full-Modesty Height-Adjustable Run-Off – Offset Base (Continued)

DIMENSIONS INCHES / MM

PRICING

		1 3/16" (M)					
		FOUNDATION LAMINA	TE		FLINTWOOD		
		UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY
		LOWER MODESTY FINI	SH				
D	W	Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood
28 / 711	69 / 1753	5710	6237	6764	6885	7412	7939
28 / 711	75 / 1905	5765	6338	6910	6980	7553	8125
28 / 711	81 / 2057	5814	6433	7051	7064	7683	8301
28 / 711	87 / 2210	5868	6532	7195	7162	7826	8489
34 / 864	69 / 1753	5825	6352	6879	6885	7412	7939
34 / 864	75 / 1905	5886	6459	7031	6980	7553	8125
34 / 864	81 / 2057	5938	6557	7175	7064	7683	8301
34 / 864	87 / 2210	6000	6664	7327	7162	7826	8489

		1 3/16" KNIFE EDGE (V)					
		FOUNDATION LAMINAT	`E		FLINTWOOD		
		UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY
		LOWER MODESTY FINIS	Н				
		Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood
28 / 711	69 / 1753	5849	n/a	n/a	n/a	n/a	n/a
28 / 711	75 / 1905	5914	n/a	n/a	n/a	n/a	n/a
28 / 711	81 / 2057	5973	n/a	n/a	n/a	n/a	n/a
28 / 711	87 / 2210	6037	n/a	n/a	n/a	n/a	n/a
34 / 864	69 / 1753	5969	n/a	n/a	n/a	n/a	n/a
34 / 864	75 / 1905	6040	n/a	n/a	n/a	n/a	n/a
34 / 864	81 / 2057	6102	n/a	n/a	n/a	n/a	n/a
34 / 864	87 / 2210	6174	n/a	n/a	n/a	n/a	n/a


		1 9/16" (X)					
		FOUNDATION LAMINA	TE		FLINTWOOD		
		UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY
		LOWER MODESTY FINI	SH	_			
		Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood
28 / 711	69 / 1753	5823	6350	6877	7694	8221	8748
28 / 711	75 / 1905	5895	6468	7040	7781	8354	8926
28 / 711	81 / 2057	5951	6570	7188	7909	8528	9146
28 / 711	87 / 2210	6020	6684	7347	8016	8680	9343
34 / 864	69 / 1753	5970	6497	7024	7694	8221	8748
34 / 864	75 / 1905	6043	6616	7188	7781	8354	8926
34 / 864	81 / 2057	6107	6726	7344	7909	8528	9146
34 / 864	87 / 2210	6182	6846	7509	8016	8680	9343

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

BF_E 📆

Full-Modesty Height-Adjustable Extended Run-Off - Offset Base

One Table One Plug



This height-adjustable extended run-off allows to work at seated and standing positions. It offer a executive desk look with complete privacy by its full height modesty and the recessed Offset Base accentuate the intriguing flooting look. The extended run-off must only be mounted on a Workwall Kneespace Module (BHKHL) at one end and is supported by a Offset Base at the other.

WHAT'S INCLUDED

1 worksurface, 1 height-adjustable offset base with levelers, 2 modesty panels, 2 height-adjustable mechanisms with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), diamond and/or square cut-out(s) (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, Duo Grommet - Square and Rectangular Grommet.

NOTES

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

The 1 9/16" (X) thickness is ${f not}$ available in all Source Laminate, Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details

PRODUCT OPTIONS

Worksurface Thickness	Confi- guration	Depth A	Depth B	Width A		Corner Detail		Cut-Out Style	C	onfiguration		Powerbar
M 1 3/16" X 1 9/16"	K Mid- Height	29, 35	46, 52, 58	69, 75, 81, 87	S	Straight	0	No Cut-Out (Shown) Offset – Diamond Cut-Out Offset – Square Cut-Out Offset – Square & Diamond Cut-Outs	R	Left Handed (Shown) Right Handed	I P	None Powerbar Integrated Powerbar Integrated Powerbar with IEC Outlet

SAMPLE ORDER CODE

BF <u>M</u> E	K	29	46	69	S	2	L	P
---------------	---	----	----	----	---	---	---	---

PRODUCT OPTIONS CONTINUED

Range	Switch	Work- surface Finish	Edge Trim Style	Edge Trim Finish	Upper Modesty Finish	Lower Modesty Finish	Base Finish
E Extended Range – 26" to 48"	D Display with Up/Down Memory	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)		Source Laminate Flintwood (No Cathedral)	Foundation Mica

SAMPLE ORDER CODE CONTINUED

E	D	2D	6	4D	3D	3D	83
			-		-	•	

B F _ E

Full-Modesty Height-Adjustable Extended Run-Off – Offset Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

			FOUNDATION LAMIN	ATE		FLINTWOOD		
			UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD	
			LOWER MODESTY FIN	NISH			_	
Da	Db	Wa	Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood
29	46	69	6182	6709	7236	7413	7940	8467
29	46	75	6232	6805	7377	7523	8096	8668
29	46	81	6318	6937	7555	7623	8242	8860
29	46	87	6392	7056	7719	7688	8352	9015
29	52	69	6254	6781	7308	7567	8094	8621
29	52	75	6309	6882	7454	7689	8262	8834
29	52	81	6401	7020	7638	7840	8459	9077
29	52	87	6478	7142	7805	7913	8577	9240
29	58	69	6326	6853	7380	7723	8250	8777
29	58	75	6387	6960	7532	7895	8468	9040
29	58	81	6483	7102	7720	8014	8633	9251
29	58	87	6566	7230	7893	8098	8762	9425
35	46	69	6252	6779	7306	7546	8073	8600
35	46	75	6302	6875	7447	7660	8233	8805
35	46	81	6388	7007	7625	7760	8379	8997
35	46	87	6462	7126	7789	7825	8489	9152
35	52	69	6324	6851	7378	7703	8230	8757
35	52	75	6379	6952	7524	7823	8396	8968
35	52	81	6469	7088	7706	7977	8596	9214
35	52	87	6547	7211	7874	8050	8714	9377
35	58	69	6397	6924	7451	7858	8385	8912
35	58	75	6456	7029	7601	8032	8605	9177
35	58	81	6553	7172	7790	8151	8770	9388
35	58	87	6637	7301	7964	8233	8897	9560

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

multi-level workstations



BF_E 🖫

Full-Modesty Height-Adjustable Extended Run-Off – Offset Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

			FOUNDATION LAMIN	ATE		FLINTWOOD		
			UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOI FLINTWOO	
			LOWER MODESTY FIN	IISH				
Da	DЬ	Wa	Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwoo
29	46	69	6222	6749	7276	8317	8844	9371
29	46	75	6301	6874	7446	8429	9002	9574
29	46	81	6373	6992	7610	8581	9200	9818
29	46	87	6581	7245	7908	8663	9327	9990
29	52	69	6320	6847	7374	8505	9032	9559
29	52	75	6403	6976	7548	8628	9201	9773
29	52	81	6485	7104	7722	8835	9454	10072
29	52	87	6699	7363	8026	8930	9594	10257
29	58	69	6418	6945	7472	8691	9218	9745
29	58	75	6510	7083	7655	8870	9443	10015
29	58	81	6597	7216	7834	9047	9666	10284
29	58	87	6818	7482	8145	9152	9816	10479
35	46	69	6292	6819	7346	8452	8979	9506
35	46	75	6370	6943	7515	8566	9139	9711
35	46	81	6441	7060	7678	8717	9336	9954
35	46	87	6649	7313	7976	8798	9462	10125
35	52	69	6389	6916	7443	8640	9167	9694
35	52	75	6476	7049	7621	8765	9338	9910
35	52	81	6554	7173	7791	8971	9590	10208
35	52	87	6768	7432	8095	9065	9729	10392
35	58	69	6487	7014	7541	8827	9354	9881
35	58	75	6580	7153	7725	9005	9578	10150
35	58	81	6666	7285	7903	9182	9801	10419
35	58	87	6886	7550	8213	9288	9952	10615


If Switch Style (D, M, N or O) is specified, add 129.

If Powerbar (I or P) is specified, add 176.

BF_L T

Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base

One Table One Plug



This height-adjustable L-shape desk for U-shape workstation allows to work at seated and standing positions. It offer a executive desk look with complete privacy by its full height modesty and the recessed Offset Base accentuate the intriguing flooting look. The desk must only be mounted on a Workwall Kneespace Module (BHKHL) or at one end and is supported by a Offset Base at the other.

WHAT'S INCLUDED

2 worksurfaces, 1 height-adjustable offset base with levelers, 2 modesty panels, 2 height-adjustable mechanisms with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), diamond and/or square cut-out(s) (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, Duo Grommet - Square and Rectangular Grommet.

NOTES

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available.

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6, 8 or 9) options are available.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

The 1 9/16" (X) thickness is ${f not}$ available in all Source Laminate, Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Confi- guration	Depth A	Depth B	Width A	Width B	Corner Detail	Cut-Out Style	Configu- ration	Powerbar
M 1 3/16" X 1 9/16" V 1 3/16" Knife Edge	K Mid- Height	29, 35	21, 24, 27	69, 75, 81, 87	58, 64, 70, 76, 82, 88	S Straight	N No Grommet (Shown) O Offset – Diamond Cut-Out Offset – Square Cut-Out Offset – Square & Diamond Cut-Outs	L Left Handed (Shown) R Right Handed	N None Powerbar I Integrated Powerbar P Integrated Powerbar with IEC Outlet

SAMPLE ORDER CODE

BF <u>M</u> L	K	20	2/1	97	22	_ C	Λ	T	N
DIJAT	17	49	44	0/	02	J	V	L	T.4

PRODUCT OPTIONS CONTINUED

Range		Sw		Work- surface Finish	E	dge Trim Style	Edge Trim Finish	Upper Modesty Finish	Lower Modesty Finish	Base Finish	
E Extended Range – 26" to 48"	D	Display with Up/ Down Memory	M	Display Toggle with Memory – Platinum	Foundation Laminate	6	Straight Trim	Edge Trim Colors	Source Laminate	Source Laminate	Foundation Mica
26" to 48"	F G	Toggle Up/Down – Platinum Toggle Up/Down –	N	Display Toggle with Memory– Crisp Grey	Flintwood (No Cathedral)	8 9	Flat Trim Flintwood Flat Trim	(for trim style 6, 8 or F)		Flintwood (No Cathedral)	Wilca
		Crisp Grey Toggle Up/Down – Anthracite	О	Display Toggle with Memory – Anthracite		F	Full Knife Trim				

SAMPLE ORDER CODE CONTINUED

F	D	2D	6	4D	3 D	3 D	23
L	l D	20	U	TD	JD	JD	0,5

B F _ L

Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				1 3/16" (M)			W. W. W. W. C. C. C.				
				FOUNDATION LAMIN			FLINTWOOD				
				UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD FLINTWOOD			
				LOWER MODESTY FIN	NISH						
)a	Db	Wa	Wb	Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood		
.9	21	69	58	6214	6741	7268	7870	8397	8924		
9	21	69	64	6233	6760	7287	7950	8477	9004		
9	21	69	70	6250	6777	7304	8030	8557	9084		
9	21	69	76	6267	6794	7321	8136	8663	9190		
9	21	69	82	6284	6811	7338	8216	8743	9270		
9	21	69	88	6303	6830	7357	8329	8856	9383		
9	21	75	58	6269	6842	7414	8024	8597	9169		
9	21	75	64	6286	6859	7431	8103	8676	9248		
9	21	75	70	6306	6879	7451	8183	8756	9328		
9	21	75	76	6322	6895	7467	8288	8861	9433		
9	21	75	82	6340	6913	7485	8370	8943	9515		
.9	21	75	88	6359	6932	7504	8482	9055	9627		
9	21	81	58	6318	6937	7555	8146	8765	9383		
)	21	81	64	6336	6955	7573	8225	8844	9462		
)	21	81	70	6353	6972	7590	8305	8924	9542		
)	21	81	76	6372	6991	7609	8411	9030	9648		
9	21	81	82	6389	7008	7626	8491	9110	9728		
9	21	81	88	6406	7025	7643	8605	9224	9842		
9	21	87	58	6375	7039	7702	8271	8935	9598		
9	21	87	64	6393	7057	7720	8350	9014	9677		
9	21	87	70	6412	7076	7739	8430	9094	9757		
9	21	87	76	6428	7092	7755	8536	9200	9863		
9	21	87	82	6446	7110	7773	8616	9280	9943		
9	21	87	88	6465	7129	7792	8729	9393	10056		
9	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a		
9	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a		
9	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a		
9	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a		
9	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a		
)	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a		
)	24	75	58	6282	6855	7427	8051	8624	9196		
9	24	75	64	6301	6874	7446	8135	8708	9280		
9	24	75	70	6318	6891	7463	8243	8816	9388		
9	24	75	76	6338	6911	7483	8327	8900	9472		
9	24	75	82	6362	6935	7507	8445	9018	9590		
9	24	75	88	6380	6953	7525	8529	9102	9674		

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

BF_L

Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				1 3/16" (M) (CONTINU	JED)				
				FOUNDATION LAMINA			FLINTWOOD		
				UPPER MODESTY SOURCE LAMINATE	UPPER MODE	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD	
				LOWER MODESTY FIN	ISH				
				Source	Source		Source	Source	
Da	Db	Wa	Wb	Laminate	Laminate	Flintwood	Laminate	Laminate	Flintwood
29	24	81	58	6331	6950	7568	8173	8792	9410
29	24	81	64	6348	6967	7585	8255	8874	9492
29	24	81	70	6368	6987	7605	8366	8985	9603
29	24	81	76	6388	7007	7625	8449	9068	9686
29	24	81	82	6409	7028	7646	8568	9187	9805
29	24	81	88	6430	7049	7667	8651	9270	9888
29	24	87	58	6388	7052	7715	8298	8962	9625
29	24	87	64	6407	7071	7734	8380	9044	9707
29	24	87	70	6423	7087	7750	8490	9154	9817
29	24	87	76	6445	7109	7772	8573	9237	9900
29	24	87	82	6467	7131	7794	8692	9356	10019
29	24	87	88	6486	7150	7813	8775	9439	10102
29	27	69	58	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	64	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	70	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	76	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	82	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	88	n/a	n/a	n/a	n/a	n/a	n/a
29	27	75	58	6293	6866	7438	8077	8650	9222
29	27	75	64	6314	6887	7459	8192	8765	9337
29	27	75	70	6333	6906	7478	8279	8852	9424
29	27	75	76	6355	6928	7500	8400	8973	9545
29	27	75	82	6380	6953	7525	8488	9061	9633
29	27	75	88	6401	6974	7546	8591	9164	9736
29	27	81	58	6343	6962	7580	8197	8816	9434
29	27	81	64	6362	6981	7599	8312	8931	9549
29	27	81	70	6381	7000	7618	8402	9021	9639
29	27	81	76	6404	7023	7641	8522	9141	9759
29	27	81	82	6430	7049	7667	8609	9228	9846
29	27	81	88	6451	7070	7688	8713	9332	9950
29	27	87	58	6400	7064	7727	8322	8986	9649
29	27	87	64	6420	7084	7747	8437	9101	9764
29	27	87	70	6439	7103	7766	8525	9189	9852
29	27	87	76	6462	7126	7789	8647	9311	9974
29	27	87	82	6486	7150	7813	8734	9398	10061
29	27	87	88	6508	7172	7835	8837	9501	10164

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

B F _ L

Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				FOUNDATION LAMIN	ATE		FLINTWOOD		
				UPPER MODESTY SOURCE LAMINATE LOWER MODESTY FIN	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD FLINTWOOI	
Da	Db	Wa	Wb	Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood
35	21	69	58	6192	6719	7246	7972	8499	9026
35 35	21	69	64	6210	6737	7264	8066	8593	9120
5	21	69	70	6229	6756	7283	8145	8672	9199
5	21	69	76	6246	6773	7300	8225	8752	9279
5	21	69	82	6263	6790	7317	8331	8858	9385
5	21	69	88	6281	6808	7335	8411	8938	9465
5	21	75	58	6254	6827	7399	8107	8680	9252
5	21	75	64	6272	6845	7417	8200	8773	9345
5	21	75	70	6290	6863	7435	8280	8853	9425
5	21	75	76	6308	6881	7453	8359	8932	9504
5	21	75	82	6325	6898	7470	8465	9038	9610
55	21	75	88	6342	6915	7487	8546	9119	9691
5	21	81	58	6304	6923	7541	8278	8897	9515
5	21	81	64	6323	6942	7560	8369	8988	9606
5	21	81	70	6341	6960	7578	8450	9069	9687
5	21	81	76	6359	6978	7596	8529	9148	9766
5	21	81	82	6376	6995	7613	8636	9255	9873
5	21	81	88	6394	7013	7631	8716	9335	9953
5	21	87	58	6366	7030	7693	8414	9078	9741
55	21	87	64	6386	7050	7713	8505	9169	9832
5	21	87	70	6404	7068	7731	8587	9251	9914
5	21	87	76	6421	7085	7748	8666	9330	9993
55	21	87	82	6439	7103	7766	8771	9435	10098
35	21	87	88	6457	7121	7784	8851	9515	10178
5	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a
5	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a
5	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a
5	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a
5	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a
5	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a
5	24	75	58	6267	6840	7412	8128	8701	9273
5	24	75	64	6284	6857	7429	8227	8800	9372
5	24	75	70	6304	6877	7449	8312	8885	9457
5	24	75	76	6321	6894	7466	8421	8994	9566
5	24	75	82	6341	6914	7486	8503	9076	9648
5	24	75	88	6364	6937	7509	8622	9195	9767

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

BF_L[™]

Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				1 3/16" (M) (CONTINU	JED)				
				FOUNDATION LAMINA			FLINTWOOD		
				UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD	
				LOWER MODESTY FIN	IISH				
				Source	Source		Source	Source	
Da	Db	Wa	Wb	Laminate	Laminate	Flintwood	Laminate	Laminate	Flintwood
35	24	81	58	6318	6937	7555	8298	8917	9535
35	24	81	64	6336	6955	7573	8397	9016	9634
35	24	81	70	6353	6972	7590	8481	9100	9718
35	24	81	76	6373	6992	7610	8590	9209	9827
35	24	81	82	6393	7012	7630	8672	9291	9909
35	24	81	88	6413	7032	7650	8790	9409	10027
35	24	87	58	6381	7045	7708	8435	9099	9762
35	24	87	64	6399	7063	7726	8533	9197	9860
35	24	87	70	6416	7080	7743	8617	9281	9944
35	24	87	76	6434	7098	7761	8727	9391	10054
35	24	87	82	6455	7119	7782	8809	9473	10136
35	24	87	88	6477	7141	7804	8929	9593	10256
35	27	69	58	n/a	n/a	n/a	n/a		n/a
35	27	69	64	n/a	n/a	n/a	n/a	n/a	n/a
35	27	69	70	n/a	n/a	n/a	n/a	n/a	n/a
35	27	69	76	n/a	n/a	n/a	n/a	n/a	n/a
35	27	69	82	n/a	n/a	n/a	n/a		n/a
35	27	69	88	n/a	n/a	n/a	n/a	n/a	n/a
35	27	75	58	n/a	n/a	n/a	n/a		n/a
35	27	75	64	n/a	n/a	n/a	n/a		n/a
35	27	75	70	n/a	n/a	n/a	n/a		n/a
35	27	75	76	n/a	n/a	n/a	n/a		n/a
35	27	75	82	n/a	n/a	n/a	n/a	n/a	n/a
35	27	75	88	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	58		n/a	n/a	n/a		n/a
35	27	81	64	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	70	n/a	n/a	n/a	n/a		n/a
35	27	81	76	n/a	n/a	n/a	n/a		n/a
35	27	81	82	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	88	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	58	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	64	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	70	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	76	n/a	n/a	n/a	n/a		n/a
35	27	87	82	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	88	n/a	n/a	n/a	n/a	n/a	n/a
J)	~/	٠,		11/ 4	11/ tt	**, **		21/4	21/ U

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

B F _ L

Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				FOUNDATION LAMIN	ATE		FLINTWOOD		
				UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	ESTY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD FLINTWOOI	
Da	DЬ	Wa	Wb	LOWER MODESTY FIN Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood
29	21	69	58	6395	n/a	n/a	n/a	n/a	n/a
29	21	69	64	6419	n/a	n/a	n/a	n/a	n/a
29	21	69	70	6441	n/a	n/a	n/a	n/a	n/a
29	21	69	76	6463	n/a	n/a	n/a	n/a	n/a
29	21	69	82	6485	n/a	n/a	n/a	n/a	n/a
29	21	69	88	6509	n/a	n/a	n/a	n/a	n/a
29	21	75	58	6460		n/a			n/a
9	21	75	64	6482	n/a	n/a	n/a	n/a	n/a
9	21	75	70	6507	n/a	n/a	n/a	n/a	n/a
9	21	75	76	6528	n/a	n/a	n/a	n/a	n/a
9	21	75	82	6551	n/a	n/a	n/a	n/a	n/a
.9	21	75	88	6575	n/a	n/a	n/a	n/a	n/a
9	21	81	58	6519	n/a	n/a	n/a	n/a	n/a
9	21	81	64	6542	n/a	n/a	n/a	n/a	n/a
9	21	81	70	6564	n/a	n/a	n/a	n/a	n/a
9	21	81	76	6588	n/a	n/a	n/a	n/a	n/a
9	21	81	82	6610	n/a	n/a	n/a	n/a	n/a
9	21	81	88	6632	n/a	n/a	n/a	n/a	n/a
9	21	87	58	6586	n/a	n/a	n/a	n/a	n/a
9	21	87	64	6609	n/a	n/a	n/a	n/a	n/a
9	21	87	70	6633	n/a	n/a	n/a	n/a	n/a
9	21	87	76	6654	n/a	n/a	n/a	n/a	n/a
9	21	87	82	6677	n/a	n/a	n/a	n/a	n/a
29	21	87	88	6701	n/a	n/a	n/a	n/a	n/a
9	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a
9	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a
9	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a
9	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a
9	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a
)	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a
9	24	75	58	6476	n/a	n/a	n/a	n/a	n/a
9	24	75	64	6500	n/a	n/a	n/a	n/a	n/a
)	24	75	70	6522	n/a	n/a	n/a	n/a	n/a
)	24	75	76	6547	n/a	n/a	n/a	n/a	n/a
9	24	75	82	6576	n/a	n/a	n/a	n/a	n/a
)	24	75	88	6599	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

BF_L

Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				1 3/16" KNIFE EDGE (V	(CONTINUED)			
				FOUNDATION LAMINA		,	FLINTWOOD		
				UPPER MODESTY SOURCE LAMINATE	UPPER MODE	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD	
				LOWER MODESTY FIN	ISH		-	_	
				Source	Source		Source	Source	
Da	Db	Wa	Wb	Laminate	Laminate	Flintwood	Laminate	Laminate	Flintwood
29	24	81	58	6535	n/a	n/a	n/a	n/a	n/a
29	24	81	64	6557	n/a	n/a	n/a	n/a	n/a
29	24	81	70	6582	n/a	n/a	n/a	n/a	n/a
_29	24	81	76	6607	n/a	n/a	n/a	n/a	n/a
29	24	81	82	6633	n/a	n/a	n/a	n/a	n/a
29	24	81	88	6659	n/a	n/a	n/a	n/a	n/a
29	24	87	58	6602	n/a	n/a	n/a	n/a	n/a
29	24	87	64	6626	n/a	n/a	n/a	n/a	n/a
29	24	87	70	6647	n/a	n/a	n/a	n/a	n/a
29	24	87	76	6674	n/a	n/a	n/a	n/a	n/a
29	24	87	82	6701	n/a	n/a	n/a	n/a	n/a
29	24	87	88	6725	n/a	n/a	n/a	n/a	n/a
29	27	69	58	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	64	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	70	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	76	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	82	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	88	n/a	n/a	n/a	n/a	n/a	n/a
29	27	75	58	6489	n/a	n/a	n/a	n/a	n/a
29	27	75	64	6515	n/a	n/a	n/a	n/a	n/a
29	27	75	70	6539	n/a	n/a		n/a	n/a
29	27	75	76	6566	n/a	n/a	n/a	n/a	n/a
29	27	75	82	6596	n/a	n/a	n/a	n/a	n/a
29	27	75	88	6622	n/a	n/a	n/a	n/a	n/a
29	27	81	58	6549	n/a	n/a	n/a	n/a	n/a
29	27	81	64	6573	n/a	n/a	n/a	n/a	n/a
29	27	81	70	6597	n/a	n/a	n/a	n/a	n/a
29	27	81	76	6625	n/a	n/a	n/a	n/a	n/a
29	27	81	82	6656	n/a	n/a	n/a	n/a	n/a
29	27	81	88	6682	n/a	n/a	n/a	n/a	n/a
29	27	87	58	6616	n/a	n/a			n/a
29	27	87	64	6641	n/a	n/a	n/a	n/a	n/a
29	27	87	70	6665	n/a	n/a	n/a	n/a	n/a
29	27	87	76	6693	n/a	n/a	n/a		n/a
29	27	87	82	6722	n/a	n/a	n/a	n/a	n/a
29	27	87	88	6749	n/a	n/a	n/a	n/a	n/a
					_				

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.



B F _ L

Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				1 3/16" KNIFE EDGE (FLINTWOOD		
				FOUNDATION LAMIN UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	ESTY	FLINTWOOD UPPER MODESTY SOURCE LAMINATE	UPPER MOD	
				LOWER MODESTY FIN	NISH			_	
Da	Db	Wa	Wb	Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood
35	21	69	58	6373	n/a	n/a	n/a	n/a	n/a
35	21	69	64	6396	n/a	n/a	n/a	n/a	n/a
5	21	69	70	6420	n/a	n/a	n/a	n/a	n/a
5	21	69	76	6442	n/a	n/a	n/a	n/a	n/a
35	21	69	82	6464	n/a	n/a	n/a	n/a	n/a
35	21	69	88	6487	n/a	n/a	n/a	n/a	n/a
55	21	75	58	6445		n/a	n/a		n/a
5	21	75	64	6468	n/a	n/a	n/a	n/a	n/a
5	21	75	70	6491	n/a	n/a	n/a	n/a	n/a
55	21	75	76	6514	n/a	n/a	n/a	n/a	n/a
35	21	75	82	6536	n/a	n/a	n/a	n/a	n/a
35	21	75	88	6558	n/a	n/a	n/a	n/a	n/a
5	21	81	58	6505		n/a	n/a		n/a
5	21	81	64	6529	n/a	n/a	n/a	n/a	n/a
5	21	81	70	6552	n/a	n/a	n/a	n/a	n/a
5	21	81	76	6575	n/a	n/a	n/a	n/a	n/a
5	21	81	82	6597	n/a	n/a	n/a	n/a	n/a
5	21	81	88	6620	n/a	n/a	n/a	n/a	n/a
5	21	87	58	6577		n/a	n/a	n/a	n/a
5	21	87	64	6602	n/a	n/a	n/a	n/a	n/a
5	21	87	70	6625	n/a	n/a	n/a	n/a	n/a
5	21	87	76	6647	n/a	n/a	n/a	n/a	n/a
5	21	87	82	6670	n/a	n/a	n/a	n/a	n/a
5	21	87	88	6693	n/a	n/a	n/a	n/a	n/a
5	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a
5	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a
5	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a
5	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a
5	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a
5	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a
5	24	75	58	6461	n/a	n/a	n/a	n/a	n/a
5	24	75	64	6483	n/a	n/a	n/a	n/a	n/a
5	24	75	70	6508	n/a	n/a	n/a	n/a	n/a
5	24	75	76	6530	n/a	n/a	n/a	n/a	n/a
5	24	75	82	6555	n/a	n/a	n/a	n/a	n/a
5	24	75	88	6583	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

BF_L

Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				1 3/16" KNIFE EDGE (V	(CONTINUED	1			
				FOUNDATION LAMINA		,	FLINTWOOD		
				UPPER MODESTY SOURCE LAMINATE	UPPER MODE	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD	
				LOWER MODESTY FIN	ISH		-		
				Source	Source		Source	Source	
Da	Db	Wa	Wb	Laminate	Laminate	Flintwood	Laminate	Laminate	Flintwood
35	24	81	58	6522	n/a	n/a	n/a	n/a	n/a
35	24	81	64	6545	n/a	n/a	n/a	n/a	n/a
35	24	81	70	6567	n/a	n/a	n/a	n/a	n/a
35	24	81	76	6592	n/a	n/a	n/a	n/a	n/a
35	24	81	82	6617	n/a	n/a	n/a	n/a	n/a
35	24	81	88	6642	n/a	n/a	n/a	n/a	n/a
35	24	87	58	6595	n/a	n/a	n/a	n/a	n/a
35	24	87	64	6618	n/a	n/a	n/a	n/a	n/a
35	24	87	70	6640	n/a	n/a	n/a	n/a	n/a
35	24	87	76	6663	n/a	n/a	n/a	n/a	n/a
35	24	87	82	6689	n/a	n/a	n/a	n/a	n/a
35	24	87	88	6716	n/a	n/a	n/a	n/a	n/a
35	27	69	58	n/a	n/a	n/a	n/a	n/a	n/a
35	27	69	64	n/a	n/a	n/a	n/a	n/a	n/a
35	27	69	70	n/a	n/a	n/a	n/a	n/a	n/a
35	27	69	76	n/a	n/a	n/a	n/a	n/a	n/a
35	27	69	82	n/a	n/a	n/a	n/a	n/a	n/a
35	27	69	88	n/a	n/a	n/a	n/a	n/a	n/a
35	27	75	58	n/a	n/a	n/a	n/a	n/a	n/a
35	27	75	64	n/a	n/a	n/a	n/a	n/a	n/a
35	27	75	70	n/a	n/a	n/a	n/a	n/a	n/a
35	27	75	76	n/a	n/a	n/a	n/a	n/a	n/a
35	27	75	82	n/a	n/a	n/a	n/a	n/a	n/a
35	27	75	88	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	58	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	64	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	70	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	76	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	82	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	88	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	58	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	64	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	70	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	76	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	82	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	88	n/a	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

B F _ L

Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				1 9/16" (X)							
				FOUNDATION LAMIN	ATE		FLINTWOOD				
				UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD FLINTWOOD			
				LOWER MODESTY FIN	NISH						
Da	Db	Wa	Wb	Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood		
29	21	69	58	6369	6896	7423	8068	8595	9122		
29	21	69	64	6392	6919	7446	8158	8685	9212		
.9	21	69	70	6418	6945	7472	8247	8774	9301		
29	21	69	76	6443	6970	7497	8363	8890	9417		
29	21	69	82	6469	6996	7523	8451	8978	9505		
29	21	69	88	6494	7021	7548	8575	9102	9629		
.9	21	75	58	6438	7011	7583	8233	8806	9378		
9	21	75	64	6461	7034	7606	8324	8897	9469		
9	21	75	70	6487	7060	7632	8413	8986	9558		
9	21	75	76	6512	7085	7657	8529	9102	9674		
.9	21	75	82	6538	7111	7683	8618	9191	9763		
29	21	75	88	6563	7136	7708	8742	9315	9887		
9	21	81	58	6498	7117	7735	8366	8985	9603		
9	21	81	64	6522	7141	7759	8456	9075	9693		
9	21	81	70	6548	7167	7785	8545	9164	9782		
9	21	81	76	6573	7192	7810	8661	9280	9898		
9	21	81	82	6598	7217	7835	8751	9370	9988		
9	21	81	88	6623	7242	7860	8874	9493	10111		
9	21	87	58	6566	7230	7893	8503	9167	9830		
9	21	87	64	6590	7254	7917	8594	9258	9921		
9	21	87	70	6616	7280	7943	8682	9346	10009		
9	21	87	76	6641	7305	7968	8798	9462	10125		
9	21	87	82	6666	7330	7993	8887	9551	10214		
9	21	87	88	6691	7355	8018	9011	9675	10338		
9	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a		
9	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a		
9	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a		
9	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a		
9	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a		
9	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a		
9	24	75	58	6457	7030	7602	8266	8839	9411		
9	24	75	64	6485	7058	7630	8360	8933	9505		
9	24	75	70	6512	7085	7657	8480	9053	9625		
9	24	75	76	6541	7114	7686	8575	9148	9720		
9	24	75	82	6569	7142	7714	8704	9277	9849		
29	24	75	88	6597	7170	7742	8798	9371	9943		

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

BF_L

Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				1 9/16" (X) (CONTINU	ED)				
				FOUNDATION LAMINA			FLINTWOOD		
				UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	ESTY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD	
				LOWER MODESTY FIN	ISH				
				Source	Source		Source	Source	
Da	Db	Wa	Wb	Laminate	Laminate	Flintwood	Laminate	Laminate	Flintwood
29	24	81	58	6518	7137	7755	8398	9017	9635
29	24	81	64	6546	7165	7783	8493	9112	9730
29	24	81	70	6573	7192	7810	8612	9231	9849
29	24	81	76	6601	7220	7838	8707	9326	9944
29	24	81	82	6630	7249	7867	8837	9456	10074
29	24	81	88	6657	7276	7894	8929	9548	10166
29	24	87	58	6586	7250	7913	8536	9200	9863
29	24	87	64	6612	7276	7939	8631	9295	9958
29	24	87	70	6641	7305	7968	8750	9414	10077
29	24	87	76	6669	7333	7996	8845	9509	10172
29	24	87	82	6698	7362	8025	8973	9637	10300
29	24	87	88	6725	7389	8052	9066	9730	10393
29	27	69	58	n/a	n/a	n/a	n/a		n/a
29	27	69	64	n/a	n/a	n/a	n/a		n/a
29	27	69	70	n/a	n/a	n/a	n/a		n/a
29	27	69	76	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	82	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	88	n/a	n/a	n/a	n/a	n/a	n/a
29	27	75	58	6476	7049	7621	8297	8870	9442
29	27	75	64	6507	7080	7652	8423	8996	9568
29	27	75	70	6538	7111	7683	8520	9093	9665
29	27	75	76	6569	7142	7714	8656	9229	9801
29	27	75	82	6601	7174	7746	8754	9327	9899
29	27	75	88	6630	7203	7775	8870	9443	10015
29	27	81	58	6535	7154	7772	8429	9048	9666
29	27	81	64	6567	7186	7804	8556	9175	9793
29	27	81	70	6598	7217	7835	8653	9272	9890
29	27	81	76	6630	7249	7867	8788	9407	10025
29	27	81	82	6660	7279	7897	8887	9506	10124
29	27	81	88	6691	7310	7928	9004	9623	10241
29	27	87	58	6603	7267	7930	8567	9231	9894
29	27	87	64	6634	7298	7961	8693	9357	10020
29	27	87	70	6666	7330	7993	8791	9455	10118
29	27	87	76	6698	7362	8025	8927	9591	10254
29	27	87	82	6728	7392	8055	9024	9688	10351
29	27	87	88	6758	7422	8085	9140	9804	10467
	4/	0/	00	0/ /0	/ 122	0007			1010/

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

B F _ L

Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				1 9/16" (X) (CONTINU FOUNDATION LAMIN			FLINTWOOD			
				UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD		
				LOWER MODESTY FIN	IISH					
Da	Db	Wa	Wb	Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood	
5	21	69	58	6362	6889	7416	8191	8718	9245	
5	21	69	64	6388	6915	7442	8292	8819	9346	
5	21	69	70	6413	6940	7467	8384	8911	9438	
5	21	69	76	6437	6964	7491	8472	8999	9526	
5	21	69	82	6463	6990	7517	8588	9115	9642	
5	21	69	88	6487	7014	7541	8677	9204	9731	
5	21	75	58	6434	7007	7579	8341	8914	9486	
5	21	75	64	6459	7032	7604	8443	9016	9588	
5	21	75	70	6485	7058	7630	8532	9105	9677	
5	21	75	76	6509	7082	7654	8622	9195	9767	
5	21	75	82	6536	7109	7681	8738	9311	9883	
5	21	75	88	6560	7133	7705	8827	9400	9972	
5	21	81	58	6499	7118	7736	8526	9145	9763	
5	21	81	64	6525	7144	7762	8628	9247	9865	
5	21	81	70	6550	7169	7787	8718	9337	9955	
,	21	81	76	6575	7194	7812	8808	9427	10045	
5	21	81	82	6600	7219	7837	8924	9543	10161	
5	21	81	88	6626	7245	7863	9012	9631	10249	
5	21	87	58	6574	7238	7901	8675	9339	10002	
5	21	87	64	6598	7262	7925	8776	9440	10103	
5	21	87	70	6624	7288	7951	8867	9531	10194	
5	21	87	76	6648	7312	7975	8957	9621	10284	
;	21	87	82	6675	7339	8002	9073	9737	10400	
5	21	87	88	6699	7363	8026	9162	9826	10489	
5	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a	
5	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a	
5	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a	
;	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a	
;	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a	
	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a	
5	24	75	58	6451	7024	7596	8366	8939	9511	
5	24	75	64	6480	7053	7625	8474	9047	9619	
5	24	75	70	6507	7080	7652	8570	9143	9715	
5	24	75	76	6536	7109	7681	8689	9262	9834	
5	24	75	82	6563	7136	7708	8784	9357	9929	
5	24	75	88	6591	7164	7736	8914	9487	10059	

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

multi-level workstations

Xpress

BF_L

Full-Modesty Height-Adjustable L-Shape Run-Off – Offset Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				1 9/16" (X) (CONTINU	FD)				
				FOUNDATION LAMINA			FLINTWOOD		
				UPPER MODESTY SOURCE LAMINATE	UPPER MODE	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD	
				LOWER MODESTY FIN	ISH		-	_	
				Source	Source		Source	Source	
Da	Db	Wa	Wb	Laminate	Laminate	Flintwood	Laminate	Laminate	Flintwood
35	24	81	58	6517	7136	7754	8551	9170	9788
35	24	81	64	6546	7165	7783	8660	9279	9897
35	24	81	70	6572	7191	7809	8755	9374	9992
35	24	81	76	6600	7219	7837	8874	9493	10111
35	24	81	82	6629	7248	7866	8968	9587	10205
35	24	81	88	6657	7276	7894	9099	9718	10336
35	24	87	58	6590	7254	7917	8701	9365	10028
35	24	87	64	6619	7283	7946	8809	9473	10136
35	24	87	70	6646	7310	7973	8904	9568	10231
35	24	87	76	6675	7339	8002	9023	9687	10350
35	24	87	82	6703	7367	8030	9118	9782	10445
35	24	87	88	6731	7395	8058	9248	9912	10575
35	27	69	58	n/a	n/a	n/a	n/a	n/a	n/a
35	27	69	64	n/a	n/a	n/a	n/a	n/a	n/a
35	27	69	70	n/a	n/a	n/a	n/a	n/a	n/a
35	27	69	76	n/a	n/a	n/a	n/a	n/a	n/a
35	27	69	82	n/a	n/a	n/a	n/a	n/a	n/a
35	27	69	88	n/a	n/a	n/a	n/a	n/a	n/a
35	27	75	58	n/a	n/a	n/a	n/a	n/a	n/a
35	27	75	64	n/a	n/a	n/a	n/a	n/a	n/a
35	27	75	70	n/a	n/a	n/a	n/a	n/a	n/a
35	27	75	76	n/a	n/a	n/a	n/a	n/a	n/a
35	27	75	82	n/a	n/a	n/a	n/a	n/a	n/a
35	27	75	88	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	58	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	64	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	70	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	76	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	82	n/a	n/a	n/a	n/a	n/a	n/a
35	27	81	88	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	58	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	64	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	70	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	76	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	82	n/a	n/a	n/a	n/a	n/a	n/a
35	27	87	88	n/a	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.


If Powerbar (I or P) is specified, add 176.



BF_U^{*}

Full-Modesty Height-Adjustable Desk for U-Shape Workstation – Offset Bases

One Table One Plug



This height-adjustable L-shape desk for U-shape workstation allows to work at seated and standing positions. It offer a executive desk look with complete privacy by its full height modesty and the recessed Offset Base accentuate the intriguing flooting look. The desk must only be mounted on a Workwall Credenza (BSMHLR or BSMCHR) or a High Secondary Desk (BH_SR) at one end and is supported by two Offset Bases at the other.

WHAT'S INCLUDED

2 worksurfaces, 2 height-adjustable offset bases with levelers, 2 modesty panels, 2 height-adjustable mechanisms with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), diamond and/or square cut-out(s) (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Credenzas, High Secondary Desk, Duo Grommet – Square and Rectangular Grommet.

NOTES

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available.

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6, 8 or 9) options are available.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

The 1 9/16" (X) thickness is **not** available in all Source Laminate, Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Confi- guration	Depth A	Depth B	Width A	Width B	Cut-Out Style	Configu- ration	Powerbar
V 13/16"	K Mid-Height H High Secondary	29, 35	23, 29	71, 77, 83, 89	093, 099, 105	Offset – Diamond Cut-Out Offset – Server Cut Out	L Left Handed (Shown) R Right Handed	N None Powerbar I Integrated Powerbar P Integrated Powerbar with IEC Outlet

SAMPLE ORDER CODE

BF <u>M</u> U	K	23	29	77	099	1	R	N
---------------	---	----	----	----	-----	---	---	---

PRODUCT OPTIONS CONTINUED

	Range		Switch			Work- surface Finish	E	dge Trim Style	Edge Trim Finish	Upper Modesty Finish	Lower Modesty Finish	Base Finish
I	E Extended Range –	D	Display with Up/ Down Memory	M	Display Toggle with Memory – Platinum	Foundation Laminate	6	Straight Trim	Edge Trim Colors	Source Laminate	Source Laminate	Foundation Mica
	26" to 48" (Mid)	F	Toggle Up/Down – Platinum	N	Display Toggle with Memory– Crisp	Flintwood (No Cathedral)	8	Flat Trim Flintwood	(for trim style 6, 8 or F)	Flintwood (No Cathedral)	Flintwood (No Cathedral)	TVIICA
I	E Extended Range – 29" to 48"	G	Toggle Up/Down – Crisp Grey	О	Grey Display Toggle		E	Flat Trim Full Knife				
	(High)	Н	Toggle Up/Down – Anthracite		with Memory – Anthracite		ı	Trim				

SAMPLE ORDER CODE CONTINUED

E D	2D 6	4D	3D	3D	83
-----	------	----	----	----	----

B F _ U

Full-Modesty Height-Adjustable Desk for U-Shape Workstation – Offset Bases (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				1 3/16" (M)					
				FOUNDATION LAMIN			FLINTWOOD		
				UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD FLINTWOOD	
				LOWER MODESTY FIN	iish			_	
Da	Db	Wa	Wb	Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood
29	23	71	93	6691	7218	7745	9040	9567	10094
29	23	71	99	6716	7243	7770	9167	9694	10221
29	23	71	105	6740	7267	7794	9261	9788	10315
29	23	77	93	6736	7309	7881	9177	9750	10322
29	23	77	99	6762	7335	7907	9303	9876	10448
29	23	77	105	6786	7359	7931	9397	9970	10542
29	23	83	93	6776	7395	8013	9282	9901	10519
29	23	83	99	6801	7420	8038	9408	10027	10645
29	23	83	105	6826	7445	8063	9500	10119	10737
29	23	89	93	6826	7490	8153	9387	10051	10714
29	23	89	99	6850	7514	8177	9513	10177	10840
29	23	89	105	6873	7537	8200	9607	10271	10934
29	29	71	93	n/a	n/a	n/a	n/a	n/a	n/a
29	29	71	99	n/a	n/a	n/a	n/a	n/a	n/a
29	29	71	105	n/a	n/a	n/a	n/a	n/a	n/a
29	29	77	93	6736	7309	7881	9177	9750	10322
29	29	77	99	6762	7335	7907	9303	9876	10448
29	29	77	105	6786	7359	7931	9397	9970	10542
29	29	83	93	6776	7395	8013	9282	9901	10519
29	29	83	99	6801	7420	8038	9408	10027	10645
29	29	83	105	6826	7445	8063	9500	10119	10737
29	29	89	93	6826	7490	8153	9387	10051	10714
29	29	89	99	6850	7514	8177	9513	10177	10840
29	29	89	105	6873	7537	8200	9607	10271	10934
35	23	71	93	6953	7480	8007	9273	9800	10327
35	23	71	99	6984	7511	8038	9376	9903	10430
35	23	71	105	7011	7538	8065	9511	10038	10565
35	23	77	93	7008	7581	8153	9391	9964	10536
35	23	77	99	7037	7610	8182	9492	10065	10637
35	23	77	105	7066	7639	8211	9627	10200	10772
35	23	83	93	7050	7669	8287	9543	10162	10780
35	2	83	99	7080	7699	8317	9645	10264	10882
35	23	83	105	7108	7727	8345	9780	10399	11017

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.



BF_U

Full-Modesty Height-Adjustable Desk for U-Shape Workstation – Offset Bases (Continued) DIMENSIONS - INCHES

FOR MM X BY 25.4

PRICING

				1 3/16" (M) (CONTINU			ELINITWO OD			
				FOUNDATION LAMIN UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	FLINTWOOD UPPER MODESTY SOURCE LAMINATE	UPPER MOD		
				LOWER MODESTY FIN	IISH					
Da	Db	Wa	Wb	Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood	
35	23	89	93	7103	7767	8430	9661	10325	10988	
35	23	89	99	7133	7797	8460	9763	10427	11090	
35	23	89	105	7161	7825	8488	9899	10563	11226	
35	29	71	93	n/a	n/a	n/a	n/a		n/a	
35	29	71	99	n/a	n/a	n/a	n/a	n/a	n/a	
35	29	71	105	n/a	n/a	n/a	n/a	n/a	n/a	
35	29	77	93	7008	7581	8153	9391	9964	10536	
35	29	77	99	7037	7610	8182	9492	10065	10637	
35	29	77	105	7066	7639	8211	9627	10200	10772	
35	29	83	93	7050	7669	8287	9543	10162	10780	
35	29	83	99	7080	7699	8317	9645	10264	10882	
35	29	83	105	7108	7727	8345	9780	10399	11017	
35	29	89	93	7103	7767	8430	9661	10325	10988	
35	29	89	99	7133	7797	8460	9763	10427	11090	
35	29	89	105	7161	7825	8488	9899	10563	11226	

				1 3/16" KNIFE EDGE (V	7)				
				FOUNDATION LAMINA	ATE		FLINTWOOD		
				UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MODESTY FLINTWOOD	
				LOWER MODESTY FIN	IISH				
				Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood
29	23	71	93	6887	n/a	n/a	n/a	n/a	n/a
29	23	71	99	6917	n/a	n/a	n/a	n/a	n/a
29	23	71	105	6946	n/a	n/a	n/a	n/a	n/a
29	23	77	93	6942	n/a	n/a	n/a	n/a	n/a
29	23	77	99	6973	n/a	n/a	n/a	n/a	n/a
29	23	77	105	7002	n/a	n/a	n/a	n/a	n/a
29	23	83	93	6992	n/a	n/a	n/a	n/a	n/a
29	23	83	99	7022	n/a	n/a	n/a	n/a	n/a
29	23	83	105	7052	n/a	n/a	n/a	n/a	n/a
29	23	89	93	7052	n/a	n/a	n/a	n/a	n/a
_29	23	89	99	7081	n/a	n/a	n/a	n/a	n/a
29	23	89	105	7109	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

If Powerbar (I or P) is specified, add 176.

BF_U

Full-Modesty Height-Adjustable Desk for U-Shape Workstation – Offset Bases (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

				FOUNDATION LAMIN	ATE		FLINTWOOD		
				UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD FLINTWOOI	
				LOWER MODESTY FIN	Source		Source	Source	
)a	Db	Wa	Wb	Laminate	Laminate	Flintwood	Laminate	Laminate	Flintwood
29	29	71	93	n/a	n/a	n/a	n/a	n/a	n/a
9	29	71	99	n/a	n/a	n/a	n/a	n/a	n/a
9	29	71	105	n/a	n/a	n/a	n/a	n/a	n/a
9	29	77	93	6942	n/a	n/a	n/a	n/a	n/a
9	29	77	99	6973	n/a	n/a	n/a	n/a	n/a
9	29	77	105	7002	n/a	n/a	n/a	n/a	n/a
9	29	83	93	6992	n/a	n/a		n/a	n/a
9	29	83	99	7022	n/a	n/a	n/a	n/a	n/a
9	29	83	105	7052	n/a	n/a	n/a	n/a	n/a
9	29	89	93	7052	n/a	n/a	n/a	n/a	n/a
9	29	89	99	7081	n/a	n/a	n/a	n/a	n/a
)	29	89	105	7109	n/a	n/a	n/a	n/a	n/a
5	23	71	93	7149	n/a	n/a	n/a	n/a	n/a
5	23	71	99	7185	n/a	n/a	n/a	n/a	n/a
5	23	71	105	7217	n/a	n/a	n/a	n/a	n/a
5	23	77	93	7214	n/a	n/a	n/a	n/a	n/a
5	23	77	99	7248	n/a	n/a	n/a	n/a	n/a
5	23	77	105	7282	n/a	n/a	n/a	n/a	n/a
5	23	83	93	7266	n/a	n/a	n/a	n/a	n/a
5	23	83	99	7301	n/a	n/a	n/a	n/a	n/a
5	23	83	105	7334	n/a	n/a	n/a	n/a	n/a
5	23	89	93	7329	n/a	n/a	n/a	n/a	n/a
5	23	89	99	7364	n/a	n/a	n/a	n/a	n/a
5	23	89	105	7397	n/a	n/a	n/a	n/a	n/a
5	29	71	93	n/a	n/a	n/a	n/a	n/a	n/a
5	29	71	99	n/a	n/a	n/a	n/a	n/a	n/a
5	29	71	105	n/a	n/a	n/a	n/a	n/a	n/a
5	29	77	93	7214	n/a	n/a	n/a	n/a	n/a
5	29	77	99	7248	n/a	n/a	n/a	n/a	n/a
5	29	77	105	7282	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.



35

35 35

BF_U

Full-Modesty Height-Adjustable Desk for U-Shape Workstation – Offset Bases (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4

PRICING

			1 3/16" KNIFE EDGE (V	(CONTINUED)			
			FOUNDATION LAMINA	ATE		FLINTWOOD		
			UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD		UPPER MODESTY SOURCE LAMINATE	UPPER MOD FLINTWOOI	
			LOWER MODESTY FIN	ISH				
Db	Wa	Wb	Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood
29	83	93	7266	n/a	n/a	n/a	n/a	n/a
29	83	99	7301	n/a	n/a	n/a	n/a	n/a
29	83	105	7334	n/a	n/a	n/a	n/a	n/a
29	89	93	7329	n/a	n/a	n/a	n/a	n/a
29	89	99	7364	n/a	n/a	n/a	n/a	n/a
29	89	105	7397	n/a	n/a	n/a	n/a	n/a

				1 9/16" (X)					
				FOUNDATION LAMIN	ATE		FLINTWOOD		
				UPPER MODESTY SOURCE LAMINATE	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOI FLINTWOO	
				LOWER MODESTY FIN	NISH				
				Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood
29	23	71	93	6791	7318	7845	9352	9879	10406
29	23	71	99	6827	7354	7881	9492	10019	10546
29	23	71	105	6861	7388	7915	9599	10126	10653
29	23	77	93	6850	7423	7995	9502	10075	10647
29	23	77	99	6885	7458	8030	9640	10213	10785
29	23	77	105	6921	7494	8066	9747	10320	10892
29	23	83	93	6902	7521	8139	9615	10234	10852
29	23	83	99	6935	7554	8172	9754	10373	10991
29	23	83	105	6970	7589	8207	9862	10481	11099
29	23	89	93	6959	7623	8286	9734	10398	11061
29	23	89	99	6993	7657	8320	9874	10538	11201
29	23	89	105	7030	7694	8357	9981	10645	11308
29	29	71	93	n/a	n/a	n/a	n/a	n/a	n/a
29	29	71	99	n/a	n/a	n/a	n/a	n/a	n/a
29	29	71	105	n/a	n/a	n/a	n/a	n/a	n/a
29	29	77	93	6850	7423	7995	9502	10075	10647
29	29	77	99	6885	7458	8030	9640	10213	10785
29	29	77	105	6921	7494	8066	9747	10320	10892

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

B F _ U

Full-Modesty Height-Adjustable Desk for U-Shape Workstation – Offset Bases (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING


				FOUNDATION LAMINA	ATE		FLINTWOOD		
				UPPER MODESTY SOURCE LAMINATE LOWER MODESTY FIN	UPPER MODE FLINTWOOD	STY	UPPER MODESTY SOURCE LAMINATE	UPPER MOD FLINTWOOD	
Da	Db	Wa	Wb	Source Laminate	Source Laminate	Flintwood	Source Laminate	Source Laminate	Flintwood
29	29	83	93	6902	7521	8139	9615	10234	10852
9	29	83	99	6935	7554	8172	9754	10373	10991
9	29	83	105	6970	7589	8207	9862	10481	11099
9	29	89	93	6959	7623	8286	9734	10398	11061
9	29	89	99	6993	7657	8320	9874	10538	11201
9	29	89	105	7030	7694	8357	9981	10645	11308
5	23	71	93	7105	7632	8159	9716	10243	10770
5	23	71	99	7148	7675	8202	9835	10362	10889
5	23	71	105	7189	7716	8243	9987	10514	11041
5	23	77	93	7166	7739	8311	9847	10420	10992
5	23	77	99	7211	7784	8356	9966	10539	11111
5	23	77	105	7251	7824	8396	10118	10691	11263
5	23	83	93	7224	7843	8461	10015	10634	11252
5	23	83	99	7266	7885	8503	10133	10752	11370
5	23	83	105	7309	7928	8546	10288	10907	11525
5	23	89	93	7288	7952	8615	10146	10810	11473
5	23	89	99	7330	7994	8657	10265	10929	11592
5	23	89	105	7373	8037	8700	10418	11082	11745
5	29	71	93	n/a	n/a	n/a	n/a	n/a	n/a
5	29	71	99	n/a	n/a	n/a	n/a	n/a	n/a
5	29	71	105	n/a	n/a	n/a	n/a	n/a	n/a
5	29	77	93	7166	7739	8311	9847	10420	10992
5	29	77	99	7211	7784	8356	9966	10539	11111
5	29	77	105	7251	7824	8396	10118	10691	11263
5	29	83	93	7224	7843	8461	10015	10634	11252
5	29	83	99	7266	7885	8503	10133	10752	11370
5	29	83	105	7309	7928	8546	10288	10907	11525
5	29	89	93	7288	7952	8615	10146	10810	11473
5	29	89	99	7330	7994	8657	10265	10929	11592
5	29	89	105	7373	8037	8700	10418	11082	11745

If Switch Style (D, M, N or O) is specified, add 129. If Powerbar (I or P) is specified, add 176.

BH_RL[™]

Height-Adjustable Rectangular Worksurface

One Table One Plug



PRODUCT OPTIONS

This height-adjustable worksurface allows to work at seated and standing positions. It must only be mounted on a Worwall Kneespace Module (BHKHW or BHKHF).

WHAT'S INCLUDED

1 worksurface, 2 height-adjustable mechanisms with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), 1 rectangular cut-out with grommet (as specified), 1 square cut-out without ring (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Modules.

NOTES

When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is not available

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

Worksurface Thickness	Configuration	Depth	Width	Corner Detail	Grommet Option		Powerbar
M 1 3/16" X 1 9/16" V 1 3/16" Knife Edge	K Mid-Height	21, 24, 27	40, 46, 52, 58, 64, 70	Standard (Shown)	C Centered – Rectangular D Centered – Rectangular (L) & Square (R) E Centered – Square (L) & Rectangular (R) N No Grommet	I P N	Integrated Powerbar Integrated Powerbar with IEC Outlet None

SAMPLE ORDER CODE

BH <u>M</u> RL K	21	70	S	С	I
------------------	----	----	---	---	---

PRODUCT OPTIONS CONTINUED

Range	Switch	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Base Finish	Grommet Finish (If Applicable)
E Extended Range – 26" to 48"	D Display with Up/Down Memory F Toggle Up/Down – Platinum G Toggle Up/Down – Crisp Grey H Toggle Up/Down – Anthracite M Display Toggle with Memory – Platinum N Display Toggle with Memory – Crisp Grey O Display Toggle with Memory – Anthracite	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim F Full Knife Trim	Edge Trim Colors (for trim style 6 or F)	Foundation Mica Coordinate Colors	Foundation Mica

SAMPLE ORDER CODE CONTINUED

E	D	2D	6	4D	R9	60

BH_RL

Height-Adjustable Rectangular Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING

		1 3/16" (M)		1 3/16" KNIFE ED	GE (V)	1 9/16" (X)	
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
21 / 533	40 / 1016	3069	3574	3138	n/a	3124	3623
21 / 533	46 / 1168	3089	3655	3163	n/a	3153	3711
21 / 533	52 / 1321	3110	3707	3189	n/a	3183	3771
21 / 533	58 / 1473	3123	3794	3207	n/a	3203	3865
21 / 533	64 / 1626	3141	3848	3230	n/a	3233	3925
21 / 533	70 / 1778	3161	3918	3255	n/a	3261	4004
24 / 610	40 / 1016	3082	3634	3156	n/a	3149	3690
24 / 610	46 / 1168	3106	3691	3185	n/a	3182	3755
24 / 610	52 / 1321	3130	3783	3214	n/a	3214	3857
24 / 610	58 / 1473	3144	3841	3233	n/a	3238	3921
24 / 610	64 / 1626	3168	3915	3262	n/a	3269	4004
24 / 610	70 / 1778	3189	3972	3288	n/a	3303	4069
27 / 686	40 / 1016	3096	3669	3175	n/a	3174	3732
27 / 686	46 / 1168	3124	3765	3208	n/a	3210	3837
27 / 686	52 / 1321	3149	3827	3238	n/a	3246	3907
27 / 686	58 / 1473	3167	3902	3261	n/a	3270	3995
27 / 686	64 / 1626	3191	3965	3290	n/a	3306	4066
27 / 686	70 / 1778	3217	4061	3321	n/a	3343	4171


If Switch Style (D, M, N or O) is specified, add 129.

If Powerbar (I or P) is specified, add 176.

BH_RC

Cross Grain Height-Adjustable Rectangular Worksurface

One Table One Plug



This height-adjustable worksurface allows to work at seated and standing positions. It must only be mounted on a Workwall Kneespace Module (BHKHW or BHKHF).

WHAT'S INCLUDED

1 worksurface, 2 height-adjustable mechanisms with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), 1 rectangular cut-out with grommet (as specified), 1 square cut-out without ring (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Modules.

NOTES

When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is not available.

When Worksurface Thickness (V) option is specified, only Foundation Laminate Worksurface finish is available.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available.

When Worksurface Thickness (M or X) is specified, the Edge Trim Styles (6 or 9) options are available.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Configuration	Depth	Width	Corner Detail	Grommet Option	Powerbar
M 1 3/16" X 1 9/16" V 1 3/16" Knife Edge	K Mid-Height	21, 24, 27	40, 46, 52, 58	R Radius S Standard (Shown)	C Centered – Rectangular D Centered – Rectangular (L) & Square (R) E Centered – Square (L) &	I Integrated Powerbar P Integrated Powerbar with IEC Outlet N None
					Rectangular (R) N No Grommet	

SAMPLE ORDER CODE

RHMRC	l K	21	5.8	S	\mathbf{C}	l T
DIIIII	17)0	3	•	_

PRODUCT OPTIONS CONTINUED

	Range	Sw	itch	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Base Finish	Grommet Finish (If Applicable)
]	E Extended Range – 26" to 48"	 D Display with Up/ Down Memory F Toggle Up/Down – Platinum G Toggle Up/Down – Crisp Grey H Toggle Up/Down – Anthracite 	 M Display Toggle with Memory – Platinum N Display Toggle with Memory – Crisp Grey O Display Toggle with Memory – Anthracite 	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim F Full Knife Trim	Edge Trim Colors (for trim style 6 or F)	Foundation Mica Coordinate Colors	Foundation Mica

SAMPLE ORDER CODE CONTINUED

|--|

BH_RC

Cross Grain Height-Adjustable Rectangular Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING

		1 3/16" (M)		1 3/16" KNIFE ED	GE (V)	1 9/16" (X)	
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
21 / 533	40 / 1016	3069	3574	3138	n/a	3124	3623
21 / 533	46 / 1168	3089	3655	3163	n/a	3153	3711
21 / 533	52 / 1321	3110	3707	3189	n/a	3183	3771
21 / 533	58 / 1473	3123	3794	3207	n/a	3203	3865
24 / 610	40 / 1016	3082	3634	3156	n/a	3149	3690
24 / 610	46 / 1168	3106	3691	3185	n/a	3182	3755
24 / 610	52 / 1321	3130	3783	3214	n/a	3214	3857
24 / 610	58 / 1473	3144	3841	3233	n/a	3238	3921
27 / 686	40 / 1016	3096	3669	3175	n/a	3174	3732
27 / 686	46 / 1168	3124	3765	3208	n/a	3210	3837
27 / 686	52 / 1321	3149	3827	3238	n/a	3246	3907
27 / 686	58 / 1473	3167	3902	3261	n/a	3270	3995


If Switch Style (D, M, N or O) is specified, add 129.

If Powerbar (I or P) is specified, add 176.

BH_RB

Height-Adjustable Run-Off – Bevel Base

One Table One Plug



This Height-Adjustable Run-Off allows to work at seated and standing positions. It can be mounted on a Workwall Credenza (BSMHLR or BSMCHR) or a High or Low Secondary Desk (BH_SR) at one end and is supported by a Bevel Base at the other.

WHAT'S INCLUDED

1 worksurface, 1 height-adjustable bevel base with levelers, 1 height-adjustable mechanism with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), 1 rectangular cut-out with grommet (as specified), 1 square cut-out without ring (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Credenzas and High or Low Secondary Desk and Suspended Modesty Panel.

NOTES

When Flintwood Worksurface finish is specified, only Flintwood End Panel finish is available

When Foundation Laminate Worksurface finish is specified, only Source Laminate End Panel finish is available.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

The 1 9/16" (X) thickness is ${f not}$ available in all Source Laminate, Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Configuration	Depth	Width	Grommet Option	Configuration	Powerbar	Range
M 1 3/16" X 1 9/16"	 K Mid-Height H High Secondary L Low Secondary 	29, 35	57, 63, 69, 75, 81, 87	N No Grommet (Shown) O Offset – Rectangular P Offset – Rectangular & Square	L Left Handed (Shown) R Right Handed	 I Integrated Powerbar N None P Integrated Powerbar with IEC Outlet 	E Extended Range – 26" to 48" (Low or Mid) E Extended Range – 29" to 48" (High)

SAMPLE ORDER CODE

DILLAND	17	20	(0		_	N.T	г
BH <u>M</u> RB	K	29	69	0	L	l N	E

PRODUCT OPTIONS CONTINUED

	Sw	itch	Worksurface Finish	Edge Trim Style	Edge Trim Finish	End Panel Finish	Base Finish	Grommet Finish (If Applicable)
]	Display with Up/ Down Memory	M Display Toggle with Memory – Platinum	Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate Flintwood	Foundation Mica	Foundation Mica
]	F Toggle Up/Down – Platinum	N Display Toggle with Memory – Crisp	Flintwood (No Cathedral)	9 Flintwood Flat Trim	(for trim style 6)	(No Cathedral)	Coordinate Colors	Wilca
(G Toggle Up/Down – Crisp Grey	Grey O Display Toggle					Colors	
]	H Toggle Up/Down – Anthracite	with Memory – Anthracite						

SAMPLE ORDER CODE CONTINUED

D	2D	6	4D	DΩ	74	7.4
D	20	U	40	K9	/ 1	/ 1

BH_RB

Height-Adjustable Run-Off – Bevel Base (Continued)

DIMENSIONS INCHES / MM

PRICING

		1 3/16" (M)					
		NONE POWERBAR (N)		INTEGRATED POWE	INTEGRATED POWERBAR (I or P)		
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood		
29 / 737	57 / 1448	3929	5373	4104	5548		
29 / 737	63 / 1600	3963	5497	4138	5672		
29 / 737	69 / 1753	4000	5594	4175	5769		
29 / 737	75 / 1905	4034	5720	4210	5895		
29 / 737	81 / 2057	4065	5813	4240	5988		
29 / 737	87 / 2210	4101	5909	4276	6084		
35 / 889	57 / 1448	4033	5679	4208	5855		
35 / 889	63 / 1600	4072	5813	4247	5988		
35 / 889	69 / 1753	4115	5917	4290	6092		
35 / 889	75 / 1905	4155	6024	4330	6199		
35 / 889	81 / 2057	4189	6165	4364	6341		
35 / 889	87 / 2210	4233	6273	4408	6448		


		NONE POWERBAR (N)	INTEGRATED POWE	RBAR (I or P)
		Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
9 / 737	57 / 1448	4047	5540	4224	5716
9 / 737	63 / 1600	4091	5677	4266	5852
9 / 737	69 / 1753	4139	5786	4315	5961
9 / 737	75 / 1905	4188	5925	4363	6100
9 / 737	81 / 2057	4228	6031	4403	6206
9 / 737	87 / 2210	4275	6138	4450	6314
5 / 889	57 / 1448	4184	5880	4359	6055
5 / 889	63 / 1600	4234	6031	4409	6206
5 / 889	69 / 1753	4286	6150	4461	6325
5 / 889	75 / 1905	4336	6271	4514	6446
5 / 889	81 / 2057	4384	6430	4559	6606
5 / 889	87 / 2210	4437	6551	4612	6726

If Switch Style (D, M, N or O) is specified, add 129.

BHGRB

Height-Adjustable Run-Off with Glass Top – Bevel Base

One Table One Plug



This Height-Adjustable Run-Off allows to work at seated and standing positions. It can be mounted on a Workwall Credenza (BSMHLR or BSMCHR) or a High or Low Secondary Desk (BH_SR) at one end and is supported by a Bevel Base at the other.

WHAT'S INCLUDED

I glass worksurface, 1 top frame, 1 height-adjustable bevel base with levelers, 1 height-adjustable mechanism, 1 u-channel with levelers, 1 power tray, 1 rectangular cut-out with grommet (as specified), 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified) and mounting hardware.

WHAT'S EXCLUDED

Workwall Credenzas, High or Low Secondary Desk and Suspended Modesty Panel.

NOTES

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

PRODUCT OPTIONS

Configuration	Depth	Width	Grommet Option	Configuration	Powerbar	Range
K Mid-Height H High Secondary L Low Secondary	29, 35	57, 63, 69, 75, 81, 87	N No Grommet (Shown) O Offset – Rectangular	L Left Handed (Shown) R Right Handed	I Integrated Powerbar N None P Integrated Powerbar with IEC Outlet	E Extended Range – 26" to 48" (Low or Mid) E Extended Range – 29" to 48" (High)

SAMPLE ORDER CODE

BHGRBH	29	69	0	R	N	E
--------	----	----	---	---	---	---

PRODUCT OPTIONS CONTINUED

	Sw	ritch	Glass Thickness	Worksurface and End Panel Finish	Base and Frame Finish	Grommet Finish (If Applicable)
Ι	Display with Up/ Down Memory	M Display Toggle with Memory – Platinum	10 10 mm	Back-Painted	Foundation Mica	Foundation Mica
F	Toggle Up/Down – Platinum	N Display Toggle with Memory– Crisp Grey			Coordinate Colors	Iviica
(G Toggle Up/Down – Crisp Grey	O Display Toggle				
ŀ	I Toggle Up/Down – Anthracite	with Memory – Anthracite				

SAMPLE ORDER CODE CONTINUED

D 10 J4 60 60	D	10	J4	60	60
---------------	---	----	----	----	----

BHGRB

Height-Adjustable Run-Off with Glass Top – Bevel Base (Continued)

DIMENSIONS	
INCHES / MM	P

P	R	I	C	II	V	G


D	W	NONE POWER BAR (N)	INTEGRATED POWERBAR (I or P)
29 / 737	57 / 1448	6327	6502
29 / 737	63 / 1600	6519	6694
29 / 737	69 / 1753	6708	6883
29 / 737	75 / 1905	6904	7079
29 / 737	81 / 2057	7090	7265
29 / 737	87 / 2210	7284	7459
35 / 889	57 / 1448	6685	6860
35 / 889	63 / 1600	6902	7077
35 / 889	69 / 1753	7117	7292
35 / 889	75 / 1905	7336	7511
35 / 889	81 / 2057	7549	7724
35 / 889	87 / 2210	7767	7943

If Switch Style (D, M, N or O) is specified, add 129.

BH_RP

Height-Adjustable Peninsula – Bevel Post Leg

One Table One Plug



This Height-Adjustable Peninsula allows to work at seated and standing positions. It can be mounted on a Workwall Storage (BKKHW, BSMOBH, BSMHDP or BSMHCP) or a High or Low Secondary Desk (BH_SB) at one end and is supported by a Bevel Base at the other.

WHAT'S INCLUDED

1 worksurface, 1 height-adjustable bevel base with levelers, 1 height-adjustable mechanism with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), 1 rectangular cut-out with grommet (as specified), 1 square cut-out without ring (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, Workwall Bookcase, Workwall Credenzas, High or Low Secondary Desk and Suspended Modesty Panel.

NOTES

When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is not available.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available.

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Source Laminate, Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Configuration	Depth	Width	Corner Detail	Grommet Option	Configuration	Powerbar	Range
M 1 3/16" X 1 9/16" V 1 3/16" Knife Trim	 K Mid-Height H High Secondary L Low Secondary 	35	57, 63, 69, 75, 81, 87	S Straight (Shown) R Radius	N No Grommet (Shown) O Offset – Rectangular P Offset – Rectangular & Square	L Left Handed (Shown) R Right Handed	I Integrated Powerbar N None P Integrated Powerbar with IEC Outlet	E Extended Range – 26" to 48" (Low or Mid) E Extended Range – 29" to 48" (High)

SAMPLE ORDER CODE

DIII	_	2 -			-	_	3.7	
BH <u>M</u> RP	L	35	87	S	P	L	N	E

PRODUCT OPTIONS CONTINUED

	Switch			Worksurface Finish	E	Edge Trim Style	Edge Trim Finish	Base Finish	Grommet Finish (If Applicable)
Ι	Display with Up/ Down Memory	M	Display Toggle with Memory – Platinum	Foundation Laminate	6	Straight Trim Flintwood Flat	Edge Trim Colors (for trim style 6 or F)	Foundation Mica	Foundation Mica
H	Toggle Up/Down – Platinum Toggle Up/Down – Crisp Grey	N O	Display Toggle with Memory – Crisp Grey Display Toggle	Flintwood (No Cathedral)	F	Trim Full Knife Trim		Coordinate Colors	
ŀ			with Memory – Anthracite						

SAMPLE ORDER CODE CONTINUED

D	2D	6	4D	74	74



BH_RP

Height-Adjustable Peninsula – Bevel Post Leg (Continued)

DIMENSIONS INCHES / MM

PRICING

	1 3/16" (M)					
D	W	Foundation Laminate	Flintwood			
35 / 889	57 / 1448	5263	6255			
35 / 889	63 / 1600	5314	6340			
35 / 889	69 / 1753	5365	6425			
35 / 889	75 / 1905	5416	6510			
35 / 889	81 / 2057	5458	6584			
35 / 889	87 / 2210	5509	6671			

1 3/16" KNIFE EDGE (V)						
Foundation Laminate	Flintwood					
5388	n/a					
5449	n/a					
5510	n/a					
5571	n/a					
5623	n/a					
5684	n/a					

1 9/16" (X)	
Foundation Laminate	Flintwood
5384	7080
5447	7157
5510	7234
5573	7311
5627	7429
5691	7525


If Switch Style (D, M, N or O) is specified, add 129.

If Powerbar (I or P) is specified, add 176.

BH_TP

Height-Adjustable Tapered Peninsula - Bevel Post Leg

One Table One Plug



This Height-Adjustable Peninsula allows to work at seated and standing positions. It can be mounted on a Workwall Storage (BHKHW, BCMOBH, BSMHDP or BSMHCP) or a High or Low Secondary Desk (BH_SB) at one end and is supported by a Bevel Post Leg at the other.

1 worksurface, 1 height-adjustable bevel post leg with levelers, 2 height-adjustable mechanisms with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), 1 rectangular cut-out with grommet (as specified), 1 square cut-out without ring (if applicable), and mounting hardware.

Workwall Kneespace Module, Workwall Bookcase, Workwall Credenza, High or Low Secondary Desk and Suspended Modesty Panel.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Configuration	Depth	Width	Grommet Option	Configuration	Powerbar	Range
M 1 3/16" X 1 9/16"	K Mid-HeightH High SecondaryL Low Secondary	35	57, 63, 69, 75, 81, 87	N No Grommet (Shown) O Offset – Rectangular P Offset – Rectangular & Square	L Left Handed (Shown) R Right Handed	 I Integrated Powerbar N None P Integrated Powerbar with IEC Outlet 	E Extended Range – 26" to 48" (Low or Mid) E Extended Range – 29" to 48" (High)

SAMPLE ORDER CODE

ВН <u>М</u> ТР К 35	87	N	L	N	E
---------------------	----	---	---	---	---

PRODUCT OPTIONS CONTINUED

	Switch			Worksurface Finish	I	Edge Trim Style	Edge Trim Finish	Base Finish	Grommet Finish (If Applicable)
I	Display with Up/ Down Memory Toggle Up/Down –	M	Display Toggle with Memory – Platinum Display Toggle with	Foundation Laminate	6	Straight Trim Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Foundation Mica	Foundation Mica
(Platinum G Toggle Up/Down – Crisp Grey	o	Memory – Crisp Grey Display Toggle	Flintwood (No Cathedral)		1 rim		Coordinate Colors	
H	Toggle Up/Down – Anthracite		with Memory – Anthracite						

SAMPLE ORDER CODE CONTINUED

0	V7 .	9	68	
O .	V 2	,	00	



BH_TP

Height-Adjustable Tapered Peninsula – Bevel Post Leg (Continued)

DIMENSIONS INCHES / MM

PRICING

D	W
35 / 889	57 / 1448
35 / 889	63 / 1600
35 / 889	69 / 1753
35 / 889	75 / 1905
35 / 889	81 / 2057
35 / 889	87 / 2210

1 3/16" (M)		
Foundation Laminate	Flintwood	
5263	6255	
5314	6340	
5365	6425	
5416	6510	
5458	6584	
5509	6671	

1 9/16" (X)		
Foundation Laminate	Flintwood	
5384	7080	
5447	7157	
5510	7234	
5573	7311	_
5627	7429	
5691	7525	


If Switch Style (D, M, N or O) is specified, add 129.

If Powerbar (I or P) is specified, add 176.

BH_PE"

Height-Adjustable Extended Tapered Peninsula – Bevel Post Leg

One Table One Plug



This height-adjustable peninsula allows to work at seated and standing positions. It can be mounted on a Workwall Storage (BHKHW, BCMOBH or BSMHCP) or a High or Low Secondary Desk (BH_SB) at one end and is supported by a Bevel Post Leg at the other.

WHAT'S INCLUDED

1 worksurface, 1 height-adjustable bevel post leg with levelers, 2 height-adjustable mechanisms with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), 1 rectangular cut-out with grommet (as specified), 1 square cut-out without ring (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, Workwall Bookcase, Workwall Credenza, High or Low Secondary Desk and Suspended Modesty Panel.

NOTES

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Configuration	Depth A	Depth B	Width A	Grommet Option	Configuration	Powerbar
M 1 3/16" X 1 9/16"	K Mid-Height H High	29, 35	46, 52, 58	57, 63, 69, 75, 81, 87	N No Grommet (Shown)	L Left Handed (Shown)	I Integrated Powerbar
A 1 9/10	Secondary L Low Secondary				O Offset – Rectangular P Offset – Rectangular & Square	R Right Handed	N None P Integrated Powerbar with IEC Outlet

SAMPLE ORDER CODE

BH <u>M</u> PE K 35	52	75	N	L	P
---------------------	----	----	---	---	---

PRODUCT OPTIONS CONTINUED

	Range	Switch			Worksurface Finish		Edge Trim Style	Edge Trim Finish	Base Finish	Grommet Finish (If Applicable)	
E	Extended Range – 26" to 48" (Low or Mid)	D F	Display with Up/ Down Memory Toggle Up/Down – Platinum	M N	Display Toggle with Memory – Platinum Display Toggle with Memory– Crisp	Foundation Laminate Flintwood (No Cathedral)	6	Straight Trim Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Foundation Mica Coordinate	Foundation Mica
Е	Extended Range – 29" to 48" (High)	G H	Toggle Up/Down – Crisp Grey Toggle Up/Down – Anthracite	O	Grey Display Toggle with Memory – Anthracite					Colors	

SAMPLE ORDER CODE CONTINUED

						1
F	D	2D	6	4D	83	
	D	20	0	10	05	



B H _ P E

Height-Adjustable Extended Tapered Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

			1 3/16" (M)		1 9/16" (X)	
			Foundation		Foundation	
Da	Db	Wa	Laminate	Flintwood	Laminate Flintwood	
29	46	57	5642	6753	5624 7653	
29	46	63	5682	6853	5693 7755	
29	46	69	5722	6953	5762 7857	
29	46	75	5762	7053	5831 7959	
29	46	81	5838	7143	5893 8101	
29	46	87	5901	7197	6090 8172	
29	52	57	5704	6883	5714 7819	
29	52	63	5749	6995	5787 7932	
29	52	69	5794	7107	5860 8045	
29	52	75	5839	7219	5933 8158	
29	52	81	5921	7360	6005 8355	
29	52	87	5987	7422	6208 8439	
29	58	57	5764	6939	5794 7893	
29	58	63	5815	7101	5876 8062	
29	58	69	5866	7263	5958 8231	
29	58	75	5917	7425	6040 8400	
29	58	81	6003	7534	6117 8567	
29	58	87	6075	7607	6327 8661	
35	46	57	5712	6878	5696 7784	
35	46	63	5752	6982	5764 7888	
35	46	69	5792	7086	5832 7992	
35	46	75	5832	7190	5900 8096	
35	46	81	5908	7280	5961 8237	
35	46	87	5971	7334	6158 8307	
35	52	57	5774	7023	5775 7950	
35	52	63	5819	7133	5852 8065	
35	52	69	5864	7243	5929 8180	
35	52	75	5909	7353	6006 8295	
35	52	81	5989	7497	6074 8491	
35	52	87	6056	7559	6277 8574	
35	58	57	5839	7070	5861 8031	
35	58	63	5888	7234	5944 8199	
35	58	69	5937	7398	6027 8367	
35	58	75	5986	7562	6110 8535	
35	58	81	6073	7671	6186 8702	
35	58	87	6146	7742	6395 8797	


If Switch Style (D, M, N or O) is specified, add 129.

If Powerbar (I or P) is specified, add 176.

BH_LB

Height-Adjustable L-Shape Run-Off – Bevel Base

One Table One Plug



This height-adjustable L-shape desk allows to work at seated and standing positions. It can be mounted on a Workwall Kneespace Module (BHKHW) or on a High or Low Secondary Desk (BH_SL) at one end and is supported by a Bevel Base at the other.

WHAT'S INCLUDED

2 worksurfaces, 1 height-adjustable bevel base with levelers, 2 height-adjustable mechanisms with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), 2 rectangular cut-outs with grommets (as specified), 1 square cut-out without ring (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, High or Low Secondary Desk and Suspended Modesty Panel.

NOTES

When Grommet Option (C, O or P) is specified on High Secondary (H) configuration, the Rectangular Grommet is **not** available on Return.

When Flintwood Worksurface finish is specified, only Flintwood End Panel finish is available.

When 35" Depth A is specified, 27 Depth B is not available.

When Foundation Laminate Worksurface finish is specified, only Source Laminate End Panel finish is available.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

The 1 9/16" (X) thickness is **not** available in all Source Laminate, Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Configu- ration	Depth A	Depth B	Width A	Width B	Grommet Option	Configu- ration	Powerbar	Range
M 1 3/16" X 1 9/16"	H High Secondary K Mid- Height L Low Secondary	29, 35	21, 24, 27	63, 69, 75, 81, 87	58, 64, 70, 76, 82, 88	C Centered – Rectangular on Desk & Return N No Grommet (Shown) O Rectangular on Desk & Return P Rectangular on Desk & Return/ Square on Desk	L Left Handed (Shown) R Right Handed	I Integrated Powerbar N None P Integrated Powerbar with IEC Outlet	E Extended Range – 26" to 48" (Low or Mid) E Extended Range – 29" to 48" (High)

SAMPLE ORDER CODE

D *** ** D						_	_		_
BH <u>M</u> LB	K	29	21	69	58	P	L	N	\mathbf{E}

PRODUCT OPTIONS CONTINUED

	Swi	itch	Worksurface Finish	Edge Trim Style	Edge Trim Finish	End Panel Finish	Base Finish	Grommet Finish (If Applicable)
]	Display with Up/ Down Memory	M Display Toggle with Memory – Platinum	Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate Flintwood	Foundation Mica	Foundation Mica
]	Toggle Up/Down – Platinum	N Display Toggle with Memory – Crisp Grey	Flintwood (No Cathedral)	9 Flintwood Flat Trim	(for trim style 6)	(No Cathedral)	Coordinate Colors	TYTICA
•	G Toggle Up/Down – Crisp Grey	O Display Toggle						
]	H Toggle Up/Down – Anthracite	with Memory – Anthracite						

SAMPLE ORDER CODE CONTINUED

OIMIT EE ORDER GODE GOTTITIOED						
D	VZ	9	VZ	60	60	

$\mathbf{B}\ \mathbf{H}\ _{\mathbf{L}}\ \mathbf{L}\ \mathbf{B}$

Height-Adjustable L-Shape Run-Off – Bevel Base (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				MID-HEIGHT	(K)			SECONDARY	(H or L)		
				NONE POWE	. ,	INTEGRATEI POWER BAR		INTEGRATEI NONE POWE	D	POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	21	63	58	5643	7781	5820	7955	5643	7781	5820	7955
29	21	63	64	5663	7860	5838	8036	5663	7860	5838	8036
29	21	63	70	5681	7940	5856	8115	5681	7940	5856	8115
29	21	63	76	5697	8046	5872	8221	5697	8046	5872	8221
29	21	63	82	5716	8126	5892	8301	5716	8126	5892	8301
29	21	63	88	5734	8239	5909	8415	5734	8239	5909	8415
29	21	69	58	5681	7875	5856	8050	5681	7875	5856	8050
29	21	69	64	5698	7955	5873	8130	5698	7955	5873	8130
29	21	69	70	5718	8036	5893	8212	5718	8036	5893	8212
29	21	69	76	5734	8142	5909	8317	5734	8142	5909	8317
29	21	69	82	5751	8221	5926	8396	5751	8221	5926	8396
29	21	69	88	5770	8335	5946	8510	5770	8335	5946	8510
29	21	75	58	5718	8002	5893	8177	5718	8002	5893	8177
29	21	75	64	5735	8082	5910	8257	5735	8082	5910	8257
29	21	75	70	5752	8162	5928	8337	5752	8162	5928	8337
29	21	75	76	5770	8268	5946	8444	5770	8268	5946	8444
29	21	75	82	5787	8347	5962	8524	5787	8347	5962	8524
29	21	75	88	5806	8461	5981	8637	5806	8461	5981	8637
29	21	81	58	5747	8097	5922	8272	5747	8097	5922	8272
29	21	81	64	5764	8176	5939	8352	5764	8176	5939	8352
29	21	81	70	5783	8256	5958	8431	5783	8256	5958	8431
29	21	81	76	5799	8361	5975	8536	5799	8361	5975	8536
29	21	81	82	5816	8442	5991	8618	5816	8442	5991	8618
29	21	81	88	5836	8556	6011	8731	5836	8556	6011	8731
29	21	87	58	5784	8191	5959	8366	5784	8191	5959	8366
29	21	87	64	5802	8272	5977	8447	5802	8272	5977	8447
29	21	87	70	5820	8352	5995	8527	5820	8352	5995	8527
29	21	87	76	5837	8456	6012	8632	5837	8456	6012	8632
29	21	87	82	5855	8536	6031	8712	5855	8536	6031	8712
29	21	87	88	5872	8650	6047	8825	5872	8650	6047	8825
29	24	63	58	5658	7808	5834	7983	n/a	n/a	n/a	n/a
29	24	63	64	5676	7890	5851	8067	n/a	n/a	n/a	n/a
29	24	63	70	5693	8001	5868	8176	n/a	n/a	n/a	n/a
29	24	63	76	5714	8084	5890	8259	n/a	n/a	n/a	n/a
29	24	63	82	5736	8202	5911	8378	n/a	n/a	n/a	n/a
29	24	63	88	5755	8285	5930	8461	n/a	n/a	n/a	n/a
29	24	69	58	5693	7903	5868	8078	n/a	n/a	n/a	n/a
29	24	69	64	5712	7987	5888	8162	n/a	n/a	n/a	n/a
29	24	69	70	5729	8097	5904	8272	n/a	n/a	n/a	n/a
29	24	69	76	5750	8179	5925	8354	n/a	n/a	n/a	n/a
29	24	69	82	5773	8297	5948	8473	n/a	n/a	n/a	n/a
29	24	69	88	5792	8382	5967	8557	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_LB

Height-Adjustable L-Shape Run-Off – Bevel Base (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 P

PRICING

				1 3/16" (M) (CONTINUED)					
				MID-HEIGHT		, 		SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATEI POWER BAR		INTEGRATE NONE POWI	D	POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	24	75	58	5729	8030	5904	8205	n/a	n/a	n/a	n/a
29	24	75	64	5748	8113	5923	8288	n/a	n/a	n/a	n/a
29	24	75	70	5765	8222	5940	8397	n/a	n/a	n/a	n/a
29	24	75	76	5786	8304	5961	8480	n/a	n/a	n/a	n/a
29	24	75	82	5808	8423	5983	8598	n/a	n/a	n/a	n/a
29	24	75	88	5828	8507	6003	8683	n/a	n/a	n/a	n/a
29	24	81	58	5758	8123	5933	8299	n/a	n/a	n/a	n/a
29	24	81	64	5778	8208	5953	8383	n/a	n/a	n/a	n/a
29	24	81	70	5795	8317	5971	8492	n/a	n/a	n/a	n/a
29	24	81	76	5815	8398	5990	8574	n/a	n/a	n/a	n/a
29	24	81	82	5838	8517	6013	8692	n/a	n/a	n/a	n/a
29	24	81	88	5857	8600	6033	8775	n/a	n/a	n/a	n/a
29	24	87	58	5797	8219	5972	8394	n/a	n/a	n/a	n/a
29	24	87	64	5814	8302	5989	8477	n/a	n/a	n/a	n/a
29	24	87	70	5834	8412	6009	8587	n/a	n/a	n/a	n/a
29	24	87	76	5853	8496	6029	8671	n/a	n/a	n/a	n/a
29	24	87	82	5874	8614	6049	8789	n/a	n/a	n/a	n/a
29	24	87	88	5895	8698	6070	8873	n/a	n/a	n/a	n/a
29	27	63	58	5669	7832	5844	8009	n/a	n/a	n/a	n/a
29	27	63	64	5690	7947	5865	8123	n/a	n/a	n/a	n/a
29	27	63	70	5707	8036	5882	8212	n/a	n/a	n/a	n/a
29	27	63	76	5730	8157	5906	8332	n/a	n/a	n/a	n/a
29	27	63	82	5755	8244	5930	8419	n/a	n/a	n/a	n/a
29	27	63	88	5778	8347	5953	8524	n/a	n/a	n/a	n/a
29	27	69	58	5705	7929	5880	8104	n/a	n/a	n/a	n/a
29	27	69	64	5726	8043	5901	8219	n/a	n/a	n/a	n/a
29	27	69	70	5744	8130	5919	8306	n/a	n/a	n/a	n/a
29	27	69	76	5766	8251	5942	8426	n/a	n/a	n/a	n/a
29	27	69	82	5792	8339	5967	8514	n/a	n/a	n/a	n/a
29	27	69	88	5813	8444	5988	8619	n/a	n/a	n/a	n/a
29	27	75	58	5741	8055	5917	8230	n/a	n/a	n/a	n/a
29	27	75	64	5762	8169	5937	8345	n/a	n/a	n/a	n/a
29	27	75	70	5780	8257	5955	8433	n/a	n/a	n/a	n/a
29	27	75	76	5803	8380	5979	8555	n/a	n/a	n/a	n/a
29	27	75	82	5828	8467	6003	8642	n/a	n/a	n/a	n/a
29	27	75	88	5850	8569	6025	8744	n/a	n/a	n/a	n/a
29	27	81	58	5771	8149	5947	8325	n/a	n/a	n/a	n/a
29	27	81	64	5792	8264	5967	8440	n/a	n/a	n/a	n/a
29	27	81	70	5809	8352	5984	8527	n/a	n/a	n/a	n/a
29	27	81	76	5834	8473	6009	8648	n/a	n/a	n/a	n/a
29	27	81	82	5857	8561	6033	8736	n/a	n/a	n/a	n/a
29	27	81	88	5879	8662	6054	8839	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

$B\ H\ _\ L\ B$

Height-Adjustable L-Shape Run-Off – Bevel Base (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				MID-HEIGHT	Γ (K)			SECONDARY	(H or L)		
				NONE POWE	. ,	INTEGRATEI POWER BAR		INTEGRATE NONE POWI	D	POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	27	87	58	5808	8244	5983	8419	n/a	n/a	n/a	n/a
29	27	87	64	5829	8359	6005	8534	n/a	n/a	n/a	n/a
29	27	87	70	5846	8447	6022	8622	n/a	n/a	n/a	n/a
29	27	87	76	5870	8568	6045	8743	n/a	n/a	n/a	n/a
29	27	87	82	5895	8655	6070	8830	n/a	n/a	n/a	n/a
29	27	87	88	5917	8759	6092	8934	n/a	n/a	n/a	n/a
35	21	63	58	5736	8003	5911	8179	5736	8003	5911	8179
35	21	63	64	5754	8097	5929	8272	5754	8097	5929	8272
35	21	63	70	5773	8176	5948	8352	5773	8176	5948	8352
35	21	63	76	5790	8256	5966	8431	5790	8256	5966	8431
35	21	63	82	5807	8361	5982	8536	5807	8361	5982	8536
35	21	63	88	5824	8442	6000	8618	5824	8442	6000	8618
35	21	69	58	5778	8106	5953	8281	5778	8106	5953	8281
35	21	69	64	5795	8199	5971	8375	5795	8199	5971	8375
35	21	69	70	5813	8279	5988	8454	5813	8279	5988	8454
35	21	69	76	5832	8359	6008	8534	5832	8359	6008	8534
35	21	69	82	5848	8466	6024	8641	5848	8466	6024	8641
35	21	69	88	5866	8543	6041	8719	5866	8543	6041	8719
35	21	75	58	5820	8214	5995	8389	5820	8214	5995	8389
35	21	75	64	5838	8306	6013	8481	5838	8306	6013	8481
35	21	75	70	5856	8387	6032	8562	5856	8387	6032	8562
35	21	75	76	5873	8467	6048	8642	5873	8467	6048	8642
35	21	75	82	5892	8571	6067	8746	5892	8571	6067	8746
35	21	75	88	5909	8651	6084	8826	5909	8651	6084	8826
35	21	81	58	5853	8357	6029	8532	5853	8357	6029	8532
35	21	81	64	5871	8449	6046	8625	5871	8449	6046	8625
35	21	81	70	5890	8529	6066	8705	5890	8529	6066	8705
35	21	81	76	5908	8611	6083	8786	5908	8611	6083	8786
35	21	81	82	5924	8714	6099	8889	5924	8714	6099	8889
35	21	81	88	5942	8795	6118	8970	5942	8795	6118	8970
35	21	87	58	5896	8463	6071	8640	5896	8463	6071	8640
35	21	87	64	5914	8557	6090	8732	5914	8557	6090	8732
35	21	87	70	5931	8637	6106	8813	5931	8637	6106	8813
35	21	87	76	5951	8715	6126	8890	5951	8715	6126	8890
35	21	87	82	5967	8822	6142	8997	5967	8822	6142	8997
35	21	87	88	5984	8902	6160	9077	5984	8902	6160	9077
35	24	63	58	5749	8026	5924	8201	n/a	n/a	n/a	n/a
35	24	63	64	5766	8123	5942	8299	n/a	n/a	n/a	n/a
35	24	63	70	5785	8208	5960	8383	n/a	n/a	n/a	n/a
35	24	63	76	5803	8317	5979	8492	n/a	n/a	n/a	n/a
35	24	63	82	5823	8398	5998	8574	n/a	n/a	n/a	n/a
35	24	63	88	5845	8517	6020	8692	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

Xpress

BH_LB

Height-Adjustable L-Shape Run-Off – Bevel Base (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

				MID-HEIGHT	(K)			SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATEI POWER BAR		INTEGRATEI NONE POWE		POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	24	69	58	5790	8128	5966	8303	n/a	n/a	n/a	n/a
35	24	69	64	5808	8226	5983	8401	n/a	n/a	n/a	n/a
35	24	69	70	5826	8309	6002	8484	n/a	n/a	n/a	n/a
35	24	69	76	5844	8419	6019	8594	n/a	n/a	n/a	n/a
35	24	69	82	5865	8503	6040	8678	n/a	n/a	n/a	n/a
35	24	69	88	5888	8621	6062	8796	n/a	n/a	n/a	n/a
35	24	75	58	5834	8236	6009	8411	n/a	n/a	n/a	n/a
35	24	75	64	5851	8333	6026	8509	n/a	n/a	n/a	n/a
35	24	75	70	5868	8417	6044	8592	n/a	n/a	n/a	n/a
35	24	75	76	5888	8527	6062	8702	n/a	n/a	n/a	n/a
35	24	75	82	5908	8611	6083	8786	n/a	n/a	n/a	n/a
35	24	75	88	5929	8729	6104	8904	n/a	n/a	n/a	n/a
35	24	81	58	5866	8380	6041	8555	n/a	n/a	n/a	n/a
35	24	81	64	5884	8476	6060	8651	n/a	n/a	n/a	n/a
35	24	81	70	5902	8561	6077	8736	n/a	n/a	n/a	n/a
35	24	81	76	5921	8671	6096	8846	n/a	n/a	n/a	n/a
35	24	81	82	5940	8753	6117	8929	n/a	n/a	n/a	n/a
35	24	81	88	5962	8872	6138	9047	n/a	n/a	n/a	n/a
35	24	87	58	5909	8484	6084	8659	n/a	n/a	n/a	n/a
35	24	87	64	5926	8584	6102	8759	n/a	n/a	n/a	n/a
35	24	87	70	5946	8669	6120	8843	n/a	n/a	n/a	n/a
35	24	87	76	5962	8775	6138	8952	n/a	n/a	n/a	n/a
35	24	87	82	5983	8859	6158	9034	n/a	n/a	n/a	n/a
35	24	87	88	6006	8977	6180	9154	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

$B\ H\ _\ L\ B$

Height-Adjustable L-Shape Run-Off – Bevel Base (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				1 9/16" (X)							
				MID-HEIGHT	(K)	INTEGRATEI	D.	SECONDARY	(/		
				NONE POWE	R BAR (N)	INTEGRATEI POWER BAR		INTEGRATEI NONE POWI		POWER BAR	(I or P)
	5 1	****	*****	Foundation	va. 1	Foundation		Foundation	771. 1	Foundation	T-1.
Da 20	Db	Wa	Wb	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
29	21	63	58	5809	8005	5984	8181	5809	8005	5984	8181
29	21	63	64	5835	8097	6010	8272	5835	8097	6010	8272
29	21	63	70	5859	8185	6034	8360	5859	8185	6034	8360
29	21	63	76	5884	8301	6060	8476	5884	8301	6060	8476
29	21	63	82	5909	8390	6084	8565	5909	8390	6084	8565
29	21	63	88	5933	8513	6110	8688	5933	8513	6110	8688
29	21	69	58	5857	8115	6033	8291	5857	8115	6033	8291
29	21	69	64	5881	8206	6056	8382	5881	8206	6056	8382
29	21	69	70	5906	8295	6082	8470	5906	8295	6082	8470
29	21	69	76	5931	8411	6106	8586	5931	8411	6106	8586
29	21	69	82	5957	8500	6132	8676	5957	8500	6132	8676
29	21	69	88	5982	8623	6157	8799	5982	8623	6157	8799
29	21	75	58	5906	8255	6082	8429	5906	8255	6082	8429
29	21	75	64	5930	8345	6105	8520	5930	8345	6105	8520
29	21	75	70	5955	8434	6131	8611	5955	8434	6131	8611
29	21	75	76	5981	8550	6156	8727	5981	8550	6156	8727
29	21	75	82	6006	8640	6180	8815	6006	8640	6180	8815
29	21	75	88	6032	8763	6207	8938	6032	8763	6207	8938
20	21	0.1	50	50/7	0250	(121	052/	50/7	0250	(121	052
29 29	21	81	58 64	<u>5947</u> 5971	8359 8449	6121	8534 8625	<u>5947</u> 5971	8359 8449	6121	8534 8625
29 29	21	81	70 76	5995 6020	8538 8654	6170	8713 8829	5995 6020	8538 8654	6170 6196	8713 8829
29 29	21	81	82 88	6045	8743 8868	6220 6247	8918 9043	6045	8743 8868	6220 6247	8918 9048
29	21	87	58	5994	8468	6169	8643	5994	8468	6169	8643
29	21	87	64	6018	8558	6193	8734	6018	8558	6193	8734
29	21	87	70	6042	8647	6218	8822	6042	8647	6218	8822
29	21	87	76	6069	8763	6244	8938	6069	8763	6244	893
29	21	87	82	6093	8852	6269	9027	6093	8852	6269	902
29	21	87	88	6119	8975	6294	9150	6119	8975	6294	9150
29	24	63	58	5829	8039	6005	8214	n/a	n/a	n/a	n/a
29	24	63	64	5856	8133	6032	8308	n/a	n/a	n/a	n/a
29	24	63	70	5884	8251	6060	8426	n/a	n/a	n/a	n/a
29	24	63	76	5913	8347	6089	8524	n/a	n/a	n/a	n/a
29	24	63	82	5940	8476	6117	8651	n/a	n/a	n/a	n/a
29	24	63	88	5968	8569	6143	8744	n/a	n/a	n/a	n/a
29	24	69	58	5875	8148	6052	8324	n/a	n/a	n/a	n/a
29	24	69	64	5903	8243	6078	8418	n/a	n/a	n/a	n/a
29	24	69	70	5931	8361	6106	8536	n/a	n/a	n/a	n/a
29	24	69	76	5960	8456	6135	8632	n/a	n/a	n/a	n/a
9	24	69	82	5988	8586	6163	8761	n/a	n/a	n/a	n/a
29	24	69	88	6016	8679	6191	8854	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_LB

Height-Adjustable L-Shape Run-Off – Bevel Base (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

				1 9/16" (X) (C	CONTINUED)						
				MID-HEIGHT				SECONDARY	(H or I)		
				NONE POWE		INTEGRATEI POWER BAR		INTEGRATEI NONE POWE)	POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	24	75	58	5925	8287	6100	8462	n/a	n/a	n/a	n/a
29	24	75	64	5953	8383	6128	8558	n/a	n/a	n/a	n/a
29	24	75	70	5981	8502	6156	8677	n/a	n/a	n/a	n/a
29	24	75	76	6010	8596	6185	8771	n/a	n/a	n/a	n/a
29	24	75	82	6038	8727	6213	8901	n/a	n/a	n/a	n/a
29	24	75	88	6066	8818	6240	8993	n/a	n/a	n/a	n/a
29	24	81	58	5966	8391	6141	8567	n/a	n/a	n/a	n/a
29	24	81	64	5991	8485	6168	8661	n/a	n/a	n/a	n/a
29	24	81	70	6020	8604	6196	8781	n/a	n/a	n/a	n/a
29	24	81	76	6048	8701	6223	8876	n/a	n/a	n/a	n/a
29	24	81	82	6077	8829	6252	9004	n/a	n/a	n/a	n/a
29	24	81	88	6104	8922	6279	9098	n/a	n/a	n/a	n/a
29	24	87	58	6013	8500	6189	8676	n/a	n/a	n/a	n/a
29	24	87	64	6040	8594	6215	8770	n/a	n/a	n/a	n/a
29	24	87	70	6069	8713	6244	8888	n/a	n/a	n/a	n/a
29	24	87	76	6097	8810	6272	8985	n/a	n/a	n/a	n/a
29	24	87	82	6126	8938	6301	9113	n/a	n/a	n/a	n/a
29	24	87	88	6153	9031	6328	9206	n/a	n/a	n/a	n/a
29	27	63	58	5846	8069	6022	8244	n/a	n/a	n/a	n/a
29	27	63	64	5878	8195	6053	8369	n/a	n/a	n/a	n/a
29	27	63	70	5909	8294	6084	8469	n/a	n/a	n/a	n/a
29	27	63	76	5940	8427	6117	8603	n/a	n/a	n/a	n/a
29	27	63	82	5972	8527	6148	8702	n/a	n/a	n/a	n/a
29	27	63	88	6002	8643	6177	8818	n/a	n/a	n/a	n/a
29	27	69	58	5895	8179	6070	8354	n/a	n/a	n/a	n/a
29	27	69	64	5925	8304	6100	8480	n/a	n/a	n/a	n/a
29	27	69	70	5957	8403	6132	8578	n/a	n/a	n/a	n/a
29	27	69	76	5988	8538	6163	8713	n/a	n/a	n/a	n/a
29	27	69	82	6019	8637	6194	8813	n/a	n/a	n/a	n/a
29	27	69	88	6048	8753	6223	8929	n/a	n/a	n/a	n/a
29	27	75	58	5943	8318	6119	8495	n/a	n/a	n/a	n/a
29	27	75	64	5975	8445	6150	8620	n/a	n/a	n/a	n/a
29	27	75	70	6006	8541	6180	8716	n/a	n/a	n/a	n/a
29	27	75	76	6038	8678	6213	8853	n/a	n/a	n/a	n/a
29	27	75	82	6069	8774	6244	8949	n/a	n/a	n/a	n/a
29	27	75	88	6098	8890	6273	9067	n/a	n/a	n/a	n/a
29	27	81	58	5983	8422	6158	8597	n/a	n/a	n/a	n/a
29	27	81	64	6015	8549	6190	8724	n/a	n/a	n/a	n/a
29	27	81	70	6045	8647	6220	8822	n/a	n/a	n/a	n/a
29	27	81	76	6077	8782	6252	8958	n/a	n/a	n/a	n/a
29	27	81	82	6107	8880	6283	9055	n/a	n/a	n/a	n/a
29	27	81	88	6138	8996	6314	9171	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

$\mathbf{B}\ \mathbf{H}\ _{\mathbf{L}}\ \mathbf{L}\ \mathbf{B}$

Height-Adjustable L-Shape Run-Off – Bevel Base (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				1 9/16" (X) (C				CECOND ADV	(11 - 1)		
				MID-HEIGHT		INTEGRATE		SECONDARY INTEGRATED	D		(= =)
				NONE POWE	R BAR (N)	POWER BAR	(I or P)	NONE POWE	ER BAR (N)	POWER BAR	. (I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	27	87	58	6032	8531	6207	8706	n/a	n/a	n/a	n/a
29 29	27	87	64	6062	8656	6237	8831	n/a	n/a	n/a	n/a
29	27	87	70	6093	8756	6269	8931	n/a	n/a	n/a	n/a
29 29	27	87	76	6126	8889	6301	9064	n/a	n/a	n/a	n/a
29	27	87	82	6156	8989	6331	9164	n/a	n/a	n/a	n/a
29 29	27	87	88	6186	9105	6361	9280	n/a	n/a	n/a	n/a
35	21	63	58	5925	8257	6100	8433	5925	8257	6100	8433
35	21	63	64	5952	8359	6127	8534	5952	8359	6127	8534
35	21	63	70	5976	8449	6151	8625	5976	8449	6151	8625
35	21	63	76	6000	8538	6176	8713	6000	8538	6176	8713
35	21	63	82	6026	8654	6201	8829	6026	8654	6201	8829
35	21	63	88	6049	8743	6225	8918	6049	8743	6225	8918
35	21	69	58	5979	8378	6154	8554	5979	8378	6154	8554
35	21	69	64	6005	8478	6179	8654	6005	8478	6179	8654
35	21	69	70	6029	8569	6205	8744	6029	8569	6205	8744
35	21	69	76	6053	8657	6228	8832	6053	8657	6228	8832
35	21	69	82	6078	8773	6254	8948	6078	8773	6254	8948
35	21	69	88	6103	8862	6278	9039	6103	8862	6278	9039
25	21	75		(021	8499	6206	8674	(021	8499	(20)	9/7/
35 35	21	75 75	58 64	6031	8599	6232	8774	6031	8599	6206 6232	8674 8774
35 35	21	75	70	6080	8690	6256	8866	6080	8690	6256	8866
35 35	21	75	76	6104	8778	6279	8955	6104	8778	6279	8955
35 35	21	75	82	6131	8896	6306	9071	6131	8896	6306	9071
35	21	75	88	6155	8985	6330	9161	6155	8985	6330	9161
35	21	81	58	6076	8656	6251	8831	6076	8656	6251	8831
35	21	81	64	6102	8759	6277	8934	6102	8759	6277	8934
35	21	81	70	6127	8850	6302	9025	6127	8850	6302	9025
35	21	81	76	6151	8938	6327	9113	6151	8938	6327	9113
35 35	21	81	82	6177 6201	9054 9143	6352 6378	9229	6177 6201	9054	6352	9229
					,,,,,		,,,,,,,		7.15		,,,,,,
35	21	87	58	6129	8775	6305	8952	6129	8775	6305	8952
35	21	87	64	6155	8879	6330	9054	6155	8879	6330	9054
35	21	87	70	6179	8969	6354	9144	6179	8969	6354	9144
35	21	87	76	6205	9057	6380	9232	6205	9057	6380	9232
35	21	87	82	6229	9173	6406	9348	6229	9173	6406	9348
35	21	87	88	6254	9263	6430	9438	6254	9263	6430	9438
35	24	63	58	5942	8282	6118	8458	n/a	n/a	n/a	n/a
35	24	63	64	5971	8391	6147	8567	n/a	n/a	n/a	n/a
35	24	63	70	5997	8485	6174	8661	n/a	n/a	n/a	n/a
35	24	63	76	6026	8604	6201	8781	n/a	n/a	n/a	n/a
35	24	63	82	6054	8701	6229	8876	n/a	n/a	n/a	n/a
35	24	63	88	6083	8829	6258	9004	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

Xpress

BH_LB

Height-Adjustable L-Shape Run-Off -Bevel Base (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING


				MID-HEIGHT	(K)			SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATEI POWER BAR		INTEGRATEI NONE POWE		POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	24	69	58	5995	8403	6170	8578	n/a	n/a	n/a	n/a
35	24	69	64	6024	8511	6199	8686	n/a	n/a	n/a	n/a
35	24	69	70	6049	8606	6225	8782	n/a	n/a	n/a	n/a
35	24	69	76	6078	8727	6254	8901	n/a	n/a	n/a	n/a
35	24	69	82	6106	8821	6281	8996	n/a	n/a	n/a	n/a
35	24	69	88	6135	8948	6310	9125	n/a	n/a	n/a	n/a
35	24	75	58	6046	8525	6221	8700	n/a	n/a	n/a	n/a
35	24	75	64	6075	8632	6250	8807	n/a	n/a	n/a	n/a
35	24	75	70	6102	8729	6277	8904	n/a	n/a	n/a	n/a
35	24	75	76	6131	8847	6306	9022	n/a	n/a	n/a	n/a
35	24	75	82	6158	8941	6334	9116	n/a	n/a	n/a	n/a
35	24	75	88	6187	9071	6363	9246	n/a	n/a	n/a	n/a
35	24	81	58	6093	8683	6269	8858	n/a	n/a	n/a	n/a
35	24	81	64	6121	8792	6296	8967	n/a	n/a	n/a	n/a
35	24	81	70	6149	8886	6324	9061	n/a	n/a	n/a	n/a
35	24	81	76	6177	9004	6352	9179	n/a	n/a	n/a	n/a
35	24	81	82	6206	9101	6381	9277	n/a	n/a	n/a	n/a
35	24	81	88	6234	9229	6409	9404	n/a	n/a	n/a	n/a
35	24	87	58	6147	8802	6322	8977	n/a	n/a	n/a	n/a
35	24	87	64	6175	8911	6350	9086	n/a	n/a	n/a	n/a
35	24	87	70	6201	9005	6378	9181	n/a	n/a	n/a	n/a
35	24	87	76	6229	9125	6406	9300	n/a	n/a	n/a	n/a
35	24	87	82	6258	9221	6435	9396	n/a	n/a	n/a	n/a
35	24	87	88	6286	9348	6462	9525	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_L

Height-Adjustable L-Shape Peninsula – Bevel Post Leg

One Table One Plug



This height-adjustable L-shape desk allows to work at seated and standing positions. It can be mounted on a Workwall Kneespace Module (BHKHW) or on a High or Low Secondary Desk (BH_SL) at one end and is supported by a Bevel Post Leg at the other.

WHAT'S INCLUDED

2 worksurfaces, 1 height-adjustable bevel post leg with levelers, 2 height-adjustable mechanisms with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), 2 rectangular cut-outs with grommets (as specified), 1 square cut-out without ring (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, High or Low Secondary Desk and Suspended Modesty Panel.

NOTES

When Grommet Option (O or P) is specified on High Secondary (H) configuration, the Rectangular Grommet is **not** available on Return.

When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is not available.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available.

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

When 35" Depth A is specified, 27 Depth B is not available.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Configu- ration	Depth A	Depth B	Width A	Width B	Corner Detail	Grommet Option	Configu- ration	Powerbar
M 1 3/16" X 1 9/16" V 1 3/16" Knife Edge	K Mid- Height H High Secondary L Low Secondary	29, 35	21, 24, 27	57, 63, 69, 75, 81, 87	58, 64, 70, 76, 82, 88	R Radius S Straight (Shown)	N No Grommet (Shown) O Rectangular on Desk & Return P Rectangular on Desk & Return/ Square on Desk	L Left Handed (Shown) R Right Handed	I Integrated Powerbar N None P Integrated Powerbar with IEC Outlet

SAMPLE ORDER CODE

DILLY I 20 21 (0 FO D	T	N.T
BHML L 29 21 69 58 R P	L	l IN

PRODUCT OPTIONS CONTINUED

	Range		Sw	itcł	1	Worksurface Finish		Edge Trim Style	Edge Trim Finish	Base Finish	Grommet Finish (If Applicable)
1	E Extended Range – 26" to 48" (Low or Mid) E Extended Range – 29" to 48" (High)	F G H	Down Memory Toggle Up/Down – Platinum Toggle Up/Down – Crisp Grey	M N O	Display Toggle with Memory – Platinum Display Toggle with Memory – Crisp Grey Display Toggle with Memory – Anthracite	Foundation Laminate Flintwood (No Cathedral)	6 9 F	Straight Trim Flintwood Flat Trim Full Knife Trim	Edge Trim Colors (for trim style 6 or F)	Foundation Mica Coordinate Colors	Foundation Mica

SAMPLE ORDER CODE CONTINUED

	E	D	LW	6	ST	74	74
--	---	---	----	---	----	----	----

BH_L

Height-Adjustable L-Shape Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				MID-HEIGHT	Γ (K)			SECONDARY	(H or L)		
				NONE POWE	. ,	INTEGRATEI POWER BAR		INTEGRATED NONE POWE	D	POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	21	57	58	5664	7122	5837	7297	5664	7122	5837	7297
29	21	57	64	5687	7204	5862	7380	5687	7204	5862	7380
29	21	57	70	5698	7284	5876	7459	5698	7284	5876	7459
29	21	57	76	5717	7392	5892	7568	5717	7392	5892	7568
29	21	57	82	5732	7468	5910	7645	5732	7468	5910	7645
29	21	57	88	5751	7583	5926	7761	5751	7583	5926	7761
29	21	63	58	5709	7266	5883	7441	5709	7266	5883	7441
29	21	63	64	5730	7347	5905	7523	5730	7347	5905	7523
29	21	63	70	5744	7427	5921	7602	5744	7427	5921	7602
29	21	63	76	5762	7534	5937	7710	5762	7534	5937	7710
29	21	63	82	5778	7612	5955	7788	5778	7612	5955	7788
29	21	63	88	5797	7726	5972	7903	5797	7726	5972	7903
29	21	69	58	5754	7410	5929	7585	5754	7410	5929	7585
29	21	69	64	5773	7490	5948	7666	5773	7490	5948	7666
29	21	69	70	5790	7570	5966	7745	5790	7570	5966	7745
29	21	69	76	5807	7676	5982	7852	5807	7676	5982	7852
29	21	69	82	5824	7756	6000	7931	5824	7756	6000	7931
29	21	69	88	5843	7869	6018	8045	5843	7869	6018	8045
29	21	75	58	5799	7554	5975	7729	5799	7554	5975	7729
29	21	75	64	5816	7633	5991	7809	5816	7633	5991	7809
29	21	75	70	5836	7713	6011	7888	5836	7713	6011	7888
29	21	75	76	5852	7818	6027	7994	5852	7818	6027	7994
29	21	75	82	5870	7900	6045	8074	5870	7900	6045	8074
29	21	75	88	5889	8012	6064	8187	5889	8012	6064	8187
29	21	81	58	5838	7666	6013	7842	5838	7666	6013	7842
29	21	81	64	5856	7745	6032	7922	5856	7745	6032	7922
29	21	81	70	5873	7825	6048	8001	5873	7825	6048	8001
29	21	81	76	5892	7931	6067	8106	5892	7931	6067	8106
29	21	81	82	5909	8011	6084	8186	5909	8011	6084	8186
29	21	81	88	5926	8125	6102	8300	5926	8125	6102	8300
29	21	87	58	5884	7780	6060	7954	5884	7780	6060	7954
29	21	87	64	5902	7859	6077	8034	5902	7859	6077	8034
29	21	87	70	5921	7939	6096	8114	5921	7939	6096	8114
29	21	87	76	5937	8045	6112	8220	5937	8045	6112	8220
29	21	87	82	5955	8125	6131	8300	5955	8125	6131	8300
29	21	87	88	5974	8238	6149	8413	5974	8238	6149	8413
29	24	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_L

Height-Adjustable L-Shape Peninsula – Bevel Post Leg (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4

PRICING

				1 3/16" (M) (CONTINUED)					
				MID-HEIGHT		,		SECONDARY	(H or L)		
				NONE POWE		INTEGRATEI POWER BAR		INTEGRATED NONE POWE)	POWER BAR	(I or P)
Da	DЬ	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	24	63	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	75	58	5812	7581	5987	7756	n/a	n/a	n/a	n/a
29	24	75	64	5831	7665	6006	7840	n/a	n/a	n/a	n/a
29	24	75	70	5848	7773	6024	7949	n/a	n/a	n/a	n/a
29	24	75	76	5868	7857	6044	8032	n/a	n/a	n/a	n/a
29	24	75	82	5892	7975	6067	8151	n/a	n/a	n/a	n/a
29	24	75	88	5910	8059	6085	8234	n/a	n/a	n/a	n/a
29	24	81	58	5851	7693	6026	7868	n/a	n/a	n/a	n/a
29	24	81	64	5868	7775	6044	7952	n/a	n/a	n/a	n/a
29	24	81	70	5888	7886	6062	8061	n/a	n/a	n/a	n/a
29	24	81	76	5908	7969	6083	8144	n/a	n/a	n/a	n/a
29	24	81	82	5929	8088	6104	8263	n/a	n/a	n/a	n/a
29	24	81	88	5950	8171	6125	8346	n/a	n/a	n/a	n/a
29	24	87	58	5897	7807	6073	7982	n/a	n/a	n/a	n/a
29	24	87	64	5916	7889	6091	8065	n/a	n/a	n/a	n/a
29	24	87	70	5932	7999	6107	8175	n/a	n/a	n/a	n/a
29	24	87	76	5954	8082	6129	8257	n/a	n/a	n/a	n/a
29	24	87	82	5976	8201	6151	8376	n/a	n/a	n/a	n/a
29	24	87	88	5995	8284	6170	8459	n/a	n/a	n/a	n/a
29	27	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129..

BH_L

Height-Adjustable L-Shape Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

					CONTINUED)		CECCAID ANY	(11 7)		
				MID-HEIGHT	(K)	INTEGRATE	D	SECONDARY INTEGRATE	,		
				NONE POWE	R BAR (N)	POWER BAR	(I or P)	NONE POWI	ER BAR (N)	POWER BAR	(I or P)
	D.I	1377	33/1	Foundation	rd. I	Foundation	El: I	Foundation	Eli I	Foundation	ri.
Da 20	Db 27	Wa	Wb 50	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
29	27	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29 29	27 27	69 69	70 76	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a	n/a n/a	n/a	n/a n/a
	27	69	82	n/a	n/a		n/a	n/a	n/a	n/a	n/a
29 29	27	69	88	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a
29	2/	09	00	II/a	11/a	11/a	n/a	11/a	11/a	11/a	11/a
29	27	75	58	5823	7607	5998	7782	n/a	n/a	n/a	n/a
29	27	75	64	5844	7722	6019	7896	n/a	n/a	n/a	n/a
29	27	75	70	5863	7809	6038	7984	n/a	n/a	n/a	n/a
29	27	75	76	5885	7930	6061	8105	n/a	n/a	n/a	n/a
29	27	75	82	5910	8018	6085	8192	n/a	n/a	n/a	n/a
29	27	75	88	5931	8121	6106	8296	n/a	n/a	n/a	n/a
29	27	81	58	5863	7717	6038	7894	n/a	n/a	n/a	n/a
29	27	81	64	5882	7832	6059	8009	n/a	n/a	n/a	n/a
29	27	81	70	5901	7922	6076	8097	n/a	n/a	n/a	n/a
29	27	81	76	5924	8042	6099	8217	n/a	n/a	n/a	n/a
29	27	81	82	5950	8129	6125	8304	n/a	n/a	n/a	n/a
29	27	81	88	5971	8233	6147	8409	n/a	n/a	n/a	n/a
29	27	87	58	5909	7831	6084	8007	n/a	n/a	n/a	n/a
29	27	87	64	5929	7946	6104	8122	n/a	n/a	n/a	n/a
29 29	27	87	70	5948	8034	6124	8210	n/a	n/a	n/a	n/a
29	27	87	76	5971	8156	6147	8331	n/a	n/a	n/a	n/a
29	27	87	82	5995	8243	6170	8418	n/a	n/a	n/a	n/a
29	27	87	88	6017	8346	6192	8521	n/a	n/a	n/a	n/a
25	21	57		5/20	72/2	500/	7/25	5(20	72/2	5006	7/25
35	21	57	58	5628	7262	5806	7435	5628	7262	5806	7435
35	21	57	64	5646	7358	5821	7533	5646	7358	5821	7533
35	21	57 57	70 76	5667	7435	5839	7610	5667	7435	5839	7610
35	21			5682	7517	5857	7690	5682	7517	5857	7690
35 35	21	57 57	82	5699 5719	7623 7701	5875 5894	7796 7878	5699 5719	7623 7701	5875 5894	7796 7878
		(2			7207		75/1		7207		867
35 25	21	63	58	5680	7387	5857	7561	5680	7387	5857	7561
35	21	63	64	5698	7482	5873	7657	5698	7482	5873	7657
35	21	63	70	5718	7560	5891	7735	5718	7560	5891	7735
35	21	63	76	5734	7641	5909	7815	5734	7641	5909	7815
35 35	21	63	82	5751 5770	7747 7826	5927 5945	7921 8002	5751 5770	7747 7826	5927 5945	7921 8002
35	21	69	58	5732	7512	5908	7687	5732	7512	5908	7687
35	21	69	64	5750	7606	5925	7781	5750	7606	5925	7781
35	21	69	70	5769	7685	5943	7860	5769	7685	5943	7860
35	21	69	76	5786	7765	5961	7940	5786	7765	5961	7940
35	21	69	82	5803	7871	5979	8046	5803	7871	5979	8046
35	21	69	88	5821	7951	5996	8126	5821	7951	5996	8126

If Switch Style (D, M, N or O) is specified, add 129.

Xpress

BH_L

Height-Adjustable L-Shape Peninsula – Bevel Post Leg (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

				1 3/16" (M) (CONTINUED)					
				MID-HEIGHT				SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATEI POWER BAR		INTEGRATED NONE POWE	_	POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	21	75	58	5784	7637	5959	7813	5784	7637	5959	7813
35	21	75	64	5802	7730	5977	7905	5802	7730	5977	7905
35	21	75	70	5820	7810	5995	7985	5820	7810	5995	7985
35	21	75	76	5838	7889	6013	8065	5838	7889	6013	8065
35	21	75	82	5855	7995	6031	8171	5855	7995	6031	8171
35	21	75	88	5872	8076	6047	8250	5872	8076	6047	8250
35	21	81	58	5824	7798	6000	7973	5824	7798	6000	7973
35	21	81	64	5843	7889	6018	8065	5843	7889	6018	8065
35	21	81	70	5861	7970	6037	8146	5861	7970	6037	8146
35	21	81	76	5879	8049	6054	8224	5879	8049	6054	8224
35	21	81	82	5896	8156	6071	8331	5896	8156	6071	8331
35	21	81	88	5914	8236	6090	8411	5914	8236	6090	8411
35	21	87	58	5875	7923	6052	8098	5875	7923	6052	8098
35	21	87	64	5895	8014	6070	8190	5895	8014	6070	8190
35	21	87	70	5913	8096	6089	8271	5913	8096	6089	8271
35	21	87	76	5930	8175	6105	8351	5930	8175	6105	8351
35	21	87	82	5948	8280	6124	8455	5948	8280	6124	8455
35	21	87	88	5966	8360	6141	8535	5966	8360	6141	8535
35	24	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	75	58	5797	7658	5972	7835	n/a	n/a	n/a	n/a
35	24	75	64	5814	7757	5989	7932	n/a	n/a	n/a	n/a
35	24	75	70	5834	7842	6009	8017	n/a	n/a	n/a	n/a
35	24	75	76	5851	7951	6026	8126	n/a	n/a	n/a	n/a
35	24	75	82	5871	8033	6046	8209	n/a	n/a	n/a	n/a
35	24	75	88	5894	8152	6069	8328	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_L

Height-Adjustable L-Shape Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				1 3/16" (M) (MID-HEIGHT)		SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATE POWER BAR		INTEGRATEI None Powe		POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	24	81	58	5838	7818	6013	7994	n/a	n/a	n/a	n/a
35	24	81	64	5856	7917	6032	8093	n/a	n/a	n/a	n/a
35	24	81	70	5873	8001	6048	8176	n/a	n/a	n/a	n/a
35	24	81	76	5893	8110	6068	8285	n/a	n/a	n/a	n/a
35	24	81	82	5913	8192	6089	8367	n/a	n/a	n/a	n/a
35	24	81	88	5933	8310	6110	8485	n/a	n/a	n/a	n/a
35	24	87	58	5890	7944	6066	8119	n/a	n/a	n/a	n/a
35	24	87	64	5908	8042	6083	8217	n/a	n/a	n/a	n/a
35	24	87	70	5925	8126	6100	8301	n/a	n/a	n/a	n/a
35	24	87	76	5943	8236	6119	8411	n/a	n/a	n/a	n/a
35	24	87	82	5964	8318	6140	8495	n/a	n/a	n/a	n/a
35	24	87	88	5986	8438	6161	8613	n/a	n/a	n/a	n/a

				1 3/16" KNIFI	E EDGE (V)						
				MID-HEIGHT	(K)			SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATEI POWER BAR		INTEGRATEI NONE POWE		POWER BAR	(I or P)
				Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	21	57	58	5825	n/a	5998	n/a	5825	n/a	5998	n/a
29	21	57	64	5853	n/a	6028	n/a	5853	n/a	6028	n/a
29	21	57	70	5869	n/a	6047	n/a	5869	n/a	6047	n/a
29	21	57	76	5893	n/a	6068	n/a	5893	n/a	6068	n/a
29	21	57	82	5913	n/a	6091	n/a	5913	n/a	6091	n/a
29	21	57	88	5937	n/a	6112	n/a	5937	n/a	6112	n/a
29	21	63	58	5880	n/a	6054	n/a	5880	n/a	6054	n/a
29	21	63	64	5906	n/a	6081	n/a	5906	n/a	6081	n/a
29	21	63	70	5925	n/a	6102	n/a	5925	n/a	6102	n/a
29	21	63	76	5948	n/a	6123	n/a	5948	n/a	6123	n/a
29	21	63	82	5969	n/a	6146	n/a	5969	n/a	6146	n/a
29	21	63	88	5993	n/a	6168	n/a	5993	n/a	6168	n/a
29	21	69	58	5935	n/a	6110	n/a	5935	n/a	6110	n/a
29	21	69	64	5959	n/a	6134	n/a	5959	n/a	6134	n/a
29	21	69	70	5981	n/a	6157	n/a	5981	n/a	6157	n/a
29	21	69	76	6003	n/a	6178	n/a	6003	n/a	6178	n/a
29	21	69	82	6025	n/a	6201	n/a	6025	n/a	6201	n/a
29	21	69	88	6049	n/a	6224	n/a	6049	n/a	6224	n/a
29	21	75	58	5990	n/a	6166	n/a	5990	n/a	6166	n/a
29	21	75	64	6012	n/a	6187	n/a	6012	n/a	6187	n/a
29	21	75	70	6037	n/a	6212	n/a	6037	n/a	6212	n/a
29	21	75	76	6058	n/a	6233	n/a	6058	n/a	6233	n/a
29	21	75	82	6081	n/a	6256	n/a	6081	n/a	6256	n/a
29	21	75	88	6105	n/a	6280	n/a	6105	n/a	6280	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_L

Height-Adjustable L-Shape Peninsula – Bevel Post Leg (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4

PRICING

				1 3/16" KNIFI	E EDGE (V) (CONTINUED)					
				MID-HEIGHT	(K)			SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATEI POWER BAR		INTEGRATEI None Powe		POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	21	81	58	6039	n/a	6214	n/a	6039	n/a	6214	n/a
29	21	81	64	6062	n/a	6238	n/a	6062	n/a	6238	n/a
29	21	81	70	6084	n/a	6259	n/a	6084	n/a	6259	n/a
29	21	81	76	6108	n/a	6283	n/a	6108	n/a	6283	n/a
29	21	81	82	6130	n/a	6305	n/a	6130	n/a	6305	n/a
29	21	81	88	6152	n/a	6328	n/a	6152	n/a	6328	n/a
29	21	87	58	6095	n/a	6271	n/a	6095	n/a	6271	n/a
29	21	87	64	6118	n/a	6293	n/a	6118	n/a	6293	n/a
29	21	87	70	6142	n/a	6317	n/a	6142	n/a	6317	n/a
29	21	87	76	6163	n/a	6338	n/a	6163	n/a	6338	n/a
29	21	87	82	6186	n/a	6362	n/a	6186	n/a	6362	n/a
29	21	87	88	6210	n/a	6385	n/a	6210	n/a	6385	n/a
29	24	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	75	58	6006	n/a	6181	n/a	n/a	n/a	n/a	n/a
29	24	75	64	6030	n/a	6205	n/a	n/a	n/a	n/a	n/a
29	24	75	70	6052	n/a	6228	n/a	n/a	n/a	n/a	n/a
29	24	75	76	6077	n/a	6253	n/a	n/a	n/a	n/a	n/a
29	24	75	82	6106	n/a	6281	n/a	n/a	n/a	n/a	n/a
29	24	75	88	6129	n/a	6304	n/a	n/a	n/a	n/a	n/a
29	24	81	58	6055	n/a	6230	n/a	n/a	n/a	n/a	n/a
29	24	81	64	6077	n/a	6253	n/a	n/a	n/a	n/a	n/a
29	24	81	70	6102	n/a	6276	n/a	n/a	n/a	n/a	n/a
29	24	81	76	6127	n/a	6302	n/a	n/a	n/a	n/a	n/a
29	24	81	82	6153	n/a	6328	n/a	n/a	n/a	n/a	n/a
29	24	81	88	6179	n/a	6354	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_L

Height-Adjustable L-Shape Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				MID-HEIGHT		CONTINUED)		SECONDARY	(Horl)		
				NONE POWE		INTEGRATEI POWER BAR		INTEGRATEI NONE POWI	D	POWER BAR	(I or P)
				Foundation		Foundation	(Foundation		Foundation	(= += =)
Da	Db	Wa	Wb	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
29	24	87	58	6111	n/a	6287	n/a	n/a	n/a	n/a	n/a
29	24	87	64	6135	n/a	6310	n/a	n/a	n/a	n/a	n/a
29	24	87	70	6156	n/a	6331	n/a	n/a	n/a	n/a	n/a
29	24	87	76	6183	n/a	6358	n/a	n/a	n/a	n/a	n/a
29	24	87	82	6210	n/a	6385	n/a	n/a	n/a	n/a	n/a
29	24	87	88	6234	n/a	6409	n/a	n/a	n/a	n/a	n/a
29	27	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
9	27	63	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	75	58	6019	n/a	6194	n/a	n/a	n/a	n/a	n/a
29	27	75	64	6045	n/a	6220	n/a	n/a	n/a	n/a	n/a
9	27	75	70	6069	n/a	6244	n/a	n/a	n/a	n/a	n/a
29	27	75	76	6096	n/a	6272	n/a	n/a	n/a	n/a	n/a
29	27	75	82	6126	n/a	6301	n/a	n/a	n/a	n/a	n/a
9	27	75	88	6152	n/a	6327	n/a	n/a	n/a	n/a	n/a
9	27	81	58	6069	n/a	6244	n/a	n/a	n/a	n/a	n/a
29	27	81	64	6093	n/a	6270	n/a	n/a	n/a	n/a	n/a
29	27	81	70	6117	n/a	6292	n/a	n/a	n/a	n/a	n/a
29	27	81	76	6145	n/a	6320	n/a	n/a	n/a	n/a	n/a
29	27	81	82	6176	n/a	6351	n/a	n/a	n/a	n/a	n/a
29	27	81	88	6202	n/a	6378	n/a	n/a	n/a	n/a	n/a
29	27	87	58	6125	n/a	6300	n/a	n/a	n/a	n/a	n/a
29	27	87	64	6150	n/a	6325	n/a	n/a	n/a	n/a	n/a
29	27	87	70	6174	n/a	6350	n/a	n/a	n/a	n/a	n/a
29	27	87	76	6202	n/a	6378	n/a	n/a	n/a	n/a	n/a
29	27	87	82	6231	n/a	6406	n/a	n/a	n/a	n/a	n/a
29	27	87	88	6258	n/a	6433	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

Xpress

BH_L

Height-Adjustable L-Shape Peninsula – Bevel Post Leg (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

						CONTINUED)					
				MID-HEIGHT	(K)	NAME OF A SEC		SECONDARY	` ′		
				NONE POWE	R BAR (N)	INTEGRATEI Power Bar		INTEGRATEI NONE POWE		POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	21	57	58	5789	n/a	5967	n/a	5789	n/a	5967	n/a
35	21	57	64	5812	n/a	5987	n/a	5812	n/a	5987	n/a
35	21	57	70	5838	n/a	6010	n/a	5838	n/a	6010	n/a
35	21	57	76	5858	n/a	6033	n/a	5858	n/a	6033	n/a
35	21	57	82	5880	n/a	6056	n/a	5880	n/a	6056	n/a
35	21	57	88	5905	n/a	6080	n/a	5905	n/a	6080	n/a
35	21	63	58	5851	n/a	6028	n/a	5851	n/a	6028	n/a
35	21	63	64	5874	n/a	6049	n/a	5874	n/a	6049	n/a
35	21	63	70	5899	n/a	6072	n/a	5899	n/a	6072	n/a
35	21	63	76	5920	n/a	6095	n/a	5920	n/a	6095	n/a
35	21	63	82	5942	n/a	6118	n/a	5942	n/a	6118	n/a
35	21	63	88	5966	n/a	6141	n/a	5966	n/a	6141	n/a
35	21	69	58	5913	n/a	6089	n/a	5913	n/a	6089	n/a
35	21	69	64	5936	n/a	6111	n/a	5936	n/a	6111	n/a
35	21	69	70	5960	n/a	6134	n/a	5960	n/a	6134	n/a
35	21	69	76	5982	n/a	6157	n/a	5982	n/a	6157	n/a
35	21	69	82	6004	n/a	6180	n/a	6004	n/a	6180	n/a
35	21	69	88	6027	n/a	6202	n/a	6027	n/a	6202	n/a
35	21	75	58	5975	n/a	6150	n/a	5975	n/a	6150	n/a
35	21	75	64	5998	n/a	6173	n/a	5998	n/a	6173	n/a
35	21	75	70	6021	n/a	6196	n/a	6021	n/a	6196	n/a
35	21	75	76	6044	n/a	6219	n/a	6044	n/a	6219	n/a
35	21	75	82	6066	n/a	6242	n/a	6066	n/a	6242	n/a
35	21	75	88	6088	n/a	6263	n/a	6088	n/a	6263	n/a
35	21	81	58	6025	n/a	6201	n/a	6025	n/a	6201	n/a
35	21	81	64	6049	n/a	6224	n/a	6049	n/a	6224	n/a
35	21	81	70	6072	n/a	6248	n/a	6072	n/a	6248	n/a
35	21	81	76	6095	n/a	6270	n/a	6095	n/a	6270	n/a
35	21	81	82	6117	n/a	6292	n/a	6117	n/a	6292	n/a
35	21	81	88	6140	n/a	6316	n/a	6140	n/a	6316	n/a
35	21	87	58	6086	n/a	6263	n/a	6086	n/a	6263	n/a
35	21	87	64	6111	n/a	6286	n/a	6111	n/a	6286	n/a
35	21	87	70	6134	n/a	6310	n/a	6134	n/a	6310	n/a
35	21	87	76	6156	n/a	6331	n/a	6156	n/a	6331	n/a
35	21	87	82	6179	n/a	6355	n/a	6179	n/a	6355	n/a
35	21	87	88	6202	n/a	6377	n/a	6202	n/a	6377	n/a
35	24	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_L

Height-Adjustable L-Shape Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				MID-HEIGHT	(K)			SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATEI POWER BAR		INTEGRATED NONE POWE		POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	24	63	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	75	58	5991	n/a	6166	n/a	n/a	n/a	n/a	n/a
35	24	75	64	6013	n/a	6188	n/a	n/a	n/a	n/a	n/a
35	24	75	70	6038	n/a	6213	n/a	n/a	n/a	n/a	n/a
35	24	75	76	6060	n/a	6235	n/a	n/a	n/a	n/a	n/a
35	24	75	82	6085	n/a	6260	n/a	n/a	n/a	n/a	n/a
35	24	75	88	6113	n/a	6288	n/a	n/a	n/a	n/a	n/a
35	24	81	58	6042	n/a	6217	n/a	n/a	n/a	n/a	n/a
35	24	81	64	6065	n/a	6241	n/a	n/a	n/a	n/a	n/a
35	24	81	70	6087	n/a	6262	n/a	n/a	n/a	n/a	n/a
35	24	81	76	6112	n/a	6287	n/a	n/a	n/a	n/a	n/a
35	24	81	82	6137	n/a	6313	n/a	n/a	n/a	n/a	n/a
35	24	81	88	6162	n/a	6339	n/a	n/a	n/a	n/a	n/a
35	24	87	58	6104	n/a	6280	n/a	n/a	n/a	n/a	n/a
35	24	87	64	6127	n/a	6302	n/a	n/a	n/a	n/a	n/a
35	24	87	70	6149	n/a	6324	n/a	n/a	n/a	n/a	n/a
35	24	87	76	6172	n/a	6348	n/a	n/a	n/a	n/a	n/a
35	24	87	82	6198	n/a	6374	n/a	n/a	n/a	n/a	n/a
35	24	87	88	6225	n/a	6400	n/a	n/a	n/a	n/a	n/a

				1 9/16" (X)							
				MID-HEIGHT	(K)			SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATEI POWER BAR		INTEGRATE NONE POWI		POWER BAR	(I or P)
				Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	21	57	58	5791	7298	5966	7474	5791	7298	5966	7474
29	21	57	64	5814	7386	5985	7559	5814	7386	5985	7559
29	21	57	70	5840	7475	6015	7650	5840	7475	6015	7650
29	21	57	76	5865	7591	6038	7766	5865	7591	6038	7766
29	21	57	82	5891	7677	6066	7850	5891	7677	6066	7850
29	21	57	88	5916	7801	6089	7979	5916	7801	6089	7979

If Switch Style (D, M, N or O) is specified, add 129.

Xpress

BH_L

Height-Adjustable L-Shape Peninsula – Bevel Post Leg (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

				1 9/16" (X) (C	CONTINUED)						
				MID-HEIGHT				SECONDARY	(H or L)		
		Wa		NONE POWER BAR (N)			INTEGRATED POWER BAR (I or P)		INTEGRATED NONE POWER BAR (N)		(I or P)
Da	DЬ		Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	21	63	58	5850	7453	6025	7629	5850	7453	6025	7629
29	21	63	64	5873	7542	6046	7716	5873	7542	6046	7716
29	21	63	70	5899	7631	6074	7806	5899	7631	6074	7806
29	21	63	76	5924	7747	6098	7922	5924	7747	6098	7922
29	21	63	82	5950	7834	6125	8008	5950	7834	6125	8008
29	21	63	88	5975	7958	6149	8135	5975	7958	6149	8135
29	21	69	58	5909	7608	6084	7784	5909	7608	6084	7784
29	21	69	64	5932	7698	6107	7873	5932	7698	6107	7873
29	21	69	70	5958	7787	6133	7962	5958	7787	6133	7962
29	21	69	76	5983	7903	6158	8078	5983	7903	6158	8078
29	21	69	82	6009	7991	6184	8166	6009	7991	6184	8166
29	21	69	88	6034	8115	6209	8291	6034	8115	6209	8291
29	21	75	58	5968	7763	6143	7939	5968	7763	6143	7939
29	21	75	64	5991	7854	6168	8030	5991	7854	6168	8030
29	21	75	70	6017	7943	6192	8118	6017	7943	6192	8118
29	21	75	76	6042	8059	6218	8234	6042	8059	6218	8234
29	21	75	82	6068	8148	6243	8324	6068	8148	6243	8324
29	21	75	88	6093	8272	6269	8447	6093	8272	6269	8447
29	21	81	58	6018	7886	6193	8061	6018	7886	6193	8061
29	21	81	64	6042	7976	6218	8152	6042	7976	6218	8152
29	21	81	70	6068	8065	6243	8241	6068	8065	6243	8241
29	21	81	76	6093	8181	6269	8357	6093	8181	6269	8357
29	21	81	82	6118	8271	6293	8446	6118	8271	6293	8446
29	21	81	88	6143	8394	6320	8569	6143	8394	6320	8569
29	21	87	58	6075	8012	6250	8187	6075	8012	6250	8187
29	21	87	64	6099	8103	6274	8278	6099	8103	6274	8278
29	21	87	70	6125	8191	6299	8366	6125	8191	6299	8366
29	21	87	76	6150	8307	6325	8482	6150	8307	6325	8482
29	21	87	82	6175	8396	6350	8571	6175	8396	6350	8571
29	21	87	88	6200	8520	6377	8697	6200	8520	6377	8697
29	24	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_L

Height-Adjustable L-Shape Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

					CONTINUED)			OF COMPANY			
				MID-HEIGHT	(K)	INTEGRATE	INTEGRATED		(H or L)		
			NONE POWER BAR (N)		POWER BAR (I or P)		INTEGRATED NONE POWER BAR (N)		POWER BAR (I or P)		
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	75	58	5987	7796	6162	7972	n/a	n/a	n/a	n/a
29	24	75	64	6015	7890	6190	8067	n/a	n/a	n/a	n/a
29	24	75	70	6042	8010	6218	8185	n/a	n/a	n/a	n/a
29	24	75	76	6071	8105	6247	8280	n/a	n/a	n/a	n/a
29	24	75	82	6099	8234	6274	8410	n/a	n/a	n/a	n/a
29	24	75	88	6127	8328	6302	8503	n/a	n/a	n/a	n/a
20	24	0.1		(020	7010	(212	000/				
29	24	81	58	6038	7918	6213	8094	n/a	n/a	n/a	n/a
29	24	81	64	6066	8013	6240	8188	n/a	n/a	n/a	n/a
29	24	81	70	6093	8132	6269	8307	n/a	n/a	n/a	n/a
29	24	81	76	6121	8227	6296	8403	n/a	n/a	n/a	n/a
29 29	24	81	82	6150 6177	8357 8449	6325	8532 8625	n/a n/a	n/a n/a	n/a n/a	n/a n/a
										-	
29	24	87	58	6095	8045	6270	8220	n/a	n/a	n/a	n/a
29	24	87	64	6121	8140	6296	8315	n/a	n/a	n/a	n/a
29	24	87	70	6150	8259	6325	8434	n/a	n/a	n/a	n/a
29	24	87	76	6178	8354	6353	8529	n/a	n/a	n/a	n/a
29	24	87	82	6207	8482	6382	8657	n/a	n/a	n/a	n/a
29	24	87	88	6234	8575	6409	8752	n/a	n/a	n/a	n/a
29	27	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

Xpress

BH_L

Height-Adjustable L-Shape Peninsula – Bevel Post Leg (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4

PRICING

				1 9/16" (X) (C	CONTINUED)						
				MID-HEIGHT				SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATEI POWER BAR		INTEGRATEI NONE POWE	D	POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	27	75	58	6006	7827	6180	8002	n/a	n/a	n/a	n/a
29	27	75	64	6037	7953	6212	8128	n/a	n/a	n/a	n/a
29	27	75	70	6068	8050	6243	8226	n/a	n/a	n/a	n/a
29	27	75	76	6099	8186	6274	8361	n/a	n/a	n/a	n/a
29	27	75	82	6131	8284	6306	8459	n/a	n/a	n/a	n/a
29	27	75	88	6160	8400	6335	8575	n/a	n/a	n/a	n/a
29	27	81	58	6055	7949	6232	8125	n/a	n/a	n/a	n/a
29	27	81	64	6087	8076	6263	8250	n/a	n/a	n/a	n/a
29	27	81	70	6118	8173	6293	8349	n/a	n/a	n/a	n/a
29	27	81	76	6150	8308	6325	8483	n/a	n/a	n/a	n/a
29	27	81	82	6180	8407	6356	8583	n/a	n/a	n/a	n/a
29	27	81	88	6211	8524	6386	8699	n/a	n/a	n/a	n/a
29	27	87	58	6112	8076	6288	8250	n/a	n/a	n/a	n/a
29	27	87	64	6143	8202	6320	8378	n/a	n/a	n/a	n/a
29	27	87	70	6175	8300	6350	8475	n/a	n/a	n/a	n/a
29	27	87	76	6207	8436	6382	8612	n/a	n/a	n/a	n/a
29	27	87	82	6237	8533	6412	8708	n/a	n/a	n/a	n/a
29	27	87	88	6267	8649	6443	8824	n/a	n/a	n/a	n/a
35	21	57	58	5778	7451	5951	7629	5778	7451	5951	7629
35	21	57	64	5806	7550	5981	7731	5806	7550	5981	7731
35	21	57	70	5829	7648	6004	7821	5829	7648	6004	7821
35	21	57	76	5853	7732	6031	7905	5853	7732	6031	7905
35	21	57	82	5877	7848	6054	8021	5877	7848	6054	8021
35	21	57	88	5901	7937	6082	8115	5901	7937	6082	8115
35	21	63	58	5840	7591	6014	7768	5840	7591	6014	7768
35	21	63	64	5867	7691	6042	7870	5867	7691	6042	7870
35	21	63	70	5891	7786	6066	7960	5891	7786	6066	7960
35	21	63	76	5915	7872	6092	8046	5915	7872	6092	8046
35	21	63	82	5940	7988	6116	8162	5940	7988	6116	8162
35	21	63	88	5964	8077	6143	8254	5964	8077	6143	8254
35	21	69	58	5902	7731	6077	7907	5902	7731	6077	7907
35	21	69	64	5928	7832	6103	8009	5928	7832	6103	8009
35	21	69	70	5953	7924	6128	8099	5953	7924	6128	8099
35	21	69	76	5977	8012	6153	8187	5977	8012	6153	8187
35	21	69	82	6003	8128	6178	8303	6003	8128	6178	8303
35	21	69	88	6027	8217	6204	8393	6027	8217	6204	8393
35	21	75	58	5964	7871	6140	8046	5964	7871	6140	8046
35	21	75	64	5989	7973	6164	8148	5989	7973	6164	8148
35	21	75	70	6015	8062	6190	8238	6015	8062	6190	8238
35	21	75	76	6039	8152	6214	8328	6039	8152	6214	8328
35	21	75	82	6066	8268	6240	8444	6066	8268	6240	8444
35	21	75	88	6090	8357	6265	8532	6090	8357	6265	8532

If Switch Style (D, M, N or O) is specified, add 129.

BH_L

Height-Adjustable L-Shape Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

					CONTINUED)						
				MID-HEIGHT	(K)	INTEGRATEI	SECONDARY	,			
				NONE POWER BAR (N)		INTEGRATED POWER BAR (I or P)		INTEGRATEI NONE POWI		POWER BAR	(I or P)
_	D.I	****	*****	Foundation	va. 1	Foundation	vi. 1	Foundation	TT. 1	Foundation	
Da 25	Db	Wa	Wb	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
35	21	81	58	6019	8046	6194	8221	6019	8046	6194	8221
35	21	81	64	6045	8148	6220	8324	6045	8148	6220	8324
35	21	81	70	6070	8238	6245	8413	6070	8238	6245	8413
35	21	81	76	6095	8328	6270	8503	6095	8328	6270	8503
35	21	81	82	6120	8444	6295	8619	6120	8444	6295	8619
35	21	81	88	6146	8532	6321	8707	6146	8532	6321	8707
35	21	87	58	6083	8184	6258	8359	6083	8184	6258	8359
35	21	87	64	6107	8285	6283	8461	6107	8285	6283	8461
35	21	87	70	6133	8376	6308	8553	6133	8376	6308	8553
35	21	87	76	6157	8466	6332	8641	6157	8466	6332	8641
35	21	87	82	6184	8582	6358	8757	6184	8582	6358	8757
35	21	87	88	6208	8671	6383	8846	6208	8671	6383	8846
35	24	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
25	24	(2	50								
35	24	63	58 64	n/a n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35					n/a	n/a	n/a	n/a	n/a	n/a	n/a
35 35	24	63	70 76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
				n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35 35	24	63	82 88	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a
35	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	75	58	5981	7896	6156	8071	n/a	n/a	n/a	n/a
35	24	75	64	6010	8004	6185	8180	n/a	n/a	n/a	n/a
35	24	75	70	6037	8100	6212	8275	n/a	n/a	n/a	n/a
35	24	75	76	6066	8219	6240	8394	n/a	n/a	n/a	n/a
35	24	75	82	6093	8314	6269	8488	n/a	n/a	n/a	n/a
35	24	75	88	6121	8444	6296	8619	n/a	n/a	n/a	n/a
35	24	81	58	6037	8071	6212	8246	n/a	n/a	n/a	n/a
35	24	81	64	6066	8180	6240	8355	n/a	n/a	n/a	n/a
35	24	81	70	6092	8275	6267	8451	n/a	n/a	n/a	n/a
35	24	81	76	6120	8394	6295	8569	n/a	n/a	n/a	n/a
35	24	81	82	6149	8488	6324	8664	n/a	n/a	n/a	n/a
35	24	81	88	6177	8619	6352	8794	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

Xpress

BH_L

Height-Adjustable L-Shape Peninsula -Bevel Post Leg (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4

PRICING


				1 9/16" (X) (C	CONTINUED)							
				MID-HEIGHT	(K)			SECONDARY (H or L)				
				NONE POWER BAR (N)		INTEGRATED POWER BAR (I or P)		INTEGRATED NONE POWER BAR (N)		POWER BAR (I or P)		
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
35	24	87	58	6099	8210	6274	8386	n/a	n/a	n/a	n/a	
35	24	87	64	6128	8318	6303	8495	n/a	n/a	n/a	n/a	
35	24	87	70	6155	8413	6330	8589	n/a	n/a	n/a	n/a	
35	24	87	76	6184	8532	6358	8707	n/a	n/a	n/a	n/a	
35	24	87	82	6212	8627	6387	8802	n/a	n/a	n/a	n/a	
35	24	87	88	6240	8757	6415	8932	n/a	n/a	n/a	n/a	

If Switch Style (D, M, N or O) is specified, add 129.

BH_LT

Height-Adjustable L-Shape Tapered Peninsula – Bevel Post Leg

One Table One Plug



This height-adjustable L-shape desk allows to work at seated and standing positions. It can be mounted on a Workwall Kneespace Module (BHKHW) or on a High or Low Secondary Desk (BH_SL) at one end and is supported by a Bevel Post Leg at the other.

WHAT'S INCLUDED

2 worksurfaces, 1 height-adjustable bevel post leg with levelers, 2 height-adjustable mechanisms with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), 2 rectangular cut-outs with grommets (as specified), 1 square cut-out without ring (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, High or Low Secondary Desk and Suspended Modesty Panel.

NOTES

When Grommet Option (O or P) is specified on High Secondary (H) configuration, the Rectangular Grommet is **not** available on Return.

When 35" Depth A is specified, 27 Depth B is not available.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Configu- ration	Depth A	Depth B	Width A	Width B	Grommet Option	Configu- ration	Powerbar
M 1 3/16" X 1 9/16"	H High Secondary K Mid-Height L Low Secondary	29, 35	21, 24, 27		58, 64, 70, 76, 82, 88	N No Grommet (Shown) O Rectangular on Desk & Return P Rectangular on Desk & Return/ Square on Desk	L Left Handed (Shown) R Right Handed	I Integrated Powerbar N None P Integrated Powerbar with IEC Outlet

SAMPLE ORDER CODE

BH <u>M</u> LT	K	29	21	69	58	P	L	I
----------------	---	----	----	----	----	---	---	---

PRODUCT OPTIONS CONTINUED

	Range	Sw	itch	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Base Finish	Grommet Finish (If Applicable)
]	E Extended Range – 26" to 48" (Low or Mid) E Extended Range – 29" to 48" (High)	D Display with Up/ Down Memory F Toggle Up/Down – Platinum G Toggle Up/Down – Crisp Grey H Toggle Up/Down – Anthracite	M Display Toggle with Memory – Platinum N Display Toggle with Memory– Crisp Grey O Display Toggle with Memory – Anthracite	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Foundation Mica Coordinate Colors	Foundation Mica

SAMPLE ORDER CODE CONTINUED

E D	LW	6	ST	74	74
-----	----	---	----	----	----

See Pricing on the following page.

BH_LT

Height-Adjustable L-Shape Tapered Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				MID-HEIGHT	Γ (K)			SECONDARY	(H or L)		
				NONE POWE	. ,	INTEGRATEI POWER BAR		INTEGRATED NONE POWE	D	POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	21	57	58	5664	7122	5837	7297	5664	7122	5837	7297
29	21	57	64	5687	7204	5862	7380	5687	7204	5862	7380
29	21	57	70	5698	7284	5876	7459	5698	7284	5876	7459
29	21	57	76	5717	7392	5892	7568	5717	7392	5892	7568
29	21	57	82	5732	7468	5910	7645	5732	7468	5910	7645
29	21	57	88	5751	7583	5926	7761	5751	7583	5926	7761
29	21	63	58	5709	7266	5883	7441	5709	7266	5883	7441
29	21	63	64	5730	7347	5905	7523	5730	7347	5905	7523
29	21	63	70	5744	7427	5921	7602	5744	7427	5921	7602
29	21	63	76	5762	7534	5937	7710	5762	7534	5937	7710
29	21	63	82	5778	7612	5955	7788	5778	7612	5955	7788
29	21	63	88	5797	7726	5972	7903	5797	7726	5972	7903
29	21	69	58	5754	7410	5929	7585	5754	7410	5929	7585
29	21	69	64	5773	7490	5948	7666	5773	7490	5948	7666
29	21	69	70	5790	7570	5966	7745	5790	7570	5966	7745
29	21	69	76	5807	7676	5982	7852	5807	7676	5982	7852
29	21	69	82	5824	7756	6000	7931	5824	7756	6000	7931
29	21	69	88	5843	7869	6018	8045	5843	7869	6018	8045
29	21	75	58	5799	7554	5975	7729	5799	7554	5975	7729
29	21	75	64	5816	7633	5991	7809	5816	7633	5991	7809
29	21	75	70	5836	7713	6011	7888	5836	7713	6011	7888
29	21	75	76	5852	7818	6027	7994	5852	7818	6027	7994
29	21	75	82	5870	7900	6045	8074	5870	7900	6045	8074
29	21	75	88	5889	8012	6064	8187	5889	8012	6064	8187
29	21	81	58	5838	7666	6013	7842	5838	7666	6013	7842
29	21	81	64	5856	7745	6032	7922	5856	7745	6032	7922
29	21	81	70	5873	7825	6048	8001	5873	7825	6048	8001
29	21	81	76	5892	7931	6067	8106	5892	7931	6067	8106
29	21	81	82	5909	8011	6084	8186	5909	8011	6084	8186
29	21	81	88	5926	8125	6102	8300	5926	8125	6102	8300
29	21	87	58	5884	7780	6060	7954	5884	7780	6060	7954
29	21	87	64	5902	7859	6077	8034	5902	7859	6077	8034
29	21	87	70	5921	7939	6096	8114	5921	7939	6096	8114
29	21	87	76	5937	8045	6112	8220	5937	8045	6112	8220
29	21	87	82	5955	8125	6131	8300	5955	8125	6131	8300
29	21	87	88	5974	8238	6149	8413	5974	8238	6149	8413
29	24	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_LT

Height-Adjustable L-Shape Tapered Peninsula – Bevel Post Leg (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

				1.3/16" (M)	CONTINUED)					
				MID-HEIGHT		,		SECONDARY	(H or I)		
				NONE POWE		INTEGRATEI POWER BAR		INTEGRATE NONE POWI	D	POWER BAR	(I or P)
	D.I.	3377	3377	Foundation	rt. I	Foundation	El: I	Foundation	Eli I	Foundation	Tit 1
Da	Db 24	Wa	Wb	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
29 29	24	63	58 64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
				n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29 29	24	63	70	n/a	n/a	n/a	n/a	n/a	n/a n/a	n/a	n/a
		63	82	n/a	n/a	n/a	n/a	n/a		n/a	n/a
29 29	24	63	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	03	00	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	75	58	5812	7581	5987	7756	n/a	n/a	n/a	n/a
29	24	75	64	5831	7665	6006	7840	n/a	n/a	n/a	n/a
29	24	75	70	5848	7773	6024	7949	n/a	n/a	n/a	n/a
29	24	75	76	5868	7857	6044	8032	n/a	n/a	n/a	n/a
29	24	75	82	5892	7975	6067	8151	n/a	n/a	n/a	n/a
29	24	75	88	5910	8059	6085	8234	n/a	n/a	n/a	n/a
29	24	81	58	5851	7693	6026	7868	n/a	n/a	n/a	n/a
29	24	81	64	5868	7775	6044	7952	n/a	n/a	n/a	n/a
29	24	81	70	5888	7886	6062	8061	n/a	n/a	n/a	n/a
29	24	81	76	5908	7969	6083	8144	n/a	n/a	n/a	n/a
29	24	81	82	5929	8088	6104	8263	n/a	n/a	n/a	n/a
29	24	81	88	5950	8171	6125	8346	n/a	n/a	n/a	n/a
29	24	87	58	5897	7807	6073	7982	n/a	n/a	n/a	n/a
29	24	87	64	5916	7889	6091	8065	n/a	n/a	n/a	n/a
29	24	87	70	5932	7999	6107	8175	n/a	n/a	n/a	n/a
29	24	87	76	5954	8082	6129	8257	n/a	n/a	n/a	n/a
29	24	87	82	5976	8201	6151	8376	n/a	n/a	n/a	n/a
29	24	87	88	5995	8284	6170	8459	n/a	n/a	n/a	n/a
29	27	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	58	n/a	n/a		n/a	n/a	n/a		n/a
29	27	63	64	n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a
29	27	63	70								n/a n/a
29	27	63	76	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a
29	27	63	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	4/	03	00	11/ a	11/ d	11/a	11/a	11/a	11/ d	11/a	11/a

If Switch Style (D, M, N or O) is specified, add 129.

$B\ H\ _\ L\ T$

Height-Adjustable L-Shape Tapered Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

					CONTINUED)		CECCAID ANY	(11 7)		
				MID-HEIGHT	(K)	INTEGRATE	D	SECONDARY INTEGRATE	,		
				NONE POWE	R BAR (N)	POWER BAR	(I or P)	NONE POWI	ER BAR (N)	POWER BAR	(I or P)
	D.I	11/7	33/1	Foundation	rd. I	Foundation	El: I	Foundation	ri. I	Foundation	ri.
Da 20	Db 27	Wa	Wb 50	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
29	27	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29 29	27 27	69 69	70 76	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a	n/a n/a	n/a	n/a n/a
	27	69	82	n/a	n/a		n/a	n/a	n/a	n/a	n/a
29 29	27	69	88	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a
29	2/	09	00	II/a	11/a	11/a	n/a	11/a	11/a	11/a	11/2
29	27	75	58	5823	7607	5998	7782	n/a	n/a	n/a	n/a
29	27	75	64	5844	7722	6019	7896	n/a	n/a	n/a	n/a
29	27	75	70	5863	7809	6038	7984	n/a	n/a	n/a	n/a
29	27	75	76	5885	7930	6061	8105	n/a	n/a	n/a	n/a
29	27	75	82	5910	8018	6085	8192	n/a	n/a	n/a	n/a
29	27	75	88	5931	8121	6106	8296	n/a	n/a	n/a	n/a
29	27	81	58	5863	7717	6038	7894	n/a	n/a	n/a	n/a
29	27	81	64	5882	7832	6059	8009	n/a	n/a	n/a	n/a
29	27	81	70	5901	7922	6076	8097	n/a	n/a	n/a	n/a
29	27	81	76	5924	8042	6099	8217	n/a	n/a	n/a	n/a
29	27	81	82	5950	8129	6125	8304	n/a	n/a	n/a	n/a
29	27	81	88	5971	8233	6147	8409	n/a	n/a	n/a	n/a
29	27	87	58	5909	7831	6084	8007	n/a	n/a	n/a	n/a
29	27	87	64	5929	7946	6104	8122	n/a	n/a	n/a	n/a
29 29	27	87	70	5948	8034	6124	8210	n/a	n/a	n/a	n/a
29	27	87	76	5971	8156	6147	8331	n/a	n/a	n/a	n/a
29	27	87	82	5995	8243	6170	8418	n/a	n/a	n/a	n/a
29	27	87	88	6017	8346	6192	8521	n/a	n/a	n/a	n/a
25	21	57		5/20	72/2	500/	7/25	5(20	72/2	5006	7/25
35	21	57	58	5628	7262	5806	7435	5628	7262	5806	7435
35	21	57	64	5646	7358	5821	7533	5646	7358	5821	7533
35	21	57 57	70 76	5667	7435	5839	7610	5667	7435	5839	7610
35	21			5682	7517	5857	7690	5682	7517	5857	7690
35 35	21	57 57	82	5699 5719	7623 7701	5875 5894	7796 7878	5699 5719	7623 7701	5875 5894	7796 7878
		(2			7207		75/1		7207		867
35	21	63	58	5680	7387	5857	7561	5680	7387	5857	7561
35	21	63	64	5698	7482	5873	7657	5698	7482	5873	7657
35	21	63	70	5718	7560	5891	7735	5718	7560	5891	7735
35	21	63	76	5734	7641	5909	7815	5734	7641	5909	7815
35 35	21	63	82	5751 5770	7747 7826	5927 5945	7921 8002	5751 5770	7747 7826	5927 5945	7921 8002
35	21	69	58	5732	7512	5908	7687	5732	7512	5908	7687
35	21	69	64	5750	7606	5925	7781	5750	7606	5925	7781
35	21	69	70	5769	7685	5943	7860	5769	7685	5943	7860
35	21	69	76	5786	7765	5961	7940	5786	7765	5961	7940
35	21	69	82	5803	7871	5979	8046	5803	7871	5979	8046
35	21	69	88	5821	7951	5996	8126	5821	7951	5996	8126

If Switch Style (D, M, N or O) is specified, add 129.

BH_LT

Height-Adjustable L-Shape Tapered Peninsula - Bevel Post Leg (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4

PRICING

				1 3/16" (M) (CONTINUED)					
				MID-HEIGHT		<i>,</i>		SECONDARY	(H or L)		
				NONE POWE		INTEGRATEI POWER BAR		INTEGRATEI NONE POWI		POWER BAR	(I or P)
Da	DЬ	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	21	75	58	5784	7637	5959	7813	5784	7637	5959	7813
35	21	75	64	5802	7730	5977	7905	5802	7730	5977	7905
35	21	75	70	5820	7810	5995	7985	5820	7810	5995	7985
35	21	75	76	5838	7889	6013	8065	5838	7889	6013	8065
35	21	75	82	5855	7995	6031	8171	5855	7995	6031	8171
35	21	75	88	5872	8076	6047	8250	5872	8076	6047	8250
35	21	81	58	5824	7798	6000	7973	5824	7798	6000	7973
35	21	81	64	5843	7889	6018	8065	5843	7889	6018	8065
35	21	81	70	5861	7970	6037	8146	5861	7970	6037	8146
35	21	81	76	5879	8049	6054	8224	5879	8049	6054	8224
35	21	81	82	5896	8156	6071	8331	5896	8156	6071	8331
35	21	81	88	5914	8236	6090	8411	5914	8236	6090	8411
35	21	87	58	5875	7923	6052	8098	5875	7923	6052	8098
35	21	87	64	5895	8014	6070	8190	5895	8014	6070	8190
35	21	87	70	5913	8096	6089	8271	5913	8096	6089	8271
35	21	87	76	5930	8175	6105	8351	5930	8175	6105	8351
35	21	87	82	5948	8280	6124	8455	5948	8280	6124	8455
35	21	87	88	5966	8360	6141	8535	5966	8360	6141	8535
35	24	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	75	58	5797	7658	5972	7835	n/a	n/a	n/a	n/a
35	24	75	64	5814	7757	5989	7932	n/a	n/a	n/a	n/a
35	24	75	70	5834	7842	6009	8017	n/a	n/a	n/a	n/a
35	24	75	76	5851	7951	6026	8126	n/a	n/a	n/a	n/a
35	24	75	82	5871	8033	6046	8209	n/a	n/a	n/a	n/a
35	24	75	88	5894	8152	6069	8328	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_LT

Height-Adjustable L-Shape Tapered Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				MID-HEIGHT	(K)			SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATEI Power bar		INTEGRATED NONE POWE		POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	24	81	58	5838	7818	6013	7994	n/a	n/a	n/a	n/a
35	24	81	64	5856	7917	6032	8093	n/a	n/a	n/a	n/a
35	24	81	70	5873	8001	6048	8176	n/a	n/a	n/a	n/a
35	24	81	76	5893	8110	6068	8285	n/a	n/a	n/a	n/a
35	24	81	82	5913	8192	6089	8367	n/a	n/a	n/a	n/a
35	24	81	88	5933	8310	6110	8485	n/a	n/a	n/a	n/a
35	24	87	58	5890	7944	6066	8119	n/a	n/a	n/a	n/a
35	24	87	64	5908	8042	6083	8217	n/a	n/a	n/a	n/a
35	24	87	70	5925	8126	6100	8301	n/a	n/a	n/a	n/a
35	24	87	76	5943	8236	6119	8411	n/a	n/a	n/a	n/a
35	24	87	82	5964	8318	6140	8495	n/a	n/a	n/a	n/a
35	24	87	88	5986	8438	6161	8613	n/a	n/a	n/a	n/a

				1 9/16" (X)							
				MID-HEIGHT	(K)			SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATEI POWER BAR		INTEGRATEI NONE POWE		POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	21	57	58	5791	7298	5966	7474	5791	7298	5966	7474
29	21	57	64	5814	7386	5985	7559	5814	7386	5985	7559
29	21	57	70	5840	7475	6015	7650	5840	7475	6015	7650
29	21	57	76	5865	7591	6038	7766	5865	7591	6038	7766
29	21	57	82	5891	7677	6066	7850	5891	7677	6066	7850
29	21	57	88	5916	7801	6089	7979	5916	7801	6089	7979
29	21	63	58	5850	7453	6025	7629	5850	7453	6025	7629
29	21	63	64	5873	7542	6046	7716	5873	7542	6046	7716
29	21	63	70	5899	7631	6074	7806	5899	7631	6074	7806
29	21	63	76	5924	7747	6098	7922	5924	7747	6098	7922
29	21	63	82	5950	7834	6125	8008	5950	7834	6125	8008
29	21	63	88	5975	7958	6149	8135	5975	7958	6149	8135
29	21	69	58	5909	7608	6084	7784	5909	7608	6084	7784
29	21	69	64	5932	7698	6107	7873	5932	7698	6107	7873
29	21	69	70	5958	7787	6133	7962	5958	7787	6133	7962
29	21	69	76	5983	7903	6158	8078	5983	7903	6158	8078
29	21	69	82	6009	7991	6184	8166	6009	7991	6184	8166
29	21	69	88	6034	8115	6209	8291	6034	8115	6209	8291
29	21	75	58	5968	7763	6143	7939	5968	7763	6143	7939
29	21	75	64	5991	7854	6168	8030	5991	7854	6168	8030
29	21	75	70	6017	7943	6192	8118	6017	7943	6192	8118
29	21	75	76	6042	8059	6218	8234	6042	8059	6218	8234
29	21	75	82	6068	8148	6243	8324	6068	8148	6243	8324
29	21	75	88	6093	8272	6269	8447	6093	8272	6269	8447

If Switch Style (D, M, N or O) is specified, add 129.

BH_LT

Height-Adjustable L-Shape Tapered Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES

FOR MM X BY 25.4

PRICING

				1 9/16" (X) (C	CONTINUED)						
				MID-HEIGHT				SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATEI POWER BAR		INTEGRATEI NONE POWE		POWER BAR	(I or P)
Da	DЬ	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	21	81	58	6018	7886	6193	8061	6018	7886	6193	8061
29	21	81	64	6042	7976	6218	8152	6042	7976	6218	8152
29	21	81	70	6068	8065	6243	8241	6068	8065	6243	8241
29	21	81	76	6093	8181	6269	8357	6093	8181	6269	8357
29	21	81	82	6118	8271	6293	8446	6118	8271	6293	8446
29	21	81	88	6143	8394	6320	8569	6143	8394	6320	8569
29	21	87	58	6075	8012	6250	8187	6075	8012	6250	8187
29	21	87	64	6099	8103	6274	8278	6099	8103	6274	8278
29	21	87	70	6125	8191	6299	8366	6125	8191	6299	8366
29	21	87	76	6150	8307	6325	8482	6150	8307	6325	8482
29	21	87	82	6175	8396	6350	8571	6175	8396	6350	8571
29	21	87	88	6200	8520	6377	8697	6200	8520	6377	8697
29	24	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	63	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	24	75	58	5987	7796	6162	7972	n/a	n/a	n/a	n/a
29	24	75	64	6015	7890	6190	8067	n/a	n/a	n/a	n/a
29	24	75	70	6042	8010	6218	8185	n/a	n/a	n/a	n/a
29	24	75	76	6071	8105	6247	8280	n/a	n/a	n/a	n/a
29	24	75	82	6099	8234	6274	8410	n/a	n/a	n/a	n/a
29	24	75	88	6127	8328	6302	8503	n/a	n/a	n/a	n/a
29	24	81	58	6038	7918	6213	8094	n/a	n/a	n/a	n/a
29	24	81	64	6066	8013	6240	8188	n/a	n/a	n/a	n/a
29	24	81	70	6093	8132	6269	8307	n/a	n/a	n/a	n/a
29	24	81	76	6121	8227	6296	8403	n/a	n/a	n/a	n/a
29	24	81	82	6150	8357	6325	8532	n/a	n/a	n/a	n/a
29	24	81	88	6177	8449	6352	8625	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_LT

Height-Adjustable L-Shape Tapered Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				MID-HEIGHT	(K)			SECONDARY	(H or L)		
				NONE POWE	. ,	INTEGRATEI POWER BAR		INTEGRATED NONE POWE	D	POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	24	87	58	6095	8045	6270	8220	n/a	n/a	n/a	n/a
29	24	87	64	6121	8140	6296	8315	n/a	n/a	n/a	n/a
29	24	87	70	6150	8259	6325	8434	n/a	n/a	n/a	n/a
29	24	87	76	6178	8354	6353	8529	n/a	n/a	n/a	n/a
29	24	87	82	6207	8482	6382	8657	n/a	n/a	n/a	n/a
29	24	87	88	6234	8575	6409	8752	n/a	n/a	n/a	n/a
29	27	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	63	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	69	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
29	27	75	58	6006	7827	6180	8002	n/a	n/a	n/a	n/a
29	27	75	64	6037	7953	6212	8128	n/a	n/a	n/a	n/a
29	27	75	70	6068	8050	6243	8226	n/a	n/a	n/a	n/a
29	27	75	76	6099	8186	6274	8361	n/a	n/a	n/a	n/a
29	27	75	82	6131	8284	6306	8459	n/a	n/a	n/a	n/a
29	27	75	88	6160	8400	6335	8575	n/a	n/a	n/a	n/a
29	27	81	58	6055	7949	6232	8125	n/a	n/a	n/a	n/a
29	27	81	64	6087	8076	6263	8250	n/a	n/a	n/a	n/a
29	27	81	70	6118	8173	6293	8349	n/a	n/a	n/a	n/a
29	27	81	76	6150	8308	6325	8483	n/a	n/a	n/a	n/a
29	27	81	82	6180	8407	6356	8583	n/a	n/a	n/a	n/a
29	27	81	88	6211	8524	6386	8699	n/a	n/a	n/a	n/a
29	27	87	58	6112	8076	6288	8250	n/a	n/a	n/a	n/a
29	27	87	64	6143	8202	6320	8378	n/a	n/a	n/a	n/a
29	27	87	70	6175	8300	6350	8475	n/a	n/a	n/a	n/a
29	27	87	76	6207	8436	6382	8612	n/a	n/a	n/a	n/a
29	27	87	82	6237	8533	6412	8708	n/a	n/a	n/a	n/a
29	27	87	88	6267	8649	6443	8824	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_LT

Height-Adjustable L-Shape Tapered Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES

FOR MM X BY 25.4

PRICING

				1 9/16" (X) (C	CONTINUED)						
				MID-HEIGHT				SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATEI POWER BAR	-	INTEGRATEI NONE POWE	_	POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	21	57	58	5778	7451	5951	7629	5778	7451	5951	7629
35	21	57	64	5806	7550	5981	7731	5806	7550	5981	7731
35	21	57	70	5829	7648	6004	7821	5829	7648	6004	7821
35	21	57	76	5853	7732	6031	7905	5853	7732	6031	7905
35	21	57	82	5877	7848	6054	8021	5877	7848	6054	8021
35	21	57	88	5901	7937	6082	8115	5901	7937	6082	8115
35	21	63	58	5840	7591	6014	7768	5840	7591	6014	7768
35	21	63	64	5867	7691	6042	7870	5867	7691	6042	7870
35	21	63	70	5891	7786	6066	7960	5891	7786	6066	7960
35	21	63	76	5915	7872	6092	8046	5915	7872	6092	8046
35	21	63	82	5940	7988	6116	8162	5940	7988	6116	8162
35	21	63	88	5964	8077	6143	8254	5964	8077	6143	8254
35	21	69	58	5902	7731	6077	7907	5902	7731	6077	7907
35	21	69	64	5928	7832	6103	8009	5928	7832	6103	8009
35	21	69	70	5953	7924	6128	8099	5953	7924	6128	8099
35	21	69	76	5977	8012	6153	8187	5977	8012	6153	8187
35	21	69	82	6003	8128	6178	8303	6003	8128	6178	8303
35	21	69	88	6027	8217	6204	8393	6027	8217	6204	8393
35	21	75	58	5964	7871	6140	8046	5964	7871	6140	8046
35	21	75	64	5989	7973	6164	8148	5989	7973	6164	8148
35	21	75	70	6015	8062	6190	8238	6015	8062	6190	8238
35	21	75	76	6039	8152	6214	8328	6039	8152	6214	8328
35	21	75	82	6066	8268	6240	8444	6066	8268	6240	8444
35	21	75	88	6090	8357	6265	8532	6090	8357	6265	8532
35	21	81	58	6019	8046	6194	8221	6019	8046	6194	8221
35	21	81	64	6045	8148	6220	8324	6045	8148	6220	8324
35	21	81	70	6070	8238	6245	8413	6070	8238	6245	8413
35	21	81	76	6095	8328	6270	8503	6095	8328	6270	8503
35	21	81	82	6120	8444	6295	8619	6120	8444	6295	8619
35	21	81	88	6146	8532	6321	8707	6146	8532	6321	8707
35	21	87	58	6083	8184	6258	8359	6083	8184	6258	8359
35	21	87	64	6107	8285	6283	8461	6107	8285	6283	8461
35	21	87	70	6133	8376	6308	8553	6133	8376	6308	8553
35	21	87	76	6157	8466	6332	8641	6157	8466	6332	8641
35	21	87	82	6184	8582	6358	8757	6184	8582	6358	8757
35	21	87	88	6208	8671	6383	8846	6208	8671	6383	8846
35	24	57	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	57	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_LT

Height-Adjustable L-Shape Tapered Peninsula – Bevel Post Leg (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING


				MID-HEIGHT	(K)			SECONDARY	(H or L)		
				NONE POWE	R BAR (N)	INTEGRATEI POWER BAR		INTEGRATEI NONE POWE		POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	24	63	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	63	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	58	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	70	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	76	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	69	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
35	24	75	58	5981	7896	6156	8071	n/a	n/a	n/a	n/a
35	24	75	64	6010	8004	6185	8180	n/a	n/a	n/a	n/a
35	24	75	70	6037	8100	6212	8275	n/a	n/a	n/a	n/a
35	24	75	76	6066	8219	6240	8394	n/a	n/a	n/a	n/a
35	24	75	82	6093	8314	6269	8488	n/a	n/a	n/a	n/a
35	24	75	88	6121	8444	6296	8619	n/a	n/a	n/a	n/a
35	24	81	58	6037	8071	6212	8246	n/a	n/a	n/a	n/a
35	24	81	64	6066	8180	6240	8355	n/a	n/a	n/a	n/a
35	24	81	70	6092	8275	6267	8451	n/a	n/a	n/a	n/a
35	24	81	76	6120	8394	6295	8569	n/a	n/a	n/a	n/a
35	24	81	82	6149	8488	6324	8664	n/a	n/a	n/a	n/a
35	24	81	88	6177	8619	6352	8794	n/a	n/a	n/a	n/a
35	24	87	58	6099	8210	6274	8386	n/a	n/a	n/a	n/a
35	24	87	64	6128	8318	6303	8495	n/a	n/a	n/a	n/a
35	24	87	70	6155	8413	6330	8589	n/a	n/a	n/a	n/a
35	24	87	76	6184	8532	6358	8707	n/a	n/a	n/a	n/a
35	24	87	82	6212	8627	6387	8802	n/a	n/a	n/a	n/a
35	24	87	88	6240	8757	6415	8932	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BH_UB

Height-Adjustable Desk for U-Shape Workstation – Bevel Bases

One Table One Plug



This height-adjustable desk allows to work at seated and standing positions. It can be mounted on a Workwall Credenza (BSMHLR or BSMCHR) or a High or Low Secondary Desk (BH_SR) at one end and is supported by a Bevel Post Leg at the other.

WHAT'S INCLUDED

2 worksurfaces, 2 height-adjustable bevel base with levelers, 1 height-adjustable mechanism with support and wire management clips, 1 power tray, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), rectangular cut-outs with grommets (as specified), 1 square cut-out without ring (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Credenzas, High or Low Secondary Desks and Suspended Modesty Panel.

NOTES

When Flintwood Worksurface finish is specified, only Flintwood End Panel finish is available.

When Foundation Laminate Worksurface finish is specified, only Source Laminate End Panel finish is available.

The 1 9/16" (X) thickness is **not** available in all Source Laminate, Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Configu- ration	Depth A	Depth B	Width A	Width B	Gromme	et Option	Configu- ration	Powerbar	Range
M 13/16" X 19/16"	H High Secondary K Mid- Height L Low Secondary	29, 35	23, 29	65, 71, 77, 83, 89	093, 099, 105	A Rectangular & Square on Return C Rectangular on Return (Shown) O Rectangular on Desk & Return		L Left Handed (Shown) R Right Handed	I Integrated Powerbar N None P Integrated Powerbar with IEC Outlet	E Extended Range – 26" to 48" (Low or Mid) E Extended Range – 29" to 48" (High)

SAMPLE ORDER CODE

BH <u>M</u> UB	H	29	29	77	099	C	L	I	E

PRODUCT OPTIONS CONTINUED

Switch	Worksurface Finish	Edge Trim Style	Edge Trim Finish	End Panel Finish	Base Finish	Grommet Finish
Display with Up/ Down Memory Toggle Up/Down – Platinum Toggle Up/Down – Crisp Grey Toggle Up/Down – Anthracite M Display Toggle with Memory – Platinun N Display Toggle with Memory – Crisp Grey O Display Toggle with Memory – Anthracite	Laminate	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Source Laminate Flintwood (No Cathedral)	Foundation Mica Coordinate Colors	Foundation Mica

SAMPLE ORDER CODE CONTINUED

OMMI EE ORDER CODE CONTINCED							
D	LW	6	ST	XS	74	74	

See Pricing on the following page.

BH_UB

Height-Adjustable Desk for U-Shape Workstation – Bevel Bases (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				1 3/16" (M)	(IV)			CECONDARY	(11 1)		
				MID-HEIGHT	(K)	INTECDATES	<u> </u>	SECONDARY	, ,		
				NONE POWE	R BAR (N)	INTEGRATED POWER BAR		INTEGRATEI None Powe		POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	23	65	93	6150	9484	6325	9659	6150	9484	6325	9659
29	23	65	99	6175	9611	6350	9786	6175	9611	6350	9786
29	23	65	105	6199	9703	6374	9879	6199	9703	6374	9879
29	23	71	93	6186	9579	6361	9754	6186	9579	6361	9754
29	23	71	99	6211	9706	6386	9881	6211	9706	6386	9881
29	23	71	105	6235	9800	6410	9975	6235	9800	6410	9975
29	23	77	93	6221	9706	6396	9881	6221	9706	6396	9881
29	23	77	99	6247	9832	6422	10007	6247	9832	6422	10007
29	23	77	105	6271	9926	6446	10101	6271	9926	6446	10101
29	23	83	93	6251	9801	6426	9976	6251	9801	6426	9976
29	23	83	99	6276	9927	6451	10102	6276	9927	6451	10102
29	23	83	105	6301	10019	6475	10194	6301	10019	6475	10194
29	23	89	93	6290	9895	6465	10070	6290	9895	6465	10070
29	23	89	99	6314	10021	6489	10196	6314	10021	6489	10196
29	23	89	105	6337	10115	6512	10290	6337	10115	6512	10290
29	29	65	93	6150	9484	6325	9659	6150	9484	6325	9659
29	29	65	99	6175	9611	6350	9786	6175	9611	6350	9786
29	29	65	105	6199	9703	6374	9879	6199	9703	6374	9879
29	29	71	93	6186	9579	6361	9754	6186	9579	6361	9754
29	29	71	99	6211	9706	6386	9881	6211	9706	6386	9881
29	29	71	105	6235	9800	6410	9975	6235	9800	6410	9975
29	29	77	93	6221	9706	6396	9881	6221	9706	6396	9881
29	29	77	99	6247	9832	6422	10007	6247	9832	6422	10007
29	29	77	105	6271	9926	6446	10101	6271	9926	6446	10101
29	29	83	93	6251	9801	6426	9976	6251	9801	6426	9976
29	29	83	99	6276	9927	6451	10102	6276	9927	6451	10102
9	29	83	105	6301	10019	6475	10194	6301	10019	6475	10194
29	29	89	93	6290	9895	6465	10070	6290	9895	6465	10070
29	29	89	99	6314	10021	6489	10196	6314	10021	6489	10196
29	29	89	105	6337	10115	6512	10290	6337	10115	6512	10290
35	23	65	93	6408	10008	6583	10184	6408	10008	6583	10184
35	23	65	99	6438	10111	6613	10286	6438	10111	6613	10286
35	23	65	105	6466	10246	6641	10421	6466	10246	6641	10421
35	23	71	93	6448	10112	6624	10287	6448	10112	6624	10287
35	23	71	99	6479	10215	6653	10390	6479	10215	6653	10390
35	23	71	105	6506	10350	6682	10525	6506	10350	6682	10525

If Switch Style (D, M, N or O) is specified, add 129.

BH_UB

Height-Adjustable Desk for U-Shape Workstation – Bevel Bases (Continued)

PRICING

DIMENSIONS - INCHES

FOR MM X BY 25.4

				1 3/16" (M) (MID-HEIGHT		<u>'</u>		SECONDARY	(H or L)		
				NONE POWE	. ,	INTEGRATEI Power bar		INTEGRATEI NONE POWE	D	POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	23	77	93	6493	10220	6668	10395	6493	10220	6668	10395
35	23	77	99	6522	10321	6697	10496	6522	10321	6697	10496
35	23	77	105	6551	10456	6726	10631	6551	10456	6726	10631
35	23	83	93	6525	10362	6700	10537	6525	10362	6700	10537
35	23	83	99	6555	10464	6730	10640	6555	10464	6730	10640
35	23	83	105	6583	10599	6758	10774	6583	10599	6758	10774
35	23	89	93	6567	10469	6742	10644	6567	10469	6742	10644
35	23	89	99	6597	10571	6771	10746	6597	10571	6771	10746
35	23	89	105	6625	10707	6800	10882	6625	10707	6800	10882
35	29	65	93	6408	10008	6583	10184	6408	10008	6583	10184
35	29	65	99	6438	10111	6613	10286	6438	10111	6613	10286
35	29	65	105	6466	10246	6641	10421	6466	10246	6641	10421
35	29	71	93	6448	10112	6624	10287	6448	10112	6624	10287
35	29	71	99	6479	10215	6653	10390	6479	10215	6653	10390
35	29	71	105	6506	10350	6682	10525	6506	10350	6682	10525
35	29	77	93	6493	10220	6668	10395	6493	10220	6668	10395
35	29	77	99	6522	10321	6697	10496	6522	10321	6697	10496
35	29	77	105	6551	10456	6726	10631	6551	10456	6726	10631
35	29	83	93	6525	10362	6700	10537	6525	10362	6700	10537
35	29	83	99	6555	10464	6730	10640	6555	10464	6730	10640
35	29	83	105	6583	10599	6758	10774	6583	10599	6758	10774
35	29	89	93	6567	10469	6742	10644	6567	10469	6742	10644
35	29	89	99	6597	10571	6771	10746	6597	10571	6771	10746
35	29	89	105	6625	10707	6800	10882	6625	10707	6800	10882

				1 9/16" (X)							
				MID-HEIGHT	Γ (K)			SECONDARY	(H or L)		
				NONE POWE	ER BAR (N)	INTEGRATED POWER BAR		INTEGRATE NONE POW		POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	23	65	93	6238	9848	6414	10024	6238	9848	6414	10024
29	23	65	99	6273	9989	6448	10164	6273	9989	6448	10164
29	23	65	105	6308	10095	6483	10271	6308	10095	6483	10271
29	23	71	93	6286	9959	6461	10134	6286	9959	6461	10134
29	23	71	99	6322	10099	6497	10274	6322	10099	6497	10274
29	23	71	105	6356	10206	6531	10380	6356	10206	6531	10380

If Switch Style (D, M, N or O) is specified, add 129.

BH_UB

Height-Adjustable Desk for U-Shape Workstation – Bevel Bases (Continued)

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

				1 9/16" (X)	(17)			CECONDARY	(11 1)		
				MID-HEIGHT	(K)	INTEGRATEI)	SECONDARY INTEGRATE	, ,		
				NONE POWE	R BAR (N)	POWER BAR		NONE POWE		POWER BAR	(I or P)
Б.	DI	3377	3377	Foundation	El. I	Foundation	ri. I	Foundation	Ti. I	Foundation	r.i.
Da 20	Db	Wa	Wb	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
29	23	77	93	6335	10099	6510	10274	6335	10099	6510	10274
29	23	77	99	6370	10237	6546	10412	6370	10237	6546	10412
29	23	77	105	6406	10344	6581	10519	6406	10344	6581	10519
29	23	83	93	6377	10202	6552	10377	6377	10202	6552	10377
29	23	83	99	6410	10341	6585	10517	6410	10341	6585	10517
29	23	83	105	6445	10449	6620	10624	6445	10449	6620	10624
29	23	89	93	6423	10310	6598	10485	6423	10310	6598	10485
29	23	89	99	6457	10450	6633	10626	6457	10450	6633	10626
29	23	89	105	6494	10557	6669	10732	6494	10557	6669	10732
29	29	65	93	6238	9848	6414	10024	6238	9848	6414	10024
29 29	29	65	99	6273	9989	6448	10164	6273	9989	6448	10164
29	29	65	105	6308	10095	6483	10271	6308	10095	6483	10271
29	29	71	93	6286	9959	6461	10134	6286	9959	6461	10134
29 29	29	71	99	6322	10099	6497	10134	6322	10099	6497	10134
29 29	29	71	105	6356	10206	6531	102/4	6356	10206	6531	102/4
29	29	77	93	6335	10099	6510	10274	6335	10099	6510	10274
29	29	77	99	6370	10237	6546	10412	6370	10237	6546	10412
29	29	77	105	6406	10344	6581	10519	6406	10344	6581	10519
29	29	83	93	6377	10202	6552	10377	6377	10202	6552	10377
29	29	83	99	6410	10341	6585	10517	6410	10341	6585	10517
29	29	83	105	6445	10449	6620	10624	6445	10449	6620	10624
29	29	89	93	6423	10310	6598	10485	6423	10310	6598	10485
29	29	89	99	6457	10450	6633	10626	6457	10450	6633	10626
29	29	89	105	6494	10557	6669	10732	6494	10557	6669	10732
35	23	65	93	6549	10432	6725	10608	6549	10432	6725	10608
35	23	65	99	6590	10551	6765	10727	6590	10551	6765	10727
35	23	65	105	6633	10704	6808	10880	6633	10704	6808	10880
35	23	71	93	6600	10553	6776	10728	6600	10553	6776	10728
35	23	71	99	6643	10672	6818	10847	6643	10672	6818	10847
35	23	71	105	6684	10824	6859	10999	6684	10824	6859	10999
35	23	77	93	6651	10674	6827	10849	6651	10674	6827	10849
35	23	77	99	6696	10793	6871	10968	6696	10793	6871	10968
35	23	77	105	6736	10793	6911	11120	6736	10945	6911	11120
25	22	02	03	6600	10022	607/	11007	6600	10022	607/	11007
35 35	23	83	93	6699	10832	6874	11007	6699	10832	6874	11007
,)	23	83	99	6741	10950	6916	11126	6741	10950	6916	11126

If Switch Style (D, M, N or O) is specified, add 129.

multi-level workstations

Xpress

 BH_UB

Height-Adjustable Desk for U-Shape Workstation – Bevel Bases (Continued)

DIMENSIONS - INCHES


FOR MM X BY 25.4 PRICING

				1 9/16" (X) (C				CECOND I DI	/** *\		
				MID-HEIGHT	()	INTEGRATEI POWER BAR		SECONDARY INTEGRATED NONE POWE)	POWER BAR	(I or P)
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	23	89	93	6752	10952	6928	11127	6752	10952	6928	11127
35	23	89	99	6794	11071	6969	11247	6794	11071	6969	11247
35	23	89	105	6837	11224	7012	11399	6837	11224	7012	11399
35	29	65	93	6549	10432	6725	10608	6549	10432	6725	10608
35	29	65	99	6590	10551	6765	10727	6590	10551	6765	10727
35	29	65	105	6633	10704	6808	10880	6633	10704	6808	10880
35	29	71	93	6600	10553	6776	10728	6600	10553	6776	10728
35	29	71	99	6643	10672	6818	10847	6643	10672	6818	10847
35	29	71	105	6684	10824	6859	10999	6684	10824	6859	10999
35	29	77	93	6651	10674	6827	10849	6651	10674	6827	10849
35	29	77	99	6696	10793	6871	10968	6696	10793	6871	10968
35	29	77	105	6736	10945	6911	11120	6736	10945	6911	11120
35	29	83	93	6699	10832	6874	11007	6699	10832	6874	11007
35	29	83	99	6741	10950	6916	11126	6741	10950	6916	11126
35	29	83	105	6784	11105	6959	11280	6784	11105	6959	11280
35	29	89	93	6752	10952	6928	11127	6752	10952	6928	11127
35	29	89	99	6794	11071	6969	11247	6794	11071	6969	11247
35	29	89	105	6837	11224	7012	11399	6837	11224	7012	11399

If Switch Style (D, M, N or O) is specified, add 129.

BH_SR

Secondary Desk - Height-Adjustable Run-Off and U-Shape



This desk provides a secondary working area (High only) and can support a Height-Adjustable Run-Off (BH_RB or BHGRB), a Height-Adjustable Desk for U-Shape Workstation (BH_UB), Full-Modesty Height-Adjustable Desk for U-Shape Workstation (BF_U), a Wall Panel and Mounted Towers. It must be installed against a wall.

WHAT'S INCLUDED

1 worksurface, 2 gables, 1 or 2 reinforcing bars, 1 rectangular cut-out with grommet (as specified), and mounting hardware.

WHAT'S EXCLUDED

High or Low Height-Adjustable Run-Off, High or Low Height-Adjustable for U-Shape Workstation, Full-Modesty Height-Adjustable Desk for U-Shape Workstation, Wall Panels, Mounted Towers and Storage for Secondary Desk.

NOTES

For more details on Height-Adjustable Run-Off and Height-Adjustable Desk for U-Shape Workstation position and secondary desk, refer on Application Guide.

When Low (L) Configuration is specified, the Flat Trim (8) option is **not** available. When Flintwood Worksurface finish is specified, only Flintwood Gable Finish is available.

When Foundation Laminate Worksurface finish is specified, only Source Laminate Gable Finish is available.

The 1 9/16" (X) thickness is ${f not}$ available in all Source Laminate, Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Configuration	Height-Adjustable Worksurface Depth	Depth	Width	Worksurface Position (From Left)
M 1 3/16"	H High	23, 29, 35	20, 24		00, 06, 12, 18, 24, 30,
X 1 9/16"	L Low				36, 42, 48, 54, 60, 66, 72, 78, 84

SAMPLE ORDER CODE

BH <u>X</u> SR H	29	24	078	30
------------------	----	----	-----	----

PRODUCT OPTIONS CONTINUED

Grommet Option	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable Finish	Grommet Finish (If Applicable)
L Left	Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation
N No Grommet (Shown)	Flintwood (No Cathedral)	8 Flat Trim 9 Flintwood Flat Trim	(for trim style 6 or 8)	Flintwood (No Cathedral)	Mica
R Right		J Timewood Time Time			

SAMPLE ORDER CODE CONTINUED

L 2E 6 4E 3E 60

See Pricing on the following page.

BH_SR

Secondary Desk – Height-Adjustable Run-Off and U-Shape (Continued)

DIMENSIONS INCHES / MM

PRICING

		1 3/16" (M)			
		LOW (L)		HIGH (H)	
		23" or 29" HEIGHT-AD	JUSTABLE WORKSURFACE I	ОЕРТН	
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD
		GABLE FINISH			
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood
20 / 508	60 / 1524	904	1965	970	2187
20 / 508	66 / 1676	965	2033	1034	2252
20 / 508	72 / 1829	1006	2117	1072	2334
20 / 508	78 / 1981	1044	2182	1114	2402
20 / 508	84 / 2134	1096	2245	1165	2466
20 / 508	90 / 2286	1157	2313	1220	2532
20 / 508	96 / 2438	1210	2412	1282	2631
20 / 508	102 / 2591	1263	2474	1335	2696
20 / 508	108 / 2743	1325	2542	1391	2760
24 / 610	60 / 1524	1010	2108	1092	2443
24 / 610	66 / 1676	1079	2178	1161	2515
24 / 610	72 / 1829	1148	2250	1231	2588
24 / 610	78 / 1981	1211	2354	1293	2690
24 / 610	84 / 2134	1279	2424	1356	2762
24 / 610	90 / 2286	1342	2496	1424	2835
24 / 610	96 / 2438	1412	2603	1489	2937
24 / 610	102 / 2591	1474	2670	1556	3008
24 / 610	108 / 2743	1540	2743	1622	3079

		1 9/16" (X)							
		LOW (L)		HIGH (H)					
		23" or 29" HEIGHT-AD	23" or 29" HEIGHT-ADJUSTABLE WORKSURFACE DEPTH						
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD				
		GABLE FINISH							
		Source Laminate	Flintwood	Source Laminate	Flintwood				
20 / 508	60 / 1524	954	2185	1041	2424				
20 / 508	66 / 1676	1014	2274	1102	2515				
20 / 508	72 / 1829	1076	2379	1163	2617				
20 / 508	78 / 1981	1138	2467	1226	2707				
20 / 508	84 / 2134	1201	2555	1288	2792				
20 / 508	90 / 2286	1260	2644	1349	2883				
20 / 508	96 / 2438	1328	2763	1415	3002				
20 / 508	102 / 2591	1387	2854	1477	3091				
20 / 508	108 / 2743	1453	2939	1539	3180				
24 / 610	60 / 1524	1110	2349	1210	2710				
24 / 610	66 / 1676	1182	2445	1286	2803				
24 / 610	72 / 1829	1254	2542	1358	2901				
24 / 610	78 / 1981	1328	2668	1430	3028				
24 / 610	84 / 2134	1400	2765	1505	3124				
24 / 610	90 / 2286	1474	2861	1578	3219				
24 / 610	96 / 2438	1551	2989	1654	3347				
24 / 610	102 / 2591	1623	3084	1725	3441				
24 / 610	108 / 2743	1697	3180	1800	3537				

BH_SR

Secondary Desk – Height-Adjustable Run-Off and U-Shape (Continued)

DIMENSIONS INCHES / MM


PRICING

		1 3/16" (M)				
		LOW (L)		HIGH (H)		
		35" HEIGHT-ADJUSTA	BLE WORKSURFACE DEPTH			
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD	
		GABLE FINISH				
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	
20 / 508	72 / 1829	1006	2117	1072	2334	
20 / 508	78 / 1981	1044	2182	1114	2402	
20 / 508	84 / 2134	1096	2245	1165	2466	
20 / 508	90 / 2286	1157	2313	1220	2532	
20 / 508	96 / 2438	1210	2412	1282	2631	
20 / 508	102 / 2591	1263	2474	1335	2696	
20 / 508	108 / 2743	1325	2542	1391	2760	
24 / 610	72 / 1829	1148	2250	1231	2588	
24 / 610	78 / 1981	1211	2354	1293	2690	
24 / 610	84 / 2134	1279	2424	1356	2762	
24 / 610	90 / 2286	1342	2496	1424	2835	
24 / 610	96 / 2438	1412	2603	1489	2937	
24 / 610	102 / 2591	1474	2670	1556	3008	
24 / 610	108 / 2743	1540	2743	1622	3079	

		1 9/16" (X)				
		LOW (L)		HIGH (H)		
		35" HEIGHT-ADJUSTA	BLE WORKSURFACE DEPTH			
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD	
		GABLE FINISH				
		Source Laminate	Flintwood	Source Laminate	Flintwood	
20 / 508	72 / 1829	1076	2379	1163	2617	
20 / 508	78 / 1981	1138	2467	1226	2707	
20 / 508	84 / 2134	1201	2555	1288	2792	
20 / 508	90 / 2286	1260	2644	1349	2883	
20 / 508	96 / 2438	1328	2763	1415	3002	
20 / 508	102 / 2591	1387	2854	1477	3091	
20 / 508	108 / 2743	1453	2939	1539	3180	
24 / 610	72 / 1829	1254	2542	1358	2901	
24 / 610	78 / 1981	1328	2668	1430	3028	
24 / 610	84 / 2134	1400	2765	1505	3124	
24 / 610	90 / 2286	1474	2861	1578	3219	
24 / 610	96 / 2438	1551	2989	1654	3347	
24 / 610	102 / 2591	1623	3084	1725	3441	
24 / 610	108 / 2743	1697	3180	1800	3537	

BH_SB

Secondary Desk – Height-Adjustable Peninsula



Tapered Peninsula

Tapared Peninsula

This desk supports a Height-Adjustable Peninsula (BH_TP, BH_TT or BH_PE), a Wall Panel and Mounted Towers. It must be installed against a wall.

WHAT'S INCLUDED

1 worksurface, 2 gables, 1 or 2 reinforcing bars, 1 rectangular cut-out with grommets (as specified), and mounting hardware.

WHAT'S EXCLUDED

Height-Adjustable Peninsulas, Wall Panels, Mounted Towers and Storage for Secondary Desk.

NOTES

For more details on Height-Adjustable Peninsula position and secondary desk, refer on Application Guide.

When 35" or 40" deep Height-Adjustable Peninsula is selected, 00" wide Worksurface Position is ${f not}$ available.

The 1 9/16" (X) thickness is **not** available in all Source Laminate, Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Configuration	Height-Adjustable Peninsula Depth	Depth	Width	Worksurface Position (From Left)
M 1 3/16" X 1 9/16"	H High L Low	35, 40, 46, 52, 58	20, 24		00, 06, 12, 18, 24, 30, 36, 42, 48, 54, 60, 66

SAMPLE ORDER CODE

BH <u>X</u> SB H 52 24 078 24	BHXSB	H	52	24	078	24
-------------------------------	-------	---	----	----	-----	----

PRODUCT OPTIONS CONTINUED

Grommet Option	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable Finish	Grommet Finish (If Applicable)
L Left	Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation
N No Grommet (Shown)	Flintwood (No Cathedral)	9 Flintwood Flat Trim	(for trim style 6)	Flintwood (No Cathedral)	Mica
R Right					

SAMPLE ORDER CODE CONTINUED

NI	2 E	6	/ AE	2 E	0.2
1N	ZE	U	4E) JE	03

See Pricing on the following page.

BH_SB

Secondary Desk – Height-Adjustable Peninsula (Continued)

DIMENSIONS INCHES / MM

PRICING

		1 3/16" (M) LOW (L)		HIGH (H)				
		35" HEIGHT-ADJUSTA	35" HEIGHT-ADJUSTABLE PENINSULA DEPTH					
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD			
		GABLE FINISH						
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood			
20 / 508	72 / 1829	1006	2117	1072	2334			
20 / 508	78 / 1981	1044	2182	1114	2402			
20 / 508	84 / 2134	1096	2245	1165	2466			
20 / 508	90 / 2286	1157	2313	1220	2532			
20 / 508	96 / 2438	1210	2412	1282	2631			
20 / 508	102 / 2591	1263	2474	1335	2696			
20 / 508	108 / 2743	1325	2542	1391	2760			
24 / 610	72 / 1829	1148	2250	1231	2588			
24 / 610	78 / 1981	1211	2354	1293	2690			
24 / 610	84 / 2134	1279	2424	1356	2762			
24 / 610	90 / 2286	1342	2496	1424	2835			
24 / 610	96 / 2438	1412	2603	1489	2937			
24 / 610	102 / 2591	1474	2670	1556	3008			
24 / 610	108 / 2743	1540	2743	1622	3079			

		1 9/16" (X)			
		LOW (L)		HIGH (H)	
		35" HEIGHT-ADJUSTA	BLE PENINSULA DEPTH		
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION Laminate	FLINTWOOD
		GABLE FINISH			
		Source Laminate	Flintwood	Source Laminate	Flintwood
20 / 508	72 / 1829	1076	2379	1163	2617
20 / 508	78 / 1981	1138	2467	1226	2707
20 / 508	84 / 2134	1201	2555	1288	2792
20 / 508	90 / 2286	1260	2644	1349	2883
20 / 508	96 / 2438	1328	2763	1415	3002
20 / 508	102 / 2591	1387	2854	1477	3091
20 / 508	108 / 2743	1453	2939	1539	3180
24 / 610	72 / 1829	1254	2542	1358	2901
24 / 610	78 / 1981	1328	2668	1430	3028
24 / 610	84 / 2134	1400	2765	1505	3124
24 / 610	90 / 2286	1474	2861	1578	3219
24 / 610	96 / 2438	1551	2989	1654	3347
24 / 610	102 / 2591	1623	3084	1725	3441
24 / 610	108 / 2743	1697	3180	1800	3537



BH_SB

Secondary Desk - Height-Adjustable Peninsula (Continued)

DIMENSIONS INCHES / MM


PRICING

		1 3/16" (M)			
		LOW (L)		HIGH (H)	
		40", 46", 52" or 58" HEI	GHT-ADJUSTABLE PENINS	ULA DEPTH	
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD
		GABLE FINISH			
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood
20 / 508	60 / 1524	904	1965	970	2187
20 / 508	66 / 1676	965	2033	1034	2252
20 / 508	72 / 1829	1006	2117	1072	2334
20 / 508	78 / 1981	1044	2182	1114	2402
20 / 508	84 / 2134	1096	2245	1165	2466
20 / 508	90 / 2286	1157	2313	1220	2532
20 / 508	96 / 2438	1210	2412	1282	2631
20 / 508	102 / 2591	1263	2474	1335	2696
20 / 508	108 / 2743	1325	2542	1391	2760
24 / 610	60 / 1524	1010	2108	1092	2443
24 / 610	66 / 1676	1079	2178	1161	2515
24 / 610	72 / 1829	1148	2250	1231	2588
24 / 610	78 / 1981	1211	2354	1293	2690
24 / 610	84 / 2134	1279	2424	1356	2762
24 / 610	90 / 2286	1342	2496	1424	2835
24 / 610	96 / 2438	1412	2603	1489	2937
24 / 610	102 / 2591	1474	2670	1556	3008
24 / 610	108 / 2743	1540	2743	1622	3079

		1 9/16" (X)				
		LOW (L)		HIGH (H)		
		40", 46", 52" or 58" HEI	IGHT-ADJUSTABLE PENINSULA	DEPTH		
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD	
		GABLE FINISH				
		Source Laminate	Flintwood	Source Laminate	Flintwood	
20 / 508	60 / 1524	954	2185	1041	2424	
20 / 508	66 / 1676	1014	2274	1102	2515	
20 / 508	72 / 1829	1076	2379	1163	2617	
20 / 508	78 / 1981	1138	2467	1226	2707	
20 / 508	84 / 2134	1201	2555	1288	2792	
20 / 508	90 / 2286	1260	2644	1349	2883	
20 / 508	96 / 2438	1328	2763	1415	3002	
20 / 508	102 / 2591	1387	2854	1477	3091	
20 / 508	108 / 2743	1453	2939	1539	3180	
24 / 610	60 / 1524	1110	2349	1210	2710	
24 / 610	66 / 1676	1182	2445	1286	2803	
24 / 610	72 / 1829	1254	2542	1358	2901	
24 / 610	78 / 1981	1328	2668	1430	3028	
24 / 610	84 / 2134	1400	2765	1505	3124	
24 / 610	90 / 2286	1474	2861	1578	3219	
24 / 610	96 / 2438	1551	2989	1654	3347	
24 / 610	102 / 2591	1623	3084	1725	3441	
24 / 610	108 / 2743	1697	3180	1800	3537	
21, 310	100 / 2/ 13	10)/		1000		

BH_SL

Secondary Desk – Height-Adjustable L-Shape Worksurface



This desk supports a Height-Adjustable L-Shape Worksurfaces (BH_LB, BH_L, BH_LT), a Wall Panel and Mounted Towers. It must be installed against a wall.

WHAT'S INCLUDED

1 worksurface, 2 gables, 1 or 2 reinforcing bars, and mounting hardware.

WHAT'S EXCLUDED

Height-Adjustable L-Shape Worksurfaces, Wall Panels, Mounted Towers and Storage for Secondary Desk.

NOTES

For more details on Height-Adjustable L-Shape Worksurface position and secondary desk, refer on Application Guide.

The 1 9/16" (X) thickness is ${f not}$ available in all Source Laminate, Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Configuration	Height-Adjustable Worksurface Width	Depth	Width
M 1 3/16"	H High	58, 64, 70, 76, 82, 88	20, 24	060, 066, 072, 078, 084, 090,
X 1 9/16"	L Low			096, 102, 108

SAMPLE ORDER CODE

BH <u>X</u> SL L	58	20	108
------------------	----	----	-----

PRODUCT OPTIONS CONTINUED

Worksurface Position (From Left)	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable Finish
00, 06, 12, 18, 24, 30, 36, 42, 48	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE CONTINUED

00 LW	6	ST	XS
-------	---	----	----

See Pricing on the following page.

BH_SL

Secondary Desk – Height-Adjustable L-Shape Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING

		1 3/16" (M)			
		LOW (L)		HIGH (H)	
		58" HEIGHT-ADJUSTA	BLE WORKSURFACE WIDTH	I	
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD
		GABLE FINISH			
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood
20 / 508	60 / 1524	904	1965	970	2187
20 / 508	66 / 1524	965	2033	1034	2252
20 / 508	72 / 1829	1006	2117	1072	2334
20 / 508	78 / 1981	1044	2182	1114	2402
20 / 508	84 / 2134	1096	2245	1165	2466
20 / 508	90 / 2286	1157	2313	1220	2532
20 / 508	96 / 2438	1210	2412	1282	2631
20 / 508	102 / 2591	1263	2474	1335	2696
20 / 508	108 / 2743	1325	2542	1391	2760
24 / 610	60 / 1524	1010	2108	1092	2443
4 / 610	66 / 1524	1079	2178	1161	2515
24 / 610	72 / 1829	1148	2250	1231	2588
24 / 610	78 / 1981	1211	2354	1293	2690
24 / 610	84 / 2134	1279	2424	1356	2762
24 / 610	90 / 2286	1342	2496	1424	2835
4 / 610	96 / 2438	1412	2603	1489	2937
4 / 610	102 / 2591	1474	2670	1556	3008
4 / 610	108 / 2743	1540	2743	1622	3079

		1 9/16" (X)						
		LOW (L)		HIGH (H)				
		58" HEIGHT-ADJUSTA	58" HEIGHT-ADJUSTABLE WORKSURFACE WIDTH					
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD			
		GABLE FINISH						
		Source Laminate	Flintwood	Source Laminate	Flintwood			
20 / 508	60 / 1524	954	2185	1041	2424			
20 / 508	66 / 1524	1014	2274	1102	2515			
20 / 508	72 / 1829	1076	2379	1163	2617			
20 / 508	78 / 1981	1138	2467	1226	2707			
20 / 508	84 / 2134	1201	2555	1288	2792			
20 / 508	90 / 2286	1260	2644	1349	2883			
20 / 508	96 / 2438	1328	2763	1415	3002			
20 / 508	102 / 2591	1387	2854	1477	3091			
20 / 508	108 / 2743	1453	2939	1539	3180			
24 / 610	60 / 1524	1110	2349	1210	2710			
24 / 610	66 / 1524	1182	2445	1286	2803			
24 / 610	72 / 1829	1254	2542	1358	2901			
24 / 610	78 / 1981	1328	2668	1430	3028			
24 / 610	84 / 2134	1400	2765	1505	3124			
24 / 610	90 / 2286	1474	2861	1578	3219			
24 / 610	96 / 2438	1551	2989	1654	3347			
24 / 610	102 / 2591	1623	3084	1725	3441			
24 / 610	108 / 2743	1697	3180	1800	3537			

BH_SL

Secondary Desk – Height-Adjustable L-Shape Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING

		1 3/16" (M)			
		LOW (L)		HIGH (H)	
		64" HEIGHT-ADJUSTA	BLE WORKSURFACE WIDTH		
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD
		GABLE FINISH			
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood
20 / 508	66 / 1524	965	2033	1034	2252
20 / 508	72 / 1829	1006	2117	1072	2334
20 / 508	78 / 1981	1044	2182	1114	2402
20 / 508	84 / 2134	1096	2245	1165	2466
20 / 508	90 / 2286	1157	2313	1220	2532
20 / 508	96 / 2438	1210	2412	1282	2631
20 / 508	102 / 2591	1263	2474	1335	2696
20 / 508	108 / 2743	1325	2542	1391	2760
24 / 610	66 / 1524	1079	2178	1161	2515
24 / 610	72 / 1829	1148	2250	1231	2588
24 / 610	78 / 1981	1211	2354	1293	2690
24 / 610	84 / 2134	1279	2424	1356	2762
24 / 610	90 / 2286	1342	2496	1424	2835
24 / 610	96 / 2438	1412	2603	1489	2937
24 / 610	102 / 2591	1474	2670	1556	3008
24 / 610	108 / 2743	1540	2743	1622	3079

		1 9/16" (X)			
		LOW (L)		HIGH (H)	
		64" HEIGHT-ADJUSTA	BLE WORKSURFACE WIDTH		
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD
		GABLE FINISH			
		Source Laminate	Flintwood	Source Laminate	Flintwood
20 / 508	66 / 1524	1014	2274	1102	2515
20 / 508	72 / 1829	1076	2379	1163	2617
20 / 508	78 / 1981	1138	2467	1226	2707
20 / 508	84 / 2134	1201	2555	1288	2792
20 / 508	90 / 2286	1260	2644	1349	2883
20 / 508	96 / 2438	1328	2763	1415	3002
20 / 508	102 / 2591	1387	2854	1477	3091
20 / 508	108 / 2743	1453	2939	1539	3180
24 / 610	66 / 1524	1182	2445	1286	2803
24 / 610	72 / 1829	1254	2542	1358	2901
24 / 610	78 / 1981	1328	2668	1430	3028
24 / 610	84 / 2134	1400	2765	1505	3124
24 / 610	90 / 2286	1474	2861	1578	3219
24 / 610	96 / 2438	1551	2989	1654	3347
24 / 610	102 / 2591	1623	3084	1725	3441
24 / 610	108 / 2743	1697	3180	1800	3537

BH_SL

Secondary Desk – Height-Adjustable L-Shape Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING

		1 3/16" (M)			
		LOW (L)		HIGH (H)	
		70" HEIGHT-ADJUSTA	BLE WORKSURFACE WIDTH	I	
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD
		GABLE FINISH			
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood
20 / 508	72 / 1829	1006	2117	1072	2334
20 / 508	78 / 1981	1044	2182	1114	2402
20 / 508	84 / 2134	1096	2245	1165	2466
20 / 508	90 / 2286	1157	2313	1220	2532
20 / 508	96 / 2438	1210	2412	1282	2631
20 / 508	102 / 2591	1263	2474	1335	2696
20 / 508	108 / 2743	1325	2542	1391	2760
24 / 610	72 / 1829	1148	2250	1231	2588
24 / 610	78 / 1981	1211	2354	1293	2690
24 / 610	84 / 2134	1279	2424	1356	2762
24 / 610	90 / 2286	1342	2496	1424	2835
24 / 610	96 / 2438	1412	2603	1489	2937
24 / 610	102 / 2591	1474	2670	1556	3008
24 / 610	108 / 2743	1540	2743	1622	3079

		1 9/16" (X)				
		LOW (L)		HIGH (H)		
		70" HEIGHT-ADJUSTA	BLE WORKSURFACE WIDTH			
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD	
		GABLE FINISH				
		Source Laminate	Flintwood	Source Laminate	Flintwood	
20 / 508	72 / 1829	1076	2379	1163	2617	
20 / 508	78 / 1981	1138	2467	1226	2707	
20 / 508	84 / 2134	1201	2555	1288	2792	
20 / 508	90 / 2286	1260	2644	1349	2883	
20 / 508	96 / 2438	1328	2763	1415	3002	
20 / 508	102 / 2591	1387	2854	1477	3091	
20 / 508	108 / 2743	1453	2939	1539	3180	
24 / 610	72 / 1829	1254	2542	1358	2901	
24 / 610	78 / 1981	1328	2668	1430	3028	
24 / 610	84 / 2134	1400	2765	1505	3124	
24 / 610	90 / 2286	1474	2861	1578	3219	
24 / 610	96 / 2438	1551	2989	1654	3347	
24 / 610	102 / 2591	1623	3084	1725	3441	
24 / 610	108 / 2743	1697	3180	1800	3537	

BH_SL

Secondary Desk – Height Adjustable L-Shape Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING

		1 3/16" (M)					
		LOW (L)		HIGH (H)			
		76" HEIGHT-ADJUSTABLE WORKSURFACE WIDTH					
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION Laminate	FLINTWOOD		
		GABLE FINISH					
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood		
20 / 508	78 / 1981	1044	2182	1114	2402		
20 / 508	84 / 2134	1096	2245	1165	2466		
20 / 508	90 / 2286	1157	2313	1220	2532		
20 / 508	96 / 2438	1210	2412	1282	2631		
20 / 508	102 / 2591	1263	2474	1335	2696		
20 / 508	108 / 2743	1325	2542	1391	2760		
24 / 610	78 / 1981	1211	2354	1293	2690		
24 / 610	84 / 2134	1279	2424	1356	2762		
24 / 610	90 / 2286	1342	2496	1424	2835		
24 / 610	96 / 2438	1412	2603	1489	2937		
24 / 610	102 / 2591	1474	2670	1556	3008		
24 / 610	108 / 2743	1540	2743	1622	3079		

		1 9/16" (X)				
		LOW (L)		HIGH (H)		
		76" HEIGHT-ADJUSTA	BLE WORKSURFACE WIDTH			
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD	
		GABLE FINISH				
		Source Laminate	Flintwood	Source Laminate	Flintwood	
20 / 508	78 / 1981	1138	2467	1226	2707	
20 / 508	84 / 2134	1201	2555	1288	2792	
20 / 508	90 / 2286	1260	2644	1349	2883	
20 / 508	96 / 2438	1328	2763	1415	3002	
20 / 508	102 / 2591	1387	2854	1477	3091	
20 / 508	108 / 2743	1453	2939	1539	3180	
24 / 610	78 / 1981	1328	2668	1430	3028	
24 / 610	84 / 2134	1400	2765	1505	3124	
24 / 610	90 / 2286	1474	2861	1578	3219	
24 / 610	96 / 2438	1551	2989	1654	3347	
24 / 610	102 / 2591	1623	3084	1725	3441	
24 / 610	108 / 2743	1697	3180	1800	3537	

BH_SL

Secondary Desk – Height-Adjustable L-Shape Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING

	1 3/16" (M) LOW (L)		HIGH (H)		
		BLE WORKSURFACE WIDTH			
	FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD	
	GABLE FINISH				
W	Source Laminate	Flintwood	Source Laminate	Flintwood	
84 / 2134	1096	2245	1165	2466	
90 / 2286	1157	2313	1220	2532	
96 / 2438	1210	2412	1282	2631	
102 / 2591	1263	2474	1335	2696	
108 / 2743	1325	2542	1391	2760	
84 / 2134	1279	2424	1356	2762	
90 / 2286	1342	2496	1424	2835	
96 / 2438	1412	2603	1489	2937	
102 / 2591	1474	2670	1556	3008	
108 / 2743	1540	2743	1622	3079	

		1 9/16" (X)				
		LOW (L)		HIGH (H)		
		82" HEIGHT-ADJUSTA	BLE WORKSURFACE WIDTH	1		
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD	
		GABLE FINISH				
		Source Laminate	Flintwood	Source Laminate	Flintwood	
20 / 508	84 / 2134	1201	2555	1288	2792	
20 / 508	90 / 2286	1260	2644	1349	2883	
20 / 508	96 / 2438	1328	2763	1415	3002	
20 / 508	102 / 2591	1387	2854	1477	3091	
20 / 508	108 / 2743	1453	2939	1539	3180	
24 / 610	84 / 2134	1400	2765	1505	3124	
24 / 610	90 / 2286	1474	2861	1578	3219	
24 / 610	96 / 2438	1551	2989	1654	3347	
24 / 610	102 / 2591	1623	3084	1725	3441	
24 / 610	108 / 2743	1697	3180	1800	3537	

BH_SL

Secondary Desk – Height-Adjustable L-Shape Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING

		1 3/16" (M)					
		LOW (L)		HIGH (H)			
		88" HEIGHT-ADJUSTA	BLE WORKSURFACE WIDTH				
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD		
		GABLE FINISH					
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood		
20 / 508	90 / 2286	1157	2313	1220	2532		
20 / 508	96 / 2438	1210	2412	1282	2631		
20 / 508	102 / 2591	1263	2474	1335	2696		
20 / 508	108 / 2743	1325	2542	1391	2760		
24 / 610	90 / 2286	1342	2496	1424	2835		
24 / 610	96 / 2438	1412	2603	1489	2937		
24 / 610	102 / 2591	1474	2670	1556	3008		
24 / 610	108 / 2743	1540	2743	1622	3079		

		1 9/16" (X)					
		LOW (L)		HIGH (H)			
		88" HEIGHT-ADJUSTA	BLE WORKSURFACE WIDTH	[
		FOUNDATION LAMINATE	FLINTWOOD	FOUNDATION LAMINATE	FLINTWOOD		
		GABLE FINISH					
		Source Laminate	Flintwood	Source Laminate	Flintwood		
20 / 508	90 / 2286	1260	2644	1349	2883		
20 / 508	96 / 2438	1328	2763	1415	3002		
20 / 508	102 / 2591	1387	2854	1477	3091		
20 / 508	108 / 2743	1453	2939	1539	3180		
24 / 610	90 / 2286	1474	2861	1578	3219		
24 / 610	96 / 2438	1551	2989	1654	3347		
24 / 610	102 / 2591	1623	3084	1725	3441		
24 / 610	108 / 2743	1697	3180	1800	3537		

desk accessories


desk accessories product map

BAMPM Peninsula Modesty Panel – Metal

BAMPL Peninsula Modesty Panel - Solid

Page 832

Page 833



BASML Suspended Modesty Panel - Solid

Page 834



BASMG Suspended Modesty Panel - Glass

Page 836



B A S M M Suspended Modesty Panel – Metal

Page 838



BASME Suspended Modesty Panel - Felt

Page 840




B W G G Semi-Supported Gable with Spacers – Solid

Page 842



B W G L Semi-Supported Leg - Solid

Page 843





desk accessories product map

B W W O Frame Leg - Open

B W W F Frame Leg – Full Infill


BWBL Fixed-Height Bevel Post Leg

Page 845



Page 846

Page 844



B W W B Fixed-Height Bevel Base – Solid End Panel

Page 847





BWEB Elliptical Base

Page 848 Page 849







BWSC Column Leg

BWAL Angular Leg

Page 850 Page 851





desk accessories product map

BWSLB Blade Leg

Page 852

BASWL Worksurface Edge Screen - Solid

Page 854





BASWG Worksurface Edge Screen - Glass

Page 855

BASFF Desk Screen - Fabric

Page 856





BASFG Desk Screen - Glass

Page 857

BAPSE Personal Screen - Felt

BADMF Multi-Functional Drawer

Page 858







Page 860

BADF Stow[Away] Drawer

''3

Page 859





desk accessories product map

BRAX Accessories

Page 861

BAWO Box Drawer Organizers



Page 862








BALWO Lateral Worksurface Organizer

Page 863

RAKB Retractable Keyboard Shelf

Page 864





BASFC Seat Cushion



Page 865

BASEP Seat Pad - Felt




Page 868





BAMPL

Peninsula Modesty Panel - Solid



This modesty panel provides additional seated privacy for a variety of configurations.

WHAT'S INCLUDED

1 modesty panel (as specified) and hardware.

NOTES

Specify the Peninsula Style and Width options accordingly with the desk under which the Peninsula Modesty Panel will be installed.

Full-Height Modesty Panel (F) option is ${f not}$ available with Dual-Leg (D) option.

This Peninsula Modesty Panel can be used only on the following products:

• Peninsula Worksurfaces (B_PDH, B_BWW, B_EPH, B_RPW and B_RPC)

PRODUCT OPTIONS

Peninsula Style	Modesty Panel Height	Width	Modesty Panel Finish	Hardware Finish
D Dual-Leg	F Full	48, 54, 60, 66, 72, 78, 84	Source Laminate	Foundation
M Mono-Leg or Base	H Half			Mica

SAMPLE ORDER CODE

BAMPL M F 66 XS 74	
--------------------	--

DIMENSIONS INCHES / MM

	HALF PENINSULA MODESTY PANEL (H)	FULL PENINSULA MODESTY PANEL (F)
W	Source Laminate	Source Laminate
48 / 1219	118	232
54 / 1372	129	258
60 / 1524	142	288
66 / 1676	161	312
72 / 1829	172	340
78 / 1981	182	368
84 / 2134	198	396

BAMPM

This modesty panel provides additional seated privacy for a variety of configurations.

WHAT'S INCLUDED

1 half-height modesty panel and hardware.

Peninsula Modesty Panel - Metal

NOTES

Specify the Peninsula Style and Width options accordingly with the desk under which the Peninsula Modesty Panel will be installed.

This Peninsula Modesty Panel can be used only on the following products:

• Peninsula Worksurfaces (B_PDH, B_BWW, B_EPH, B_RPW and B_RPC)

PRICING



PRODUCT OPTIONS

Peninsula Style	Modesty Panel Height	Width	Style	Modesty Panel and Hardware Finish
D Dual-Leg	H Half	48, 54, 60, 66, 72, 78, 84	N Solid	Foundation
M Mono-Leg or Base				Mica

BAMPM M H 78 N 60	
-------------------	--

DIMENS	I	ONS
INCHES	/	$\mathbf{M}\mathbf{M}$

W	Solid	
48 / 1219	176	
54 / 1372	194	
60 / 1524	205	
66 / 1676	225	
72 / 1829	241	
78 / 1981	255	
84 / 2134	271	

BASML

Suspended Modesty Panel - Solid

This modesty panel provides additional seated privacy and can be used with specific desks and tables.

WHAT'S INCLUDED

1 half-height modesty panel and hardware.


NOTES

The width to specified depends on products and supports selected. For details, refer to the Application Guide.

This Suspended Modesty Panel can be used with specific products. For details, refer to the Application Guide.

Only 6" can be installed pass-over a Low Secondary Desk for Height-Adjustable Worksurfaces.

Flintwood finishes are **not** available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Width	Height	Worksurface Style	Modesty Panel Finish
11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84	06, 10	G Glass Top S Standard Solid Top (D, M, X)	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

BASML 45 10	S	XS
-------------	---	----

DIMENSIONS INCHES / MM

PRICING

DIMENSIONS INCHES / MM

PRICING

	6" HEIGHT (06)				
W	Source Laminate	Flintwood	W	Source Laminate	Flintwood
11 / 279	73	258	31 / 787	84	367
12 / 305	73	258	32 / 813	84	367
13 / 330	74	277	33 / 838	84	367
14 / 356	74	277	34 / 864	92	379
15 / 381	74	277	35 / 889	92	379
16 / 406	77	290	36 / 914	92	379
17 / 432	77	290	37 / 940	96	399
18 / 457	77	290	38 / 965	96	399
19 / 483	78	304	39 / 991	96	399
20 / 508	78	304	40 / 1016	104	412
21 / 533	78	304	41 / 1041	104	412
22 / 559	80	321	42 / 1067	104	412
23 / 584	80	321	43 / 1092	107	427
24 / 610	80	321	44 / 1118	107	427
25 / 635	81	338	45 / 1143	107	427
26 / 660	81	338	46 / 1168	110	465
27 / 686	81	338	47 / 1194	110	465
28 / 711	82	351	48 / 1219	110	465
29 / 737	82	351	49 / 1245	114	480
30 / 762	82	351	50 / 1270	114	480

Pricing is continued on the following page.

BASML Suspended Modesty Panel – Solid (Continued)

DIMENSIONS
INCHES / MM PRICING INCHES / MM PRICING

	6" HEIGHT (06) (C0	ONTINUED)			
W	Source Laminate	Flintwood	W	Source Laminate	Flintwood
51 / 1295	114	480	68 / 1727	152	572
52 / 1321	121	493	69 / 1753	152	572
53 / 1346	121	493	70 / 1778	157	585
54 / 1372	121	493	71 / 1803	157	585
55 / 1397	137	510	72 / 1829	157	585
56 / 1422	137	510	73 / 1854	165	600
57 / 1448	137	510	74 / 1880	165	600
58 / 1473	139	524	75 / 1905	165	600
59 / 1499	139	524	76 / 1030	169	616
60 / 1524	139	524	77 / 1956	169	616
61 / 1549	143	541	78 / 1981	169	616
62 / 1575	143	541	79 / 2007	173	633
63 / 1600	143	541	80 / 2032	173	633
64 / 1626	150	554	81 / 2057	173	633
65 / 1651	150	554	82 / 2083	176	647
66 / 1676	150	554	83 / 2109	176	647
67 / 1702	152	572	84 / 2134	176	647

	10" HEIGHT (10) Source			Source	
W	Laminate	Flintwood	W	Laminate	Flintwood
11 / 279	80	320	48 / 1219	132	565
12 / 305	80	320	49 / 1245	138	582
13 / 330	81	341	50 / 1270	138	582
14 / 356	81	341	51 / 1295	138	582
15 / 381	81	341	52 / 1321	150	600
16 / 406	84	360	53 / 1346	150	600
17 / 432	84	360	54 / 1372	150	600
18 / 457	84	360	55 / 1397	168	617
19 / 483	85	375	56 / 1422	168	617
20 / 508	85	375	57 / 1448	168	617
21 / 533	85	375	58 / 1473	172	637
22 / 559	89	398	59 / 1499	172	637
23 / 584	89	398	60 / 1524	172	637
24 / 610	89	398	61 / 1549	176	657
25 / 635	90	413	62 / 1575	176	657
26 / 660	90	413	63 / 1600	176	657
27 / 686	90	413	64 / 1626	183	674
28 / 711	93	432	65 / 1651	183	674
29 / 737	93	432	66 / 1676	183	674
30 / 762	93	432	67 / 1702	193	694
31 / 787	96	451	68 / 1727	193	694
32 / 813	96	451	69 / 1753	193	694
33 / 838	96	451	70 / 1778	198	710
34 / 864	108	469	71 / 1803	198	710
35 / 889	108	469	72 / 1829	198	710
36 / 914	108	469	73 / 1854	205	727
37 / 940	116	488	74 / 1880	205	727
38 / 965	116	488	75 / 1905	205	727
39 / 991	116	488	76 / 1030	213	748
40 / 1016	122	506	77 / 1956	213	748
41 / 1041	122	506	78 / 1981	213	748
42 / 1067	122	506	79 / 2007	222	766
43 / 1092	125	523	80 / 2032	222	766
44 / 1118	125	523	81 / 2057	222	766
45 / 1143	125	523	82 / 2083	227	783
46 / 1168	132	565	83 / 2109	227	783
47 / 1194	132	565	84 / 2134	227	783

BASMG

Suspended Modesty Panel - Glass

This modesty panel provides additional seated privacy and can be used with specific desks and tables.

WHAT'S INCLUDED

1 half-height modesty panel and hardware.


NOTES

The width to specified depends on products and supports selected. For details, refer to the Application Guide.

This Suspended Modesty Panel can be used with specific products. For details, refer to the Application Guide.

All Height-Adjustable Worksurfaces on Low Secondary Desk must only be specified with 6" height modesty when overlapping Secondary Desk – Height-Adjustable Run-Off or U-Shape (BH_SR).

Not all glass finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Width	Height	Worksurface Style	Glass Finish	Hardware Finish
30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84	06, 10	G Glass Top S Standard Solid Top (D, M, X)	Standard: FT Frosted Back-Painted	Foundation Mica

SAMPLE ORDER CODE

DIMENSIONS INCHES / MM

PRICING

DIMENSIONS INCHES / MM

W	Frosted Glass (FT)/ Back-Painted Glass	W	Frosted Glass (FT)/ Back-Painted Glass
30 / 762	365	58 / 1473	514
31 / 787	376	59 / 1499	514
32 / 813	376	60 / 1524	514
33 / 838	376	61 / 1549	527
34 / 864	391	62 / 1575	527
35 / 889	391	63 / 1600	527
36 / 914	391	64 / 1626	538
37 / 940	414	65 / 1651	538
38 / 965	414	66 / 1676	538
39 / 991	414	67 / 1702	550
40 / 1016	437	68 / 1727	550
41 / 1041	437	69 / 1753	550
42 / 1067	437	70 / 1778	565
43 / 1092	454	71 / 1803	565
44 / 1118	454	72 / 1829	565
45 / 1143	454	73 / 1854	575
46 / 1168	465	74 / 1880	575
47 / 1194	465	75 / 1905	575
48 / 1219	465	76 / 1030	590
49 / 1245	477	77 / 1956	590
50 / 1270	477	78 / 1981	590
51 / 1295	477	79 / 2007	600
52 / 1321	488	80 / 2032	600
53 / 1346	488	81 / 2057	600
54 / 1372	488	82 / 2083	614
55 / 1397	501	83 / 2109	614
56 / 1422	501	84 / 2134	614

BASMG Suspended Modesty Panel – Glass (Continued)

DIMENSIONS DIMENSIONS
INCHES / MM PRICING INCHES / MM PRICING

60 / 762 61 / 787 62 / 813	365 376	58 / 1473	
	376		574
32 / 813	3/0	59 / 1499	574
	376	60 / 1524	574
3 / 838	376	61 / 1549	599
64 / 864	391	62 / 1575	599
55 / 889	391	63 / 1600	599
66 / 914	391	64 / 1626	619
7 / 940	414	65 / 1651	619
88 / 965	414	66 / 1676	619
9 / 991	414	67 / 1702	646
0 / 1016	437	68 / 1727	646
1 / 1041	437	69 / 1753	646
2 / 1067	437	70 / 1778	668
3 / 1092	459	71 / 1803	668
4 / 1118	459	72 / 1829	668
5 / 1143	459	73 / 1854	693
6 / 1168	481	74 / 1880	693
7 / 1194	481	75 / 1905	693
8 / 1219	481	76 / 1030	717
9 / 1245	506	77 / 1956	717
0 / 1270	506	78 / 1981	717
1 / 1295	506	79 / 2007	738
2 / 1321	527	80 / 2032	738
3 / 1346	527	81 / 2057	738
4 / 1372	527	82 / 2083	763
5 / 1397	551	83 / 2109	763
6 / 1422	551	84 / 2134	763

BASMM

Suspended Modesty Panel - Metal

This modesty panel provides additional seated privacy and can be used with specific desks and tables.


WHAT'S INCLUDED

1 half-height modesty panel and hardware.

NOTES

The width to specified depends on products and supports selected. For details, refer to the Application Guide.

All Height-Adjustable Worksurfaces on Low Secondary Desk must only be specified with 6" height modesty when overlapping Secondary Desk – Height-Adjustable Run-Off or U-Shape (BH_SR).



PRODUCT OPTIONS

Width	Height	Style	Worksurface Style	Modesty Panel and Hardware Finish
11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84	06, 10	N Solid	G Glass Top S Standard Solid Top (D, M, X)	Foundation Mica

SAMPLE ORDER CODE

BASMM 54 10 N 5 60	BASMM 54	10	N	s	60
----------------------------	----------	----	---	---	----

DIMENSIONS		DIMENSIONS	
INCHES / MM	PRICING	INCHES / MM	PRICING

	6" HEIGHT (06)			
W	Solid	W	Solid	
11 / 279	126	31 / 787	144	
12 / 305	126	32 / 813	144	
13 / 330	129	33 / 838	144	
14 / 356	129	34 / 864	164	
15 / 381	129	35 / 889	164	
16 / 406	132	36 / 914	164	
17 / 432	132	37 / 940	172	
18 / 457	132	38 / 965	172	
19 / 483	133	39 / 991	172	
20 / 508	133	40 / 1016	181	
21 / 533	133	41 / 1041	181	
22 / 559	137	42 / 1067	181	
23 / 584	137	43 / 1092	202	
24 / 610	137	44 / 1118	202	
25 / 635	138	45 / 1143	202	
26 / 660	138	46 / 1168	209	
27 / 686	138	47 / 1194	209	
28 / 711	142	48 / 1219	208	
29 / 737	142	49 / 1245	213	
30 / 762	142	50 / 1270	213	
22 / 559 23 / 584 24 / 610 25 / 635 26 / 660 27 / 686 28 / 711 29 / 737	137 137 137 138 138 138 142	42 / 1067 43 / 1092 44 / 1118 45 / 1143 46 / 1168 47 / 1194 48 / 1219 49 / 1245	181 202 202 202 202 209 209 208 213	

Pricing is continued on the following page.

BASMM Suspended Modesty Panel – Metal (Continued)

			(Continued)
DIMENSIONS INCHES / MM	PRICING	DIMENSIONS INCHES / MM	PRICING
	6" HEIGHT (06) (CONTINUED)		
W	Solid	W	Solid
51 / 1295	213	68 / 1727	245
52 / 1321	217	69 / 1753	245
53 / 1346	217	70 / 1778	249
54 / 1372	217	71 / 1803	249
55 / 1397	224	72 / 1829	249
56 / 1422	224	73 / 1854	253
57 / 1448	224	74 / 1880	253
58 / 1473	227	75 / 1905	253
59 / 1499		76 / 1030	258
60 / 1524		77 / 1956	258
61 / 1549	232	78 / 1981	258
62 / 1575	232	79 / 2007	267
63 / 1600	232	80 / 2032	267
64 / 1626	235	81 / 2057	267
65 / 1651	235	82 / 2083	271
66 / 1676	235	83 / 2109	271
67 / 1702		84 / 2134	
W	10" HEIGHT (10) Solid	W	Solid
11 / 279	126	48 / 1219	219
12 / 305	126	49 / 1245	225
13 / 330	129	50 / 1270	225
14 / 356	129	51 / 1295	225
15 / 381	129	52 / 1321	229
16 / 406	132	53 / 1346	229
17 / 432	132	54 / 1372	229
18 / 457	132	55 / 1397	237
19 / 483	133	56 / 1422	237
20 / 508	133	57 / 1448	237
21 / 533	133	58 / 1473	241
22 / 559	137	59 / 1499	241
23 / 584	137	60 / 1524	241
24 / 610	137	61 / 1549	248
25 / 635	138	62 / 1575	248
26 / 660	138	63 / 1600	248
27 / 686	138	64 / 1626	252
28 / 711	142	65 / 1651	252
29 / 737		66 / 1676	252
30 / 762	142	67 / 1702	263
31 / 787	148	68 / 1727	
32 / 813	148	69 / 1753	263
33 / 838		70 / 1778	269
34 / 864	167	71 / 1803	269
35 / 889		72 / 1829	269
36 / 914	167	73 / 1854	277
37 / 940		74 / 1880	277
38 / 965		75 / 1905	277
39 / 991		76 / 1030	283
40 / 1016			283
41 / 1041		_	283
42 / 1067 43 / 1092		79 / 2007 80 / 2032	
44 / 1118	211	80 / 2032	
45 / 1143	211	82 / 2083	291
46 / 1168	211	82 / 2083	296
47 / 1194	219	84 / 2134	296
4/ / 1174		04 / 2134	

BASME

Suspended Modesty Panel - Felt

This modesty panel provides additional seated privacy and can be used with specific desks and tables.

WHAT'S INCLUDED


1 half-height modesty panel and hardware.

NOTES

The width to specified depends on products and supports selected. For details, refer to the Application Guide.

All Height-Adjustable Worksurfaces on Low Secondary Desk must only be specified with 6" height modesty when overlapping Secondary Desk - Height-Adjustable Run-Off or U-Shape (BH_SR).

Hardware is finished in Black.



PRODUCT OPTIONS

Width	Height	Worksurface Style	Modesty Panel Finish
11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84	06, 10	G Glass Top S Standard Solid Top (D, M, X)	Loft

SAMPLE ORDER CODE

BASME 54 10	S	RB11
-------------	---	------

DIMENSIONS INCHES / MM	PRICING	DIMENSIONS INCHES / MM	PRICING
	6" HEIGHT (06)		
W		W	
11 / 279	238	31 / 787	347
12 / 305	238	32 / 813	347
13 / 330	238	33 / 838	347
14 / 356	238	34 / 864	368
15 / 381	238	35 / 889	368
16 / 406	238	36 / 914	368
17 / 432	238	37 / 940	390
18 / 457	238	38 / 965	390
19 / 483	260	39 / 991	390
20 / 508	260	40 / 1016	411
21 / 533	260	41 / 1041	411
22 / 559	283	42 / 1067	411
23 / 584	283	43 / 1092	433
24 / 610	283	44 / 1118	433
25 / 635	303	45 / 1143	433
26 / 660	303	46 / 1168	455
27 / 686	303	47 / 1194	455
28 / 711	324	48 / 1219	455
29 / 737	324	49 / 1245	476
30 / 762	324	50 / 1270	476

Pricing is continued on the following page.

BASME Suspended Modesty Panel – Felt (Continued)

DIMENSIONS		DIMENSIONS	(Continued)
INCHES / MM	PRICING	INCHES / MM	PRICING
	6" HEIGHT (06) (CONTINUED)	***	
W 51 / 1295	47/	W	
	<u>476</u> 496	68 / 1727	
52 / 1321 53 / 1346	496		628
54 / 1372	496	71 / 1803	628
55 / 1397	520	72 / 1829	628
56 / 1422	520	73 / 1854	648
57 / 1448	520	74 / 1880	648
58 / 1473	541	75 / 1905	648
59 / 1499	541	76 / 1030	669
60 / 1524	541	77 / 1956	669
61 / 1549	563	78 / 1981	669
62 / 1575	563	79 / 2007	691
63 / 1600	563	80 / 2032	691
64 / 1626 65 / 1651	<u>583</u> 583	81 / 2057	
66 / 1676		82 / 2083 83 / 2109	713
67 / 1702	604	84 / 2134	713
0/ / 1/02		017 2131	
	10" 1151CHT (10)		
W	10" HEIGHT (10)	W	
11 / 279	259	48 / 1219	503
12 / 305	259	49 / 1245	527
13 / 330	259	50 / 1270	527
14 / 356	259	51 / 1295	527
15 / 381	259	52 / 1321	551
16 / 406	259	53 / 1346	551
17 / 432	259	54 / 1372	551
18 / 457 19 / 483			<u>577</u> 577
20 / 508	284	57 / 1448	
21 / 533	284	58 / 1473	601
22 / 559	309	59 / 1499	601
23 / 584	309	60 / 1524	601
24 / 610	309	61 / 1549	626
25 / 635	333	62 / 1575	626
26 / 660	333	63 / 1600	626
27 / 686	333	64 / 1626	650
28 / 711	356	65 / 1651	650
29 / 737		66 / 1676	650
30 / 762			<u>674</u> 674
31 / 787	380	69 / 1753	674
33 / 838	380	70 / 1778	698
34 / 864	406	71 / 1803	698
35 / 889	406	72 / 1829	698
36 / 914	406	73 / 1854	723
37 / 940	430	74 / 1880	723
38 / 965	430	75 / 1905	723
39 / 991	430	76 / 1030	748
40 / 1016	455	77 / 1956	
41 / 1041	455	78 / 1981	748
42 / 1067	455	79 / 2007	
43 / 1092		80 / 2032	
44 / 1118 45 / 1143	<u>478</u> 478		
46 / 1168	503	83 / 2109	
47 / 1194	503	84 / 2134	795
1/ / 11/1			

BWGG

Semi-Supported Gable with Spacers – Solid

This support is an alternative to legs for Rectangular Worksurfaces (B_RWL or B_RWC). It can be used in left or right position.

WHAT'S INCLUDED

 $1\ semi\mbox{-supported}$ gable with levelers, $2\ elliptical$ attachment spacers, and hardware.

NOTES

Cannot be used to support a glass top.

Base height is 29" from the finished floor to the top of the finished worksurface with a leveling range of 3".

Mounting bracket finish will match the gable finish.



PRODUCT OPTIONS

Depth	Gable Finish	Hardware Finish (Elliptical Attachment Spacers)
24, 30, 36	Source Laminate	Foundation
		Mica

SAMPLE ORDER CODE

BWGG 24	XS	52
---------	----	----

DIMENSIONS

INCHES / MM	PRICING

D	Source Laminate	
24 / 610	282	
30 / 762	324	
36 / 914	400	

This support is an alternative to legs for Rectangular Worksurfaces (B_RWL or B_RWC) and Run-Off Worksurfaces (B_MHH, B_MPL or B_MPG). It can be used in left or right position.

BWGL Semi-Supported Leg - Solid

WHAT'S INCLUDED

1 semi-supported leg with levelers, mounting bracket, and hardware.

Specify the Worksurface Thickness and Depth options accordingly with the worksurface under which the Semi-Supported Leg will be installed.

Cannot be used to support a glass top.

Base height is 29" from the finished floor to the top of the finished worksurface with a leveling range of 3".

The 1 9/16" (X) thickness is not available in all Source Laminate. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Height	Depth	Gable Finish
D 1"	S Standard (29")	24, 30, 36	Source Laminate
M 1 3/16"			Flintwood (No Cathedral)
X 1 9/16"			

SAMPLE ORDER CODE


BWGL X S 24 XS			24	XS
----------------	--	--	----	----

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)		1 9/16" (X)	
Н	D	GABLE FINISH Source Laminate	Source Laminate	Flintwood	Source Laminate	Flintwood
29 / 137	24 / 610	229	229	764	280	809
29 / 137	30 / 762	274	274	876	333	930
29 / 137	36 / 914	n/a	348	1151	387	1213

B W W O

Frame Leg - Open



This support comes without an infill and is an alternative to legs for Rectangular Worksurfaces (B_RWL or B_RWC) and Run-Off Worksurfaces (B_MHH, B_MPL or B_MPG).

WHAT'S INCLUDED

1 frame leg with levelers and hardware.

NOTES

Cannot be used to support a glass top.

Base height is 29° from the finished floor to the top of the finished worksurface with a leveling range of $3^{\circ}.$

Support brackets are finished in black.

PRODUCT OPTIONS

Height	Depth	Frame Leg Finish
S Standard (29")	24, 30, 36	AC Clear Anodized
		Foundation
		Mica

SAMPLE ORDER CODE

BWWO S	36	AC
--------	----	----

DIMENSIONS

INCHES / MM

D	Source Laminate	
24 / 610	455	
30 / 762	471	
36 / 914	498	

This support comes with full infill and is an alternative to legs for Rectangular Worksurfaces (B_RWL or B_RWC) and Run-Off Worksurfaces (B_MHH, B_MPL or B_MPG).

BWWF Frame Leg - Full Infill

WHAT'S INCLUDED

1 frame leg with full infill, levelers, and hardware.

NOTES

Cannot be used to support a glass top.


Base height is 29" from the finished floor to the top of the finished worksurface with a leveling range of 3".

Support brackets are finished in black.

The centered solid infill is 11/16" thick.

The centered glass infill is 4 mm thick.

Not all finishes and glass infill finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Infill Style	Height	Depth	Frame Leg Finish	Infill Finish
G Glass Infill L Solid Infill	S Standard (29")	24, 30, 36	AC Clear Anodized Foundation Mica	Glass Infill: Standard: FT Frosted Back-Painted Solid Infill: Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

BWWF L S	24	AC	XS
----------	----	----	----

DIMENSIONS **INCHES / MM**

SOLID INFILL (L)				
D	Source Laminate	Flintwood		
24 / 610	586	998		
30 / 762	633	1112		
36 / 914	683	1302		

GLAS	SS INFILL (G)	
	Frosted Glass (FT)/ Back-Painted Glass	
	752	
	846	
	918	

BWWB

Fixed-Height Bevel Base – Solid End Panel

This support is an alternative to legs for Run-Off Worksurfaces (B_MHH, B_MPL or B_MPG). It can be used in left or right position.

WHAT'S INCLUDED

1 bevel base with levelers, 1 end panel, and hardware.

NOTES

Cannot be used to support a glass top.

Specify the worksurface Thickness and Depth options accordingly with the worksurface under which the Bevel Base will be installed.

Base height is 29" from the finished floor to the top of the finished worksurface with a leveling range of 3".

The 1 9/16" (X) thickness is **not** available in all Source Laminate. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details



PRODUCT OPTIONS

Worksurface Thickness	Depth	End Panel Finish	Base Finish
D 1"	30, 36	Source Laminate	Foundation
M 1 3/16"		Flintwood (No Cathedral)	Mica
X 1 9/16"			Coordinate Colors

SAMPLE ORDER CODE

BWWB X 36 FX 60	
-----------------	--

DIMENSIONS INCHES / MM

	1" (D) END PANEL FINISH	1 3/16" (M)		1 9/16" (X)	
D	Source Laminate	Source Laminate	Flintwood	Source Laminate	Flintwood
30 / 762	684	684	1206	725	1281
36 / 914	n/a	725	1397	777	1448

This leg is an alternative to supports for Fixed Run-Off – Mid-Height (BM_R) and Fixed Extended Tapered Peninsula – Mid-Height (BM_EP).

BWBL

WHAT'S INCLUDED

Fixed-Height Bevel Post Leg

1 fixed-height bevel post leg with leveler and hardware.

WHAT'S EXCLUDED

Fixed Run-Off - Mid-Height and Fixed Extended Tapered Peninsula - Mid-Height.

Cannot be used to support a glass top.

Base height is $29\ensuremath{^{"}}$ from the finished floor to the top of the finished worksurface with a leveling range of $1\ensuremath{^{"}}.$

It is **not** available with 57" wide worksurface.



PRODUCT OPTIONS

Height	Post Leg Finish
29	Foundation
	Mica
SAMPLE ORDER CODE	
DW/DI 20	60

SAMPLE ORDER CO	DE	
	BWBL 29	60
DIMENSIONS		
INCHES / MM	PRICING	
Н		

desk accessories

Xpress

BWEB

Elliptical Base

This base is available for Desks and is included as an option with specific products.

WHAT'S INCLUDED

1 base with leveler and hardware.

Cannot be used to support a glass top.

Base height is $29\ensuremath{^{"}}$ from the finished floor to the top of the finished worksurface with a leveling range of $1\ensuremath{^{"}}.$



PRODUCT OPTIONS

Height	Support Finish
29	Foundation
	Mica

SAMPLE ORDER CODE

BWEB 29 60	
------------	--

DIMENSIONS	3
INCHES / MM	ſ

PRICING

	H	I	
29	/	137	

451

This leg is available for Desks and Multi-Level Workstations and is included as an option with specific products.

BWSQ Central Square Post Leg

WHAT'S INCLUDED

1 central square post leg with leveler and hardware.

NOTES

Cannot be used to support a glass top.

Leg height is 29" from the finished floor to the top of the finished worksurface with a leveling range of 3".

245



PRODUCT OPTIONS

Н

29 / 137

Support Finish
AC Clear Anodized
Foundation
Mica

SAMPLE ORDER COD	E	
	BWSQ 29	AC
DIMENSIONS INCHES / MM	PRICING	

desk accessories

Xpress

BWSC

Column Leg


This leg is available for Desks and Meeting Tables and is included as an option with specific products.

WHAT'S INCLUDED

1 leg with leveler and hardware.

Cannot be used to support a glass top.

Leg height is 29" from the finished floor to the top of the finished worksurface with a leveling range of 1".



PRODUCT OPTIONS

Height	Support Finish
29	Foundation
	Mica

BWSC 29	60
---------	----

DIMENSIONS INCHES / MM	PRICING	
н 29 / 137	226	

BWAL

This leg is available for Desks and is included as an option with specific products.

WHAT'S INCLUDED

1 leg with leveler and hardware.


Angular Leg

NOTES

Cannot be used to support a glass top.

Leg height is 29" from the finished floor to the top of the finished worksurface with a leveling range of 1".

PRICING



PRODUCT OPTIONS

Height	Support Finish
15, 18, 29	Foundation
	Mica

BWAL 15 60

DIMENS	I	ONS
INCHES	/	$\mathbf{M}\mathbf{M}$

Н		
15 / 381	216	
18 / 457	216	
29 / 137	226	

BWSLB

Blade Leg



This leg is available for Desks and Meeting Tables and is included as an option with specific products.

WHAT'S INCLUDED

1 leg with leveler and hardware.

Cannot be used to support a glass top.

Leg height is 29" from the finished floor to the top of the finished worksurface with a leveling range of 1".

PRODUCT OPTIONS

Height	Leg Back Finish	Leg Front Finish
29	Foundation	Foundation
	Accent	Accent
	Mica	Mica

BWSLB 29	60	60

DIMENSIONS INCHES / MM	PRICING	
Н	_	
29 / 137	258	

BASWL

Worksurface Edge Screen - Solid

WHAT'S INCLUDED


1 solid screen and attachment bracket.

NOTES

The solid panel is 11/16" thick.

Cannot be installed on worksurface edges of the glass top or Height-Adjustable

Cannot be installed on a worksurface with Knife Edge.



PRODUCT OPTIONS

Height	Width	Screen Finish	Hardware Finish
3	24, 30, 36, 42, 48, 54, 60	Source Laminate	Foundation
			Mica

SAMPLE ORDER CODE

DIMENSIONS

MM	PRICING
	MM

Н	W		
13 / 330	24 / 610	183	
13 / 330	30 / 762	220	
13 / 330	36 / 914	255	
13 / 330	42 / 1067	291	
13 / 330	48 / 1219	324	
13 / 330	54 / 1372	361	
13 / 330	60 / 1524	396	

This screen attaches to the worksurface edge to provide space division and desktop privacy. It also provides a half-height modesty panel.

BASWG

WHAT'S INCLUDED


Worksurface Edge Screen - Glass

1 glass screen and attachment bracket.

The glass is 6 mm thick and is available in Frosted finish.

Cannot be installed on worksurface edges of the glass top or Height-Adjustable

Cannot be installed on a worksurface with Knife Edge.



PRODUCT OPTIONS

Height	Width	Glass Finish	Hardware Finish
13	24, 30, 36, 42, 48, 54, 60	FT Frosted	Foundation
			Mica

SAMPLE ORDER CODE

BASWG 13	60	FT	68
----------	----	----	----

DIMENSIONS INC

CHES /	MM	PRICING

Н	W		
13 / 330	24 / 610	361	
13 / 330	30 / 762	440	
13 / 330	36 / 914	521	
13 / 330	42 / 1067	600	
13 / 330	48 / 1219	681	
13 / 330	54 / 1372	761	
13 / 330	60 / 1524	841	

BASFF

Desk Screen - Fabric



This screen can be installed on most worksurfaces and desks, preferrably on straight edges.

WHAT'S INCLUDED

1 screen, fixation brackets and hardware.

This product has the same finish on both sides.

Cannot be installed on worksurface edges of the glass top.

Cannot be installed on a worksurface with Knife Edge.

PRODUCT OPTIONS

Height	Width	Screen Finish	Frame and Hardware Finish
13, 22	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Panel Fabric	Foundation Mica

SAMPLE ORDER CODE

BASFF 13	48	B220	60
----------	----	------	----

DIMENSIONS INCHES / MM

		Gr. A/							
H	W	COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13 / 330	24 / 610	412	425	440	457	487	520	544	571
13 / 330	30 / 762	432	447	464	484	520	557	585	612
13 / 330	36 / 914	449	464	488	507	549	590	626	658
13 / 330	42 / 1067	469	485	512	532	579	626	661	696
13 / 330	48 / 1219	487	506	534	557	609	662	704	744
13 / 330	54 / 1372	549	570	601	628	688	746	789	832
13 / 330	60 / 1524	568	588	623	652	717	782	832	879
13 / 330	66 / 1676	585	609	643	674	742	809	860	907
13 / 330	72 / 1829	606	630	667	701	775	846	900	954
13 / 330	78 / 1981	623	648	687	723	800	875	933	991
13 / 330	84 / 2134	639	668	710	748	826	904	964	1024
22 / 559	24 / 610	449	464	487	505	544	582	616	648
22 / 559	30 / 762	476	490	516	539	588	636	672	708
22 / 559	36 / 914	496	517	549	577	636	694	737	780
22 / 559	42 / 1067	520	542	577	602	660	719	766	811
22 / 559	48 / 1219	542	568	603	632	696	763	813	863
22 / 559	54 / 1372	612	637	675	709	781	854	908	964
22 / 559	60 / 1524	635	664	708	744	822	904	963	1023
22 / 559	66 / 1676	660	690	735	774	858	941	1006	1070
22 / 559	72 / 1829	688	715	766	806	899	994	1065	1134
22 / 559	78 / 1981	706	741	792	838	935	1031	1107	1180
22 / 559	84 / 2134	727	766	822	868	967	1068	1145	1224

This screen can be installed on most worksurfaces and desks, preferrably on straight edges. It provides desktop privacy and vertical writable surface and/or vertical magnetic writable surface.

BASFG

Desk Screen - Glass

WHAT'S INCLUDED

1 screen, fixation brackets, hardware and accessory listed below:

_	Width				
	24" to 48"	54" to 84"			
	8	16			

Rear earth magnets (magnetic glass only)

NOTES

This product has the same finish on both sides.

Frost (FT) is a single-sided etched glass which is facing inward of the screen assembly.

Tempered glass infills are doubled for a flush look.


When used with a back-painted writable surface, use dry-erase markers only.

Cannot be installed on worksurface edges of the glass top.

Cannot be installed on a worksurface with Knife Edge.

When Magnetic Glass (M) is specified, only Back-Painted Glass Finish is available.

Not all glass finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

	Glass Style	Height	Width	Glass Finish	Frame and Hardware Finish
C	Non-Magnetic Glass	13, 22	24, 30, 36, 42, 48, 54, 60, 66,	FT Frost	Foundation
N	I Magnetic Glass		72, 78, 84	Back-Painted Glass	Mica

SAMPLE ORDER CODE

BASFG M 22	66	K1	60
------------	----	----	----

DIMENSIONS INCHES / MM

Н	W	NON-MAGNETIC GLASS (G)	MAGNETIC GLASS (M)
13 / 330	24 / 610	514	600
13 / 330	30 / 762	543	635
13 / 330	36 / 914	603	705
13 / 330	42 / 1067	662	777
13 / 330	48 / 1219	723	849
13 / 330	54 / 1372	832	979
13 / 330	60 / 1524	892	1052
13 / 330	66 / 1676	951	1122
13 / 330	72 / 1829	1013	1192
13 / 330	78 / 1981	1071	1266
13 / 330	84 / 2134	1132	1336
22 / 559	24 / 610	645	756
22 / 559	30 / 762	741	870
22 / 559	36 / 914	835	985
22 / 559	42 / 1067	930	1099
22 / 559	48 / 1219	1025	1213
22 / 559	54 / 1372	1170	1385
22 / 559	60 / 1524	1266	1499
22 / 559	66 / 1676	1360	1612
22 / 559	72 / 1829	1457	1727
22 / 559	78 / 1981	1554	1840
22 / 559	84 / 2134	1648	1955

BAPSE

Personal Screen - Felt

This screen provides additional privacy and can be used with specific desks and tables.

WHAT'S INCLUDED

 $1\ \mbox{felt}$ personal screen and mounting hardware.

WHAT'S EXCLUDED

Worksurface.

Can be used on each worksurface thickness offers, but can be used with specific desks and tables. For more details, refer to the specification software.



PRODUCT OPTIONS

Width	Height	Depth	Exterior Finish	Interior Finish
3	10	04	Loft	Foundation
				Accent
				Mica

BAPSE 18	10	04	RB11	60
----------	----	----	------	----

DIMENSIONS INCHES / MM			PRICING		
W	Н	D			
18 / 457 10 / 254 4 / 102		4 / 102	249		

WHAT'S INCLUDED


1 drawer, 1 pencil tray compartment (as specified) with Standard (S)), 1 felt liner, and mounting hardware.

BADF Stow[Away] Drawer

NOTES

Cannot be used on all products. Refer to the Application Guide for more details.

Felt Liner is finished in Carbon (RB11).



PRODUCT OPTIONS

	Mounting Style	Size	Drawer Finish	Key Style
w	Underworksurface	P Pocket	Foundation	N No Lock
		S Standard	Mica	
			Accent	

BADF W P	74	N
----------	----	---

SIZE	PRICING
P	345
S	413

BADMF

Multi-Functional Drawer


This drawer enhances the function and organizational ability of a workstation. They provide compartmentalized storage under the worksurface or inside a tower.

WHAT'S INCLUDED

1 drawer, 1 pencil tray, 1 black inlay, hardware, locks and keys (as specified).

NOTES

Cannot be used on all products. Refer to the Application Guide for more details.



PRODUCT OPTIONS

Depth	Width	Height	Front Finish	Case Finish	Key Style
17	17	03	AC Clear Anodized		N No Lock
					K Keyed AlikeR Keyed Randomly

SAMPLE ORDER CODE

DIMENSIONS INCHES / MM

D	W	Н	No Lock (N)	Keyed Alike (K)	Keyed Randomly (R)	
17 / 432	17 / 432	3 / 76	445	486	486	

Accessories enhance the function and organizational ability of a workstation. They provide compartmentalized storage under the worksurface.

BRAX Accessories

WHAT'S INCLUDED

1 desk accessory.

NOTES

These products come in Black.

Cannot be installed under a glass top and all Height-Adjustable products.

Not all styles are available as Xpress, Please see Xpress catalogue and/or specification software for details.



Half-Moon Pencil Tray (01)



Drawer (05)

PRODUCT OPTIONS

Style

01 Half-Moon Pencil Tray

05 Center Pencil Drawer

SAMPLE ORDER CODE

BRAX 01

STYLE	PRICINO
SIILE	PRICING

BRAX	
01	Xpress
05	

45
152



Box Drawer Organizers

This organizer provides compartmentalized drawer.

WHAT'S INCLUDED

1 box drawer organizer, 1 felt liner and 1 sliding tray.

NOTES

The Letter (L) option is placed along the width of the box drawer.

The Legal (G) option is placed along the depth of the box drawer.

Felt Liner is finished in Carbon (RB11).



PRODUCT OPTIONS

Organizer Finish	Sliding Tray Finish	Liner Finish
Foundation	Foundation	Loft: RB11 Carbon
Accent	Accent	RB11 Carbon
Mica	Mica	
4	oundation ccent	oundation Foundation Accent

BAWO G 74	74	RB11
-----------	----	------

DRAWER STYLE	PRICING	
G	166	
L	172	

This organizer provides compartmentalized storage on worksurface.

BALWO Lateral Worksurface Organizer

WHAT'S INCLUDED

1 lateral worksurface organizer, 4 bumpers, 1 felt liner and accessories listed below:

	Dept	h
17" or 21"	23" to 40"	41" or 46"

WHAT'S EXCLUDED


Worksurfaces.

Sliding Tray

NOTES

The depth to specified depends on worksurface selected. For details refer to the Application Guide.

Can be used on Run-Off Worksurfaces, Height-Adjustable Run-Off, Height-Adjustable L-Shape Worksurfaces and Height-Adjustable Desk for U-Shape Workstations.



PRODUCT OPTIONS

Depth	Organizer Finish	Sliding Tray Finish	Liner Finish
17, 21, 23, 24, 27, 29, 30, 35, 36, 40, 41, 46	Foundation	Foundation	Loft
	Accent Mica	Accent Mica	

BALWO 24	7	7	RB11
----------	---	---	------

DIMENSIONS INCHES / MM	PRICING	
D		
17 / 432		
21 / 533	200	
23 / 584	256	
24 / 610	256	
27 / 686	262	
29 / 737	268	
30 / 762	268	
35 / 889	281	
36 / 914	281	
40 / 1046	343	
41 / 1041	343	
46 / 1168	355	

RAKB

Rectractable Keyboard Shelf

The Retractable Keyboard Shelf fits under worksurfaces and can accommodate a keyboard and a mouse.

WHAT'S INCLUDED

1 keyboard shelf, wrist support, 2 retaining rods, and mounting hardware.

NOTES

Both shelf widths can accommodate a keyboard and a mouse on the same surface, but the 30" wide model is more suitable for this application.


The 26" wide shelf can be installed on most worksurfaces wider than 30".

The 30" wide shelf can be installed on most worksurfaces wider than 33".

The wrist support and retaining rods are finished in Black.

Cannot be installed under a glass top and Height-Adjustable products.

Some worksurfaces do **not** accept a keyboard support. Refer to individual product pages.



PRODUCT OPTIONS

Depth	Width	Finish
16	26, 30	Source Laminate

SAMPLE ORDER CODE

DIMENSIONS INCHES / MM

D	W		
16 / 406	26 / 660	390	
16 / 406	30 / 762	442	

The Seat Cushion is removeable and is intended to provide casual guest seating when applied on a Low Secondary Desk, a Mobile Pedestal, a Mid-Height Storage and a Ŵorkwall Storage.

BASFC Seat Cushion - Fabric

WHAT'S INCLUDED

1 seat cushion and mounting hardware.

WHAT'S EXCLUDED

Low Secondary Desks and Storage.

Can also be used in conjunction with a wall panel mounted on a Low Secondary Desk or a storage.


Cannot be used on Flintwood finishes.

When Mobile Pedestal (M) Configuration is specified, only No Reduction (NA) Depth Reduction is available is available.

When Wall Panel and Accessories (WA) Depth Reduction is specified, only Mid-Height (K) option is available.

Can be mounted on a:

- Low Secondary Desks (B_MSDL, BH_SRL, BH_SBL, BH_SLL)
- 21" high Mobile Pedestal (BSPMS)
- Mid-Height Storage (BSMPS or BSMFL)
- Workwall Cedenzas (BSMCD, BSMOD, BSMWL, BSMLHR, BSMHDP, BSMDOD, BSMCFW, BSMCHR, BSMHCP)
- Workwall Cabinets (BSMO, BSMD, BSMSSP)



PRODUCT OPTIONS

Configuration	Storage Depth	Depth Reduction	Width	Seat Upholstery Finish
L Low Secondary Desk K Mid-Height M Mobile Pedestal	18, 20, 24	NA No Reduction WA Wall Panel and Accessories WW Wall Panel	16, 18, 24, 30, 36, 42, 45, 48, 51, 54, 57, 60, 63, 66, 72	Fabric Leather

SAMPLE ORDER CODE

DIMENSIONS INCHES / MM

PRICING

		MID-HE	IGHT (K)											
		COM/	COL/									Leather/			
D	W	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	Gr. LA	Gr. LB	Gr. LC	Gr. LD
18/ 457	18/ 457	311	329	347	364	382	400	417	435	452	470	593	611	629	646
18/ 457	24 / 610	361	383	405	427	449	471	493	515	537	559	714	736	758	780
18/ 457	30 / 762	412	439	465	492	518	545	571	597	624	650	835	862	888	915
18/ 457	36 / 914	462	493	524	554	585	616	647	678	709	740	955	986	1017	1048
18/ 457	42 / 1067	515	550	586	621	656	691	727	762	797	832	1079	1114	1150	1185
18/ 457	45 / 1143	540	577	615	652	690	727	765	802	839	877	1139	1176	1214	1251
18/ 457	48 / 1219	565	604	644	684	723	763	803	842	882	921	1199	1239	1278	1318
18/ 457	51 / 1295	589	631	673	715	757	799	841	882	924	966	1259	1301	1343	1385
18/ 457	54 / 1372	614	658	702	746	790	834	879	923	967	1011	1319	1363	1407	1451
18/ 457	57 / 1448	639	685	731	778	824	870	917	963	1009	1055	1379	1425	1472	1518
18/ 457	60 / 1524	664	712	761	809	858	906	954	1003	1051	1100	1439	1488	1536	1585
18/ 457	63 / 1600	688	739	790	840	891	942	992	1043	1094	1144	1499	1550	1601	1651
18/ 457	66 / 1676	713	766	819	872	925	978	1030	1083	1136	1189	1559	1612	1665	1718
18/ 457	72 / 1829	763	820	877	935	992	1049	1106	1164	1221	1278	1679	1737	1794	1851

Pricing is continued on the following page.

BASFC

Seat Cushion - Fabric (Continued)

DIMENS	I	ONS
INCHES	1	мм

		MID-HE	EIGHT (K) (CO	NTINU	JED)									
			COM/	COL/								Leather/			
D	W	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	Gr. LA	Gr. LB	Gr. LC	Gr. LD
20 / 508	18/ 457	311	329	347	364	382	400	417	435	452	470	593	611	629	646
20 / 508	24 / 610	361	383	405	427	449	471	493	515	537	559	714	736	758	780
20 / 508	30 / 762	412	439	465	492	518	545	571	597	624	650	835	862	888	915
20 / 508	36 / 914	462	493	524	554	585	616	647	678	709	740	955	986	1017	1048
20 / 508	42 / 1067	515	550	586	621	656	691	727	762	797	832	1079	1114	1150	1185
20 / 508	45 / 1143	540	577	615	652	690	727	765	802	839	877	1139	1176	1214	1251
20 / 508	48 / 1219	565	604	644	684	723	763	803	842	882	921	1199	1239	1278	1318
20 / 508	51 / 1295	589	631	673	715	757	799	841	882	924	966	1259	1301	1343	1385
20 / 508	54 / 1372	614	658	702	746	790	834	879	923	967	1011	1319	1363	1407	1451
20 / 508	57 / 1448	639	685	731	778	824	870	917	963	1009	1055	1379	1425	1472	1518
20 / 508	60 / 1524	664	712	761	809	858	906	954	1003	1051	1100	1439	1488	1536	1585
20 / 508	63 / 1600	688	739	790	840	891	942	992	1043	1094	1144	1499	1550	1601	1651
20 / 508	66 / 1676	713	766	819	872	925	978	1030	1083	1136	1189	1559	1612	1665	1718
20 / 508	72 / 1829	763	820	877	935	992	1049	1106	1164	1221	1278	1679	1737	1794	1851
24 / 610	18/ 457	336	354	371	389	407	424	442	460	477	495	618	636	653	671
24 / 610	24 / 610	390	412	434	456	478	500	522	544	566	588	742	764	786	808
24 / 610	30 / 762	445	471	497	524	550	577	603	630	656	682	868	894	920	947
24 / 610	36 / 914	498	529	560	590	621	652	683	714	745	775	991	1022	1053	1084
24 / 610	42 / 1067	555	590	625	660	696	731	766	801	837	872	1119	1154	1189	1224
24 / 610	45 / 1143	581	619	656	694	731	769	806	843	881	918	1181	1218	1255	1293
24 / 610	48 / 1219	608	648	687	727	767	806	846	886	925	965	1242	1282	1322	1361
24 / 610	51 / 1295	635	676	718	760	802	844	886	928	969	1011	1304	1346	1388	1430
24 / 610	54 / 1372	661	705	749	793	837	882	926	970	1014	1058	1366	1410	1454	1498
24 / 610	57 / 1448	688	734	780	827	873	919	965	1012	1058	1104	1428	1474	1521	1567
24 / 610	60 / 1524	715	763	811	860	908	957	1005	1054	1102	1151	1490	1538	1587	1635
24 / 610	63 / 1600	741	792	842	893	944	994	1045	1096	1146	1197	1552	1603	1653	1704
24 / 610	66 / 1676	768	821	874	926	979	1032	1085	1138	1191	1244	1614	1667	1719	1772
24 / 610	72 / 1829	821	878	936	993	1050	1107	1165	1222	1279	1337	1737	1795	1852	1909

		LOW SE	CONDA	RY DE	SK (L)										
		•	COM/	COL/								Leather/			
		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	Gr. LA	Gr. LB	Gr. LC	Gr. LD
20 / 508	18/ 457	311	329	347	364	382	400	417	435	452	470	593	611	629	646
20 / 508	24 / 610	361	383	405	427	449	471	493	515	537	559	714	736	758	780
20 / 508	30 / 762	412	439	465	492	518	545	571	597	624	650	835	862	888	915
20 / 508	36 / 914	462	493	524	554	585	616	647	678	709	740	955	986	1017	1048
24 / 610	18/ 457	336	354	371	389	407	424	442	460	477	495	618	636	653	671
24 / 610	24 / 610	390	412	434	456	478	500	522	544	566	588	742	764	786	808
24 / 610	30 / 762	445	471	497	524	550	577	603	630	656	682	868	894	920	947
24 / 610	36 / 914	498	529	560	590	621	652	683	714	745	775	991	1022	1053	1084

	MOBIL	E PEDES	TAL (M	()										
		COM/	COL/								Leather/			
	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	Gr. LA	Gr. LB	Gr. LC	Gr. LD
18/ 457 16 / 40	5 296	312	328	344	360	376	393	409	425	441	554	570	586	603

BASEP^{*} Seat Pad – Felt

This pad provides casual guest seating on top of a Low Secondary Desk, a Mobile Pedestal, a Mid-Height Storage and a Workwall Storage.

WHAT'S INCLUDED

1 felt seat pad and mounting hardware.

WHAT'S EXCLUDED

Low Secondary Desks and Storage.

NOTES

Can also be used in conjunction with a wall panel mounted on a Low Secondary Desk or a storage.


Two-sides finished products have the same finish on both sides.

When Mobile Pedestal (M) Configuration is specified, only No Reduction (NA) Depth Reduction is available is available.

When Wall Panel and Accessories (WA) Depth Reduction is specified, only Mid-Height (K) option is available.

Can be mounted on a:

- Low Secondary Desks (B_MSDL, BH_SRL, BH_SBL, BH_SLL)
- 21" high Mobile Pedestal (BSPMS)
- Mid-Height Storage (BSMPS or BSMFL)
- Workwall Cedenzas (BSMCD, BSMOD, BSMWL, BSMLHR, BSMHDP, BSMDOD, BSMCFW, BSMCHR, BSMHCP)
- Workwall Cabinets (BSMO, BSMD, BSMSSP)



PRODUCT OPTIONS

Configuration	Storage Depth	Depth Reduction	Width	Seat Finish	Stitches Finish
L Low Secondary DeskK Mid-HeightM Mobile Pedestal	18, 20, 24	NA No Reduction WA Wall Panel and Accessories WW Wall Panel	16, 18, 24, 30, 36, 42, 45, 48, 51, 54, 57, 60, 63, 66, 72	Loft	C Carbon Coordinate E Shale Coordinate G Carrara Coordinate M Umber Coordinate

SAMPLE ORDER CODE

DIMENSIONS INCHES / MM

PRICING

D	W	MID-HEIGHT (K)	LOW SECONDARY DESK (L)	MOBILE PEDESTAL (M)
18/ 457	16 / 406	n/a	n/a	129
18/ 457	18/ 457	135	n/a	n/a
18/ 457	24 / 610	161	n/a	n/a
18/ 457	30 / 762	198	n/a	n/a
18/ 457	36 / 914	238	n/a	n/a
18/ 457	42 / 1067	282	n/a	n/a
18/ 457	45 / 1143	285	n/a	n/a
18/ 457	48 / 1219	289	n/a	n/a
18/ 457	51 / 1295	408	n/a	n/a
18/ 457	54 / 1372	412	n/a	n/a
18/ 457	57 / 1448	415	n/a	n/a
18/ 457	60 / 1524	419	n/a	n/a
18/ 457	63 / 1600	422	n/a	n/a
18/ 457	66 / 1676	426	n/a	n/a
18/ 457	72 / 1829	433	n/a	n/a

Pricing is continued on the following page.

BASEP Seat Pad - Felt

DIMENSIONS INCHES / MM


D	W	MID-HEIGHT (K)	LOW SECONDARY DESK (L)	MOBILE PEDESTAL (M)
20 / 508	18/ 457	139	139	n/a
20 / 508	24 / 610	175	175	n/a
20 / 508	30 / 762	220	220	n/a
20 / 508	36 / 914	251	251	n/a
20 / 508	42 / 1067	316	n/a	n/a
20 / 508	45 / 1143	319	n/a	n/a
20 / 508	48 / 1219	322	n/a	n/a
20 / 508	51 / 1295	442	n/a	n/a
20 / 508	54 / 1372	445	n/a	n/a
20 / 508	57 / 1448	449	n/a	n/a
20 / 508	60 / 1524	452	n/a	n/a
20 / 508	63 / 1600	455	n/a	n/a
20 / 508	66 / 1676	458		n/a
20 / 508	72 / 1829	465	n/a	n/a
24 / 610	18/ 457	150	150	n/a
24 / 610	24 / 610	188	188	n/a
24 / 610	30 / 762	235	235	n/a
24 / 610	36 / 914	268	268	n/a
24 / 610	42 / 1067	336	n/a	n/a
24 / 610	45 / 1143	339	n/a	n/a
24 / 610	48 / 1219	343	n/a	n/a
24 / 610	51 / 1295	468	n/a	n/a
24 / 610	54 / 1372	472	n/a	n/a
24 / 610	57 / 1448	475	n/a	n/a
24 / 610	60 / 1524	478	n/a	n/a
24 / 610	63 / 1600	482	n/a	n/a
24 / 610	66 / 1676	485	n/a	n/a
24 / 610	72 / 1829	492	n/a	n/a


B _ H C L Standard Hutch - Solid Hinged Doors

B _ H C G Standard Hutch - Glass Hinged Doors

Page 878

Page 880







B _ H F L Standard Hutch – Solid Flipper Door(s)

B _ H O Standard Hutch - Open

Page 882

Page 884







B_TLL Double Tower Hutch - Solid Doors

B_ELL Single Tower Hutch - Solid Doors

Page 886

Page 888





BOTM Glass Makerboard - Hutch Mounted

BOTB Tackboard - Hutch Mounted

Page 891







BOTR Tool Rail

B_HT Top for Hutch

Page 892





BRLG Tower with Full Glass Door - Low Secondary Desk Mounted

BRHL Tower with Full Solid Door - High

BRHO Open Tower - High Secondary Desk


Mounted

BRLL Tower with Full Solid Door - Low **Secondary Desk Mounted**

Page 896

Page 893

Page 894






BRLO Open Tower - Low Secondary Desk Mounted

Secondary Desk Mounted

Page 900



Page 898



BRHG Tower with Full Glass Door - High Secondary Desk Mounted

Page 904






BOSH Overhead Cabinet - Solid Hinged Doors




Page 906

B O G H Overhead Cabinet – Glass Hinged Doors

Page 908







BOSF Overhead Cabinet – Solid Flipper Door(s)

Page 910

B O S S Overhead Cabinet – Solid Sliding Doors

Page 912






B O G S Overhead Cabinet - Sliding Glass Doors




Page 914

B O S O S Overhead Cabinet – Solid Overlay Sliding Door

Page 916






BOSOG Overhead Cabinet – Glass Overlay Sliding Door


Page 918

BOCOL Overhead Cabinet - Open











B O D S H Double Overhead Cabinet – Solid Hinged Doors

Page 922



B O D G H Double Overhead Cabinet – Glass Hinged Doors


Page 924




B O D S S


Double Overhead Cabinet –
Solid Overlay Sliding Door

Page 926



Page 928






BODOL Double Overhead Cabinet - Open

4

Page 930

B_OT Top for Overhead Cabinet

Page 931





BOWF Wall-Mounted Tackboard - Fabric



Page 932

BOWE Wall-Mounted Tackboard - Felt












Page 936



Page 940





B_WAA Wall Panel



Page 946

B_WOO Wall Panel with Solid Shelves



Page 952






B_WMD Wall Panel for Media




Page 958





Page 960





B _ W M M Wall Panel for Metal Accessory
Shelves

Page 962

B A W S S Solid Shelf for Wall Panel







BAWDS Solid Display Shelf for Wall Panel




Page 966

B B A M S Metal Accessory Shelf for Wall Panel

Page 967







BAWAT Fabric Tackboard - Wall Panel Mounted

Page 970

BAWAE Felt Tackboard - Wall Panel Mounted



Page 976






Page 978



BACT Tray for Makerboard



Page 982



BACMT Marker Holder for Markerboard

Page 983



BAREM Rare Earth Magnet Kit






Xpress

B_HCL Standard Hute

Standard Hutch – Solid Hinged Doors



This hutch can be mounted on most desks and credenzas and provides overhead storage.

WHAT'S INCLUDED

1 hutch, 2 extrusions for tool rail, 1 removeable shelf per section (43" high hutch only), lock and keys (as specified), mounting hardware, and accessories as listed below:

		Width							
	24" to 36"	42" to 54"	60" to 78"	84"					
Door	2	3	4	5					
Divider	n/a	1	1	2					

WHAT'S EXCLUDED

Top for Hutch (B_HT) and accessories (BLYTU, BLEDD, BOTB, and BOTR).

NOTES

You must specify the thickness of the worksurface on which the hutch will be installed.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Height	Door Front Finish
D 1"	15	24, 30, 36, 42, 48, 54, 60, 66,	37, 43	Source Laminate
M 1 3/16"		72, 78, 84		Foundation Laminate
X 1 9/16"				

SAMPLE ORDER CODE

B <u>M</u> HCL	15	72	37	LW

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Case Finish	Shelf and Hardware Finish	Key Style
Edge Trim Colors	Source Laminate	Foundation	N No Lock
		Mica	K Keyed Alike
			R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

T2	YC	52	N
31	AO)4	14

B_HCL


Standard Hutch – Solid Hinged Doors (Continued)

DIMENSIONS INCHES / MM

			1" (D)		1 3/16" (M)		1 9/16" (X)	
			DOOR FRONT FI	NISH				
D	W	Н	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
15 / 381	24 / 610	37 / 940	973	1013	973	1013	973	1013
15 / 381	30 / 762	37 / 940	999	1050	999	1050	999	1050
15 / 381	36 / 914	37 / 940	1017	1081	1017	1081	1017	1081
15 / 381	42 / 1067	37 / 940	1112	1154	1112	1154	1112	1154
15 / 381	48 / 1219	37 / 940	1201	1285	1201	1285	1201	1285
15 / 381	54 / 1372	37 / 940	1397	1491	1397	1491	1397	1491
15 / 381	60 / 1524	37 / 940	1414	1514	1414	1514	1414	1514
15 / 381	66 / 1676	37 / 940	1433	1549	1433	1549	1433	1549
15 / 381	72 / 1829	37 / 940	1448	1574	1448	1574	1448	1574
15 / 381	78 / 1981	37 / 940	1605	1747	1605	1747	1605	1747
15 / 381	84 / 2134	37 / 940	1701	1830	1701	1830	1701	1830
15 / 381	24 / 610	43 / 1093	1078	1126	1078	1126	1078	1126
15 / 381	30 / 762	43 / 1093	1105	1167	1105	1167	1105	1167
15 / 381	36 / 914	43 / 1093	1119	1203	1119	1203	1119	1203
15 / 381	42 / 1067	43 / 1093	1234	1285	1234	1285	1234	1285
15 / 381	48 / 1219	43 / 1093	1321	1429	1321	1429	1321	1429
15 / 381	54 / 1372	43 / 1093	1522	1648	1522	1648	1522	1648
15 / 381	60 / 1524	43 / 1093	1550	1680	1550	1680	1550	1680
15 / 381	66 / 1676	43 / 1093	1579	1725	1579	1725	1579	1725
15 / 381	72 / 1829	43 / 1093	1597	1759	1597	1759	1597	1759
15 / 381	78 / 1981	43 / 1093	1757	1941	1757	1941	1757	1941
15 / 381	84 / 2134	43 / 1093	1865	2035	1865	2035	1865	2035

Xpress

B_HCG Standard Hutch – Glass Hinged Doors



This hutch can be mounted on most desks and credenzas and provides overhead storage.

WHAT'S INCLUDED

1 hutch, 2 extrusions for tool rail, 1 removeable shelf per section (43" high hutch only), lock and keys (as specified), mounting hardware, and accessories as listed below:

		Width				
	24" to 36"	42" to 54"	60" to 78"	84"		
Door	2	3	4	5		
Divider	n/a	1	1	2		

WHAT'S EXCLUDED

Top for Hutch (B_HT) and accessories (BLYTU, BLEDD, BOTB, and BOTR).

NOTES

You must specify the thickness of the worksurface on which the hutch will be installed.

Not all glass finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Height	Case Finish
D 1"		24. 30, 36, 42, 48, 54, 60, 66,	37, 43	Source Laminate
M 1 3/16"		72, 78, 84		
X 1 9/16"				

SAMPLE ORDER CODE

RMHCC	15	2/4	37	l YC
DIVI	1)	44	3 /	AJ

PRODUCT OPTIONS CONTINUED

Door Frame Finish	Glass Door Finish	Shelf and Hardware Finish	Key Style
AC Clear Anodized Foundation Accent Mica	Standard: CL Clear FT Frosted Back-Painted	Foundation Mica	N No Lock K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

A.C	ET	50	I V
AC.	I' I) 2	IX.
			l .

B_HCG Standard Hutch -Glass Hinged Doors (Continued)

DIMENSIONS INCHES / MM

PRICING


KEY UPCHARGE

			1" (D)		1 3/16" (N	ſ)	1 9/16" (X))	
			GLASS DO	OR FINISH					
D	W	Н	Clear Glass (CL)	Frosted Glass (FT)/ Back-Painted Glass	Clear Glass (CL)	Frosted Glass (FT)/ Back-Painted Glass	Clear Glass (CL)	Frosted Glass (FT)/ Back-Painted Glass	Keyed Alike or Keyed Randomly
15 / 381	24 / 610	37 / 940	1384	1549	1384	1549	1384	1549	55
15 / 381	30 / 762	37 / 940	1437	1600	1437	1600	1437	1600	55
15 / 381	36 / 914	37 / 940	1487	1651	1487	1651	1487	1651	55
15 / 381	42 / 1067	37 / 940	1730	1972	1730	1972	1730	1972	115
15 / 381	48 / 1219	37 / 940	1879	2120	1879	2120	1879	2120	115
15 / 381	54 / 1372	37 / 940	2102	2344	2102	2344	2102	2344	115
15 / 381	60 / 1524	37 / 940	2297	2619	2297	2619	2297	2619	115
15 / 381	66 / 1676	37 / 940	2347	2669	2347	2669	2347	2669	115
15 / 381	72 / 1829	37 / 940	2386	2711	2386	2711	2386	2711	115
15 / 381	78 / 1981	37 / 940	2580	2901	2580	2901	2580	2901	115
15 / 381	84 / 2134	37 / 940	2827	3232	2827	3232	2827	3232	171
15 / 381	24 / 610	43 / 1093	1522	1682	1522	1682	1522	1682	55
15 / 381	30 / 762	43 / 1093	1587	1750	1587	1750	1587	1750	55
15 / 381	36 / 914	43 / 1093	1653	1813	1653	1813	1653	1813	55
15 / 381	42 / 1067	43 / 1093	1906	2148	1906	2148	1906	2148	115
15 / 381	48 / 1219	43 / 1093	2080	2321	2080	2321	2080	2321	115
15 / 381	54 / 1372	43 / 1093	2325	2571	2325	2571	2325	2571	115
15 / 381	60 / 1524	43 / 1093	2536	2857	2536	2857	2536	2857	115
15 / 381	66 / 1676	43 / 1093	2603	2926	2603	2926	2603	2926	115
15 / 381	72 / 1829	43 / 1093	2671	2997	2671	2997	2671	2997	115
15 / 381	78 / 1981	43 / 1093	2878	3200	2878	3200	2878	3200	115
15 / 381	84 / 2134	43 / 1093	3147	3551	3147	3551	3147	3551	171

Xpress

B - H F L

Standard Hutch – Solid Flipper Door(s)



This hutch can be mounted on most desks and credenzas and provides overhead storage.

WHAT'S INCLUDED

 $1\ hutch,\ 2\ extrusions$ for tool rail, pulls (as specified), lock and keys (as specified), mounting hardware, and accessories as listed below:

	Wie	Width		
	24" to 48"	54" to 84"		
ipper Door	1	2		
ipper Door enter Divider	n/a	1		

WHAT'S EXCLUDED

Accessories (BLYTU, BLEDD, BOTB, and BOTR).

NOTES

The hutch top (B_HT) cannot be installed on this type of hutch.

You must specify the thickness of the worksurface on which the hutch will be installed.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Height	Door Front Finish
D 1"	15	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	37	Source Laminate
M 1 3/16"		72, 78, 84		Foundation Laminate
X 1 9/16"				

SAMPLE ORDER CODE

BMHFL 15	60	37	3E
----------	----	----	----

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Case Finish	Pull Style	Shelf, Pull and Hardware Finish	Key Style
Edge Trim Colors	Source Laminate	1 Standard Expansion	Foundation	N No Lock
		6 Arched	Mica	K Keyed Alike
		9 Rectilinear		R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

4 E	2 E	1	60	I/
41.) JE	1	00	17

B_HFL

Standard Hutch – Solid Flipper Door(s) (Continued)

DIMENSIONS INCHES / MM

DOOR FRONT FINISH Source Laminate Foundation Laminate Laminate <th></th>	
D W H Laminate	
15 / 381 30 / 762 37 / 940 1122 1206 1122 1206 11 15 / 381 36 / 914 37 / 940 1190 1281 1190 1281 11 15 / 381 42 / 1067 37 / 940 1255 1351 1255 1351 12 15 / 381 48 / 1219 37 / 940 1326 1426 1326 1426 13	
15 / 381 36 / 914 37 / 940 1190 1281 1190 1281 11 15 / 381 42 / 1067 37 / 940 1255 1351 1255 1351 12 15 / 381 48 / 1219 37 / 940 1326 1426 1326 1426 13	53 1132
15 / 381 42 / 1067 37 / 940 1255 1351 1255 1351 12 15 / 381 48 / 1219 37 / 940 1326 1426 1326 1426 13	22 1206
15 / 381 48 / 1219 37 / 940 1326 1426 1326 1426 13.	90 1281
<u> </u>	55 1351
15 / 201 5 / / 1272 27 / 060 1252 1/70 1252 1/70 12	26 1426
1) / 361	53 1470
15 / 381 60 / 1524 37 / 940 1385 1513 1385 1513 13	85 1513
15 / 381 66 / 1676 37 / 940 1430 1572 1430 1572 14	30 1572
15 / 381 72 / 1829 37 / 940 1477 1629 1477 1629 14	77 1629
15 / 381 78 / 1981 37 / 940 1527 1706 1527 1706 15.	27 1706
15 / 381 84 / 2134 37 / 940 1637 1782 1637 1782 1636	37 1782

$B _ H O$


Standard Hutch - Open

This hutch can be mounted on most desks and credenzas and provides overhead storage.

WHAT'S INCLUDED

WHAT'S EXCLUDED

1 hutch, 2 extrusions for tool rail, mounting hardware, and accessories as listed below:




Center Divider

Top for Hutch (B_HT) and accessories (BLYTU, BLEDD, BOTB, and BOTR).

NOTES

You must specify the thickness of the worksurface on which the hutch will be installed.

The open hutch top cannot be loaded unless it is supported by center divider.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Height	Case Finish	Shelf and Hardware Finish
D 1"	15	24. 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	37	Source Laminate	Foundation
M 1 3/16"		00, 00, 72, 78, 84			Mica
X 1 9/16"					

SAMPLE ORDER CODE

В <u>М</u> НО 15	24	37	xs	60
------------------	----	----	----	----


DIMENSIONS INCHES / MM

D	W	H	1" (D)	1 3/16" (M)	1 9/16" (X)
15 / 381	24 / 610	37 / 940	826	826	826
15 / 381	30 / 762	37 / 940	875	875	875
15 / 381	36 / 914	37 / 940	921	921	921
15 / 381	42 / 1067	37 / 940	965	965	965
15 / 381	48 / 1219	37 / 940	1013	1013	1013
15 / 381	54 / 1372	37 / 940	1031	1031	1031
15 / 381	60 / 1524	37 / 940	1053	1053	1053
15 / 381	66 / 1676	37 / 940	1086	1086	1086
15 / 381	72 / 1829	37 / 940	1112	1112	1112
15 / 381	78 / 1981	37 / 940	1137	1137	1137
15 / 381	84 / 2134	37 / 940	1223	1223	1223

Xpress

B_TLL

Double Tower Hutch - Solid Doors



This hutch can be mounted on most desks and credenzas and provides overhead storage.

WHAT'S INCLUDED

1 hutch, 2 extrusions for tool rail, 1 removeable shelf per section (43" high hutch, central section only), lock and keys (as specified), mounting hardware, and accessories as listed below:

		Width			Hei	ght
	48" to 60"	66" to 78"	84"		37"	43"
Door	2	3	4	Solid Adjustable		
Divider	n/a	1	1	Shelf (inside each tower)	1	2

WHAT'S EXCLUDED

Top for Hutch (B_HT) and accessories (BLYTU, BLEDD, BOTB, and BOTR).

NOTES

Tower doors have a touch latch and are **not** lockable.

You must specify the thickness of the worksurface on which the hutch will be installed.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Height	Door Front Finish
D 1"	15	48, 54, 60, 66, 72, 78, 84	37, 43	Source Laminate
M 1 3/16"				Foundation Laminate
X 1 9/16"				

SAMPLE ORDER CODE

B <u>M</u> TLL 1	5 72	37	2D
------------------	------	----	----

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Case Finish	Shelf and Hardware Finish	Key Style
Edge Trim Colors	Source Laminate	Foundation	N No Lock
		Mica	K Keyed Alike
			K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

4D	2D	60	T/
4D	jυ	00	N

B - T L L

Double Tower Hutch - Solid Doors (Continued)


DIMENSIONS INCHES / MM

			1" (D)		1 3/16" (M)		1 9/16" (X)	
			DOOR FRONT FI	NISH				
D	w	Н	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
15 / 381	48 / 1219	37 / 940	1854	1974	1854	1974	1854	1974
15 / 381	54 / 1372	37 / 940	1879	2010	1879	2010	1879	2010
15 / 381	60 / 1524	37 / 940	1897	2043	1897	2043	1897	2043
15 / 381	66 / 1676	37 / 940	1994	2116	1994	2116	1994	2116
15 / 381	72 / 1829	37 / 940	2079	2243	2079	2243	2079	2243
15 / 381	78 / 1981	37 / 940	2282	2450	2282	2450	2282	2450
15 / 381	84 / 2134	37 / 940	2304	2474	2304	2474	2304	2474
15 / 381	48 / 1219	43 / 1093	2050	2207	2050	2207	2050	2207
15 / 381	54 / 1372	43 / 1093	2069	2245	2069	2245	2069	2245
15 / 381	60 / 1524	43 / 1093	2090	2282	2090	2282	2090	2282
15 / 381	66 / 1676	43 / 1093	2204	2366	2204	2366	2204	2366
15 / 381	72 / 1829	43 / 1093	2293	2507	2293	2507	2293	2507
15 / 381	78 / 1981	43 / 1093	2502	2725	2502	2725	2502	2725
15 / 381	84 / 2134	43 / 1093	2542	2762	2542	2762	2542	2762

Xpress

$B _ E L L$

Single Tower Hutch – Solid Doors



This hutch can be mounted on most desks and credenzas and provides overhead storage.

WHAT'S INCLUDED

1 hutch, 2 extrusions for tool rail, 1 removeable shelf per section (43" high hutch, central section only), lock and keys (as specified), mounting hardware, and accessories as listed below:

		Width		Hei	ight	
	36" to 48"	54" to 66"	72" to 84"		37"	43"
Door	2	3	4	Solid Adjustable		
Divider	n/a	1	1	Shelf (inside towe	r) 1	2

WHAT'S EXCLUDED

Top for Hutch (B_HT) and accessories (BLYTU, BLEDD, BOTB, and BOTR).

NOTES

Tower door has a touch latch and is not lockable.

You must specify the thickness of the worksurface on which the hutch will be installed.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Height	Tower Configuration
D 1"	15	36, 42, 48, 54, 60, 66, 72, 78, 84	37, 43	L Left (Shown)
M 1 3/16"		/8, 84		R Right
X 1 9/16"				

SAMPLE ORDER CODE

B <u>M</u> ELL	15	72	37	R

PRODUCT OPTIONS CONTINUED

Door Front Finish	Edge Trim Finish	Case Finish	Shelf and Hardware Finish	Key Style
Source Laminate	Edge Trim Colors	Source Laminate	Foundation	N No Lock
Foundation Laminate			Mica	K Keyed Alike
				R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

2.0	4 E	2Ε	60	NT.
2 . E	4E) JE	00	IN

$B _ E L L$

Single Tower Hutch - Solid Doors (Continued)

DIMENSIONS INCHES / MM

			1" (D)		1 3/16" (M)		1 9/16" (X)	
			DOOR FRONT FI	NISH				
D	w	Н	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate	Source Laminate	Foundation Laminate
15 / 381	36 / 914	37 / 940	1414	1492	1414	1492	1414	1492
15 / 381	42 / 1067	37 / 940	1434	1528	1434	1528	1434	1528
15 / 381	48 / 1219	37 / 940	1458	1559	1458	1559	1458	1559
15 / 381	54 / 1372	37 / 940	1553	1633	1553	1633	1553	1633
15 / 381	60 / 1524	37 / 940	1636	1763	1636	1763	1636	1763
15 / 381	66 / 1676	37 / 940	1836	1971	1836	1971	1836	1971
15 / 381	72 / 1829	37 / 940	1851	1995	1851	1995	1851	1995
15 / 381	78 / 1981	37 / 940	1882	2025	1882	2025	1882	2025
15 / 381	84 / 2134	37 / 940	1908	2056	1908	2056	1908	2056
15 / 381	36 / 914	43 / 1093	1563	1665	1563	1665	1563	1665
15 / 381	42 / 1067	43 / 1093	1586	1706	1586	1706	1586	1706
15 / 381	48 / 1219	43 / 1093	1607	1740	1607	1740	1607	1740
15 / 381	54 / 1372	43 / 1093	1719	1825	1719	1825	1719	1825
15 / 381	60 / 1524	43 / 1093	1805	1970	1805	1970	1805	1970
15 / 381	66 / 1676	43 / 1093	2010	2184	2010	2184	2010	2184
15 / 381	72 / 1829	43 / 1093	2036	2223	2036	2223	2036	2223
15 / 381	78 / 1981	43 / 1093	2076	2264	2076	2264	2076	2264
15 / 381	84 / 2134	43 / 1093	2114	2300	2114	2300	2114	2300

Xpress

BOTB

Tackboard - Hutch Mounted


This fabric-wrapped tackboard installs under all Expansion Casegoods Hutches only.

WHAT'S INCLUDED

1 tackboard with Velcro® attachment.

NOTES

Specify the width according to the dimension between the two towers or gables of the hutch to which the tackboard is mounted. Refer to the Hutch Accessory Compatibility Chart in the Application Guide.



PRODUCT OPTIONS

Height	Width	Tackboard Upholstery Finish
21	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Panel Fabric

SAMPLE ORDER CODE

BOTB 21	72	T531
---------	----	------

DIMENSIONS

INCHES / MM

/ MM	PRICING

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134

Gr. A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
85	90	99	113	129	150	165	175
94	99	116	123	146	169	183	200
124	132	144	166	197	227	248	269
132	142	166	173	204	237	258	281
166	174	193	209	245	280	304	328
173	182	204	220	255	292	319	347
177	194	213	229	264	299	328	356
209	222	248	268	316	362	396	427
216	229	256	278	326	374	409	442
244	262	291	312	362	412	451	487
251	269	299	324	377	432	471	513

This markerboard must be installed under all Expansion Casegoods Hutches only.

WHAT'S INCLUDED

 $1\ glass$ markerboard, mounting extrusion, double face tape attachment, mounting hardware, and accessory listed below:

	Width		
	24" to 48"	54" to 84"	
) t	/	Q	

Rare Earth Magnet (Magnetic Glass only)

4

WHAT'S EXCLUDED


Marker Holder for Markerboard.

NOTES

Specify the width according to the dimension between the two towers or gables of the hutch to which the markerboard is mounted. Refer to the Hutch Accessory Compatibility Chart in the Application Guide.

B O T M Glass Markerboard – Hutch Mounted





Magnetic Glass (M)

PRODUCT OPTIONS

Markerboard Style	Height	Width	Glass Finish
G Non-Magnetic Glass M Magnetic Glass	21	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Back-Painted

SAMPLE ORDER CODE

DIMENSIONS INCHES / MM

Н	W	NON-MAGNETIC GLASS (G)	MAGNETIC GLASS (M)	
21 / 533	24 / 610	346	474	
21 / 533	30 / 762	406	538	
21 / 533	36 / 914	474	608	
21 / 533	42 / 1067	536	670	
21 / 533	48 / 1219	607	742	
21 / 533	54 / 1372	669	877	
21 / 533	60 / 1524	733	942	
21 / 533	66 / 1676	802	1010	
21 / 533	72 / 1829	868	1080	
21 / 533	78 / 1981	934	1148	
21 / 533	84 / 2134	995	1210	



B O T R Tool Rail

This rail is installed between the hutch side gables or towers.


WHAT'S INCLUDED

1 tool rail, and hardware.

NOTE

Rails can be installed at various heights and can be vertically superimposed to increase capacity.

Specify the width according to the dimension between the two towers or gables of the hutch to which the Tool Rail is mounted. Refer to the Hutch Accessory Compatibility Chart in the Application Guide.



PRODUCT OPTIONS

Width	Finish
24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Foundation
	Mica

SAMPLE ORDER CODE

BOTR 60	60

DIMENSIONS	
INCHES / MM	

INCHES / MM	PRICING	
W		
24 / 610	161	
30 / 762	172	
36 / 914	183	
42 / 1067	203	
48 / 1219	227	
54 / 1372	253	
60 / 1524	280	
66 / 1676	306	
72 / 1829	331	
78 / 1981	355	
84 / 2134	378	

The Top for Hutch can be installed on all styles of hutch with the exception of Hutches with Flipper ${\rm Door}(s).$

$\begin{array}{c} B_\,H\,T \\ Top \; for \; Hutch \end{array}$

WHAT'S INCLUDED


1 rectangular top with 3/8" thick neoprene spacer kit and mounting hardware.

NOTES

Can only be installed on a hutch top.

Specify the width according to the width of the hutch on which the top is mounted.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Finish	Edge Trim Style	Edge Trim Finish
D 1"	15	24, 30, 36, 42, 48, 54,	Source Laminate	6 Straight Trim	Edge Trim Colors
M 1 3/16"		60, 66, 72, 78, 84	Foundation Laminate		
X 1 9/16"					

SAMPLE ORDER CODE

B <u>D</u> HT 15	72	3D	6	4D
------------------	----	----	---	----

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
15 / 381	24 / 610	174	193	233
15 / 381	30 / 762	220	239	292
15 / 381	36 / 914	262	289	350
15 / 381	42 / 1067	309	333	408
15 / 381	48 / 1219	351	423	465
15 / 381	54 / 1372	396	455	523
15 / 381	60 / 1524	440	490	582
15 / 381	66 / 1676	486	520	640
15 / 381	72 / 1829	525	553	698
15 / 381	78 / 1981	565	586	757
15 / 381	84 / 2134	608	617	815

BRLL

Tower with Full Solid Door – Low Secondary Desk Mounted

This Tower combines file drawer, shelves or wardrobe storage compartments and a pigeonhole section in a full door aesthetic. It must always be mounted on a Low Secondary Desk.

WHAT'S INCLUDED

1 tower, 1 rectangular door, mounting hardware, locks and keys (as specified), and accessories as listed below:

_	Interior Configuration		
_	W	S	F
Adjustable Shelf	n/a	2	1
File Drawer	n/a	n/a	1
15" Cross File Bar	n/a	n/a	1
Coat Hook	2	n/a	2

WHAT'S EXCLUDED

Low Secondary Desks and Multi-Functional Drawer.

NOTES

This mounted tower **cannot** be used alone. It must be connected to another mounted tower, a freestanding tower, a wall panel or a single or double overhead cabinet in order to ensure stability.


When applicable, the 15" cross file bar is included and is installed along the depth only.

File Drawer accepts the legal- and letter-size paper.

The Multi-Functionnal Drawer (BADMF) can only be installed in the pigeonhole section.

The shelf has a five positions adjustment with 1 1/4" intervals.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Interior Configuration	Depth	Width	Height	Door Swing Direction
F File Drawer and Shelves	18	18	66, 72	L Left Side
S Shelves				R Right Side (Shown)
W Wardrobe				

SAMPLE ORDER CODE

PRODUCT OPTIONS CONTINUED

Case Finish	Door Front Finish	Edge Trim Finish (For Source Lam. Fronts only)	Key Style
Source Laminate	Source Laminate	Edge Trim Colors	N No Lock
	Flintwood		K Keyed Alike
(No Cathedral)	(No Cathedral)		R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

xs xs	ST	K
-------	----	---

BRLL

Tower with Full Solid Door – Low Secondary Desk Mounted (Continued)

CUBE STYLE PRICING

	SOURCE LAMINATE CASE I	INISH	FLINTWOOD CASE FINISH	
	DOOR FRONT FINISH Source			
	Laminate	Flintwood	Flintwood	
BRLLW1866	944	1179	2668	
BRLLW1872	1009	1277	2797	
BRLLS1866	1064	1296	3125	
BRLLS1872	1126	1391	3248	
BRLLF1866	1296	1531	3492	
BRLLF1872	1364	1624	3611	

BRLG

Tower with Full Glass Door – Low Secondary Desk Mounted

This Tower combines a 3-level of closed storage with shelves or wardrobe and a pigeonhole section in a full door aesthetic. It must always be mounted on a Low Secondary Desk.

WHAT'S INCLUDED

1 tower, 1 rectangular door, mounting hardware, locks and keys (as specified), and accessories as listed below:

	Interior Configuration	
	W	S
Adjustable Shelf	n/a	2
Coat Hook	2	n/a

WHAT'S EXCLUDED

Low Secondary Desks and Multi-Functional Drawer.

NOTES


This mounted tower **cannot** be used alone. It must be connected to another mounted tower, a freestanding tower, a wall panel or a single or double overhead cabinet in order to ensure stability.

The Multi-Functionnal Drawer (BADMF) can only be installed in the pigeonhole section.

When Wardrobe (W) option is specified, the glass door finish is ${\bf not}$ available in Clear (CL) standard finish.

The shelf has a five positions adjustment with 1 1/4" intervals.

Not all glass finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Interior Configuration	Depth	Width	Height	Door Swing Direction
S Shelves	18	18	66, 72	L Left Side
W Wardrobe				R Right Side (Shown)

SAMPLE ORDER CODE

BRLG W 18	18	72	R
-----------	----	----	---

PRODUCT OPTIONS CONTINUED

Case Finish	Door Frame Finish	Glass Door Finish	Key Style
Source Laminate Flintwood (No Cathedral)	AC Clear Anodized Foundation Accent Mica	CI Clear	N No Lock K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

3 D	A C	ET	N
JD	AC.	1 1	14


BRLG

Tower with Full Glass Door – Low Secondary Desk Mounted (Continued)

CUBE STYLE	PRICING		KEY UPCHARGE
	CLEAR GLASS DOOR	CL)	
	CASE FINISH		
	Source Laminate	Flintwood	Keyed Alike or Keyed Randomly
BRLGS1866	1286	3219	55
BRLGS1872	1377	3341	55
	FROSTED GLASS (FT) CASE FINISH	/ BACK-PAINTED GLASS DOOR	
	Source Laminate	Flintwood	
BRLGW1866	1298	2898	55
BRLGW1872	1400	3030	55
BRLGS1866	1417	3350	55
BRLGS1872	1520	3484	55

BRLO

Open Tower - Low Secondary Desk Mounted



This tower combines 3-level open storage compartments and a pigeonhole section. It must always be mounted on a Low Secondary Desk.

WHAT'S INCLUDED

1 tower with 3 or 6 open compartments, 1 pigeonhole, and mounting hardware.

WHAT'S EXCLUDED

Low Secondary Desks and Multi-Functional Drawer.

NOTES

This mounted tower **cannot** be used alone. It must be connected to another mounted tower, a freestanding tower, a wall panel or a single or double overhead cabinet in order to ensure stability.

The Multi-Functionnal Drawer (BADMF) can only be installed in the pigeonhole section.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Depth	Width	Height	Case Finish
18	18, 36	66, 72	Source Laminate
			Flintwood (No Cathedral)

SAMPLE ORDER CODE

BRLO 18	36	72	xs
---------	----	----	----

CUBE STYLE

	Source	
	Laminate	Flintwood
BRLO181866	831	2660
BRLO181872	877	2740
BRLO183666	1369	3922
BRLO183672	1514	4062


BRHL

Tower with Full Solid Door – High Secondary Desk Mounted

This tower combines a 2-level of closed storage with shelves and a pigeonhole section in a full door aesthetic. It must always be mounted on a High Secondary Desk.

WHAT'S INCLUDED

1 tower, 1 rectangular door, mounting hardware, locks and keys (as specified), and components as listed below:



Adjustable Shelf

WHAT'S EXCLUDED

All High Secondary Desks and Multi-Functional Drawer.


NOTES

This mounted tower **cannot** be used alone. It must be connected to another mounted tower, a freestanding tower, a wall panel or a single or double overhead cabinet in order to ensure stability.

The shelf has ajustment at 5 1/8" intervals.

The Multi-Functionnal Drawer (BADMF) can only be installed in the pigeonhole section.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Interior Configuration	Depth	Width	Height	Door Swing Direction
S Shelf	18	18	66, 72, 81	L Left Side
				R Right Side (Shown)

SAMPLE ORDER CODE

BRHL S 18	18	66	R
-----------	----	----	---

PRODUCT OPTIONS CONTINUED

Case Finish	Door Front Finish	Edge Trim Finish (For Source Lam. Front only)	Key Style
Source Laminate	Source Laminate	Edge Trim Colors	N No Lock
	Flintwood		K Keyed Alike
(No Cathedral)	(No Cathedral)		R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

xs xs	ST	N
-------	----	---

BRHL

Tower with Full Solid Door - High Secondary Desk Mounted (Continued)

CUBE STYLE PRICING

	SOURCE LAMINATE CASE FINISH		FLINTWOOD CASE FINISH	
	DOOR FRONT FINISH Source			
	Laminate	Flintwood	Flintwood	
BRHLS181866	906	1169	2749	
BRHLS181872	969	1244	2844	
BRHLS181881	1071	1319	2987	


BRHG

Tower with Full Glass Door – High Secondary Desk Mounted

This tower combines a 2-level of closed storage with shelves and a pigeonhole section in a full door aesthetic. It must always be mounted on a High Secondary Desk.

WHAT'S INCLUDED

1 tower, 1 rectangular door, 1 adjustable shelf, mounting hardware, locks and keys (as specified), and components as listed below:



Adjustable Shelf

WHAT'S EXCLUDED

All High Secondary Desks, Multi-Functional Drawer and Shelf for Tower.


NOTES

This mounted tower **cannot** be used alone. It must be connected to another mounted tower, a freestanding tower, a wall panel or a single or double overhead cabinet in order to ensure stability.

The shelf has ajustment at 5 1/8" intervals.

The Multi-Functionnal Drawer (BADMF) can only be installed in the pigeonhole section.

Not all glass finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Interior Configuration	Depth	Width	Height	Door Swing Direction
S Shelf	18	18	66, 72, 81	L Left Side
				R Right Side (Shown)

SAMPLE ORDER CODE

BRHG S 18	18	72	L
-----------	----	----	---

PRODUCT OPTIONS CONTINUED

Case Finish	Door Frame Finish	Glass Door Finish	Key Style
Source Laminate Flintwood (No Cathedral)	AC Clear Anodized Foundation Accent Mica	Standard: CL Clear FT Frosted Back-Painted	N No Lock K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

3D	60	FT	R

BRHG

Tower with Full Glass Door - High Secondary Desk Mounted (Continued)

CUBE STYLE	PRICING		KEY UPCHARGE
	CLEAR GLASS DOOR	(CL)	
	CASE FINISH		
	Source Laminate	Flintwood	Keyed Alike or Keyed Randomly
BRHGS181866	1121	2816	55
BRHGS181872	1195	2941	55
BRHGS181881	1363	3066	55
	FROSTED GLASS (FT) CASE FINISH	/ BACK-PAINTED GLASS DOOR	
	Source Laminate	Flintwood	
BRHGS181866	1236	2931	55
BRHGS181872	1314	3060	55
BRHGS181881	1486	3189	55

BRHO

Open Tower - High Secondary Desk Mounted

This tower combines a 2-level open storage compartments and a pigeonhole section. It must always be mounted on a High Secondary Desk.

WHAT'S INCLUDED

1 tower with open compartments, mounting hardware, and components as listed below:

	Heights			
	6	6"	72" c	or 81"
Widths	18"	36"	18"	36"
Adjustable Shelf Pigeonhole	1 1	2 2	2 1	4 2

WHAT'S EXCLUDED


All High Secondary Desks, Multi-Functional Drawer, and Shelf for Tower.

NOTES

This mounted tower **cannot** be used alone. It must be connected to another mounted tower, a freestanding tower, a wall panel or a single or double overhead cabinet in order to ensure stability.

The Multi-Functionnal Drawer (BADMF) can only be installed in the pigeonhole section.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Depth	Width	Height	Case Finish
18	18, 36	66, 72, 81	Source Laminate
			Flintwood (No Cathedral)

SAMPLE ORDER CODE


BRHO 18	18	72	3D
---------	----	----	----

CUBE STYLE

	Source Laminate	Flintwood
BRHO181866	695	2326
BRHO181872	746	2402
BRHO181881	833	2478
BRHO183666	1082	3245
BRHO183672	1162	3361
BRHO183681	1312	3477

BOSH 7

Overhead Cabinet - Solid Hinged Doors



This cabinet is a lockable mounted storage unit that supplies overhead storage in a variety of widths.

WHAT'S INCLUDED

1 overhead cabinet, wall-mounted supports (as specified), locks and keys (as specified), and components as listed below:

	Widths					
_	24" to 36"	42" to 54"	60" to 78"	84"		
Door Divider	2 n/a	3	4	5		

WHAT'S EXCLUDED

Wall Panel for Overhead Cabinet (B_WCC), Wall Panel for Overhead Cabinet and Shelf (B_WCO), Top for Overhead Cabinet (B_OT), and accessories (BLEDD or BLEDS).

NOTES

For the Wall Panel Mounting Style (B), specify the width according to the width of the Wall Panel for Overhead Cabinet.

When Wall-Mounted (W) option is specified, only 16" depth is available.

When Linear LED Light Ready (L) option is specified, 24" width is not available.

When Linear LED Light Ready (L) option is specified, a Support for Linear LED Light – Overhead (BLEDS) must be ordered separately.

Edge Trim finish on Door Front always match Door Front finish (Source or Foundation Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Mounting Style	Depth	Width	Height
B Wall Panel Mounted	16, 18	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	15
W Wall-Mounted		78, 84	

SAMPLE ORDER CODE

BOSH B	16	54	15

PRODUCT OPTIONS CONTINUED

Light Management	Door Front Finish	Case Finish	Key Style
L Linear LED Light Ready	Source Laminate	Source Laminate	N No Lock
N No Light Management	Foundation Laminate Flintwood (No Cathedral)	Flintwood (No Cathedral)	K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

	L	XS	XS	K
--	---	----	----	---



BOSH


Overhead Cabinet – Solid Hinged Doors (Continued)

DIMENSIONS INCHES / MM

			SOURCE LAMINATE O			FLINTWOOD CASE FINISH
D	W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood
16 / 406	24 / 610	15 / 381	718	757	922	2038
16 / 406	30 / 762	15 / 381	756	806	1092	2269
16 / 406	36 / 914	15 / 381	800	863	1261	2510
16 / 406	42 / 1067	15 / 381	929	954	1452	2773
16 / 406	48 / 1219	15 / 381	999	1082	1638	3025
16 / 406	54 / 1372	15 / 381	1064	1155	1827	3482
16 / 406	60 / 1524	15 / 381	1169	1268	1999	3703
16 / 406	66 / 1676	15 / 381	1205	1313	2169	3921
16 / 406	72 / 1829	15 / 381	1260	1387	2340	4141
16 / 406	78 / 1981	15 / 381	1297	1431	2526	4376
16 / 406	84 / 2134	15 / 381	1440	1585	2714	4603
18 / 457	24 / 610	15 / 381	718	757	922	2038
18 / 457	30 / 762	15 / 381	756	806	1092	2269
18 / 457	36 / 914	15 / 381	800	863	1261	2510
18 / 457	42 / 1067	15 / 381	929	954	1452	2773
18 / 457	48 / 1219	15 / 381	999	1082	1638	3025
18 / 457	54 / 1372	15 / 381	1064	1155	1827	3482
18 / 457	60 / 1524	15 / 381	1169	1268	1999	3703
18 / 457	66 / 1676	15 / 381	1205	1313	2169	3921
18 / 457	72 / 1829	15 / 381	1260	1387	2340	4141
18 / 457	78 / 1981	15 / 381	1297	1431	2526	4376
18 / 457	84 / 2134	15 / 381	1440	1585	2714	4603

BOGH "

Overhead Cabinet -Glass Hinged Doors



This cabinet is a lockable mounted storage unit that supplies overhead storage in a variety of widths.

WHAT'S INCLUDED

 $1\ overhead\ cabinet,$ wall-mounted supports (as specified), locks and keys (as specified), and components as listed below:

	Widths				
	24" to 36"	42" to 54"	60" to 78"	84"	
Door Divider	2 n/a	3 1	4 1	5 2	

WHAT'S EXCLUDED

Wall Panel for Overhead Cabinet (B_WCC), Wall Panel for Overhead Cabinet and Shelf (B_WCO), Top for Overhead Cabinet (B_OT), and accessories (BLEDD or BLEDS).

NOTES

For the Wall Panel Mounting Style (B), specify the width according to the width of the Wall Panel for Overhead Cabinet.

When Wall-Mounted (W) option is specified, only 16" depth is available.

When Linear LED Light Ready (L) option is specified, 24" width is not available.

When Linear LED Light Ready (L) option is specified, a Support for Linear LED Light – Overhead (BLEDS) must be ordered separately.

Not all glass finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Mounting Style	Depth	Width	Height	Light Management
B Wall Panel Mounted	16, 18	24, 30, 36, 42, 48, 54, 60, 66,	15	L Linear LED Light Ready
W Wall-Mounted		72, 78, 84		N No Light Management

SAMPLE ORDER CODE

BOGH W	16	84	15	L
--------	----	----	----	---

PRODUCT OPTIONS CONTINUED

Case Finish	Door Frame Finish	Glass Door Finish	Key Style
Source Laminate Flintwood (No Cathedral)	AC Clear Anodized Foundation Accent Mica	CL Clear FT Frosted	N No Lock K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

VC	A.C.	ET	N
AS	AC	I I	IN



KEY UPCHARGE

Overhead Cabinet – Glass Hinged Doors (Continued)

DIMENSIONS INCHES / MM

D

16 / 406

16 / 406

16 / 406

16 / 406

16 / 406

16 / 406

16 / 406

16 / 406

16 / 406

16 / 406

16 / 406

18 / 457

18 / 457

18 / 457

18 / 457

18 / 457

18 / 457

18 / 457

18 / 457

18 / 457

18 / 457

18 / 457

W

24 / 610

30 / 762

36 / 914

42 / 1067

48 / 1219

54 / 1372

60 / 1524

66 / 1676

72 / 1829

78 / 1981

84 / 2134

24 / 610

30 / 762

36 / 914

42 / 1067

48 / 1219

54 / 1372

60 / 1524

66 / 1676

72 / 1829

78 / 1981

84 / 2134

Η

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

15 / 381

2596

2992

PRICING

Clear Glass (CL)	Frosted Glass (FT) / Back-Painted Glass	Clear Glass (CL)	Frosted Glass (FT) / Back-Painted Glass
1138	1320	2254	2436
1284	1485	2461	2662
1312	1520	2561	2769
1568	1816	2889	3137
1712	1980	3099	3367
1856	2145	3511	3800
2024	2333	3728	4037
2169	2497	3921	4249
2246	2587	4047	4388
2384	2748	4234	4598
2596	2992	4485	4881
1138	1320	2254	2436
1284	1485	2461	2662
1312	1520	2561	2769
1568	1816	2889	3137
1712	1980	3099	3367
1856	2145	3511	3800
2024	2333	3728	4037
2169	2497	3921	4249
2246	2587	4047	4388
2384	2748	4234	4598

4485

4881


Keyed Alike or Keyed Randomly
55
55
55
115
115
115
115
115
115
115
171
55
55
55
115
115
115
115
115
115
115

171



BOSF 3

Overhead Cabinet – Solid Flipper Door(s)



Door Divider

This cabinet is a lockable mounted storage unit that supplies overhead storage in a variety of widths.

WHAT'S INCLUDED

1 overhead cabinet, wall-mounted supports (as specified), pulls, lock and keys (as specified), and components as listed below:

	Widths				
	24" to 48"	54" to 84"			
oor	1	2			
vider	n/a	1			

WHAT'S EXCLUDED

Wall Panel for Overhead Cabinet (B_WCC), Wall Panel for Overhead Cabinet and Shelf (B_WCO), Top for Overhead Cabinet (B_OT), and accessories (BLEDD or BLEDS).

NOTES

For the Wall Panel Mounting Style (B), specify the width according to the width of the Wall Panel for Overhead Cabinet.

When Linear LED Light Ready (L) option is specified, 24" width is not available.

When Linear LED Light Ready (L) option is specified, a Support for Linear LED Light – Overhead (BLEDS) must be ordered separately.

Top for Overhead Cabinet (B_OT) cannot be installed on this product.

Edge Trim finish on Door Front always match Door Front finish (Source or Foundation Laminate).

PRODUCT OPTIONS

Mounting Style	Depth	Width	Height	Light Management
B Wall Panel Mounted	16	24, 30, 36, 42, 48, 54, 60, 66,	15	L Linear LED Light Ready
W Wall-Mounted		72, 78, 84		N No Light Management

SAMPLE ORDER CODE

BOSF B 16 78 15 L

PRODUCT OPTIONS CONTINUED

Door Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	1 Standard Expansion	Foundation	N No Lock
Foundation Laminate		6 Arched	Mica	K Keyed Alike
		9 Rectilinear		R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

XS	XS	9	52	R
----	----	---	----	---



Overhead Cabinet – Solid Flipper Door(s) (Continued)

DIMENSIONS INCHES / MM


D	W	Н
16 / 406	24 / 610	15 / 381
16 / 406	30 / 762	15 / 381
16 / 406	36 / 914	15 / 381
16 / 406	42 / 1067	15 / 381
16 / 406	48 / 1219	15 / 381
16 / 406	54 / 1372	15 / 381
16 / 406	60 / 1524	15 / 381
16 / 406	66 / 1676	15 / 381
16 / 406	72 / 1829	15 / 381
16 / 406	78 / 1981	15 / 381
16 / 406	84 / 2134	15 / 381

Source Laminate	Foundation Laminate
966	1023
1023	1063
1089	1137
1151	1234
1177	1278
1420	1536
1456	1578
1517	1653
1557	1709
1641	1782
1684	1857



BOSS

Overhead Cabinet - Solid Sliding Doors



This cabinet is a lockable mounted storage unit that supplies overhead storage in a variety of widths.

WHAT'S INCLUDED

1 overhead cabinet, wall-mounted supports (as specified), 2 sliding door pulls, 1 divider (54" to 84" only), lock and keys (as specified).

WHAT'S EXCLUDED

Wall Panel for Overhead Cabinet (B_WCC), Wall Panel for Overhead Cabinet and Shelf (B_WCO), Top for Overhead Cabinet (B_OT), and accessories (BLEDD or BLEDS).

NOTES

For the Wall Panel Mounting Style (B), specify the width according to the width of the Wall Panel for Overhead Cabinet.

When Wall Panel Mountred (B) option is specified, only 18" depth is available.

When Wall-Mountred (W) option is specified, only 16" depth is available.

When Linear LED Light Ready (L) option is specified, a Support for Linear LED Light – Overhead (BLEDS) must be ordered separately.

Edge Trim finish on Door Front always match Door Front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Mounting Style	Depth	Width	Height	Light Management
B Wall Panel Mounted W Wall-Mounted	16, 18	30, 36, 42, 48, 54, 60, 66, 72, 78, 84		L Linear LED Light Ready
w wall-Mounted				N No Light Management

SAMPLE ORDER CODE

BOSS B	18	84	15	L
D000 D	10	0.1	1,0	

PRODUCT OPTIONS CONTINUED

Sliding Door Finish	Case Finish	Pull Finish	Key Style
Source Laminate	Source Laminate	Foundation	N No Lock
Flintwood	Flintwood	Mica	K Keyed Alike
(No Cathedral)	(No Cathedral)		R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

XS	XS	52	N
		•	




Overhead Cabinet – Solid Sliding Doors (Continued)

DIMENSIONS INCHES / MM

			SOURCE LAMINATE CASE	FINISH	FLINTWOOD CASE FINISH
			SLIDING DOOR FINISH	2 1 11 1 1 1 1	TERM WOOD CASE TRAISIT
			Source		
D	W	Н	Laminate	Flintwood	Flintwood
16 / 406	30 / 762	15 / 381	1195	1391	2568
16 / 406	36 / 914	15 / 381	1379	1601	2850
16 / 406	42 / 1067	15 / 381	1472	1720	3041
16 / 406	48 / 1219	15 / 381	1574	1853	3240
16 / 406	54 / 1372	15 / 381	1777	1990	3645
16 / 406	60 / 1524	15 / 381	1882	2123	3827
16 / 406	66 / 1676	15 / 381	1978	2247	3999
16 / 406	72 / 1829	15 / 381	2050	2346	4147
16 / 406	78 / 1981	15 / 381	2137	2461	4311
16 / 406	84 / 2134	15 / 381	2228	2589	4478
18 / 457	30 / 762	15 / 381	1195	1391	2568
18 / 457	36 / 914	15 / 381	1379	1601	2850
18 / 457	42 / 1067	15 / 381	1472	1720	3041
18 / 457	48 / 1219	15 / 381	1574	1853	3240
18 / 457	54 / 1372	15 / 381	1777	1990	3645
18 / 457	60 / 1524	15 / 381	1882	2123	3827
18 / 457	66 / 1676	15 / 381	1978	2247	3999
18 / 457	72 / 1829	15 / 381	2050	2346	4147
18 / 457	78 / 1981	15 / 381	2137	2461	4311
18 / 457	84 / 2134	15 / 381	2228	2589	4478

BOGS 3

Overhead Cabinet -Sliding Glass Doors



This cabinet is a lockable mounted storage unit that supplies overhead storage in a variety of widths.

WHAT'S INCLUDED

1 overhead cabinet, wall-mounted supports (as specified), 2 sliding doors, 2 sliding door pulls, 1 divider (54" to 84" only), lock and keys (as specified).

WHAT'S EXCLUDED

Wall Panel for Overhead Cabinet (B_WCC), Wall Panel for Overhead Cabinet and Shelf (B_WCO), Top for Overhead Cabinet (B_OT), and accessories (BLEDD or BLEDS).

NOTES

For the Wall Panel Mounting Style (B), specify the width according to the width of the Wall Panel for Overhead Cabinet.

When Wall Panel Mountred (B) option is specified, only 18" depth is available.

When Wall-Mountred (W) option is specified, only 16" depth is available.

When Linear LED Light Ready (L) option is specified, a Support for Linear LED Light – Overhead (BLEDS) must be ordered separately.

Not all glass finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Mounting Style	Depth	Width	Height	Light Management
B Wall Panel Mounted	16, 18	30, 36, 42, 48, 54, 60, 66, 72,		L Linear LED Light Ready
W Wall-Mounted		78, 84		N No Light Management

SAMPLE ORDER CODE

ROCS R	1 0	Q / ₁	15	Ţ
BOG2 B	18	84	15	L

PRODUCT OPTIONS CONTINUED

Case Finish	Glass Door Finish	Pull Finish	Key Style
Source Laminate Flintwood (No Cathedral)	Standard: CL Clear FT Frosted Back-Painted	Foundation Mica	N No Lock K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

XS	CI.	74	K
210	OL CL	/ -	11




Overhead Cabinet – Sliding Glass Doors (Continued)

DIMENSIONS INCHES / MM

		COURCE LANGUATE CASE	EINICH	ELINEWICOD CACE ENUCIA	
				FLINT WOOD CASE FINISH	
W	Н	Clear Glass (CL)	Frosted Glass (FT) / Back-Painted Glass	Clear Glass (CL)	Frosted Glass (FT) / Back-Painted Glass
30 / 762	15 / 381	1293	1390	2470	2567
36 / 914	15 / 381	1384	1502	2633	2751
42 / 1067	15 / 381	1465	1602	2786	2923
48 / 1219	15 / 381	1557	1707	2944	3094
54 / 1372	15 / 381	1750	1921	3405	3576
60 / 1524	15 / 381	1839	2032	3543	3736
66 / 1676	15 / 381	1929	2140	3681	3892
72 / 1829	15 / 381	2000	2255	3801	4056
78 / 1981	15 / 381	2087	2367	3937	4217
84 / 2134	15 / 381	2178	2476	4067	4365
30 / 762	15 / 381	1293	1390	2470	2567
36 / 914	15 / 381	1384	1502	2633	2751
42 / 1067	15 / 381	1465	1602	2786	2923
48 / 1219	15 / 381	1557	1707	2944	3094
54 / 1372	15 / 381	1750	1921	3405	3576
60 / 1524	15 / 381	1839	2032	3543	3736
66 / 1676	15 / 381	1929	2140	3681	3892
72 / 1829	15 / 381	2000	2255	3801	4056
78 / 1981	15 / 381	2087	2367	3937	4217
84 / 2134	15 / 381	2178	2476	4067	4365
	30 / 762 36 / 914 42 / 1067 48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 30 / 762 36 / 914 42 / 1067 48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981	30 / 762	W H Clear Glass (CL) 30 / 762 15 / 381 1293 36 / 914 15 / 381 1384 42 / 1067 15 / 381 1465 48 / 1219 15 / 381 1557 54 / 1372 15 / 381 1750 60 / 1524 15 / 381 1839 66 / 1676 15 / 381 1929 72 / 1829 15 / 381 2000 78 / 1981 15 / 381 2087 84 / 2134 15 / 381 1293 30 / 762 15 / 381 1384 42 / 1067 15 / 381 1465 48 / 1219 15 / 381 1465 48 / 1219 15 / 381 1557 54 / 1372 15 / 381 1750 60 / 1524 15 / 381 1750 60 / 1524 15 / 381 1839 66 / 1676 15 / 381 1929 72 / 1829 15 / 381 2000 78 / 1981 15 / 381 2000	W H Clear Glass (CL) Back-Painted Glass 30 / 762 15 / 381 1293 1390 36 / 914 15 / 381 1384 1502 42 / 1067 15 / 381 1465 1602 48 / 1219 15 / 381 1557 1707 54 / 1372 15 / 381 1750 1921 60 / 1524 15 / 381 1839 2032 66 / 1676 15 / 381 1929 2140 72 / 1829 15 / 381 2087 2367 78 / 1981 15 / 381 2178 2476 30 / 762 15 / 381 1293 1390 36 / 914 15 / 381 1384 1502 42 / 1067 15 / 381 1465 1602 48 / 1219 15 / 381 1465 1602 48 / 1372 15 / 381 1750 1921 60 / 1524 15 / 381 1750 1921 60 / 1524 15 / 381 1750 1921 60 / 1524 15 / 381	W H Clear Glass (CL) Frosted Glass (FT) / Back-Painted Glass Clear Glass (CL) 30 / 762 15 / 381 1293 1390 2470 36 / 914 15 / 381 1384 1502 2633 42 / 1067 15 / 381 1465 1602 2786 48 / 1219 15 / 381 1557 1707 2944 54 / 1372 15 / 381 1750 1921 3405 60 / 1524 15 / 381 1839 2032 3543 66 / 1676 15 / 381 1929 2140 3681 72 / 1829 15 / 381 2000 2255 3801 78 / 1981 15 / 381 2087 2367 3937 84 / 2134 15 / 381 1293 1390 2470 30 / 762 15 / 381 1293 1390 2470 36 / 914 15 / 381 1465 1602 2786 48 / 1219 15 / 381 1465 1602 2786 48 / 1219 15 / 381 <t< td=""></t<>

BOSOS

Overhead Cabinet – Solid Overlay Sliding Door



This cabinet is a mounted storage unit that supplies overhead storage in a variety of widths.

WHAT'S INCLUDED

1 overhead cabinet, wall-mounted supports (as specified), 1 overlay sliding door and 1 divider (54" to 84" only).

WHAT'S EXCLUDED

Wall Panel for Overhead Cabinet (B_WCC), Wall Panel for Overhead Cabinet and Shelf (B_WCO), Top for Overhead Cabinet (B_OT), and accessories (BLEDD or BLEDS).

NOTES

For the Wall Panel Mounting Style (B), specify the width according to the width of the Wall Panel for Overhead Cabinet.

When Wall-Mounted (W) option is specified, only 16" depth is avalaible.

Top for Overhead Cabinet (B_OT) cannot be installed on this product.

When Linear LED Light Ready (L) option is specified, a Support for Linear LED Light – Overhead (BLEDS) must be ordered separately.

Edge Trim finish on Overlay Door Front always match Overlay Door Front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details

PRODUCT OPTIONS

Mounting Style	Configuration	Depth	Width	Height
B Wall Panel Mounted	O One Door	16, 18	30, 36, 42, 48, 54, 60, 66, 72,	15
W Wall-Mounted			78, 84	

SAMPLE ORDER CODE

BOSOS B O	18	72	15
-----------	----	----	----

PRODUCT OPTIONS CONTINUED

Orientation	Light Management	Overlay Door Finish	Case Finish	Key Style
L Overlay Door on Left (Shown) R Overlay Door on Right		Source Laminate Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	N No Lock

SAMPLE ORDER CODE CONTINUED

L	L	XS	XS	N




Overhead Cabinet - Solid Overlay Sliding Door (Continued)

DIMENSIONS INCHES / MM

			ONE DOOR (O)		
			SOURCE LAMINATE CAS	E FINISH	FLINTWOOD CASE FINISH
			OVERLAY DOOR FRONT	FINISH	
D	W	Н	Source Laminate	Flintwood	Flintwood
16 / 406	30 / 762	15 / 381	778	894	2071
16 / 406	36 / 914	15 / 381	828	949	2198
16 / 406	42 / 1067	15 / 381	878	1005	2326
16 / 406	48 / 1219	15 / 381	927	1057	2444
16 / 406	54 / 1372	15 / 381	978	1112	2767
16 / 406	60 / 1524	15 / 381	1027	1168	2872
16 / 406	66 / 1676	15 / 381	1076	1221	2973
16 / 406	72 / 1829	15 / 381	1126	1278	3079
16 / 406	78 / 1981	15 / 381	1177	1332	3182
16 / 406	84 / 2134	15 / 381	1226	1384	3273
18 / 457	30 / 762	15 / 381	778	894	2071
18 / 457	36 / 914	15 / 381	828	949	2198
18 / 457	42 / 1067	15 / 381	878	1005	2326
18 / 457	48 / 1219	15 / 381	927	1057	2444
18 / 457	54 / 1372	15 / 381	978	1112	2767
18 / 457	60 / 1524	15 / 381	1027	1168	2872
18 / 457	66 / 1676	15 / 381	1076	1221	2973
18 / 457	72 / 1829	15 / 381	1126	1278	3079
18 / 457	78 / 1981	15 / 381	1177	1332	3182
18 / 457	84 / 2134	15 / 381	1226	1384	3273

BOSOG T

Overhead Cabinet – Glass Overlay Sliding Door



This cabinet is a mounted storage unit that supplies overhead storage in a variety of widths

WHAT'S INCLUDED

1 overhead cabinet, wall-mounted supports (as specified), 1 overlay sliding door and 1 divider (54" to 84" only).

WHAT'S EXCLUDED

Wall Panel for Overhead Cabinet (B_WCC), Wall Panel for Overhead Cabinet and Shelf (B_WCO), Top for Overhead Cabinet (B_OT), and accessories (BLEDD or BLEDS).

NOTES

For the Wall Panel Mounting Style (B), specify the width according to the width of the Wall Panel for Overhead Cabinet.

When Wall-Mounted (W) option is specified, only 16" depth is avalaible.

Top for Overhead Cabinet (B_OT) cannot be installed on this product.

When Linear LED Light Ready (L) option is specified, a Support for Linear LED Light – Overhead (BLEDS) must be ordered separately.

PRODUCT OPTIONS

Mounting Style	Configuration	Depth	Width	Height	Orientation
B Wall Panel Mounted W Wall-Mounted	One Door	16, 18	30, 36, 42, 48, 54, 60, 66, 72, 78, 84	15	L Overlay Door on Left (Shown)
W Was Mounted					R Overlay Door on Right

SAMPLE ORDER CODE

BOSOG B	O 18	72	15	L
---------	------	----	----	---

PRODUCT OPTIONS CONTINUED

Light Management	Case Finish	Overlay Door Frame Finish	Overlay Door Finish	Key Style
L Linear LED Light Ready	Source Laminate	Foundation	Back-Painted	N No Lock
N No Light Management	Flintwood (No Cathedral)	Accent Mica		

SAMPLE ORDER CODE CONTINUED

Ţ	VC	7/	I/ 1	NT NT
L	AS	/ 4	N1	IN

BOSOG


Overhead Cabinet – Glass Overlay Sliding Door (Continued)

DIMENSIONS INCHES / MM

			ONE DOOR (O)	
			SOURCE LAMINATE CASE FINISH	FLINTWOOD CASE FINISH
			OVERLAY DOOR FINISH	
D	W	Н	Back-Painted Glass	Back-Painted Glass
16 / 406	30 / 762	15 / 381	969	2146
16 / 406	36 / 914	15 / 381	1066	2315
16 / 406	42 / 1067	15 / 381	1165	2486
16 / 406	48 / 1219	15 / 381	1260	2647
16 / 406	54 / 1372	15 / 381	1357	3012
16 / 406	60 / 1524	15 / 381	1455	3159
16 / 406	66 / 1676	15 / 381	1550	3302
16 / 406	72 / 1829	15 / 381	1648	3449
16 / 406	78 / 1981	15 / 381	1743	3593
16 / 406	84 / 2134	15 / 381	1840	3729
18 / 457	30 / 762	15 / 381	969	2146
18 / 457	36 / 914	15 / 381	1066	2315
18 / 457	42 / 1067	15 / 381	1165	2486
18 / 457	48 / 1219	15 / 381	1260	2647
18 / 457	54 / 1372	15 / 381	1357	3012
18 / 457	60 / 1524	15 / 381	1455	3159
18 / 457	66 / 1676	15 / 381	1550	3302
18 / 457	72 / 1829	15 / 381	1648	3449
18 / 457	78 / 1981	15 / 381	1743	3593
18 / 457	84 / 2134	15 / 381	1840	3729

BOCOL "

Overhead Cabinet - Open



F

This cabinet is a mounted storage unit that supplies overhead storage in a variety of widths.

WHAT'S INCLUDED

1 overhead cabinet, wall-mounted supports (as specified) and 1 divider (54" to 84" only).

WHAT'S EXCLUDED

Wall Panel for Overhead Cabinet (B_WCC), Wall Panel for Overhead Cabinet and Shelf (B_WCO), Top for Overhead Cabinet (B_OT), and accessories (BLEDD or BLEDS).

NOTES

For the Wall Panel Mounting Style (B), specify the width according to the width of the Wall Panel for Overhead Cabinet.

When Wall-Mounted (W) option is specified, only 16" depth is avalaible.

Top for Overhead Cabinet (B_OT) cannot be installed on this product.

When Linear LED Light Ready (L) option is specified, 24" width is ${\bf not}$ available.

When Linear LED Light Ready (L) option is specified, a Support for Linear LED Light – Overhead (BLEDS) must be ordered separately.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details

Mounting Style	Depth	Width	Height	Light Management	Case Finish
B Wall Panel Mounted W Wall-Mounted	16, 18	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	15	L Linear LED Light Ready N No Light Management	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

PRODUCT OPTIONS

DIMENSIONS INCHES / MM

_			Source		
D	W	H	Laminate	Flintwood	
16 / 406	24 / 610	15 / 381	689	1805	
16 / 406	30 / 762	15 / 381	718	1895	
16 / 406	36 / 914	15 / 381	761	2010	
16 / 406	42 / 1067	15 / 381	804	2125	
16 / 406	48 / 1219	15 / 381	846	2233	
16 / 406	54 / 1372	15 / 381	889	2544	
16 / 406	60 / 1524	15 / 381	930	2634	
16 / 406	66 / 1676	15 / 381	973	2725	
16 / 406	72 / 1829	15 / 381	1015	2816	
16 / 406	78 / 1981	15 / 381	1058	2908	
16 / 406	84 / 2134	15 / 381	1101	2990	
18 / 457	24 / 610	15 / 381	689	1805	
18 / 457	30 / 762	15 / 381	718	1895	
18 / 457	36 / 914	15 / 381	761	2010	
18 / 457	42 / 1067	15 / 381	804	2125	
18 / 457	48 / 1219	15 / 381	846	2233	
18 / 457	54 / 1372	15 / 381	889	2544	
18 / 457	60 / 1524	15 / 381	930	2634	
18 / 457	66 / 1676	15 / 381	973	2725	
18 / 457	72 / 1829	15 / 381	1015	2816	
18 / 457	78 / 1981	15 / 381	1058	2908	
18 / 457	84 / 2134	15 / 381	1101	2990	

BODSH 7

Double Overhead Cabinet – Solid Hinged Doors

This cabinet is a lockable mounted storage unit that supplies double overhead storage in a variety of widths.

WHAT'S INCLUDED

1 double overhead cabinet, wall-mounted supports (as specified), locks and keys (as specified), and components as listed below:

_		Widths		
	24" to 36"	42" to 54"	60"	
Door	2	3	4	
Divider	n/a	1	1	
Adjustable Shelf	1	1	1	per compartment

WHAT'S EXCLUDED

Wall Panel for Overhead Cabinet (B_WCC), Wall Panel for Overhead Cabinet and Shelf (B_WCO), Top for Overhead Cabinet (B_OT), and accessories (BLEDD or BLEDS).

NOTES

For the Wall Panel Mounting Style (B), specify the width according to the width of the Wall Panel for Overhead Cabinet.

When Wall-Mounted (W) option is specified, only 16" depth is available.


When Linear LED Light Ready (L) option is specified, 24" width is not available.

When Linear LED Light Ready (L) option is specified, a Support for Linear LED Light – Overhead (BLEDS) must be ordered separately.

The shelf has an eleven positions adjustment with 1 1/4" intervals.

Edge Trim finish on Door Front always match Door Front finish (Source or Foundation Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Mounting Style	Depth	Width	Height
B Wall Panel Mounted	16, 18	24, 30, 36, 42, 48, 54, 60	30
W Wall-Mounted			

SAMPLE ORDER CODE

RODSH R	1 0	5/4	30
роруп р	10)4	30

PRODUCT OPTIONS CONTINUED

Light Management	Door Front Finish	Case Finish	Key Style
L Linear LED Light Ready	Source Laminate	Source Laminate	N No Lock
N No Light Management	Foundation Laminate Flintwood (No Cathedral)	Flintwood (No Cathedral)	K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

T	VC	VC	T/
L	λS	λδ	N.

BODSH

Double Overhead Cabinet – Solid Hinged Doors (Continued)


DIMENSIONS INCHES / MM

			CASE FINISH		FLINTWOOD CASE FINISH
		DOOR FRONT FINISH	[
w	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood
24 / 610	30 / 762	983	1061	1391	2934
30 / 762	30 / 762	1051	1151	1723	3396
36 / 914	30 / 762	1119	1245	2041	3844
42 / 1067	30 / 762	1333	1383	2379	4264
48 / 1219	30 / 762	1385	1551	2663	4723
54 / 1372	30 / 762	1436	1618	2962	5197
60 / 1524	30 / 762	1624	1822	3284	5694
24 / 610	30 / 762	983	1061	1391	2934
30 / 762	30 / 762	1051	1151	1723	3396
36 / 914	30 / 762	1119	1245	2041	3844
42 / 1067	30 / 762	1333	1383	2379	4264
48 / 1219	30 / 762	1385	1551	2663	4723
54 / 1372	30 / 762	1436	1618	2962	5197
60 / 1524	30 / 762	1624	1822	3284	5694
	24 / 610 30 / 762 36 / 914 42 / 1067 48 / 1219 54 / 1372 60 / 1524 24 / 610 30 / 762 36 / 914 42 / 1067 48 / 1219 54 / 1372	24 / 610 30 / 762 30 / 762 30 / 762 36 / 914 30 / 762 42 / 1067 30 / 762 48 / 1219 30 / 762 54 / 1372 30 / 762 60 / 1524 30 / 762 24 / 610 30 / 762 30 / 762 30 / 762 30 / 762 30 / 762 42 / 1067 30 / 762 48 / 1219 30 / 762 54 / 1372 30 / 762	W H Source Laminate 24 / 610 30 / 762 983 30 / 762 30 / 762 1051 36 / 914 30 / 762 1119 42 / 1067 30 / 762 1333 48 / 1219 30 / 762 1385 54 / 1372 30 / 762 1436 60 / 1524 30 / 762 1624 24 / 610 30 / 762 983 30 / 762 30 / 762 1051 36 / 914 30 / 762 1119 42 / 1067 30 / 762 1333 48 / 1219 30 / 762 1385 54 / 1372 30 / 762 1436	W H Source Laminate Foundation Laminate 24 / 610 30 / 762 983 1061 30 / 762 30 / 762 1051 1151 36 / 914 30 / 762 1119 1245 42 / 1067 30 / 762 1333 1383 48 / 1219 30 / 762 1385 1551 54 / 1372 30 / 762 1436 1618 60 / 1524 30 / 762 1624 1822 24 / 610 30 / 762 983 1061 30 / 762 30 / 762 1051 1151 36 / 914 30 / 762 1119 1245 42 / 1067 30 / 762 1333 1383 48 / 1219 30 / 762 1385 1551 54 / 1372 30 / 762 1385 1551 54 / 1372 30 / 762 1385 1551 54 / 1372 30 / 762 1436 1618	W H Source Laminate Foundation Laminate Flintwood 24 / 610 30 / 762 983 1061 1391 30 / 762 30 / 762 1051 1151 1723 36 / 914 30 / 762 1119 1245 2041 42 / 1067 30 / 762 1333 1383 2379 48 / 1219 30 / 762 1385 1551 2663 54 / 1372 30 / 762 1436 1618 2962 60 / 1524 30 / 762 1624 1822 3284 24 / 610 30 / 762 983 1061 1391 30 / 762 30 / 762 1051 1151 1723 36 / 914 30 / 762 1119 1245 2041 42 / 1067 30 / 762 1333 1383 2379 48 / 1219 30 / 762 1335 1551 2663 54 / 1372 30 / 762 1385 1551 2663 54 / 1372 30 / 762 1436 1618



BODGH 3

Double Overhead Cabinet -Glass Hinged Doors



This cabinet is a lockable mounted storage unit that supplies double overhead storage in a variety of widths.

WHAT'S INCLUDED

1 double overhead cabinet, wall-mounted supports (as specified), locks and keys (as specified), and components as listed below:

_		Widths		
_	24" to 36"	42" to 54"	60"	
Door	2	3	4	
Divider	n/a	1	1	
Adjustable Shelf				
Shelf	1	1	1 per	compartment

WHAT'S EXCLUDED

Wall Panel for Overhead Cabinet (B_WCC), Wall Panel for Overhead Cabinet and Shelf (B_WCO), Top for Overhead Cabinet (B_OT), and accessories (BLEDD or BLEDS).

NOTES

For the Wall Panel Mounting Style (B), specify the width according to the width of the Wall Panel for Overhead Cabinet.

When Wall-Mounted (W) option is specified, only 16" depth is available.

When Linear LED Light Ready (L) option is specified, 24" width is not available.

When Linear LED Light Ready (L) option is specified, a Support for Linear LED Light – Overhead (BLEDS) must be ordered separately.

The shelf has a eleven positions adjustment with 1 1/4" intervals.

Not all glass finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

Mounting Style	Depth	Width	Height	Light Management
B Wall Panel Mounted	16, 18	24, 30, 36, 42, 48, 54, 60	30	L Linear LED Light Ready
W Wall-Mounted				N No Light Management

SAMPLE ORDER CODE

PRODUCT OPTIONS

PRODUCT OPTIONS CONTINUED

Case Finish	Door Frame Finish	Glass Door Finish	Key Style
Source Laminate Flintwood (No Cathedral)	AC Clear Anodized Foundation Accent Mica	Standard: CL Clear FT Frosted Back-Painted	N No Lock K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

XS AC	FT	N
-------	----	---



BODGH

KEY UPCHARGE

Double Overhead Cabinet - Glass Hinged Doors (Continued)

4777

5094

5413

6099

DIMENSIONS INCHES / MM

16 / 406

16 / 406

16 / 406

16 / 406

16 / 406

16 / 406

16 / 406

18 / 457

18 / 457

18 / 457

18 / 457

18 / 457

18 / 457

18 / 457

W

24 / 610

30 / 762

36 / 914

42 / 1067

48 / 1219

54 / 1372

60 / 1524

24 / 610

30 / 762

36 / 914

42 / 1067

48 / 1219

54 / 1372

60 / 1524

Η

30 / 762

30 / 762

30 / 762

30 / 762

30 / 762

30 / 762

30 / 762

30 / 762

30 / 762

30 / 762

30 / 762

30 / 762

30 / 762

30 / 762

PRICING

2396

2498

2600

3071

FLINTWOOD CASE FINISH GLASS DOOR FRONT FINISH Frosted Glass (FT) / Frosted Glass (FT) / Clear Glass (CL) **Back-Painted Glass** Clear Glass (CL) **Back-Painted Glass** 1528 3435 1685 2087 3358 3760 1841 2257 3644 4060 2396 2892 4281 4777 2498 5094 3034 4558 2600 3178 4835 5413 3071 3689 5481 6099 1892 3071 3435 1528 1685 2087 3358 3760 4060 1841 2257 3644

2892

3034

3178

3689

4281

4558

4835


5481

Keyed Alike or Keyed Randomly
55
55
55
115
115
115
115
55
55
55
115
115
115

115

BODSS

Double Overhead Cabinet - Solid Overlay Sliding Door



This cabinet is a mounted storage unit that supplies double overhead storage in a variety of widths.

WHAT'S INCLUDED

1 double overhead cabinet, wall-mounted supports (as specified), 1 overlay sliding door, 1 fixed-height shelf per compartment and 1 divider (54" and 60" only).

WHAT'S EXCLUDED

Wall Panel for Overhead Cabinet (B_WCC), Wall Panel for Overhead Cabinet and Shelf (B_WCO) and accessories (BLEDD or BLEDS).

NOTES

For the Wall Panel Mounting Style (B), specify the width according to the width of the Wall Panel for Overhead Cabinet.

When Wall-Mounted (W) option is specified, only 16" depth is avalaible.

Top for Overhead Cabinet (B_OT) cannot be installed on this product.

When Linear LED Light Ready (L) option is specified, a Support for Linear LED Light – Overhead (BLEDS) must be ordered separately.

Edge Trim finish on Overlay Door Front always match Overlay Door Front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details

PRODUCT OPTIONS

Mounting Style	Configuration	Depth	Width	Height
B Wall Panel Mounted	O One Door	16, 18	30, 36, 42, 48, 54, 60	30
W Wall-Mounted				

SAMPLE ORDER CODE

BODSS B O 18	60 30	
--------------	-------	--

PRODUCT OPTIONS CONTINUED

Orientation	Light Management	Overlay Door Finish	Case Finish	Key Style
L Overlay Door on Left (Shown) R Overlay Door on Right	L Linear LED Light Ready N No Light Management	Source Laminate Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	N No Lock

SAMPLE ORDER CODE CONTINUED

L L	XS	XS	N
-----	----	----	---




Overhead Cabinet - Solid Overlay Sliding Door (Continued)

DIMENSIONS INCHES / MM

			ONE DOOR (O)		
			SOURCE LAMINATE CAS	SE FINISH	FLINTWOOD CASE FINISH
			OVERLAY DOOR FRONT	FINISH	<u> </u>
D	W	Н	Source Laminate	Flintwood	Flintwood
16 / 406	30 / 762	30 / 762	1037	1269	2942
16 / 406	36 / 914	30 / 762	1100	1342	3145
16 / 406	42 / 1067	30 / 762	1179	1433	3318
16 / 406	48 / 1219	30 / 762	1269	1529	3589
16 / 406	54 / 1372	30 / 762	1359	1627	3862
16 / 406	60 / 1524	30 / 762	1461	1743	4153
18 / 457	30 / 762	30 / 762	1037	1269	2942
18 / 457	36 / 914	30 / 762	1100	1342	3145
18 / 457	42 / 1067	30 / 762	1179	1433	3318
18 / 457	48 / 1219	30 / 762	1269	1529	3589
18 / 457	54 / 1372	30 / 762	1359	1627	3862
18 / 457	60 / 1524	30 / 762	1461	1743	4153

BODGS "

Double Overhead Cabinet -Glass Overlay Sliding Door



This cabinet is a lockable mounted storage unit that supplies double overhead storage in a variety of widths.

WHAT'S INCLUDED

1 double overhead cabinet, wall-mounted supports (as specified), 1 overlay sliding door, 1 fixed-height shelf per compartment and 1 divider (54" and 60" only).

WHAT'S EXCLUDED

Wall Panel for Overhead Cabinet (B_WCC), Wall Panel for Overhead Cabinet and Shelf (B_WCO) and accessories (BLEDD or BLEDS).

NOTES

For the Wall Panel Mounting Style (B), specify the width according to the width of the Wall Panel for Overhead Cabinet.

When Wall-Mounted (W) option is specified, only 16" depth is available.

Top for Overhead Cabinet (B_OT) cannot be installed on this product.

When Linear LED Light Ready (L) option is specified, a Support for Linear LED Light – Overhead (BLEDS) must be ordered separately.

PRODUCT OPTIONS

Mounting Style	Configuration	Depth	Width	Height	Orientation
B Wall Panel Mounted W Wall-Mounted	One Door	16, 18	30, 36, 42, 48, 54, 60	30	L Overlay Door on Left (Shown)
w wair-iviounted					R Overlay Door on Right

SAMPLE ORDER CODE

BODGS B	О	18	42	30	L
---------	---	----	----	----	---

PRODUCT OPTIONS CONTINUED

Light Management	Case Finish	Overlay Door Frame Finish	Overlay Door Finish	Key Style
L Linear LED Light Ready	Source Laminate	Foundation	Back-Painted	N No Lock
N No Light Management	Flintwood (No Cathedral)	Accent Mica		

SAMPLE ORDER CODE CONTINUED

Ţ	X S	74	K1	N
	710	/ 1	17.1	11

BODGS


Double Overhead Cabinet – Glass Overlay Sliding Door (Continued)

DIMENSIONS INCHES / MM

			ONE DOOR (O)	
			SOURCE LAMINATE CASE FINISH	FLINTWOOD CASE FINISH
			OVERLAY DOOR FINISH	
D	W	Н	Back-Painted Glass	Back-Painted Glass
16 / 406	30 / 762	30 / 762	1486	3159
16 / 406	36 / 914	30 / 762	1552	3355
16 / 406	42 / 1067	30 / 762	1644	3529
16 / 406	48 / 1219	30 / 762	1744	3804
16 / 406	54 / 1372	30 / 762	1843	4078
16 / 406	60 / 1524	30 / 762	1959	4369
18 / 457	30 / 762	30 / 762	1486	3159
18 / 457	36 / 914	30 / 762	1552	3355
18 / 457	42 / 1067	30 / 762	1644	3529
18 / 457	48 / 1219	30 / 762	1744	3804
18 / 457	54 / 1372	30 / 762	1843	4078
18 / 457	60 / 1524	30 / 762	1959	4369

BODOL

Double Overhead Cabinet - Open



This cabinet is a mounted storage unit that supplies double overhead storage in a variety of widths.

WHAT'S INCLUDED

1 double overhead cabinet, wall-mounted supports (as specified), 1 fixed-height shelf per compartment and 1 divider (42" to 60" only).

WHAT'S EXCLUDED

Wall Panel for Overhead Cabinet (B_WCC), Wall Panel for Overhead Cabinet and Shelf (B_WCO) and accessories (BLEDD or BLEDS).

NOTES

For the Wall Panel Mounting Style (B), specify the width according to the width of the Wall Panel for Overhead Cabinet.

When Wall-Mounted (W) option is specified, only 16" depth is avalaible.

When Linear LED Light Ready (L) option is specified, 24" width is not available.

Top for Overhead Cabinet (B_OT) cannot be installed on this product.

When Linear LED Light Ready (L) option is specified, a Support for Linear LED Light – Overhead (BLEDS) must be ordered separately.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Mounting Style	Depth	Width	Height	Light Management	Case Finish
B Wall Panel Mounted W Wall-Mounted	16	24, 30, 36, 42, 48, 54, 60	30	L Linear LED Light Ready N No Light Management	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

BODOL W	16	60	30	L	XS
DODOL W	10	00	J 0	L	110

DIMENSIONS INCHES / MM

D	W	Н	Laminate
16 / 400	5 24 / 610	30 / 762	834
16 / 400	30 / 762	30 / 762	891
16 / 400	5 36 / 914	30 / 762	948
16 / 400	6 42 / 1067	30 / 762	1022
16 / 400	6 48 / 1219	30 / 762	1093
16 / 400	54 / 1372	30 / 762	1164
16 / 400	60 / 1524	30 / 762	1235

Source		
Laminate	Flintwood	
834	2377	
891	2564	
948	2751	
1022	2907	
1093	3153	
1164	3399	
1235	3645	

The Top for Overhead Cabinet serves as a finishing feature on Overhead Cabinets with the exception of Overhead Cabinets (BOSF, BOSOS, BOSOG or BOCOL) and Double Overhead Cabinets (BODSS, BODGS or BODOL).

B_OT Top for Overhead Cabinet


WHAT'S INCLUDED

1 rectangular top with 3/8" thick neoprene spacer kit and mounting hardware.

Specify the width according to the width of the overhead cabinet on which the top is

Can be mounted on a single or double Overhead Cabinet with Hinged or Sliding Doors only.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Top Finish	Edge Trim Style	Edge Trim Finish
D 1"	16	24, 30, 36, 42, 48, 54,	Source Laminate	6 Straight Trim	Edge Trim Colors
M 1 3/16"		60, 66, 72, 78, 84	Foundation Laminate		
X 1 9/16"					

SAMPLE ORDER CODE

B D OT	16	72	3E	6	4E


DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
16 / 406	24 / 610	174	193	233
16 / 406	30 / 762	220	239	292
16 / 406	36 / 914	262	289	350
16 / 406	42 / 1067	309	333	408
16 / 406	48 / 1219	351	423	465
16 / 406	54 / 1372	396	455	523
16 / 406	60 / 1524	440	490	582
16 / 406	66 / 1676	486	520	640
16 / 406	72 / 1829	525	553	698
16 / 406	78 / 1981	565	586	757
16 / 406	84 / 2134	608	617	815



BOWF

Wall-Mounted Tackboard - Fabric



This fabric-wrapped tackboard is a low-cost alternative and it installs under any Wall-Mounted Overhead Cabinet.

WHAT'S INCLUDED

1 tackboard with Velcro® attachments.

NOTES

Must be attached directly on the building wall.

When the Wall-Mounted Tackboard is used over a secondary desk (B_MSD, BH_SR, BH_SB or BH_SL), it will ${f not}$ reach down to the worksurface.

PRODUCT OPTIONS

Starting Height	Finishing Height	Width	Fabric Finish
W From Standard Worksurface	51, 57, 66	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Panel Fabric

SAMPLE ORDER CODE

BOWF W	51	72	T531

DIMENSIONS INCHES / MM

Н	W	Gr. A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
51 / 1295	24 / 610	108	118	129	137	157	175	194	208
51 / 1295	30 / 762	122	129	143	157	182	211	231	251
51 / 1295	36 / 914	142	153	171	182	216	248	270	292
51 / 1295	42 / 1067	159	171	187	202	233	264	290	314
51 / 1295	48 / 1219	172	182	203	220	255	292	319	347
51 / 1295	54 / 1372	183	198	220	237	277	316	345	371
51 / 1295	60 / 1524	205	224	248	267	311	354	389	418
51 / 1295	66 / 1676	224	237	263	283	327	372	408	441
51 / 1295	72 / 1829	235	252	280	303	354	405	442	480
51 / 1295	78 / 1981	249	267	295	319	372	426	465	501
51 / 1295	84 / 2134	262	282	312	338	393	448	488	528
57 / 1448	24 / 610	126	138	152	166	191	216	235	254
57 / 1448	30 / 762	143	152	169	183	220	254	280	299
57 / 1448	36 / 914	168	179	200	217	253	290	317	343
57 / 1448	42 / 1067	183	202	222	239	275	311	340	368
57 / 1448	48 / 1219	202	219	240	260	303	346	376	408
57 / 1448	54 / 1372	219	233	260	278	320	365	398	429
57 / 1448	60 / 1524	241	260	288	311	361	411	449	486
57 / 1448	66 / 1676	260	278	309	328	378	430	470	512
57 / 1448	72 / 1829	278	295	328	355	416	476	520	564
57 / 1448	78 / 1981	292	311	348	375	440	506	551	597
57 / 1448	84 / 2134	307	331	365	396	461	524	573	618



Wall-Mounted Tackboard – Fabric (Continued)


DIMENSIONS INCHES / MM

Н	W
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219
66 / 1676	54 / 1372
66 / 1676	60 / 1524
66 / 1676	66 / 1676
66 / 1676	72 / 1829
66 / 1676	78 / 1981
66 / 1676	84 / 2134

Gr. A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
153	168	187	210	242	278	297	323
175	187	208	222	277	319	354	371
207	218	244	270	309	353	388	420
219	249	275	295	338	382	415	449
247	275	296	320	375	427	462	500
273	286	320	340	385	439	478	516
295	314	348	377	436	497	539	588
314	340	378	396	455	517	563	619
343	360	400	433	509	583	637	690
357	377	428	459	542	626	680	741
375	405	445	483	563	638	701	753

BOWE 3

Wall-Mounted Tackboard - Felt



This felt tackboard is a low-cost alternative and it installs under any Wall-Mounted Overhead Cabinet.

WHAT'S INCLUDED

1 felt tackboard with $\mathrm{Velcro}^{\circledast}$ attachments and mounting hardware.

NOTES

Must be attached directly on the building wall.

When the Wall-Mounted Tackboard is used over a secondary desk (B_MSD, BH_SR, BH_SB or BH_SL), it will ${f not}$ reach down to the worksurface.

PRODUCT OPTIONS

Starting Height	Finishing Height	Width	Felt Finish	Stitches Finish
W From Standard Worksurface	51, 57, 66	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Loft	C Carbon Coordinate E Shale Coordinate G Carrara Coordinate M Umber Coordinate

SAMPLE ORDER CODE

BOWE W	51	72	RB11	С
--------	----	----	------	---

DIMENS	I	ONS	
INCHES	,	1/1/	


INCHES / N		PRICING	
Н	W		
51 / 1295	24 / 610	194	
51 / 1295	30 / 762	240	
51 / 1295	36 / 914	289	
51 / 1295	42 / 1067	339	
51 / 1295	48 / 1219	385	
51 / 1295	54 / 1372	433	
51 / 1295	60 / 1524	483	
51 / 1295	66 / 1676	529	
51 / 1295	72 / 1829	578	
51 / 1295	78 / 1981	628	
51 / 1295	84 / 2134	674	
57 / 1448	24 / 610	262	
57 / 1448	30 / 762	328	
57 / 1448	36 / 914	396	
57 / 1448	42 / 1067	461	
57 / 1448	48 / 1219	525	
57 / 1448	54 / 1372	592	
57 / 1448	60 / 1524	657	
57 / 1448	66 / 1676	722	
57 / 1448	72 / 1829	786	
57 / 1448	78 / 1981	853	
57 / 1448	84 / 2134	920	

Wall-Mounted Tackboard – Felt (Continued)

DIMENSIONS INCHES / MM PRICING W 66 / 1676 24 / 610 398 66 / 1676 30 / 762 504 66 / 1676 36 / 914 610 66 / 1676 42 / 1067 705 66 / 1676 48 / 1219 805 66 / 1676 54 / 1372 910 66 / 1676 60 / 1524 1005 66 / 1676 66 / 1676 1108 66 / 1676 72 / 1829 1202 66 / 1676 78 / 1981 1303 66 / 1676 84 / 2134 1412

B WCC 1

Wall Panel for Overhead Cabinet



This wall panel is designed to support an overhead cabinet. It is compatible with tackboard or markerboard for enhanced functionality. Whether mounted onto a desk, credenza, secondary desk, mid-height storage, workwall kneespace module or workwall credenza, the wall panel is easily installed requiring securement at only two wall locations.

WHAT'S INCLUDED

 $1\ {
m or}\ 2$ panels, $1\ {
m square}\ {
m duo}\ {
m grommet}\ {
m ring},\ 1\ {
m cut}\ {
m out}\ {
m with}\ {
m power}\ {
m bar}\ {
m and}\ {
m cover}\ ({
m as}\ {
m specified}),\ {
m mounting}\ {
m hardware}\ {
m for}\ {
m wall}\ {
m panel}\ {
m and}\ {
m overhead}\ {
m cabinet}.$

WHAT'S EXCLUDED

Desk, Credenza, Secondary Desk, Mid-Height Storage, Workwall Storage, Overhead Cabinet, Double Overhead Cabinet, and Tackboard for Wall Panel.

NOTES

Duo Square Grommet Ring is finished in Black.

The number of panels may vary depending of the dimension and grain direction selected. Refer to Application Guide.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Mounting Style	Grain Direction	Overhead Height	Datum Height	Width	Power and Data	Panel Finish
 K On Mid-Height M On 1 3/16" thick Standard Worksurface X On 1 9/16" thick Standard Worksurface H On High Secondary Desk (All Thicknesses) L On Low Secondary Desk (All Thicknesses) (Shown) 	V Vertical H Horizontal		66, 72, 81	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	OC Over Worksurface - Center OL Over Worksurface - Left (Shown) OR Over Worksurface - Right NN No Power and Data	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

B <u>H</u> WCC	V	30	81	36	ос	xs

DIMENSIONS INCHES / MM

PRICING

MOUNTING STYLES (M. X. or H)

		MOUNTING 311	EEO (MI, M, OI II)								
		15" OVERHEAD H	15" OVERHEAD HEIGHT								
		NO POWER AND	NO POWER AND DATA (NN)		POWER AND DATA (OC)		TA (OL, OR)				
		PANEL FINISH									
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood				
66 / 1676	24 / 610	225	1254	n/a	n/a	n/a	n/a				
66 / 1676	30 / 762	277	1337	n/a	n/a	n/a	n/a				
66 / 1676	36 / 914	328	1420	771	1859	n/a	n/a				
66 / 1676	42 / 1067	383	1522	822	1960	n/a	n/a				
66 / 1676	48 / 1219	419	1622	862	2061	n/a	n/a				
66 / 1676	54 / 1372	465	1720	n/a	n/a	907	2160				
66 / 1676	60 / 1524	506	1803	n/a	n/a	948	2243				
66 / 1676	66 / 1676	545	1886	n/a	n/a	986	2326				
66 / 1676	72 / 1829	597	1970	n/a	n/a	1039	2409				
66 / 1676	78 / 1981	650	2053	n/a	n/a	1089	2493				
66 / 1676	84 / 2134	701	2136	n/a	n/a	1144	2576				

Pricing is continued on the following page.

Xpress B_WCC

Wall Panel for Overhead Cabinet (Continued)

DIMENSIONS INCHES / MM

PRICING

	MOUNTING STY	LES (M, X or H) (C	CONTINUED)			
		DATA (NN)	POWER AND DA	TA (OC)	POWER AND DA	TA (OL, OR)
W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
24 / 610	249	1343	n/a	n/a	n/a	n/a
30 / 762	307	1437	n/a	n/a	n/a	n/a
36 / 914	365	1529	806	1969	n/a	n/a
42 / 1067	423	1621	864	2059	n/a	n/a
48 / 1219	465	1712	907	2152	n/a	n/a
54 / 1372	516	1803	n/a	n/a	956	2243
60 / 1524	564	1895	n/a	n/a	1005	2333
66 / 1676	607	1986	n/a	n/a	1045	2427
72 / 1829	661	2080	n/a	n/a	1105	2521
78 / 1981	720	2172	n/a	n/a	1162	2611
84 / 2134	777	2261	n/a	n/a	1217	2702
24 / 610	285	1477		n/a	n/a	n/a
30 / 762	352	1587	n/a	n/a	n/a	n/a
36 / 914	421	1693	859	2134	n/a	n/a
42 / 1067	483	1770	927	2208	n/a	n/a
48 / 1219	534	1847	975	2289	n/a	n/a
54 / 1372	593	1928	n/a	n/a	1030	2368
60 / 1524	651	2033	n/a	n/a	1091	2468
66 / 1676	700	2136	n/a	n/a	1134	2579
72 / 1829	757	2245	n/a	n/a	1204	2689
78 / 1981	825	2351	n/a	n/a	1272	2788
84 / 2134	891	2449	n/a	n/a	1327	2891
	30" OVERHEAD H	HEIGHT				
	NO POWER AND	DATA (NN)	POWER AND DA	TA (OC)	POWER AND DA	TA (OL, OR)
	PANEL FINISH		-			
	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
24 / 610	285	1477	n/a	n/a	n/a	n/a
		1587	n/a	n/a	n/a	n/a
						n/a
						n/a
48 / 1219	534	1847	975	2289	n/a	n/a
			111	220)	11/ CL	11/ a
54 / 1372	593	1928	n/a	n/a	1030	2368
	24 / 610 30 / 762 36 / 914 42 / 1067 48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 24 / 610 30 / 762 36 / 914 42 / 1067 48 / 1219 54 / 1372 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134	W 24 / 610 30 / 762 36 / 914 48 / 1219 465 54 / 1372 60 / 1524 66 / 1676 72 / 1829 30 / 762 36 / 914 42 / 1067 423 48 / 1219 465 54 / 1372 516 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 777 24 / 610 285 30 / 762 36 / 914 42 / 1067 483 48 / 1219 534 54 / 1372 593 60 / 1524 66 / 1676 72 / 1829 78 / 1981 84 / 2134 854 / 2134 854 / 2134 854 / 2134 855 85 / 757 8 / 1981 86 / 2 / 1829 757 78 / 1981 87 / 1981 88 / 2134 891 80 OVERHEAD F NO POWER AND PANEL FINISH Source Laminate 24 / 610 285 30 / 762 352 36 / 914 42 / 1067 483	W Laminate Flintwood 24 / 610 249 1343 30 / 762 307 1437 36 / 914 365 1529 42 / 1067 423 1621 48 / 1219 465 1712 54 / 1372 516 1803 60 / 1524 564 1895 66 / 1676 607 1986 72 / 1829 661 2080 78 / 1981 720 2172 84 / 2134 777 2261 24 / 610 285 1477 30 / 762 352 1587 36 / 914 421 1693 42 / 1067 483 1770 48 / 1219 534 1847 54 / 1372 593 1928 60 / 1524 651 2033 66 / 1676 700 2136 72 / 1829 757 2245 78 / 1981 825 2351 84 / 2134 891 2449	NO POWER AND DATA (NN) PANEL FINISH	NO POWER AND DATA (NN)	NO POWER AND DATA (NN) POWER AND DATA (OC) POWER AND DATA (NR) PANEL FINISH Source Laminate Flintwood Laminate Source Laminate Laminate Rintwood Laminate Source Laminate Laminate Rintwood Laminate Rintwood Laminate Rintwood Laminate Rintwood Rintwo

B_WCC

Wall Panel for Overhead Cabinet (Continued)

DIMENSIONS INCHES / MM

PRICING

		MOUNTING STY	LE (K)				
		15" OVERHEAD H	IEIGHT				
		NO POWER AND PANEL FINISH	DATA (NN)	POWER AND DA	ATA (OC)	POWER AND DA	TA (OL, OR)
		Source		Source		Source	
Н	W	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
66 / 1676	24 / 610	247	1312	n/a	n/a	n/a	n/a
66 / 1676	30 / 762	303	1401	n/a	n/a	n/a	n/a
66 / 1676	36 / 914	360	1492	802	1931	n/a	n/a
66 / 1676	42 / 1067	419	1591	858	2029	n/a	n/a
66 / 1676	48 / 1219	459	1691	902	2130	n/a	n/a
66 / 1676	54 / 1372	509	1787	n/a	n/a	951	2227
66 / 1676	60 / 1524	555	1877	n/a	n/a	996	2316
66 / 1676	66 / 1676	598	1968	n/a	n/a	1039	2408
66 / 1676	72 / 1829	655	2057	n/a	n/a	1097	2496
66 / 1676	78 / 1981	712	2147	n/a	n/a	1151	2587
66 / 1676	84 / 2134	768	2238	n/a	n/a	1212	2677
72 / 1829	24 / 610	278	1423		n/a	n/a	n/a
72 / 1829	30 / 762	337	1513	n/a	n/a	n/a	n/a
72 / 1829	36 / 914	396	1603	837	2043	n/a	n/a
72 / 1829	42 / 1067	455	1692	895	2131	n/a	n/a
72 / 1829	48 / 1219	505	1781	947	2222	n/a	n/a
72 / 1829	54 / 1372	560	1870	n/a	n/a	1000	2311
72 / 1829	60 / 1524	613	1969	n/a	n/a	1054	2409
72 / 1829	66 / 1676	664	2067	n/a	n/a	1104	2508
72 / 1829	72 / 1829	719	2167	n/a	n/a	1161	2608
72 / 1829	78 / 1981	778	2265	n/a	n/a	1220	2705
72 / 1829	84 / 2134	835	2363	n/a	n/a	1276	2803
/2/102)	04 / 2134	63)	2303	11/ a	11/ a	12/0	2003
81 / 2057	24 / 610	325	1590	n/a	n/a	n/a	n/a
81 / 2057	30 / 762	388	1681	n/a	n/a	n/a	n/a
81 / 2057	36 / 914	450	1770	890	2211	n/a	n/a
81 / 2057	42 / 1067	509	1844	951	2284	n/a	n/a
81 / 2057	48 / 1219	574	1916	1015	2360	n/a	n/a
81 / 2057	54 / 1372	637	1995	n/a	n/a	1074	2437
81 / 2057	60 / 1524	700	2107	n/a	n/a	1141	2549
81 / 2057	66 / 1676	763	2216	n/a	n/a	1202	2658
81 / 2057	72 / 1829	815	2332	n/a	n/a	1257	2776
81 / 2057	78 / 1981	877	2442	n/a	n/a	1324	2882
81 / 2057	84 / 2134	936	2551	n/a	n/a	1372	2992
		30" OVERHEAD H	IEIGHT				
		NO POWER AND	DATA (NN)	POWER AND DA	TA (OC)	POWER AND DA	TA (OL, OR)
		PANEL FINISH					· · · · · ·
		Source	Elinano d	Source	El:	Source	Eliment d
91 / 2057	24 / 610	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
81 / 2057		325	1590	n/a	n/a	n/a	n/a
81 / 2057	30 / 762	388	1681	n/a	n/a	n/a	n/a
81 / 2057	36 / 914	450	1770	890	2211	n/a	n/a
81 / 2057	42 / 1067	509	1844	951	2284	n/a	n/a
81 / 2057	48 / 1219	574	1916	1015	2360	n/a	n/a
81 / 2057	54 / 1372	637	1995	n/a	n/a	1074	2437
81 / 2057	60 / 1524	700	2107	n/a	n/a	1141	2549




Wall Panel for Overhead Cabinet (Continued)

DIMENSIONS INCHES / MM

		MOUNTING STY	LE (L)								
		15" OVERHEAD H	15" OVERHEAD HEIGHT								
		NO POWER AND	NO POWER AND DATA (NN) POWER AND DATA (OC) POWER AND DATA (OL, O								
		PANEL FINISH									
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood				
66 / 1676	24 / 610	268	1370	n/a	n/a	n/a	n/a				
66 / 1676	30 / 762	328	1465	n/a	n/a	n/a	n/a				
66 / 1676	36 / 914	391	1564	833	2003	n/a	n/a				
66 / 1676	42 / 1067	455	1660	893	2098	n/a	n/a				
66 / 1676	48 / 1219	499	1759	941	2199	n/a	n/a				
66 / 1676	54 / 1372	552	1854	n/a	n/a	995	2293				
66 / 1676	60 / 1524	604	1951	n/a	n/a	1044	2388				
66 / 1676	66 / 1676	651	2050	n/a	n/a	1092	2489				
66 / 1676	72 / 1829	713	2143	n/a	n/a	1155	2582				
66 / 1676	78 / 1981	774	2241	n/a	n/a	1213	2680				
66 / 1676	84 / 2134	835	2340	n/a	n/a	1279	2778				
72 / 1829	24 / 610	306	1502	n/a	n/a	n/a	n/a				
2 / 1829	30 / 762	367	1589	n/a	n/a	n/a	n/a				
72 / 1829	36 / 914	426	1676	867	2117	n/a	n/a				
72 / 1829	42 / 1067	486	1763	925	2203	n/a	n/a				
72 / 1829	48 / 1219	545	1850	986	2291	n/a	n/a				
72 / 1829	54 / 1372	604	1937	n/a	n/a	1044	2376				
72 / 1829	60 / 1524	662	2043	n/a	n/a	1102	2484				
72 / 1829	66 / 1676	720	2148	n/a	n/a	1162	2588				
72 / 1829	72 / 1829	777	2253	n/a	n/a	1217	2694				
72 / 1829	78 / 1981	836	2358	n/a	n/a	1278	2798				
2 / 1829	84 / 2134	893	2465	n/a	n/a	1335	2903				

B_WCO[™]

Wall Panel for Overhead Cabinet and Shelf



	D	atum Heig	ght
	66" h	72" h	81" h
'A' (Finishing Height) =	51"	57"	66"

This wall panel is designed to support an overhead cabinet and a solid shelf. It is compatible with tackboard or markerboard for enhanced functionality. Whether mounted onto a desk, credenza, secondary desk, mid-height storage, workwall kneespace module or workwall credenza, the wall panel is easily installed requiring securement at only two wall locations.

WHAT'S INCLUDED

 $1\ {
m or}\ 2$ panels, $1\ {
m square}\ duo\ grommet\ ring, <math>1\ {
m cut}$ -out with power bar and cover (as specified), mounting hardware for wall panel and overhead cabinet.

WHAT'S EXCLUDED

Desk, Credenza, Secondary Desk, Mid-Height Storage, Workwall Storage, Overhead Cabinet, Double Overhead Cabinet, and Tackboard for Wall Panel, Solid Shelf for Wall Panel (BAWSS) and Solid Display Shelf for Wall Panel (BAWDS).

NOTES

Duo Square Grommet Ring is finished in Black.

The number of panels may vary depending of the dimension and grain direction selected. Refer to Application Guide.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

	Mounting Style		Grain Direction	Overhead Height	Datum Height	Width	Configuration	Power and Data	Panel Finish
ŀ	On Mid-Height	\mathbf{v}	Vertical	15, 30	66, 72, 81	24, 30, 36, 42,	BN	ос	Source Laminate
N	1 On 1 3/16" thick Standard Worksurface	Н	Horizontal			48, 54, 60, 66, 72, 78, 84	Bottom Shelf (Shown)	Over orksurface – Center	Flintwood (No Cathedral)
X	On 1 9/16" thick Standard Worksurface						BM Bottom and Middle Shelves	OL Over Worksurface –	
ŀ	I On High Secondary Desk (All Thicknesses)							Left (Shown) OR	
I	On Low Secondary Desk (All Thicknesses) (Shown)							Over Worksurface – Right	
								NN No Power and Data	

SAMPLE ORDER CODE

DITWOO	* 7	2.0	0.1	26	DAT	37.0	
$\mathbf{KHW}(.0)$	V	30	N X I	36	I KN	1 X.S	
D <u>11</u> (1 0 0	•	<i>3</i> 0	01	<i>J</i> 0	211	110	

DIMENSIONS INCHES / MM

PRICING

		MOUNTING STY	LE (H)				
		15" OVERHEAD H	HEIGHT				
		BOTTOM SHELF	(BN)				
		NO POWER AND	DATA (NN)	POWER AND DA	TA (OC)	POWER AND DA	TA (OL, OR)
		PANEL FINISH					
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
66 / 1676	24 / 610	225	1254	n/a	n/a	n/a	n/a
66 / 1676	30 / 762	277	1337	n/a	n/a	n/a	n/a
66 / 1676	36 / 914	328	1420	771	1859	n/a	n/a
66 / 1676	42 / 1067	383	1522	822	1960	n/a	n/a
66 / 1676	48 / 1219	419	1622	862	2061	n/a	n/a
66 / 1676	54 / 1372	465	1720	n/a	n/a	907	2160
66 / 1676	60 / 1524	506	1803	n/a	n/a	948	2243
66 / 1676	66 / 1676	545	1886	n/a	n/a	986	2326
66 / 1676	72 / 1829	597	1970	n/a	n/a	1039	2409
66 / 1676	78 / 1981	650	2053	n/a	n/a	1089	2493
66 / 1676	84 / 2134	701	2136	n/a	n/a	1144	2576

B_WCO

Wall Panel for Overhead Cabinet with Shelf (Continued)

DIMENSIONS INCHES / MM

PRICING

			LE (H) (CONTINU	JED)			
		15" OVERHEAD I					
		BOTTOM SHELF	` '				
		NO POWER AND	DATA (NN)	POWER AND DA	ATA (OC)	POWER AND DA	TA (OL, OR)
		PANEL FINISH					
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
/ 1829	24 / 610	249	1343	n/a	n/a	n/a	n/a
/ 1829	30 / 762	307	1437	n/a	n/a	n/a	n/a
/ 1829	36 / 914	365	1529	806	1969	n/a	n/a
/ 1829	42 / 1067	423	1621	864	2059	n/a	n/a
/ 1829	48 / 1219	465	1712	907	2152	n/a	n/a
/ 1829	54 / 1372	516	1803	n/a	n/a	956	2243
/ 1829	60 / 1524	564	1895	n/a	n/a	1005	2333
/ 1829	66 / 1676	607	1986	n/a	n/a	1045	2427
/ 1829	72 / 1829	661	2080	n/a	n/a	1105	2521
/ 1829	78 / 1981	720	2172	n/a	n/a	1162	2611
/ 1829	84 / 2134	777	2261	n/a	n/a	1217	2702
/ 2057	24 / 610	285	1477	n/a	n/a	n/a	n/a
2057	30 / 762	352	1587	n/a	n/a	n/a	n/a
/ 2057	36 / 914	421	1693	859	2134	n/a	n/a
/ 2057	42 / 1067	483	1770	927	2208	n/a	n/a
/ 2057	48 / 1219	534	1847	975	2289	n/a	n/a
/ 2057	54 / 1372	593	1928	n/a	n/a	1030	2368
/ 2057	60 / 1524	651	2033	n/a	n/a	1091	2468
/ 2057	66 / 1676	700	2136	n/a	n/a	1134	2579
/ 2057	72 / 1829	757	2245	n/a	n/a	1204	2689
/ 2057	78 / 1981	825	2351	n/a	n/a	1272	2788
/ 2057	84 / 2134	891	2449	n/a	n/a	1327	2891
		30" OVERHEAD I	HEIGHT				
		BOTTOM SHELF	(BN)				
		NO POWER AND	DATA (NN)	POWER AND DA	ATA (OC)	POWER AND DA	TA (OL, OR)
		PANEL FINISH		-			
		Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
2057	24 / 610	285	1477	n/a	n/a	n/a	n/a
2057	30 / 762	352	1587	n/a	n/a	n/a	n/a
/ 2057	36 / 914	421	1693	859	2134	n/a	n/a
/ 2057	42 / 1067	483	1770	927	2208	n/a	n/a
/ 2057	48 / 1219	534	1847	975	2289	n/a	n/a
/ 2057	54 / 1372	593	1928	n/a	n/a	1030	2368
/ 2057	60 / 1524	651	2033	n/a	n/a	1091	2468

B_WCO

Wall Panel for Overhead Cabinet and Shelf (Continued)

DIMENSIONS INCHES / MM

PRICING

MOUNTING STYLES (M or X)

		MOUNTING STY	LE (H) (CONTINU	JED)							
		15" OVERHEAD I	15" OVERHEAD HEIGHT								
		BOTTOM & MID	DLE SHELVES (BM))							
		NO POWER AND	DATA (NN)	POWER AND DA	TA (OC)	POWER AND DA	TA (OL, OR)				
		PANEL FINISH									
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood				
81 / 2057	24 / 610	285	1477	n/a	n/a	n/a	n/a				
31 / 2057	30 / 762	352	1587	n/a	n/a	n/a	n/a				
81 / 2057	36 / 914	421	1693	859	2134	n/a	n/a				
31 / 2057	42 / 1067	483	1770	927	2208	n/a	n/a				
31 / 2057	48 / 1219	534	1847	975	2289	n/a	n/a				
31 / 2057	54 / 1372	593	1928	n/a	n/a	1030	2368				
31 / 2057	60 / 1524	651	2033	n/a	n/a	1091	2468				
31 / 2057	66 / 1676	700	2136	n/a	n/a	1134	2579				
31 / 2057	72 / 1829	757	2245	n/a	n/a	1204	2689				
81 / 2057	78 / 1981	825	2351	n/a	n/a	1272	2788				
81 / 2057	84 / 2134	891	2449	n/a	n/a	1327	2891				

		15" OVERHEAD H	HEIGHT					
		BOTTOM SHELF	(BN)					
		NO POWER AND	DATA (NN)	POWER AND DA	ATA (OC)	POWER AND DA	TA (OL, OR)	
		PANEL FINISH						
		Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	
2 / 1829	24 / 610	249	1343	n/a	n/a	n/a	n/a	
2 / 1829	30 / 762	307	1437	n/a	n/a	n/a	n/a	
2 / 1829	36 / 914	365	1529	806	1969	n/a	n/a	
2 / 1829	42 / 1067	423	1621	864	2059	n/a	n/a	
2 / 1829	48 / 1219	465	1712	907	2152	n/a	n/a	
2 / 1829	54 / 1372	516	1803	n/a	n/a	956	2243	
2 / 1829	60 / 1524	564	1895	n/a	n/a	1005	2333	
2 / 1829	66 / 1676	607	1986	n/a	n/a	1045	2427	
2 / 1829	72 / 1829	661	2080	n/a	n/a	1105	2521	
2 / 1829	78 / 1981	720	2172	n/a	n/a	1162	2611	
2 / 1829	84 / 2134	777	2261	n/a	n/a	1217	2702	
1 / 2057	24 / 610	285	1477	n/a	n/a	n/a	n/a	
1 / 2057	30 / 762	352	1587	n/a	n/a	n/a	n/a	
1 / 2057	36 / 914	421	1693	859	2134	n/a	n/a	
1 / 2057	42 / 1067	483	1770	927	2208	n/a	n/a	
1 / 2057	48 / 1219	534	1847	975	2289	n/a	n/a	
1 / 2057	54 / 1372	593	1928	n/a	n/a	1030	2368	
/ 2057	60 / 1524	651	2033	n/a	n/a	1091	2468	
1 / 2057	66 / 1676	700	2136	n/a	n/a	1134	2579	
1 / 2057	72 / 1829	757	2245	n/a	n/a	1204	2689	
1 / 2057	78 / 1981	825	2351	n/a	n/a	1272	2788	
1 / 2057	84 / 2134	891	2449	n/a	n/a	1327	2891	

B_WCO

Wall Panel for Overhead Cabinet with Shelf (Continued)

DIMENSIONS INCHES / MM

PRICING

		MOUNTING STY					
		15" OVERHEAD F					
		NO POWER AND	-	POWER AND DA	TA (OC)	POWER AND DA	TA (OL OP)
		PANEL FINISH	DATA (NN)	FOWER AND DA	TTA (OC)	FOWER AND DA	TA (OL, OK)
		Source		Source		Source	
Н	W	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
6 / 1676	24 / 610	247	1312	n/a	n/a	n/a	n/a
6 / 1676	30 / 762	303	1401	n/a	n/a	n/a	n/a
6 / 1676	36 / 914	360	1492	802	1931	n/a	n/a
6 / 1676	42 / 1067	419	1591	858	2029	n/a	n/a
6 / 1676	48 / 1219	459	1691	902	2130	n/a	n/a
6 / 1676	54 / 1372	509	1787	n/a	n/a	951	2227
6 / 1676	60 / 1524	555	1877	n/a	n/a	996	2316
6 / 1676	66 / 1676	598	1968	n/a	n/a	1039	2408
5 / 1676	72 / 1829	655	2057	n/a	n/a	1097	2496
6 / 1676	78 / 1981	712	2147	n/a	n/a	1151	2587
6 / 1676	84 / 2134	768	2238	n/a	n/a	1212	2677
2 / 1829	24 / 610	278	1423		n/a	n/a	n/a
2 / 1829	30 / 762	337	1513	n/a	n/a	n/a	n/a
2 / 1829	36 / 914	396	1603	837	2043	n/a	n/a
2 / 1829	42 / 1067	455	1692	895	2131	n/a	n/a
2 / 1829	48 / 1219	505	1781	947	2222	n/a	n/a
2 / 1829	54 / 1372	560	1870	n/a	n/a	1000	2311
2 / 1829	60 / 1524	613	1969	n/a	n/a	1054	2409
2 / 1829	66 / 1676	664	2067	n/a	n/a	1104	2508
2 / 1829	72 / 1829	719	2167	n/a	n/a	1161	2608
1 / 1829	78 / 1981	778	2265	n/a	n/a	1220	2705
2 / 1829	84 / 2134	835	2363	n/a	n/a	1276	2803
/ 2057	24 / 610	325	1590		n/a	n/a	n/a
1 / 2057	30 / 762	388	1681	n/a	n/a	n/a	n/a
/ 2057	36 / 914	450	1770	890	2211	n/a	n/a
1 / 2057	42 / 1067	509	1844	951	2284	n/a	n/a
1 / 2057	48 / 1219	574	1916	1015	2360	n/a	n/a
/ 2057	54 / 1372	637	1995	n/a	n/a	1074	2437
1 / 2057	60 / 1524	700	2107	n/a	n/a	1141	2549
1 / 2057	66 / 1676	763	2216	n/a	n/a	1202	2658
1 / 2057	72 / 1829	815	2332	n/a	n/a	1257	2776
1 / 2057	78 / 1981	877	2442	n/a	n/a	1324	2882
/ 2057	84 / 2134	936	2551	n/a	n/a	1372	2992
		30" OVERHEAD H	HEIGHT				
		BOTTOM SHELF					
		NO POWER AND		POWER AND DA	TA (OC)	POWER AND DA	TA (OL, OR)
		PANEL FINISH					
		Source	Elt : 1	Source	Eli · ·	Source	print.
/ 2057	2/. / 610	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
/ 2057	24 / 610	325	1590	n/a	n/a	n/a	n/a
1 / 2057	30 / 762	388	1681	n/a	n/a	n/a	n/a
1 / 2057	36 / 914	450	1770	890	2211	n/a	n/a
/ 2057	42 / 1067	509	1844	951	2284	n/a	n/a
/ 2057	48 / 1219	574	1916		2360	n/a	n/a
/ 2057	54 / 1372	637	1995	n/a	n/a	1074	2437
1 / 2057	60 / 1524	700	2107	n/a	n/a	1141	2549

B_WCO

Wall Panel for Overhead Cabinet and Shelf (Continued)

DIMENSIONS INCHES / MM

		MOUNTING STYI	LE (K) (CONTINU	(ED)							
		15" OVERHEAD HEIGHT									
		BOTTOM & MIDI	BOTTOM & MIDDLE SHELVES (BM)								
		NO POWER AND	DATA (NN)	POWER AND D	ATA (OC)	POWER AND DA	TA (OL, OR)				
		PANEL FINISH									
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood				
81 / 2057	24 / 610	325	1590	n/a	n/a	n/a	n/a				
81 / 2057	30 / 762	388	1681	n/a	n/a	n/a	n/a				
81 / 2057	36 / 914	450	1770	890	2211	n/a	n/a				
81 / 2057	42 / 1067	509	1844	951	2284	n/a	n/a				
81 / 2057	48 / 1219	574	1916	1015	2360	n/a	n/a				
81 / 2057	54 / 1372	637	1995	n/a	n/a	1074	2437				
81 / 2057	60 / 1524	700	2107	n/a	n/a	1141	2549				
81 / 2057	66 / 1676	763	2216	n/a	n/a	1202	2658				
81 / 2057	72 / 1829	815	2332	n/a	n/a	1257	2776				
81 / 2057	78 / 1981	877	2442	n/a	n/a	1324	2882				
81 / 2057	84 / 2134	936	2551	n/a	n/a	1372	2992				


		MOUNTING STY	LE (L)					
		15" OVERHEAD H	HEIGHT					
		BOTTOM SHELF	(BN)					
		NO POWER AND	DATA (NN)	POWER AND DA	ATA (OC)	POWER AND DATA (OL, OR)		
		PANEL FINISH						
		Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	
6 / 1676	24 / 610	268	1370	n/a	n/a	n/a	n/a	
6 / 1676	30 / 762	328	1465	n/a	n/a	n/a	n/a	
6 / 1676	36 / 914	391	1564	833	2003	n/a	n/a	
6 / 1676	42 / 1067	455	1660	893	2098	n/a	n/a	
6 / 1676	48 / 1219	499	1759	941	2199	n/a	n/a	
6 / 1676	54 / 1372	552	1854	n/a	n/a	995	2293	
6 / 1676	60 / 1524	604	1951	n/a	n/a	1044	2388	
6 / 1676	66 / 1676	651	2050	n/a	n/a	1092	2489	
6 / 1676	72 / 1829	713	2143	n/a	n/a	1155	2582	
6 / 1676	78 / 1981	774	2241	n/a	n/a	1213	2680	
6 / 1676	84 / 2134	835	2340	n/a	n/a	1279	2778	
2 / 1829	24 / 610	306	1502	n/a	n/a	n/a	n/a	
2 / 1829	30 / 762	367	1589	n/a	n/a	n/a	n/a	
2 / 1829	36 / 914	426	1676	867	2117	n/a	n/a	
2 / 1829	42 / 1067	486	1763	925	2203	n/a	n/a	
2 / 1829	48 / 1219	545	1850	986	2291	n/a	n/a	
2 / 1829	54 / 1372	604	1937	n/a	n/a	1044	2376	
2 / 1829	60 / 1524	662	2043	n/a	n/a	1102	2484	
2 / 1829	66 / 1676	720	2148	n/a	n/a	1162	2588	
2 / 1829	72 / 1829	777	2253	n/a	n/a	1217	2694	
2 / 1829	78 / 1981	836	2358	n/a	n/a	1278	2798	
2 / 1829	84 / 2134	893	2465	n/a	n/a	1335	2903	


mounted storage & accessories

Xpress

B_WAA

Wall Panel





Mounting Style (H)

Overhead Cabinet Mounted at:

Bottom of: A' (Finishing Height) =

Bottom of: 66" h 72" h 81" h
g Height) = 51" 57" 66"

This wall panel bring a distinctive architectural element to the office desk. It is compatible with tackboard or markerboard for enhanced functionality. Whether mounted onto a desk, credenza, secondary desk, mid-height storage, workwall kneespace module or workwall credenza, the wall panel is easily installed requiring securement at only two wall locations.

WHAT'S INCLUDED

1 panel, 1 cut-out with power bar and cover (as specified), and mounting hardware.

WHAT'S EXCLUDED

Desk, Credenza, Secondary Desk, Mid-Height Storage, Workwall Storage and Tackboard for Wall Panel.

NOTES

When Vertical (V) Grain Direction is specified, the 66" to 90" widths are **not** available.

Not all product options are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

	Mounting Style	Grain Direction	Datum Height	Width	Power and Data	Panel Finish
M X	Mid-Height I On 1 3/16" thick Standard Worksurface On 1 9/16" thick Standard Worksurface On High Secondary Desk (All Thicknesses) (Shown)	V Vertical H Horizontal	51, 57, 66, 72, 81	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90	OC Over Worksurface – Center OL Over Worksurface – Left (Shown) OR Over Worksurface – Right NN No Power and Data	Flintwood
L	On Low Secondary Desk (All Thicknesses)					

SAMPLE ORDER CODE

TO T T X X X X X	**		_ ,	0.7	37.0
B <u>H</u> WAA	H	51	54	OL	XS.

DIMENSIONS INCHES / MM

PRICING

		MOUNTING STYLES (M or X)						
		NO POWER AND	DATA (NN)	POWER AND DA	POWER AND DATA (OC)		TA (OL, OR)	
		PANEL FINISH				•		
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	
51 / 1295	24 / 610	351	553	n/a	n/a	n/a	n/a	
51 / 1295	30 / 762	376	615	n/a	n/a	n/a	n/a	
51 / 1295	36 / 914	402	677	844	1119	n/a	n/a	
51 / 1295	42 / 1067	427	739	869	1181	n/a	n/a	
51 / 1295	48 / 1219	487	847	929	1289	n/a	n/a	
51 / 1295	54 / 1372	512	909	n/a	n/a	954	1351	
51 / 1295	60 / 1524	537	971	n/a	n/a	979	1413	
51 / 1295	66 / 1676	570	1052	n/a	n/a	1012	1494	
51 / 1295	72 / 1829	595	1114	n/a	n/a	1037	1556	
51 / 1295	78 / 1981	620	1177	n/a	n/a	1062	1619	
51 / 1295	84 / 2134	646	1239	n/a	n/a	1088	1681	

Xpress B_WAA Wall Panel (Continued)

DIMENSIONS INCHES / MM

PRICING

		NO POWER AND	LES (M or X) (CON DATA (NN)	POWER AND DA	ATA (OC)	POWER AND DA	TA (OL, OR)
		PANEL FINISH	()		()		(,,
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
57 / 1448	24 / 610	373	618	n/a	n/a	n/a	n/a
7 / 1448	30 / 762	403	695	n/a	n/a	n/a	n/a
7 / 1448	36 / 914	433	773	875	1215	n/a	n/a
7 / 1448	42 / 1067	464	850	906	1292	n/a	n/a
7 / 1448	48 / 1219	528	972	970	1414	n/a	n/a
7 / 1448	54 / 1372	559	1049	n/a	n/a	1001	1491
7 / 1448	60 / 1524	589	1127	n/a	n/a	1031	1569
7 / 1448	66 / 1676	627	1222	n/a	n/a	1069	1664
7 / 1448	72 / 1829	657	1299	n/a	n/a	1099	1741
7 / 1448	78 / 1981	687	1376	n/a	n/a	1129	1818
/ 1448	84 / 2134	717	1454	n/a	n/a	1159	1896
6 / 1676	24 / 610	409	711	n/a	n/a	n/a	n/a
5 / 1676	30 / 762	446	807	n/a	n/a	n/a	n/a
5 / 1676	36 / 914	484	903	926	1345	n/a	n/a
5 / 1676	42 / 1067	521	999	963	1441	n/a	n/a
5 / 1676	48 / 1219	593	1140	1035	1582	n/a	n/a
6 / 1676	54 / 1372	630	1236	n/a	n/a	1072	1678
6 / 1676	60 / 1524	668	1332	n/a	n/a	1110	1774
/ 1676	66 / 1676	712	1447	n/a	n/a	1154	1889
6 / 1676	72 / 1829	750	1543	n/a	n/a	1192	1985
/ 1676	78 / 1981	787	1639	n/a	n/a	1229	2081
6 / 1676	84 / 2134	825	1735	n/a	n/a	1267	2177
2 / 1829	24 / 610	432	766		n/a		n/a
2 / 1829	30 / 762	474	875	n/a	n/a	n/a	n/a
2 / 1829	36 / 914	516	984	958	1426	n/a	n/a
2 / 1829	42 / 1067	558	1093	1000	1535	n/a	n/a
1 / 1829	48 / 1219	634	1248	1076	1690	n/a	n/a
2 / 1829	54 / 1372	676	1358	n/a	n/a	1118	1800
2 / 1829	60 / 1524	718	1467	n/a	n/a	1160	1909
2 / 1829	66 / 1676	767	1595	n/a	n/a	1209	2037
2 / 1829	72 / 1829	809	1704	n/a	n/a	1251	2146
2 / 1829	78 / 1981	851	1813	n/a	n/a	1293	2255
2 / 1829	84 / 2134	893	1923	n/a	n/a	1335	2365
/ 2057	24 / 610	455	874	n/a	n/a	n/a	n/a
/ 2057	30 / 762	501	1005	n/a	n/a	n/a	n/a
/ 2057	36 / 914	548	1136	990	1578	n/a	n/a
/ 2057	42 / 1067	594	1267	1036	1709	n/a	n/a
/ 2057	48 / 1219	675	1443	1117	1885	n/a	n/a
/ 2057	54 / 1372	721	n/a	n/a	n/a	1163	n/a
/ 2057	60 / 1524	768	n/a	n/a	n/a	1210	n/a
/ 2057	66 / 1676	822	n/a	n/a	n/a	1264	n/a
/ 2057	72 / 1829	868	n/a	n/a	n/a	1310	n/a
/ 2057	78 / 1981	915	n/a	n/a	n/a	1357	n/a
/ 2057	84 / 2134	961	n/a	n/a	n/a	1403	n/a

mounted storage & accessories

Xpress

B_WAA

Wall Panel (Continued)

DIMENSIONS INCHES / MM

		MOUNTING STY		DOWNER AND DA	T. (0.0)	DOWNER AND DA	E4 (O1 OD)
		NO POWER AND PANEL FINISH	DATA (NN)	POWER AND DA	ATA (OC)	POWER AND DA	IA (OL, OR)
		Source		Source		Source	
H	W	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
1 / 1295	24 / 610	351	553	n/a	n/a	n/a	n/a
1 / 1295	30 / 762	376	615	n/a	n/a	n/a	n/a
1 / 1295	36 / 914	402	677	844	1119	n/a	n/a
1 / 1295	42 / 1067	427	739	869	1181	n/a	n/a
1 / 1295	48 / 1219	487	847	929	1289	n/a	n/a
1 / 1295	54 / 1372	512	909	n/a	n/a	954	1351
1 / 1295	60 / 1524	537	971	n/a	n/a	979	1413
1 / 1295	66 / 1676	570	1052	n/a	n/a	1012	1494
1 / 1295	72 / 1829	595	1114	n/a	n/a	1037	1556
1 / 1295	78 / 1981	620	1177	n/a	n/a	1062	1619
1 / 1295	84 / 2134	646	1239	n/a	n/a	1088	1681
1 / 1295	90 / 2286	671	1301	n/a	n/a	1113	1743
7 / 1448	24 / 610	373	618	n/a	n/a	n/a	n/a
7 / 1448	30 / 762	403	695	n/a	n/a	n/a	n/a
7 / 1448	36 / 914	433	773	875	1215	n/a	n/a
7 / 1448	42 / 1067	464	850	906	1292	n/a	n/a
7 / 1448	48 / 1219	528	972	970	1414	n/a	n/a
7 / 1448	54 / 1372	559	1049	n/a	n/a	1001	1491
7 / 1448	60 / 1524	589	1127	n/a	n/a	1031	1569
7 / 1448	66 / 1676	627	1222	n/a	n/a	1069	1664
7 / 1448	72 / 1829	657	1299	n/a	n/a	1099	1741
7 / 1448	78 / 1981	687	1376	n/a	n/a	1129	1818
7 / 1448	84 / 2134	717	1454	n/a	n/a	1159	1896
7 / 1448	90 / 2286	748	1531	n/a	n/a	1190	1973
66 / 1676	24 / 610	409	711	n/a	n/a	n/a	n/a
6 / 1676	30 / 762	446	807	n/a	n/a	n/a	n/a
6 / 1676	36 / 914	484	903	926	1345	n/a	n/a
6 / 1676	42 / 1067	521	999	963	1441	n/a	n/a
6 / 1676	48 / 1219	593	1140	1035	1582	n/a	n/a
6 / 1676	54 / 1372	630	1236	n/a	n/a	1072	1678
6 / 1676	60 / 1524	668	1332	n/a	n/a	1110	1774
6 / 1676	66 / 1676	712	1447	n/a	n/a	1154	1889
6 / 1676	72 / 1829	750	1543	n/a	n/a	1192	1985
6 / 1676	78 / 1981	787	1639	n/a	n/a	1229	2081
6 / 1676	84 / 2134	825	1735	n/a	n/a	1267	2177
6 / 1676	90 / 2286	862	1831	n/a	n/a	1304	2273
2 / 1829	24 / 610	432	766		n/a	n/a	n/a
2 / 1829	30 / 762	474	875	n/a	n/a	n/a	n/a
2 / 1829	36 / 914	516	984	958	1426	n/a	n/a
2 / 1829	42 / 1067	558	1093	1000	1535	n/a	n/a
2 / 1829	48 / 1219	634	1248	1076	1690	n/a	n/a
2 / 1829	54 / 1372	676	1358	n/a	n/a	1118	1800
2 / 1829	60 / 1524	718	1467	n/a	n/a	1160	1909
2 / 1829	66 / 1676	767	1595	n/a	n/a	1209	2037
2 / 1829	72 / 1829	809	1704	n/a	n/a	1251	2146
2 / 1829	78 / 1981	851	1813	n/a	n/a	1293	2255
2 / 1829	84 / 2134	893	1923	n/a	n/a	1335	2365
2 / 1829	90 / 2286	935	2032	n/a	n/a	1377	2474

Xpress B_WAA Wall Panel (Continued)

DIMENSIONS INCHES / MM

PRICING

		MOUNTING STY	LE (H) (CONTINU	JED)			
		NO POWER AND	DATA (NN)	POWER AND DA	POWER AND DATA (OC)		ΓA (OL, OR)
		PANEL FINISH					
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
1 / 2057	24 / 610	455	874	n/a	n/a	n/a	n/a
1 / 2057	30 / 762	501	1005	n/a	n/a	n/a	n/a
1 / 2057	36 / 914	548	1136	990	1578	n/a	n/a
/ 2057	42 / 1067	594	1267	1036	1709	n/a	n/a
/ 2057	48 / 1219	675	1443	1117	1885	n/a	n/a
/ 2057	54 / 1372	721	n/a	n/a	n/a	1163	n/a
/ 2057	60 / 1524	768	n/a	n/a	n/a	1210	n/a
/ 2057	66 / 1676	822	n/a	n/a	n/a	1264	n/a
/ 2057	72 / 1829	868	n/a	n/a	n/a	1310	n/a
/ 2057	78 / 1981	915	n/a	n/a	n/a	1357	n/a
/ 2057	84 / 2134	961	n/a	n/a	n/a	1403	n/a
/ 2057	90 / 2286	1008	n/a	n/a	n/a	1450	n/a

		MOUNTING STY	LE (K)							
		NO POWER AND	DATA (NN)	POWER AND DA	TA (OC)	POWER AND DA	TA (OL, OR)			
		PANEL FINISH								
		Source		Source		Source				
		Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood			
51 / 1295	24 / 610	368	601	n/a	n/a	n/a	n/a			
51 / 1295	30 / 762	395	674	n/a	n/a	n/a	n/a			
51 / 1295	36 / 914	422	748	864	1190	n/a	n/a			
51 / 1295	42 / 1067	449	822	891	1264	n/a	n/a			
51 / 1295	48 / 1219	511	942	953	1384	n/a	n/a			
51 / 1295	54 / 1372	538	1016	n/a	n/a	980	1458			
51 / 1295	60 / 1524	565	1090	n/a	n/a	1007	1532			
51 / 1295	66 / 1676	599	1183	n/a	n/a	1041	1625			
51 / 1295	72 / 1829	626	1257	n/a	n/a	1068	1699			
51 / 1295	78 / 1981	653	1331	n/a	n/a	1095	1773			
51 / 1295	84 / 2134	680	1405	n/a	n/a	1122	1847			
51 / 1295	90 / 2286	708	1479	n/a	n/a	1150	1921			
57 / 1448	24 / 610	390	671	n/a	n/a	n/a	n/a			
57 / 1448	30 / 762	421	760	n/a	n/a	n/a	n/a			
57 / 1448	36 / 914	453	850	895	1292	n/a	n/a			
57 / 1448	42 / 1067	485	939	927	1381	n/a	n/a			
57 / 1448	48 / 1219	551	1074	993	1516	n/a	n/a			
57 / 1448	54 / 1372	583	1163	n/a	n/a	1025	1605			
57 / 1448	60 / 1524	615	1253	n/a	n/a	1057	1695			
57 / 1448	66 / 1676	654	1360	n/a	n/a	1096	1802			
57 / 1448	72 / 1829	686	1449	n/a	n/a	1128	1891			
57 / 1448	78 / 1981	718	1538	n/a	n/a	1160	1980			
57 / 1448	84 / 2134	749	1628	n/a	n/a	1191	2070			
57 / 1448	90 / 2286	781	1717	n/a	n/a	1223	2159			

mounted storage & accessories

Xpress

B_WAA

Wall Panel (Continued)

DIMENSIONS INCHES / MM

PRICING

		NO POWER AND	DATA (NN)	POWER AND DA	TA (OC)	POWER AND DA	TA (OL. OR)
		PANEL FINISH	Dilli (IVIV)	TO WER TITLE DI	111 (00)	TO WER HIVE DA	In (oz, on)
		Source		Source		Source	
H	W	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
6 / 1676	24 / 610	434	753	n/a	n/a	n/a	n/a
6 / 1676	30 / 762	472	860	n/a	n/a	n/a	n/a
6 / 1676	36 / 914	511	967	953	1409	n/a	n/a
5 / 1676	42 / 1067	548	1075	990	1517	n/a	n/a
5 / 1676	48 / 1219	621	1227	1063	1669	n/a	n/a
6 / 1676	54 / 1372	659	1334	n/a	n/a	1101	1776
6 / 1676	60 / 1524	698	1441	n/a	n/a	1140	1883
6 / 1676	66 / 1676	743	1567	n/a	n/a	1185	2009
6 / 1676	72 / 1829	781	1674	n/a	n/a	1223	2116
6 / 1676	78 / 1981	819	1782	n/a	n/a	1261	2224
6 / 1676	84 / 2134	858	1889	n/a	n/a	1300	2331
6 / 1676	90 / 2286	896	1996	n/a	n/a	1338	2438
/ 1829	24 / 610	455	823	n/a	n/a	n/a	n/a
2 / 1829	30 / 762	498	944	n/a	n/a	n/a	n/a
2 / 1829	36 / 914	541	1065	983	1507	n/a	n/a
. / 1829	42 / 1067	584	1187	1026	1629	n/a	n/a
1 / 1829	48 / 1219	661	1354	1103	1796	n/a	n/a
2 / 1829	54 / 1372	704	n/a	n/a	n/a	1146	n/a
2 / 1829	60 / 1524	747	n/a	n/a	n/a	1189	n/a
2 / 1829	66 / 1676	797	n/a	n/a	n/a	1239	n/a
2 / 1829	72 / 1829	840	n/a	n/a	n/a	1282	n/a
/ 1829	78 / 1981	883	n/a	n/a	n/a	1325	n/a
2 / 1829	84 / 2134	926	n/a	n/a	n/a	1368	n/a
/ 1829	90 / 2286	969	n/a	n/a	n/a	1411	n/a
/ 2057	24 / 610	475	892	n/a	n/a	n/a	n/a
/ 2057	30 / 762	523	1028	n/a	n/a	n/a	n/a
/ 2057	36 / 914	571	1163	1013	1605	n/a	n/a
/ 2057	42 / 1067	619	1299	1061	1741	n/a	n/a
/ 2057	48 / 1219	700	1482	1142	1924	n/a	n/a
/ 2057	54 / 1372	748	n/a	n/a	n/a	1190	n/a
/ 2057	60 / 1524	796	n/a	n/a	n/a	1238	n/a
/ 2057	66 / 1676	851	n/a	n/a	n/a	1293	n/a
/ 2057	72 / 1829	898	n/a	n/a	n/a	1340	n/a
/ 2057	78 / 1981	946	n/a	n/a	n/a	1388	n/a
/ 2057	84 / 2134	994	n/a	n/a	n/a	1436	n/a
/ 2057	90 / 2286	1041	n/a	n/a	n/a	1483	n/a


B_WAA Wall Panel (Continued)

DIMENSIONS INCHES / MM

		MOUNTING STY NO POWER AND		POWER AND DA	TA (OC)	POWER AND DA	TA (OL, OR)
		PANEL FINISH	()		()		(,
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
1 / 1295	24 / 610	385	648	n/a	n/a	n/a	n/a
1 / 1295	30 / 762	414	733	n/a	n/a	n/a	n/a
/ 1295	36 / 914	442	819	884	1261	n/a	n/a
/ 1295	42 / 1067	471	905	913	1347	n/a	n/a
/ 1295	48 / 1219	534	1037	976	1479	n/a	n/a
/ 1295	54 / 1372	563	1123	n/a	n/a	1005	1565
/ 1295	60 / 1524	592	1209	n/a	n/a	1034	1651
/ 1295	66 / 1676	628	1313	n/a	n/a	1070	1755
/ 1295	72 / 1829	656	1399	n/a	n/a	1098	1841
/ 1295	78 / 1981	685	1485	n/a	n/a	1127	1927
/ 1295	84 / 2134	714	1571	n/a	n/a	1156	2013
/ 1448	24 / 610	406	724	n/a	n/a	n/a	n/a
/ 1448	30 / 762	439	825	n/a	n/a	n/a	n/a
/ 1448	36 / 914	473	927	915	1369	n/a	n/a
/ 1448	42 / 1067	506	1028	948	1470	n/a	n/a
/ 1448	48 / 1219	574	1175	1016	1617	n/a	n/a
/ 1448	54 / 1372	607	1276	n/a	n/a	1049	1718
/ 1448	60 / 1524	640	1378	n/a	n/a	1082	1820
/ 1448	66 / 1676	681	1497	n/a	n/a	1123	1939
/ 1448	72 / 1829	714	1599	n/a	n/a	1156	2041
/ 1448	78 / 1981	748	1700	n/a	n/a	1190	2142
/ 1448	84 / 2134	781	1801	n/a	n/a	1223	2243
/ 1676	24 / 610	459	795	n/a	n/a	n/a	n/a
/ 1676	30 / 762	498	913	n/a	n/a	n/a	n/a
/ 1676	36 / 914	537	1031	979	1473	n/a	n/a
/ 1676	42 / 1067	575	1150	1017	1592	n/a	n/a
/ 1676	48 / 1219	649	1313	1091	1755	n/a	n/a
/ 1676	54 / 1372	688	1432	n/a	n/a	1130	1874
/ 1676	60 / 1524	727	1550	n/a	n/a	1169	1992
/ 1676	66 / 1676	773	1687	n/a	n/a	1215	2129
/ 1676	72 / 1829	812	1805	n/a	n/a	1254	2247
/ 1676	78 / 1981	851	1924	n/a	n/a	1293	2366
/ 1676	84 / 2134	890	2042	n/a	n/a	1332	2484
/ 1829	24 / 610	477	879	n/a	n/a	n/a	n/a
/ 1829	30 / 762	521	1013	n/a	n/a	n/a	n/a
/ 1829	36 / 914	565	1146	1007	1588	n/a	n/a
/ 1829	42 / 1067	609	1280	1051	1722	n/a	n/a
/ 1829	48 / 1219	687	1460	1129	1902	n/a	n/a
/ 1829	54 / 1372	731	n/a	n/a	n/a	1173	n/a
/ 1829	60 / 1524	775	n/a	n/a	n/a	1217	n/a
/ 1829	66 / 1676	826	n/a	n/a	n/a	1268	n/a
/ 1829	72 / 1829	870	n/a	n/a	n/a	1312	n/a
/ 1829	78 / 1981	914	n/a	n/a	n/a	1356	n/a
/ 1829	84 / 2134	958	n/a	n/a	n/a	1400	n/a

B_WOO

Wall Panel with Solid Shelves



This wall panel bring a distinctive architectural element to the office desk. It is designed to support soild shelves and is compatible with tackboard or markerboard for enhanced functionality. Whether mounted onto a desk, credenza, secondary desk, mid-height storage, workwall kneespace module or workwall credenza, the wall panel is easily installed requiring securement at only two wall locations.

WHAT'S INCLUDED

1 panel, 1 cut-out with power bar and cover (as specified) and mounting hardware.

WHAT'S EXCLUDED

Desk, Credenza, Secondary Desk, Mid-Height Storage, Workwall Storage, Tackboard for Wall Panel, Solid Shelf for Wall Panel (BAWSS) and Solid Display Shelf for Wall Panel (BAWDS).

NOTES

When Vertical (V) Grain Direction is specified, the 66" to 90" widths are not available.

Not all product options are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Mounting Style	Grain Direction	Datum Height	Width	Co	onfiguration	Pov	wer and Data	Panel Finish
 K On Mid-Height M On 1 3/16" thick Standard Worksurface X On 1 9/16" thick Standard Worksurface 	V Vertical H Horizontal	66, 72, 81	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90		Bottom Shelf Bottom and Top Shelves Middle Shelf Middle and		Over Worksurface	Source Laminate Flintwood (No Cathedral)
H On High Secondary Desk (All Thicknesses) L On Low Secondary Desk (All Thicknesses) (Shown)				NT SS	Top Shelves Top Shelf Bottom,	OR NN	Left (Shown)OverWorksurfaceRightNo Powerand Data	

SAMPLE ORDER CODE

B <u>L</u> WOO	\mathbf{v}	72	54	BN	oc	XS

DIMENSIONS INCHES / MM

PRICING

		MOUNTING STY	LES (M or X)				
		TOP SHELF (NT)					
		NO POWER AND	DATA (NN)	POWER AND DA	TA (OC)	POWER AND DA	TA (OL, OR)
		PANEL FINISH		-		· <u></u>	
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
66 / 1676	24 / 610	409	711	n/a	n/a	n/a	n/a
66 / 1676	30 / 762	446	807	n/a	n/a	n/a	n/a
66 / 1676	36 / 914	484	903	926	1345	n/a	n/a
66 / 1676	42 / 1067	521	999	963	1441	n/a	n/a
66 / 1676	48 / 1219	593	1140	1035	1582	n/a	n/a
66 / 1676	54 / 1372	630	1236	n/a	n/a	1072	1678
66 / 1676	60 / 1524	668	1332	n/a	n/a	1110	1774
66 / 1676	66 / 1676	712	1447	n/a	n/a	1154	1889
66 / 1676	72 / 1829	750	1543	n/a	n/a	1192	1985
66 / 1676	78 / 1981	787	1639	n/a	n/a	1229	2081
66 / 1676	84 / 2134	825	1735	n/a	n/a	1267	2177

B_WOO

Wall Panel with Solid Shelves (Continued)

DIMENSIONS INCHES / MM

PRICING

		160111751116 6571	X DO (X				
		MOUNTING STY TOP SHELF (NT)	LES (M or X)				
		NO POWER AND	DATA (NN)	POWER AND DA	TA (OC)	POWER AND DA	TA (OL OR)
		PANEL FINISH	DATA (INIV)	TOWER AND DA	III (OC)	TOWER AND DA	IA (OL, OK)
		Source		Source		Source	
H	W	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
72 / 1829	24 / 610	432	766	n/a	n/a	n/a	n/a
72 / 1829	30 / 762	474	875	n/a	n/a	n/a	n/a
72 / 1829 72 / 1829	36 / 914	516 558	984 1093	958	1426		n/a n/a
72 / 1829	42 / 1067	634	1248	1076	1535 1690	n/a	n/a n/a
2 / 1829	54 / 1372	676	1358	n/a	n/a	1118	1800
2 / 1829	60 / 1524	718	1467	n/a	n/a	1160	1909
2 / 1829	66 / 1676	767	1595	n/a	n/a	1209	2037
2 / 1829	72 / 1829	809	1704	n/a	n/a	1251	2146
2 / 1829	78 / 1981	851	1813	n/a	n/a	1293	2255
2 / 1829	84 / 2134	893	1923	n/a	n/a	1335	2365
		-		<u> </u>		-	
1 / 2057	24 / 610	455	874	n/a	n/a	n/a	n/a
1 / 2057	30 / 762	501	1005	n/a	n/a	n/a	n/a
1 / 2057	36 / 914	548	1136	990	1578	n/a	n/a
1 / 2057	42 / 1067	594	1267	1036	1709	n/a	n/a
1 / 2057 1 / 2057	48 / 1219	675	1443	1117	1885	n/a	n/a
1 / 2057	54 / 1372 60 / 1524	721 768	n/a n/a		n/a n/a	1163 1210	n/a n/a
1 / 2057	66 / 1676	822	n/a	- <u> </u>	n/a	1264	n/a
1 / 2057	72 / 1829	868	n/a	n/a	n/a	1310	n/a
1 / 2057	78 / 1981	915	n/a	- n/a n/a	n/a	1357	n/a
1 / 2057	84 / 2134	961	n/a		n/a	1403	n/a
				X TOP SHELVES (BT)			
		NO POWER AND	DATA (NN)	POWER AND DA	TA (OC)	POWER AND DA	TA (OL, OR)
		PANEL FINISH		C			
		Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
2 / 1829	24 / 610	432	766	n/a	n/a	n/a	n/a
2 / 1829	30 / 762	474	875	n/a	n/a	n/a	n/a
2 / 1829	36 / 914	516	984	958	1426	n/a	n/a
2 / 1829	42 / 1067	558	1093	1000	1535	n/a	n/a
2 / 1829	48 / 1219	634	1248	1076	1690	n/a	n/a
2 / 1829	54 / 1372	676	1358	n/a	n/a	1118	1800
2 / 1829	60 / 1524	718	1467	n/a	n/a	1160	1909
2 / 1829	66 / 1676	767	1595	n/a	n/a	1209	2037
2 / 1829	72 / 1829	809	1704	n/a	n/a	1251	2146
2 / 1829	78 / 1981	851	1813	n/a	n/a	1293	2255
2 / 1829	84 / 2134	893	1923	n/a	n/a	1335	2365
1 / 2057	24 / 610	455	874		n/a	n/a	n/a
1 / 2057	30 / 762	501	1005	n/a	n/a	n/a	n/a
1 / 2057	36 / 914	548	1136	990	1578	n/a	n/a
/ 2057	42 / 1067	594	1267	1036	1709	n/a	n/a
/ 2057	48 / 1219	675	1443	1117	1885	n/a	n/a
/ 2057	54 / 1372	721	n/a	n/a	n/a	1163	n/a
1 20)/				,	n/a	1210	n/a
	60 / 1524	768	n/a	n/a	11/ d	1210	11/ d
1 / 2057	60 / 1524 66 / 1676	822	n/a n/a	n/a n/a	n/a	1264	n/a
1 / 2057 1 / 2057 1 / 2057	66 / 1676 72 / 1829	822 868	n/a n/a	n/a n/a	n/a n/a	1264 1310	n/a n/a
1 / 2057 1 / 2057 1 / 2057 1 / 2057 1 / 2057 1 / 2057	66 / 1676	822	n/a	n/a	n/a	1264	n/a

mounted storage & accessories

Xpress

B_WOO

Wall Panel with Solid Shelves (Continued)

DIMENSIONS INCHES / MM

PRICING

		MOUNTING STY	LE (H)				
			,	TOP SHELVES (BT) or	` ,		
		NO POWER AND	DATA (NN)	POWER AND DA	TA (OC)	POWER AND DA	I'A (OL, OR)
		PANEL FINISH					
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
66 / 1676	24 / 610	409	711	n/a	n/a	n/a	n/a
66 / 1676	30 / 762	446	807	n/a	n/a	n/a	n/a
66 / 1676	36 / 914	484	903	926	1345	n/a	n/a
66 / 1676	42 / 1067	521	999	963	1441	n/a	n/a
66 / 1676	48 / 1219	593	1140	1035	1582	n/a	n/a
66 / 1676	54 / 1372	630	1236	n/a	n/a	1072	1678
66 / 1676	60 / 1524	668	1332	n/a	n/a	1110	1774
66 / 1676	66 / 1676	712	1447	n/a	n/a	1154	1889
66 / 1676	72 / 1829	750	1543	n/a	n/a	1192	1985
66 / 1676	78 / 1981	787	1639	n/a	n/a	1229	2081
66 / 1676	84 / 2134	825	1735	n/a	n/a	1267	2177
66 / 1676	90 / 2286	862	1831	n/a	n/a	1304	2273
72 / 1829	24 / 610	432	766	n/a	n/a	n/a	n/a
72 / 1829	30 / 762	474	875	n/a	n/a	n/a	n/a
72 / 1829	36 / 914	516	984	958	1426	n/a	n/a
72 / 1829	42 / 1067	558	1093	1000	1535	n/a	n/a
72 / 1829	48 / 1219	634	1248	1076	1690	n/a	n/a
72 / 1829	54 / 1372	676	1358	n/a	n/a	1118	1800
72 / 1829	60 / 1524	718	1467	n/a	n/a	1160	1909
72 / 1829	66 / 1676	767	1595	n/a	n/a	1209	2037
72 / 1829	72 / 1829	809	1704	n/a	n/a	1251	2146
72 / 1829	78 / 1981	851	1813	n/a	n/a	1293	2255
72 / 1829	84 / 2134	893	1923	n/a	n/a	1335	2365
72 / 1829	90 / 2286	935	2032	n/a	n/a	1377	2474
81 / 2057	24 / 610	455	874	n/a	n/a	n/a	n/a
81 / 2057	30 / 762	501	1005	n/a	n/a	n/a	n/a
81 / 2057	36 / 914	548	1136	990	1578	n/a	n/a
81 / 2057	42 / 1067	594	1267	1036	1709	n/a	n/a
81 / 2057	48 / 1219	675	1443	1117	1885	n/a	n/a
81 / 2057	54 / 1372	721	n/a	n/a	n/a	1163	n/a
81 / 2057	60 / 1524	768	n/a	n/a	n/a	1210	n/a
81 / 2057	66 / 1676	822	n/a	n/a	n/a	1264	n/a
81 / 2057	72 / 1829	868	n/a	n/a	n/a	1310	n/a
81 / 2057	78 / 1981	915	n/a	n/a	n/a	1357	n/a
81 / 2057	84 / 2134	961	n/a	n/a	n/a	1403	n/a
81 / 2057	90 / 2286	1008	n/a	n/a	n/a	1450	n/a

B_WOO

Wall Panel with Solid Shelves (Continued)

DIMENSIONS INCHES / MM

PRICING

		MOUNTING STY	LE (H) (CONTINU	JED)				
		MIDDLE SHELF (MN), MIDDLE & T	TOP SHELVES (MT) or	BOTTOM, MIDD	LE & TOP SHELVES (S	S)	
		NO POWER AND	DATA (NN)	POWER AND DA	TA (OC)	POWER AND DA	TA (OL, OR)	
		PANEL FINISH		-				
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	
81 / 2057	24 / 610	455	874	n/a	n/a	n/a	n/a	
81 / 2057	30 / 762	501	1005	n/a	n/a	n/a	n/a	
81 / 2057	36 / 914	548	1136	990	1578	n/a	n/a	
81 / 2057	42 / 1067	594	1267	1036	1709	n/a	n/a	
81 / 2057	48 / 1219	675	1443	1117	1885	n/a	n/a	
81 / 2057	54 / 1372	721	n/a	n/a	n/a	1163	n/a	
81 / 2057	60 / 1524	768	n/a	n/a	n/a	1210	n/a	
81 / 2057	66 / 1676	822	n/a	n/a	n/a	1264	n/a	
81 / 2057	72 / 1829	868	n/a	n/a	n/a	1310	n/a	
81 / 2057	78 / 1981	915	n/a	n/a	n/a	1357	n/a	
81 / 2057	84 / 2134	961	n/a	n/a	n/a	1403	n/a	
81 / 2057	90 / 2286	1008	n/a	n/a	n/a	1450	n/a	

		MOUNTING STY					
				TOP SHELVES (BT) or	, ,		T. (O. O.D.)
		NO POWER AND PANEL FINISH	DATA (NN)	POWER AND DA	POWER AND DATA (OC)		TA (OL, OR)
		Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
66 / 1676	24 / 610	434	753	n/a	n/a	n/a	n/a
66 / 1676	30 / 762	472	860	n/a	n/a	n/a	n/a
66 / 1676	36 / 914	511	967	953	1409	n/a	n/a
66 / 1676	42 / 1067	548	1075	990	1517	n/a	n/a
66 / 1676	48 / 1219	621	1227	1063	1669	n/a	n/a
66 / 1676	54 / 1372	659	1334	n/a	n/a	1101	1776
66 / 1676	60 / 1524	698	1441	n/a	n/a	1140	1883
66 / 1676	66 / 1676	743	1567	n/a	n/a	1185	2009
66 / 1676	72 / 1829	781	1674	n/a	n/a	1223	2116
66 / 1676	78 / 1981	819	1782	n/a	n/a	1261	2224
66 / 1676	84 / 2134	858	1889	n/a	n/a	1300	2331
66 / 1676	90 / 2286	896	1996	n/a	n/a	1338	2438
72 / 1829	24 / 610	455	823	n/a	n/a	n/a	n/a
2 / 1829	30 / 762	498	944	n/a	n/a	n/a	n/a
2 / 1829	36 / 914	541	1065	983	1507	n/a	n/a
2 / 1829	42 / 1067	584	1187	1026	1629	n/a	n/a
2 / 1829	48 / 1219	661	1354	1103	1796	n/a	n/a
2 / 1829	54 / 1372	704	n/a	n/a	n/a	1146	n/a
2 / 1829	60 / 1524	747	n/a	n/a	n/a	1189	n/a
2 / 1829	66 / 1676	797	n/a	n/a	n/a	1239	n/a
2 / 1829	72 / 1829	840	n/a	n/a	n/a	1282	n/a
2 / 1829	78 / 1981	883	n/a	n/a	n/a	1325	n/a
2 / 1829	84 / 2134	926	n/a	n/a	n/a	1368	n/a
72 / 1829	90 / 2286	969	n/a	n/a	n/a	1411	n/a

B_WOO"

Wall Panel with Solid Shelves (Continued)

DIMENSIONS INCHES / MM

PRICING

		MOUNTING STY	LE (K) (CONTINU	(ED)			
		BOTTOM SHELF	(BN), BOTTOM &	TOP SHELVES (BT) or	TOP SHELF (NT)		
		NO POWER AND	DATA (NN)	POWER AND DA	TA (OC)	POWER AND DA	TA (OL, OR)
		PANEL FINISH	PANEL FINISH				
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
81 / 2057	24 / 610	475	892	n/a	n/a	n/a	n/a
31 / 2057	30 / 762	523	1028	n/a	n/a	n/a	n/a
31 / 2057	36 / 914	571	1163	1013	1605	n/a	n/a
31 / 2057	42 / 1067	619	1299	1061	1741	n/a	n/a
31 / 2057	48 / 1219	700	1482	1142	1924	n/a	n/a
1 / 2057	54 / 1372	748	n/a	n/a	n/a	1190	n/a
1 / 2057	60 / 1524	796	n/a	n/a	n/a	1238	n/a
1 / 2057	66 / 1676	851	n/a	n/a	n/a	1293	n/a
1 / 2057	72 / 1829	898	n/a	n/a	n/a	1340	n/a
1 / 2057	78 / 1981	946	n/a	n/a	n/a	1388	n/a
1 / 2057	84 / 2134	994	n/a	n/a	n/a	1436	n/a
1 / 2057	90 / 2286	1041	n/a	n/a	n/a	1483	n/a

		MIDDLE SHELF (MN), MIDDLE & T	TOP SHELVES (MT) or	BOTTOM, MIDD	LE & TOP SHELVES (S	S)
		NO POWER AND	DATA (NN)	POWER AND DA	POWER AND DATA (OC)		ΓA (OL, OR)
		PANEL FINISH					
		Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
81 / 2057	24 / 610	475	892	n/a	n/a	n/a	n/a
81 / 2057	30 / 762	523	1028	n/a	n/a	n/a	n/a
81 / 2057	36 / 914	571	1163	1013	1605	n/a	n/a
81 / 2057	42 / 1067	619	1299	1061	1741	n/a	n/a
81 / 2057	48 / 1219	700	1482	1142	1924	n/a	n/a
81 / 2057	54 / 1372	748	n/a	n/a	n/a	1190	n/a
81 / 2057	60 / 1524	796	n/a	n/a	n/a	1238	n/a
81 / 2057	66 / 1676	851	n/a	n/a	n/a	1293	n/a
81 / 2057	72 / 1829	898	n/a	n/a	n/a	1340	n/a
81 / 2057	78 / 1981	946	n/a	n/a	n/a	1388	n/a
81 / 2057	84 / 2134	994	n/a	n/a	n/a	1436	n/a
81 / 2057	90 / 2286	1041	n/a	n/a	n/a	1483	n/a

		MOUNTING STY	LE (L)				
		BOTTOM SHELF	(BN), BOTTOM &	TOP SHELVES (BT) or	TOP SHELF (NT)		
		NO POWER AND	DATA (NN)	POWER AND DA	ATA (OC)	POWER AND DA	TA (OL, OR)
		PANEL FINISH		· ·			
		Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
66 / 1676	24 / 610	459	795	n/a	n/a	n/a	n/a
66 / 1676	30 / 762	498	913	n/a	n/a	n/a	n/a
66 / 1676	36 / 914	537	1031	979	1473	n/a	n/a
66 / 1676	42 / 1067	575	1150	1017	1592	n/a	n/a
66 / 1676	48 / 1219	649	1313	1091	1755	n/a	n/a
66 / 1676	54 / 1372	688	1432	n/a	n/a	1130	1874
66 / 1676	60 / 1524	727	1550	n/a	n/a	1169	1992
66 / 1676	66 / 1676	773	1687	n/a	n/a	1215	2129
66 / 1676	72 / 1829	812	1805	n/a	n/a	1254	2247
66 / 1676	78 / 1981	851	1924	n/a	n/a	1293	2366
66 / 1676	84 / 2134	890	2042	n/a	n/a	1332	2484

B_WOO


Wall Panel with Solid Shelves (Continued)

DIMENSIONS INCHES / MM

		MOUNTING STY	LE (L) (CONTINU	ED)			
				TOP SHELVES (BT) or	TOP SHELF (NT)		
		NO POWER AND	DATA (NN)	POWER AND DA	TA (OC)	POWER AND DA	TA (OL, OR)
		PANEL FINISH					
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
72 / 1829	24 / 610	477	879	n/a	n/a	n/a	n/a
72 / 1829	30 / 762	521	1013	n/a	n/a	n/a	n/a
72 / 1829	36 / 914	565	1146	1007	1588	n/a	n/a
72 / 1829	42 / 1067	609	1280	1051	1722	n/a	n/a
72 / 1829	48 / 1219	687	1460	1129	1902	n/a	n/a
72 / 1829	54 / 1372	731	n/a	n/a	n/a	1173	n/a
72 / 1829	60 / 1524	775	n/a	n/a	n/a	1217	n/a
72 / 1829	66 / 1676	826	n/a	n/a	n/a	1268	n/a
72 / 1829	72 / 1829	870	n/a	n/a	n/a	1312	n/a
2 / 1829	78 / 1981	914	n/a	n/a	n/a	1356	n/a
72 / 1829	84 / 2134	958	n/a	n/a	n/a	1400	n/a

B_WMD"

Wall Panel for Media



This wall panel supports the integration of technology and TV monitor in the office. Whether mounted onto a desk, credenza, secondary desk, mid-height storage, workwall kneespace module or workwall credenza, the wall panel is easily installed requiring securement at only two wall locations.

WHAT'S INCLUDED

 $1\ panel,\ 1\ tv$ monitor mount, $1\ pass-trough$ grommet, $1\ duo\ square$ grommet (as specified), and mounting hardware.

WHAT'S EXCLUDED

Desk, Credenza, Secondary Desk, Mid-Height Storage and Workwall Storage.

NOTES

When Vertical (V) Grain Direction is specified, the 66" to 90" widths are **not** available. Tackboard for Wall Panel **cannot** be used with this product.

TV Monitor Mount is finished in Black.

Not all product options are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

	Mounting Style	Grain Direction	Datum Height	Width	Cable Management	Panel Finish
ŀ	On Mid-Height (Shown)	V Vertical	66, 72, 81	36, 42, 48, 54, 60, 66,	N No Grommet	Source Laminate
ŀ	On High Secondary Desk (All Thicknesses)	H Horizontal		72, 78, 84, 90	S Duo Grommet – Square (Shown)	Flintwood (No Cathedral)
Ι	On Low Secondary Desk (All Thicknesses)					

SAMPLE ORDER CODE

B <u>L</u> WMD	Н	72	54	N	XS

DIMENSIONS INCHES / MM

		MOUNTING STY	LE (H)	MOUNTING STY	YLE (K)	MOUNTING STY	LE (L)
		PANEL FINISH					
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
66 / 1676	36 / 914	673	1092	700	1156	726	1220
66 / 1676	42 / 1067	710	1188	737	1264	764	1339
66 / 1676	48 / 1219	782	1329	810	1416	838	1502
66 / 1676	54 / 1372	819	1425	848	1523	877	1621
66 / 1676	60 / 1524	857	1521	887	1630	916	1739
66 / 1676	66 / 1676	901	1636	932	1756	962	1876
66 / 1676	72 / 1829	939	1732	970	1863	1001	1994
66 / 1676	78 / 1981	976	1828	1008	1971	1040	2113
66 / 1676	84 / 2134	1014	1924	1047	2078	1079	2231
66 / 1676	90 / 2286	1051	2020	1085	2185	n/a	n/a




Wall Panel Media (Continued)

DIMENSIONS INCHES / MM

		MOUNTING STY	LE (H)	MOUNTING ST	YLE (K)	MOUNTING STY	LE (L)	
		PANEL FINISH						
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	
72 / 1829	36 / 914	705	1173	730	1254	754	1335	
72 / 1829	42 / 1067	747	1282	773	1376	798	1469	
72 / 1829	48 / 1219	823	1437	850	1543	876	1649	
72 / 1829	54 / 1372	865	1547	893	n/a	920	n/a	
72 / 1829	60 / 1524	907	1656	936	n/a	964	n/a	
72 / 1829	66 / 1676	956	1784	986	n/a	1015	n/a	
72 / 1829	72 / 1829	998	1893	1029	n/a	1059	n/a	
72 / 1829	78 / 1981	1040	2002	1072	n/a	1103	n/a	
72 / 1829	84 / 2134	1082	2112	1115	n/a	1147	n/a	
72 / 1829	90 / 2286	1124	2221	1158	n/a	n/a	n/a	
81 / 2057	36 / 914	737	1325	760	1352	n/a	n/a	
81 / 2057	42 / 1067	783	1456	808	1488	n/a	n/a	
81 / 2057	48 / 1219	864	1632	889	1671	n/a	n/a	
81 / 2057	54 / 1372	910	n/a	937	n/a	n/a	n/a	
81 / 2057	60 / 1524	957	n/a	985	n/a	n/a	n/a	
81 / 2057	66 / 1676	1011	n/a	1040	n/a	n/a	n/a	
31 / 2057	72 / 1829	1057	n/a	1087	n/a	n/a	n/a	
81 / 2057	78 / 1981	1104	n/a	1135	n/a	n/a	n/a	
31 / 2057	84 / 2134	1150	n/a	1183	n/a	n/a	n/a	
31 / 2057	90 / 2286	1197	n/a	1230	n/a	n/a	n/a	

B_WMO

Wall Panel for Media and Shelves



This wall panel supports the integration of technology and TV monitor in the office. Must be used with a solid shelf mounted above the TV monitor. Whether mounted onto a desk, credenza, secondary desk, mid-height storage, workwall kneespace module or workwall credenza, the wall panel is easily installed requiring securement at only two wall locations.

WHAT'S INCLUDED

 $1\ panel,\ 1\ tv$ monitor mount, $1\ pass-trough$ grommet, $1\ duo\ square$ grommet (as specified), and mounting hardware.

WHAT'S EXCLUDED

Desk, Credenza, Secondary Desk, Mid-Height Storage and Workwall Storage.

NOTES

When Vertical (V) Grain Direction is specified, the 66" to 90" widths are **not** available. Tackboard for Wall Panel **cannot** be used with this product.

TV Monitor Mount is finished in Black.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Mounting Style	Grain Direction	Datum Height	Width	Cable Management	Panel Finish
 K On Mid-Height (Shown) H On High Secondary Desk (All Thicknesses) L On Low Secondary Desk (All Thicknesses) 	V Vertical H Horizontal	72, 81	36, 42, 48, 54, 60, 66, 72, 78, 84, 90	N No Grommet S Duo Grommet – Square (Shown)	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

B <u>L</u> WMO	\mathbf{V}	72	54	N	XS

DIMENSIONS INCHES / MM

		MOUNTING STY	LE (H)	MOUNTING ST	YLE (K)	MOUNTING STYLE (L)		
		PANEL FINISH						
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	
72 / 1829	36 / 914	n/a	n/a	730	1254	754	1335	
72 / 1829	42 / 1067	n/a	n/a	773	1376	798	1469	
72 / 1829	48 / 1219	n/a	n/a	850	1543	876	1649	
72 / 1829	54 / 1372	n/a	n/a	893	n/a	920	n/a	
72 / 1829	60 / 1524	n/a	n/a	936	n/a	964	n/a	
72 / 1829	66 / 1676	n/a	n/a	986	n/a	1015	n/a	
72 / 1829	72 / 1829	n/a	n/a	1029	n/a	1059	n/a	
72 / 1829	78 / 1981	n/a	n/a	1072	n/a	1103	n/a	
72 / 1829	84 / 2134	n/a	n/a	1115	n/a	1147	n/a	
72 / 1829	90 / 2286	n/a	n/a	1158	n/a	n/a	n/a	

B_WMO


Wall Panel Media and Shelves (Continued)

DIMENSIONS INCHES / MM

		MOUNTING STY	LE (H)	MOUNTING ST	YLE (K)	MOUNTING STY	LE (L)
		PANEL FINISH					
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
81 / 2057	36 / 914	737	1325	760	1352	n/a	n/a
81 / 2057	42 / 1067	783	1456	808	1488	n/a	n/a
81 / 2057	48 / 1219	864	1632	889	1671	n/a	n/a
81 / 2057	54 / 1372	910	n/a	937	n/a	n/a	n/a
81 / 2057	60 / 1524	957	n/a	985	n/a	n/a	n/a
81 / 2057	66 / 1676	1011	n/a	1040	n/a	n/a	n/a
81 / 2057	72 / 1829	1057	n/a	1087	n/a	n/a	n/a
81 / 2057	78 / 1981	1104	n/a	1135	n/a	n/a	n/a
81 / 2057	84 / 2134	1150	n/a	1183	n/a	n/a	n/a
81 / 2057	90 / 2286	1197	n/a	1230	n/a	n/a	n/a

B_WMM

Wall Panel for Metal Accessory Shelves



This wall panel bring a distinctive architectural element to the office desk. It is designed to support metal accessory shelves and is compatible with tackboard or markerboard for enhanced functionality. Whether mounted onto a desk, credenza, secondary desk, mid-height storage, workwall kneespace module or workwall credenza, the wall panel is easily installed requiring securement at only two wall locations.

WHAT'S INCLUDED

1 panel and mounting hardware.

WHAT'S EXCLUDED

Desk, Credenza, Secondary Desk, Mid-Height Storage, Workwall Storage, Metal Accessory Shelves for Wall Panel (BBAMS), and Tackboard for Wall Panel.

NOTES

The 33" wide Metal Accessory Shelf cannot be used with 30" wide Wall Panel.

The Metal Accessory Shelves can be installed centered (C) only.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

	Mounting Style	Grain Direction	Datum Height	Width	Coı	nfiguration	She	elf Position	Po	ower and Data	Panel Finish
]	C On Mid-Height	V Vertical	66, 72, 81	30, 36, 42, 48,	BN	Bottom	С	Centre	NN	No Power	Source Laminate
1	M On 1 3/16" thick Standard Worksurface	H Horizontal		54, 60	вт	Shelf Bottom				and Data	Flintwood (No Cathedral)
2	C On 1 9/16" thick Standard Worksurface					and Top Shelves					
]	H On High Secondary Desk (All Thicknesses)				NT	Top Shelf (Shown)					
]	On Low Secondary Desk (All Thicknesses) (Shown)										

SAMPLE ORDER CODE

B <u>L</u> WMM V	72	36	BN	С	NN	XS
------------------	----	----	----	---	----	----

DIMENSIONS INCHES / MM

		MOUNTING STY	LE (M, X or H)	MOUNTING ST	YLE (K)	MOUNTING STY	LE (L)
		PANEL FINISH					
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
66 / 1676	30 / 762	446	807	472	860	498	913
66 / 1676	36 / 914	484	903	511	967	537	1031
66 / 1676	42 / 1067	521	999	548	1075	575	1150
66 / 1676	48 / 1219	593	1140	621	1227	649	1313
66 / 1676	54 / 1372	630	1236	659	1334	688	1432
66 / 1676	60 / 1524	668	1332	698	1441	727	1550
72 / 1829	30 / 762	474	875	498	944	521	1013
72 / 1829	36 / 914	516	984	541	1065	565	1146
72 / 1829	42 / 1067	558	1093	584	1187	609	1280
72 / 1829	48 / 1219	634	1248	661	1354	687	1460
72 / 1829	54 / 1372	676	1358	704	n/a	731	n/a
72 / 1829	60 / 1524	718	1467	747	n/a	775	n/a

B_WMM

Wall Panel for Metal Accessory Shelves (Continued)

DIMENSIONS INCHES / MM

		MOUNTING STYLE (M, X or H) PANEL FINISH		MOUNTING ST	YLE (K)	MOUNTING STYLE (L)		
Н	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	
81 / 2057	30 / 762	501	1005	523	1028	n/a	n/a	
81 / 2057	36 / 914	548	1136	571	1163	n/a	n/a	
81 / 2057	42 / 1067	594	1267	619	1299	n/a	n/a	
81 / 2057	48 / 1219	675	1443	700	1482	n/a	n/a	
81 / 2057	54 / 1372	721	n/a	748	n/a	n/a	n/a	
81 / 2057	60 / 1524	768	n/a	796	n/a	n/a	n/a	

BAWSS Solid Shelf for Wall Panel

When combine with a Wall Panel, these solid shelves provide storage or display space.

WHAT'S INCLUDED

1 solid shelf, alignment holes (as specified) and mounting hardware.

WHAT'S EXCLUDED

Wall Panels.

NOTES

When Standard (D) edge option is specified, only Edge Trim Styles (6 and 9) are available.

When Knife Edge (V) option is specified, only Edge Trim Style (F) is available.


When Alignment Holes Option (B, L or R) is specified, the side edge comes with alignment holes. These holes allowed the connection of the multiple shelves together. Specify each shelf with this option.

Can be mounted on multiple wall panels at the same time.

Can be used with:

- Wall Panel for Overhead Cabinet and Shelf (B_WCO)
- Wall Panel for Solid Shelves (B_WOO)
- Wall Panel for Media and Shelves (B_WMO)

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

	Edge Detail	Width	Depth	Alignment Holes Option	Shelf Finish	Edge Trim Style	Edge Trim Finish
Ι	• Standard	024, 030, 036, 042,	09, 13	B Alignment Holes -Both Sides	Source Laminate	6 Straight Trim	Edge Trim Colors
1	V Knife Edge	048, 054, 060, 066, 072, 078, 084, 090		L Alignment Holes – Left	Flintwood (No Cathedral)	9 Flintwood Flat Trim	(for trim style 6 or F)
				R Alignment Holes – Right		F Full Knife Trim	
				N No Alignment Holes (Shown)			

SAMPLE ORDER CODE

BAWSS V 024	09	N	XS	F	ST
-------------	----	---	----	---	----

DIMENSIONS INCHES / MM

		STANDARD	EDGE (D)			KNIFE EDGE (V)	
		NO ALIGNMENT HOLES (N)		ALIGNMENT (B, L or R)	HOLES	NO ALIGNMENT HOLES (N)	ALIGNMENT HOLE (B, L or R)
		SHELF FINISH					
W	D	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Source Laminate
24 / 610	9 / 229	127	303	127	303	147	147
30 / 762	9 / 229	139	324	139	324	164	164
36 / 914	9 / 229	152	345	152	345	182	182
42 / 1067	9 / 229	164	366	164	366	199	199
48 / 1219	9 / 229	177	388	177	388	217	217
54 / 1372	9 / 229	189	409	189	409	234	234
60 / 1524	9 / 229	201	430	201	430	251	251
66 / 1676	9 / 229	214	453	214	453	269	269
72 / 1829	9 / 229	226	477	226	477	286	286
78 / 1981	9 / 229	239	501	239	501	304	304
84 / 2134	9 / 229	251	525	251	525	321	321
90 / 2286	9 / 229	264	548	n/a	n/a	339	n/a



BAWSS

Solid Shelf for Wall Panel (Continued)

DIMENSIONS INCHES / MM

		STANDARD	EDGE (D)			
		NO ALIGNMENT HOLES (N)		ALIGNMENT HOLES (B, L or R)		
		SHELF FINIS	H			
W	D	Source Laminate	Flintwood	Source Laminate	Flintwood	
24 / 610	13 / 330	141	339	141	339	
30 / 762	13 / 330	157	370	157	370	
36 / 914	13 / 330	172	402	172	402	
42 / 1067	13 / 330	188	434	188	434	
48 / 1219	13 / 330	204	465	204	465	
54 / 1372	13 / 330	219	497	219	497	
60 / 1524	13 / 330	234	527	234	527	
66 / 1676	13 / 330	250	562	250	562	
72 / 1829	13 / 330	266	597	266	597	
78 / 1981	13 / 330	282	632	282	632	
84 / 2134	13 / 330	297	666	297	666	
90 / 2286	13 / 330	313	701	n/a	n/a	

ALIGNMENT LES (N)	ALIGNMENT HOLES (B, L or R)
Source Laminate	Source Laminate
161	161
182	182
202	202
223	223
244	244
264	264
284	284
305	305
326	326
347	347
367	367
388	n/a

BAWDS 3

Solid Display Shelf for Wall Panel

When combine with a Wall Panel, these Solid Display Shelves provide display space for lightweight objects.

WHAT'S INCLUDED

24" to 60" widths: 1 solid display shelf, 1 metal lip and monting hardware.

66" to 90" widths: 2 solid display shelves, 2 metal lips and monting hardware.

WHAT'S EXCLUDED

Wall Panels.

NOTES


When Standard (D) edge option is specified, only Edge Trim Styles (6 and 9) are available.

When Knife Edge (V) option is specified, only Edge Trim Style (F) is available.

Can be used with:

- Wall Panel for Overhead Cabinet and Shelf (B_WCO)
- Wall Panel for Solid Shelves (B_WOO)
- Wall Panel for Media and Shelves (B_WMO)

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Ī	Edge Detail	Width	Depth	Shelf Finish	Edge Trim Style	Edge Trim Finish	Metal Finish
	O Standard V Knife Edge	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90	05	Source Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim F Full Knife Trim	Edge Trim Colors (for trim style 6 or F)	Foundation Mica Accent

SAMPLE ORDER CODE

BAWDS V 36 05	XS F	ST 68	
---------------	------	-------	--

DIMENSIONS INCHES / MM

		STANDARD EDGE (E		KNIFE EDGE (V)
		SHELF FINISH		
D	W	Source Laminate	Flintwood	Source Laminate
24 / 610	5 / 127	152	268	172
30 / 762	5 / 127	165	281	190
36 / 914	5 / 127	179	293	209
42 / 1067	5 / 127	193	306	228
48 / 1219	5 / 127	206	318	246
54 / 1372	5 / 127	220	331	265
60 / 1524	5 / 127	246	343	296
66 / 1676	5 / 127	262	356	317
72 / 1829	5 / 127	279	369	339
78 / 1981	5 / 127	295	381	360
84 / 2134	5 / 127	311	394	381
90 / 2286	5 / 127	328	406	403

These metal shelves provide storage or display space and they install on Wall Panel for Metal Accessory Shelves only.

BBAMS

WHAT'S INCLUDED

Metal Accessory Shelf for Wall

1 metal accessory shelf, 6 studs and mounting hardware.

WHAT'S EXCLUDED


Wall Panel for Metal Accessory Shelves and Rare Earth Magnet Kit.

NOTES


When One Level (1) Shelf Configuration is specified, the Second Level Orientation is not available.

Loading capacity:

- If 27" width = 52 lb/23,6 kg
- If 33" width = 64 lb/29 kg



Two Levels (2)



PRODUCT OPTIONS

ĺ	Shelf Configuration	Width	Height	Depth	Second Level Orientation (If Applicable)	Metal Finish
	1 One Level	27, 33	09	09	L Left (Shown)	Foundation
	2 Two Levels				R Right	Accent
						Mica

SAMPLE ORDER CODE

DDITIO 1 2/ 0)	BBAMS 1	27	09	09		60
-----------------------	---------	----	----	----	--	----

DIMENSIONS INCHES / MM

W H	D	ONE LEVEL (1)	TWO LEVEL (20)
27 / 686 9 / 2	229 9 / 229	197	256
33 / 838 9 / 2	229 9 / 229	237	289

mounted storage & accessories



BAWPF"

Side Panel for Wall Panel

This optional Side Filler is designed to fill the space behind a wall panel and conceal any visible hardware for a cleaner aesthetic. The product is compatible will all type of wall panels.

WHAT'S INCLUDED


1 side filer and mounting hardware.

WHAT'S EXCLUDED

Wall Panels and Freestanding Storage.

The Side Filler for Wall Panel is non-handed.

Can also be used to fill the space behind a Freestanding Storage of 66", 72" or 81"



PRODUCT OPTIONS

Datum Height	Finish
66, 72, 81	Foundation
	Mica
	Accent

SAMPLE ORDER CODE

BAWPF 72	52
----------	----

DIMENSIONS	
INCHES / MM	

PRICING

Н		
66 / 1676	69	
72 / 1829	72	
81 / 2057	76	

BAWAT 3

Fabric Tackboard – Wall Panel Mounted

This fabric-wrapped tackboard can be installed on a Wall Panel.

WHAT'S INCLUDED1 tackboard and Velcro® attachments.

WHAT'S EXCLUDED

Wall Panels.

NOTES

When the tackboard is used over a low Secondary Desk (B_MSDL, BH_SRL, BH_SBL or BH_SLL), it will **not** reach down to the worksurface.

Cannot be mounted on two wall panels at the same time.

Cannot be used with:

- Wall Panel for Media (B_WMD)
- Wall Panel for Media and Shelves (B_WMO)



PRODUCT OPTIONS

	Starting Height	Datum Height	Width	Fabric Finish
N	From 1 3/16" thick Worksurface (Standard Desk or Run-Off)	15, 51, 57, 66, 72, 81	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Panel Fabrics
X	From 1 9/16" thick Worksurface (Standard Desk or Run-Off)			
Н	From High Secondary Desk (All Thicknesses)			
В	From Bottom Shelf			
P	From Power and Data			
K	From Mid-Height			

SAMPLE ORDER CODE

DIMENSIONS INCHES / MM

PRICING

		STARTING HE	IGHT (B)						
Н	W	Gr. A/ COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
15 / 381	24 / 610	79	86	94	100	115	128	142	152
15 / 381	30 / 762	89	94	104	115	133	154	168	183
15 / 381	36 / 914	104	112	125	133	158	181	197	213
15 / 381	42 / 1067	116	125	136	147	170	192	211	229
15 / 381	48 / 1219	126	133	148	160	186	213	232	253
15 / 381	54 / 1372	134	144	160	173	202	230	251	270
15 / 381	60 / 1524	150	163	181	195	227	258	283	304
15 / 381	66 / 1676	163	173	192	206	238	271	297	321
15 / 381	72 / 1829	171	184	204	221	258	295	322	339
15 / 381	78 / 1981	182	195	215	232	271	310	339	365
15 / 381	84 / 2134	191	206	227	246	286	326	355	384

BAWAT

Fabric Tackboard – Wall Panel Mounted (Continued)

DIMENSIONS INCHES / MM

PRICING

		STARTING HEIGHT (P)							
**	W	Gr. A/ COM	C- 1	Gr. 2	C . 2	C= 4	C 5	C- (C- 7
H 51 / 1295	24 / 610	87	Gr. 1	104	Gr. 3	Gr. 4 125	Gr. 5	Gr. 6	Gr. 7 169
51 / 1295	30 / 762	96	107	119	125	148	169	183	200
51 / 1295	36 / 914	119	125	139	152	174	200	219	237
51 / 1295	42 / 1067	129	137	153	167	196	224	244	263
51 / 1295	48 / 1219	139	152	169	179	211	241	264	287
51 / 1295	54 / 1372	153	166	179	197	227	258	283	307
51 / 1295	60 / 1524	173	183	204	224	260	297	324	351
51 / 1295	66 / 1676	182	197	219	235	275	314	343	370
51 / 1295	72 / 1829	196	209	231	251	291	332	364	394
51 / 1295	78 / 1981	205	224	244	263	304	346	376	408
51 / 1295	84 / 2134	217	231	258	280	327	375	411	445
57 / 1448	24 / 610	124	143	155	165	190	209	230	248
57 / 1448	30 / 762	148	154	167	190	220	253	278	298
57 / 1448	36 / 914	165	177	201	216	255	295	321	349
57 / 1448	42 / 1067	190	203	220	239	271	307	336	364
57 / 1448	48 / 1219	203	216	239	258	299	345	375	406
57 / 1448	54 / 1372	217	232	258	277	322	370	404	437
57 / 1448	60 / 1524	240	260	290	311	361	409	448	485
57 / 1448	66 / 1676	262	277	309	331	379	432	471	513
57 / 1448	72 / 1829	275	293	326	355	416	477	522	567
57 / 1448	78 / 1981	291	311	348	374	441	506	551	597
57 / 1448	84 / 2134	307	332	365	396	456	519	567	612
66 / 1676	24 / 610	175	180	191	224	255	299	327	355
66 / 1676	30 / 762	177	194	225	237	293	345	374	405
66 / 1676	36 / 914	217	251	256	288	326	369	401	436
66 / 1676	42 / 1067	234	263	292	312	360	404	440	477
66 / 1676	48 / 1219	261	292	314	345	389	420	474	499
66 / 1676	54 / 1372	289	304	345	360	406	456	498	543
66 / 1676	60 / 1524	313	336	362	399	459	523	572	619
66 / 1676	66 / 1676	335	360	399	423	485	549	596	643
66 / 1676	72 / 1829	364	383	435	461	542	617	675	744
66 / 1676	78 / 1981	380	399	455	491	573	641	704	757
66 / 1676	84 / 2134	398	429	467	513	602	686	748	809
72 / 1020	241/10	220	227	22/	200	210	270	(12	4/0
72 / 1829	24 / 610	220	227	234	280	318	379	412	449
72 / 1829	30 / 762	227	248	277	292	368	430	470	510
72 / 1829	36 / 914	277	292	314	354	403	454	493	536
72 / 1829	42 / 1067	288	331	364	383	438	493	541	583
72 / 1829	48 / 1219	322	362	389	426	470	492	568	590
72 / 1829	54 / 1372	355	375	426	440	494	553	608	660
72 / 1829	60 / 1524	382	411	441	485	557	636	695	754
72 / 1829	66 / 1676	409	440	488	517	590	666	722	781
72 / 1829	72 / 1829	449	471	538	565	666	761	833	911
72 / 1829	78 / 1981	469	485	559	604	705	777	858	918
72 / 1829	84 / 2134	487	527	573	629	741	840	918	989

mounted storage & accessories

Xpress

BAWAT

Fabric Tackboard – Wall Panel Mounted (Continued)

DIMENSIONS INCHES / MM

PRICING

		STARTING HEIGHT (P) (CONTINUED)							
Н	W	Gr. A/ COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
81 / 2057	24 / 610	288	298	299	364	413	499	540	590
81 / 2057	30 / 762	302	329	355	375	481	558	614	668
81 / 2057	36 / 914	367	381	401	453	519	582	631	686
81 / 2057	42 / 1067	369	433	472	490	555	627	693	742
81 / 2057	48 / 1219	414	467	502	548	592	663	709	789
81 / 2057	54 / 1372	454	482	548	560	626	699	773	836
81 / 2057	60 / 1524	486	524	560	614	704	806	880	957
81 / 2057	66 / 1676	520	560	622	658	748	842	911	988
81 / 2057	72 / 1829	577	603	693	721	852	977	1070	1162
81 / 2057	78 / 1981	603	614	715	774	903	1024	1089	1211
81 / 2057	84 / 2134	621	674	732	803	950	1071	1173	1259

		STARTING HE	ARTING HEIGHT (M, X or H)							
		Gr. A/		,						
		COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
51 / 1295	24 / 610	108	118	129	137	157	175	194	208	
51 / 1295	30 / 762	122	129	143	157	182	211	231	251	
51 / 1295	36 / 914	142	153	171	182	216	248	270	292	
51 / 1295	42 / 1067	159	171	187	202	233	264	290	314	
51 / 1295	48 / 1219	172	182	203	220	255	292	319	347	
51 / 1295	54 / 1372	183	198	220	237	277	316	345	371	
51 / 1295	60 / 1524	205	224	248	267	311	354	389	418	
51 / 1295	66 / 1676	224	237	263	283	327	372	408	441	
51 / 1295	72 / 1829	235	252	280	303	354	405	442	466	
51 / 1295	78 / 1981	249	267	295	319	372	426	465	501	
51 / 1295	84 / 2134	262	282	312	338	393	448	488	528	
57 / 1448	24 / 610	151	159	173	194	222	254	280	299	
57 / 1448	30 / 762	165	173	196	212	255	297	324	351	
57 / 1448	36 / 914	195	208	229	251	291	332	364	394	
57 / 1448	42 / 1067	211	235	255	277	316	355	390	419	
57 / 1448	48 / 1219	233	253	278	299	349	399	435	470	
57 / 1448	54 / 1372	252	268	299	318	367	413	452	490	
57 / 1448	60 / 1524	278	297	326	354	409	467	512	551	
57 / 1448	66 / 1676	297	318	354	375	432	490	535	578	
57 / 1448	72 / 1829	319	340	378	408	480	548	599	647	
57 / 1448	78 / 1981	338	354	401	432	509	586	639	693	
57 / 1448	84 / 2134	351	378	416	454	528	601	657	712	
66 / 1676	24 / 610	195	203	217	248	287	333	365	396	
66 / 1676	30 / 762	203	217	248	268	328	387	420	456	
66 / 1676	36 / 914	238	278	288	318	368	416	455	492	
66 / 1676	42 / 1067	263	297	326	348	398	447	487	527	
66 / 1676	48 / 1219	293	322	349	383	432	470	528	560	
66 / 1676	54 / 1372	319	339	383	400	456	514	560	607	
66 / 1676	60 / 1524	347	374	405	441	510	580	635	687	
66 / 1676	66 / 1676	374	400	445	469	538	607	661	716	
66 / 1676	72 / 1829	404	427	484	514	604	691	755	815	
66 / 1676	78 / 1981	425	441	506	546	640	722	792	850	
66 / 1676	84 / 2134	442	480	522	571	666	756	825	892	

BAWAT

Fabric Tackboard - Wall Panel Mounted (Continued)

DIMENSIONS INCHES / MM

57 / 1448

57 / 1448

57 / 1448

72 / 1829

78 / 1981

84 / 2134

365

380

398

383

399

427

432

455

467

462

490

512

PRICING

STARTING HEIGHT (M, X or H) (CONTINUED)

		C. Al	10111 (111, 11 0)	(CONTINU	(LD)				
Н	W	Gr. A/ COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
72 / 1829	24 / 610	238	245	260	303	349	412	451	487
72 / 1829	30 / 762	245	260	298	322	403	473	517	559
72 / 1829	36 / 914	297	319	346	385	442	499	546	592
72 / 1829	42 / 1067	317	364	398	420	477	536	586	635
72 / 1829	48 / 1219	355	394	423	465	515	543	622	651
72 / 1829	54 / 1372	387	408	465	481	544	611	669	724
72 / 1829	60 / 1524	416	451	485	528	608	693	757	820
72 / 1829	66 / 1676	451	481	535	564	643	724	786	853
72 / 1829	72 / 1829	488	515	585	617	728	834	912	985
72 / 1829	78 / 1981	513	528	610	660	774	858	947	1009
72 / 1829	84 / 2134	534	578	628	687	805	912	994	1072
81 / 2057	24 / 610	303	308	325	386	442	531	580	624
81 / 2057	30 / 762	308	325	373	403	516	602	663	714
81 / 2057	36 / 914	386	395	433	486	553	624	699	742
81 / 2057	42 / 1067	398	465	506	528	596	670	735	797
		Gr. A/ COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
51 / 1295	24 / 610	125	144	154	162	189	208	231	247
51 / 1295	30 / 762	148	152	167	189	219	254	278	299
51 / 1295	36 / 914	165	180	201	213	256	295	322	348
51 / 1295	42 / 1067	189	203	222	238	270	309	338	365
51 / 1295 51 / 1295	48 / 1219 54 / 1372	203	213	238 259	259 278	298 324	343 374	374 406	407
51 / 1295	60 / 1524	239	261	299	311	361	411	452	484
51 / 1295	66 / 1676	262	278	311	328	379	430	474	515
51 / 1295	72 / 1829	277	293	326	355	418	478	523	541
51 / 1295	78 / 1981	291	311	347	375	440	506	553	594
51 / 1295	84 / 2134	310	332	367	396	457	520	567	611
)1 / 12 <i>)</i>)	017 2131		332	307	370	1)/)20	<i>)</i> 0/	011
57 / 1448	24 / 610	176	181	190	224	252	298	327	353
57 / 1448	30 / 762	179	191	226	235	291	343	372	405
57 / 1448	36 / 914	226	237	255	285	327	368	405	436
57 / 1448	42 / 1067	233	268	291	312	360	405	442	474
57 / 1448	48 / 1219	262	290	314	343	399	454	495	535
57 / 1448	54 / 1372	287	304	343	361	408	458	498	542
57 / 1448	60 / 1524	313	336	362	399	459	525	574	618
			550	302	3,,,		222		
57 / 1448	66 / 1676	333	361	401	420	484	548	599	643

Pricing is continued on the following page.

674

726

747

727

786

810

543

574

602

618

667

684

mounted storage & accessories

Xpress

BAWAT

Fabric Tackboard - Wall Panel Mounted (Continued)

DIMENSIONS **INCHES / MM**

		STARTING HE	IGHT (K) (CO	NTINUED)					
Н	W	Gr. A/ COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
66 / 1676	24 / 610	213	227	241	271	317	365	403	433
66 / 1676	30 / 762	230	239	270	298	364	429	466	506
66 / 1676	36 / 914	260	304	318	349	408	464	507	548
66 / 1676	42 / 1067	293	332	360	383	434	488	534	578
66 / 1676	48 / 1219	326	354	383	425	476	521	582	622
66 / 1676	54 / 1372	350	371	425	438	505	572	623	670
66 / 1676	60 / 1524	379	412	448	486	559	637	697	752
66 / 1676	66 / 1676	413	438	491	516	590	665	726	786
66 / 1676	72 / 1829	442	469	531	567	667	764	835	890
66 / 1676	78 / 1981	466	486	556	602	709	803	882	944
66 / 1676	84 / 2134	490	529	577	629	731	829	902	977
72 / 1829	24 / 610	258	262	287	327	379	445	487	525
72 / 1829	30 / 762	262	274	321	354	436	516	564	609
72 / 1829	36 / 914	319	347	376	416	485	548	600	647
72 / 1829	42 / 1067	347	398	430	457	515	579	633	686
81 / 2057	24 / 610	422	450	487	548	592	622	713	753
81 / 2057	30 / 762	445	472	548	554	651	743	811	862
81 / 2057	36 / 914	478	513	577	617	709	805	864	953
81 / 2057	42 / 1067	533	554	626	660	749	841	917	1001

BAWAE 3

Felt Tackboard – Wall Panel Mounted

This felt tackboard can be installed on a Wall Panel.

WHAT'S INCLUDED

1 tackboard and Velcro® attachments.

WHAT'S EXCLUDED

Wall Panels.

NOTES

When the tackboard is used over a low Secondary Desk (B_MSDL, BH_SRL, BH_SBL or BH_SLL), it will **not** reach down to the worksurface.

Cannot be mounted on two wall panels at the same time.

Cannot be used with:

- Wall Panel for Media (B_WMD)
- Wall Panel for Media and Shelves (B_WMO)



PRODUCT OPTIONS

	Starting Height	Datum Height	Width	Felt Finish	Stitches Finish
M	From 1 3/16" thick Work. (Standard Desk or Run-Off)	15, 51, 57, 66, 72, 81	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Loft	C Carbon Coordinate E Shale Coordinate
X	From 1 9/16" thick Work. (Standard Desk or Run-Off)				G Carrara Coordinate
Н	From High Secondary Desk (All Thicknesses)				M Umber Coordinate
В	From Bottom Shelf				
P	From Power and Data				
K	From Mid-Height				

SAMPLE ORDER CODE

BAWAE X 51	54 R	В11 С
------------	------	-------

DIMENSIONS INCHES / MM

H W HEIGHT (B) HEIGHT (P) HEIGHT (M, X or H) HEIGHT (15 / 381 24 / 610 177 n/a n/a n/a 15 / 381 30 / 762 219 n/a n/a n/a	n/a n/a
15 / 381 30 / 762 219 n/a n/a	
15 / 381 36 / 914 263 n/a n/a	n/a
15 / 381 42 / 1067 309 n/a n/a	n/a
15 / 381 48 / 1219 350 n/a n/a	n/a
15 / 381 54 / 1372 394 n/a n/a	n/a
15 / 381 60 / 1524 440 n/a n/a	n/a
15 / 381 66 / 1676 481 n/a n/a	n/a
15 / 381 72 / 1829 526 n/a n/a	n/a
15 / 381 78 / 1981 571 n/a n/a	n/a
15 / 381 84 / 2134 613 n/a n/a	n/a
51 / 1295 24 / 610 n/a 150 194	237
51 / 1295 30 / 762 n/a 187 240	295
51 / 1295 36 / 914 n/a 225 289	353
51 / 1295 42 / 1067 n/a 260 339	414
51 / 1295 48 / 1219 n/a 297 385	473
51 / 1295	531
51 / 1295 60 / 1524 n/a 372 483	592
51 / 1295 66 / 1676 n/a 409 529	650
51 / 1295 72 / 1829 n/a 448 578	708
51 / 1295 78 / 1981 n/a 484 628	770
51 / 1295 84 / 2134 n/a 521 674	828


BAWAE Felt Tackboard – Wall Panel Mounted (Continued)

DIMENSIONS INCHES / MM

Н	W	STARTING HEIGHT (B)	STARTING HEIGHT (P)	STARTING HEIGHT (H or M, X)	STARTING Height (K)
57 / 1448	24 / 610	n/a	220	262	307
57 / 1448	30 / 762	n/a	275	328	382
57 / 1448	36 / 914	n/a	328	396	461
57 / 1448	42 / 1067	n/a	382	461	538
57 / 1448	48 / 1219	n/a	437	525	612
57 / 1448	54 / 1372	n/a	492	592	691
57 / 1448	60 / 1524	n/a	548	657	764
57 / 1448	66 / 1676	n/a	602		841
57 / 1448	72 / 1829	n/a	657		920
57 / 1448	78 / 1981	n/a	712	853	995
57 / 1448	84 / 2134	n/a	766	920	1072
66 / 1676	24 / 610	n/a	289	333	376
66 / 1676	30 / 762	n/a	361	416	471
66 / 1676	36 / 914	n/a	433	498	565
66 / 1676	42 / 1067	n/a	506	582	660
66 / 1676	48 / 1219	n/a	578	665	753
66 / 1676	54 / 1372	n/a	650	749	848
66 / 1676	60 / 1524	n/a	722	832	941
66 / 1676	66 / 1676	n/a	793	915	1037
66 / 1676	72 / 1829	n/a	867	998	1129
66 / 1676	78 / 1981	n/a	938	1081	1225
66 / 1676	84 / 2134	n/a	1010	1165	1317
72 / 1829	24 / 610	n/a	342	385	429
72 / 1829	30 / 762	n/a	427	483	538
72 / 1829	36 / 914	n/a	513	578	643
72 / 1829	42 / 1067	n/a	599	674	751
72 / 1829	48 / 1219	n/a	684		860
72 / 1829	54 / 1372	n/a	768	867	964
72 / 1829	60 / 1524	n/a	853	963	1072
72 / 1829	66 / 1676	n/a	938	1060	1181
72 / 1829	72 / 1829	n/a	1023	1155	1286
72 / 1829	78 / 1981	n/a	1110	1252	1394
72 / 1829	84 / 2134	n/a	1195	1348	1501
81 / 2057	24 / 610	n/a	422	463	509
81 / 2057	30 / 762	n/a	526	584	639
81 / 2057	36 / 914	n/a	633	698	760
81 / 2057	42 / 1067	n/a	739	812	888
81 / 2057	48 / 1219	n/a	843	930	1021
81 / 2057	54 / 1372	n/a	945	1044	1138
81 / 2057	60 / 1524	n/a	1050	1160	1269
81 / 2057	66 / 1676	n/a	1156	1278	1397
81 / 2057	72 / 1829	n/a	1257	1391	1522
81 / 2057	78 / 1981	n/a	1368	1509	1648
81 / 2057	84 / 2134	n/a	1473	1623	1777

BAWAM 3

Glass Markerboard – Wall Panel Mounted



This markerboard can be installed on a Wall Panel.

WHAT'S INCLUDED

 $1~\mbox{glass}$ markerboard, mounting extrusion, double face tape attachment, rare earth magnets (magnetic glass only), and mounting hardware.

WHAT'S EXCLUDED

Wall Panels and Marker Holder for Markerboard.

NOTES

When the markerboard is used over a low secondary desk (B_MSDL, BH_SRL, BH_SBL or BH_SLL), it will **not** reach down to the worksurface.

Cannot be mounted on two wall panels at the same time.

Cannot be used with:

- Wall Panel for Media (B_WMD)
- Wall Panel for Media and Shelves (B_WMO)

PRODUCT OPTIONS

Markerboard Style	Starting Height	Datum Height	Width	Glass Finish
G Glass only M Magnetic Glass	M From 1 3/16" thick Work. (Standard Desk or Run-Off)	15, 51, 57, 66, 72, 81	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Back-Painted
141 Iviagnetic Glass	X From 1 9/16" thick Work. (Standard Desk or Run-Off)			
	H From High Secondary Desk (All Thicknesses)			
	B From Bottom Shelf			
	P From Power and Data			
	K From Mid-Height			

SAMPLE ORDER CODE

DIMENSIONS INCHES / MM

PRICING

		GLASS ONLY (G)				
		BACK-PAINTED GLASS				
Н	W	Starting Height (B)	Starting Height (P)	Starting Height (M or X)	Starting Height (H)	Starting Height (K)
15 / 381	24 / 610	291	n/a	n/a	n/a	n/a
15 / 381	30 / 762	350	n/a	n/a	n/a	n/a
15 / 381	36 / 914	408	n/a	n/a	n/a	n/a
15 / 381	42 / 1067	463	n/a	n/a	n/a	n/a
15 / 381	48 / 1219	521	n/a	n/a	n/a	n/a
15 / 381	54 / 1372	579	n/a	n/a	n/a	n/a
15 / 381	60 / 1524	633	n/a	n/a	n/a	n/a
15 / 381	66 / 1676	692	n/a	n/a	n/a	n/a
15 / 381	72 / 1829	748	n/a	n/a	n/a	n/a
15 / 381	78 / 1981	809	n/a	n/a	n/a	n/a
15 / 381	84 / 2134	862	n/a	n/a	n/a	n/a

Pricing is continued on the following page.

BAWAM Glass Markerboard –

Glass Markerboard – Wall Panel Mounted (Continued)

DIMENSIONS INCHES / MM

PRICING

		GLASS ONLY (G) (CO					
Н	W	Starting Height (B)	Starting Height (P)	Starting Height (M or X)	Starting Height (H)	Starting Height (K)	
51 / 1295	24 / 610	n/a	248	320	320	396	
1 / 1295	30 / 762	n/a	292	385	385	478	
1 / 1295	36 / 914	n/a	340	448	448	554	
1 / 1295	42 / 1067	n/a	383	509	509	632	
1 / 1295	48 / 1219	n/a	430	573	573	715	
1 / 1295	54 / 1372	n/a	476	636	636	795	
1 / 1295	60 / 1524	n/a	520	696	696	872	
1 / 1295	66 / 1676	n/a	567	761	761	955	
1 / 1295	72 / 1829	n/a	611	822	822	1032	
1 / 1295	78 / 1981	n/a	659	889	889	1118	
1 / 1295	84 / 2134	n/a	701	948	948	1194	
7 / 1448	24 / 610	n/a	385	420	420	456	
7 / 1448	30 / 762	n/a	464	509	509	551	
7 / 1448	36 / 914	n/a	541	593	593	646	
7 / 1448	42 / 1067	n/a	616	675	675	734	
7 / 1448	48 / 1219	n/a	695	763	763	832	
7 / 1448	54 / 1372	n/a	773	848	848	925	
7 / 1448	60 / 1524	n/a	848	934	934	1018	
7 / 1448	66 / 1676	n/a	925	1017	1017	1110	
7 / 1448	72 / 1829	n/a	1006	1108	1108	1209	
7 / 1448	78 / 1981	n/a	1082	1192	1192	1302	
7 / 1448	84 / 2134	n/a	1161	1278	1278	1395	
6 / 1676	24 / 610	n/a	416	491	491	567	
5 / 1676	30 / 762	n/a	499	593	593	687	
6 / 1676	36 / 914	n/a	588	696	696	805	
6 / 1676	42 / 1067	n/a	669	795	795	921	
6 / 1676	48 / 1219	n/a	757	899	899	1042	
6 / 1676	54 / 1372	n/a	841	1000	1000	1159	
6 / 1676	60 / 1524	n/a	925	1102	1102	1281	
6 / 1676	66 / 1676	n/a	1009	1203	1203	1399	
6 / 1676	72 / 1829	n/a	1095	1305	1305	1515	
6 / 1676	78 / 1981	n/a	1181	1407	1407	1634	
6 / 1676	84 / 2134	n/a	1267	1510	1510	1752	
2 / 1829	24 / 610	n/a	481	553	553	629	
2 / 1829	30 / 762	n/a	579	672	672	767	
2 / 1829	36 / 914	n/a	677	789	789	899	
2 / 1829	42 / 1067	n/a	777	904	904	1029	
2 / 1829	48 / 1219	n/a	879	1022	1022	1166	
2 / 1829	54 / 1372	n/a	980	1138	1138	1297	
2 / 1829	60 / 1524	n/a	1078	1253	1253	1428	
2 / 1829	66 / 1676	n/a	1173	1366	1366	1559	
2 / 1829	72 / 1829	n/a	1273	1481	1481	1690	
2 / 1829	78 / 1981	n/a	1369	1594	1594	1818	
2 / 1829	84 / 2134	n/a	1465	1708	1708	1948	

Pricing is continued on the following page.

BAWAM 3

Glass Markerboard – Wall Panel Mounted (Continued)

DIMENSIONS INCHES / MM

		GLASS ONLY (G) (CONTINUED)						
Н	W	Starting Height (B)	Starting Height (P)	Starting Height (M or X)	Starting Height (H)	Starting Height (K)		
81 / 2057	24 / 610	n/a	579	646	646	722		
81 / 2057	30 / 762	n/a	699	791	791	887		
31 / 2057	36 / 914	n/a	811	929	929	1040		
1 / 2057	42 / 1067	n/a	939	1068	1068	1191		
1 / 2057	48 / 1219	n/a	1062	1207	1207	1352		
1 / 2057	54 / 1372	n/a	1189	1345	n/a	n/a		
1 / 2057	60 / 1524	n/a	1308	1480	n/a	n/a		
1 / 2057	66 / 1676	n/a	1419	1611	n/a	n/a		
1 / 2057	72 / 1829	n/a	1540	1745	n/a	n/a		
1 / 2057	78 / 1981	n/a	1651	1875	n/a	n/a		
1 / 2057	84 / 2134	n/a	1762	2005	n/a	n/a		
01 / 20)/	0172131		1702			11/		

		MAGNETIC GLASS (M				
		BACK-PAINTED GLASS	3			
		Starting Height (B)	Starting Height (P)	Starting Height (M or X)	Starting Height (H)	Starting Height (K)
15 / 381	24 / 610	323	n/a	n/a	n/a	n/a
15 / 381	30 / 762	382	n/a	n/a	n/a	n/a
15 / 381	36 / 914	444	n/a	n/a	n/a	n/a
15 / 381	42 / 1067	500	n/a	n/a	n/a	n/a
15 / 381	48 / 1219	561	n/a	n/a	n/a	n/a
15 / 381	54 / 1372	622	n/a	n/a	n/a	n/a
15 / 381	60 / 1524	680	n/a	n/a	n/a	n/a
15 / 381	66 / 1676	740	n/a	n/a	n/a	n/a
15 / 381	72 / 1829	800	n/a	n/a	n/a	n/a
15 / 381	78 / 1981	862	n/a	n/a	n/a	n/a
15 / 381	84 / 2134	917	n/a	n/a	n/a	n/a
51 / 1295	24 / 610	n/a	282	355	355	430
51 / 1295	30 / 762	n/a	328	420	420	513
51 / 1295	36 / 914	n/a	378	488	488	599
51 / 1295	42 / 1067	n/a	426	549	549	672
51 / 1295	48 / 1219	n/a	476	617	617	760
51 / 1295	54 / 1372	n/a	524	684	684	841
51 / 1295	60 / 1524	n/a	571	747	747	923
51 / 1295	66 / 1676	n/a	617	813	813	1009
51 / 1295	72 / 1829	n/a	668	880	880	1092
51 / 1295	78 / 1981	n/a	718	948	948	1177
51 / 1295	84 / 2134	n/a	763	1008	1008	1253
57 / 1448	24 / 610	n/a	387	459	459	531
57 / 1448	30 / 762	n/a	457	549	549	641
57 / 1448	36 / 914	n/a	527	637	637	747
57 / 1448	42 / 1067	n/a	597	723	723	849
57 / 1448	48 / 1219	n/a	669	813	813	956
57 / 1448	54 / 1372	n/a	741	899	899	1060
57 / 1448	60 / 1524	n/a	811	989	989	1167
57 / 1448	66 / 1676	n/a	883	1078	1078	1273
57 / 1448	72 / 1829	n/a	956	1167	1167	1376
57 / 1448	78 / 1981	n/a	1027	1253	1253	1479
57 / 1448	84 / 2134	n/a	1097	1337	1337	1576

BAWAM Glass Markerboard – Wall Panel Mounted (Continued)

DIMENSIONS INCHES / MM

		BACK-PAINTED GLASS				
Н	W	Starting Height (B)	Starting Height (P)	Starting Height (M or X)	Starting Height (H)	Starting Height (K)
66 / 1676	24 / 610	n/a	459	534	534	608
66 / 1676	30 / 762	n/a	545	637	637	727
66 / 1676	36 / 914	n/a	635	744	744	850
66 / 1676	42 / 1067	n/a	719	846	846	971
66 / 1676	48 / 1219	n/a	810	954	954	1099
66 / 1676	54 / 1372	n/a	896	1057	1057	1219
66 / 1676	60 / 1524	n/a	984	1161	1161	1337
66 / 1676	66 / 1676	n/a	1071	1261	1261	1453
66 / 1676	72 / 1829	n/a	1161	1370	1370	1580
66 / 1676	78 / 1981	n/a	1247	1469	1469	1690
66 / 1676	84 / 2134	n/a	1335	1566	1566	1798
72 / 1829	24 / 610	n/a	524	599	599	670
72 / 1829	30 / 762	n/a	629	719	719	811
72 / 1829	36 / 914	n/a	727	838	838	948
72 / 1829	42 / 1067	n/a	833	956	956	1080
72 / 1829	48 / 1219	n/a	934	1078	1078	1223
72 / 1829	54 / 1372	n/a	1037	1197	1197	1358
72 / 1829	60 / 1524	n/a	1137	1313	1313	1489
72 / 1829	66 / 1676	n/a	1240	1411	1411	1580
72 / 1829	72 / 1829	n/a	1341	1507	1507	1673
72 / 1829	78 / 1981	n/a	1443	1605	1605	1769
72 / 1829	84 / 2134	n/a	1544	1703	1703	1861
81 / 2057	24 / 610	n/a	622	697	697	763
81 / 2057	30 / 762	n/a	755	842	842	937
81 / 2057	36 / 914	n/a	865	979	979	1095
81 / 2057	42 / 1067	n/a	1004	1121	1121	1244
81 / 2057	48 / 1219	n/a	1120	1264	1264	1409
31 / 2057	54 / 1372	n/a	1249	1407	n/a	n/a
31 / 2057	60 / 1524	n/a	1367	1541	n/a	n/a
81 / 2057	66 / 1676	n/a	1494	1636	n/a	n/a
81 / 2057	72 / 1829	n/a	1611	1713	n/a	n/a
31 / 2057	78 / 1981	n/a	1737	1809	n/a	n/a
81 / 2057	84 / 2134	n/a	1858	1909	n/a	n/a



BACT

Tray for Markeboard

This Markerboard Tray is installed pn markerboard to provide storage for markers and eraser.

WHAT'S INCLUDED

1 tray markerboard and Velcro® attachments.

WHAT'S EXCLUDED

Markerboard, Marker, and Eraser.

NOTES

Can be installed on a Glass Markerboard.

Can also be used freestanding on a worksurface with Velcro® bands.



PRODUCT OPTIONS

70

Finish	
Foundation	
Mica	
Accent	
SAMPLE ORDER CODE	
DACT 52	
BACT 52	
PRICING	

WHAT'S INCLUDED

1 marker holder and Velcro® attachment.

WHAT'S EXCLUDED

Markerboard, Marker, and Eraser.

NOTES

Can be installed on a Glass Markerboard.

Can also be used freestanding on a worksurface.

BACMT Marker Holder for Markerboard



PRODUCT OPTIONS

Finish	
Foundation	
Accent	
Mica	

SAMPLE ORDER CODE

n	•	Μ'	r	-
к	А	V		н

PRICING

60

mounted storage & accessories

Xpress

BAREM

Rare Earth Magnet Kit

These magnet can be used with Magnetic Glass Markerboard, Personal Screen – Felt (BAPSE) or Accessory Metal Shelves (BBAMS)

WHAT'S INCLUDED

4 or 24 rare earth magnets (as specified).

WHAT'S EXCLUDED

Magnetic Glass Markerboard, Personal Screen – Felt and Accessory Metal Shelves.



PRODUCT OPTIONS

Quantity of Magnet			
04, 24			
SAMPLE ORDER COD	E		
BAREM 04			
QUANTITY OF MAGNET	PRICING		
MAGNET	- I RICING		
4	27		
24	92		

freestanding storage & accessories

BSNS Metal Pedestal

BSNM Metal Mobile Pedestal

Page 994

Page 996









BSPSS Pedestal

Page 998

BSPMS Mobile Pedestal

Page 999









BSPUS Suspended Pedestal



B S M C S Mobile Pedestal with Seat Cushion

Page 1000

Page 1001





BSNCP Metal Combo Pedestal

Page 1002

Page 1003

BSCPS Combo Pedestal






BSNLF Metal Lateral File

BSLFS Lateral File

Page 1004 Page 1005






BSCDGS Storage Cabinet - Glass Doors

BSCDS Storage Cabinet - Solid Doors

Page 1006 Page 1010






B S C C Storage Cabinet with Drawer(s)

Page 1012

BSUOB Underworksurface Bookcase

Page 1013







BSMPS Mid-Height Stretch Pedestal

Page 1014

B S M F L Mid-Height Credenza – Open and Drawers







BCFSO Open Tower

BFRL Tower with Full Solid Door

Page 1018

Page 1020





BFRG Tower with Full Glass Door


BFDS Tower with Drawers - Solid Door

B S W F S Half Wardrobe Filing Cabinet

Half Wardrobe Unit with Drawers -

Page 1022

Page 1024





BFDOS Tower with Drawers - Open Shelves

Page 1028


Page 1026




B S C W O S Half Wardrobe Unit with Drawers
- Open Shelves

Solid Doors

BSCWS









B S C W G Half Wardrobe Unit with Drawers – Glass Door

BSUS Storage Unit - Solid Doors

Page 1044

Page 1038






BSUOS Storage Unit - Open Shelves

Page 1046

B S U G Storage Unit – Glass Doors

Page 1048







B S W U S Storage Unit with Wardrobe – Solid Doors

Page 1052

B S D S 4-Door Storage Cabinet – Solid Doors

Page 1054







B S D G 4-Door Storage Cabinet - Glass Doors

BSWCS Wardrobe Cabinet - Solid Doors

Page 1056






BSWCG Wardrobe Cabinet - Glass Doors

BSSS Storage Mounted Bookcase

Page 1060

Page 1062







BSOB Bookcase

Page 1064

BXHK Hang-On Kit

Page 1066





B_NSTR Top for Metal Storage

Page 1067

B _ **S** T R Top for Solid Storage

Page 1068






B S H S Shelf for Storage Cabinet

1/2

Page 1070

B S H T Shelf for Towers

1/2





BSHB Shelf for Bookcase (1-in)





Page 1072

Page 1074

Page 1073






R B N S A Metal Storage Accessories

K Locks and Keys

Page 1075





SOKL Set of Keys Alike

BSNS

Metal Pedestal

This storage with metal casing is lockable and has a variety of drawer depths and configurations that provides storage below the worksurface. Refer to the Freestanding Storage Compatibility in the Application Guide.

WHAT'S INCLUDED

1 pedestal, pulls (as specified), levelers, counterweight (as specified), lock and keys (as specified), and accessories listed below:

	Drawer Co	Drawer Configuration		
	В	F		
Pencil Tray	1	n/a		
Drawer Dívider	1	n/a		
12" Hanging File Bar	1	2		

WHAT'S EXCLUDED

Top for Metal Storage and Metal Storage Accessories.

NOTES

This pedestal has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper.

Counterweight must be specified when a pedestal will **not** be used under a worksurface.

The included 12" hanging file bars are to be installed along the width only.

Drawer datum line will **not** match with any laminate storage when positioned side-by-side.

When Metal Storage are positioned side-by-side, ensure product is leveled. If front/door alignment is needed, it can be done by either releasing the front mounting screws, adjusting the front/door and tightening the screws, or by using hinge adjustments to ensure an equal gap.


Metal Front Style (M) is available with Metal Drawer Front Finish only.

Solid Front Style (S) is available with Laminate Drawer Front Finish only.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The Coordinate Colors for case finish are avalaible with Laminate drawer front finishes only.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Front Style	Depth	Height	Drawer Configuration	Drawer Front Finish
S Solid	18, 22	28	B Box, Box, File	Metal Front:
M Metal			F File, File	Foundation
				• Mica
				Laminate Front:
				Source Laminate
				Foundation Laminate

SAMPLE ORDER CODE

BSNS M	18	28	В	2D
--------	----	----	---	----

PRODUCT OPTIONS CONTINUED

Case Finish	Pull Style	Pull Finish	Key Style	Counterweight Option
Foundation	1 Standard Expansion	Foundation	K Keyed Alike	W Counterweight
Mica	6 Arched	Mica	R Keyed Randomly	N No Counterweight
Coordinate Colors	9 Rectilinear		N No Lock	

SAMPLE ORDER CODE CONTINUED

|--|

BSNS Metal Pedestal (Continued)

DIMENSIONS INCHES / MM

D H 18 / 457 28 / 711 18 / 457 28 / 711 22 / 559 28 / 711 22 / 559 28 / 711

CASE FINISH	DRAWER FRONT	Γ FINISH				
	Foundation	Mica	Source Laminate	Foundation Laminate		
Foundation / Coordinate	548	564	639	682		
Mica	588	604	681	724		
Foundation / Coordinate	580	596	673	716		
Mica	622	638	716	759		

COUNTERWEIGHT
67
67
67
67

BSNM

Metal Mobile Pedestal

This storage with metal casing is lockable and has a variety of drawer depths and configurations that provides storage below the worksurface. Refer to the Freestanding Storage Compatibility in the Application Guide.

WHAT'S INCLUDED

 $1\ \mathrm{pedestal},\ \mathrm{pulls}$ (as specified), casters, counterweight, lock and keys (as specified), and accessories listed below:

	Drawer Co	Drawer Configuration	
	В	F	
ncil Tray rawer Divider	1	n/a n/a	
" Hanging File Bar	Î	2	

WHAT'S EXCLUDED

Top for Metal Storage and Metal Storage Accessories.

NOTES

This pedestal has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper.

The included 12" hanging file bars are to be installed along the width only.

Drawer datum line will not match with any laminate storage when positioned side-by-side.

When Metal Storage are positioned side-by-side, ensure product is leveled. If front/door alignment is needed, it can be done by either releasing the front mounting screws, adjusting the front/door and tightening the screws, or by using hinge adjustments to ensure an equal gap.


Metal Front Style (M) is available with Metal Drawer Front Finish only.

Solid Front Style (S) is available with Laminate Drawer Front Finish only.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

The Coordinate Colors for case finish are avalaible with Laminate drawer front finishes only.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details



Box, Box, File (B) File, File (F)

PRODUCT OPTIONS

Front Style	Depth	Height	Drawer Configuration	Drawer Front Finish
S Solid	18, 22	28	B Box, Box, File	Metal Front:
M Metal			F File, File	Foundation
				• Mica
				Laminate Front:
				Source Laminate
				Foundation Laminate

SAMPLE ORDER CODE

BSNM M	18	2.8	B	2D
2011111111	10			

PRODUCT OPTIONS CONTINUED

Case Finish	Pull Style	Pull Finish	Key Style
Foundation	1 Standard Expansion	Foundation	K Keyed Alike
Mica	6 Arched	Mica	R Keyed Randomly
Coordinate Colors	9 Rectilinear		N No Lock

SAMPLE ORDER CODE CONTINUED

52	1	52	R
)2) <u>-</u>	1

See Pricing on the following page.

BSNM

Metal Mobile Pedestal (Continued)

DIMENSIONS INCHES / MM

D	Н
18 / 457	28 / 711
18 / 457	28 / 711
22 / 559	28 / 711
22 / 559	28 / 711

CASE FINISH	DRAWER FRONT	T FINISH		
	Foundation	Mica	Source Laminate	Foundation Laminate
Foundation / Coordinate	706	722	773	816
Mica	749	765	814	857
Foundation / Coordinate	742	758	805	848
Mica	783	799	846	889

BSPSS

Pedestal

This storage is lockable and has a variety of drawer depths and configurations. Refer to the Freestanding Storage Compatibility in the Application Guide.

WHAT'S INCLUDED

1 pedestal, pulls (as specified), levelers, lock and keys (as specified), and accessories as listed below:

	Drawer Configuration	
	В	F
Pencil Tray	1	n/a
Drawer Divider	1	n/a
12" Hanging File Bar	1	2

WHAT'S EXCLUDED

Top for Solid Storage.

NOTES


This pedestal has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper.

Drawers for $30\ensuremath{^{"}}$ deep pedestals are $20\ensuremath{^{"}}$ deep.

The included 12" hanging file bars are to be installed along the width only.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.





PRODUCT OPTIONS

Storage Style I	Depth	Height	Drawer Configuration	Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
P Pulls 18, 2	22, 24, 30		B Box, Box, File F File, File	Foundation	Source Laminate Flintwood (No Cathedral)	1 Standard Expansion 6 Arched 9 Rectilinear	Foundation Mica	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE

BSPSS P	18	28	F	3E	LE	1	52	R
---------	----	----	---	----	----	---	----	---

DIMENSIONS INCHES / MM

PRICING

BOX BOX FILE (B)

F	FILE, FILE (F)				
S	SOURCE LAMINA	ATE CASE FINISH		FLINTWOOD CASE FINISH	
Ī	DRAWER FRONT	FINISH			
	Source Laminate	Foundation Laminate	Flintwood	Flintwood	
	891	941	1416	2760	
	933	989	1482	2891	
	973	1027	1542	2941	
_	1095	1139	1713	3180	

Н
28 / 711
28 / 711
28 / 711
28 / 711

		DOA, DOA, TILL	(D)			
		SOURCE LAMINA	ATE CASE FINISH		FLINTWOOD CASE FINISH	
		DRAWER FRONT	FINISH			
		Source Laminate	Foundation Laminate	Flintwood	Flintwood	
18 / 457	28 / 711	934	981	1470	2934	
22 / 559	28 / 711	989	1020	1529	3018	
24 / 610	28 / 711	1023	1060	1587	3067	
30 / 762	28 / 711	1134	1169	1755	3274	

This storage is lockable and has a variety of drawer depths and configurations. Refer to the Freestanding Storage Compatibility in the Application Guide.

BSPMS Mobile Pedestal

WHAT'S INCLUDED

1 pedestal, pulls (as specified), casters, lock and keys (as specified), and accessories as

	Drawe	Drawer Configuration					
	A	В	F				
Pencil Tray	1	1	n/a				
Drawer Divider	1	1	n/a				
12" Hanging File Bar	1	1	2				

WHAT'S EXCLUDED

Top for Solid Storage and Seat Cushion.

NOTES

This pedestal has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper.

Drawers for 30" deep pedestals are 20" deep.


The included 12" hanging file bars are to be installed along the width only.

Edge trim finish on drawer front always match drawer front finish (Source or

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.







File, File (F)

Box, Box, File (B)

Box, File (A)

PRODUCT OPTIONS

Storage Style	Depth	Height	Drawer Configuration	Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
P Pulls	18, 22, 30	21, 28	A Box, File B Box, Box, File F File, File	Source Laminate Foundation Laminate Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	Standard Expansion 6 Arched 9 Rectilinear	Foundation Mica	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE

BSPMS P	18	28	F	3E	LE	1	52	R
---------	----	----	---	----	----	---	----	---

DIMENSIONS INCHES / MM

		BOX, FILE (A)				
		SOURCE LAMINA	ATE CASE FINISH		FLINTWOOD CASE FINISH	
		DRAWER FRONT	FINISH			
D	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood	
18 / 457	21 / 533	683	757	1112	2424	
22 / 559	21 / 533	n/a	n/a	n/a	n/a	
30 / 762	21 / 533	n/a	n/a	n/a	n/a	

18 / 457 28 / 711 891 941 1416	2760
	_, ~~
22 / 559 28 / 711 933 989 1482	2891
30 / 762 28 / 711 1095 1139 1713	3180

		BOX, BOX, FILE (B)			
18 / 457	28 / 711	934	981	1470	2934	
22 / 559	28 / 711	989	1020	1529	3018	
30 / 762	28 / 711	1134	1169	1755	3274	

BSMCS Mobile Pedestal with Seat Cushion

The Mobile Pedestal with Seat Cushion is a small, personal storage unit providing temporary, casual seating within a workstation. It can be stored beneath any worksurface with a minimum height of 22".

WHAT'S INCLUDED

1 pedestal, 1 seat cushion, 1 pencil tray, 1 drawer divider, 1 12" hanging file bar, pulls (as specified), casters, lock and keys (as specified).

NOTES

The included 12" hanging file bar is to be installed along the width only.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

Yardage requirement for com or col is 0.7 yards for two cushions.



PRODUCT OPTIONS

Storage Style	Depth	Drawer Configuration	Seat Upholstery Finish	Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
P Pulls	18	BF Box, File	Fabrics Leather	Source Laminate Foundation Laminate Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	 Standard Expansion Arched Rectilinear 	Foundation Mica	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE

D01100 D			 /	075				_
BSMCS P	18	BF	L204	ST	LE	9	52	R

DIMENSIONS INCHES / MM

		ILE (BF) E LAMII		RAWER	/ SOURC	E LAMIN	NATE CA	ASE						
		COM/	COL/								Leather/			
D	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	Gr. LA	Gr. LB	Gr. LC	Gr. LI
18 / 457	1231	1261	1353	1406	1470	1517	1568	1617	1632	1648	1648	1684	1805	1840
	FOUNI	DATION	LAMIN	ATE DRA	AWER / S	OURCE	LAMINA	ATE CAS	E					
8 / 457	1305	1335	1427	1480	1544	1591	1642	1691	1706	1722	1722	1758	1879	1914
	FLINT	WOOD D	RAWER	R / SOUR	CE LAM	INATE C	CASE							
8 / 457	1660	1690	1782	1835	1899	1946	1997	2046	2061	2077	2077	2113	2234	2269
10 / 4)/		1070	1/02	1037	10//	1740	1))/	2040	2001	20//	20//	2113		
	FLINT	WOOD I	RAWER	R / FLINT	rwood	CASE								
8 / 457	2972	3002	3094	3147	3211	3258	3309	3358	3373	3389	3389	3425	3546	3581

This storage mounts under the worksurface to provide a suspended lockable storage

BSPUS Suspended Pedestal

WHAT'S INCLUDED

1 pedestal, 1 pencil tray, 1 drawer divider, 1 12" hanging file bar, pulls (as specified), mounting hardware, lock and keys (as specified).

NOTES

This pedestal has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper.

The included 12" hanging file bar is to be installed along the width only.

Edge trim finish on drawer front always match drawer front finish (Source or

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

	Storage Style	Drawer Configuration	Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
I	Pulls	BF Box, File	Source Laminate Foundation Laminate Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	 Standard Expansion Arched Rectilinear 	Foundation Mica	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE

BSPUS P	BF	3E	LE	1	60	R
---------	----	----	----	---	----	---

DIMENSIONS INCHES / MM

	BOX, FILE (BF)			
	SOURCE LAMIN	ATE CASE FINISH		FLINTWOOD CASE FINISH
	DRAWER FRONT	Γ FINISH		
	Source	Foundation		
D	Laminate	Laminate	Flintwood	Flintwood
18 / 457	648	719	1051	2516

BSNCP

Metal Combo Pedestal

This pedestal with metal casing provides box and file drawer storage below the worksurface. Its full-extension drawers can accommodate both letter- and legal-size paper.

WHAT'S INCLUDED

1 combo pedestal (2 box drawers/1 15" file drawer/1 30" file drawer), 1 pencil tray, 1 drawer divider, 1 12" and 1 30" hanging file bars, pulls (as specified), levelers, counterweight (as specified), lock and keys (as specified).

WHAT'S EXCLUDED

Top for Metal Storage and Metal Storage Accessories.

NOTES

File drawers have a central locking system and box drawers are **not** lockable.

Counterweight must be specified when pedestal will not be used under a worksurface.

The included 12" hanging file bars are to be installed along the width only.

Drawer datum line will **not** match with any laminate storage when positioned side-by-side.

When Metal Storage are positioned side-by-side, ensure product is leveled. If front/door alignment is needed, it can be done by either releasing the front mounting screws, adjusting the front/door and tightening the screws, or by using hinge adjustments to ensure an equal gap.


Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

Metal Front Style (M) is available with Metal Drawer Front Finish only.

Solid Front Style (S) is available with Laminate Drawer Front Finish only.

The Coordinate Colors for case finish are avalaible with Laminate drawer front finishes only.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Front Style	Depth	Width	Height	15" File Drawer Configuration	Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style	Counter- weight Option
M Metal	18	30	28	L Left	Metal Front:	Foundation	1 Standard	Foundation	K Keyed Alike	W Counterweight
S Solid				R Right (Shown)	• Foundation • Mica	Mica Coordinate Colors	Expansion	Mica	R	N
					Laminate Front:	Coordinate Colors	6 Arched		Keyed Randomly	No Counterweight
					• Source Laminate		9 Rectilinear		N No Lock	
					• Foundation Laminate					

SAMPLE ORDER CODE

30 / 762

30 / 762

BSNCP										
S	18	30	28	L	2D	60	1	60	R	N

DIMENSIONS INCHES / MM

D

18 / 457

18 / 457

ľ	K	1(I,	N	(
_					_

Н

28 / 711

28 / 711

CASE FINISH	DRAWER FRONT FINISH							
	Foundation	Mica	Source Laminate	Foundation Laminate				
Foundation / Coordinate	1469	1525	1557	1716				
Mica	1559	1615	1651	1810				

COUNTERWEIGHT 157

157

This product provides file drawer storage that is to be used under a worksurface for stability. Its full-extension drawers can accommodate both letter- and legal-size paper.

BSCPS Combo Pedestal

WHAT'S INCLUDED

1 combo pedestal (2 box drawers/1 15" file drawer/1 30" file drawer), 1 pencil tray, 1 drawer divider, 1 12" hanging file bar, 2 15" cross file bars, pulls (as specified), levelers, lock and keys (as specified).

WHAT'S EXCLUDED

Top for Solid Storage.

NOTES

File drawers have a central locking system and box drawers are not lockable.

The 12" hanging file bar installs along the width in the 15" file drawer.

The 15" cross file bars install along the depth in the 30" file drawer.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Storage Style	Depth	Width	Height	15" File Drawer Configuration	Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
P Pulls	18, 24	30	28	L Left R Right (Shown)	Source Laminate Foundation Laminate Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	Standard ExpansionArchedRectilinear	Foundation Mica	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE

BSCPS P	18	30	28	L	3E	4E	1	60	R
---------	----	----	----	---	----	----	---	----	---

DIMENSIONS INCHES / MM

			SOURCE LAMIN	ATE CASE FINISH		FLINTWOOD CASE FINISH	
			DRAWER FRONT	Γ FINISH			_
D	W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood	
18 / 457	30 / 762	28 / 711	1557	1714	2917	3988	
24 / 610	30 / 762	28 / 711	1714	1876	3074	4691	

BSNLF

Metal Lateral File

This storage unit with metal casing provides high density filing and organized storage.

1 lateral file cabinet with 2 file drawers, 1 30" or 36" hanging file bar (per drawer), pulls (as specified), levelers, counterweight (as specified), lock and keys (as specified).

WHAT'S EXCLUDED

Top for Metal Storage and Metal Storage Accessories.

This storage unit has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper. It is also equipped with an interlock system that prevents opening more than one drawer at a time.

Counterweight must be specified when storage unit will not be used under a worksurface.

The included hanging file bars are to be installed along the width only.

Drawer datum line will not match with any laminate storage when positioned side-by-side.

When Metal Storage are positioned side-by-side, ensure product is leveled. If front/ door alignment is needed, it can be done by either releasing the front mounting screws, adjusting the front/door and tightening the screws, or by using hinge adjustments to ensure an equal gap.


Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

Metal Front Style (M) is available with Metal Drawer Front Finish only.

Solid Front Style (S) is available with Laminate Drawer Front Finish only.

The Coordinate Colors for case finish are avalaible with Laminate drawer front finishes only.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Front Style	Depth	Width	Height	Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style	Counter- weight Option
M Metal S Solid	18	30, 36	28	Metal Front: • Foundation • Mica Laminate Front: • Source Laminate • Foundation Laminate	Foundation Mica Coordinate Colors	1 Standard Expansion 6 Arched 9 Rectilinear	Foundation Mica	K Keyed Alike R Keyed Randomly N No Lock	W Counterweight N No Counterweight

SAMPLE ORDER CODE

BSNLF									
DOMEL									
C	10	20	20	2D	50	1	50	D	NT N
3	10	30	20	20) 2	l I) 24		1 N

DIMENSIONS INCHES / MM

D	W	H
18 / 457	30 / 762	28 / 711
18 / 457	30 / 762	28 / 711
18 / 457	36 / 914	28 / 711
18 / 457	36 / 914	28 / 711

PRICING

CASE FINISH	DRAWER FRONT FINISH							
	Foundation	Mica	Source Laminate	Foundation Laminate				
Foundation / Coordinate	1009	1065	1072	1179				
Mica	1100	1156	1165	1272				
Foundation / Coordinate	1102	1158	1161	1268				
Mica	1195	1251	1252	1359				

COUNTERWEIGHT 157 157

157 157

BSLFS Lateral File

This storage is available in a variety of heights to provide high density filing and organized storage. The 28" high version is to be used under a worksurface for stability.

WHAT'S INCLUDED

1 lateral file cabinet, pulls (as specified), levelers, lock and keys (as specified), and cross file bars as listed below:

_		Width	Width				
_	36"	30"	24"				
(per drawer)	2	2	1				

WHAT'S EXCLUDED

Top for Solid Storage.

15" Cross File Bar


NOTES

This storage unit has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper. It is also equipped with an interlock system that prevents opening more than one drawer at a time.

The included 15" cross file bars are to be installed along the depth only.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Storage Style	Depth	Width	Height	Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
P Pulls	18, 24	24, 30, 36	28 Two Drawers (28") 40 Three Drawers (40") (Shown) 53 Four Drawers (53")	Source Laminate Foundation Laminate Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	1 Standard Expansion 6 Arched 9 Rectilinear	Foundation Mica	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE

								_
BSLFS P	18	24	28	XS	LE LE	1	52	R
							_	

DIMENSIONS INCHES / MM

			TWO DRAWERS	(28)		
			SOURCE LAMINA	ATE CASE FINISH		FLINTWOOD CASE FINISH
			DRAWER FRONT	FINISH		
			Source	Foundation		
D	W	H	Laminate	Laminate	Flintwood	Flintwood
18 / 457	24 / 610	28 / 711	1022	1137	1708	3354
18 / 457	30 / 762	28 / 711	1072	1177	1767	3504
18 / 457	36 / 914	28 / 711	1161	1264	1904	3799
24 / 610	24 / 610	28 / 711	1182	1295	1862	3448
24 / 610	30 / 762	28 / 711	1234	1337	1927	3541
24 / 610	36 / 914	28 / 711	1319	1427	2064	3896
			THREE DRAWER	S (40)		
18 / 457	24 / 610	40 / 1016	1676	1797	3053	4037
18 / 457	30 / 762	40 / 1016	1725	1837	3129	4314
18 / 457	36 / 914	40 / 1016	1821	1935	3290	4646
			FOUR DRAWERS	(53)		
18 / 457	24 / 610	53 / 1346	2253	2368	4024	5242
18 / 457	30 / 762	53 / 1346	2298	2415	4103	5517
18 / 457	36 / 914	53 / 1346	2397	2503	4263	5855

BSCDS

Storage Cabinet - Solid Doors

24 to 36" Depth Height Pulls (P)

Touch-to-Open (T)

This storage provides a convenient, lockable storage area with shelving.

WHAT'S INCLUDED

1 storage cabinet, pulls (as specified), levelers, lock and keys (as specified), and adjustable shelves as listed below:

		Height					
	28"	40"	53"	66"	72"	81"	
Adjustable Shelf	1	2	2	3	4	5	

WHAT'S EXCLUDED

Top for Solid Storage.

NOTES

Holes at 1 1/4" intervals on the inside of side panels allow for shelf adjustment.

Additional shelves (BSHS) are available (24" to 36" wide cabinet only) and must be specified separately.

Only 18" wide cabinet comes 28" high and with one door. Left Side (L) or Right Side (R) swing direction must be specified

When a 24" to 36" wide cabinet is specified, only Not Applicable (N) Door Swing Direction is available.

Pull Style and Pull Finish options are only available when Pulls (P) Storage Style

Edge trim finish on door front always match door front finish (Source or Foundation

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Storage Style	Depth	Width	Height	Door Swing Direction	Door Front Finish	Case Finish	Pull Style (If Applicable)	Pull Finish (If Applicable)	Key Style
P Pulls T Touch-to- Open	18, 20, 24	18, 24, 30, 36	72, 81	L Left Side (Shown) R Right Side N Not Applicable	Source Laminate Foundation Laminate Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	1 Standard Expansion 6 Arched 9 Rectilinear		K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE

BSCDS T	18	18	28	L	3E	LE	1	52	R
---------	----	----	----	---	----	----	---	----	---

DIMENSIONS INCHES / MM

PRICING

		18" DEPTH			
		SOURCE LAMINA	ATE CASE FINISH		FLINTWOOD CASE FINISH
		DOOR FRONT F	INISH		
W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood
18 / 457	28 / 711	660	732	1130	2868
24 / 610	28 / 711	774	860	1288	3200
24 / 610	40 / 1016	1130	1234	1844	3569
24 / 610	53 / 1346	1253	1373	2059	3748
24 / 610	66 / 1676	1556	1703	2550	3946
24 / 610	72 / 1829	1734	1888	2837	4029
24 / 610	81 / 2057	1955	2127	3263	4153

Pricing is continued on the following page.

BSCDS

Storage Cabinet - Solid Doors (Continued)

DIMENSIONS INCHES / MM

PRICING

		18" DEPTH (CO	NTINUED)		
		SOURCE LAMINA	ATE CASE FINISH		FLINTWOOD CASE FINISH
		DOOR FRONT F	INISH		
W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood
30 / 762	28 / 711	822	921	1380	3470
30 / 762	40 / 1016	1167	1284	1923	3871
30 / 762	53 / 1346	1291	1426	2137	4068
30 / 762	66 / 1676	1607	1767	2648	4284
30 / 762	72 / 1829	1788	1956	2938	4374
30 / 762	81 / 2057	2015	2201	3370	4507
36 / 914	28 / 711	869	991	1484	3727
36 / 914	40 / 1016	1199	1337	2004	4155
36 / 914	53 / 1346	1326	1484	2224	4366
36 / 914	66 / 1676	1651	1834	2749	4595
36 / 914	72 / 1829	1835	2029	3048	4695
36 / 914	81 / 2057	2069	2283	3496	4840

		20" DEPTH			
		SOURCE LAMINA	ATE CASE FINISH		FLINTWOOD CASE FINISH
		DOOR FRONT F	INISH		
		Source Laminate	Foundation Laminate	Flintwood	Flintwood
18 / 457	28 / 711	697	770	1168	2951
24 / 610	28 / 711	818	902	1332	3297
24 / 610	40 / 1016	1182	1285	1895	3683
24 / 610	53 / 1346	1313	1434	2119	3881
24 / 610	66 / 1676	1646	1793	2640	4147
24 / 610	72 / 1829	1830	1985	2934	4242
24 / 610	81 / 2057	2061	2234	3370	4386
30 / 762	28 / 711	871	969	1429	3576
30 / 762	40 / 1016	1224	1341	1979	4000
30 / 762	53 / 1346	1357	1491	2202	4213
30 / 762	66 / 1676	1704	1862	2746	4497
30 / 762	72 / 1829	1891	2060	3040	4602
30 / 762	81 / 2057	2127	2313	3482	4755
36 / 914	28 / 711	925	1045	1539	3850
36 / 914	40 / 1016	1263	1400	2067	4297
36 / 914	53 / 1346	1399	1556	2294	4526
36 / 914	66 / 1676	1753	1938	2852	4822
36 / 914	72 / 1829	1944	2138	3156	4935
36 / 914	81 / 2057	2187	2400	3615	5099

Pricing is continued on the following page.

freestanding storage & accessories

Xpress

BSCDS


Storage Cabinet - Solid Doors (Continued)

DIMENSIONS INCHES / MM

		SOURCE LAMINA	ATE CASE FINISH		FLINTWOOD CASE FINISH
		DOOR FRONT F			
W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood
18 / 457	28 / 711	733	806	1203	3031
24 / 610	28 / 711	861	945	1373	3391
24 / 610	40 / 1016	1232	1336	1946	3794
24 / 610	53 / 1346	1372	1493	2178	4012
24 / 610	66 / 1676	1737	1884	2729	4347
24 / 610	72 / 1829	1926	2081	3029	4456
24 / 610	81 / 2057	2167	2340	3474	4619
30 / 762	28 / 711	921	1018	1479	3685
30 / 762	40 / 1016	1281	1398	2036	4125
30 / 762	53 / 1346	1423	1557	2267	4359
30 / 762	66 / 1676	1799	1957	2841	4710
30 / 762	72 / 1829	1994	2161	3142	4828
30 / 762	81 / 2057	2239	2424	3593	5002
6 / 914	28 / 711	979	1100	1594	3972
6 / 914	40 / 1016	1326	1463	2130	4436
6 / 914	53 / 1346	1470	1627	2366	4684
6 / 914	66 / 1676	1855	2038	2955	5048
6 / 914	72 / 1829	2053	2245	3264	5175
6 / 914	81 / 2057	2304	2517	3732	5360

BSCDGS

Storage Cabinet - Glass Doors



This storage provides a convenient storage area with shelving.

WHAT'S INCLUDED

1 storage cabinet, levelers, lock and keys (as specified) and adjustable shelves as listed

			Height		
	40"	53"	66"	72"	81"
Adjustable Shelf	2	2	3	4	5

WHAT'S EXCLUDED

Top for Solid Storage.

NOTES

Holes at 1 1/4" intervals on the inside of side panels allow for shelf adjustment.

Additional shelves (BSHS) are available and must be specified separately.

Not all glass finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Storage Style	Depth	Width	Height	Case Finish	Door Frame Finish	Glass Door Finish	Key Style
T Touch-to-Open	18, 20, 24	24, 30, 36	40, 53, 66, 72, 81	,	AC Clear Anodized Foundation Accent Mica	Standard: CL Clear FT Frosted Back-Painted	K Keyed AlikeR Keyed RamdomlyN No Lock

SAMPLE ORDER CODE

DIMENSIONS

BSCDGS T 18	24	40	3D	52	К7	N
-------------	----	----	----	----	----	---

INCHES / MM	PRICING	
	SOURCE LAMINATE CASE FINISH	FLINTWOOD CASE FINISH
	GLASS DOOR FINISH	
	Frosted (FT)/	Frosted (FT)/

		SOURCE LAMINATE	CASE FINISH	FLINTWOOD CASE I	
			GLASS DOOR FINIS	Н	
D	W	Н	Clear (CL)	Frosted (FT)/ Back-Painted	Clear (CL)
18 / 457	24 / 610	40 / 1016	1730	2044	3248
18 / 457	24 / 610	53 / 1346	1855	2225	3371
18 / 457	24 / 610	66 / 1676	2255	2702	3492
18 / 457	24 / 610	72 / 1829	2431	2916	3537
18 / 457	24 / 610	81 / 2057	2667	3208	3606
18 / 457	30 / 762	40 / 1016	1778	2121	3524
18 / 457	30 / 762	53 / 1346	1913	2313	3661
18 / 457	30 / 762	66 / 1676	2330	2804	3801
18 / 457	30 / 762	72 / 1829	2524	3038	3855
18 / 457	30 / 762	81 / 2057	2761	3332	3930
18 / 457	36 / 914	40 / 1016	1827	2198	3778
18 / 457	36 / 914	53 / 1346	1969	2397	3929
18 / 457	36 / 914	66 / 1676	2405	2910	4086
18 / 457	36 / 914	72 / 1829	2600	3142	4146
18 / 457	36 / 914	81 / 2057	2861	3460	4234

Keyed Alike or Keyed Randomly
55
55
55
55
55
55
55
55
55
55
55
55
55
55
55

KEY UPCHARGE

Pricing is continued on the following page.

BSCDGS Storage Cabinet - Glass Doors (Continued)

DIMENSIONS INCHES / MM

W

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

30 / 762

30 / 762

30 / 762

30 / 762

30 / 762

36 / 914

36 / 914

36 / 914

36 / 914

36 / 914

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

30 / 762

30 / 762

30 / 762

30 / 762

30 / 762

36 / 914

36 / 914

36 / 914

36 / 914

36 / 914

Η

40 / 1016

53 / 1346

66 / 1676

72 / 1829

81 / 2057

40 / 1016

53 / 1346

66 / 1676

72 / 1829

81 / 2057

40 / 1016

53 / 1346

66 / 1676

72 / 1829

81 / 2057

40 / 1016

53 / 1346

66 / 1676

72 / 1829

81 / 2057

40 / 1016

53 / 1346

66 / 1676

72 / 1829

81 / 2057

40 / 1016

53 / 1346

66 / 1676

72 / 1829

81 / 2057

2815

3095

3357

3694

D

20 / 508

20 / 508

20 / 508

20 / 508

20 / 508

20 / 508

20 / 508

20 / 508

20 / 508

20 / 508

20 / 508

20 / 508

20 / 508

20 / 508

20 / 508

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

4626

4754

5168

5353

55


55

freestanding storage & accessories

Xpress

BSCC

Storage Cabinet with Drawer(s)



Touch-to-Open Doors/Pull(s) on Drawer(s) (S)

This storage provides a functional alternative to combo pedestals and storage cabinets.

WHAT'S INCLUDED

1 storage cabinet with drawers, 1 adjustable shelf, pulls (as specified), levelers, lock and keys (as specified).

WHAT'S EXCLUDED

Top for Solid Storage.

The drawers are not lockable.

Holes at 1 1/4" intervals on the inside of side panels allow for shelf adjustment.

Additional shelves (BSHS) are available and must be specified separately.

Edge trim finish on door and drawer front always match door and drawer front finish (Source or Foundation Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

	Storage Style	Depth	Width	Height	Door and Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
]	P Pulls S Touch-to- Open	18	24, 30, 36	28	Source Laminate Foundation Laminate	Source Laminate Flintwood (No Cathedral)	1 Standard Expansion 6 Arched	Foundation Mica	K Keyed Alike R Keyed Ramdomly
	Doors/ Pull(s) on Drawer(s)				Flintwood (No Cathedral)		9 Rectilinear		N No Lock

SAMPLE ORDER CODE

	BSCC S	18	24	28	3E	LE	1	60	R
--	--------	----	----	----	----	----	---	----	---

DIMENSIONS INCHES / MM

			SOURCE LAMINA	TE CASE FINISH		FLINTWOOD CASE FINISH	
			DOOR AND DRAY	WER FRONT FINI	SH		_
D	W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood	
18 / 457	24 / 610	28 / 711	1510	1604	2195	3668	
18 / 457	30 / 762	28 / 711	1537	1629	2231	3834	
18 / 457	36 / 914	28 / 711	1564	1655	2308	4034	

This bookcase may be installed under all Expansion Casegoods desks. It is a low storage in which you can store two rows of standard letter-size binders.

BSUOB

Underworksurface Bookcase

WHAT'S INCLUDED

1 open bookcase, and 1 11/16" thick adjustable shelf.

Holes at 1 1/4" intervals on the inside of side panels allow for shelf adjustment.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification

Width Depth

PRODUCT OPTIONS

Depth	Width	Height	Case Finish
18, 24	24, 30, 36	28	Source Laminate
			Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSUOB 18 24	28	3D
-------------	----	----

DIMENSIONS INCHES / MM

D	W	Н	SOURCE LAMINATE CASE FINISH	FLINTWOOD CASE FINISH	
18 / 457	24 / 610	28 / 711	582	2381	
18 / 457	30 / 762	28 / 711	625	2526	
18 / 457	36 / 914	28 / 711	672	2785	
24 / 610	24 / 610	28 / 711	724	2698	
24 / 610	30 / 762	28 / 711	767	2868	
24 / 610	36 / 914	28 / 711	815	3145	

BSMPS

Mid-Height Stretch Pedestal

This freestanding pedestal allows to provide additional storage for Multi-Level Workstations – Mid-Height.

WHAT'S INCLUDED

1 box, file mid-height stretch pedestal with levelers, pulls (as specified), counterweights (if applicable), locks and keys (as specified), and accessories as listed below:

Widths			_	
16"	24"	30"	36"	_
1	1	1	1	
1	n/a	n/a	n/a	
1	n/a	n/a	n/a	
n/a	1	2	2	
	1 1 1	16" 24" 1 1 1 n/a 1 n/a	16" 24" 30" 1 1 1 1 n/a n/a 1 n/a n/a	16" 24" 30" 36" 1 1 1 1 1 n/a n/a n/a n/a 1 n/a n/a n/a

WHAT'S EXCLUDED

Seat Pad/Cushion and Wall Panels.


This pedestal has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper.

The included 12" hanging file bar is to be installed along the width only.

The included 15" cross file bar are to be installed along the depth only.

Edge trim finish on drawer front always match drawer front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Depth	Width	Height	Drawer Front Finish
20	16, 24, 30, 36	21	Source Laminate
			Flintwood (No Cathedral)

SAMPLE ORDER CODE

PRODUCT OPTIONS CONTINUED

Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	9 Rectilinear	Foundation	K Keyed Alike
Flintwood (No Cathedral)		Mica	R Keyed Randomly
			N No Lock

SAMPLE ORDER CODE CONTINUED

XS 9	74	N
------	----	---

BSMPS


Mid-Height Stretch Pedestal (Continued)

DIMENSIONS INCHES / MM

			SOURCE LAMINATE DRAWER FRONT FINISH	FLINTWOOD DRAWER F	RONT FINISH
			CASE FINISH		_
D	W	Н	Source Laminate	Source Laminate	Flintwood
20 / 508	16 / 406	21 / 533	1210	1522	1980
20 / 508	24 / 610	21 / 533	1312	1691	2290
20 / 508	30 / 762	21 / 533	1463	1871	2404
20 / 508	36 / 914	21 / 533	1556	1996	2578

BSMFL 7

Mid-Height Credenza - Open and **Drawers**



This standalone credenza provides a convenient storage areas with shelving and filing that accepts both letter- and legal-size papers for Multi-Level Workstations – Mid-Height.

WHAT'S INCLUDED

1 mid-height credenza with levelers, 1 adjustable shelf, pulls (as specified), counterweights (if applicable), lock and keys (as specified), and accessories as listed below:

	1 Box 8 Dra	k 1 File wers	2 Box & 2 Drawers		
Widths	42" to 48"	51" to 72"	75" to 81"	84"	
Pencil Tray	1	1	2	2	
12" Hanging File Bar	1	2	2	4	

WHAT'S EXCLUDED

Seat Pad/Cushion and Wall Panels.

Holes at 1 1/4" intervals on the inside walls of side panels allow for shelf adjustment.

The included 12" hanging file bar are to be installed along the depth only.

Additional shelves cannot be specified with this product.

Edge trim finish on drawer front always match drawer front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT	OPTIONS

Depth	Width	Height	Drawer Configuration	Drawer Front Finish
18, 20	42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78, 81, 84	21	L Left (Shown) R Right	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSMFL 18	72	21	R	XS
----------	----	----	---	----

PRODUCT OPTIONS CONTINUED

Pull Style	Pull Finish	Key Style
9 Rectilinear	Foundation	K Keyed Alike
	Mica	R Keyed Randomly
		N No Lock
	9 Rectilinear	9 Rectilinear Foundation Mica

SAMPLE ORDER CODE CONTINUED

VC	0	7.4	NT
ΛJ	J 9	/ 4	IN
	· ·	· ·	

BSMFL

Mid-Height Credenza - Open and Drawers (Continued)

DIMENSIONS **INCHES / MM**


			SOURCE LAMINATE DRAWER FRONT FINISH	FLINTWOOD DRAWER H	FRONT FINISH
D	W	Н	CASE FINISH Source Laminate	Source Laminate	Flintwood
18 / 457	42 / 1067	21 / 533	1281	1659	2618
18 / 457	45 / 1143	21 / 533	1314	1721	2662
18 / 457	48 / 1219	21 / 533	1348	1757	2704
18 / 457	51 / 1294	21 / 533	1431	1871	2812
18 / 457	54 / 1372	21 / 533	1467	1906	2854
18 / 457	57 / 1448	21 / 533	1500	2206	2897
18 / 457	60 / 1524	21 / 533	1608	2315	3029
18 / 457	63 / 1600	21 / 533	1633	2388	3071
18 / 457	66 / 1676	21 / 533	1656	2414	3113
18 / 457	69 / 1753	21 / 533	1680	2467	3155
18 / 457	72 / 1829	21 / 533	1788	2575	3739
18 / 457	75 / 1905	21 / 533	2290	3108	4213
18 / 457	78 / 1981	21 / 533	2297	3112	4192
18 / 457	81 / 2057	21 / 533	2304	3150	4172
18 / 457	84 / 2134	21 / 533	2311	3158	4180
20 / 508	42 / 1067	21 / 533	1344	1723	2739
20 / 508	45 / 1143	21 / 533	1379	1786	2790
20 / 508	48 / 1219	21 / 533	1413	1822	2841
20 / 508	51 / 1294	21 / 533	1496	1937	2957
20 / 508	54 / 1372	21 / 533	1531	1970	3009
20 / 508	57 / 1448	21 / 533	1565	2270	3060
20 / 508	60 / 1524	21 / 533	1696	2404	3200
20 / 508	63 / 1600	21 / 533	1735	2492	3250
20 / 508	66 / 1676	21 / 533	1771	2529	3301
20 / 508	69 / 1753	21 / 533	1808	2596	3354
20 / 508	72 / 1829	21 / 533	1903	2692	3917
20 / 508	75 / 1905	21 / 533	2431	3250	4422
20 / 508	78 / 1981	21 / 533	2439	3255	4404
20 / 508	81 / 2057	21 / 533	2473	3321	4415
20 / 508	84 / 2134	21 / 533	2553	3399	4498

freestanding storage & accessories

Xpress

BCFSO

Open Tower



WHAT'S INCLUDED

1 tower with 3 or 6 shelves (66" or 72" h) or with 4 or 8 shelves (81" h), levelers, and mounting hardware.

NOTES

Multi-Functional Drawer (BADMF) cannot be installed on this product.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification

PRODUCT OPTIONS


Depth	Width	Height	Case Finish
18, 20, 24	18, 36	66, 72, 81	Source Laminate
			Flintwood (No Cathedral)

SAMPLE ORDER CODE

CUBE STYLE	PRICING		
	Source Laminate	Flintwood	
BCFSO181866	1057	3189	
BCFSO181872	1158	3256	
BCFSO181881	1310	3357	
BCFSO201866	1122	3356	
BCFSO201872	1239	3429	
BCFSO201881	1415	3539	
BCFSO241866	1184	3521	
BCFSO241872	1318	3602	
BCFSO241881	1519	3724	
BCFSO183666	1655	4701	
BCFSO183672	1812	4799	
BCFSO183681	2048	4946	
BCFSO203666	1752	4953	
BCFSO203672	1936	5059	
BCFSO203681	2212	5218	
BCFSO243666	1847	5200	
BCFSO243672	2056	5317	
BCFSO243681	2370	5493	

BFRL

Tower with Full Solid Door



This tower combines closed file drawers, shelves or wardrobe storage in a full door

WHAT'S INCLUDED

1 tower, 1 rectangular door, locks and keys (as specified), levelers, mounting hardware, and accessories as listed below:

		Interior Configuration						
	W	S	F					
Adjustable Shelf	1 (81 h)	3 (66" or 72" h) or 4 (81" h)	1 (66" or 72" h) or 2 (81" h)					
Fixed Shelf	1	n/a	n/a					
File Drawer	n/a	n/a	2					
15" Cross File Bar	n/a	n/a	2					
Coat Hook (18" or 20"	d) 2	n/a	n/a					
Coat Rod (24" d)	1	n/a	n/a					

WHAT'S EXCLUDED

Multi-Functional Drawer (if applicable).

When applicable, the 15" cross file bar is included and is installed along the depth only.

Additional shelves (BSHT) are available and must be specified separately.

File drawers accepts legal- and letter-size paper.

File drawer configurations must be attached to other furniture for stability.

Edge trim finish on door front always match door front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Interior Configuration	Depth	Width	Height		Door Swing Direction	Door Front Finish	Case Finish		Key Style
F File Drawers	18, 20, 24	18	66, 72, 81	L	Left Side	Source Laminate	Source Laminate	K	Keyed Alike
and Shelves				R	Right Side	Flintwood	Flintwood	R	Keyed
S Shelves					(Shown)	(No Cathedral)	(No Cathedral)		Randomly
W Wardrobe								N	No Lock

SAMPLE ORDER CODE

BFRL F 24 18	72	R	XG	XG	K
--------------	----	---	----	----	---

CUBE STYLE PRICING

	SOURCE LAMINATE CASE	E FINISH	FLINTWOOD CASE FINISH
	DOOR FRONT FINISH		
	Source Laminate	Flintwood	Flintwood
BFRLW181866	1268	1537	3777
BFRLW181872	1392	1681	3884
BFRLW181881	1578	1897	4045
BFRLW201866	1334	1601	3942
BFRLW201872	1472	1761	4057
BFRLW201881	1679	2001	4230
BFRLW241866	1397	1663	4103
BFRLW241872	1553	1840	4228
BFRLW241881	1787	2106	4416
BFRLS181866	1375	1643	3778
BFRLS181872	1498	1784	3885
BFRLS181881	1683	1996	4046

Pricing is continued on the following page.


BFRL Tower with Full Solid Door (Continued)

CUBE STYLE **PRICING**

	SOURCE LAMINATE CASI	EDINICH	FLINTWOOD CASE FINISH
	DOOR FRONT FINISH	TINIOII	PLINT WOOD CASE PINISH
	Source Laminate	Flintwood	Flintwood
BFRLS201866	1440	1708	3943
BFRLS201872	1578	1866	4058
BFRLS201881	1785	2103	4231
BFRLS241866	1502	1771	4104
BFRLS241872	1656	1946	4231
BFRLS241881	1887	2209	4422
BFRLF181866	1783	2053	4154
BFRLF181872	1907	2198	4263
BFRLF181881	2093	2416	4427
BFRLF201866	1849	2117	4321
BFRLF201872	1987	2278	4436
BFRLF201881	2194	2520	4609
BFRLF241866	1912	2180	4487
BFRLF241872	2067	2357	4609
BFRLF241881	2300	2623	4792

BFRG

Tower with Full Glass Door



This tower combines closed shelves or wardrobe storage in a full door aesthetic.

1 tower, 1 rectangular door, locks and keys (as specified), levelers, mounting hardware, and accessories as listed below:

=	Interior Configuration					
_	W	S				
Adjustable Shelf	1 (81" h)	3 (66" or 72" h) or 4 (81" h)				
Fixed Shelf	1	n/a				
Coat Hook (18" or 2	20"d) 2	n/a				
Coat Rod (24" d)	1	n/a				

NOTES

When Wardrobe (W) option is specified, the glass door finish is not available in Clear (CL) standard finish.

Additional shelves (BSHT) are available and must be specified separately.

Multi-Functional Drawer cannot be installed on this product.

Not all glass finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Interior Configuration	Depth	Width	Height	Door Swing Direction	Case Finish	Door Frame Finish	Glass Door Finish	Key Style
S Shelves W Wardrobe	18, 20, 24	18	66, 72, 81	L Left Side R Right Side (Shown)	Source Laminate Flintwood (No Cathedral)	AC Clear Anodized Foundation	Standard: CL Clear FT Frosted	K Keyed Alike R Keyed Randomly
				(chem)	(Control of the cont	Accent Mica	Back-Painted	N No Lock

SAMPLE ORDER CODE

BFRG W	24	18	72	R	XS	AC	FT	N
					110	110		

CUBE STYLE	PRICING		KEY UPCHARGE
	CLEAR GLASS DOOR (CL)		
	SOURCE LAMINATE CASE FINISH	FLINTWOOD CASE FINISH	Keyed Alike or Keyed Randomly
BFRGS181866	1559	3884	55
BFRGS181872	1692	3995	55
BFRGS181881	1892	4162	55
BFRGS201866	1624	4046	55
BFRGS201872	1774	4166	55
BFRGS201881	1999	4346	55
BFRGS241866	1689	4211	55
BFRGS241872	1854	4335	55
BFRGS241881	2102	4521	55

Pricing is continued on the following page.

BFRG Tower with Full Glass Door (Continued)

CUBE STYLE	PRICING		KEY UPCHARGE			
	FROSTED GLASS (FT) AND BACK-PAINT	FROSTED GLASS (FT) AND BACK-PAINTED GLASS DOOR				
	SOURCE LAMINATE CASE FINISH	FLINTWOOD CASE FINISH	Keyed Alike or Keyed Randomly			
BFRGW181866	1709	3754	55			
BFRGW181872	1858	3882	55			
BFRGW181881	2082	4075	55			
BFRGW201866	1772	3919	55			
BFRGW201872	1938	4055	55			
BFRGW201881	2188	4260	55			
BFRGW241866	1833	4083	55			
BFRGW241872	2019	4227	55			
BFRGW241881	2299	4444	55			
BFRGS181866	1811	4136	55			
BFRGS181872	1963	4266	55			
BFRGS181881	2192	4462	55			
BFRGS201866	1876	4298	55			
BFRGS201872	2045	4437	55			
BFRGS201881	2299	4646	55			
BFRGS241866	1941	4463	55			
BFRGS241872	2125	4606	55			
BFRGS241881	2402	4821	55			

BFDS

Tower with Drawers - Solid Door

This tower provides a lockable storage area to store garments and other items combined with the filing capabilities of a pedestal (letter- and legal-size paper).

WHAT'S INCLUDED

1 tower, 2 box and 1 file drawers or 2 file drawers (as specified), 2 or 3 adjustable shelves, pulls (as specified), levelers, locks and keys (as specified), mounting hardware and element as listed below:

Drawer Configuration		
В	F	
1	2	

WHAT'S EXCLUDED

Top for Solid Storage.

15" Cross File Bar

Must be attached to other furniture for stability.

Holes at 5 1/8" intervals on the inside of side panels of the top section allow for shelf adjustment.

The included 15" cross file bars are to be installed along the depth only.

Multi-Functional Drawer cannot be installed on this product.

Edge trim finish on door and drawer front always match door and drawer front finish (Source or Foundation Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

Heigh (B) Box, Box, File (F) File, File

PRODUCT OPTIONS

Storage Style	Depth	Width	Height	Drawer Configuration	Door Swing Direction
S Touch-to-Open Door/Pulls on	18, 20, 24	18	66, 72, 81	B Box, Box, File	L Left Side (Shown)
Drawers				F File, File	R Right Side

SAMPLE ORDER CODE

BFDS S	18	18	72	В	L
--------	----	----	----	---	---

PRODUCT OPTIONS CONTINUED

Door and Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	1 Standard Expansion	Foundation	K Keyed Alike
Foundation Laminate	Flintwood	6 Arched	Mica	R Keyed Randomly
Flintwood (No Cathedral)	(No Cathedral)	9 Rectilinear		N No Lock

SAMPLE ORDER CODE CONTINUED

3E 3E	9	52	R
-------	---	----	---

BFDS

Tower with Drawers - Solid Door (Continued)

STORAGE STYLE

	FILE, FILE (F)			
	SOURCE LAMINAT	E CASE FINISH		FLINTWOOD CASE FINISH
	DOOR AND DRAW	ER FRONT FINI	SH	
	Source Laminate	Foundation Laminate	Flintwood	Flintwood
BFDSS181866	1861	1962	2734	4550
BFDSS181872	1984	2085	2880	4657
BFDSS181881	2107	2208	3026	4764
BFDSS201866	1926	2027	2799	4715
BFDSS201872	2065	2167	2959	4830
BFDSS201881	2204	2307	3119	4945
BFDSS241866	1989	2089	2863	4879
BFDSS241872	2145	2245	3039	5003
BFDSS241881	2301	2401	3215	5127

	BOX, BOX, FILE (B			
	SOURCE LAMINAT	E CASE FINISH		FLINTWOOD CASE FINISH
	DOOR AND DRAW	ER FRONT FINI	SH	
	Source Laminate	Foundation Laminate	Flintwood	Flintwood
BFDSS181866	1898	2000	2863	4676
BFDSS181872	2022	2122	3008	4785
BFDSS181881	2146	2244	3153	4894
BFDSS201866	1964	2064	2927	4843
BFDSS201872	2102	2203	3087	4958
BFDSS201881	2240	2342	3247	5073
BFDSS241866	2027	2126	2990	5009
BFDSS241872	2182	2284	3168	5131
BFDSS241881	2337	2442	3346	5253

BFDOS

Tower with Drawers - Open Shelves

This tower provides a lockable storage area to store garments and other items combined with the filing capabilities of a pedestal (letter- and legal-size paper).

WHAT'S INCLUDED

1 tower, 2 box and 1 file drawers or 2 file drawers (as specified), 2 or 3 adjustable shelves, pulls (as specified), levelers locks and keys (as specified), mounting hardware, and element as listed below:

Drawer Configuration			
В	F		
1	2		

WHAT'S EXCLUDED

Top for Solid Storage.

15" Cross File Bar

Must be attached to other furniture for stability.


Holes at 5 1/8" intervals on the inside of side panels of the top section allow for shelf adjustment.

The included 15" cross file bars are to be installed along the depth only.

Multi-Functional Drawer cannot be installed on this product.

Edge trim finish on drawer front always match drawer front finish (Source or

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

	Storage Style	Depth	Width	Height	Drawer Configuration
P Pul	lls	18, 20, 24	18	66, 72, 81	B Box, Box, File
					F File, File

SAMPLE ORDER CODE

BFDOS P 18	18	72	В
------------	----	----	---

PRODUCT OPTIONS CONTINUED

Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate Foundation Laminate Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	1 Standard Expansion 6 Arched 9 Rectilinear	Foundation Mica	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE CONTINUED

3E	3E	9	52	R
----	----	---	----	---

BFDOS

Tower with Drawers - Open Shelves (Continued)

STORAGE STYLE

	FILE, FILE (F)			
	SOURCE LAMINAT	E CASE FINISH		FLINTWOOD CASE FINISH
	DRAWER FRONT I	INISH		
	Source Laminate	Foundation Laminate	Flintwood	Flintwood
FDOSP181866	1636	1687	2154	3970
FDOSP181872	1759	1808	2299	4076
FDOSP181881	1882	1929	2444	4182
FDOSP201866	1701	1750	2219	4134
FDOSP201872	1839	1890	2379	4249
FDOSP201881	1977	2030	2539	4364
FDOSP241866	1764	1813	2284	4300
FDOSP241872	1919	1970	2460	4422
FDOSP241881	2074	2127	2636	4544

	BOX, BOX, FILE (B	2)		
	SOURCE LAMINAT	•		FLINTWOOD CASE FINISH
	DRAWER FRONT I	INISH		
	Source Laminate	Foundation Laminate	Flintwood	Flintwood
BFDOSP181866	1673	1723	2284	4096
BFDOSP181872	1796	1846	2428	4205
BFDOSP181881	1919	1969	2572	4314
BFDOSP201866	1738	1788	2348	4263
BFDOSP201872	1878	1927	2507	4378
BFDOSP201881	2018	2066	2666	4493
BFDOSP241866	1800	1851	2410	4429
BFDOSP241872	1956	2007	2587	4551
BFDOSP241881	2112	2163	2764	4673

BSWFS

Half Wardrobe Filing Cabinet

This storage provides a lockable storage area for garments and other items combined with filing capabilities to accept legal- and letter-size paper.

WHAT'S INCLUDED

1 half wardrobe cabinet, 4 file drawers, 1 coat rod, 1 adjustable shelf in storage unit section (81" high only) and 1 adjustable wardrobe shelf (81" high only), 4 12" hanging file bars, pulls (as specified), levelers, lock and keys (as specified).

WHAT'S EXCLUDED

Top for Solid Storage and Hang-On Kit.

Full Door (half wardrobe section) and storage unit section above file drawers always come with a touch-to-open mechanism.

Width of drawers is fixed. Only the wardrobe width varies.

This cabinet has a central locking security system that disables the opening of a second drawer.

The wardrobe door has its own locking system.


The storage unit above the file drawers is **not** lockable.

Holes at 1 1/4" intervals on the inside of side panels of the top section allow for shelf

The included 12" hanging file bars are to be installed along the width only.

Edge trim finish on door and drawer front always match door and drawer front finish (Source or Foundation Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Storage Style	Depth	Width	Height	Orientation
S Touch-to-Open Doors/ Pulls on Drawers	24	24, 30, 36	66, 72, 81	L Full Door on Left (Shown) R Full Door on Right

SAMPLE ORDER CODE

BSWFS S 24	24	81	R
------------	----	----	---

PRODUCT OPTIONS CONTINUED

Door and Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	1 Standard Expansion	Foundation	K Keyed Alike
Foundation Laminate	Flintwood	6 Arched	Mica	R Keyed Randomly
Flintwood (No Cathedral)	(No Cathedral)	9 Rectilinear		N No Lock

SAMPLE ORDER CODE CONTINUED

3E LE	1	52	R
-------	---	----	---

BSWFS

Half Wardrobe Filing Cabinet (Continued)

DIMENSIONS INCHES / MM

			SOURCE LAMIN	NATE CASE FINISH		FLINTWOOD CASE FINISH
			DOOR AND DR	AWER FRONT FINIS	SH	
D	W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood
24 / 610	24 / 610	66 / 1676	2829	3076	3657	4917
24 / 610	24 / 610	72 / 1829	2923	3198	3733	5020
24 / 610	24 / 610	81 / 2057	3089	3414	3847	5172
24 / 610	30 / 762	66 / 1676	3116	3384	3843	5654
24 / 610	30 / 762	72 / 1829	3216	3525	4341	5766
24 / 610	30 / 762	81 / 2057	3413	3782	5082	5940
24 / 610	36 / 914	66 / 1676	3422	3720	4529	6412
24 / 610	36 / 914	72 / 1829	3532	3879	4554	6553
24 / 610	36 / 914	81 / 2057	3753	4178	4596	6759

BSCWOS

Half Wardrobe Unit with Drawers -Open Shelves

This storage provides a lockable storage area to store garments and other items combined with the filing capabilities of a pedestal (letter- and legal-size paper).

WHAT'S INCLUDED

1 half wardrobe, 2 box and 1 file drawers or 2 file drawers (as specified), 1 adjustable shelf in wardrobe (81" high only), pulls (as specified), levelers, lock and keys (as specified), and elements as listed below:

_	Drawer Configuration		Height		
_	В	F	66"	72"	81"
Pencil Tray Drawer Divider	1	n/a n/a			
12" Hanging File Bar	1	2			
Adjustable Shelf			2	2	2
Coat Hook (18" or 20" d)			2	2	2
Coat Rod (24" d)			1	1	1

WHAT'S EXCLUDED

Top for Solid Storage and Hang-On Kit.

Full Door (half wardrobe section) always comes with a touch-to-open mechanism.

Width of drawers is fixed. Only the wardrobe width varies.


Box and file drawers have a central locking system. The door has its own locking system.

Holes at 1 1/4" intervals on the inside of side panels of the top section allow for shelf adjustment.

The included 12" hanging file bar is to be installed along the width only.

Edge trim finish on door and drawer front always match door and drawer front finish (Source or Foundation Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

ĺ	Storage Style	Depth	Width	Height	Drawer Configuration	Orientation
]	Pulls	18, 20, 24	24, 30, 36	66, 72, 81	B Box, Box, File F File, File	L Full Door on Left (Shown) R Full Door on Right

SAMPLE ORDER CODE

		1			
BSCWOS P	24	24	81	F	R

PRODUCT OPTIONS CONTINUED

Door and Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	1 Standard Expansion	Foundation	K Keyed Alike
Foundation Laminate	Flintwood	6 Arched	Mica	R Keyed Randomly
Flintwood (No Cathedral)	(No Cathedral)	9 Rectilinear		N No Lock

SAMPLE ORDER CODE CONTINUED

X S	IF	1	52	R
AU		_) <u>-</u>	1

BSCWOS

Half Wardrobe Unit with Drawers -Open Shelves (Continued)

DIMENSIONS INCHES / MM

PRICING

			FILE, FILE (F)	LATE CACE FINICIA		FLINTWOOD CASE FINISH
				ATE CASE FINISH AWER FRONT FINI	SH	FLINTWOOD CASE FINISH
D	W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood
18 / 457	24 / 610	66 / 1676	2096	2293	2642	3736
18 / 457	24 / 610	72 / 1829	2172	2378	2646	3757
8 / 457	24 / 610	81 / 2057	2301	2530	2652	3789
8 / 457	30 / 762	66 / 1676	2370	2616	2816	4443
8 / 457	30 / 762	72 / 1829	2445	2717	3238	4475
8 / 457	30 / 762	81 / 2057	2615	2915	3869	4523
8 / 457	36 / 914	66 / 1676	2662	2944	3487	5178
8 / 457	36 / 914	72 / 1829	2752	3061	3444	5237
18 / 457	36 / 914	81 / 2057	2944	3301	3384	5327
0 / 508	24 / 610	66 / 1676	2167	2361	2711	3889
0 / 508	24 / 610	72 / 1829	2242	2450	2719	3918
0 / 508	24 / 610	81 / 2057	2380	2609	2729	3963
0 / 508	30 / 762	66 / 1676	2443	2692	2892	4609
0 / 508	30 / 762	72 / 1829	2525	2794	3315	4649
0 / 508	30 / 762	81 / 2057	2700	3001	3954	4710
0 / 508	36 / 914	66 / 1676	2743	3025	3568	5357
0 / 508	36 / 914	72 / 1829	2836	3146	3530	5424
0 / 508	36 / 914	81 / 2057	3035	3391	3474	5526
4 / 610	24 / 610	66 / 1676	2234	2430	2779	4039
4 / 610	24 / 610	72 / 1829	2315	2523	2790	4079
24 / 610	24 / 610	81 / 2057	2460	2688	2808	4134
4 / 610	30 / 762	66 / 1676	2518	2765	2965	4773
4 / 610	30 / 762	72 / 1829	2604	2873	3393	4822
4 / 610	30 / 762	81 / 2057	2784	3084	4038	4898
4 / 610	36 / 914	66 / 1676	2823	3104	3648	5534
24 / 610	36 / 914	72 / 1829	2920	3231	3612	5611
24 / 610	36 / 914	81 / 2057	3125	3482	3564	5727

Pricing is continued on the following page.

freestanding storage & accessories

Xpress

BSCWOS

Half Wardrobe Unit with Drawers -Open Shelves (Continued)

DIMENSIONS INCHES / MM

			BOX, BOX, FILE	(B)		
				ATE CASE FINISH		FLINTWOOD CASE FINISH
				AWER FRONT FINIS	SH	
			Source	Foundation		
D	W	Н	Laminate	Laminate	Flintwood	Flintwood
18 / 457	24 / 610	66 / 1676	2136	2325	2770	3865
18 / 457	24 / 610	72 / 1829	2209	2407	2775	3886
18 / 457	24 / 610	81 / 2057	2343	2561	2779	3915
18 / 457	30 / 762	66 / 1676	2407	2653	2943	4569
18 / 457	30 / 762	72 / 1829	2486	2753	3364	4603
18 / 457	30 / 762	81 / 2057	2654	2950	4000	4649
18 / 457	36 / 914	66 / 1676	2700	2975	3612	5305
18 / 457	36 / 914	72 / 1829	2787	3094	3570	5364
18 / 457	36 / 914	81 / 2057	2979	3332	3510	5453
20 / 508	24 / 610	66 / 1676	2203	2393	2839	4017
20 / 508	24 / 610	72 / 1829	2283	2479	2845	4045
20 / 508	24 / 610	81 / 2057	2421	2641	2857	4089
20 / 508	30 / 762	66 / 1676	2482	2727	3017	4734
20 / 508	30 / 762	72 / 1829	2564	2832	3443	4777
20 / 508	30 / 762	81 / 2057	2739	3035	4084	4837
20 / 508	36 / 914	66 / 1676	2782	3057	3693	5482
20 / 508	36 / 914	72 / 1829	2873	3180	3656	5551
20 / 508	36 / 914	81 / 2057	3069	3422	3601	5655
24 / 610	24 / 610	66 / 1676	2270	2463	2906	4169
24 / 610	24 / 610	72 / 1829	2354	2551	2919	4206
24 / 610	24 / 610	81 / 2057	2499	2720	2937	4262
24 / 610	30 / 762	66 / 1676	2554	2801	3091	4900
24 / 610	30 / 762	72 / 1829	2642	2909	3522	4950
24 / 610	30 / 762	81 / 2057	2823	3118	4167	5023
24 / 610	36 / 914	66 / 1676	2862	3135	3775	5661
24 / 610	36 / 914	72 / 1829	2957	3262	3740	5737
24 / 610	36 / 914	81 / 2057	3159	3512	3690	5855

BSCWS

Half Wardrobe Unit with Drawers -Solid Doors

This unit provides a lockable storage area to store garments and other items combined with the filing capabilities of a pedestal (letter- and legal-size paper).

WHAT'S INCLUDED

1 storage unit, 2 box and 1 file drawers or 2 file drawers (as specified), 1 adjustable shelf in wardrobe (81" high only), pulls (as specified), levelers, lock and keys (as specified), and elements as listed below:

_	Drawer Configuration			Height	
_	В	F	66"	72"	81"
Pencil Tray Drawer Divider 12" Hanging File Bar	1 1 1	n/a n/a 2			
Adjustable Shelf Coat Hook (18" or 20" d) Coat Rod (24" d)	-	2	2 2 1	2 2 1	2 2 1

WHAT'S EXCLUDED

Top for Solid Storage and Hang-On Kit.

Full Door (half wardrobe section) and storage unit section above drawers always come with a touch-to-open mechanism.

Width of drawers is fixed. Only the wardrobe width varies.


Box and file drawers have a central locking system. The doors have its own locking system.

Holes at 1 1/4" intervals on the inside of side panels of the top section allow for shelf adjustment.

The included 12" hanging file bar is to be installed along the width only.

Edge trim finish on door and drawer front always match door and drawer front finish (Source or Foundation Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

	Storage Style	Depth	Width	Height	Drawer Configuration	Orientation
S	Touch-to-Open Doors/Pulls on Drawers	18, 20, 24	24, 30, 36	66, 72, 81	B Box, Box, File F File, File	L Full Door on Left (Shown) R Full Door on Right

SAMPLE ORDER CODE

BSCWS S	24	30	72	F	R	
DSC W S S	24	30	/ 4	1	K	

PRODUCT OPTIONS CONTINUED

Door and Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	1 Standard Expansion	Foundation	K Keyed Alike
Foundation Laminate	Flintwood	6 Arched	Mica	R Keyed Randomly
Flintwood (No Cathedral)	(No Cathedral)	9 Rectilinear		N No Lock

SAMPLE ORDER CODE CONTINUED

X S	X S	1	52	R
AS	Α3	1	32	K

BSCWS

Half Wardrobe Unit with Drawers -Solid Doors (Continued)

DIMENSIONS **INCHES / MM**

PRICING

			FILE, FILE (F)			
				IATE CASE FINISH		FLINTWOOD CASE FINISH
				AWER FRONT FINI	SH	
D	W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood
18 / 457	24 / 610	66 / 1676	2310	2538	3133	4231
18 / 457	24 / 610	72 / 1829	2399	2644	3207	4318
18 / 457	24 / 610	81 / 2057	2529	2796	3212	4349
18 / 457	30 / 762	66 / 1676	2580	2861	3307	4932
18 / 457	30 / 762	72 / 1829	2671	2988	3797	5034
18 / 457	30 / 762	81 / 2057	2841	3188	4430	5082
18 / 457	36 / 914	66 / 1676	2872	3187	3975	5669
18 / 457	36 / 914	72 / 1829	2979	3328	4004	5794
18 / 457	36 / 914	81 / 2057	3173	3568	3944	5882
20 / 508	24 / 610	66 / 1676	2377	2607	3202	4381
20 / 508	24 / 610	72 / 1829	2470	2717	3278	4478
20 / 508	24 / 610	81 / 2057	2608	2874	3291	4522
20 / 508	30 / 762	66 / 1676	2654	2935	3383	5098
20 / 508	30 / 762	72 / 1829	2752	3067	3873	5208
20 / 508	30 / 762	81 / 2057	2926	3272	4515	5270
20 / 508	36 / 914	66 / 1676	2953	3268	4058	5846
20 / 508	36 / 914	72 / 1829	3065	3414	4089	5981
20 / 508	36 / 914	81 / 2057	3262	3659	4033	6084
24 / 610	24 / 610	66 / 1676	2444	2674	3270	4532
24 / 610	24 / 610	72 / 1829	2543	2787	3351	4638
24 / 610	24 / 610	81 / 2057	2687	2953	3370	4695
24 / 610	30 / 762	66 / 1676	2727	3009	3456	5263
24 / 610	30 / 762	72 / 1829	2829	3145	3953	5381
24 / 610	30 / 762	81 / 2057	3010	3357	4598	5455
24 / 610	36 / 914	66 / 1676	3033	3348	4137	6025
24 / 610	36 / 914	72 / 1829	3147	3496	4174	6168
24 / 610	36 / 914	81 / 2057	3354	3748	4124	6283

Pricing is continued on the following page.

freestanding storage & accessories

Xpress

BSCWS

Half Wardrobe Unit with Drawers -Solid Doors (Continued)

DIMENSIONS INCHES / MM

			BOX, BOX, FILE	(B)		
				ATE CASE FINISH		FLINTWOOD CASE FINISH
				AWER FRONT FINIS	SH	
			Source	Foundation		
D	W	Н	Laminate	Laminate	Flintwood	Flintwood
18 / 457	24 / 610	66 / 1676	2347	2569	3260	4356
18 / 457	24 / 610	72 / 1829	2435	2678	3333	4443
18 / 457	24 / 610	81 / 2057	2567	2835	3338	4473
18 / 457	30 / 762	66 / 1676	2617	2895	3434	5061
18 / 457	30 / 762	72 / 1829	2712	3021	3922	5161
18 / 457	30 / 762	81 / 2057	2881	3218	4556	5208
18 / 457	36 / 914	66 / 1676	2910	3217	4101	5795
18 / 457	36 / 914	72 / 1829	3014	3363	4130	5923
18 / 457	36 / 914	81 / 2057	3204	3602	4069	6013
20 / 508	24 / 610	66 / 1676	2414	2638	3328	4507
20 / 508	24 / 610	72 / 1829	2507	2752	3406	4605
20 / 508	24 / 610	81 / 2057	2646	2913	3417	4647
20 / 508	30 / 762	66 / 1676	2694	2970	3508	5225
20 / 508	30 / 762	72 / 1829	2790	3100	4002	5335
20 / 508	30 / 762	81 / 2057	2966	3304	4641	5395
20 / 508	36 / 914	66 / 1676	2992	3299	4183	5974
20 / 508	36 / 914	72 / 1829	3098	3448	4214	6110
20 / 508	36 / 914	81 / 2057	3296	3691	4159	6214
24 / 610	24 / 610	66 / 1676	2484	2705	3396	4660
24 / 610	24 / 610	72 / 1829	2580	2823	3478	4764
24 / 610	24 / 610	81 / 2057	2725	2992	3495	4819
24 / 610	30 / 762	66 / 1676	2767	3043	3582	5391
24 / 610	30 / 762	72 / 1829	2870	3180	4080	5508
24 / 610	30 / 762	81 / 2057	3050	3387	4726	5582
24 / 610	36 / 914	66 / 1676	3072	3378	4263	6151
24 / 610	36 / 914	72 / 1829	3183	3532	4299	6296
24 / 610	36 / 914	81 / 2057	3385	3782	4249	6414

BSCWG

Half Wardrobe Unit with Drawers -Glass Doors

This unit provides a lockable storage area to store garments and other items combined with the filing capabilities of a pedestal (letter- and legal-size paper).

WHAT'S INCLUDED

1 storage unit, 2 box and 1 file drawers or 2 file drawers (as specified), pulls (as specified), levelers, lock and keys (as specified), and elements as listed below:

_	Drawer Configuration			Height	
_	В	F	66"	72"	81"
Pencil Tray Drawer Divider 12" Hanging File Bar	1 1 1	n/a n/a 2			
Adjustable Shelf Coat Hook (18" or 20" d) Coat Rod (24" d)	•	2	2 2 1	2 2 1	3 2 1

WHAT'S EXCLUDED

Top for Solid Storage and Hang-On Kit.

Full Door (half wardrobe section) and storage unit section above drawers always come with a touch-to-open mechanism.

Width of drawers is fixed. Only the wardrobe width varies.


Box and file drawers have a central locking system. The doors have its own locking system.

Holes at 1 1/4" intervals on the inside of side panels of the top section allow for shelf adjustment.

The included 12" hanging file bar is to be installed along the width only.

Additional shelves cannot be specified with this product.

Edge trim finish on door and drawer front always match door and drawer front finish (Source or Foundation Laminate).



PRODUCT OPTIONS

	Storage Style	Depth	Width	Height	Drawer Configuration	Orientation	Door and Drawer Front Finish
5	Touch-to-Open Doors/Pulls on Drawers	18, 20, 24	24, 30, 36	66, 72, 81	B Box, Box, File F File, File	L Full Door on Left (Shown) R Full Door on Right	Source Laminate Foundation Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSCWG S 24 30 72 B L 2D

PRODUCT OPTIONS CONTINUED

Case Finish	Door Frame Finish	Glass Door Finish		Pull Style	Pull Finish	Key Style	Glass Door Lock
Source Laminate Flintwood (No Cathedral)	AC Clear Anodized Foundation Accent Mica	Standard: CL Clear FT Frosted Back-Painted	6 9	Expansion	Mica	K Keyed Alike R Keyed Randomly N No Lock	0 No 1 Yes

SAMPLE ORDER CODE CONTINUED

			_		_	_
3D	l AC	C L	9	60	R	0

18 / 457

30 / 762

81 / 2057

3373

3665

4508

BSCWG

Half Wardrobe Unit with Drawers -Glass Doors (Continued)

INCHES	S / MM		PRICING				KEY UPCHARG
			FILE, FILE (F)				
			CLEAR GLASS D	OORS (CL)			
			SOURCE LAMIN	IATE CASE FINISH	ł	FLINTWOOD CASE FINISH	
			DOOR AND DR	AWER FRONT FIN	NISH		
D	W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood	Glass Door Lock (
8 / 457	24 / 610	66 / 1676	2640	2836	3185	4278	55
8 / 457	24 / 610	72 / 1829	2757	2965	3233	4344	55
8 / 457	24 / 610	81 / 2057	2874	3094	3281	4410	55
8 / 457	30 / 762	66 / 1676	2913	3161	3362	4988	55
8 / 457	30 / 762	72 / 1829	3037	3307	3829	5068	55
8 / 457	30 / 762	81 / 2057	3161	3453	4296	5148	55
8 / 457	36 / 914	66 / 1676	3204	3489	4032	5723	55
8 / 457	36 / 914	72 / 1829	3340	3654	4036	5829	55
8 / 457	36 / 914	81 / 2057	3476	3819	4040	5935	55
) / 508	24 / 610	66 / 1676	2709	2903	3254	4432	55
) / 508	24 / 610	72 / 1829	2829	3037	3305	4504	55
) / 508	24 / 610	81 / 2057	2949	3171	3356	4576	55
) / 508	30 / 762	66 / 1676	2988	3238	3436	5154	55
/ 508	30 / 762	72 / 1829	3116	3386	3907	5242	55
) / 508	30 / 762	81 / 2057	3244	3534	4378	5330	55
) / 508	36 / 914	66 / 1676	3286	3570	4115	5901	55
) / 508	36 / 914	72 / 1829	3425	3739	4121	6016	55
) / 508	36 / 914	81 / 2057	3564	3908	4127	6131	55
í / 610	24 / 610	66 / 1676	2777	2972	3321	4582	55
4/610	24 / 610	72 / 1829	2901	3110	3377	4666	55
4/610	24 / 610	81 / 2057	3025	3248	3433	4750	55
í / 610	30 / 762	66 / 1676	3061	3311	3510	5319	55
/ 610	30 / 762	72 / 1829	3195	3465	3985	5415	55
610	30 / 762	81 / 2057	3329	3619	4460	5511	55
/ 610	36 / 914	66 / 1676	3365	3651	4192	6078	55
£ / 610	36 / 914	72 / 1829	3508	3822	4205	6204	55
i / 610	36 / 914	81 / 2057	3651	3993	4218	6330	55
			. ,	AND BACK-PAINT Nate case finish	ED GLASS DOORS H	FLINTWOOD CASE FINISH	KEY UPCHAR
				AWER FRONT FIN			
			Source Laminate	Foundation Laminate	Flintwood	Flintwood	Glass Door Lock
8 / 457	24 / 610	66 / 1676	2777	2973	3322	4415	55
8 / 457	24 / 610	72 / 1829	2924	3132	3400	4511	55
8 / 457	24 / 610	81 / 2057	3086	3306	3493	4622	55
3 / 457	30 / 762	66 / 1676	3050	3298	3499	5125	55
3 / 457	30 / 762	72 / 1829	3204	3474	3996	5235	55
8 / /157	30 / 762	81 / 2057	3373	3665	4508	5360	55

Pricing is continued on the following page.

55

5360

BSCWG

Half Wardrobe Unit with Drawers -Glass Doors (Continued)

DIMENSIONS INCHES / MM

PRICING

KEY UPCHARGE

				CONTINUED			
			FILE, FILE (F) (ED GLASS DOORS		
				ATE CASE FINISH		FLINTWOOD CASE FINISH	
			DOOR AND DR	AWER FRONT FIN	ISH		
			Source	Foundation			
D	W	Н	Laminate	Laminate	Flintwood	Flintwood	Glass Door Lock (1)
18 / 457	36 / 914	66 / 1676	3341	3626	4169	5860	55
18 / 457	36 / 914	72 / 1829	3507	3821	4203	5996	55
18 / 457	36 / 914	81 / 2057	3688	4031	4252	6147	55
20 / 508	24 / 610	66 / 1676	2846	3040	3391	4569	55
20 / 508	24 / 610	72 / 1829	2996	3204	3472	4671	55
20 / 508	24 / 610	81 / 2057	3161	3383	3568	4788	55
20 / 508	30 / 762	66 / 1676	3125	3375	3573	5291	55
20 / 508	30 / 762	72 / 1829	3283	3553	4074	5409	55
20 / 508	30 / 762	81 / 2057	3456	3746	4590	5542	55
20 / 508	36 / 914	66 / 1676	3423	3707	4252	6038	55
20 / 508	36 / 914	72 / 1829	3592	3906	4288	6183	55
20 / 508	36 / 914	81 / 2057	3776	4120	4339	6343	55
24 / 610	24 / 610	66 / 1676	2914	3109	3458	4719	55
24 / 610	24 / 610	72 / 1829	3068	3277	3544	4833	55
24 / 610	24 / 610	81 / 2057	3237	3460	3645	4962	55
24 / 610	30 / 762	66 / 1676	3198	3448	3647	5456	55
24 / 610	30 / 762	72 / 1829	3362	3632	4152	5582	55
24 / 610	30 / 762	81 / 2057	3541	3831	4672	5723	55
24 / 610	36 / 914	66 / 1676	3502	3788	4329	6215	55
24 / 610	36 / 914	72 / 1829	3675	3989	4372	6371	55
24 / 610	36 / 914	81 / 2057	3863	4205	4430	6542	55

18 / 457	24 / 610	66 / 1676
18 / 457	24 / 610	72 / 1829
18 / 457	24 / 610	81 / 2057
18 / 457	30 / 762	66 / 1676
18 / 457	30 / 762	72 / 1829
18 / 457	30 / 762	81 / 2057
18 / 457	36 / 914	66 / 1676
18 / 457	36 / 914	72 / 1829
18 / 457	36 / 914	81 / 2057
20 / 508	24 / 610	66 / 1676
20 / 508	24 / 610	72 / 1829
20 / 508	24 / 610	81 / 2057

OURCE LAMIN	NATE CASE FINISH	I	FLINTWOOD CASE FINISH
OOR AND DR	AWER FRONT FIN	IISH	
Source Laminate	Foundation Laminate	Flintwood	Flintwood
2678	2871	3315	4411
2797	2997	3364	4475
2916	3123	3413	4539
2951	3196	3486	5111
3074	3340	3952	5190
3197	3484	4418	5269
3245	3521	4157	5850
3376	3683	4159	5953
3507	3845	4161	6056
2747	2939	3384	4562
2870	3069	3436	4637
2993	3199	3488	4712

KEY UPCHARGE Glass Door Lock (1) 55 55 55 55 55 55 55 55

72 / 1829

81 / 2057

66 / 1676

72 / 1829

81 / 2057

3320

3493

3463

3628

3808

3586

3780

3739

3936

4148

4198

4714

4377

4411

4460

30 / 762

30 / 762

36 / 914

36 / 914

36 / 914

20 / 508

20 / 508

20 / 508

20 / 508

20 / 508

DIMENSIONS

BSCWG Half Wardrobe Unit with Drawers -

Glass Doors (Continued)

INCHES	3 / IVI IVI		PRICING				KEY UPCHARO
			BOX, BOX, FILE	(B) (CONTINUE	D)		
			CLEAR GLASS D	OORS (CL)			
			SOURCE LAMIN	IATE CASE FINISH	I	FLINTWOOD CASE FINISH	
			DOOR AND DR	AWER FRONT FIN	IISH		
D	W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood	Glass Door Lock (
0 / 508	30 / 762	66 / 1676	3025	3270	3560	5277	55
/ 508	30 / 762	72 / 1829	3153	3419	4031	5364	55
/ 508	30 / 762	81 / 2057	3281	3568	4502	5451	55
/ 508	36 / 914	66 / 1676	3326	3602	4240	6027	55
/ 508	36 / 914	72 / 1829	3461	3769	4244	6140	55
/ 508	36 / 914	81 / 2057	3596	3936	4248	6253	55
/ 610	24 / 610	66 / 1676	2815	3008	3452	4714	55
/ 610	24 / 610	72 / 1829	2942	3141	3508	4795	55
/ 610	24 / 610	81 / 2057	3069	3274	3564	4876	55
/ 610	30 / 762	66 / 1676	3098	3344	3633	5443	55
/ 610	30 / 762	72 / 1829	3232	3496	4109	5537	55
/ 610	30 / 762	81 / 2057	3366	3648	4585	5631	55
/ 610	36 / 914	66 / 1676	3406	3682	4320	6206	55
/ 610	36 / 914	72 / 1829	3545	3851	4328	6327	55
/ 610	36 / 914	81 / 2057	3684	4020	4336	6448	55
			FROSTED (FT)	AND BACK-PAINT	ED GLASS DOORS		KEY UPCHAR
			SOURCE LAMIN	ATE CASE FINISH	I	FLINTWOOD CASE FINISH	
			DOOR AND DR	AWER FRONT FIN	IISH		
			Source Laminate	Foundation Laminate	Flintwood	Flintwood	Glass Door Lock
/ 457	24 / 610	66 / 1676	2815	3008	3452	4548	55
/ 457	24 / 610	72 / 1829	2964	3164	3531	4642	55
/ 457	24 / 610	81 / 2057	3128	3335	3625	4751	55
/ 457	30 / 762	66 / 1676	3088	3333	3623	5248	55
/ 457	30 / 762	72 / 1829	3241	3507	4119	5357	55
/ 457	30 / 762	81 / 2057	3409	3696	4630	5481	55
/ 457	36 / 914	66 / 1676	3382	3658	4294	5987	55
/ 457	36 / 914	72 / 1829	3543	3850	4326	6120	55
/ 457	36 / 914	81 / 2057	3719	4057	4373	6268	55
/ 508	24 / 610	66 / 1676	2884	3076	3521	4699	55
/ 508	24 / 610	72 / 1829	3037	3236	3603	4804	55
) / 508	24 / 610	81 / 2057	3205	3411	3700	4924	55
/ 508	30 / 762	66 / 1676	3162	3407	3697	5414	55
	20 / 7/2	70 / 1000	2220	2506	/100	5521	

Pricing is continued on the following page.

55

55

55

55

55

5531

5663

6164

6307

6465

BSCWG

Half Wardrobe Unit with Drawers -Glass Doors (Continued)

DIMENSIONS INCHES / MM

D

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

/ MM		PRICING				KEY UPCHARGE
			(B) (CONTINUED And Back-Painte	·		
			ATE CASE FINISH		FLINTWOOD CASE FINISH	
		DOOR AND DR	AWER FRONT FINI	ISH		
W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood	Glass Door Lock (1)
24 / 610	66 / 1676	2952	3145	3589	4851	55
24 / 610	72 / 1829	3109	3308	3675	4962	55
24 / 610	81 / 2057	3281	3486	3776	5088	55
30 / 762	66 / 1676	3235	3481	3770	5580	55
30 / 762	72 / 1829	3399	3663	4276	5704	55
30 / 762	81 / 2057	3578	3860	4797	5843	55
36 / 914	66 / 1676	3543	3819	4457	6343	55
36 / 914	72 / 1829	3712	4018	4495	6494	55
36 / 914	81 / 2057	3896	4232	4548	6660	55

freestanding storage & accessories


Xpress

BSUS Storage Unit - Solid Doors

Storage Units combine the filing capabilities of a lateral file with the flexibility of a storage unit. The drawers accepts both letter- and legal-size paper.

WHAT'S INCLUDED

1 storage unit with 2 lateral file drawers, pulls (as specified), 2 15" cross file bars (24" wide) or 4 15" cross file bars (30" or 36" wide), levelers, lock and keys (as specified), and adjustable shelves as listed below:



Adjustable Shelf

WHAT'S EXCLUDED

Top for Solid Storage and Hang-On Kit.

Drawers have a central locking security system that disables the opening of a second

The doors have their own locking system.


Holes at 1 1/4" intervals on the inside of side panels of the top section allow for shelf adjustment.

Additional shelves (BSHS) are available and must be ordered separately.

The included 15" cross file bars are to be installed along the depth only.

Edge trim finish on door and drawer front always match door and drawer front finish (Source or Foundation Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification





PRODUCT OPTIONS

	Storage Style	Depth	Width	Height	Door and Drawer Front Finish
]	Pulls	18, 20, 24	24, 30, 36	66, 72, 81	Source Laminate
	Touch-to-Open Doors/ Pulls on Drawers				Foundation Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSUS S 24	24	66	3E
-----------	----	----	----

PRODUCT OPTIONS CONTINUED

Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	1 Standard Expansion	Foundation	K Keyed Alike
Flintwood (No Cathedral)	6 Arched	Mica	R Keyed Randomly
	9 Rectilinear		N No Lock

SAMPLE ORDER CODE CONTINUED

3F	1	52	P
JL	±	J2	10

BSUS Storage Unit - Solid Doors (Continued)

DIMENSIONS INCHES / MM

				ATE CASE FINISH		FLINTWOOD CASE FINISH
				AWER FRONT FIN Foundation	15H	
D	W	Н	Source Laminate	Laminate	Flintwood	Flintwood
18 / 457	24 / 610	66 / 1676	2015	2206	2841	3936
18 / 457	24 / 610	72 / 1829	2097	2318	2905	4016
18 / 457	24 / 610	81 / 2057	2271	2543	3003	4142
18 / 457	30 / 762	66 / 1676	2132	2387	3257	4489
18 / 457	30 / 762	72 / 1829	2228	2521	3333	4591
18 / 457	30 / 762	81 / 2057	2428	2783	3450	4742
18 / 457	36 / 914	66 / 1676	2300	2638	3722	5098
18 / 457	36 / 914	72 / 1829	2404	2789	3816	5218
18 / 457	36 / 914	81 / 2057	2633	3101	3957	5401
20 / 508	24 / 610	66 / 1676	2085	2274	2909	4088
20 / 508	24 / 610	72 / 1829	2172	2388	2978	4178
20 / 508	24 / 610	81 / 2057	2351	2619	3082	4316
20 / 508	30 / 762	66 / 1676	2207	2464	3332	4653
20 / 508	30 / 762	72 / 1829	2306	2600	3413	4765
20 / 508	30 / 762	81 / 2057	2513	2868	3536	4929
20 / 508	36 / 914	66 / 1676	2381	2719	3804	5276
20 / 508	36 / 914	72 / 1829	2488	2874	3901	5404
20 / 508	36 / 914	81 / 2057	2723	3191	4046	5603
24 / 610	24 / 610	66 / 1676	2152	2344	2978	4239
24 / 610	24 / 610	72 / 1829	2242	2463	3050	4336
24 / 610	24 / 610	81 / 2057	2430	2699	3160	4489
24 / 610	30 / 762	66 / 1676	2283	2537	3406	4817
24 / 610	30 / 762	72 / 1829	2384	2676	3490	4937
24 / 610	30 / 762	81 / 2057	2596	2952	3619	5116
24 / 610	36 / 914	66 / 1676	2463	2798	3885	5453
24 / 610	36 / 914	72 / 1829	2572	2958	3985	5592
24 / 610	36 / 914	81 / 2057	2813	3282	4138	5802


Xpress

BSUOS Storage Unit - Open Shelves

Storage Units combine the filing capabilities of a lateral file with the flexibility of a storage unit. The drawers accepts both letter- and legal-size paper.

WHAT'S INCLUDED

1 storage unit with 2 lateral file drawers, pulls (as specified), 2 15" cross file bars (24" wide) or 4 15" cross file bars (30" or 36" wide), levelers, lock and keys (as specified), and adjustable shelves as listed below:



Adjustable Shelf

WHAT'S EXCLUDED

Top for Solid Storage and Hang-On Kit.

Drawers have a central locking security system that disables the opening of a second


Holes at 1 1/4" intervals on the inside of side panels of the top section allow for shelf adjustment.

Additional shelves (BSHS) are available and must be ordered separately.

The included 15" cross file bars are to be installed along the depth only.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Storage Style	Depth	Width	Height	Drawer Front Finish
P Pulls	18, 20, 24	24, 30, 36		Source Laminate Foundation Laminate
				Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSUOS P 24 24 66 3E	
---------------------	--

PRODUCT OPTIONS CONTINUED

Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	1 Standard Expansion	Foundation	K Keyed Alike
Flintwood	6 Arched	Mica	R Keyed Randomly
(No Cathedral)	9 Rectilinear		N No Lock

SAMPLE ORDER CODE CONTINUED

3 E	1	52	R
<i>)</i> <u>L</u>	-) <u>-</u>	1

BSUOS

Storage Unit - Open Shelves (Continued)

DIMENSIONS INCHES / MM

			SOURCE LAMIN	IATE CASE FINISH		FLINTWOOD CASE FINISH
			DRAWER FRON			FLIN I WOOD CASE FINISH
D	W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood
18 / 457	24 / 610	66 / 1676	1821	1919	2624	3516
18 / 457	24 / 610	72 / 1829	1879	1994	2681	3589
18 / 457	24 / 610	81 / 2057	1929	2064	2768	3699
18 / 457	30 / 762	66 / 1676	1904	2042	3026	4065
18 / 457	30 / 762	72 / 1829	1966	2123	3098	4155
18 / 457	30 / 762	81 / 2057	2022	2205	3209	4294
18 / 457	36 / 914	66 / 1676	2033	2231	3465	4660
18 / 457	36 / 914	72 / 1829	2096	2322	3551	4770
18 / 457	36 / 914	81 / 2057	2156	2410	3683	4933
20 / 508	24 / 610	66 / 1676	1888	1987	2694	3668
20 / 508	24 / 610	72 / 1829	1950	2065	2754	3749
20 / 508	24 / 610	81 / 2057	2008	2143	2845	3872
20 / 508	30 / 762	66 / 1676	1978	2117	3101	4231
20 / 508	30 / 762	72 / 1829	2044	2202	3177	4329
20 / 508	30 / 762	81 / 2057	2108	2291	3293	4480
20 / 508	36 / 914	66 / 1676	2116	2312	3546	4837
20 / 508	36 / 914	72 / 1829	2182	2408	3635	4957
20 / 508	36 / 914	81 / 2057	2247	2500	3773	5135
24 / 610	24 / 610	66 / 1676	1956	2057	2761	3820
24 / 610	24 / 610	72 / 1829	2023	2138	2826	3909
24 / 610	24 / 610	81 / 2057	2087	2223	2924	4045
24 / 610	30 / 762	66 / 1676	2053	2189	3175	4393
24 / 610	30 / 762	72 / 1829	2123	2282	3256	4502
24 / 610	30 / 762	81 / 2057	2189	2375	3377	4668
24 / 610	36 / 914	66 / 1676	2196	2390	3626	5015
24 / 610	36 / 914	72 / 1829	2265	2492	3720	5143
24 / 610	36 / 914	81 / 2057	2340	2590	3863	5335

BSUG

Width

Height


Storage Unit - Glass Doors

Depth

Storage Unit combines the filing capabilities of a lateral file with the flexibility of a storage unit. The drawers accepts both letter- and legal-size paper.

WHAT'S INCLUDED

1 storage unit with 2 lateral file drawers, pulls (as specified), 2 15" cross file bars (24" wide) or 4 15" cross file bars (30" or 36" wide), levelers, lock and keys (as specified), and adjustable shelves as listed below:



Adjustable Shelf

WHAT'S EXCLUDED

Top for Solid Storage and Hang-On Kit.

Drawers have a central locking security system that disables the opening of a second

Holes at 1 1/4" intervals on the inside of side panels of the top section allow for shelf adjustment.

Additional shelves (BSHS) are available and must be ordered separately.

The included 15" cross file bars are to be installed along the depth only.

Edge trim finish on drawer front always match drawer front finish (Source or Foundation Laminate).

Not all glass finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



Storage Style	Depth	Width	Height	Drawer Front Finish	Case Finish
S Touch-to-Open Doors/Pulls on Drawers	18, 20, 24	24, 30, 36	66, 72, 81	Source Laminate Foundation Laminate Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSUG S 24	24	66	LW	XS
-----------	----	----	----	----

PRODUCT OPTIONS CONTINUED

Door Frame Finish	Glass Door Finish	Pull Style	Pull Finish	Drawer Key Style	Glass Door Lock
AC Clear Anodized Foundation Accent	Standard: CL Clear FT Frosted Back-Painted	1 Standard Expansion 6 Arched 9 Rectilinear	Mica	K Keyed Alike R Keyed Randomly N No Lock	0 No 1 Yes
Mica					

SAMPLE ORDER CODE CONTINUED

74 FT 9	74	К	1
---------	----	---	---

BSUG Storage Unit - Glass Doors (Continued)

DIMEN	SIONS						(Continued)
INCHES			PRICING				KEY UPCHARGE
			CLEAR CLASS F	OORS (CL)			
			CLEAR GLASS I	NATE CASE FINISH		FLINTWOOD CASE FINISH	
			DRAWER FRON			TEINT WOOD CHOETHNOIT	
			Source	Foundation			
D	W	Н	Laminate	Laminate	Flintwood	Flintwood	Glass Door Lock (1)
18 / 457	24 / 610	66 / 1676	2822	2921	3626	4518	55
18 / 457	24 / 610	72 / 1829	2959	3073	3762	4669	55
18 / 457	24 / 610	81 / 2057	3159	3435	4139	5072	55
18 / 457	30 / 762	66 / 1676	2982	3119	4103	5142	55
18 / 457	30 / 762	72 / 1829	3127	3289	4264	5321	55
18 / 457	30 / 762	81 / 2057	3413	3755	4758	5844	55
18 / 457	36 / 914	66 / 1676	3187	3379	4614	5808	55
18 / 457	36 / 914	72 / 1829	3327	3554	4784	6002	55
18 / 457	36 / 914	81 / 2057	3609	4024	5297	6549	55
20 / 508	24 / 610	66 / 1676	2891	2989	3693	4670	55
20 / 508	24 / 610	72 / 1829	3031	3145	3834	4830	55
20 / 508	24 / 610	81 / 2057	3239	3514	4217	5246	55
20 / 508	30 / 762	66 / 1676	3058	3195	4179	5307	55
20 / 508	30 / 762	72 / 1829	3205	3367	4343	5495	55
20 / 508	30 / 762	81 / 2057	3496	3841	4844	6032	55
20 / 508	36 / 914	66 / 1676	3268	3461	4696	5986	55
20 / 508	36 / 914	72 / 1829	3413	3640	4869	6189	55
20 / 508	36 / 914	81 / 2057	3699	4116	5387	6750	55
24 / 610	24 / 610	66 / 1676	2958	3058	3763	4820	55
24 / 610	24 / 610	72 / 1829	3103	3217	3906	4989	55
24 / 610	24 / 610	81 / 2057	3316	3593	4297	5418	55
24 / 610	30 / 762	66 / 1676	3131	3268	4251	5473	55
24 / 610	30 / 762	72 / 1829	3285	3445	4421	5668	55
24 / 610	30 / 762	81 / 2057	3581	3924	4928	6218	55
24 / 610	36 / 914	66 / 1676	3348	3541	4777	6163	55
24 / 610	36 / 914	72 / 1829	3495	3724	4953	6377	55
24 / 610	36 / 914	81 / 2057	3790	4205	5478	6948	55
						 	

Pricing is continued on the following page.

Xpress

BSUG

Storage Unit - Glass Doors (Continued)

DIMENSIONS

INCHES / MM PRICING KEY UPCHARGE SOURCE LAMINATE CASE FINISH FLINTWOOD CASE FINISH DRAWER FRONT FINISH Source Foundation D Flintwood W Η Laminate Flintwood Glass Door Lock (1) Laminate 18 / 457 24 / 610 66 / 1676 3626 2822 2921 4518 55 18 / 457 3762 24 / 610 72 / 1829 2959 3073 4669 55 18 / 457 24 / 610 81 / 2057 3159 3435 4139 5072 55 18 / 457 4103 30 / 762 66 / 1676 2982 3119 5142 55 18 / 457 55 30 / 762 72 / 1829 3127 3289 4264 5321 18 / 457 81 / 2057 4758 30 / 762 3413 3755 5844 55 18 / 457 36 / 914 66 / 1676 3187 3379 4614 5808 55 18 / 457 36 / 914 72 / 1829 3327 3554 4784 6002 55 18 / 457 36 / 914 81 / 2057 3609 4024 5297 6549 55 20 / 508 24 / 610 66 / 1676 2891 2989 3693 4670 55 20 / 508 72 / 1829 3834 55 24 / 610 3031 3145 4830 20 / 508 24 / 610 81 / 2057 3239 3514 4217 5246 55 20 / 508 30 / 762 66 / 1676 3058 3195 4179 5307 55 20 / 508 30 / 762 72 / 1829 4343 5495 55 3205 3367 20 / 508 30 / 762 81 / 2057 3841 4844 6032 55 3496 20 / 508 36 / 914 66 / 1676 3461 4696 5986 55 3268 20 / 508 36 / 914 72 / 1829 3413 3640 4869 6189 55 20 / 508 81 / 2057 36 / 914 3699 4116 5387 6750 55 24 / 610 24 / 610 66 / 1676 2958 3058 3763 4820 55 24 / 610 24 / 610 72 / 1829 3103 3217 3906 4989 55 24 / 610 24 / 610 81 / 2057 3316 3593 4297 5418 55 55 24 / 610 30 / 762 66 / 1676 5473 3131 3268 4251 24 / 610 72 / 1829 55 30 / 762 3285 3445 4421 5668 24 / 610 30 / 762 81 / 2057 6218 55 3581 3924 4928 24 / 610 36 / 914 66 / 1676 3348 3541 4777 6163 55 24 / 610 36 / 914 72 / 1829 3495 3724 4953 6377 55

24 / 610

36 / 914

81 / 2057

3790

4205


5478

6948

55

BSWUS

Storage Unit with Wardrobe -Solid Doors



This storage combines the organizational capabilities of a storage unit with the storage capacity of a wardrobe. The drawers accepts both letter- and legal-size paper.

WHAT'S INCLUDED

1 half-wardrobe, 2 lateral file drawers, 1 storage unit, 1 adjustable shelf in wardrobe (81" high only), 1 coat rod, 2 15" cross file bars, pulls (as specified), levelers, lock and keys (as specified), and adjustable shelves as listed below:

	Height					
66"	72"	81"				
2	2	3				

Adjustable Shelf

WHAT'S EXCLUDED Top for Solid Storage and Hang-On Kit.

Full door (half wardrobe section) always comes with a touch-to-open mechanism.

The Storage Unit with Wardrobe has a central locking security system that disables the opening of a second drawer.

Holes at 1 1/4" intervals on the inside of side panels of the top section allow for shelf adjustment.

The included 15" cross file bar are to be installed along the depth only.

Edge trim finish on door and drawer front always match door and drawer front finish (Source or Foundation Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

	Storage Style	Depth	Width	Height	Orientation
P	Pulls	24	30, 36	66, 72, 81	L Full Door on Left (Shown)
S	Touch-to-Open Doors/ Pulls on Drawers				R Full Door on Right

SAMPLE ORDER CODE

BSWUS S	24	30	72	L
			, —	_

PRODUCT OPTIONS CONTINUED

Door and Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	1 Standard Expansion	Foundation	K Keyed Alike
Foundation Laminate	Flintwood	6 Arched	Mica	R Keyed Randomly
Flintwood (No Cathedral)	(No Cathedral)	9 Rectilinear		N No Lock

SAMPLE ORDER CODE CONTINUED

2 F	2 F	1	60	D
41	JE	1	00	10

BSWUS


Storage Unit with Wardrobe – Solid Doors (Continued)

DIMENSIONS INCHES / MM

			SOURCE LAMIN	NATE CASE FINISH		FLINTWOOD CASE FINISH
			DOOR AND DR	AWER FRONT FIN	ISH	
D	W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood
24 / 610	30 / 762	66 / 1676	2676	2957	4226	5638
24 / 610	30 / 762	72 / 1829	2760	3061	4255	5700
24 / 610	30 / 762	81 / 2057	2989	3322	4371	5866
24 / 610	36 / 914	66 / 1676	2808	3151	4444	6015
24 / 610	36 / 914	72 / 1829	2897	3270	4479	6085
24 / 610	36 / 914	81 / 2057	3154	3565	4589	6252

BSDS

4-Door Storage Cabinet -Solid Doors



This storage provides a lockable storage and it is designed to accommodate a variety of media equipment or to serve as convenient storage space.

WHAT'S INCLUDED

2 storage spaces, pulls (as specified), grommet, levelers, lock and keys (as specified), and adjustable shelves as listed below:

	Height	
66"	72"	81"
3	3	4

Adjustable Shelf

WHAT'S EXCLUDED

Top for Solid Storage and Hang-On Kit.

Holes at 1 1/4" intervals on the inside of side panels of the top and bottom sections allow for shelf adjustment.

Additional shelves (BSHS) are available and must be specified separately.

Pull Style and Pull Finish options are only available when Pulls (P) Storage Style option

Edge trim finish on door front always match door front finish (Source or Foundation

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Storage Style	Depth	Width	Height	Door Front Finish
P Pulls	24	30, 36	66, 72, 81	Source Laminate
T Touch-to-Open				Foundation Laminate
				Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSDS T 24	36	66	XS
-----------	----	----	----

PRODUCT OPTIONS CONTINUED

Case Finish	Pull Style (If Applicable)	Pull Finish (If Applicable)	Key Style
Source Laminate	1 Standard Expansion	Foundation	K Keyed Alike
Flintwood	6 Arched	Mica	R Keyed Randomly
(No Cathedral)	9 Rectilinear		N No Lock

SAMPLE ORDER CODE CONTINUED

|--|

BSDS

4-Door Storage Cabinet – Solid Doors (Continued)


DIMENSIONS INCHES / MM


			SOURCE LAMIN	NATE CASE FINISH		FLINTWOOD CASE FINISH
			DOOR FRONT	FINISH		
D	W	Н	Source Laminate	Foundation Laminate	Flintwood	Flintwood
24 / 610	30 / 762	66 / 1676	2297	2549	3562	4496
24 / 610	30 / 762	72 / 1829	2399	2689	3644	4599
24 / 610	30 / 762	81 / 2057	2596	2952	3789	4778
24 / 610	36 / 914	66 / 1676	2474	2808	3843	4857
24 / 610	36 / 914	72 / 1829	2584	2970	3937	4972
24 / 610	36 / 914	81 / 2057	2813	3282	4099	5174

Xpress

BSDG

4-Door Storage Cabinet -Glass Doors





Touch-to-Open Doors/ Pulls on Solid Doors (D)

Touch-to-Open (T)

This storage is designed to accommodate a variety of media equipment or to serve as convenient storage space.

WHAT'S INCLUDED

2 storage spaces, pulls (as specified), grommets, levelers, lock and keys (as specified), and adjustable shelves as listed below:

	Height	
66"	72"	81"
3	3	4

Adjustable Shelf

WHAT'S EXCLUDED

Top for Solid Storage and Hang-On Kit.

NOTES

The Storage Cabinet has a central locking system for Solid doors.

Holes at 1 1/4" intervals on the inside of side panels of the top and bottom sections allow for shelf adjustment.

Additional shelves (BSHS) are available and must be specified separately.

Pull Style and Pull Finish options are only available when Touch-to-Open Doors/Pulls on Solid Doors (D) Storage Style option is specified.

Edge trim finish on door front always match door front finish (Source or Foundation

Not all glass finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Storage Style	Depth	Width	Height	Door Front Finish	Case Finish
 D Touch-to-Open Doors/Pulls on Solid Doors T Touch-to-Open 	24	30, 36	66, 72, 81	Source Laminate Foundation Laminate Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSDG D 24	36	66	LW	XS
-----------	----	----	----	----

PRODUCT OPTIONS CONTINUED

Door Frame Finish	Glass Door Finish	Pull Style (If Applicable)	Pull Finish (If Applicable)	Solid Door Key Style	Glass Door Lock
AC Clear Anodized	Standard:	1 Standard Expansion	Foundation	K Keyed Alike	0 No
Foundation	CL Clear	6 Arched	Mica	R Keyed Randomly	1 Yes
Accent	FT Frosted	9 Rectilinear		N No Lock	
Mica	Back-Painted				

SAMPLE ORDER CODE CONTINUED

52 FT	6	52	R	0
-------	---	----	---	---

BSDG

VEV LIDCHARCE

4-Door Storage Cabinet -Glass Doors (Continued)

DIMENS	1	ONS
INCHES	/	MM

W

30 / 762

30 / 762

30 / 762

36 / 914

36 / 914

36 / 914

Н

66 / 1676

72 / 1829

81 / 2057

66 / 1676

72 / 1829

81 / 2057

D

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

24 / 610

PRICING

3790

4205

CLEAR GLASS D	OORS (CL)		
SOURCE LAMIN	NATE CASE FINISH	FLINTWOOD CASE FINISH	
DOOR FRONT	FINISH		
Source Laminate	Foundation Laminate	Flintwood	Flintwood
3145	3284	3886	4817
2838	2980	3500	4324
3581	3924	4527	5516
3361	3552	4205	5218
3511	3736	4388	5424

4857

5930

KEY UPCHARGE	5
Glass Door Lock (1)
55	
47	
55	
))	
55	
55	
	-
55	


24 / 610	30 / 762	66 / 1676
24 / 610	30 / 762	72 / 1829
24 / 610	30 / 762	81 / 2057
24 / 610	36 / 914	66 / 1676
24 / 610	36 / 914	72 / 1829
24 / 610	36 / 914	81 / 2057


FROSTED (FT)	AND BACK-PAINT	ED GLASS DOORS	
SOURCE LAMIN	NATE CASE FINISH		FLINTWOOD CASE FINISH
DOOR FRONT	FINISH		
Source Laminate	Foundation Laminate	Flintwood	Flintwood
3412	3551	4153	5084
3612	3777	4380	5336
3936	4279	4882	5871
3681	3872	4525	5538
3898	4123	4775	5811
4209	4624	5276	6349


KEY UPCHARGE
Glass Door Lock (1)
55
55
55
55
55
55

BSWCS

Wardrobe Cabinet - Solid Doors







This storage provides a storage space for garments and other items. WHAT'S INCLUDED

Divided wardrobe: 1 wardrobe cabinet, pulls (as specified), levelers, lock and keys (as specified), and adjustable half shelves as listed below:

	Height			
	66"	72"	81"	
Adjustable Half Shelf	3	3	4	
Coat Hook (18" or 20" d)	2	2	2	
Coat Rod (24" d)	1	1	1	

 $\begin{tabular}{ll} \textbf{Undivided wardrobe:} 1 & wardrobe cabinet, 1 & adjustable shelf (81" high only), 1 & coat rod, pulls (as specified), levelers, lock and keys. \end{tabular}$

WHAT'S EXCLUDED

Top for Solid Storage and Hang-On Kit.

NOTES

This Wardrobe Cabinet has a central locking system.

Holes at 1 1/4" intervals on the inside of all panels allow for shelf adjustment.

Additional shelves (BSHS) may be specified separately.

Pull Style and Pull Finish options are only available when Pulls (P) Storage Style option

Edge trim finish on door front always match door front finish (Source or Foundation

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Ī	Storage Style	Style	Depth	Width	Height	Door Front Finish
]	Pulls	D Divided	18, 20, 24	24, 30, 36	66, 72, 81	Source Laminate
	Touch-to-Open	U Undivided				Foundation Laminate
						Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSWCS T D 24	30	72	xs
--------------	----	----	----

PRODUCT OPTIONS CONTINUED

Case Finish	Pull Style (If Applicable)	Pull Finish (If Applicable)	Key Style
Source Laminate	1 Standard Expansion	Foundation	K Keyed Alike
Flintwood	6 Arched	Mica	R Keyed Randomly
(No Cathedral)	9 Rectilinear		N No Lock

SAMPLE ORDER CODE CONTINUED

LE 1	52	R
------	----	---

BSWCS

Wardrobe Cabinet - Solid Doors (Continued)


DIMENSIONS INCHES / MM

			UNDIVIE	DED (U)			DIVIDED	(D)		
				E LAMINATE INISH		FLINTWOOD CASE FINISH	SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH
			DOOR FI	RONT FINIS	Н					
	W/	**	Source	Foundation	71. 1		Source	Foundation		val. 1
D	W 24 / (10	H ((/ 1/7/	Laminate	Laminate	Flintwood	Flintwood	Laminate	Laminate	Flintwood	Flintwood
18 / 457	24 / 610	66 / 1676	n/a	n/a	n/a	n/a	2064	2216	3183	3873
18 / 457	24 / 610	72 / 1829	n/a	n/a	n/a	n/a	2149	2325	3249	3953
18 / 457	24 / 610	81 / 2057	n/a	n/a	n/a	n/a	2294	2523	3350	4072
18 / 457	30 / 762	66 / 1676	n/a	n/a	n/a	n/a	2247	2450	3465	4215
18 / 457	30 / 762	72 / 1829	n/a	n/a	n/a	n/a	2335	2584	3539	4305
18 / 457	30 / 762	81 / 2057	n/a	n/a	n/a	n/a	2508	2816	3654	4437
18 / 457	36 / 914	66 / 1676	n/a	n/a	n/a		2414	2683	3719	4537
18 / 457	36 / 914	72 / 1829	n/a	n/a	n/a		2513	2833	3799	4630
18 / 457	36 / 914	81 / 2057	n/a	n/a	n/a	n/a	2705	3100	3918	4772
20 / 508	24 / 610	66 / 1676	n/a	n/a	n/a		2131	2286	3250	4028
20 / 508	24 / 610	72 / 1829	n/a	n/a	n/a		2224	2399	3321	4116
20 / 508	24 / 610	81 / 2057	n/a	n/a	n/a	n/a	2373	2602	3429	4246
20 / 508	30 / 762	66 / 1676	n/a	n/a	n/a		2322	2525	3540	4381
20 / 508	30 / 762	72 / 1829	n/a	n/a	n/a		2414	2663	3617	4479
20 / 508	30 / 762	81 / 2057	n/a	n/a	n/a	n/a	2594	2901	3739	4623
20 / 508	36 / 914	66 / 1676	n/a	n/a	n/a		2495	2765	3800	4715
20 / 508	36 / 914	72 / 1829	n/a	n/a	n/a	n/a	2598	2917	3885	4815
20 / 508	36 / 914	81 / 2057	n/a	n/a	n/a	n/a	2796	3190	4009	4973
24 / 610	24 / 610	66 / 1676	1714	1862	2834	3285	2201	2354	3319	4178
24 / 610	24 / 610	72 / 1829	1791	1970	2891	3402	2294	2470	3393	4273
24 / 610	24 / 610	81 / 2057	1948	2181	2977	3575	2451	2680	3507	4418
24 / 610	30 / 762	66 / 1676	1839	2052	3058	3651	2398	2600	3612	4547
24 / 610	30 / 762	72 / 1829	1924	2173	3129	3780	2493	2741	3695	4652
24 / 610	30 / 762	81 / 2057	2114	2419	3233	3978	2676	2985	3822	4811
24 / 610	36 / 914	66 / 1676	1965	2234	3270	4003	2576	2844	3880	4894
24 / 610	36 / 914	72 / 1829	2057	2373	3343	4152	2681	3001	3968	5003
24 / 610	36 / 914	81 / 2057	2269	2663	3453	4378	2886	3280	4098	5172

Xpress

BSWCG

Wardrobe Cabinet - Glass Doors



This storage provides a storage space for garments and other items. WHAT'S INCLUDED

Divided wardrobe: 1 wardrobe cabinet, 1 coat rod, levelers, lock and keys (as specified), and adjustable half shelves as listed below:

> Height 81" 72" 4

Adjustable Half Shelf

Undivided wardrobe: 1 wardrobe cabinet, 1 adjustable shelf (81" high only), 1 coat rod, levelers, lock and keys (as specified).

WHAT'S EXCLUDED

Top for Solid Storage and Hang-On Kit.

NOTES

Holes at 1 1/4" intervals on the inside of all panels allow for shelf adjustment.

Additional shelves (BSHS) may be specified separately.

Not all door finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Storage Style	Style	Depth	Width	Height
T Touch-to-Open	D Divided U Undivided	24	30, 36	66, 72, 81

SAMPLE ORDER CODE

BSWCG T D	24	36	72
-----------	----	----	----

PRODUCT OPTIONS CONTINUED

Case Finish	Door Frame Finish	Glass Door Finish	Key Style
Source Laminate Flintwood (No Cathedral)	AC Clear Anodized Foundation Accent Mica	Standard: FT Frosted Back-Painted	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE CONTINUED

2 D	A.C.	DT.	N.T
ЭВ	AC.	FI	IN

BSWCG

KEY UPCHARGE

Keyed Alike or Keyed Randomly

55

55

55

55

55

55

Wardrobe Cabinet - Glass Doors (Continued)

DIMENS	I	ONS
INCHES	/	$\mathbf{M}\mathbf{M}$

D

24 / 610

W

30 / 762

24 / 610 36 / 914 66 / 1676

24 / 610 36 / 914 81 / 2057

24 / 610 30 / 762

24 / 610 30 / 762

24 / 610 36 / 914

Н

66 / 1676

72 / 1829

81 / 2057

72 / 1829

JSTED (FT) ANI	D BACK-PAINTED GLA	SS DOORS	
ASE FINISH			
Source Laminate	Flintwood	Source Laminate	Flintwood
2986	3644	3540	4539
3116	3775	3686	4646
3373	3971	3938	4800
3222	3995	3834	4885
3373	4146	4003	4995
3678	4372	4295	5164

Xpress

BSSS

Storage Mounted Bookcase

This unit provides additional storage space for a variety of workstation configuration. It mounts onto other storage units, but ${\bf not}$ on desks.

WHAT'S INCLUDED

1 shelving unit and 2 1" thick adjustable shelves.

WHAT'S EXCLUDED


Top for Solid Storage.

The Storage Mounted Bookcase can be installed onto the following units when a Top for Solid Storage is also installed in-between:

- Combo Pedestal (BSCPS),
- 28" high Lateral File (BSLFS),
- 28" high Storage Cabinet (BSCDS),
- Storage Cabinet with Drawer(s) (BSCC),
- 28" high and 18" deep Bookcase (BSOB).

Must specify the height of the Top for Solid Storage.

Holes at 1 1/4" intervals on the inside of side panels allow for shelf adjustment.



PRODUCT OPTIONS

Surface Height	Depth	Width	Height	Case Finish
D 1"	12, 18	24, 30, 36	37	Source Laminate
M 1 3/16"				
X 1 9/16"				

SAMPLE ORDER CODE

BSSS D	12	2.4	37	XS
DOOD D	14	44	J /	AS

DIMENSIONS INCHES / MM

W Н D 12 / 305 37 / 940 24 / 610 30 / 762 12 / 305 37 / 940 12 / 305 36 / 914 37 / 940

18 / 457	24 / 610	37 / 940
18 / 457	30 / 762	37 / 940
18 / 457	36 / 914	37 / 940

D T	210		VI.C.
' I	(I(. I I	NIT

777			
805			
832			
839			
864			
887			

Xpress

BSOB

Bookcase

This storage provides open storage space within the workstation.

WHAT'S INCLUDED

1 bookcase, levelers, and 1" thick adjustable shelves as listed below:

		Height			
28"	40"	53"	66"	72"	81"
1	2.	2.	3	4	5

Adjustable Shelf

WHAT'S EXCLUDED

Top for Solid Storage.

The 28" high Bookcase may be installed under worksurfaces.

Holes at 1 1/4" intervals on the inside of side panels allow for shelf adjustment.

Two rows of standard letter-size binders will fit in the 28" high Bookcase.

The 12" deep Bookcase must be placed against and secured to a wall for stability.

Additional shelves (BSHB) are available and must be specified separately.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification

Depth	Width	Height	Case Finish
12, 18, 20, 24	24, 30, 36	28, 40, 53, 66, 72, 81	Source Laminate
			Flintwood (No Cathedral)

SAMPLE ORDER CODE

PRODUCT OPTIONS

DIMENS INCHES			PRICING		DIMENSI INCHES			PRICING	
			12" DEEP					18" DEEP	
D	W	Н	Source Laminate	Flintwood	D	W	Н	Source Laminate	Flintwood
12 / 305	24 / 610	28 / 711	570	2068	18 / 457	24 / 610	28 / 711	610	2381
12 / 305	24 / 610	40 / 1016	810	2526	18 / 457	24 / 610	40 / 1016	889	2949
12 / 305	24 / 610	53 / 1346	848	2822	18 / 457	24 / 610	53 / 1346	928	3364
12 / 305	24 / 610	66 / 1676	1037	3257	18 / 457	24 / 610	66 / 1676	1126	4066
12 / 305	24 / 610	72 / 1829	1166	3644	18 / 457	24 / 610	72 / 1829	1260	4471
12 / 305	24 / 610	81 / 2057	1298	4225	18 / 457	24 / 610	81 / 2057	1434	5079
12 / 305	30 / 762	28 / 711	616	2182	18 / 457	30 / 762	28 / 711	657	2526
12 / 305	30 / 762	40 / 1016	841	2762	18 / 457	30 / 762	40 / 1016	923	3220
12 / 305	30 / 762	53 / 1346	887	3038	18 / 457	30 / 762	53 / 1346	963	3617
12 / 305	30 / 762	66 / 1676	1082	3459	18 / 457	30 / 762	66 / 1676	1173	4316
12 / 305	30 / 762	72 / 1829	1210	3871	18 / 457	30 / 762	72 / 1829	1313	4756
12 / 305	30 / 762	81 / 2057	1347	4489	18 / 457	30 / 762	81 / 2057	1558	5416
12 / 305	36 / 914	28 / 711	665	2426	18 / 457	36 / 914	28 / 711	704	2785
12 / 305	36 / 914	40 / 1016	879	3042	18 / 457	36 / 914	40 / 1016	960	3525
12 / 305	36 / 914	53 / 1346	928	3284	18 / 457	36 / 914	53 / 1346	1000	3885
12 / 305	36 / 914	66 / 1676	1128	3763	18 / 457	36 / 914	66 / 1676	1220	4647
12 / 305	36 / 914	72 / 1829	1260	4227	18 / 457	36 / 914	72 / 1829	1370	5146
12 / 305	36 / 914	81 / 2057	1445	4923	18 / 457	36 / 914	81 / 2057	1681	5895

Pricing is continued on the following page.

BSOB Bookcase (Continued)

DIMENS			PRICING		DIMENS			PRICING	
			20" DEEP					24" DEEP	
D	W	Н	Source Laminate	Flintwood	D	W	Н	Source Laminate	Flintwood
20 / 508	24 / 610	28 / 711	633	2540	24 / 610	24 / 610	28 / 711	654	2696
20 / 508	24 / 610	40 / 1016	928	3159	24 / 610	24 / 610	40 / 1016	966	3370
20 / 508	24 / 610	53 / 1346	967	3635	24 / 610	24 / 610	53 / 1346	1008	3907
20 / 508	24 / 610	66 / 1676	1172	4471	24 / 610	24 / 610	66 / 1676	1217	4873
20 / 508	24 / 610	72 / 1829	1308	4885	24 / 610	24 / 610	72 / 1829	1356	5299
20 / 508	24 / 610	81 / 2057	1478	5506	24 / 610	24 / 610	81 / 2057	1606	5938
20 / 508	30 / 762	28 / 711	676	2699	24 / 610	30 / 762	28 / 711	696	2871
20 / 508	30 / 762	40 / 1016	964	3450	24 / 610	30 / 762	40 / 1016	1005	3680
20 / 508	30 / 762	53 / 1346	1002	3907	24 / 610	30 / 762	53 / 1346	1039	4196
20 / 508	30 / 762	66 / 1676	1219	4743	24 / 610	30 / 762	66 / 1676	1263	5171
20 / 508	30 / 762	72 / 1829	1365	5198	24 / 610	30 / 762	72 / 1829	1416	5640
20 / 508	30 / 762	81 / 2057	1604	5881	24 / 610	30 / 762	81 / 2057	1723	6344
20 / 508	36 / 914	28 / 711	723	2966	24 / 610	36 / 914	28 / 711	744	3146
20 / 508	36 / 914	40 / 1016	1002	3769	24 / 610	36 / 914	40 / 1016	1042	4009
20 / 508	36 / 914	53 / 1346	1037	4184	24 / 610	36 / 914	53 / 1346	1072	4486
20 / 508	36 / 914	66 / 1676	1266	5089	24 / 610	36 / 914	66 / 1676	1311	5532
20 / 508	36 / 914	72 / 1829	1426	5606	24 / 610	36 / 914	72 / 1829	1480	6066
20 / 508	36 / 914	81 / 2057	1699	6382	24 / 610	36 / 914	81 / 2057	1835	6867

Xpress

BXHK

Hang-On Kit


The Hang-On Kit attaches a worksurface on the side or back of a storage cabinet.

WHAT'S INCLUDED

1 hang-on kit and mounting hardware.

NOTES

This kit is always included with compatible worksurfaces. It is available here as a spare



PRODUCT OPTIONS

42

Top for Metal Storage

Xpress

The Top for Metal Storage serves as a worksurface or as a finishing feature on metal storage units.

B_NSTR

WHAT'S INCLUDED


1 rectangular top with 3/8" thick neoprene spacer kit and mounting hardware.

This product is compatible with the following storage units:

- Metal Pedestals (BSNS or BSNM)
- Metal Combo Pedestal (BSNCP)
- Metal Lateral File (BSNLF)

The depth and width of the top specified must equal the depth and width of the

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Finish	Edge Trim Style	Edge Trim Finish
D 1"	18, 22	15, 30, 36	Source Laminate	6 Straight Trim	Edge Trim Colors
M 1 3/16"			Foundation Laminate		
X 1 9/16"					

SAMPLE ORDER CODE

B <u>D</u> NSTR 22	15	2E	6	4E
--------------------	----	----	---	----

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
18 / 457	15 / 381	222	237	253
18 / 457	30 / 762	292	320	355
18 / 457	36 / 914	328	368	405
22 / 559	15 / 381	233	252	269

Xpress

B_STR

Top for Solid Storage

This top serves as a worksurface or as a finishing feature on laminate pedestals, storage cabinets and bookcases.

WHAT'S INCLUDED

1 rectangular top with 3/8" thick neoprene spacer kit and mounting hardware.

The depth and width of the top specified must equal the depth and width of the

The top is **not** compatible with the following freestanding storage products:

- Suspended Pedestal (BSPUS)
- Metal Pedestals (BSNS or BSNM)
- Metal Combo Pedestal (BSNCP) Metal Lateral File (BSNLF)



The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Finish	Edge Trim Style	Edge Trim Finish
D 1"	12, 18, 20, 22, 24, 30	15, 24, 30, 31, 36, 42,	Source Laminate	6 Straight Trim	Edge Trim Colors
M 1 3/16"		48, 54, 60, 66, 72, 78, 84	Foundation Laminate	8 Flat Trim	
X 1 9/16"					

SAMPLE ORDER CODE

B <u>D</u> STR 12 30	2E	6	4E
----------------------	----	---	----

DIMENSIONS INCHES / MM

PRICING

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
12 / 305	24 / 610	235	248	262
12 / 305	30 / 762	275	289	303
12 / 305	36 / 914	296	311	333
18 / 457	15 / 381	222	237	253
18 / 457	24 / 610	268	293	319
18 / 457	30 / 762	292	320	355
18 / 457	31 / 787	307	332	340
18 / 457	36 / 914	328	368	405
18 / 457	42 / 1067	374	418	462
18 / 457	48 / 1219	389	435	490
18 / 457	54 / 1372	434	491	551
18 / 457	60 / 1524	480	542	608
18 / 457	66 / 1676	532	600	672
18 / 457	72 / 1829	582	657	737
18 / 457	78 / 1981	n/a	717	806
18 / 457	84 / 2134	n/a	766	869

Pricing is continued on the following page.

$B_S T R$ Top for Solid Storage (Continued)

DIMENSIONS INCHES / MM

		1" (D)	1 3/16" (M)	1 9/16" (X)
D	W	Source Laminate	Foundation Laminate	Foundation Laminate
20 / 508	24 / 610	277	295	324
20 / 508	30 / 762	302	332	370
20 / 508	36 / 914	344	388	429
20 / 508	42 / 1067	399	444	495
20 / 508	48 / 1219	418	471	531
20 / 508	54 / 1372	469	531	599
20 / 508	60 / 1524	519	587	661
20 / 508	66 / 1676	575	650	729
20 / 508	72 / 1829	627	709	799
20 / 508	78 / 1981	n/a	772	870
20 / 508	84 / 2134	n/a	828	937
22 / 559	15 / 381	233	252	269
22 / 559	31 / 787	320	355	399
24 / 610	24 / 610	293	299	332
24 / 610	30 / 762	320	355	399
24 / 610	36 / 914	375	428	477
24 / 610	42 / 1067	449	496	559
24 / 610	48 / 1219	476	542	611
24 / 610	54 / 1372	538	611	693
24 / 610	60 / 1524	597	677	766
24 / 610	66 / 1676	659	748	842
24 / 610	72 / 1829	717	813	921
24 / 610	78 / 1981	n/a	882	996
24 / 610	84 / 2134	n/a	950	1072
30 / 762	15 / 381	244	264	293
30 / 762	31 / 787	462	513	607



BSHS"

Shelf for Storage Cabinet

The shelf is an organizational tool for use in storage cabinets.

WHAT'S INCLUDED

1 shelf with mounting hardware.

This shelf is compatible with:

- 24", 30" or 36" wide Storage Cabinets (BSCDS or BSCDGS)
- Storage Cabinet with Drawer(s) (BSCC)
- Storage Units (BSUS, BSUOS or BSUG)
- 4-Door Storage Cabinets (BSDS or BSDG)
- Wardrobe Cabinets (BSWCS or BSWCG)

12", 15", and 18" wide shelf are used for divided wardrobe sections in the Wardrobe Cabinets.

For the Divided Wardrobe Cabinet (BSWCS or BSWCG), you must specify a shelf that is half the width of the storage.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Storage Depth	Shelving SectionWidth	Finish
18, 20, 24	12, 15, 18, 24, 30, 36	Source Laminate
		Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSHS 18	36	XS
---------	----	----

DIMENSIONS

INCHES / MM

		Source			
D	W	Laminate	Flintwood		
18 / 457	12 / 305	55	236		
18 / 457	15 / 381	60	250		
18 / 457	18 / 457	65	265		
18 / 457	24 / 610	74	292		
18 / 457	30 / 762	84	321		
18 / 457	36 / 914	95	350		
20 / 508	12 / 305	57	242		
20 / 508	15 / 381	62	258		
20 / 508	18 / 457	68	275		
20 / 508	24 / 610	79	305		
20 / 508	30 / 762	90	338		
20 / 508	36 / 914	101	379		
24 / 610	12 / 305	57	242		
24 / 610	15 / 381	62	258		
24 / 610	18 / 457	68	275		
24 / 610	24 / 610	79	305		
24 / 610	30 / 762	90	338		
24 / 610	36 / 914	101	379		
-					

The shelf is an organizational tool for use in towers.

WHAT'S INCLUDED

1 shelf (18" w) with mounting hardware.


NOTES

This shelf is compatible with:

• Freestanding Towers (BFRL or BFRG)

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.





PRODUCT OPTIONS

Storage Depth	Storage Width	Finish
18, 20, 24	18	Source Laminate
		Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSHT 18	18	XS
---------	----	----

DIMENSIONS

INCHES	1	MM
IIICIILO	,	TATTAL

D	W
18 / 457	18 / 457
20 / 508	18 / 457
24 / 610	18 / 457

Source Laminate	Flintwood	
65	265	
68	275	
68	275	



BSHB"

Shelf for Bookcase (1-in)

The shelf is an organizational tool for Bookcase.

WHAT'S INCLUDED

1 shelf with mounting hardware.

This shelf is compatible with Bookcase (BSOB) only.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Storage Depth	Storage Width	Finish
12, 18, 20, 24	24, 30, 36	Source Laminate
		Flintwood (No Cathedral)

SAMPLE ORDER CODE

DOILD 12	BSHB 12	36	XS
----------	---------	----	----

DIMENSIONS

	S
NCHES / MM	PRICING
IMENSIONS	

W	Source Laminate	Flintwood	
24 / 610	67	257	
30 / 762	77	281	
36 / 914	86	305	
24 / 610	81	288	
30 / 762	94	321	
36 / 914	107	354	
24 / 610	89	319	
30 / 762	105	360	
36 / 914	121	402	
24 / 610	102	349	
30 / 762	122	400	
36 / 914	142	450	
	24 / 610 30 / 762 36 / 914 24 / 610 30 / 762 36 / 914 24 / 610 30 / 762 36 / 914 24 / 610 30 / 762	W Laminate 24 / 610 67 30 / 762 77 36 / 914 86 24 / 610 81 30 / 762 94 36 / 914 107 24 / 610 89 30 / 762 105 36 / 914 121 24 / 610 102 30 / 762 122	W Laminate Flintwood 24 / 610 67 257 30 / 762 77 281 36 / 914 86 305 24 / 610 81 288 30 / 762 94 321 36 / 914 107 354 24 / 610 89 319 30 / 762 105 360 36 / 914 121 402 24 / 610 102 349 30 / 762 122 400

RSLB

Hanging File Bars are installed in file drawers to allow hanging of letter-size files.

WHAT'S INCLUDED

1 metal hanging file bar.

Hanging File Bar

NOTES


12" hanging file bar is used for file drawers in pedestals and is to be installed along the width only.

15" cross file bar is used for lateral file drawers and is to be installed along the depth

24", 30" and 36" hanging file bars are used for lateral file drawers and are to be installed along the width only.

For solid casing units only.

Finished in Black only.



PRODUCT OPTIONS

Wid	th

12, 15, 24, 30, 36

SAMPLE ORDER CODE

RSLB 24

INCHES / MM	PRICING	

10	
13	
16	
27	
28	
	13 16 27

Xpress

RBNSA

Metal Storage Accessories

These accessories are organizational tools for use in metal storage products.

WHAT'S INCLUDED

Divider for Box Drawer: 2 dividers.

Divider Plates for Lateral File: 3 half-height divider plates.

Cross File Bars: 2 bars.

Counterweight: 1 counterweight with mounting hardware.

Pencil Tray: 1 pencil tray. Hanging File Bars: 2 bars.


NOTES

Number of counterweights required for each product:

Stationary Pedestal Combo Pedestal 2 Lateral File 30" wide 2 Lateral File 36" wide 2

These products are compatible with the following storage units:

- Metal Pedestals (BSNS or BSNM)
- Metal Combo Pedestal (BSNCP)
- Metal Lateral File (BSNLF)



PRODUCT OPTIONS

Style

- 01 Divider for Box Drawer
- 02 Divider Plates for Lateral File
- 03 Cross File Bars 15" deep
- 04 Counterweight
- 05 Pencil Tray
- 06 Hanging File Bars (15" wide storage)
- 07 Hanging File Bars (30" wide storage)
- 08 Hanging File Bars (36" wide storage)

SAMPLE ORDER CODE

RBNSA 07

STYLE	PRICING	
01	35	
02	39	
03 (15" / 381 mm)	39	
04	99	
05	51	_
06 (12" / 305 mm)	38	
07 (30" / 762 mm)	42	
08 (36" / 914 mm)	46	

K

WHAT'S INCLUDED

Style M: 1 Master Key.

Style R: 1 Lock Removal Key.

Style C: 1 Lock Core and Keys.

NOTES

The Master Key unlocks any storage unit.

The Lock Removal Key removes lock cores from storage units.

Lock Cores and Keys are replacements for those currently installed.





Locks and Keys



Master Key

Lock Removal Key

Lock Core and Keys

PRODUCT OPTIONS

0	1
V+12	10
JLY	16

M Master Key

R Lock Removal Key

C Lock Core and Keys

SAMPLE ORDER CODE

K C

M	
R	
С	

	1/1	C	111	•
-				_

7

Xpress

SOKL Set of Keys Alike

WHAT'S INCLUDED

Each set of cores include a lock & core and 2 identical keys.

All storage furniture is shipped with the lock housing pre-installed in each unit ready to receive the required lock plug cores. Based on the product option, lock cores and keys are shipped either numbered randomly or in "keyed-alike" sets. Quantity of lock cores and keys will match the quantities required for the locking components on the order.

SPECIFICATION NOTES

Count the number of locking components in each workstation. Enter the number of locks into the Quantity column, and then assign a SET to each quantity.

Office Number	Quantity	Set #	Set Total	
T1	4	SOKL - 4	1	
T2	2	SOKL - 2	1	
Т3	4	SOKL - 4	1	
T4	3	SOKL - 3	1	

Total the number of SOKL (Sets of Keys Alike) quantities and transfer each total quantity to your Purchase Order.

Sets ordered in the incorrect quantities that are required for the order may result in the order being placed on hold.

Please verify the quantity by reviewing the plan carefully to ensure that all products with locks have been identified. Remember that some products may have more than one lock core per unit based on size and configuration.

For further details on how to specify locks, please see the Teknion Lock Specification Guide on our website.

PRODUCT OPTIONS

Number of Sets of Cores					
01 1 Set of Cores	07 7 Sets of Cores	13 13 Sets of Cores	19 19 Sets of Cores		
02 2 Sets of Cores	08 8 Sets of Cores	14 14 Sets of Cores	20 20 Sets of Cores		
03 3 Sets of Cores	09 9 Sets of Cores	15 15 Sets of Cores			
04 4 Sets of Cores	10 10 Sets of Cores	16 16 Sets of Cores			
05 5 Sets of Cores	11 11 Sets of Cores	17 17 Sets of Cores			
06 6 Sets of Cores	12 12 Sets of Cores	18 18 Sets of Cores			

SAMPLE ORDER CODE

SOKL 02

workwall storage

workwall storage product map


BHKHW Workwall Kneespace Module -Height-Adjustability


Page 1084

BHKHM Workwall Kneespace Module -Full-Modesty Height-Adjustable Run-Off

Page 1085








BHKHL Workwall Kneespace Module -Full-Modesty Height-Adjustable Extended or "L" Run-Off

Page 1086



Workwall Kneespace Module -

Height-Adjustability and Fixed Worksurfaces


BHKFW

Page 1091

Workwall Kneespace Module -Fixed Worksurface

Page 1090









BHKFR Workwall Kneespace Module -Full-Modesty Fixed Run-Off

Page 1092

B S M O Workwall Bookcase - Mid - 21" h

Page 1094





workwall storage product map

BSMOBW Workwall Bookcase - Fixed Worksurface - Mid - 21" h

Page 1095

BSMOBH Workwall Bookcase - Height-Adjustable Worksurface – Mid – 21" h

Page 1096









Workwall Bookcase – Integral Top – BSOBT

Page 1098

BSOBC Workwall Bookcase – Integral Top – 29" h - Cross Grain

Page 1100





B S M D Workwall Cabinet - Mid - 21" h

Page 1102

BSCT Workwall Cabinet - Integral Top -

Page 1104





BSDC Workwall Cabinet - Integral Top -29" h - Cross Grain

Page 1106

B S L F T Workwall Lateral Files – Integral Top – 29" h

Page 1108





workwall storage product map


BSLFC Workwall Lateral Files - Integral Top -29" h - Cross Grain

Page 1110


BSMSSP Workwall Stretch Pedestal - Mid -

Page 1112





Page 1114



B S P C Workwall Stretch Pedestal – Integral Top - 29" h - Cross Grain

Page 1116




B S M C D Workwall Credenza with Cabinet and Drawers - Mid - 21" h

Page 1118




B S M O D Workwall Credenza with Open and Drawers - Mid - 21" h

Page 1120




B S M W L Workwall Credenza with Open and Drawers - Fixed Worksurface - Mid – 21" h


Page 1122



BSMHLR Workwall Credenza with Open and Drawers - Height-Adjustable Run-Off – Mid – $2\overline{1}$ " h

Page 1124






workwall storage product map

B S M H D P Workwall Credenza with Open

and Drawers – Height-Adjustable Peninsula – Mid – 21" h


Page 1128

Page 1126




Workwall Credenza with Open and Combo - Fixed Worksurface - Mid – 21" h

Page 1130 Page 1134




B S M H C P Workwall Credenza with Open and Combo - Height-Adjustable Peninsula – Mid – 21" h

Page 1138











BSMDOD Workwall Credenza for Media with

Open and Drawers – Mid – 21" h



BHKHW "

Workwall Kneespace Module -Height-Adjustability



This module supports a Height-Adjustable Worksurface to enable users to work facing the wall in a sit/stand position. It must be anchored to a building wall.

WHAT'S INCLUDED

1 workwall kneespace module with levelers, 1 or 2 removable front, and mounting hardware.

WHAT'S EXCLUDED

Height-Adjustable Worksurfaces and Wall Panels.

NOTES

Can be used with:

- Height-Adjustable Rectangular Worksurfaces (BH_RL or BH_RC)
- Height-Adjustable Peninsulas Bevel Post Leg (BH_RP, BH_TP or BH_PE)
- Height-Adjustable L-Shape Worksurfaces (BH_LB, BH_L or BH_LT)
- Height-Adjustable Meeting Peninsulas (B_HRW, B_HDW, B_HBW or B_HPW)

Refer to the Application Guide.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Depth	Width	Height	Front Finish	Edge Trim Finish (Laminate Front only)	Case Finish
9	36, 42, 48, 54, 60, 66, 72, 78, 84, 90	21	Source Laminate	Edge Trim Colors	Source Laminate
	72, 78, 84, 90		Flintwood (No Cathedral)		Flintwood (No Cathedral)

SAMPLE ORDER CODE

DIMENSIONS INCHES / MM

	SOURCE LAMINATE FRONT FINISH		SOURCE LAMINATE FRONT FINISH	FLINTWOOD FRONT FINISH	Į.		
			CASE FINISH				
D	W	Н	Source Laminate	Source Laminate	Flintwood		
9 / 229	36 / 914	21 / 533	1107	1413	2065		
9 / 229	42 / 1067	21 / 533	1165	1482	2144		
9 / 229	48 / 1219	21 / 533	1199	1551	2223		
9 / 229	54 / 1372	21 / 533	1235	1621	2298		
9 / 229	60 / 1524	21 / 533	1372	1832	2381		
9 / 229	66 / 1676	21 / 533	1426	1958	2465		
9 / 229	72 / 1829	21 / 533	1479	2043	2582		
9 / 229	78 / 1981	21 / 533	1534	2126	2699		
9 / 229	84 / 2134	21 / 533	1586	2210	2816		
9 / 229	90 / 2286	21 / 533	1638	2294	2935		

This module supports a Full-Modesty Height-Adjustable Run-Off to enable users to work perpendicular to the wall in a sit/stand position. It must be anchored to a building wall.

WHAT'S INCLUDED

1 workwall kneespace module with levelers, 1 removable front, 1 extension panel (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Full-Modesty Height-Adjustable Run-Off and Wall Panels.


Can be used with Full-Modesty Height-Adjustable Run-Off – Offset Base (BF_R) only. refer to the Application Guide.

When No Extension Panel (N) option is specified, Extension Panel Finish is not

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

7 B H K H M Workwall Kneespace Module -

Full-Modesty Height-Adjustable Run-Off



PRODUCT OPTIONS

Extension Panel	Depth	Worksurface Depth	Height	Configuration	Front Finish	Edge Trim Finish (Laminate Front only)	Case Finish	Extension Panel Finish (If Applicable)
N No Extension Panel E With Extension Panel – Horizontal or Solid Colors V With Extension	9	28, 34	21	L Left Handed (Shown) R Right Handed	Source Laminate Flintwood (No Cathedral)	Edge Trim Colors	Source Laminate Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

внкнм е	9	28	21	L	XG	SS	XG	XG
---------	---	----	----	---	----	----	----	----


DIMENSIONS INCHES / MM


			NO EXTENSION PANEL (N)		
			SOURCE LAMINATE FRONT FINISH	FLINTWOOD FRONT FIL	NISH
			CASE FINISH		
			Source	Source	
D	W	H	Laminate	Laminate	Flintwood
9 / 229	28 / 711	21 / 533	1049	1344	1986
9 / 229	34 / 864	21 / 533	1049	1344	1986

			SOURCE LAMINATE FRONT FINISH	FLINTWOOD FRONT FIN	ISH
			EXTENSION PANEL SOURCE LAMINATE		
			CASE FINISH		
			Source Laminate	Source Laminate	Flintwood
9 / 229	28 / 711	21 / 533	1125	1420	2062
9 / 229	34 / 864	21 / 533	1125	1420	2062
			EXTENSION PANEL FLINTWOOD		
9 / 229	28 / 711	21 / 533	1266	1561	2203
9 / 229	34 / 864	21 / 533	1266	1561	2203

BHKHL"

Workwall Kneespace Module -Full-Modesty Height-Adjustable Extended or "L" Run-Off





This module supports a Full-Modesty Height-Adjustable Extended or L-Shape Run-Off to enable users to work perpendicular to the wall, and also facing the wall with the L-Shape Run-Off, in a sit/stand position. It must be anchored to a building wall.

WHAT'S INCLUDED

1 workwall kneespace module with levelers, 1 or 2 removable fronts, 1 extension panel (if applicable) and mounting hardware.

WHAT'S EXCLUDED

Full-Modesty Height-Adjustable Extended or L-Shape Run-Off and Wall Panels.

NOTES

Can be used with:

- Full-Modesty Height-Adjustable Extended Run-Off Offset Base (BF_E)
- Full-Modesty Height-Adjustable L-Shape Run-Off Offset Base (BF_L)

Refer to the Application Guide.

When No Extension Panel (N) option is specified, Extension Panel Finish is not

When Source Laminate Front Finish is specified, only Source Laminate Case Finish

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification

PRODUCT OPTIONS

Extension Panel	Depth	Worksurface Depth A	Worksurface Depth B	Height
N No Extension Panel	9	29, 35	46, 52, 58, 64, 70, 76, 82, 88	21
E With Extension Panel Horizontal or Solid Colors				
V With Extension Panel Vertical				

SAMPLE ORDER CODE

PRODUCT OPTIONS CONTINUED

Configuration	Front Finish	Edge Trim Finish (Laminate Front only)	Case Finish	Extension Panel Finish (If Applicable)
L Left Handed (Shown)	Source Laminate	Edge Trim Colors	Source Laminate	Source Laminate
R Right Handed	Flintwood (No Cathedral)		Flintwood (No Cathedral)	Flintwood (No Cathedral)

SAMPLE ORDER CODE CONTINUED

L VZ VZ	
---------	--

BHKHL

Workwall Kneespace Module – Full-Modesty Height-Adjustable Extended or "L" Run-Off (Continued)

DIMENSIONS INCHES / MM

PRICING

				NO EXTENSION PANEL (N) SOURCE LAMINATE FRONT FINISH	FLINTWOOD FRONT F	INICH
				CASE FINISH	FLINT WOOD FRONT F	11/1311
D	Da	Wb	Н	Source Laminate	Source Laminate	Flintwood
9	29	46	21	1165	1482	2144
9	29	52	21	1199	1551	2223
9	29	58	21	1235	1621	2298
9	29	64	21	1372	1832	2381
9	29	70	21	1426	1958	2465
9	29	76	21	1479	2043	2582
9	29	82	21	1534	2126	2699
9	29	88	21	1586	2210	2816
9	35	46	21	1165	1482	2144
9	35	52	21	1199	1551	2223
9	35	58	21	1235	1621	2298
9	35	64	21	1372	1832	2381
9	35	70	21	1426	1958	2465
9	35	76	21	1479	2043	2582
9	35	82	21	1534	2126	2699
9	35	88	21	1586	2210	2816

				SOURCE LAMINATE FRONT FINISH	FLINTWOOD FRONT F	INISH
				EXTENSION PANEL SOURCE LAMINATE		
				CASE FINISH		
				Source Laminate	Source Laminate	Flintwood
)	29	46	21	1241	1558	2220
)	29	52	21	1275	1627	2299
)	29	58	21	1311	1697	2374
)	29	64	21	1448	1908	2457
9	29	70	21	1502	2034	2541
9	29	76	21	1555	2119	2658
9	29	82	21	1610	2202	2775
)	29	88	21	1662	2286	2892
9	35	46	21	1241	1558	2220
9	35	52	21	1275	1627	2299
9	35	58	21	1311	1697	2374
9	35	64	21	1448	1908	2457
)	35	70	21	1502	2034	2541
9	35	76	21	1555	2119	2658
9	35	82	21	1610	2202	2775
9	35	88	21	1662	2286	2892

Pricing is continued on the following page.

workwall storage

Xpress

BHKHL "


Workwall Kneespace Module -Full-Modesty Height-Adjustable Extended or "L" Run-Off

DIMENSIONS **INCHES / MM**

				SOURCE LAMINATE FRONT FINISH	FLINTWOOD FRONT	FINISH
				EXTENSION PANEL FLINTWOOD		
				CASE FINISH		
D	Da	Wb	Н	Source Laminate	Source Laminate	Flintwood
9	29	46	21	1382	1699	2361
9	29	52	21	1416	1768	2440
9	29	58	21	1452	1838	2515
9	29	64	21	1589	2049	2598
9	29	70	21	1643	2175	2682
9	29	76	21	1696	2260	2799
9	29	82	21	1751	2343	2916
9	29	88	21	1803	2427	3033
9	35	46	21	1382	1699	2361
9	35	52	21	1416	1768	2440
9	35	58	21	1452	1838	2515
9	35	64	21	1589	2049	2598
9	35	70	21	1643	2175	2682
9	35	76	21	1696	2260	2799
9	35	82	21	1751	2343	2916
9	35	88	21	1803	2427	3033

BHKHF "

Workwall Kneespace Module -Height-Adjustability and Fixed Worksurfaces



This module supports a Height-Adjustable and a Fixed Worksurfaces to enable users to work facing the wall in a sit/stand position. It must be anchored to a building wall.

WHAT'S INCLUDED

1 workwall kneespace module with levelers, 2 or 3 removable fronts, and mounting hardware.

WHAT'S EXCLUDED

Height-Adjustable and Fixed Worksurfaces, and Wall Panels.

Can be used with:

- Height-Adjustable Rectangular Worksurfaces (BH_RL or BH_RC)
- Fixed Run-Off Mid-Height (BM_R)
- Fixed Meeting Peninsulas (BC_FR, BC_FD or BC_FT)

Refer to the Application Guide.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification

PRODUCT OPTIONS

Depth	Width	Height	Run-Off Depth	Run-Off Configuration	Front Finish	Edge Trim Finish (Laminate Front only)	Case Finish
9	66, 72, 78, 84, 90, 96	21	24, 30, 36	L Left R Right (Shown)	Source Laminate Flintwood (No Cathedral)	Edge Trim Colors	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

BHKFH 9	78	21	30	R	VZ		VZ
---------	----	----	----	---	----	--	----

DIMENSIONS INCHES / MM

			24" RUN-OFF DEPTH					
			SOURCE LAMINATE FRONT FINISH	FLINTWOOD FRONT FINI	SH			
			CASE FINISH					
D	W	Н	Source Laminate	Source Laminate	Flintwood			
9 / 229	66 / 1676	21 / 533	1426	1958	2465			
9 / 229	72 / 1829	21 / 533	1479	2043	2582			
9 / 229	78 / 1981	21 / 533	1534	2126	2699			
9 / 229	84 / 2134	21 / 533	1586	2210	2816			
9 / 229	90 / 2286	21 / 533	1638	2294	2935			
9 / 229	96 / 2438	21 / 533	1691	2378	3054			

			30" RUN-OFF DEPTH		
9 / 229	72 / 1829	21 / 533	1479	2043	2582
9 / 229	78 / 1981	21 / 533	1534	2126	2699
9 / 229	84 / 2134	21 / 533	1586	2210	2816
9 / 229	90 / 2286	21 / 533	1638	2294	2935
9 / 229	96 / 2438	21 / 533	1691	2378	3054

			36" RUN-OFF DEPTH		
9 / 229	78 / 1981	21 / 533	1534	2126	2699
9 / 229	84 / 2134	21 / 533	1586	2210	2816
9 / 229	90 / 2286	21 / 533	1638	2294	2935
9 / 229	96 / 2438	21 / 533	1691	2378	3054

This module supports a Fixed Worksurface to enable users to work facing the wall in a sit/stand position. It must be anchored to a building wall.

BHKFW Workwall Kneespace Module -

WHAT'S INCLUDED

 $1\ workwall\ kneespace\ module\ with\ levelers,\ 1\ removable\ front,\ and\ mounting\ hardware.$

WHAT'S EXCLUDED

Fixed Worksurfaces and Wall Panels.


NOTES

Can be used with:

- ullet Fixed Run-Off Mid-Height (BM_R)
- Fixed Extended Tapered Peninsula Mid-Height (BM_EP)
- Fixed Meeting Peninsulas (BC_FR, BC_FD or BC_FT or BC_FP)

Refer to the Application Guide.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



Fixed Worksurface

PRODUCT OPTIONS

Depth	Worksurface Depth	Height	Front Finish	Edge Trim Finish (Laminate Front only)	Case Finish
9	36, 42, 48, 54, 60	21	Source Laminate	Edge Trim Colors	Source Laminate
			Flintwood (No Cathedral)		Flintwood (No Cathedral)

SAMPLE ORDER CODE


BHKFW 9	54	21	VZ		VZ
---------	----	----	----	--	----

DIMENSIONS INCHES / MM

			SOURCE LAMINATE FRONT FINISH	FLINTWOOD FRONT FINISH	
			CASE FINISH		
D	W	Н	Source Laminate	Source Laminate	Flintwood
9 / 229	36 / 914	21 / 533	1046	1352	2004
9 / 229	42 / 1067	21 / 533	1104	1421	2083
9 / 229	48 / 1219	21 / 533	1138	1490	2162
9 / 229	54 / 1372	21 / 533	1174	1560	2237
9 / 229	60 / 1524	21 / 533	1311	1771	2320

BHKFR 3

Workwall Kneespace Module -Full-Modesty Fixed Run-Off



This module supports a Full-Modesty Fixed Run-Off to enable users to work perpendicular to the wall in a sit/stand position. It must be anchored to a building wall.

WHAT'S INCLUDED

1 workwall kneespace module with levelers, 1 removable front, 1 extension panel (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Full-Modesty Fixed Run-Off and Wall Panels.

Can be used with Full-Modesty Fixed Run-Off - Offset Base (BF_MR) only, refer to the Application Guide for more details.

When No Extension Panel (N) option is specified, Extension Panel Finish is not

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Extension Panel	Depth	Worksurface Depth	Height	Configuration	Front Finish	Edge Trim Finish (Laminate Front only)	Case Finish	Extension Panel Finish (If Applicable)
N No Extension Panel E With Extension Panel – Horizontal or Solid Colors V With Extension Panel – Vertical	9	30, 36	21	L Left Handed (Shown) R Right Handed	Source Laminate Flintwood (No Cathedral)	Edge Trim Colors		Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

BHKFR V	9	30	21	R	VZ		VZ	VZ
---------	---	----	----	---	----	--	----	----

DIMENSIONS INCHES / MM

9 / 229


9 / 229

	NO EXTENSION PANEL (N)		
	SOURCE LAMINATE FRONT FINISH	FLINTWOOD FRONT FIR	NISH
	CASE FINISH		
	Source	Source	
H	Laminate	Laminate	Flintwood
21 / 533	1049	1344	1986
21 / 533	1049	1344	1986
	21 / 533	SOURCE LAMINATE FRONT FINISH CASE FINISH Source Laminate 21 / 533 1049	SOURCE LAMINATE FRONT FINISH FLINTWOOD FRONT FINE

			WITH EXTENSION PANEL – HORIZONTAL OR S	OLID COLORS (E) or VERTICAL (V)	
			SOURCE LAMINATE FRONT FINISH	FLINTWOOD FRONT FINISH	
			EXTENSION PANEL SOURCE LAMINATE		
			CASE FINISH		
			Source Laminate	Source Laminate	Flintwood
9 / 229	30 / 762	21 / 533	1125	1420	2062
9 / 229	36 / 914	21 / 533	1125	1420	2062
			EXTENSION PANEL FLINTWOOD		
9 / 229	30 / 762	21 / 533	1266	1561	2203
9 / 229	36 / 914	21 / 533	1266	1561	2203
			·		

BSMO"

Workwall Bookcase - Mid - 21" h



This againts the wall open bookcase unit provides additional storage space. Partially open back provides accessibility for electricity management.

WHAT'S INCLUDED

1 workwall open bookcase with levelers, and accessory as listed below:

=	Widths			
_	24" to 36"	42" to 72"	78" or 84"	
Adjustable Shelf	1	2	3	

WHAT'S EXCLUDED

Seat Pad/Cushion and Wall Panels.

NOTES

Holes at 1 1/4" intervals on the inside walls of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Depth	Width	Height	Case Finish
20, 24	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	21	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSMO 20	48	21	LE
---------	----	----	----

DIMENSIONS INCHES / MM

			CASE FINISH		
D	W	Н	Source Laminate	Flintwood	
20 / 508	24 / 610	21 / 533	818	2996	
20 / 508	30 / 762	21 / 533	905	3178	
20 / 508	36 / 914	21 / 533	999	3361	
20 / 508	42 / 1067	21 / 533	1135	4031	
20 / 508	48 / 1219	21 / 533	1193	4213	
20 / 508	54 / 1372	21 / 533	1252	4395	
20 / 508	60 / 1524	21 / 533	1310	4577	
20 / 508	66 / 1676	21 / 533	1369	4758	
20 / 508	72 / 1829	21 / 533	1428	4940	
20 / 508	78 / 1981	21 / 533	1533	5539	
20 / 508	84 / 2134	21 / 533	1587	5718	
24 / 610	24 / 610	21 / 533	906	3185	
24 / 610	30 / 762	21 / 533	988	3399	
24 / 610	36 / 914	21 / 533	1077	3613	
24 / 610	42 / 1067	21 / 533	1237	4383	
24 / 610	48 / 1219	21 / 533	1302	4590	
24 / 610	54 / 1372	21 / 533	1367	4796	
24 / 610	60 / 1524	21 / 533	1431	5003	
24 / 610	66 / 1676	21 / 533	1496	5208	
24 / 610	72 / 1829	21 / 533	1562	5415	
24 / 610	78 / 1981	21 / 533	1680	5976	
24 / 610	84 / 2134	21 / 533	1743	6221	

This Workwall Bookcase for a Fixed Worksurface provides a base support and storage in one unit ideal for small meeting room.

BSMOBW

Workwall Bookcase - Fixed

Worksurface - Mid - 21" h

WHAT'S INCLUDED

1 workwall open bookcase with levelers, and accessory as listed below:

	Widths			
_	36"	42" to 60"		
Adjustable Shelf	1	2		

WHAT'S EXCLUDED

Fixed Worksurfaces and Wall Panels.

NOTES

Can be used with:


- Fixed Run-Off Mid-Height (BM_R)
- Fixed Extended Tapered Peninsula Mid-Height (BM_EP)
- Fixed Meeting Peninsulas (BC_FR, BC_FD, BC_FT or BC_FP)

Refer to the Application Guide.

Holes at 1 1/4" intervals on the inside walls of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Depth	Width	Height	Case Finish
20	36, 42, 48, 54, 60	21	Source Laminate
			Flintwood (No Cathedral)
			(No Camedia)

SAMPLE ORDER CODE

BSMOBW 20	42	21	VZ
-----------	----	----	----


DIMENSIONS INCHES / MM

D	W	Н
20 / 508	36 / 914	21 / 533
20 / 508	42 / 1067	21 / 533
20 / 508	48 / 1219	21 / 533
20 / 508	54 / 1372	21 / 533
20 / 508	60 / 1524	21 / 533

Source	
Laminate	Flintwood
999	3361
1135	4031
1193	4213
1252	4395
1310	4577

BSMOBH **

Workwall Bookcase -Height-Adjustable Worksurface -Mid - 21" h



PRODUCT OPTIONS

This Workwall Bookcase for a Height-Adjustable Worksurface provides a base support and storage in one unit ideal for small meeting room.

WHAT'S INCLUDED

1 workwall open bookcase with levelers, and accessory as listed below:

	Widths			
	36"	42" to 60"		
Adjustable Shelf	1	2		

WHAT'S EXCLUDED

Height-Adjustable Peninsulas, and Wall Panels.

NOTES

Can be used with:

- Height-Adjustable Peninsulas Bevel Post Leg (BH_RP, BH_TP or BH_PE)
- Height-Adjustable Meeting Peninsulas (B_HRW, B_HDW, B_HBW or B_HPW) Refer to the Application Guide.

Holes at 1 1/4" intervals on the inside walls of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

Depth	Width	Height	Case Finish
20	36, 42, 48, 54, 60,	21	Source Laminate
			Flintwood (No Cathedral)
			(C. 1. C. Samuella)

SAMPLE ORDER CODE

BSMOBH 20	42	21	VZ
-----------	----	----	----

DIMENSIONS **INCHES / MM**

PRICING

CASE FINISH

D	W	Н
20 / 508	36 / 914	21 / 533
20 / 508	42 / 1067	21 / 533
20 / 508	48 / 1219	21 / 533
20 / 508	54 / 1372	21 / 533
20 / 508	60 / 1524	21 / 533


Source	
Laminate	Flintwood
1060	3422
1196	4092
1254	4274
1313	4456
1371	4638

workwall storage

Xpress

BSOBT

Workwall Bookcase -Integral Top - 29" h



This bookcase provides open storage space within the workstation. It includes a finished top and can be fitted with a 29" high worksurface of a desk.

WHAT'S INCLUDED

1 workwall open bookcase with levelers, 1 integral top, and 1 adjustable shelf.

Holes at 1 1/4" intervals on the inside walls of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Allows two rows of standard letter-size binders.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Height	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Case Finish
M 1 3/16" X 1 9/16"	20, 24, 27	24, 30, 36	29	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim8 Flat Trim9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6 or 8)	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSOBT M	20	36	29	RV	6	SS	XG
---------	----	----	----	----	---	----	----

DIMENSIONS INCHES / MM

PRICING

			1 3/16" (M)		
			FOUNDATION LAMINATE WORKSURFACE FINISH	FLINTWOOD WORKSUR	FACE FINISH
			CASE FINISH		
D	W	Н	Source Laminate	Source Laminate	Flintwood
20 / 508	24 / 610	29 / 737	818	1384	2950
20 / 508	30 / 762	29 / 737	905	1535	3155
20 / 508	36 / 914	29 / 737	999	1681	3467
24 / 610	24 / 610	29 / 737	947	1538	3290
24 / 610	30 / 762	29 / 737	1042	1697	3524
24 / 610	36 / 914	29 / 737	1141	1864	3866
27 / 686	24 / 610	29 / 737	1010	1615	3459
27 / 686	30 / 762	29 / 737	1110	1779	3709
27 / 686	36 / 914	29 / 737	1215	1955	4067

Pricing is continued on the following page.

BSOBT

Workwall Bookcase -Integral Top - 29" h (Continued)

DIMENSIONS INCHES / MM

			1 9/16" (X)		
			FOUNDATION LAMINATE WORKSURFACE FINISH	FLINTWOOD WORKSUR	FACE FINISH
			CASE FINISH		
D	w	Н	Source Laminate	Source Laminate	Flintwood
20 / 508	24 / 610	29 / 737	853	1457	2985
20 / 508	30 / 762	29 / 737	951	1627	3202
20 / 508	36 / 914	29 / 737	1060	1801	3529
24 / 610	24 / 610	29 / 737	1009	1663	3354
24 / 610	30 / 762	29 / 737	1112	1839	3596
24 / 610	36 / 914	29 / 737	1217	2013	3943
27 / 686	24 / 610	29 / 737	1087	1769	3537
27 / 686	30 / 762	29 / 737	1194	1946	3792
27 / 686	36 / 914	29 / 737	1296	2119	4149

BSOBC 1/2

Workwall Bookcase - Integral Top -29" h - Cross Grain

This bookcase provides open storage space within the workstation. It includes a finished top and can be fitted with a 29" high worksurface of a desk.

WHAT'S INCLUDED

1 workwall open bookcase with levelers, 1 integral top, and 1 adjustable shelf.

NOTES


Holes at 1 1/4" intervals on the inside walls of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Allows two rows of standard letter-size binders.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Height	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Case Finish
M 1 3/16" X 1 9/16"	20, 24, 27	24, 30, 36	29	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim8 Flat Trim9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6 or 8)	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSOBC M 20 3	6 29 RV	6 SS	XG
--------------	---------	------	----

DIMENSIONS INCHES / MM

PRICING

			1 3/16" (M)	TO A STATE OF THE PARTY OF THE PARTY.		
			FOUNDATION LAMINATE WORKSURFACE FINISH CASE FINISH FLINTWOOD WORKSURFACE FINISH			
D	W	Н	Source Laminate	Source Laminate	Flintwood	
20 / 508	24 / 610	29 / 737	818	1384	2950	
0 / 508	30 / 762	29 / 737	905	1535	3155	
0 / 508	36 / 914	29 / 737	999	1681	3467	
4 / 610	24 / 610	29 / 737	947	1538	3290	
4 / 610	30 / 762	29 / 737	1042	1697	3524	
4 / 610	36 / 914	29 / 737	1141	1864	3866	
7 / 686	24 / 610	29 / 737	1010	1615	3459	
7 / 686	30 / 762	29 / 737	1110	1779	3709	
7 / 686	36 / 914	29 / 737	1215	1955	4067	

Pricing is continued on the following page.

BSOBC


Workwall Bookcase - Integral Top - 29" h - Cross Grain (Continued)

DIMENSIONS INCHES / MM

			1 9/16" (X)		
			FOUNDATION LAMINATE WORKSURFACE FINISH	FLINTWOOD WORKSUR	FACE FINISH
			CASE FINISH		
D	w	Н	Source Laminate	Source Laminate	Flintwood
20 / 508	24 / 610	29 / 737	853	1457	2985
20 / 508	30 / 762	29 / 737	951	1627	3202
20 / 508	36 / 914	29 / 737	1060	1801	3529
24 / 610	24 / 610	29 / 737	1009	1663	3354
24 / 610	30 / 762	29 / 737	1112	1839	3596
24 / 610	36 / 914	29 / 737	1217	2013	3943
27 / 686	24 / 610	29 / 737	1087	1769	3537
27 / 686	30 / 762	29 / 737	1194	1946	3792
27 / 686	36 / 914	29 / 737	1296	2119	4149

BSMD "

Workwall Cabinet - Mid - 21" h



This against the wall storage unit provides additional closed storage space with a full-height adjustable shelf. Partially open back provides wall accessibility for electricity management.

WHAT'S INCLUDED

1 workwall cabinet with levelers, 1 adjustable shelf, pulls (as specified), lock and keys (as specified).

WHAT'S EXCLUDED

Seat Pad/Cushion and Wall Panels.

Holes at 1 1/4" intervals on the inside of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Edge trim finish on door front always match door front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

	Storage Style	Depth	Width	Height	Door Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
I	Pulls	20, 24	24, 30, 36	21	Source Laminate	Source Laminate	9 Rectilinear	Foundation	K Keyed Alike
					Flintwood (No Cathedral)	Flintwood (No Cathedral)		Mica	R Keyed Randomly
									N No Lock

SAMPLE ORDER CODE


RSMD P	20	30	21	XS	LE	9	52	R
DOMED	20	J 0		110		-	J -	1


DIMENSIONS INCHES / MM

			SOURCE LAMINATE DOOR FINISH	FLINTWOOD DOOR FINISH	
			CASE FINISH		
D	W	Н	Source Laminate	Source Laminate	Flintwood
20 / 508	24 / 610	21 / 533	1022	1549	3518
20 / 508	30 / 762	21 / 533	1157	1723	3744
20 / 508	36 / 914	21 / 533	1231	1836	3970
24 / 610	24 / 610	21 / 533	1110	1637	3707
24 / 610	30 / 762	21 / 533	1240	1806	3965
24 / 610	36 / 914	21 / 533	1309	1914	4222

BSCT

Workwall Cabinet - Integral Top -29" h





WHAT'S INCLUDED

1 workwall cabinet with levelers, 1 integral top, 1 adjustable shelf, pulls (as specified), lock and keys (as specified).

This storage provides a convenient, lockable storage area with shelving. It includes a finished top and can be fitted with a 29" high worksurface of a desk.

NOTES

Holes at 1 1/4" intervals on the inside of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Allows two rows of standard letter-size binders.

When Touch-to-Open (T) Storage Style is specified, Pull Style and Pull Finish are not available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Storage Style	Worksurface Thickness	Finish Configuration	Depth	Width	Height	Worksurface Finish
P Pulls	M 1 3/16"	L All Laminate	20, 24, 27	24, 30, 36	29	Foundation Laminate
T Touch-to-Open	X 1 9/16"	T Wood Top; Laminate Front & Case U Wood Top & Front; Laminate Case W All Wood				Flintwood (No Cathedral)

SAMPLE ORDER CODE

BSCT P M U	24 30	29 VZ
------------	-------	-------

PRODUCT OPTIONS CONTINUED

	Edge Trim Style	Edge Trim Finish	Door Front Finish	Case Finish		Pull Style (If Applicable)	Pull Finish (If Applicable)	Key Style
•	6 Straight Trim	Edge Trim Colors	Source Laminate	Source Laminate	9	Rectilinear	Foundation	K Keyed Alike
8	B Flat Trim	(for trim style 6 or 8)	Flintwood	Flintwood			Mica	R Keyed Randomly
9	P Flintwood Flat Trim		(No Cathedral)	(No Cathedral)				N No Lock

SAMPLE ORDER CODE CONTINUED

g	V7	XG	9	Q Q	R
,	V Z	AU	,	U	1

BSCT

Workwall Cabinet – Integral Top – 29" h (Continued)


DIMENSIONS **INCHES / MM**

			1 3/16" (M)			
				WOOD TOP; LAMINATE	WOOD TOP & FRONT;	
			ALL LAMINATE (L)	FRONT & CASE (T)	LAMINATE CASE (U)	ALL WOOD (W)
			WORKSURFACE FINISH			
			Foundation			
D	W	Н	Laminate	Flintwood	Flintwood	Flintwood
20 / 508	24 / 610	29 / 737	1042	1608	2293	3769
20 / 508	30 / 762	29 / 737	1172	1800	2494	4097
20 / 508	36 / 914	29 / 737	1256	1940	2682	4410
24 / 610	24 / 610	29 / 737	1150	1741	2427	4104
24 / 610	30 / 762	29 / 737	1255	1912	2605	4469
24 / 610	36 / 914	29 / 737	1364	2086	2829	4808
27 / 686	24 / 610	29 / 737	1257	1875	2558	4443
27 / 686	30 / 762	29 / 737	1340	2023	2717	4841
27 / 686	36 / 914	29 / 737	1471	2233	2977	5206

			1 9/16" (X)			
			ALL LAMINATE (L)	WOOD TOP; LAMINATE FRONT & CASE (T)	WOOD TOP & FRONT; LAMINATE CASE (U)	ALL WOOD (W)
			WORKSURFACE FINISH			
			Foundation Laminate	Flintwood	Flintwood	Flintwood
20 / 508	24 / 610	29 / 737	1078	1645	2328	3804
20 / 508	30 / 762	29 / 737	1219	1847	2542	4145
20 / 508	36 / 914	29 / 737	1317	2000	2743	4471
24 / 610	24 / 610	29 / 737	1213	1805	2489	4169
24 / 610	30 / 762	29 / 737	1326	1982	2675	4539
24 / 610	36 / 914	29 / 737	1438	2160	2903	4882
27 / 686	24 / 610	29 / 737	1348	1965	2648	4533
27 / 686	30 / 762	29 / 737	1434	2118	2812	4935
27 / 686	36 / 914	29 / 737	1559	2321	3066	5295

BSDC⁷

Workwall Cabinet - Integral Top -29" h - Cross Grain





Touch-to-Open (T)

This storage provides a convenient, lockable storage area with shelving. It includes a finished top and can be fitted with a 29" high worksurface of a desk.

WHAT'S INCLUDED

1 workwall cabinet with levelers, 1 adjustable shelf, pulls (as specified), lock and keys (as specified).

NOTES

Holes at 1 1/4" intervals on the inside of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Allows two rows of standard letter-size binders.

When Touch-to-Open (T) Storage Style is specified, Pull Style and Pull Finish are not available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

	Storage Style	Worksurface Thickness	Finish Configuration	Depth	Width	Height	Worksurface Finish
P	Pulls	M 1 3/16"	L All Laminate	20, 24, 27	24, 30, 36	29	Foundation Laminate
T	Touch-to-Open	X 1 9/16"	T Wood Top; Laminate Front & Case				Flintwood (No Cathedral)
			U Wood Top & Front; Laminate Case				
			W All Wood				

SAMPLE ORDER CODE

PRODUCT OPTIONS CONTINUED

	Edge Trim Style	Edge Trim Finish	Door Front Finish	Case Finish		Pull Style (If Applicable)	Pull Finish (If Applicable)	Key Style
(Straight Trim	Edge Trim Colors	Source Laminate	Source Laminate	9	Rectilinear	Foundation	K Keyed Alike
8	B Flat Trim	(for trim style 6 or 8)	Flintwood	Flintwood			Mica	R Keyed Randomly
9	P Flintwood Flat Trim		(No Cathedral)	(No Cathedral)				N No Lock

SAMPLE ORDER CODE CONTINUED

9	V7	XC.	9	83	P
,	V Z	AG		0,5	10

BSDC

Workwall Cabinet – Integral Top – 29" h – Cross Grain (Continued)

DIMENSIONS INCHES / MM

			1 3/16" (M)			
			ALL LANGUATE (I)	WOOD TOP; LAMINATE	WOOD TOP & FRONT;	ALL WIGOD (W)
			ALL LAMINATE (L)	FRONT & CASE (T)	LAMINATE CASE (U)	ALL WOOD (W)
			WORKSURFACE FINISH			
			Foundation			
D	\mathbf{W}	H	Laminate	Flintwood	Flintwood	Flintwood
20 / 508	24 / 610	29 / 737	1042	1608	2293	3769
20 / 508	30 / 762	29 / 737	1172	1800	2494	4097
20 / 508	36 / 914	29 / 737	1256	1940	2682	4410
24 / 610	24 / 610	29 / 737	1150	1741	2427	4104
24 / 610	30 / 762	29 / 737	1255	1912	2605	4469
24 / 610	36 / 914	29 / 737	1364	2086	2829	4808
27 / 686	24 / 610	29 / 737	1257	1875	2558	4443
27 / 686	30 / 762	29 / 737	1340	2023	2717	4841
27 / 686	36 / 914	29 / 737	1471	2233	2977	5206

			1 9/16" (X)	WOOD TOP; LAMINATE	WOOD TOP & FRONT;	
			ALL LAMINATE (L)	FRONT & CASE (T)	LAMINATE CASE (U)	ALL WOOD (W)
			WORKSURFACE FINISH			
			Foundation Laminate	Flintwood	Flintwood	Flintwood
20 / 508	24 / 610	29 / 737	1078	1645	2328	3804
20 / 508	30 / 762	29 / 737	1219	1847	2542	4145
20 / 508	36 / 914	29 / 737	1317	2000	2743	4471
24 / 610	24 / 610	29 / 737	1213	1805	2489	4169
24 / 610	30 / 762	29 / 737	1326	1982	2675	4539
24 / 610	36 / 914	29 / 737	1438	2160	2903	4882
27 / 686	24 / 610	29 / 737	1348	1965	2648	4533
27 / 686	30 / 762	29 / 737	1434	2118	2812	4935
27 / 686	36 / 914	29 / 737	1559	2321	3066	5295

workwall storage

Xpress

BSLFT

Workwall Lateral Files - Integral Top - 29" h

This storage includes a finished top and can be fitted with a 29" high worksurface of a desk.

WHAT'S INCLUDED

1 workwall lateral files with levelers, 1 integral top, pulls (as specified), lock and keys (as specified), and accessory as listed below:



15" Cross File Bar


NOTES

This storage unit has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper. It is also equipped with an interlock system that prevents opening more than one drawer at a time.

The included 15" cross file bars are to be installed along the depth only.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Finish Configuration	Depth	Width	Height	Worksurface Finish	Edge Trim Style
M 1 3/16"	L All Laminate	20, 24, 27	24, 30, 36	29	Foundation Laminate	6 Straight Trim
X 1 9/16"	T Wood Top; Laminate Front & Case U Wood Top & Front; Laminate Case W All Wood				Flintwood (No Cathedral)	8 Flat Trim9 Flintwood Flat Trim

SAMPLE ORDER CODE

BSLFT M	U 24	30	29	VZ	9
---------	------	----	----	----	---

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case Finish		Pull Style	Pull Finish		Key Style
Edge Trim Colors	Source Laminate	Source Laminate	9	Rectilinear	Foundation	K	Keyed Alike
(for trim style 6 or 8)	Flintwood (No Cathedral)	Flintwood (No Cathedral)			Mica	R	Keyed Randomly
						N	No Lock

SAMPLE ORDER CODE CONTINUED

V7.	l XG	9	83	R
, L	11.0	,	0.5	10

BSLFT

Workwall Lateral Files – Integral Top – 29" h – Cross Grain (Continued)

DIMENSIONS INCHES / MM

			1 3/16" (M)			
			ALL LAMINATE (L) WORKSURFACE FINISH	WOOD TOP; LAMINATE FRONT & CASE (T)	WOOD TOP & FRONT; LAMINATE CASE (U)	ALL WOOD (W)
D	W	Н	Foundation Laminate	Flintwood	Flintwood	Flintwood
20 / 508	24 / 610	29 / 737	1421	1987	2671	3920
20 / 508	30 / 762	29 / 737	1575	2204	2898	4133
20 / 508	36 / 914	29 / 737	1716	2399	3141	4480
24 / 610	24 / 610	29 / 737	1450	2039	2725	4039
24 / 610	30 / 762	29 / 737	1588	2243	2938	4198
24 / 610	36 / 914	29 / 737	1760	2482	3226	4618
27 / 686	24 / 610	29 / 737	1478	2093	2778	4159
27 / 686	30 / 762	29 / 737	1601	2285	2978	4261
27 / 686	36 / 914	29 / 737	1803	2565	3309	4756

			1 9/16" (X)			
			ALL LAMINATE (L)	WOOD TOP; LAMINATE FRONT & CASE (T)	WOOD TOP & FRONT; LAMINATE CASE (U)	ALL WOOD (W)
			WORKSURFACE FINISH			
			Foundation Laminate	Flintwood	Flintwood	Flintwood
20 / 508	24 / 610	29 / 737	1457	2024	2709	3956
20 / 508	30 / 762	29 / 737	1622	2252	2944	4181
20 / 508	36 / 914	29 / 737	1776	2459	3202	4541
24 / 610	24 / 610	29 / 737	1513	2103	2787	4102
24 / 610	30 / 762	29 / 737	1659	2315	3009	4268
24 / 610	36 / 914	29 / 737	1834	2555	3300	4693
27 / 686	24 / 610	29 / 737	1568	2183	2868	4249
27 / 686	30 / 762	29 / 737	1696	2379	3073	4356
27 / 686	36 / 914	29 / 737	1892	2654	3398	4845

BSLFC 3

Workwall Lateral Files - Integral Top - 29" h - Cross Grain

This storage includes a finished top and can be fitted with a 29" high worksurface of a desk.

WHAT'S INCLUDED

1 workwall lateral files with levelers, 1 integral top, pulls (as specified), lock and keys (as specified), and accessory as listed below:

_	Widths				
	36"	30"	24"	_	
(per drawer).	2	2	1		

NOTES


15" Cross File Bar

This storage unit has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper. It is also equipped with an interlock system that prevents opening more than one drawer at a time.

The included 15" cross file bars are to be installed along the depth only.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Finish Configuration	Depth	Width	Height	Worksurface Finish	Edge Trim Style
M 1 3/16"	L All Laminate	20, 24, 27	24, 30, 36	29	Foundation Laminate	6 Straight Trim
X 1 9/16"	T Wood Top; Laminate Front & Case U Wood Top & Front; Laminate Case W All Wood				Flintwood (No Cathedral)	8 Flat Trim9 Flintwood Flat Trim

SAMPLE ORDER CODE

RSI FC M	I I	24	30	29	V7	9
DSLI'C M	U	4-1	J 0	29	V Z	2

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case Finish		Pull Style	Pull Finish		Key Style
Edge Trim Colors	Source Laminate	Source Laminate	9	Rectilinear	Foundation	K	Keyed Alike
(for trim style 6 or 8)	Flintwood (No Cathedral)	Flintwood (No Cathedral)			Mica	R	Keyed Randomly
						N	No Lock

SAMPLE ORDER CODE CONTINUED

V7	XC.	9	83	P
∀ L	AG	,	0.9	10



BSLFC

Workwall Lateral File – Integral Top – 29" h – Cross Grain (Continued)

DIMENSIONS INCHES / MM

			1 3/16" (M)			
			ALL LAMINATE (L)	WOOD TOP; LAMINATE FRONT & CASE (T)	WOOD TOP & FRONT; LAMINATE CASE (U)	ALL WOOD (W)
			WORKSURFACE FINISH			
D	W	Н	Foundation Laminate	Flintwood	Flintwood	Flintwood
20 / 508	24 / 610	29 / 737	1421	1987	2671	3920
20 / 508	30 / 762	29 / 737	1575	2204	2898	4133
20 / 508	36 / 914	29 / 737	1716	2399	3141	4480
24 / 610	24 / 610	29 / 737	1450	2039	2725	4039
24 / 610	30 / 762	29 / 737	1588	2243	2938	4198
24 / 610	36 / 914	29 / 737	1760	2482	3226	4618
27 / 686	24 / 610	29 / 737	1478	2093	2778	4159
27 / 686	30 / 762	29 / 737	1601	2285	2978	4261
27 / 686	36 / 914	29 / 737	1803	2565	3309	4756

			1 9/16" (X)			
			ALL LAMINATE (L)	WOOD TOP; LAMINATE FRONT & CASE (T)	WOOD TOP & FRONT; LAMINATE CASE (U)	ALL WOOD (W)
			WORKSURFACE FINISH			
			Foundation Laminate	Flintwood	Flintwood	Flintwood
20 / 508	24 / 610	29 / 737	1457	2024	2709	3956
20 / 508	30 / 762	29 / 737	1622	2252	2944	4181
20 / 508	36 / 914	29 / 737	1776	2459	3202	4541
24 / 610	24 / 610	29 / 737	1513	2103	2787	4102
24 / 610	30 / 762	29 / 737	1659	2315	3009	4268
24 / 610	36 / 914	29 / 737	1834	2555	3300	4693
27 / 686	24 / 610	29 / 737	1568	2183	2868	4249
27 / 686	30 / 762	29 / 737	1696	2379	3073	4356
27 / 686	36 / 914	29 / 737	1892	2654	3398	4845

BSMSSP"

Workwall Stretch Pedestal -Mid - 21" h

This against the wall stretch pedestal unit provides filling area. Partially open back provides wall accessibility for electricity management.

WHAT'S INCLUDED

1 workwall stretch pedestal with levelers, 1 pencil tray, pulls (as specified), lock and keys (as specified), and accessory as listed below:

Widths 30" to 54" 60" to 72" 15" Cross File Bar 2

WHAT'S EXCLUDED

Seat Pad/Cushion and Wall Panels.

This pedestal has a full extension drawers that can accommodate both letter- and legal-size paper.

The included 15" cross file bars are to be installed along the depth only.

Edge trim finish on drawer front always match drawer front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification

PRODUCT OPTIONS

Depth	Width	Height	Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
20, 24	24, 30, 36, 42, 54,	21	Source Laminate	Source Laminate	9 Rectilinear	Foundation	K Keyed Alike
	60, 66, 72		Flintwood (No Cathedral)	Flintwood (No Cathedral)		Mica	R Keyed Randomly
							N No Lock

SAMPLE ORDER CODE

BSMSSP 24 66 21	XS	LE	9	52	R
-----------------	----	----	---	----	---

DIMENSIONS INCHES / MM

			SOURCE LAMINATE DRAWER FRONT FINISH	FLINTWOOD DRAWER F	RONT FINISH
			CASE FINISH		
D	W	Н	Source Laminate	Source Laminate	Flintwood
20 / 508	24 / 610	21 / 533	1259	1683	3066
20 / 508	30 / 762	21 / 533	1316	1773	3189
20 / 508	36 / 914	21 / 533	1373	1864	3311
20 / 508	42 / 1067	21 / 533	2072	2884	4523
20 / 508	48 / 1219	21 / 533	2194	3041	4668
20 / 508	54 / 1372	21 / 533	2317	3198	4814
20 / 508	60 / 1524	21 / 533	2439	3353	4959
20 / 508	66 / 1676	21 / 533	2561	3509	5104
20 / 508	72 / 1829	21 / 533	2683	3664	5249
24 / 610	24 / 610	21 / 533	1347	1771	3255
24 / 610	30 / 762	21 / 533	1399	1856	3410
24 / 610	36 / 914	21 / 533	1451	1942	3563
24 / 610	42 / 1067	21 / 533	2174	2986	4875
24 / 610	48 / 1219	21 / 533	2303	3150	5045
24 / 610	54 / 1372	21 / 533	2432	3313	5215
24 / 610	60 / 1524	21 / 533	2560	3474	5385
24 / 610	66 / 1676	21 / 533	2688	3636	5554
24 / 610	72 / 1829	21 / 533	2817	3798	5724

BSPT 3

Workwall Stretch Pedestal -Integral Top - 29" h

This storage includes a finished top and can be fitted with a 29" high worksurface of a desk.

WHAT'S INCLUDED

1 box, box, file workwall stretch pedestal with levelers, 1 integral top, 1 pencil tray, pulls (as specified), lock and keys (as specified), and accessory as listed below:

Widths					
24"	30"	36"			
1	2	2			

15" Cross File Bar

NOTES

This pedestal has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper.

The included 15" cross file bars are to be installed along the depth only.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Finish Configuration	Depth	Width	Height	Worksurface Finish	Edge Trim Style
M 1 3/16"	L All Laminate	20, 24, 27	24, 30, 36	29	Foundation Laminate	6 Straight Trim
X 1 9/16"	T Wood Top; Laminate Front & Case U Wood Top & Front; Laminate Case				Flintwood (No Cathedral)	8 Flat Trim9 Flintwood Flat Trim
	W All Wood					

SAMPLE ORDER CODE

BSPT M	L	20	24	29	2D	8

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Edge Trim Colors	Source Laminate	Source Laminate	9 Rectilinear	Foundation	K Keyed Alike
(for trim style 6 or 8)	Flintwood (No Cathedral)	Flintwood (No Cathedral)		Mica	R Keyed Randomly
					N No Lock

SAMPLE ORDER CODE CONTINUED

3D	l XG	l XG	9	52	R
JD	410	410	_) -	



BSPT

Workwall Stretch Pedestal -Integral Top - 29" h (Continued)

DIMENSIONS INCHES / MM

			1 3/16" (M)			
			ALL LAMINATE (L)	WOOD TOP; LAMINATE DRAWER FRONT & CASE (T)	WOOD TOP & DRAWER FRONT; LAMINATE CASE (U)	ALL WOOD (W)
			WORKSURFACE FI	NISH		
D	W	Н	Foundation Laminate	Flintwood	Flintwood	Flintwood
20 / 508	24 / 610	29 / 737	1632	2198	2882	3453
20 / 508	30 / 762	29 / 737	1869	2498	3192	3709
20 / 508	36 / 914	29 / 737	2107	2790	3532	3964
24 / 610	24 / 610	29 / 737	1712	2301	2987	3762
24 / 610	30 / 762	29 / 737	1941	2596	3291	4052
24 / 610	36 / 914	29 / 737	2170	2892	3636	4343
27 / 686	24 / 610	29 / 737	1758	2373	3058	3951
27 / 686	30 / 762	29 / 737	1992	2676	3369	4268
27 / 686	36 / 914	29 / 737	2225	2987	3731	4584

			1 9/16" (X)			
			ALL LAMINATE (L)	WOOD TOP; LAMINATE DRAWER FRONT & CASE (T)	WOOD TOP & DRAWER FRONT; LAMINATE CASE (U)	ALL WOOD (W)
			WORKSURFACE FI	NISH		
			Foundation Laminate	Flintwood	Flintwood	Flintwood
20 / 508	24 / 610	29 / 737	1668	2235	2920	3475
20 / 508	30 / 762	29 / 737	1916	2546	3238	3737
20 / 508	36 / 914	29 / 737	2167	2850	3593	3999
24 / 610	24 / 610	29 / 737	1775	2365	3049	3789
24 / 610	30 / 762	29 / 737	2012	2668	3362	4087
24 / 610	36 / 914	29 / 737	2244	2965	3710	4384
27 / 686	24 / 610	29 / 737	1848	2463	3148	3982
27 / 686	30 / 762	29 / 737	2087	2770	3464	4307
27 / 686	36 / 914	29 / 737	2314	3076	3820	4631

BSPC 3

Workwall Stretch Pedestal -Integral Top - 29" h - Cross Grain

This storage includes a finished top and can be fitted with a 29" high worksurface of a desk.

WHAT'S INCLUDED

1 box, box, file workwall stretch pedestal with levelers, 1 integral top, 1 pencil tray, pulls (as specified), lock and keys (as specified), and accessory as listed below:

Widths						
24"	30"	36"				
1	2	2				

15" Cross File Bar


NOTES

This pedestal has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper.

The included 15" cross file bars are to be installed along the depth only.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Finish Configuration	Depth	Width	Height	Worksurface Finish	Edge Trim Style
M 1 3/16"	L All Laminate	20, 24, 27	24, 30, 36	29	Foundation Laminate	6 Straight Trim
X 1 9/16"	T Wood Top; Laminate Front & Case U Wood Top & Front; Laminate Case W All Wood				Flintwood (No Cathedral)	8 Flat Trim9 Flintwood Flat Trim

SAMPLE ORDER CODE

BSPC M L	20	24	29	2D	8
----------	----	----	----	----	---

PRODUCT OPTIONS CONTINUED

Edge Trim Finish	Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Edge Trim Colors	Source Laminate	Source Laminate	9 Rectilinear	Foundation	K Keyed Alike
(for trim style 6 or 8)	Flintwood (No Cathedral)	Flintwood (No Cathedral)		Mica	R Keyed Randomly
					N No Lock

SAMPLE ORDER CODE CONTINUED

3D	l XG	l XG	9	52	R
JD	410	410	_) -	

BSPC

Workwall Stretch Pedestal -Integral Top - 29" h - Cross Grain (Continued)

DIMENSIONS INCHES / MM

			1 3/16" (M)			
			ALL LAMINATE (L)	WOOD TOP; LAMINATE DRAWER FRONT & CASE (T)	WOOD TOP & DRAWER FRONT; LAMINATE CASE (U)	ALL WOOD (W)
			WORKSURFACE FI	NISH		
D	W	Н	Foundation Laminate	Flintwood	Flintwood	Flintwood
20 / 508	24 / 610	29 / 737	1632	2198	2882	3453
20 / 508	30 / 762	29 / 737	1869	2498	3192	3709
20 / 508	36 / 914	29 / 737	2107	2790	3532	3964
24 / 610	24 / 610	29 / 737	1712	2301	2987	3762
24 / 610	30 / 762	29 / 737	1941	2596	3291	4052
24 / 610	36 / 914	29 / 737	2170	2892	3636	4343
27 / 686	24 / 610	29 / 737	1758	2373	3058	3951
27 / 686	30 / 762	29 / 737	1992	2676	3369	4268
27 / 686	36 / 914	29 / 737	2225	2987	3731	4584

			1 9/16" (X)			
			ALL LAMINATE (L)	WOOD TOP; LAMINATE DRAWER FRONT & CASE (T)	WOOD TOP & DRAWER FRONT; LAMINATE CASE (U)	ALL WOOD (W)
			WORKSURFACE FI	NISH		
			Foundation Laminate	Flintwood	Flintwood	Flintwood
20 / 508	24 / 610	29 / 737	1668	2235	2920	3475
20 / 508	30 / 762	29 / 737	1916	2546	3238	3737
20 / 508	36 / 914	29 / 737	2167	2850	3593	3999
24 / 610	24 / 610	29 / 737	1775	2365	3049	3789
24 / 610	30 / 762	29 / 737	2012	2668	3362	4087
24 / 610	36 / 914	29 / 737	2244	2965	3710	4384
27 / 686	24 / 610	29 / 737	1848	2463	3148	3982
27 / 686	30 / 762	29 / 737	2087	2770	3464	4307
27 / 686	36 / 914	29 / 737	2314	3076	3820	4631


BSMCD"

Workwall Credenza with Cabinet and Drawers - Mid - 21" h

This against the wall credenza unit provides a convenient storage areas with filing, recycling/waste bins and storage with door (if applicable). Partially open back provides wall accessibility for electricity management.

WHAT'S INCLUDED

1 workwall credenza with levelers, 1 pencil tray, pulls (as specified), lock and keys (as specified), and accessory as listed below:



Recycling/Waste Bin section: 1 recycling tray, 1 waste bin and 1 fixed shelf. Storage Door section (60" to 72" w): 1 adjustable shelf.

WHAT'S EXCLUDED

15" Cross File Bar

Seat Pad/Cushion and Wall Panels.


Holes at 1 1/4" intervals on the inside walls of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

The included 15" cross file bars are to be installed along the depth only.

Edge trim finish on door and drawer front always match door and drawer front finish

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Storage Style	Depth	Width	Height	Drawer Configuration
P Pulls (Shown)	20, 24	36, 42, 48, 54, 60, 66, 72	21	L Drawers on Left (Shown)
				R Drawers on Right

SAMPLE ORDER CODE

BSMCD P	20	54	21	L
---------	----	----	----	---

PRODUCT OPTIONS CONTINUED

Drawer and Door Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	9 Rectilinear	Foundation	N No Lock
Flintwood (No Cathedral)	Flintwood (No Cathedral)		Mica	K Keyed Alike
				R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

I W/	IF	0	74	D.
T 44		·	/ T	1

BSMCD


Workwall Credenza with Cabinet and Drawers - Mid - 21" h (Continued)

DIMENSIONS INCHES / MM

			SOURCE LAMINATE DOOR & Drawer front finish	FLINTWOOD DOOR & D	RAWER FRONT FINISH
			CASE FINISH		
D	W	Н	Source Laminate	Source Laminate	Flintwood
20 / 508	36 / 914	21 / 533	1676	2307	3965
20 / 508	42 / 1067	21 / 533	1867	2533	4624
20 / 508	48 / 1219	21 / 533	2058	2757	4935
20 / 508	54 / 1372	21 / 533	2249	2982	5247
20 / 508	60 / 1524	21 / 533	2314	3222	5573
20 / 508	66 / 1676	21 / 533	2492	3433	5871
20 / 508	72 / 1829	21 / 533	2670	3645	6170
24 / 610	36 / 914	21 / 533	1754	2385	4043
24 / 610	42 / 1067	21 / 533	1969	2635	4726
24 / 610	48 / 1219	21 / 533	2167	2866	5044
24 / 610	54 / 1372	21 / 533	2364	3097	5362
24 / 610	60 / 1524	21 / 533	2435	3343	5694
24 / 610	66 / 1676	21 / 533	2619	3560	5998
24 / 610	72 / 1829	21 / 533	2804	3779	6304

BSMOD"

Workwall Credenza with Open and Drawers - Mid - 21" h



PRODUCT OPTIONS

This against the wall credenza unit provides integrated storage areas with shelving and

WHAT'S INCLUDED

1 workwall credenza with levelers, 1 pencil tray, 1 adjustable shelf, pulls, locks and keys (as specified), and accessory as listed below:

		Widths		_
	60"	66" to 78"	84"	
15" Cross File Bar	1	2	3	

WHAT'S EXCLUDED

Seat Pad/Cushion and Wall Panels.

The included 15" cross file bars are to be installed along the depth only.

Holes at 1 1/4" intervals on the inside walls of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Edge trim finish on drawer front always match drawer front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

Depth	Width	Height	Drawer Configuration	Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
	2, 48, 54, 60, 6, 72, 78, 84	21	L Drawers on LeftR Drawers on Right	Flintwood	Source Laminate Flintwood (No Cathedral)		Foundation Mica	K Keyed AlikeR Keyed RandomlyN No Lock

SAMPLE ORDER CODE


BSMOD 20	60	21	L	XS	XS	9	68	R
----------	----	----	---	----	----	---	----	---

DIMENSIONS INCHES / MM

			SOURCE LAMINATE DRAWER FRONT FINISH	FLINTWOOD DRAWER FR	ONT FINISH
			CASE FINISH		
D	W	Н	Source Laminate	Source Laminate	Flintwood
20 / 508	42 / 1067	21 / 533	1645	2069	4160
20 / 508	48 / 1219	21 / 533	1695	2119	4297
20 / 508	54 / 1372	21 / 533	1746	2203	4468
20 / 508	60 / 1524	21 / 533	1792	2249	4600
20 / 508	66 / 1676	21 / 533	1908	2399	4837
20 / 508	72 / 1829	21 / 533	2002	2493	5018
20 / 508	78 / 1981	21 / 533	2394	3241	6139
20 / 508	84 / 2134	21 / 533	2522	3369	6356
24 / 610	42 / 1067	21 / 533	1747	2171	4262
24 / 610	48 / 1219	21 / 533	1804	2228	4406
24 / 610	54 / 1372	21 / 533	1861	2318	4583
24 / 610	60 / 1524	21 / 533	1913	2370	4721
24 / 610	66 / 1676	21 / 533	2035	2526	4964
24 / 610	72 / 1829	21 / 533	2136	2627	5152
24 / 610	78 / 1981	21 / 533	2541	3388	6286
24 / 610	84 / 2134	21 / 533	2678	3525	6512

BSMWL"

Workwall Credenza with Open and Drawers - Fixed Worksurface -Mid - 21" h



This credenza supports Fixed Worksurface while providing a convenient storage areas with shelving and filing.

WHAT'S INCLUDED

1 workwall credenza with levelers, 1 pencil tray, 1 adjustable shelf, pulls (as specified), lock and keys (as specified), and accessory as listed below:

_	30" dee	p Work.	36" deep Work			
Widths	66" to 72"	78" or 84"	60"	66" to 78"	84"	
15" Cross File Bar	2	3	1	2	3	

WHAT'S EXCLUDED

Fixed Run-Off - Mid-Height, Seat Pad/Cushion and Wall Panels.

Can be used with Fixed Run-Off – Mid-Height (BM_R) only, refer to the Application Guide for more details.

The included 15" cross file bars are to be installed along the depth only.

Holes at 1 1/4" intervals on the inside walls of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Edge trim finish on drawer front always match drawer front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Depth	Width	Height	Worksurface Depth	Worksurface Position
20, 24	60, 66, 72, 78, 84	21	30, 36	L Left
				R Right (Shown)

SAMPLE ORDER CODE

BSMWL 20 60	21	30	L
-------------	----	----	---

PRODUCT OPTIONS CONTINUED

Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	9 Rectilinear	Foundation	N No Lock
Flintwood (No Cathedral)	Flintwood (No Cathedral)		Mica	K Keyed Alike
				R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

XS	xs	9	68	R
	1	1	,	1

BSMWL


Workwall Credenza with Open and Drawers – Fixed Worksurface – Mid – 21" h(Continued)

DIMENSIONS INCHES / MM

			SOURCE LAMINATE DRAWER FRONT FINISH	FLINTWOOD DRAWER FRONT FINISH	
			CASE FINISH		
D	W	Н	Source Laminate	Source Laminate	Flintwood
20 / 508	60 / 1524	21 / 533	1792	2249	4600
20 / 508	66 / 1676	21 / 533	1908	2399	4837
20 / 508	72 / 1829	21 / 533	2002	2493	5018
20 / 508	78 / 1981	21 / 533	2394	3206	6104
20 / 508	84 / 2134	21 / 533	2522	3369	6356
24 / 610	60 / 1524	21 / 533	1913	2370	4721
24 / 610	66 / 1676	21 / 533	2035	2526	4964
24 / 610	72 / 1829	21 / 533	2136	2627	5152
24 / 610	78 / 1981	21 / 533	2541	3353	6251
24 / 610	84 / 2134	21 / 533	2678	3525	6512

BSMHLR[™]

Workwall Credenza with Open and Drawers – Height-Adjustable Run-Off – Mid – 21" h



This standalone credenza supports Height-Adjustable Run-Off or Desk while providing integrated storage areas with shelving and filing, and fully dissimulate the Height-Adjustable Mechanism of the desk.

WHAT'S INCLUDED

1 workwall credenza with levelers, 1 pencil tray, 1 adjustable shelf, pulls (as specified), locks and keys (as specified), and accessory as listed below:

_	23" or 29" deep Run-Off		35" deep Run-Off		
Widths	60" to 72"	78" or 84"	60"	66" to 78"	84"
15" Cross File Bar	2	3	1	2	3

WHAT'S EXCLUDED

Height-Adjustable Run-Offs or Desks, Seat Pad/Cushion and Wall Panels.

NOTES

Can be used with:

- Full Modesty Height-Adjustable Desk for U-Shape Workstation Offset Bases (BF_U)
- Height-Adjustable Run-Offs Bevel Base (BH_RB or BHGRB)
- Height-Adjustable Desk for U-Shape Workstation Bevel Bases (BH_UB)

Refer to the Application Guide.

The included 15" cross file bars are to be installed along the depth only.

Holes at 1 1/4" intervals on the inside walls of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Edge trim finish on drawer front always match drawer front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Depth	Width	Height	Height-Adjustable Worksurface Depth	Worksurface Position
20, 24	60, 66, 72, 78, 84	21	23, 29, 35	L Left
				R Right (Shown)

SAMPLE ORDER CODE

BSMHLR 20	72	21	29	L

PRODUCT OPTIONS CONTINUED

Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	9 Rectilinear	Foundation	N No Lock
Flintwood (No Cathedral)	Flintwood (No Cathedral)		Mica	K Keyed Alike
				R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

xs xs	9	74	R
-------	---	----	---

BSMHLR

Workwall Credenza with Open and Drawers - Height-Adjustable Run-Off - Mid - 21" h (Continued)

DIMENSIONS INCHES / MM

			23" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH			
			SOURCE LAMINATE DRAWER FRONT FINISH	FLINTWOOD DRAWER FRONT FINISH		
			CASE FINISH			
D	W	Н	Source Laminate	Source Laminate	Flintwood	
20 / 508	60 / 1524	21 / 533	1853	2310	4661	
20 / 508	66 / 1676	21 / 533	1969	2460	4898	
20 / 508	72 / 1829	21 / 533	2063	2554	5079	
20 / 508	78 / 1981	21 / 533	2455	3267	6165	
20 / 508	84 / 2134	21 / 533	2583	3430	6417	
24 / 610	60 / 1524	21 / 533	2090	2581	5019	
24 / 610	66 / 1676	21 / 533	2190	2681	5206	
24 / 610	72 / 1829	21 / 533	2589	3401	6299	
24 / 610	78 / 1981	21 / 533	2730	3577	6564	
24 / 610	84 / 2134	21 / 533	2219	2710	5235	

29" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH					
			SOURCE LAMINATE DRAWER FRONT FINISH FLINTWOOD DRAWER FRON		RONT FINISH
			CASE FINISH		
			Source Laminate	Source Laminate	Flintwood
20 / 508	60 / 1524	21 / 533	1853	2310	4661
20 / 508	66 / 1676	21 / 533	1969	2460	4898
20 / 508	72 / 1829	21 / 533	2063	2554	5079
20 / 508	78 / 1981	21 / 533	2455	3267	6165
20 / 508	84 / 2134	21 / 533	2583	3430	6417
24 / 610	60 / 1524	21 / 533	2184	2675	5200
24 / 610	66 / 1676	21 / 533	2582	3394	6292
24 / 610	72 / 1829	21 / 533	2717	3564	6551
24 / 610	78 / 1981	21 / 533	2116	2607	5045
24 / 610	84 / 2134	21 / 533	2219	2710	5235

			35" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER FRONT FINISH	FLINTWOOD DRAWER F	RONT FINISH
			CASE FINISH		
			Source Laminate	Source Laminate	Flintwood
20 / 508	60 / 1524	21 / 533	1853	2310	4661
20 / 508	66 / 1676	21 / 533	1969	2460	4898
20 / 508	72 / 1829	21 / 533	2063	2554	5079
20 / 508	78 / 1981	21 / 533	2455	3267	6165
20 / 508	84 / 2134	21 / 533	2583	3430	6417
24 / 610	60 / 1524	21 / 533	2184	2675	5200
24 / 610	66 / 1676	21 / 533	2582	3394	6292
24 / 610	72 / 1829	21 / 533	2717	3564	6551
24 / 610	78 / 1981	21 / 533	2210	2701	5226
24 / 610	84 / 2134	21 / 533	2611	3423	6321


BSMHDP[™]

Workwall Credenza with Open and Drawers - Height-Adjustable Peninsula – Mid – 21" h

This standalone credenza supports Height-Adjustable Peninsula. It provides integrated storage areas with shelving and filing, and fully dissimulate the Height-Adjustable Mechanism of the desk.

WHAT'S INCLUDED

1 credenza with levelers, 1 pencil tray, 1 adjustable shelf, pulls (as specified), locks and keys (as specified) and accessory listed below:



15" Cross File Bar WHAT'S EXCLUDED

Height-Adjustable Peninsulas, Seat Pad/Cushion and Wall Panels.

NOTES

Can be used with:

• Height-Adjustable Peninsulas – Bevel Post Leg (BH_RP or BH_TP) Refer to the Application Guide.


The included 15" cross file bars are to be installed along the depth only.

Holes at 1 1/4" intervals on the inside walls of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Edge trim finish on drawer front always match drawer front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Depth	Width	Height	Height-Adjustable Worksurface Depth	Worksurface Position
20, 24	60, 66, 72, 78, 84	21	35	L Left
				R Right (Shown)

SAMPLE ORDER CODE

PRODUCT OPTIONS CONTINUED

Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	9 Rectilinear	Foundation	N No Lock
Flintwood (No Cathedral)	Flintwood (No Cathedral)		Mica	K Keyed Alike
				R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

xs xs	9	74	R
-------	---	----	---

BSMHDP

Workwall Credenza with Open and Drawers – Height-Adjustable Peninsula – Mid – 21" h (Continued)

DIMENSIONS INCHES / MM

			35" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER FRONT FINISH	FLINTWOOD DRAWER F	RONT FINISH
			CASE FINISH		
D	W	Н	Source Laminate	Source Laminate	Flintwood
20 / 508	60 / 1524	21 / 533	1853	2310	4661
20 / 508	66 / 1676	21 / 533	1969	2460	4898
20 / 508	72 / 1829	21 / 533	2063	2554	5079
20 / 508	78 / 1981	21 / 533	2455	3267	6165
20 / 508	84 / 2134	21 / 533	2583	3430	6417
24 / 610	60 /1524	21 / 533	1974	2431	4782
24 / 610	66 / 1676	21 / 533	2096	2587	5025
24 / 610	72 / 1829	21 / 533	2197	2688	5213
24 / 610	78 / 1981	21 / 533	2602	3414	6312
24 / 610	84 / 2134	21 / 533	2739	3586	6573

BSMDOD 3

Workwall Credenza for Media with Open and Drawers - Mid -21" h

This against the wall media credenza unit provides filing and open storage. Partially open back provides wall accessibility for electricity management.

WHAT'S INCLUDED

1 workwall credenza with levelers, 2 pencil tray, 1 adjustable shelf, pulls, locks and keys (as specified), and accessory as listed below:

	Widths				
4	8" or 54"	60" to 84"			
Drawer Divider	2	n/a			
12" Hanging File Bar	2	n/a			
15" Cross File Bar	n/a	2			

WHAT'S EXCLUDED

Seat Pad/Cushion and Wall Panels.

The included 12" hanging file bars are to be installed along the width only.


The included 15" cross file bars are to be installed along the depth only.

Holes at 1 1/4" intervals on the inside walls of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Edge trim finish on drawer front always match drawer front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Depth	Width	Height	Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
20, 24	42, 48, 54, 60, 66,	21	Source Laminate	Source Laminate	9 Rectilinear	Foundation	K Keyed Alike
	72, 78, 84		Flintwood (No Cathedral)	Flintwood (No Cathedral)		Mica	R Keyed Randomly
							N No Lock

SAMPLE ORDER CODE


BSMDOD 20 60 21	xs	xs	9	68	R
-----------------	----	----	---	----	---

DIMENSIONS INCHES / MM

			SOURCE LAMINATE DRAWER FRONT FINISH	FLINTWOOD DRAWER FRONT FINISH		
			CASE FINISH			
D	W	Н	Source Laminate	Source Laminate	Flintwood	
20 / 508	48 / 1219	21 / 533	1945	2723	4901	
20 / 508	54 / 1372	21 / 533	2078	2856	5121	
20 / 508	60 / 1524	21 / 533	2212	2990	5341	
20 / 508	66 / 1676	21 / 533	2346	3124	5562	
20 / 508	72 / 1829	21 / 533	2480	3258	5783	
20 / 508	78 / 1981	21 / 533	2588	3366	6264	
20 / 508	84 / 2134	21 / 533	2777	3555	6542	
24 / 610	48 / 1219	21 / 533	2054	2832	5010	
24 / 610	54 / 1372	21 / 533	2193	2971	5236	
24 / 610	60 / 1524	21 / 533	2333	3111	5462	
24 / 610	66 / 1676	21 / 533	2473	3251	5689	
24 / 610	72 / 1829	21 / 533	2614	3392	5917	
24 / 610	78 / 1981	21 / 533	2735	3513	6411	
24 / 610	84 / 2134	21 / 533	2933	3711	6698	

BSMCFW

Workwall Credenza Open & Combo - Fixed Worksurface -Mid - 21" h



This credenza supports Fixed Worksurface while providing convenient storage areas with shelving, door section with optional recycling/waste bins and filing.

WHAT'S INCLUDED

I workwall credenza with levelers, I pencil tray, I adjustable shelf (open section), pulls (as specified), lock and keys (as specified), and accessory as listed below:

Work. Depths	30"		36"		48"		54"	
Widths	66" or	78" or 84"	72" or 78"		66" or 72"	78" or 84"	72" or 78"	84"
	/ 2	04		04	_/	04		04
15" Cross File I	Bar 1	2	1	2	1	2	1	2

Recycling/Waste Bin Door Communication (R): 1 recycling tray, 1 waste bin and

Storage Door Configuration (S): 1 adjustable shelf.

WHAT'S EXCLUDED

Fixed Worksurfaces, Seat Pad/Cushion and Wall Panels.

NOTES

Can be used with:

- Fixed Run-Off Mi-Height (BM_R)
- Fixed Tapered Peninsula Mid-Height (BM_EP)

Refer to the Application Guide.

The included 15" cross file bars are to be installed along the depth only.

Holes at $1\ 1/4$ " intervals on the inside walls of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Edge trim finish on door and drawer front always match door and drawer front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Depth	Width	Height	Worksurface Depth	Worksurface Position	Door Configuration
20, 24	66, 72, 78, 84	21	30, 36, 48, 54	L Left	R Recycling/Waste Bins
				R Right (Shown)	S Storage

SAMPLE ORDER CODE

BSMCFW 20	66	21	30	L	R

PRODUCT OPTIONS CONTINUED

Drawer and Door Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	9 Rectilinear	Foundation	N No Lock
Flintwood (No Cathedral)	Flintwood (No Cathedral)		Mica	K Keyed Alike
				R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

		_		
X C	X C	0	68	N
14.0	AU	,	00	14

BSMCFW

Workwall Credenza Open & Combo – Fixed Worksurface – Mid – 21" h (Continued)

DIMENSIONS INCHES / MM

24 / 610

84 / 2134

21 / 533

PRICING

INCHES	5 / MM		PRICING		
			RECYCLING/WASTE BINS (R)		
			30" FIXED WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	k DOOR FRONT FINISH
			CASE FINISH		
_			Source	Source	
D	W	H	Laminate	Laminate	Flintwood
0 / 508	66 / 1676	21 / 533	2266	2897	5335
) / 508	72 / 1829	21 / 533	2416	3082	5607
0 / 508	78 / 1981	21 / 533	2566	3265	6163
) / 508	84 / 2134	21 / 533	2717	3450	6437
610	66 / 1676	21 / 533	2393	3059	5584
/ 610	72 / 1829	21 / 533	2550	3249	6147
/ 610	78 / 1981	21 / 533	2713	3446	6433
í / 610	84 / 2134	21 / 533	2873	3539	6064
			36" FIXED WORKSURFACE DEPTH	TV IV ITTOWN O O D D D I WITTED	DOOD FRONT FINANCE
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	E DOOR FRONT FINISH
			CASE FINISH		
			Source Laminate	Source Laminate	Flintwood
/ 508	66 / 1676	21 / 533	n/a	n/a	n/a
/ 508	72 / 1829	21 / 533	2325	2991	5516
/ 508	78 / 1981	21 / 533	2450	3149	6047
/ 508	84 / 2134	21 / 533	2575	3308	6295
í / 610	66 / 1676	21 / 533		n/a	n/a
/ 610	72 / 1829	21 / 533	2459	3158	6056
/ 610	78 / 1981	21 / 533	2597	3330	6317
/ 610	84 / 2134	21 / 533	2731	3397	5922
			48" FIXED WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	k DOOR FRONT FINISH
			CASE FINISH		
			Source Laminate	Source Laminate	Flintwood
/ 508	66 / 1676	21 / 533	2266	2897	5335
/ 508	72 / 1829	21 / 533	2416	3082	5607
/ 508	78 / 1981	21 / 533	2566	3265	6163
7 / 508	84 / 2134	21 / 533	2717	3450	6437
/ / / / ^ ^	// I - /- /	21 / 522			
6/610	66 / 1676	21 / 533	2393	3059	5584
/ 610	72 / 1829	21 / 533	2550	3249	6147
4 / 610	78 / 1981	21 / 533	2713	3446	6433

2873

Pricing is continued on the following page.

6470

3572

workwall storage

Xpress

BSMCFW

Workwall Credenza Open & Combo – Fixed Worksurface – Mid – 21" h (Continued)

DIMENSIONS INCHES / MM

PRICING

			54" FIXED WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER & DOOR FRONT FINISH	
			CASE FINISH		
D	W	Н	Source Laminate	Source Laminate	Flintwood
0 / 508	66 / 1676	21 / 533	n/a	n/a	n/a
0 / 508	72 / 1829	21 / 533	2325	2991	5516
0 / 508	78 / 1981	21 / 533	2450	3149	6047
0 / 508	84 / 2134	21 / 533	2575	3308	6295
4 / 610	66 / 1676	21 / 533	n/a	n/a	n/a
í / 610	72 / 1829	21 / 533	2459	3158	6056
4/610	78 / 1981	21 / 533	2597	3330	6317
4 / 610	84 / 2134	21 / 533	2731	3430	6328

			STORAGE (S)		
			30" FIXED WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER	& DOOR FRONT FINISH
			CASE FINISH		
			Source Laminate	Source Laminate	Flintwood
20 / 508	66 / 1676	21 / 533	2067	2698	5136
20 / 508	72 / 1829	21 / 533	2217	2883	5408
20 / 508	78 / 1981	21 / 533	2367	3066	5964
20 / 508	84 / 2134	21 / 533	2518	3251	6238
24 / 610	66 / 1676	21 / 533	2194	2860	5385
24 / 610	72 / 1829	21 / 533	2351	3050	5948
24 / 610	78 / 1981	21 / 533	2514	3247	6234
24 / 610	84 / 2134	21 / 533	2674	3340	5865

			36" FIXED WORKSURFACE DEPTH				
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER &	& DOOR FRONT FINISH		
			CASE FINISH				
			Source Laminate	Source Laminate	Flintwood		
20 / 508	66 / 1676	21 / 533	n/a	n/a	n/a		
20 / 508	72 / 1829	21 / 533	2126	2792	5317		
20 / 508	78 / 1981	21 / 533	2251	2950	5848		
20 / 508	84 / 2134	21 / 533	2376	3109	6096		
24 / 610	66 / 1676	21 / 533	n/a	n/a	n/a		
24 / 610	72 / 1829	21 / 533	2260	2959	5857		
24 / 610	78 / 1981	21 / 533	2398	3131	6118		
24 / 610	84 / 2134	21 / 533	2532	3198	5723		

Pricing is continued on the following page.

BSMCFW


Workwall Credenza Open & Combo – Fixed Worksurface – Mid – 21" h (Continued)

DIMENSIONS INCHES / MM

			STORAGE (S) (CONTINUED)		
			48" FIXED WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	& DOOR FRONT FINISH
			CASE FINISH		
D	w	Н	Source Laminate	Source Laminate	Flintwood
0 / 508	66 / 1676	21 / 533	2067	2698	5136
0 / 508	72 / 1829	21 / 533	2217	2883	5408
0 / 508	78 / 1981	21 / 533	2367	3066	5964
) / 508	84 / 2134	21 / 533	2518	3251	6238
4 / 610	66 / 1676	21 / 533	2194	2860	5385
4/610	72 / 1829	21 / 533	2351	3050	5948
í / 610	78 / 1981	21 / 533	2514	3247	6234
í / 610	84 / 2134	21 / 533	2674	3373	6271
			54" FIXED WORKSURFACE DEPTH SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	Z DOOR FRONT FINISE
			CASE FINISH	TERVI WOOD DRIWER C	C DOOKTROWT THYOU
			Source Laminate	Source Laminate	Flintwood
) / 508	66 / 1676	21 / 533	n/a	n/a	n/a
/ 508	72 / 1829	21 / 533	2126	2792	5317
) / 508	78 / 1981	21 / 533	2251	2950	5848
/ 508	84 / 2134	21 / 533	2376	3109	6096
í / 610	66 / 1676	21 / 533	n/a	n/a	n/a
í / 610	72 / 1829	21 / 533	2260	2959	5857
4/610	78 / 1981	21 / 533	2398	3131	6118
4 / 610	84 / 2134	21 / 533	2532	3231	6129

BSMCHR

Workwall Credenza with Open & Combo - Height-Adjustable Run-Off - Mid - 21" h



This standalone credenza supports Height-Adjustable Run-Off or Desk. while providing integrated storage areas with optional recycling/waste bins, shelving and filling, and fully dissimulate the Height-Adjustable Mechanism of the desk.

WHAT'S INCLUDED

1 workwall credenza with levelers, 1 pencil tray, 1 adjustable shelf (open section), pulls (as specified), lock and keys (as specified), and accessory as listed below:

	23" de	ep Run-Off	29" deep	Run-Off	35" deep	Run-Off
Widths	66"	72" to 84"	66" or 72"	78" or 84"	72" or 7	8" 84"
15" Cross File Bar	1	2	1	2	1	2

Recycling/Waste Bin Door Configuration (R): 1 recycling tray, 1 waste bin and

Storage Door Configuration (S): 1 adjustable shelf.

WHAT'S EXCLUDED

Height-Adjustable Run-Offs or Desks, Seat Pad/Cushion and Wall Panels.

NOTES

Can be used with:

- Full Modesty Height-Adjustable Desk for U-Shape Workstation (BF_U)
- Height-Adjustable Run-Offs Bevel Base (BH_RB or BHGRB)
- Height-Adjustable Desk for U-Shape Workstation Bevel Bases (BH_HB) Refer to the Application Guide.

The included 15" cross file bars are to be installed along the depth only.

Holes at 1 1/4" intervals on the inside walls of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Edge trim finish on door and drawer front always match door and drawer front finish

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Depth	Width	Height	Height-Adjustable Worksurface Depth	Worksurface Position	Door Configuration
20, 24	66, 72, 78, 84	21	23, 29, 35	L Left	R Recycling/Waste Bins
				R Right (Shown)	S Storage

SAMPLE ORDER CODE

BSMCHR 20 /2 21 35 L R

PRODUCT OPTIONS CONTINUED

Drawer and Door Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	9 Rectilinear	Foundation	N No Lock
Flintwood (No Cathedral)	Flintwood (No Cathedral)		Mica	K Keyed Alike
				R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

XS XS	68 R	
-------	------	--

BSMCHR

Workwall Credenza with Open & Combo – Height-Adjustable Run-Off – Mid – 21" h (Continued)

DIMENSIONS INCHES / MM

PRICING

	, , ,,,,,,,				
			RECYCLING/WASTE BINS (R)		
			23" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	& DOOR FRONT FINISH
			CASE FINISH		
			Source	Source	
D	W	Н	Laminate	Laminate	Flintwood
20 / 508	66 / 1676	21 / 533	2297	2928	5366
20 / 508	72 / 1829	21 / 533	2447	3113	5638
20 / 508	78 / 1981	21 / 533	2597	3296	6194
20 / 508	84 / 2134	21 / 533	2748	3481	6468
24 / 610	66 / 1676	21 / 533	2424	3055	5493
24 / 610	72 / 1829	21 / 533	2581	3247	5772
24 / 610	78 / 1981	21 / 533	2744	3443	6341
24 / 610	84 / 2134	21 / 533	2904	3637	6624
			29" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	& DOOR FRONT FINISH
			CASE FINISH		
			Source Laminate	Source Laminate	Flintwood
20 / 508	66 / 1676	21 / 533	2297	2928	5366
20 / 508	72 / 1829	21 / 533	2447	3113	5638
20 / 508	78 / 1981	21 / 533	2597	3296	6194
20 / 508	84 / 2134	21 / 533	2748	3481	6468
24 / 610	66 / 1676	21 / 533	2424	3055	5493
24 / 610	72 / 1829	21 / 533	2581	3247	5772
24 / 610	78 / 1981	21 / 533	2744	3443	6341
24 / 610	84 / 2134	21 / 533	2904	3637	6624
			35" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	& DOOR FRONT FINISH
			CASE FINISH		
			Source Laminate	Source Laminate	Flintwood
20 / 508	66 / 1676	21 / 533	n/a	n/a	n/a
20 / 508	72 / 1829	21 / 533	2356	3022	5547
20 / 508	78 / 1981	21 / 533	2481	3180	6078
20 / 508	84 / 2134	21 / 533	2606	3339	6326
24 / 610	66 / 1676	21 / 533		n/a	n/a
24 / 610	72 / 1829	21 / 533	2490	3156	5681
24 / 610	78 / 1981	21 / 533	2628	3327	6225
24 / 610	84 / 2134	21 / 533	2762	3495	6482
21, 310	01, 21, 1	211 700	2/02	J 1//	0.102

Pricing is continued on the following page.

workwall storage

Xpress

BSMCHR


Workwall Credenza with Open & Combo – Height-Adjustable Run-Off – Mid – 21" h (Continued)

DIMENSIONS **INCHES / MM**

INCHES	5 / MM		PRICING		
			STORAGE (S)		
			23" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	& DOOR FRONT FINISH
			CASE FINISH	TEINT WOOD DRAWER (x DOOK PROINT PHNISH
			Source	Source	
D	W	Н	Laminate	Laminate	Flintwood
20 / 508	66 / 1676	21 / 533	2098	2729	5167
20 / 508	72 / 1829	21 / 533	2248	2914	5439
20 / 508	78 / 1981	21 / 533	2398	3097	5995
20 / 508	84 / 2134	21 / 533	2549	3282	6269
24 / 610	66 / 1676	21 / 533	2225	2856	5294
24 / 610	72 / 1829	21 / 533	2382	3048	5573
24 / 610	78 / 1981	21 / 533	2545	3244	6142
24 / 610	84 / 2134	21 / 533	2705	3438	6425
			29" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH	TV IVVIIVO OD DD AWYED	DOOD FRONT FINANCE
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	& DOOR FRONT FINISH
			CASE FINISH		
			Source Laminate	Source Laminate	Flintwood
20 / 508	66 / 1676	21 / 533	2098	2729	5167
20 / 508	72 / 1829	21 / 533	2248	2914	5439
20 / 508	78 / 1981	21 / 533	2398	3097	5995
20 / 508	84 / 2134	21 / 533	2549	3282	6269
24 / 610	66 / 1676	21 / 533	2225	2856	5294
24 / 610	72 / 1829	21 / 533	2382	3048	5573
24 / 610	78 / 1981	21 / 533	2545	3244	6142
24 / 610	84 / 2134	21 / 533	2705	3438	6425
			35" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	& DOOR FRONT FINISH
			CASE FINISH		
			Source	Source	
20.1500	// l - /- /	21 / 522	Laminate	Laminate	Flintwood
20 / 508	66 / 1676	21 / 533	n/a	n/a	n/a
20 / 508	72 / 1829	21 / 533	2157	2823	5348
20 / 508	78 / 1981	21 / 533	2282	2981	5879
20 / 508	84 / 2134	21 / 533	2407	3140	6127
24 / 610	66 / 1676	21 / 533		n/a	n/a
24 / 610	72 / 1829	21 / 533	2291	2957	5482
24 / 610	78 / 1981	21 / 533	2429	3128	6026
24 / 610	84 / 2134	21 / 533	2563	3296	6283
21/010	01/21/1	411)	2,00	3270	0203

BSMHCP"

Workwall Credenza with Open & Combo – Height-Adjustable – Peninsula – Mid – 21" h



This standalone credenza supports Height-Adjustable Peninsulas while providing integrated storage areas with optional recycling/waste bins, shelving and filing, and fully dissimulate the Height-Adjustable Mechanism of the desk.

WHAT'S INCLUDED

1 workwall credenza with levelers, 1 pencil tray, 1 adjustable shelf (open section), pulls (as specified), lock and keys (as specified), and accessory as listed below:

_	35" or 52" dee	ep Run-Off	46" deep Run-Off	
Widths	72" or 78"	84"	66" or 72"	78" or 84"
15" Cross File Bar	1	2.	1	2.

Recycling/Waste Bin Door Configuration (R): 1 recycling tray, 1 waste bin and

Storage Door Configuration (S): 1 adjustable shelf.

WHAT'S EXCLUDED

Height-Adjustable Peninsulas, Seat Pad/Cushion and Wall Panels.

Can be used with Height-Adjustable Peninsulas – Bevel Post Leg (BH_RP, BH_TP or BH_PE) only, refer to the Application Guide for more details.

The included 15" cross file bars are to be installed along the depth only.

Holes at 1 1/4" intervals on the inside walls of side panels allow for shelf adjustment.

Additional shelves cannot be specified with this product.

Edge trim finish on door and drawer front always match door and drawer front finish (Source Laminate).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification

PRODUCT OPTIONS

Depth	Width	Height	Height-Adjustable Worksurface Depth	Worksurface Position	Door Configuration
20, 24	66, 72, 78, 84	21	35, 46, 52	L Left	R Recycling/Waste Bins
				R Right (Shown)	S Storage

SAMPLE ORDER CODE

BSMHCP 24	84	21	35	L	S

PRODUCT OPTIONS CONTINUED

Drawer and Door Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	9 Rectilinear	Foundation	N No Lock
Flintwood (No Cathedral)	Flintwood (No Cathedral)		Mica	K Keyed Alike
				R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

Y Ç	Y C	0	74	K
AU	AU	,	/ T	17

BSMHCP

Workwall Credenza with Open & Combo – Height-Adjustable – Peninsula – Mid – 21" h (Continued)

DIMENSIONS INCHES / MM

PRICING

			RECYCLING/WASTE BINS (R)		
			35" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	& DOOR FRONT FINISH
			CASE FINISH		
			Source	Source	
D	W	H	Laminate	Laminate	Flintwood
20 / 508	66 / 1676	21 / 533	n/a	n/a	n/a
20 / 508	72 / 1829	21 / 533	2356	3022	3688
20 / 508	78 / 1981	21 / 533	2481	3180	3879
20 / 508	84 / 2134	21 / 533	2606	3339	4072
24 / 610	66 / 1676	21 / 533	n/a	n/a	n/a
24 / 610	72 / 1829	21 / 533	2490	3156	3822
24 / 610	78 / 1981	21 / 533	2628	3327	4026
24 / 610	84 / 2134	21 / 533	2762	3495	4228
			46" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	k DOOR FRONT FINISH
			CASE FINISH		
			Source Laminate	Source Laminate	Flintwood
20 / 508	66 / 1676	21 / 533	2297	2928	3559
20 / 508	72 / 1829	21 / 533	2447	3113	3779
20 / 508	78 / 1981	21 / 533	2597	3296	3995
20 / 508	84 / 2134	21 / 533	2748	3481	4214
24 / 610	66 / 1676	21 / 533	2424	3055	3686
24 / 610	72 / 1829	21 / 533	2581	3247	3913
24 / 610	78 / 1981	21 / 533	2744	3443	4142
24 / 610	84 / 2134	21 / 533	2904	3637	4370
21, 010	01, 2131	217 955			15,70
			52" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	& DOOR FRONT FINISH
			CASE FINISH		
			Source Laminate	Source Laminate	Flintwood
20 / 508	66 / 1676	21 / 533	n/a	n/a	n/a
20 / 508	72 / 1829	21 / 533	2356	3022	3688
20 / 508	78 / 1981	21 / 533	2481	3180	3879
20 / 508	84 / 2134	21 / 533	2606	3339	4072
24 / 610	66 1676	21 / 533	n/a		n/2
	66 / 1676		n/a 2490	n/a 2156	n/a
24 / 610	72 / 1829	21 / 533	2490	3156	3822
24 / 610	78 / 1981	21 / 533	2628	3327	4026
24 / 610	84 / 2134	21 / 533	2762	3495	4228

Pricing is continued on the following page.

workwall storage

Xpress

BSMHCP"

Workwall Credenza with Open & Combo – Height-Adjustable – Peninsula – Mid – 21" h (Continued)

DIMENSIONS **INCHES / MM**

INCHES) / IVIIVI		FRICING		
			STORAGE (S)		
			35" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	& DOOR FRONT FINISH
			CASE FINISH		
			Source	Source	
D	W	Н	Laminate	Laminate	Flintwood
20 / 508	66 / 1676	21 / 533	n/a	n/a	n/a
20 / 508	72 / 1829	21 / 533	2157	2823	3489
20 / 508	78 / 1981	21 / 533	2282	2981	3680
20 / 508	84 / 2134	21 / 533	2407	3140	3873
24 / 610	66 / 1676	21 / 533	n/a	n/a	n/a
24 / 610	72 / 1829	21 / 533	2291	2957	3623
24 / 610	78 / 1981	21 / 533	2429	3128	3827
24 / 610	84 / 2134	21 / 533	2563	3296	4029
			46" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	Z DOOR FRONT FINISH
			CASE FINISH	TEHVI WOOD DIGIWER C	C DOOK TROIT THUSH
			Source	Source	
			Laminate	Laminate	Flintwood
20 / 508	66 / 1676	21 / 533	2098	2729	3360
20 / 508	72 / 1829	21 / 533	2248	2914	3580
20 / 508	78 / 1981	21 / 533	2398	3097	3796
20 / 508	84 / 2134	21 / 533	2549	3282	4015
24 / 610	66 / 1676	21 / 533	2225	2856	3487
24 / 610	72 / 1829	21 / 533	2382	3048	3714
24 / 610	78 / 1981	21 / 533	2545	3244	3943
24 / 610	84 / 2134	21 / 533	2705	3438	4171
24 / 010	04 / 2134	217)55		3430	41/1
			52" HEIGHT-ADJSUTABLE WORKSURFACE DEPTH		
			SOURCE LAMINATE DRAWER & DOOR FRONT FINISH	FLINTWOOD DRAWER 8	& DOOR FRONT FINISH
			CASE FINISH		
			Source Laminate	Source Laminate	Flintwood
20 / 508	66 / 1676	21 / 533	n/a	n/a	n/a
20 / 508	72 / 1829	21 / 533	2157	2823	3489
20 / 508	78 / 1981	21 / 533	2282	2981	3680
20 / 508	84 / 2134	21 / 533	2407	3140	3873
24 / 610	66 / 1676	21 / 533	n/a	n/a	n/a
24 / 610	72 / 1829	21 / 533	2291	2957	3623
24 / 610	78 / 1981	21 / 533	2429	3128	3827
24 / 610	84 / 2134	21 / 533	2563	3296	4029

storage for secondary desks


storage for secondary desks product map

B S S P Stretch Pedestal - Secondary Desk

BSSL Lateral File - Secondary Desk

Page 1144 Page 1146






B S S D Storage Cabinet - Secondary Desk

B S S R W Recycling/Waste Cabinet - Secondary

B S S O Bookcase - Secondary Desk

Page 1148 Page 1150






B S S M Multi-Functional Storage - Secondary


Page 1152 Page 1154





B S S C M Open Section Cover - Secondary Desk

Page 1156



BSSP

Stretch Pedestal - Secondary Desk

This modular pedestal allows to provide additional storage and ensure to support secondary desk. The proper mixt of end and center storage position will allow filling the whole span of a Secondary Desk.

WHAT'S INCLUDED

1 box, box, file stretch pedestal with levelers, 1 anodized pencil tray with mounting brackets, pulls (as specified), mounting hardware, lock and keys (as specified) and accessory listed below:

Widths 18" or 24" 30" or 36"

15" Cross File Bar

WHAT'S EXCLUDED

 $High\ Secondary\ Desk\ or\ all\ High\ Secondary\ Desk\ for\ Height-Adjustable\ Worksurfaces.$


The end position must be specified next to a secondary desk gable in order to compensate its thickness creepage.

This pedestal has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper.

The included 15" cross file bar is to be installed along the depth only.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

High (H)



PRODUCT OPTIONS

Position – Worksurface Thickness	In Front of Height- Adjustable Mechanism	Secondary Desk Height	Secondary Desk Depth	Width
C Center (Shown)	N No	H High	20, 24	18, 24, 30, 36
M End – 1 3/16" thick Secondary Desk				
X End – 1 9/16" thick Secondary Desk				

SAMPLE ORDER CODE

PRODUCT OPTIONS CONTINUED

Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	9 Rectilinear	Foundation	N No Lock
	Flintwood		Mica	K Keyed Alike
(No Cathedral)	(No Cathedral)			R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

xs xs	9	74	N
-------	---	----	---

BSSP


Stretch Pedestal - Secondary Desk (Continued)

DIMENSIONS INCHES / MM

		HIGH (H)		
		SOURCE LAMINATE CASE	FINISH	FLINTWOOD CASE FINISH
		DRAWER FRONT FINISH		
D	W	Source Laminate	Flintwood	Flintwood
0 / 508	18 / 457	1060	1763	2555
0 / 508	24 / 610	1357	1952	2860
0 / 508	30 / 762	1466	2070	3054
) / 508	36 / 914	1717	2510	3348
4 / 610	18 / 457	1060	1763	2555
4 / 610	24 / 610	1357	1952	2860
/ 610	30 / 762	1466	2070	3054
í / 610	36 / 914	1717	2510	3348

BSSL

Lateral File - Secondary Desk



This modular lateral file allows to provide additional storage and ensure to support secondary desk. The proper mixt of end and center storage position will allow filling the whole span of a Secondary Desk.

WHAT'S INCLUDED

1 lateral file cabinet with levelers, pulls (as specified), mounting hardware, lock and keys (as specified), and accessories as listed below:

_			Width	ıs		
_	18"	24"	30"	36"	42"	
File Drawer	1	1	1	1	1	(Low)
	2	2	2	2	2	(High)
15" Cross File Bar	0	1	1	2	n/a	(M, X - End)
(per drawer)	1	1	2	2	2	(C – Center)

WHAT'S EXCLUDED

Low or High Secondary Desk and all Low or High Secondary Desk for Height-Adjustable Worksurfaces.

NOTES

The end position must be specified next to a secondary desk gable in order to compensate its thickness creepage.

The Center Position (C) option is not available in 42" width.

This storage unit has a central locking system and full extension drawers that can accommodate both letter- and legal-size paper. The high configuration is equipped with an interlock system that prevents opening more than one drawer at a time.

The included 15" cross file bars are to be installed along the depth only.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Position – Worksurface Thickness	In Front of Height- Adjustable Mechanism	Secondary Desk Height	Secondary Desk Depth	Width
C Center (Shown)	N No	H High	20, 24	18, 24, 30, 36, 42
M End – 1 3/16" thick Secondary Desk		L Low		
X End – 1 9/16" thick Secondary Desk				

SAMPLE ORDER CODE

PRODUCT OPTIONS CONTINUED

Drawer Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
Source Laminate	Source Laminate	9 Rectilinear	Foundation	N No Lock
Flintwood	Flintwood		Mica	K Keyed Alike
(No Cathedral)	(No Cathedral)			R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

			1	
YS	YC	0	7/1	N
AS	AS	7	/ 1	14

BSSL


Lateral File - Secondary Desk (Continued)

DIMENSIONS INCHES / MM

		LOW (L)			HIGH (H)		
		SOURCE LAMINAT CASE FINISH	E	FLINTWOOD CASE FINISH	SOURCE LAMIN CASE FINISH	NATE	FLINTWOOD CASE FINISH
		DRAWER FRONT F	INISH				
D	W	Source Laminate	Flintwood	Flintwood	Source Laminate	Flintwood	Flintwood
20 / 508	18 / 457	701	1100	1864	1050	1659	2518
20 / 508	24 / 610	734	1122	1955	1144	1739	2647
20 / 508	30 / 762	805	1199	2050	1195	1799	2783
20 / 508	36 / 914	875	1391	2140	1283	2076	2914
20 / 508	42 / 1067	955	1611	2246	1382	2398	3069
24 / 610	18 / 457	701	1100	1864	1050	1659	2518
24 / 610	24 / 610	734	1122	1955	1144	1739	2647
24 / 610	30 / 762	805	1199	2050	1195	1799	2783
24 / 610	36 / 914	875	1391	2140	1283	2076	2914
24 / 610	42 / 1067	955	1611	2246	1382	2398	3069

BSSO

Bookcase - Secondary Desk



This modular bookcase allows to provide additional storage and ensure to support secondary desk. The proper mixt of end and center storage position will allow filling the whole span of a Secondary Desk. When Yes (Y) in front of height-adjustable mechanism option is specified, the storage allows to hide the mechanism.

WHAT'S INCLUDED

1 bookcase with levelers, 1 1" thick adjustable shelf (only high option), and mounting hardware.

WHAT'S EXCLUDED

Low or High Secondary Desk and all Low or High Secondary Desk for Height-Adjustable Worksurfaces.

The end position must be specified next to a secondary desk gable in order to compensate its thickness creepage.

Can be used as a passive storage at the intersection of the secondary desk with the run-off worksurface, run-off with glass top, overlapping bridge and height-adjustable

The high configuration will not allow two rows of standard letter-size binders.

The shelf has a five positions adjustment with 1 1/4" intervals.

Additional shelves (BSHE) cannot be specified separately.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Position – Worksurface Thickness	In Front of Height-Adjustable Mechanism	Secondary Desk Height
C Center (Shown)	N No	H High
M End − 1 3/16" thick Secondary Desk	Y Yes	L Low
X End – 1 9/16" thick Secondary Desk		

SAMPLE ORDER CODE

BSSO C	Y	L
--------	---	---

PRODUCT OPTIONS CONTINUED

Secondary Desk Depth	Width	Case Finish
20, 24	18, 24, 30, 36, 42	Source Laminate
		Flintwood (No Cathedral)

SAMPLE ORDER CODE CONTINUED

BSSO

Bookcase - Secondary Desk (Continued)

DIMENSIONS INCHES / MM


		POSITION - WORKS	SURFACE THICKNESS (C, M	M or X)	
		YES IN FRONT OF H	IEIGHT-ADJUSTABLE MEC	HANISM (Y)	
		LOW (L)		HIGH (H)	
		CASE FINISH			
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood
20 / 508	18 / 457	419	1589	492	2051
20 / 508	24 / 610	464	1666	538	2161
20 / 508	30 / 762	512	1746	582	2278
20 / 508	36 / 914	552	1826	632	2404
20 / 508	42 / 1067	599	1902	677	2525
24 / 610	18 / 457	492	1661	567	2123
24 / 610	24 / 610	536	1740	610	2235
24 / 610	30 / 762	582	1819	657	2349
24 / 610	36 / 914	628	1898	704	2474
24 / 610	42 / 1067	670	1974	752	2598


		NO IN FRONT OF H	EIGHT-ADJUSTABLE MECH	IANISM (N)		
		LOW (L)		HIGH (H)		
		CASE FINISH				
		Source Laminate	Flintwood	Source Laminate	Flintwood	
20 / 508	18 / 457	492	1661	567	2123	
20 / 508	24 / 610	536	1740	610	2235	
20 / 508	30 / 762	582	1819	657	2349	
20 / 508	36 / 914	628	1898	704	2474	
20 / 508	42 / 1067	670	1974	752	2598	
24 / 610	18 / 457	492	1661	567	2123	
24 / 610	24 / 610	536	1740	610	2235	
24 / 610	30 / 762	582	1819	657	2349	
24 / 610	36 / 914	628	1898	704	2474	
24 / 610	42 / 1067	670	1974	752	2598	

BSSD

Storage Cabinet - Secondary Desk

High (H)





This modular storage allows to provide additional storage and ensure to support secondary desk. The proper mixt of end and center storage position will allow filling the whole span of a Secondary Desk. When Yes (Y) in front of height-adjustable mechanism option is specified, the storage allows to hide the height-adjustable mechanism.

WHAT'S INCLUDED

1 storage cabinet with levelers, pulls (as specified), mounting hardware, lock and keys (as specified), and accessories as listed below:

		Width		
	18"	24" to 42"		
Adjustable Shelf	1	1		
Door	1	2		

WHAT'S EXCLUDED

High Secondary Desk or all High Secondary Desk for Height-Adjustable Worksurfaces.

The end position must be specified next to a secondary desk gable in order to compensate its thickness creepage.

Left (L) or Right (R) Door Swing Direction is available with 18" wide cabinet only.

Not Applicable (N) Door Swing Direction is available with 24" to 42" wide cabinet

The shelf has a five positions adjustment with 1 1/4" intervals.

Additional shelves (BSHE) cannot be specified separately.

Can be used as a passive storage at the intersection of the secondary desk with the run-off worksurface, run-off with glass top, overlapping bridge and Height-Adjustable

The high version will not allow two rows of standard letter-size binders.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Position – Worksurface Thickness	In Front of Height- Adjustable Mechanism	Secondary Desk Height	Secondary Desk Depth	Width
C Center (Shown)	N No	H High	20, 24	18, 24, 30, 36, 42
M End − 1 3/16" thick Secondary Desk	Y Yes			
X End – 1 9/16" thick Secondary Desk				

SAMPLE ORDER CODE

BSSD M	N	Н	24	42

PRODUCT OPTIONS CONTINUED

ĺ	Door Swing Direction	Door Front Finish	Case Finish	Pull Style	Pull Finish	Key Style
	L Left Side (Shown)	Source Laminate	Source Laminate	9 Rectilinear	Foundation	N No Lock
	R Right Side	Flintwood	Flintwood		Mica	K Keyed Alike
	N Not Applicable	(No Cathedral)	(No Cathedral)			R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

N	YS	Y C	9	60	l D
14	AG	AS		00	1

BSSD

Storage Cabinet - Secondary Desk (Continued)

DIMENSIONS INCHES / MM


		POSITION – WORKSURFA	CE THICKNESS (C, M or)	()	
		YES IN FRONT OF HEIGHT	Γ-ADJUSTABLE MECHANI	SM (Y)	
		HIGH (H)			
		SOURCE LAMINATE CASE	FINISH	FLINTWOOD CASE FINISH	
		DOOR FRONT FINISH			
D	W	Source Laminate	Flintwood	Flintwood	
20 / 508	18 / 457	684	1064	2306	
20 / 508	24 / 610	732	1429	2612	
20 / 508	30 / 762	783	1549	2917	
20 / 508	36 / 914	829	1806	3073	
20 / 508	42 / 1067	875	1924	3225	
24 / 610	18 / 457	756	1137	2379	
24 / 610	24 / 610	806	1502	2687	
24 / 610	30 / 762	858	1623	2990	
24 / 610	36 / 914	900	1879	3145	
24 / 610	42 / 1067	948	1999	3298	

		NO IN FRONT OF HEIGHT	NO IN FRONT OF HEIGHT-ADJUSTABLE MECHANISM (N)					
		HIGH (H)						
		SOURCE LAMINATE CASE	FINISH	FLINTWOOD CASE FINISH				
		DOOR FRONT FINISH						
		Source Laminate	Flintwood	Flintwood				
20 / 508	18 / 457	756	1137	2379				
20 / 508	24 / 610	806	1502	2687				
20 / 508	30 / 762	858	1623	2990				
20 / 508	36 / 914	900	1879	3145				
20 / 508	42 / 1067	948	1999	3298				
-								
24 / 610	18 / 457	756	1137	2379				
24 / 610	24 / 610	806	1502	2687				
24 / 610	30 / 762	858	1623	2990				
24 / 610	36 / 914	900	1879	3145				
24 / 610	42 / 1067	948	1999	3298				

BSSM

Multi-Functional Storage -Secondary Desk

High (H)



This modular storage allows to provide additional storage and ensure to support secondary desk. It can be used in conjunction with other storage for secondary desk in order to fill the whole span of a secondary desk. When Yes (Y) in front of height-adjustable mechanism option is specified, the storage allows to hide the heightadjustable mechanism.

WHAT'S INCLUDED

 $1\ case$ with levelers, $1\ access$ door, $1\ ventilation$ access, $1\ rectangular$ grommet, mounting hardware, locks and keys (as specified).

WHAT'S EXCLUDED

High Secondary Desk, all High Secondary Desk for Height-Adjustable Worksurfaces, Plug-In Power Bar – Desk Mounted with Wire Clips (BLPPD) and Cable Tray (BLCT).

NOTES

The end position must be specified next to a secondary desk gable in order to compensate its thickness creepage.

Must be used as a passive storage at the intersection of the secondary desk with the Run-Off Worksurface, Run-Off with Glass Top, Overlapping Bridge and Height-Adjustable Worksurfaces.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Position – Worksurface Thickness	In Front of Height- Adjustable Mechanism	Secondary Desk Height	Secondary Desk Depth	Width
C Center (Shown)	N No	H High	20, 24	24, 30, 36
M End − 1 3/16" thick Secondary Desk	Y Yes			
X End – 1 9/16" thick Secondary Desk				

SAMPLE ORDER CODE

BSSM C Y	Н	24	36
----------	---	----	----

PRODUCT OPTIONS CONTINUED

Configuration	Front Finish	Side Door and Case Finish	Grommet Finish	Key Style
L Left Side (Shown)	Source Laminate	Source Laminate	Foundation	N No Lock
R Right Side	Flintwood (No Cathedral)	Flintwood (No Cathedral)	Mica	K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE CONTINUED

L XS XS	74 N
---------	------

BSSM

Multi-Functional Storage – Secondary Desk (Continued)


DIMENSIONS INCHES / MM

PRICING

		POSITION - WORKSURFACE THICKNESS (C, M or X)					
		YES IN FROM MECHANISM	NT OF HEIGHT 1 (Y)	-ADJUSTABLE	NO IN FROM	NT OF HEIGHT M (N)	-ADJUSTABLE
		HIGH (H)					
			MINATE SIDE CASE FINISH	FLINTWOOD SIDE Door and case finish		MINATE SIDE CASE FINISH	FLINTWOOD SIDE Door and case finish
		FRONT FINI	SH				
D	W	Source Laminate	Flintwood	Flintwood	Source Laminate	Flintwood	Flintwood
20 / 508	24 / 610	731	1230	2318	803	1300	2387
20 / 508	30 / 762	780	1353	2443	850	1424	2517
20 / 508	36 / 914	831	1546	2565	900	1621	2638
24 / 610	24 / 610	803	1300	2387	803	1300	2387
24 / 610	30 / 762	850	1424	2517	850	1424	2517
24 / 610	36 / 914	900	1621	2638	900	1621	2638

BSSRW

Recycling/Waste Cabinet -Secondary Desk



This modular service cabinet allows to provide hidden space for recycling and garbage and ensure to support secondary desk. The proper mixt of end and center storage position will allow filling the whole span of a Secondary Desk. When Yes (Y) in front of height-adjustable mechanism option is specified, the storage allows to hide the height-adjustable mechanism.

WHAT'S INCLUDED

1 recycling/waste cabinet with levelers, pulls (as specified), mounting hardware, and accessories as listed below:

	He	Height	
	Low	High	
Waste Bin	1	1	
Recycling Tray	n/a	1	
Fixed Shelf	n/a	1	

WHAT'S EXCLUDED

Low or High Secondary Desk and all Low or High Secondary Desk for Height-Adjustable Worksurfaces.

The end position must be specified next to a secondary desk gable in order to compensate its thickness creepage.

This cabinet is not lockable.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Position – Worksurface Thickness	In Front of Height- Adjustable Mechanism	Secondary Desk Height	Secondary Desk Depth	Width
C Center (Shown)	N No	H High	20, 24	18
M End – 1 3/16" thick Secondary Desk	Y Yes	L Low		
X End – 1 9/16" thick Secondary Desk				

SAMPLE ORDER CODE

PRODUCT OPTIONS CONTINUED

Front Finish	Case Finish	Pull Style	Pull Finish
Source Laminate	Source Laminate	9 Rectilinear	Foundation
Flintwood (No Cathedral)	Flintwood (No Cathedral)		Mica

SAMPLE ORDER CODE CONTINUED

xs xs	9	74
-------	---	----

See Pricing on the following page.

BSSRW

Recycling/Waste Cabinet -Secondary Desk (suite)

DIMENSIONS INCHES / MM

PRICING

		YES IN FRONT OF H	EIGHT-ADJUSTA	BLE MECHANISM (Y)		
		LOW (L)			HIGH (H)		
		SOURCE LAMINATE CASE FINISH		FLINTWOOD CASE FINISH	SOURCE LAMIN CASE FINISH	NATE	FLINTWOOD CASE FINISH
		FRONT FINISH					
D	W	Source Laminate	Flintwood	Flintwood	Source Laminate	Flintwood	Flintwood
20 / 508	18 / 457	951	1332	2234	1208	1588	2695
24 / 610	18 / 457	1002	1382	2306	1257	1638	2768
		·					
		NO IN FRONT OF HE	IGHT-ADJUSTA	BLE MECHANISM (N)		
		NO IN FRONT OF HE	IGHT-ADJUSTA	BLE MECHANISM (N	HIGH (H)		
			IGHT-ADJUSTA	BLE MECHANISM (N FLINTWOOD CASE FINISH		NATE	
		LOW (L) SOURCE LAMINATE	IGHT-ADJUSTA	FLINTWOOD	HIGH (H) SOURCE LAMIN	JATE	FLINTWOOD
		LOW (L) SOURCE LAMINATE CASE FINISH	IGHT-ADJUSTA Flintwood	FLINTWOOD	HIGH (H) SOURCE LAMIN	NATE Flintwood	FLINTWOOD
20 / 508	18 / 457	LOW (L) SOURCE LAMINATE CASE FINISH FRONT FINISH Source		FLINTWOOD CASE FINISH	HIGH (H) SOURCE LAMIN CASE FINISH Source		FLINTWOOD CASE FINISH

storage for secondary desks

Xpress

BSSCM

Open Section Cover -Secondary Desk

This cover is used to hide the height-adjustable mechanism. The proper mixt of end, center and full position will allow filing the whole span of a Secondary Desk for Height-Adjustable Worksurfaces. When Yes (Y) in front of height-adjustable mechanism option is specified, the cover allows to hide the height-adjustable mechanism.

WHAT'S INCLUDED

1 panel cover and hardware.

WHAT'S EXCLUDED


Low or High Secondary Desk for Fixed or Height-Adjustable Worksurfaces.

The end position must be specified next to a secondary desk gable in order to compensate its thickness creepage.

When Center Position (C) is specified, only the None Width Reduction (N) option is avalaible.

When End – Off-Module (E) or Full Secondary Desk Width Position (F) is specified, only the options End – 1 3/16" thick Secondary Desk (M) and End – 1 9/16" thick Secondary Desk (X) Width Reduction are avalable.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Position	Width Reduction	In Front of Height-Adjustable Mechanism	Secondary Desk Height
C Center	N None	Y Yes	H High
F Full Secondary Desk Width	 M End – 1 3/16" thick Secondary Desk X End – 1 9/16" thick Secondary Desk 		L Low

SAMPLE ORDER CODE

BSSCM C	N	Y	Н

PRODUCT OPTIONS CONTINUED

Secondary Desk Depth	Width	Cover Finish
20, 24	18, 24, 30, 36, 42, 48, 54, 60, 66, 72, 78	Source Laminate
		Flintwood (No Cathedral)

SAMPLE ORDER CODE CONTINUED

2/4	72	2 E
24	/ 4	3E

See Pricing on the following page.

BSSCM

Open Section Cover -Secondary Desk (Continued)

DIMENSIONS INCHES / MM

PRICING

	LO	W (L)		HIGH (H)	
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood
0 / 508	18 / 457	213	425	229	541
0 / 508	24 / 610	223	462	237	618
0 / 508	30 / 762	231	545	258	675
0 / 508	36 / 914	239	570	280	800
0 / 508	42 / 1067	251	636	295	879
0 / 508	48 / 1219	260	681	312	992
0 / 508	54 / 1372	270	703	327	1082
0 / 508	60 / 1524	282	814	345	1173
0 / 508	66 / 1676	291	838	361	1206
0 / 508	72 / 1829	302	905	376	1241
0 / 508	78 / 1981	312	1007	394	1276
4 / 610	18 / 457	213	425	229	541
4 / 610	24 / 610	223	462	237	618
4 / 610	30 / 762	231	545	258	675
4 / 610	36 / 914	239	570	280	800
4 / 610	42 / 1067	251	636	295	879
4 / 610	48 / 1219	260	681	312	992
4 / 610	54 / 1372	270	703	327	1082
4 / 610	60 / 1524	282	814	345	1173
4 / 610	66 / 1676	291	838	361	1206
4 / 610	72 / 1829	302	905	376	1241
4 / 610	78 / 1981	312	1007	394	1276

	LC	OW (L)		HIGH (H)			
		Source Laminate	Flintwood	Source Laminate	Flintwood		
20 / 508	60 / 1524	282	814	345	1173		
20 / 508	66 / 1676	291	838	361	1206		
20 / 508	72 / 1829	302	905	376	1241		
20 / 508	78 / 1981	312	1007	394	1276		
4 / 610	60 / 1524	282	814	345	1173		
4 / 610	66 / 1676	291	838	361	1206		
4 / 610	72 / 1829	302	905	376	1241		
4 / 610	78 / 1981	312	1007	394	1276		
				-			

reception

reception product map


B_CRF Reception Desk Module - Straight

Page 1160

B_CRL Reception Desk Module - L-Shaped

Page 1162







B_CRU Reception Desk Module - U-Shaped

Page 1166

B C W GMain Worksurface with Two Gables -Reception Desk


Page 1192





B_CWL Main Worksurface with One Gable -Reception Desk

Page 1194



B C A T Reception Desk Element - Tackboard

Page 1196





B_CWR Cross Grain Return - Reception Desk

Page 1198

Page 1200





B CRF

Reception Desk Module - Straight

This Straight Reception Desk Module is assembled with specific reception desk worksurfaces or attached to standard desk to create an aesthetic reception area.

WHAT'S INCLUDED

1 worksuface piece (if 72" to 102" width is specified) or 2 worksufaces pieces (if 108" to 144" width is specified) with gables, 1 inset panel (if 72" to 84" width is specified) or 2 inset panels (if 90" to 144" width is specified), and mounting hardware.

Standard Desks, Main Worksurface with Two Gables – Reception Desk and Reception Desk Element – Tackboard.

NOTES


This reception desk has a 5 1/2" overhang in front of the workstation.

Only the Source Laminate gable finish can be specified when Foundation Laminate worksurface finish is specified.

Only the Flintwood gable finish can be specified when Flintwood worksurface finish is specified.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Main Width	Worksurface Finish	Ec	lge Trim Style	Edge Trim Finish	Gable Finish	Inset Panel Finish
M 1 3/16" X 1 9/16"	12	072, 078, 084, 090, 096, 102, 108, 114, 120, 126, 132, 138, 144	Foundation Laminate Flintwood (No Cathedral)	6 9	Straight Trim Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Source Laminate Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)

SAMPLE ORDER CODE

BMCRF 12	132	2E	6	4E	3E	XS
----------	-----	----	---	----	----	----

DIMENSIONS **INCHES / MM**

PRICING

		1 3/16" (M)			
		FOUNDATION LAMINATE		FLINTWOOD	
		INSET PANEL FINISH			
D	Mw	Source Laminate	Flintwood	Source Laminate	Flintwood
12 / 305	72 / 1839	1259	2438	2366	3545
12 / 305	78 / 1981	1334	2550	2485	3701
12 / 305	84 / 2134	1402	2657	2598	3853
12 / 305	90 / 2286	1557	3566	2801	4810
12 / 305	96 / 2438	1625	3675	2917	4967
12 / 305	102 / 2591	1706	3792	3290	5376
12 / 305	108 / 2743	1775	3900	3407	5532
12 / 305	114 / 2896	1846	4013	3525	5692
12 / 305	120 / 3048	1915	4118	3644	5847
12 / 305	126 / 3200	1986	4228	3755	5997
12 / 305	132 / 3353	2057	4339	3873	6155
12 / 305	138 / 3505	2126	4446	3995	6315
12 / 305	144 / 3658	2198	4556	4108	6466

B_CRF Reception Desk Module - Straight (Continued)


DIMENSIONS INCHES / MM


PRICING

		1 9/16" (X)						
		FOUNDATION LAMINATE		FLINTWOOD				
		INSET PANEL FINISH						
D	Mw	Source Laminate	Flintwood	Source Laminate	Flintwood			
12 / 305	72 / 1839	1438	2617	3036	4215			
12 / 305	78 / 1981	1516	2732	3159	4375			
12 / 305	84 / 2134	1594	2849	3282	4537			
12 / 305	90 / 2286	1754	3763	3489	5498			
12 / 305	96 / 2438	1830	3880	3610	5660			
12 / 305	102 / 2591	1915	4001	3986	6072			
12 / 305	108 / 2743	1994	4119	4108	6233			
12 / 305	114 / 2896	2068	4235	4234	6401			
12 / 305	120 / 3048	2145	4348	4355	6558			
12 / 305	126 / 3200	2224	4466	4476	6718			
12 / 305	132 / 3353	2298	4580	4598	6880			
12 / 305	138 / 3505	2375	4695	4722	7042			
12 / 305	144 / 3658	2451	4809	4843	7201			

B CRL

Reception Desk Module - L-Shaped





This L-Shaped Reception Desk Module is assembled with specific reception desk worksurfaces or attached to standard desk to create an aesthetic reception area.

WHAT'S INCLUDED

1 main width worksurface (if main width 72" to 96") or 2 main width worksurfaces (if main width 102" to 144"), 1 return worksurface, 2 inset panels (if main width 72" to 84") or 3 inset panels (if main width 90" to 144"), 2 gables, 1 corner extrusion, and mounting hardware.

WHAT'S EXCLUDED

Standard Desks, Main Worksurface with One Gable, Cross Grain Return - Reception Desk and Reception Desk Element - Tackbaord.

This reception desk has a 5 1/2" overhang in front of the workstation.

Only the Source Laminate gable finish can be specified when Foundation Laminate worksurface finish is specified.

Only the Flintwood gable finish can be specified when Flintwood worksurface finish is specified.

Left or right configuration is determined by side in the return width (from user's perspective).

Coordinate colors for corner extrusion are solid colors that can be used to match wood prints on inset panel. For details refer to the page 435.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksur- face Thickness	Depth	Main Width	Return Width	Configu- ration (from user's perspective)	Work- surface Finish	Edge Trim Style	Edge Trim Finish	Gable Finish	Inset Panel Finish	Corner Extrusion Finish
M 13/16" X 19/16"	12	072, 078, 084, 090, 096, 102, 108, 114, 120, 126, 132, 138, 144	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	L Left R Right	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)		Source Laminate Flintwood (No Cathedral)	AC Clear Anodized Foundation Mica Coordinate Colors

SAMPLE ORDER CODE

BMCRL	12	084	72	L	VZ	9		VZ	VZ	AC
-------	----	-----	----	---	----	---	--	----	----	----

DIMENSIONS - INCHES FOR MM X BY 25.4 **PRICING**

		1 3/16" (M)				1 9/16" (X)	1 9/16" (X)				
		FOUNDATION	LAMINATE	FLINTWOOD		FOUNDATION	I LAMINATE	FLINTWOOD			
		INSET PANEL	FINISH	-	_						
Mw	Rw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood		
D	Mw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Lamina	te Flintwood	urce Laminate	Flintwood		
72	24	1587	3507	3140	5060	1792	3712	3834	5754		
72	30	1659	3690	3260	5291	1868	3899	3957	5988		
72	36	1728	3905	3376	5553	1945	4122	4076	6253		
72	42	1799	4012	3493	5706	2023	4236	4204	6417		
72	48	1868	4123	3610	5865	2096	4351	4324	6579		
72	54	1941	4233	3731	6023	2176	4468	4446	6738		
72	60	2009	4339	3842	6172	2253	4583	4567	6897		
72	66	2081	4451	3963	6333	2327	4697	4693	7063		
72	72	2149	4558	4076	6485	2406	4815	4814	7223		
72	78	2223	4669	4196	6642	2485	4931	4937	7383		
72	84	2291	4780	4313	6802	2555	5044	5060	7549		

B_CRL Reception Desk Module - L-Shaped (Continued)

DIMENSIONS - INCHES FOR PRICING MM X BY 25.4

		1 2/16" (26)				1.0/16" (%)			
		1 3/16" (M)		*** ** ********		1 9/16" (X)		*** ** *******	
		FOUNDATIO		FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
		INSET PANEI	FINISH						
Mw	Rw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
78	24	1659	3614	3260	5215	1868	3823	3957	5912
78	30	1728	3797	3376	5445	1945	4014	4076	6145
78	36	1799	4012	3493	5706	2023	4236	4204	6417
78	42	1868	4123	3610	5865	2096	4351	4324	6579
78	48	1941	4233	3731	6023	2176	4468	4446	6738
78	54	2009	4339	3842	6172	2253	4583	4567	6897
78	60	2081	4451	3963	6333	2327	4697	4693	7063
78	66	2149	4558	4076	6485	2406	4815	4814	7223
78	72	2223	4669	4196	6642	2485	4931	4937	7383
78	78	2291	4780	4313	6802	2555	5044	5060	7549
78	84	2362	4888	4430	6956	2637	5163	5179	7705
70	01	2302	1000	1130	0,7,0	2037	<i>)</i> 10 <i>9</i>	21/2	7705
84	24	1728	3724	3376	5372	1945	3941	4076	6072
84	30	1799	3908	3493	5602	2023	4132	4204	6313
84	36	1868	4123	3610	5865	2096	4351	4324	6579
84	42	1941	4233	3731	6023	2176	4468	4446	6738
84	48	2009	4339	3842	6172	2253	4583	4567	6897
84	54	2081	4451	3963	6333	2327	4697	4693	7063
84	60	2149	4558	4076	6485	2406	4815	4814	7223
84	66	2223	4669	4196	6642	2485	4931	4937	7383
84	72	2291	4780	4313	6802	2555	5044	5060	7549
84	78	2362	4888	4430	6956	2637	5163	5179	7705
84	84	2430	4997	4548	7115	2712	5279	5302	7869
01	01	2130	1,7,7,	1)10	,11)	2/12	22/7)J02	7007
90	24	1884	4632	3577	6325	2108	4856	4287	7035
90	30	1952	4814	3693	6555	2181	5043	4409	7271
90	36	2024	5031	3813	6820	2259	5266	4531	7538
90	42	2093	5138	3927	6972	2333	5378	4652	7697
90	48	2167	5251	4046	7130	2413	5497	4777	7861
90	54	2234	5359	4160	7285	2491	5616	4899	8024
90	60	2304	5464	4278	7438	2569	5729	5022	8182
90	66	2373	5573	4395	7595	2641	5841	5142	8342
90	72	2445	5685	4515	7755	2720	5960	5264	8504
90	78	2513	5793	4630	7910	2797	6077	5387	8667
90	84	2586	5901	4749	8064	2872	6187	5510	8825
96	24	1952	4739	3693	6480	2181	4968	4409	7196
96	30	2024	4923	3813	6712	2259	5158	4531	7430
96	36	2093	5138	3927	6972	2333	5378	4652	7697
96	42	2167	5251	4046	7130	2413	5497	4777	7861
96	48	2234	5359	4160	7285	2491	5616	4899	8024
96	54	2304	5464	4278	7438	2569	5729	5022	8182
96	60	2373	5573	4395	7595	2641	5841	5142	8342
96	66	2445	5685	4515	7755	2720	5960	5264	8504
96	72	2513	5793	4630	7910	2797	6077	5387	8667
96	78	2586	5901	4749	8064	2872	6187	5510	8825
96	84	2658	6015	4865	8222	2949	6306	5632	8989

reception

Xpress

 $B _ C R L$

Reception Desk Module - L-Shaped (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4 PRICING

			CONTINUED)			1 9/16" (X) (C		*** ** *******	
		FOUNDATIO		FLINTWOOD		FOUNDATION	LAMINATE	FLINTWOOI)
		INSET PANEL	FINISH						
Mw	Rw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
102	24	2032	4857	4066	6891	2267	5092	4786	7611
102	30	2102	5043	4184	7125	2344	5285	4906	7847
102	36	2173	5257	4300	7384	2419	5503	5032	8116
102	42	2242	5367	4418	7543	2496	5621	5154	8279
102	48	2315	5475	4534	7694	2576	5736	5273	8433
102	54	2380	5580	4652	7852	2648	5848	5396	8596
102	60	2453	5693	4771	8011	2727	5967	5520	8760
102	66	2525	5805	4886	8166	2804	6084	5641	8921
102	72	2591	5906	5002	8317	2883	6198	5765	9080
102	78	2665	6022	5120	8477	2958	6315	5888	9245
102	84	2733	6126	5239	8632	3035	6428	6010	9403
108	24	2102	4967	4184	7049	2344	5209	4906	7771
108	30	2173	5151	4300	7278	2419	5397	5032	8010
108	36	2242	5367	4418	7543	2496	5621	5154	8279
108	42	2315	5475	4534	7694	2576	5736	5273	8433
108	48	2380	5580	4652	7852	2648	5848	5396	8596
108	54	2453	5693	4771	8011	2727	5967	5520	8760
108	60	2525	5805	4886	8166	2804	6084	5641	8921
108	66	2591	5906	5002	8317	2883	6198	5765	9080
108	72	2665	6022	5120	8477	2958	6315	5888	9245
108	78	2733	6126	5239	8632	3035	6428	6010	9403
108	84	2804	6236	5355	8787	3111	6543	6132	9564
114	24	2173	5074	4300	7201	2419	5320	5032	7933
114	30	2242	5258	4418	7434	2496	5512	5154	8170
114	36	2315	5475	4534	7694	2576	5736	5273	8433
114	42	2380	5580	4652	7852	2648	5848	5396	8596
114	48	2453	5693	4771	8011	2727	5967	5520	8760
114	54	2525	5805	4886	8166	2804	6084	5641	8921
114	60	2591	5906	5002	8317	2883	6198	5763	9078
114	66	2665	6022	5120	8477	2958	6315	5888	9245
114	72	2733	6126	5239	8632	3035	6428	6010	9403
114	78	2804	6236	5355	8787	3111	6543	6131	9563
114	84	2873	6344	5473	8944	3189	6660	6256	9727
120	24	2242	5185	4418	7361	2496	5439	5154	8097
120	30	2315	5368	4534	7587	2576	5629	5273	8326
120	36	2380	5580	4652	7852	2648	5848	5395	8595
120	42	2453	5693	4771	8011	2727	5967	5520	8760
120	48	2525	5805	4886	8166	2804	6084	5641	8921
120	54	2591	5906	5002	8317	2883	6198	5763	9078
120	60	2665	6022	5120	8477	2958	6315	5888	9245
120	66	2733	6126	5239	8632	3035	6428	6010	9403
120	72	2804	6236	5355	8787	3111	6543	6131	9563
120	78	2873	6344	5473	8944	3189	6660	6256	9727
120	84	2944	6455	5588	9099	3263	6774	6378	9889

B_CRL Reception Desk Module - L-Shaped (Continued)

		1 2/16" (26)				1 0/1C" (Y)				
		1 3/16" (M)	NI I ANGINIATE	EL INTWOOD		1 9/16" (X)	LLAMINATE	FLINTWOOF		
		FOUNDATIO:		FLINTWOOD		FOUNDATION	NLAMINATE	FLINTWOOD)	
		INSET PANEL	FINISH					<u> </u>		
Mw	Rw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	
126	24	2315	5296	4534	7515	2576	5557	5273	8254	
126	30	2380	5474	4652	7746	2648	5742	5395	8489	
126	36	2453	5693	4771	8011	2727	5967	5520	8760	
126	42	2525	5805	4886	8166	2804	6084	5641	8921	
126	48	2591	5906	5002	8317	2883	6198	5763	9078	
126	54	2665	6022	5120	8477	2958	6315	5888	9245	
126	60	2733	6126	5239	8632	3035	6428	6010	9403	
126	66	2804	6236	5355	8787	3111	6543	6131	9563	
126	72	2873	6344	5473	8944	3189	6660	6256	9727	
126	78	2944	6455	5588	9099	3263	6774	6378	9889	
126	84	3015	6562	5706	9253	3341	6888	6501	10048	
132	24	2380	5398	4652	7670	2648	5666	5395	8413	
132	30	2453	5585	4771	7903	2727	5859	5520	8652	
132	36	2525	5805	4886	8166	2804	6084	5641	8921	
132	42	2591	5906	5002	8317	2883	6198	5763	9078	
132	48	2665	6022	5120	8477	2958	6315	5888	9245	
132	54	2733	6126	5239	8632	3035	6428	6010	9403	
132	60	2804	6236	5355	8787	3111	6543	6131	9563	
132	66	2873	6344	5473	8944	3189	6660	6256	9727	
132	72	2944	6455	5588	9099	3263	6774	6378	9889	
132	78	3015	6562	5706	9253	3341	6888	6501	10048	
132	84	3086	6675	5823	9412	3417	7006	6620	10209	
138	24	2453	5511	4771	7829	2727	5785	5520	8578	
138	30	2525	5698	4886	8059	2804	5977	5641	8814	
138	36	2591	5906	5002	8317	2883	6198	5763	9078	
138	42	2665	6022	5120	8477	2958	6315	5885	9242	
138	48	2733	6126	5239	8632	3035	6428	6010	9403	
138	54	2804	6236	5355	8787	3111	6543	6131	9563	
138	60	2873	6344	5473	8944	3189	6660	6254	9725	
138	66	2944	6455	5588	9099	3263	6774	6378	9889	
138	72	3015	6562	5706	9253	3341	6888	6501	10048	
138	78	3086	6675	5823	9412	3417	7006	6620	10209	
138	84	3155	6781	5940	9566	3494	7120	6744	10370	
144	24	2525	5620	4886	7981	2804	5899	5641	8736	
144	30	2591	5802	5002	8213	2883	6094	5763	8974	
144	36	2665	6022	5120	8477	2958	6315	5885	9242	
144	42	2733	6126	5239	8632	3035	6428	6010	9403	
144	48	2804	6236	5355	8787	3111	6543	6131	9563	
144	54	2873	6344	5473	8944	3189	6660	6254	9725	
144	60	2944	6455	5588	9099	3263	6774	6378	9889	
144	66	3015	6562	5706	9253	3341	6888	6501	10048	
144	72	3086	6675	5823	9412	3417	7006	6620	10209	
144	78	3155	6781	5940	9566	3494	7120	6744	10370	
14484	3225	6888	6059	9722	3570	7233	6867	10530		

B CRU

Reception Desk Module - U-Shaped

This U-Shaped Reception Desk Module is assembled with specific reception desk worksurfaces or attached to standard desk to create an aesthetic reception area.

WHAT'S INCLUDED

1 main width worksuface (if main width 84" to 90") or 2 main width worksufaces (if main width 96" to 144"), 2 return worksurfaces, 3 inset panels (if main width 84") or 4 inset panels (if main width 90" to 144"), 2 gables, 2 corner extrsions, and mounting hardware.

WHAT'S EXCLUDED

Standard Desks, Main Worksurface, Cross Grain Return – Reception Desk and Reception Desk Element – Tackboard.

This reception desk has a 5 1/2" overhang in front of the workstation.


Only the Source Laminate gable finish can be specified when Foundation Laminate worksurface finish is specified.

Only the Flintwood gable finish can be specified when Flintwood worksurface finish is specified.

Coordinate colors for corner extrusion are solid colors that can be used to match wood prints on inset panel. For details refer to the page 435.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Work- surface Thickness	Depth	Main Width	Left Return Width (from user's perspective)	Right Return Width (from user's perspective)	Work- surface Finish	Edge Trim Style	Edge Trim Finish	Gable Finish	Inset Panel Finish	Corner Extrusion Finish
M 1 3/16" X 1 9/16"	12	084, 090, 096, 102, 108, 114, 120, 126, 132, 138, 144	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Source Laminate Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	AC Clear Anodized Foundation Mica Coordinate Colors

SAMPLE ORDER CODE

DICODII	1.0	120	0/	0/	a D		/ D	2.0	37.0	1 40
BMCRU	12	1.58	∣ 84	84	2D	6	4D	3D	A3	I AC
						_				

DIMENSIONS - INCHES FOR MM X BY 25.4 **PRICING**

			1 3/16" (M)				1 9/16" (X)			
			FOUNDATIO	N LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
			INSET PANEI	FINISH						
Mw	LRw	RRw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
84	24	24	2057	4790	4173	6906	2299	5032	4888	7621
84	24	30	2126	4971	4292	7137	2377	5222	5011	7856
84	24	36	2198	5190	4410	7402	2453	5445	5132	8124
84	24	42	2267	5297	4531	7561	2531	5561	5257	8287
84	24	48	2335	5406	4649	7720	2605	5676	5379	8450
84	24	54	2408	5516	4771	7879	2683	5791	5498	8606
84	24	60	2480	5627	4888	8035	2761	5908	5623	8770
84	24	66	2547	5732	5010	8195	2839	6024	5744	8929
84	24	72	2618	5843	5126	8351	2913	6138	5866	9091
84	24	78	2689	5951	5249	8511	2990	6252	5989	9251
84	24	84	2760	6064	5366	8670	3067	6371	6111	9415

B_CRU

Reception Desk Module - U-Shaped (Continued)

			1 3/16" (M)	(CONTINUED)			1 9/16" (X) (C	ONTINUED)		
				ON LAMINATE	FLINTWOOD		FOUNDATION	*	FLINTWOOI	
			INSET PANE		FLINT WOOD		FOUNDATION	LAMINATE	FLINT WOOL	
Mw	LRw	RRw	Source	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
84	30	24	<u>Laminate</u> 2126	4971	4290	7135	2377	5222	5011	7856
84	30	30	2198	5158	4406	7366	2453	5413	5132	8092
84	30	36	2267	5373	4529	7635	2531	5637	5257	8363
84	30	42	2335	5480	4648	7793	2605	5750	5379	8524
84	30	48	2408	5591	4768	7951	2683	5866	5498	8681
84	30	54	2480	5700	4886	8106	2761	5981	5623	8843
84	30	60	2547	5808	5003	8264	2839	6100	5744	9005
84	30	66	2618	5918	5125	8425	2913	6213	5866	9166
84	30	72	2689	6024	5246	8581	2990	6325	5989	9324
84	30	78	2760	6137	5363	8740	3067	6444	6111	9488
84	30	84	2828	6243	5484	8899	3145	6560	6235	9650
84	36	24	2198	5190	4405	7397	2453	5445	5132	8124
84	36	30	2267	5373	4523	7629	2531	5637	5257	8363
84	36	36	2335	5584	4646	7895	2605	5854	5379	8628
84	36	42	2408	5698	4764	8054	2683	5973	5498	8788
84	36	48	2480	5809	4881	8210	2761	6090	5623	8952
84	36	54	2547	5916	5002	8371	2839	6208	5744	9113
84	36	60	2618	6025	5121	8528	2913	6320	5866	9273
84	36 36	<u>66</u> 72	2689 2760	6134 6245	<u>5244</u> 5362	8689 8847	2990 3067	6435 6552	<u>5989</u> 6111	9434 9596
84	36	78	2828	6352	5482	9006	3145	6669	6235	9396
84	36	84	2899	6461	5603	9165	3219	6781	6358	9920
84	42	24	2267	5297	4522	7552	2531	5561	5257	8287
84	42	30	2335	5480	4642	7787	2605	5750	5379	8524
84	42	36	2408	5698	4761	8051	2683	5973	5498	8788
84	42	42	2480	5809	4878	8207	2761	6090	5623	8952
84	42	48	2547	5916	5000	8369	2839	6208	5744	9113
84	42	54	2618	6025	5120	8527	2913	6320	5866	9273
84	42	60	2689	6134	5242	8687	2990	6435	5989	9434
84	42	66	2760	6245	5359	8844	3067	6552	6111	9596
84	42	72	2828	6352	5481	9005	3145	6669	6235	9759
84	42	78	2899	6461	5598	9160	3219	6781	6358	9920
84	42	84	2970	6569	5719	9318	3298	6897	6479	10078
84	48	24	2335	5406	4639	7710	2605	5676	5379	8450
84	48	30	2408	5591	4757	7940	2683	5866	5498	8681
84	48	36	2480	5809	4875	8204	2761	6090	5623	8952
84	48	42_	2547	5916	4996	8365	2839	6208	5744	9113
84 84	48	48 54	2618	6025 6134	<u>5118</u> 5239	8525 8684	2913 2990	6320 6435	<u>5866</u> 5989	9273 9434
84	48	60	<u>2689</u> 2760	6245	5357	8842	3067	6552	6111	9596
84	48	66	2828	6352	5479	9003	3145	6669	6235	9759
84	48	72	2899	6461	5596	9158	3219	6781	6358	9920
84	48	78	2970	6569	5716	9315	3298	6897	6479	10078
84	48	84	3040	6677	5835	9472	3373	7010	6600	10237
84	54	24	2408	5516	4755	7863	2683	5791	5498	8606
84	54	30	2480	5700	4874	8094	2761	5981	5623	8843
84	54	36	2547	5916	4994	8363	2839	6208	5744	9113
84	54	42	2618	6025	5116	8523	2913	6320	5866	9273
84	54	48	2689	6134	5233	8678	2990	6435	5989	9434
84	54	54	2760	6245	5355	8840	3067	6552	6111	9596
84	54	60	2828	6352	5476	9000	3145	6669	6235	9759
84	54	66	2899	6461	5592	9154	3219	6781	6358	9920
84	54	72	2970	6569	5714	9313	3298	6897	6479	10078
84	54	78	3040	6677	5832	9469	3373	7010	6600	10237
84	54	84	3111	6786	5954	9629	3452	7127	6726	10401

B - C R U

Reception Desk Module - U-Shaped (Continued)

			1 3/16" (M) (G	CONTINUED)			1 9/16" (X) (C	ONTINUED)		
			FOUNDATIO	N LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
			INSET PANEI	L FINISH						
			Source		Source		Source		Source	
Mw	LRw	RRw	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
84	60	24_	2480	5627	4872	8019	2761	5908	5623	8770
84	60	30_	2547	5808	4993	8254	2839	6100	5744	9005
84	60	<u>36</u> 42	2618 2689	6025	<u>5113</u> 5232	8520 8677	2913 2990	6320 6435	<u>5866</u> 5989	9273 9434
84	60	48	2760	6245	5350	8835	3067	6552	6111	9596
84	60	54	2828	6352	5473	8997	3145	6669	6235	9759
84	60	60	2899	6461	5591	9153	3219	6781	6358	9920
84	60	66	2970	6569	5712	9311	3298	6897	6479	10078
84	60	72	3040	6677	5831	9468	3373	7010	6600	10237
84	60	78	3111	6786	5951	9626	3452	7127	6726	10401
84	60	84	3181	6896	6071	9786	3529	7244	6847	10562
84	66	24	2547	5732	4990	8175	2839	6024	5744	8929
84	66	30	2618	5918	5111	8411	2913	6213	5866	9166
84	66	36	2689	6134	5228	8673	2990	6435	5989	9434
84	66	42	2760	6245	5349	8834	3067	6552	6111	9596
84	66	48	2828	6352	5468	8992	3145	6669	6235	9759
84	66	54	2899	6461	5588	9150	3219	6781	6358	9920
84	66	60	2970	6569	5711	9310	3298	6897	6479	10078
84	66	66_	3040	6677	5828	9465	3373	7010	6600	10237
84	66	72	3111	6786	5950	9625	3452	7127	6726	10401
84	66	78 84	3181 3249	6896 7000	6067 6189	9782 9940	3529 3606	7244 7357	6968	10562 10719
04	00	04	3249	7000	0109	9940	3000	7337	0700	10/19
84	72	24	2618	5843	5109	8334	2913	6138	5866	9091
84	72	30	2689	6024	5226	8561	2990	6325	5989	9324
84	72	36	2760	6245	5345	8830	3067	6552	6111	9596
84	72	42	2828	6352	5466	8990	3145	6669	6235	9759
84	72	48	2899	6461	5585	9147	3219	6781	6358	9920
84	72	54	2970	6569	5706	9305	3298	6897	6479	10078
84	72 72	60	3040 3111	6677 6786	<u>5826</u> 5946	9463 9621	3373 3452	7010 7127	6600	10237 10401
84	72	72	3181	6896	6066	9781	3529	7244	6847	10562
84	72	78	3249	7000	6186	9937	3606	7357	6968	10719
84	72	84	3320	7112	6303	10095	3682	7474	7091	10883
84	78	24	2689	5951	5223	8485	2990	6252	5989	9251
84	78	30	2760	6137	5344	8721	3067	6444	6111	9488
84	78	36	2828	6352	5464	8988	3145	6669	6235	9759
84	78	42	2899	6461	5583	9145	3219	6781	6358	9920
84	78	48	2970	6569	5705	9304	3298	6897	6479	10078
84	78	54	3040	6677	5823	9460	3373	7010	6600	10237
84	78	60	3111	6786	5943	9618	3452	7127	6726	10401
84	78	66	3181	6896	6062	9777	3529	7244	6847	10562
84	78	72	3249	7000	6185	9936	3606	7357	6968	10719
84	78	78	3320	7112	6301	10093	3682	7474	7091	10883
84	78	84	3392	7223	6422	10253	3755	7586	7214	11045
84	84	24	2760	6064	5341	8645	3067	6371	6111	9415
84	84	30_	2828	6243	5462	8877	3145	6560	6235	9650
84	84	36	2899	6461	5581	9143	3219	6781	6358	9920
84	84 84	42 48	<u>2970</u> 3040	6569 6677	<u>5701</u> 5821	9300 9458	3298 3373	6897 7010	6600	10078 10237
84	84	54	3111	6786	5940	9615	3452	7010	6726	1023/
84	84	60	3181	6896	6061	9776	3529	7244	6847	10562
84	84	66	3249	7000	6179	9930	3606	7357	6968	10719
84	84	72	3320	7112	6299	10091	3682	7474	7091	10883
84	84	78	3392	7223	6421	10252	3755	7586	7214	11045
84	84	84	3461	7332	6539	10410	3834	7705	7336	11207

B_CRU

Reception Desk Module – U-Shaped (Continued)

							-			
				CONTINUED)			1 9/16" (X) (C			
			FOUNDATIO		FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOD	
			INSET PANEI Source	_ FINISH	Source		Source		Source	
Mw	LRw	RRw	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
90	24	24	2210	5697	4374	7861	2460	5947	5092	8579
90	24	30	2282	5885	4492	8095	2538	6141	5215	8818
90	24	36	2354	6098	4612	8356	2616	6360	5339	9083
90	24	42	2419	6203	4732	8516	2690	6474	5460	9244
90	24	48	2493	6319	4851	8677	2769	6595	5583	9409
90	24	54_	2561	6424	4968	8831	2844	6707	5706	9569
90	24	60	2631	6533	5089	8991	2922	6824	5829	9731
90	24	66	2703	6641	5211	9149	2999	6937	5951	9889
90	24	72	2774	6750	5327	9303	3074	7050	6075	10051
90	24	78	2843	6858	5446	9461	3151	7166	6196	10211
90	24	84	2913	6968	5568	9623	3229	7284	6321	10376
90	30	24	2282	5885	4490	8093	2538	6141	5215	8818
90	30	30	2354	6066	4609	8321	2616	6328	5339	9051
90	30	36	2419	6279	4728	8588	2690	6550	5460	9320
90	30	42	2493	6389	4850	8746	2769	6665	5583	9479
90	30	48	2561	6497	4965	8901	2844	6780	5706	9642
90	30	54	2631	6605	5087	9061	2922	6896	5829	9803
90	30	60	2703	6715	5206	9218	2999	7011	5951	9963
90	30	66	2774	6827	5324	9377	3074	7127	6075	10128
90	30	72	2843	6934	5445	9536	3151	7242	6196	10287
90	30	78	2913	7043	5566	9696	3229	7359	6321	10451
90	30	84	2984	7153	5685	9854	3305	7474	6443	10612
90	36	24	2354	6098	4608	8352	2616	6360	5339	9083
90	36	30	2419	6279	4727	8587	2690	6550	5460	9320
90	36	36	2493	6498	4844	8849	2769	6774	5583	9588
90	36	42	2561	6605	4964	9008	2844	6888	5706	9750
90	36	48	2631	6714	5083	9166	2922	7005	5829	9912
90	36	54	2703	6823	5204	9324	2999	7119	5951	10071
90	36	60	2774	6931	<u>5322</u> 5443	9479	3074	7231	6075	10232
90 90	<u>36</u> 36	<u>66</u> 72	2843 2913	7041 7149	5565	9641 9801	3151 3229	7349 7465	6196 6321	10394 10557
90	36	78	2984	7259	5682	9957	3305	7580	6443	10718
90	36	84	3053	7367	5803	10117	3383	7697	6562	10876
90	42	24	2419	6203	4722	8506	2690	6474	5460	9244
90	42	30	2493	6389	4843	8739	2769	6665	5583	9479
90	42	36	2561	6605	4961	9005	2844	6888	5706	9750
90	42	42	2631	6714	5082	9165	2922	7005	5829	9912
90	42	48	2703	6823	5201	9321	2999	7119	5951	10071
90	42	54	2774	6931	5321	9478	3074	7231	6075	10232
90	42	60	2843	7041	5439	9637	3151	7349	6196	10394
90	42	66	2913	7149	5562	9798	3229	7465	6321	10557
90	42	72	2984	7259	5679	9954	3305	7580	6443	10718
90	42	78	3053	7367	5801	10115	3383	7697	6562	10876
90	42	84	3125	7478	5918	10271	3458	7811	6684	11037
90	48	24	2493	6319	4841	8667	2769	6595	5583	9409
90	48	30	2561	6497	4959	8895	2844	6780	5706	9642
90	48	36	2631	6714	5078	9161	2922	7005	5829	9912
90	48	42	2703	6823	5200	9320	2999	7119	5951	10071
90	48	48	2774	6931	5317	9474	3074	7231	6075	10232
90	48	54	2843	7041	5438	9636	3151	7349	6196	10394
90	48	60	2913	7149	5560	9796	3229	7465	6321	10557
90	48	66_	2984	7259	5677	9952	3305	7580	6443	10718
90	48	72	3053	7367	5799	10113	3383	7697	6562	10876
90	48	78	3125	7478	5916	10269	3458	7811	6684	11037
90	48	84	3195	7584	6037	10426	3536	7925	6809	11198

B - C R U

Reception Desk Module - U-Shaped (Continued)

			1 3/16" (M) (C	CONTINUED)			1 9/16" (X) (C	ONTINUED)		
			FOUNDATIO	N LAMINATE	FLINTWOOD		FOUNDATION	I LAMINATE	FLINTWOOL)
			INSET PANEI	FINISH						
			Source		Source		Source		Source	
Mw	LRw	RRw	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
90	54	24_	2561	6424	4956	8819	2844	6707	5706	9569
90	54	30_	2631	6605	5077	9051	2922	6896	5829	9803
90	54	36	2703	6823	5197	9317	2999	7119	5951	10071
90	54 54	42 48	2774 2843	6931 7041	<u>5316</u> 5436	9473 9634	3074 3151	7231 7349	6075	10232 10394
90	54	54	2913	7149	5555	9791	3229	7465	6321	10557
90	54	60	2984	7259	5676	9951	3305	7580	6443	10718
90	54	66	3053	7367	5795	10109	3383	7697	6562	10876
90	54	72	3125	7478	5914	10267	3458	7811	6684	11037
90	54	78	3195	7584	6034	10423	3536	7925	6809	11198
90	54	84	3263	7693	6154	10584	3611	8041	6929	11359
90	60	24	2631	6533	5075	8977	2922	6824	5829	9731
90	60	30	2703	6715	5196	9208	2922	7011	5951	9963
90	60	36	2774	6931	5313	9470	3074	7231	6075	10232
90	60	42	2843	7041	5435	9633	3151	7349	6196	10394
90	60	48	2913	7149	5553	9789	3229	7465	6321	10557
90	60	54	2984	7259	5671	9946	3305	7580	6443	10718
90	60	60	3053	7367	5794	10108	3383	7697	6562	10876
90	60	66	3125	7478	5911	10264	3458	7811	6684	11037
90	60	72	3195	7584	6033	10422	3536	7925	6809	11198
90	60	78	3263	7693	6151	10581	3611	8041	6929	11359
90	60	84	3334	7803	6273	10742	3690	8159	7052	11521
90	66	24	2703	6641	5190	9128	2999	6937	5951	9889
90	66	30	2774	6827	5312	9365	3074	7127	6075	10128
90	66	36	2843	7041	5431	9629	3151	7349	6196	10394
90	66	42	2913	7149	5549	9785	3229	7465	6321	10557
90	66	48	2984	7259	5670	9945	3305	7580	6443	10718
90	66	54	3053	7367	5788	10102	3383	7697	6562	10876
90	66	60	3125	7478	5910	10263	3458	7811	6684	11037
90	66	66_	3195	7584	6031	10420	3536	7925	6809	11198
90	66 66	<u>72</u> 78	3263 3334	7693 7803	6150 6271	10580 10740	3611 3690	8041 8159	<u>6929</u> 7052	11359 11521
90	66	84	3406	7913	6386	10/40	3764	8271	7172	11679
	- 00					10073		02/1	71/2	110/)
90	72	24	2774	6750	5309	9285	3074	7050	6075	10051
90	72	30	2843	6934	5430	9521	3151	7242	6196	10287
90	72	36	2913	7149	5547	9783	3229	7465	6321	10557
90	72 72	42	2984	7259	5668	9943	3305	7580	6443	10718
90		48	3053 3125	7367 7478	<u>5787</u> 5906	10101 10259	3383 3458	7697 7811	6562 6684	10876 11037
90 90	72 72	54 60	3195	7584	6029	10239	3536	7925	6809	11198
90	72	66	3263	7693	6148	10578	3611	8041	6929	11359
90	72	72	3334	7803	6267	10736	3690	8159	7052	11521
90	72	78	3406	7913	6383	10890	3764	8271	7172	11679
90	72	84	3477	8025	6505	11053	3841	8389	7296	11844
90	78	24	2843	6858	5425	9440	3151	7166	6196	10211
90	78	30	2913	7043	5546	9676	3229	7359	6321	10451
90	78	36	2984	7259	5664	9939	3305	7580	6443	10718
90	78	42	3053	7367	5785	10099	3383	7697	6562	10876
90	78	48	3125	7478	5904	10257	3458	7811	6684	11037
90	78	54	3195	7584	6026	10415	3536	7925	6809	11198
90	78	60	3263	7693	6147	10577	3611	8041	6929	11359
90	78	66	3334	7803	6263	10732	3690	8159	7052	11521
90	78	72	3406	7913	6382	10889	3764	8271	7172	11679
90	78	78	3477	8025	6504	11052	3841	8389	7296	11844
90	78	84	3545	8128	6624	11207	3917	8500	7418	12001

B_CRU

Reception Desk Module – U-Shaped (Continued)

			1 2/16" (3.6)	CONTINUED			1 0/16" (30) (6	ONTINUED)		
			1 3/16" (M) (C	·	EL INVENTO O D		1 9/16" (X) (C		EX INVENIO OF	
			FOUNDATIO		FLINTWOOD		FOUNDATION	LAMINATE	FLINTWOOL)
			INSET PANEI	FINISH						
		D.D.	Source	F1. 1	Source	vii. 1	Source	T1. 1	Source	T
Mw	LRw	RRw	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
90	84	24	2913	6968	5544	9599	3229	7284	6321	10376
<u>90</u> 90	84 84	<u>30</u> 36	<u>2984</u> 3053	7153 7367	<u>5663</u> 5784	9832 10098	3305 3383	7474 7697	6562	10612 10876
90	84	42	3125	7478	5902	10098	3458	7811	6684	11037
90	84	48	3195	7584	6025	10414	3536	7925	6809	11198
90	84	54	3263	7693	6142	10572	3611	8041	6929	11359
90	84	60	3334	7803	6262	10731	3690	8159	7052	11521
90	84	66	3406	7913	6380	10887	3764	8271	7172	11679
90	84	72	3477	8025	6502	11050	3841	8389	7296	11844
90	84	78	3545	8128	6620	11203	3917	8500	7418	12001
90	84	84	3616	8237	6740	11361	3999	8620	7541	12162
70	01	01	3010	0237	0/10	11501	3777	0020	/ / 11	12102
96	24	24	2282	5810	4490	8018	2538	6066	5215	8743
96	24	30	2354	5991	4609	8246	2616	6253	5339	8976
96	24	36	2419	6203	4728	8512	2690	6474	5460	9244
96	24	42	2493	6319	4850	8676	2769	6595	5583	9409
96	24	48	2561	6424	4965	8828	2844	6707	5706	9569
96	24	54	2631	6533	5087	8989	2922	6824	5829	9731
96	24	60	2703	6641	5206	9144	2999	6937	5951	9889
96	24	66	2774	6750	5324	9300	3074	7050	6075	10051
96	24	72	2843	6858	5445	9460	3151	7166	6196	10211
96	24	78	2913	6968	5566	9621	3229	7284	6321	10376
96	24	84	2984	7079	5685	9780	3305	7400	6443	10538
				, ., .		.,		,		
96	30	24	2354	5991	4608	8245	2616	6253	5339	8976
96	30	30	2419	6169	4727	8477	2690	6440	5460	9210
96	30	36	2493	6389	4844	8740	2769	6665	5583	9479
96	30	42	2561	6497	4964	8900	2844	6780	5706	9642
96	30	48	2631	6605	5083	9057	2922	6896	5829	9803
96	30	54	2703	6715	5204	9216	2999	7011	5951	9963
96	30	60	2774	6827	5322	9375	3074	7127	6075	10128
96	30	66	2843	6934	5443	9534	3151	7242	6196	10287
96	30	72	2913	7043	5565	9695	3229	7359	6321	10451
96	30	78	2984	7153	5682	9851	3305	7474	6443	10612
96	30	84	3053	7260	5803	10010	3383	7590	6562	10769
96	36	24	2419	6203	4722	8506	2690	6474	5460	9244
96	36	30	2493	6389	4843	8739	2769	6665	5583	9479
96	36	36	2561	6605	4961	9005	2844	6888	5706	9750
96	36	42	2631	6714	5082	9165	2922	7005	5829	9912
96	36	48	2703	6823	5201	9321	2999	7119	5951	10071
96	36	54	2774	6931	5321	9478	3074	7231	6075	10232
96	36	60	2843	7041	5439	9637	3151	7349	6196	10394
96	36	66	2913	7149	5562	9798	3229	7465	6321	10557
96	36	72	2984	7259	5679	9954	3305	7580	6443	10718
96	36	78	3053	7367	5801	10115	3383	7697	6562	10876
96	36	84	3125	7478	5918	10271	3458	7811	6684	11037
96	42	24	2493	6319	4841	8667	2769	6595	5583	9409
96	42	30	2561	6497	4959	8895	2844	6780	5706	9642
96	42	36	2631	6714	5078	9161	2922	7005	5829	9912
96	42	42	2703	6823	5200	9320	2999	7119	5951	10071
96	42	48	2774	6931	5317	9474	3074	7231	6075	10232
96	42	54	2843	7041	5438	9636	3151	7349	6196	10394
96	42	60	2913	7149	5560	9796	3229	7465	6321	10557
96	42	66	2984	7259	5677	9952	3305	7580	6443	10718
96	42	72	3053	7367	5799	10113	3383	7697	6562	10876
96	42	<u>78</u>	3125	7478	5916	10269	3458	7811	6684	11037
96	42	84	3195	7584	6037	10426	3536	7925	6809	11198

B - C R U

Reception Desk Module - U-Shaped (Continued)

			1 3/16" (M) (CONTINUED)			1 9/16" (X) (C	ONTINUED)		
				N LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
			INSET PANEI	FINISH						
	I D	D.D.	Source	rt . I	Source	Elt. I	Source	rit . I	Source	rt . I
<u>Mw</u> 96	LRw 48	<u>RRw</u> 24	<u>Laminate</u> 2561	Flintwood 6424	<u>Laminate</u> 4956	Flintwood 8819	<u>Laminate</u> 2844	Flintwood 6707	Laminate 5706	Flintwood 9569
96	48	30	2631	6605	5077	9051	2922	6896	5829	9803
96	48	36	2703	6823	5197	9317	2999	7119	5951	10071
96	48	42	2774	6931	5316	9473	3074	7231	6075	10232
96	48	48	2843	7041	5436	9634	3151	7349	6196	10394
96	48	54	2913	7149	5555	9791	3229	7465	6321	10557
96	48	60	2984	7259	5676	9951	3305	7580	6443	10718
96	48	66	3053	7367	5795	10109	3383	7697	6562	10876
96	48	72	3125	7478	5914	10267	3458	7811	6684	11037
96 96	48	78 84	3195	7584	6034 6154	10423	3536	7925	6809	11198
96	40	0 4	3263	7693	6134	10584	3611	8041	6929	11359
96	54	24	2631	6533	5075	8977	2922	6824	5829	9731
96	54	30	2703	6715	5196	9208	2999	7011	5951	9963
96	54	36	2774	6931	5313	9470	3074	7231	6075	10232
96	54	42	2843	7041	5435	9633	3151	7349	6196	10394
96	54	48_	2913	7149	5553	9789	3229	7465	6321	10557
96	54	54	2984	7259	5671	9946	3305	7580	6443	10718
96 96	54 54	66	3053 3125	7367 7478	<u>5794</u> 5911	10108 10264	3383 3458	7697 7811	6562	10876 11037
96	54	72	3195	7584	6033	10422	3536	7925	6809	11198
96	54	78	3263	7693	6151	10581	3611	8041	6929	11359
96	54	84	3334	7803	6273	10742	3690	8159	7052	11521
									<u> </u>	
96	60	24	2703	6641	5190	9128	2999	6937	5951	9889
96	60	30	2774	6827	5312	9365	3074	7127	6075	10128
<u>96</u> 96	60	36 42	2843 2913	7041 7149	<u>5431</u> 5549	9629 9785	3151 3229	7349 7465	6196 6321	10394 10557
96	60	48	2984	7259	5670	9945	3305	7580	6443	10718
96	60	54	3053	7367	5788	10102	3383	7697	6562	10876
96	60	60	3125	7478	5910	10263	3458	7811	6684	11037
96	60	66	3195	7584	6031	10420	3536	7925	6809	11198
96	60	72	3263	7693	6150	10580	3611	8041	6929	11359
96	60	78	3334	7803	6271	10740	3690	8159	7052	11521
96	60	84	3406	7913	6386	10893	3764	8271	7172	11679
96	66	24	2774	6750	5309	9285	3074	7050	6075	10051
96	66	30	2843	6934	5430	9521	3151	7242	6196	10287
96	66	36	2913	7149	5547	9783	3229	7465	6321	10557
96	66	42	2984	7259	5668	9943	3305	7580	6443	10718
96	66	48	3053	7367	5787	10101	3383	7697	6562	10876
96	66	54	3125	7478	5906	10259	3458	7811	6684	11037
96	66	60	3195 3263	7584	6029 6148	10418	3536 3611	7925 8041	6809 6929	11198 11359
<u>96</u> 96	66 66	<u>66</u> 72	3334	7693 7803	6267	10578 10736	3690	8159	7052	11521
96	66	78	3406	7913	6383	10890	3764	8271	7172	11679
96	66	84	3477	8025	6505	11053	3841	8389	7296	11844
06	72	24	2843	6858	5425	9440	3151	7166	6196	10211
<u>96</u> 96	72	30	2913	7043	5546	9676	3229	7359	6321	10451
96	72	36	2984	7259	5664	9939	3305	7580	6443	10718
96	72	42	3053	7367	5785	10099	3383	7697	6562	10876
96	72	48	3125	7478	5904	10257	3458	7811	6684	11037
96	72	54	3195	7584	6026	10415	3536	7925	6809	11198
96	72	60	3263	7693	6147	10577	3611	8041	6929	11359
96	72	66	3334	7803	6263	10732	3690	8159	7052	11521
96	72	72	3406	7913	6382	10889	3764	8271	7172	11679
96	72	78	3477	8025	6504	11052	3841	8389	7296	11844
96	72	84	3545	8128	6624	11207	3917	8500	7418	12001

B_CRU

Reception Desk Module - U-Shaped (Continued)

				CONTINUED)			1 9/16" (X) (C			
			FOUNDATIO INSET PANEI		FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOD)
			Source	Z FINISH	Source		Source		Source	
Mw	LRw	RRw	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
96	78	24	2913	6968	5544	9599	3229	7284	6321	10376
96	78	30	2984	7153	5663	9832	3305	7474	6443	10612
96	78	36	3053	7367	5784	10098	3383	7697	6562	10876
96	78	42	3125	7478	5902	10255	3458	7811	6684	11037
96	78	48	3195	7584	6025	10414	3536	7925	6809	11198
96	78	54	3263	7693	6142	10572	3611	8041	6929	11359
96	78	60	3334	7803	6262	10731	3690	8159	7052	11521
96	78	66_	3406	7913	6380	10887	3764	8271	7172	11679
96	78	72	3477	8025	6502	11050	3841	8389	7296	11844
96	78	78	3545	8128	6620	11203	3917	8500	7418	12001
96	78	84	3616	8237	6740	11361	3999	8620	7541	12162
96	84	24	2984	7079	5661	9756	3305	7400	6443	10538
96	84	30	3053	7260	5781	9988	3383	7590	6562	10769
96	84	36	3125	7478	5901	10254	3458	7811	6684	11037
96	84	42	3195	7584	6019	10408	3536	7925	6809	11198
96	84	48	3263	7693	6141	10571	3611	8041	6929	11359
96	84	54	3334	7803	6258	10727	3690	8159	7052	11521
96	84	60_	3406	7913	6379	10886	3764	8271	7172	11679
96	84	66	3477	8025	6499	11047	3841	8389	7296	11844
96	84	72	3545	8128	6618	11201	3917	8500	7418	12001
96	84	78	3616	8237	6738	11359	3999	8620	<u>7541</u>	12162
96	84	84	3688	8352	6857	11521	4072	8736	7666	12330
102	24	24	2359	5923	4863	8427	2623	6187	5594	9158
102	24	30	2428	6104	4981	8657	2699	6375	5716	9392
102	24	36	2499	6325	5101	8927	2776	6602	5839	9665
102	24	42	2572	6435	5219	9082	2852	6715	5959	9822
102	24	48	2640	6542	5339	9241	2929	6831	6083	9985
102	24	54	2711	6649	5459	9397	3007	6945	6205	10143
102	24	60	2781	6757	5580	9556	3084	7060	6328	10304
102	24	66	2849	6864	5697	9712	3159	7174	6451	10466
102	24	<u>72</u>	2922	6977	5816	9871	3239	7294	6571	10626
102 102	24 24	78 84	<u>2990</u> 3064	7085 7196	<u>5938</u> 6060	10033	3313 3388	7408 7520	6694 6820	10789 10952
102	24			/190		10192		/)20		10992
102	30	24	2428	6104	4980	8656	2699	6375	5716	9392
102	30	30	2499	6289	5096	8886	2776	6566	5839	9629
102	30	36	2572	6508	5217	9153	2852	6788	5959	9895
102	30	42	2640	6614	5338	9312	2929	6903	6083	10057
102	30	48	2711	6723	5455	9467	3007	7019	6205	10217
102 102	30 30	<u>54</u> 60	<u>2781</u> 2849	6834 6940	<u>5577</u> 5694	9630 9785	3084 3159	7137 7250	<u>6328</u> 6451	10381 10542
102	30	66	2922	7052	5815	9/85	3239	7369	6571	10542
102	30	72	2990	7159	5936	10105	3313	7482	6694	10863
102	30	78	3064	7271	6055	10262	3388	7595	6820	11027
102	30	84	3132	7379	6175	10422	3465	7712	6940	11187
102	36	24	2499	6325	5095	8921	2776	6602	5839	9665
102	36	30	2572	6508	5214	9150	2852	6788	5959	9895
102	36	36	2640	6723	5336	9419	2929	7012	6083	10166
102	36	42	2711	6831	5454	9574	3007	7127	6205	10325
102	36	48	2781	6938	5574	9731	3084	7241	6328	10485
102	36	54	2849	7047	5693	9891	3159	7357	6451	10649
102	36	60	2922	7158	5813	10049	3239	7475	6571	10807
102	36	66	2990	7265	5933	10208	3313	7588	6694	10969
102	36	72	3064	7378	6054	10368	3388	7702	6820	11134
102	36	78	3132	7485	6170	10523	3465	7818	6940	11293
	36	84	3203	7592	6291	10680	3543	7932	7063	11452

B - C R U

Reception Desk Module - U-Shaped (Continued)

			1 3/16" (M) (CONTINUED)			1 9/16" (X) (C	ONTINUED)		
			FOUNDATIO	N LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
			INSET PANEI	FINISH						
	1 D	D.D.	Source	rd. I	Source	Tris I	Source	ri. I	Source	ri. I
Mw 102	LRw 42	RRw 24	<u>Laminate</u> 2572	Flintwood 6435	<u>Laminate</u> 5213	Flintwood 9076	<u>Laminate</u> 2852	Flintwood 6715	<u>Laminate</u> 5959	Flintwood 9822
102	42	30	2640	6614	5335	9309	2929	6903	6083	10057
102	42	36	2711	6831	5451	9571	3007	7127	6205	10325
102	42	42	2781	6938	5573	9730	3084	7241	6328	10485
102	42	48	2849	7047	5691	9889	3159	7357	6451	10649
102	42	54	2922	7158	5812	10048	3239	7475	6571	10807
102	42	60	2990	7265	5928	10203	3313	7588	6694	10969
102	42	66	3064	7378	6048	10362	3388	7702	6820	11134
102	42	72	3132	7485	6168	10521	3465	7818	6940	11293
102	42	78	3203	7592	6288	10677	3543	7932	7063	11452
102	42	84	3271	7701	6409	10839	3618	8048	7189	11619
102	48	24	2640	6542	5333	9235	2929	6831	6083	9985
102	48	30	2711	6723	5447	9459	3007	7019	6205	10217
102	48	36_	2781	6938	5568	9725	3084	7241	6328	10485
102	48	42_	2849	7047	5689	9887	3159	7357	6451	10649
$\frac{102}{102}$	48 48	<u>48</u> 54	<u>2922</u> 2990	7158 7265	<u>5808</u> 5926	10044 10201	3239 3313	7475 7588	6694	10807 10969
102	48	60	3064	7378	6046	10360	3388	7702	6820	11134
102	48	66	3132	7485	6164	10517	3465	7818	6940	11293
102	48	72	3203	7592	6286	10675	3543	7932	7063	11452
102	48	78	3271	7701	6407	10837	3618	8048	7189	11619
102	48	84	3343	7812	6525	10994	3698	8167	7310	11779
102	54	24	2711	6649	5445	9383	3007	6945	6205	10143
102	54	30	2781	6834	5567	9620	3084	7137	6328	10381
102	54	36	2849	7047	5685	9883	3159	7357	6451	10649
102	54	42	2922	7158	5807	10043	3239	7475	6571	10807
102	54	48	2990	7265	5924	10199	3313	7588	6694	10969
102	54	54	3064	7378	6044	10358	3388	7702	6820	11134
102	54	60	3132	7485	6163	10516	3465	7818	6940	11293
$\frac{102}{102}$	54 54	<u>66</u> 72	3203 3271	7592 7701	6283 6406	10672 10836	3543 3618	7932 8048	7063 7189	11452 11619
102	54	78	3343	7812	6523	10992	3698	8167	7310	11779
102	54	84	3414	7921	6643	11150	3776	8283	7431	11938
102	60	24	2781	6757	5565	9541	3084	7060	6328	10304
102	60	30	2849	6940	5683	9774	3159	7250	6451	10542
102	60	36	2922	7158	5803	10039	3239	7475	6571	10807
102	60	42	2990	7265	5921	10196	3313	7588	6694	10969
102	60	48	3064	7378	6041	10355	3388	7702	6820	11134
102	60	54	3132	7485	6161	10514	3465	7818	6940	11293
102	60	60	3203	7592	6281	10670	3543	7932	7063	11452
102	60	66	3271	7701	6403	10833	3618	8048	7189	11619
102	60 60	72_	3343 3414	7812	<u>6522</u> 6641	10991	3698 3776	8167	7310	11779
102 102	60	78 84	3485	7921 8033	6760	11148 11308	3849	8283 8397	7431 7553	11938 12101
102	66	24	2849	6864	5679	9694	3159	7174	6451	10466
102	66	30	2922	7052	5802	9932	3239	7369	6571	10701
102	66	36	2990	7265	5918	10193	3313	7588	6694	10969
102	66	42	3064	7378	6039	10353	3388	7702	6820	11134
102	66	48	3132	7485	6157	10510	3465	7818	6940	11293
102	66	54	3203	7592	6279	10668	3543	7932	7063	11452
102	66	60	3271	7701	6401	10831	3618	8048	7189	11619
102	66	66	3343	7812	6519	10988	3698	8167	7310	11779
102	66	72	3414	7921	6638	11145	3776	8283	7431	11938
102	66	78	3485	8033	6757	11305	3849	8397	7553	12101
102	66	84	3552	8135	6876	11459	3925	8508	7673	12256

B_CRU

Reception Desk Module – U-Shaped (Continued)

			_							
				CONTINUED)			1 9/16" (X) (C			
			FOUNDATIO		FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOD	
			INSET PANEI	FINISH	Source		Source		Source	
Mw	LRw	RRw	Source Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
102	72	24	2922	6977	5799	9854	3239	7294	6571	10626
102	72	30	2990	7159	5917	10086	3313	7482	6694	10863
102	72	36	3064	7378	6037	10351	3388	7702	6820	11134
102	72	42	3132	7485	6156	10509	3465	7818	6940	11293
102	72	48	3203	7592	6278	10667	3543	7932	7063	11452
102	72	54	3271	7701	6395	10825	3618	8048	7189	11619
102	72	60	3343	7812	6518	10987	3698	8167	7310	11779
$\frac{102}{102}$	72 72	<u>66</u> 72	3414 3485	7921 8033	6635 6756	11142 11304	<u>3776</u> 3849	8283 8397	7431 7553	11938 12101
$\frac{102}{102}$	72	78	3552	8135	6874	11457	3925	8508	7673	12256
102	72	84	3625	8246	6995	11616	4005	8626	7798	12419
102	/ 2	04	302)	0240	0,7,7	11010	400)	8020	7778	1241)
102	78	24	2990	7085	5914	10009	3313	7408	6694	10789
102	78	30_	3064	7271	6035	10242	3388	7595	6820	11027
102	78	36	3132	7485	6154	10507	3465	7818	6940	11293
102	78	42	3203	7592	6276	10665	3543	7932	7063	11452
102	78	48	3271	7701	6394	10824	3618	8048	7189	11619
$\frac{102}{102}$	78 78	54 60	3343 3414	7812 7921	6511 6634	10980 11141	<u>3698</u> 3776	8167 8283	7310 7431	11779 11938
$\frac{102}{102}$		66	3485	8033	6752	11300	3849	8397	7553	12101
102	78	72	3552	8135	6873	11456	3925	8508	7673	12256
102	78	78	3625	8246	6992	11613	4005	8626	7798	12419
102	78	84	3693	8357	7111	11775	4079	8743	7922	12586
102	, 0	01	30,3	0357	, 111	11//5	10/)	0, 15	,,22	12,00
102	84	24	3064	7196	6033	10165	3388	7520	6820	10952
102	84	30	3132	7379	6153	10400	3465	7712	6940	11187
102	84	36_	3203	7592	6273	10662	3543	7932	7063	11452
102	84	42	3271	7701	6389	10819	3618	8048	7189	11619
102	84	48_	3343	7812	6510	10979	3698	8167	7310	11779
102	84	54 60	3414	7921	<u>6629</u> 6751	11136 11299	3776	8283	7431 7553	11938
$\frac{102}{102}$	84 84	66	3485 3552	8033 8135	6870	11453	3849 3925	8397 8508	7673	12101 12256
102	84	72	3625	8246	6990	11611	4005	8626	7798	12419
102	84	78	3693	8357	7110	11774	4079	8743	7922	12586
102	84	84	3764	8463	7229	11928	4155	8854	8042	12741
100	24	24	2/20	(022	4000	0505	2600	(30/	5716	0221
$\frac{108}{108}$	24 24	30	2428 2499	6033 6214	<u>4980</u> 5096	8585 8811	<u>2699</u> 2776	6304 6491	<u>5716</u> 5839	9321 9554
108	24	36	2572	6435	5217	9080	2852	6715	5959	9822
108	24	42	2640	6542	5338	9240	2929	6831	6083	9985
108	24	48	2711	6649	5455	9393	3007	6945	6205	10143
108	24	54	2781	6757	5577	9553	3084	7060	6328	10304
108	24	60	2849	6864	5694	9709	3159	7174	6451	10466
108	24	66	2922	6977	5815	9870	3239	7294	6571	10626
108	24	72	2990	7085	5936	10031	3313	7408	6694	10789
108	24	78	3064	7196	6055	10187	3388	7520	6820	10952
108	24	84	3132	7306	6175	10349	3465	7639	6940	11114
108	30	24	2499	6214	5095	8810	2776	6491	5839	9554
108	30	30	2572	6402	5214	9044	2852	6682	5959	9789
108	30	36	2640	6614	5336	9310	2929	6903	6083	10057
108	30	42	2711	6723	5454	9466	3007	7019	6205	10217
108	30	48	2781	6834	5574	9627	3084	7137	6328	10381
108	30	54	2849	6940	5693	9784	3159	7250	6451	10542
108	30	60	2922	7052	5813	9943	3239	7369	6571	10701
108	30	66	2990	7159	5933	10102	3313	7482	6694	10863
108	30	72	3064	7271	6049	10256	3388	7595	6820	11027
108	30	78_	3132	7379	6170	10417	3465	7712	6940	11187
108	30	84	3203	7488	6291	10576	3543	7828	7063	11348

B - C R U

Reception Desk Module - U-Shaped (Continued)

			1 3/16" (M) (CONTINUED)			1 9/16" (X) (C	ONTINUED)		
			FOUNDATIO	N LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
			INSET PANEI	FINISH						
	T D	DD	Source	rt . I	Source	rt . I	Source	rit . I	Source	Flintwood
Mw 108	LRw 36	<u>RRw</u> 24	<u>Laminate</u> 2572	Flintwood 6435	Laminate 5213	Flintwood 9076	<u>Laminate</u> 2852	Flintwood 6715	Laminate 5959	9822
108	36	30	2640	6614	5334	9308	2929	6903	6083	10057
108	36	36	2711	6831	5451	9571	3007	7127	6205	10325
108	36	42	2781	6938	5573	9730	3084	7241	6328	10485
108	36	48	2849	7047	5691	9889	3159	7357	6451	10649
108	36	54	2922	7158	5812	10048	3239	7475	6571	10807
108	36	60	2990	7265	5928	10203	3313	7588	6694	10969
108	36	66	3064	7378	6048	10362	3388	7702	6820	11134
108	36	72	3132	7485	6165	10518	3465	7818	6940	11293
108 108	36 36	78 84	3203 3271	7592 7701	6288 6409	10677 10839	3543 3618	7932 8048	7063 7189	11452 11619
108	36		32/1	//01	0409	10839	3018	8048	/109	11619
108	42	24	2640	6542	5333	9235	2929	6831	6083	9985
108	42	30	2711	6723	5447	9459	3007	7019	6205	10217
108	42	36_	2781	6938	5568	9725	3084	7241	6328	10485
108	42	42_	2849	7047	5689	9887	3159	7357	6451	10649
108	42	48	2922	7158	5808	10044	3239	7475	6571	10807
108	42 42	54	<u>2990</u> 3064	7265	<u>5926</u> 6046	10201	3313	7588	6694	10969
$\frac{108}{108}$	42	60	3132	7378 7485	6164	10360 10517	3388 3465	7702 7818	6820	11134 11293
108	42	72	3203	7592	6286	10675	3543	7932	7063	11452
108	42	78	3271	7701	6407	10837	3618	8048	7189	11619
108	42	84	3343	7812	6525	10994	3698	8167	7310	11779
108	48	24	2711	6649	5445	9383	3007	6945	6205	10143
108	48	30	2781	6834	5567	9620	3084	7137	6328	10381
108	48	36	2849	7047	5685	9883	3159	7357	6451	10649
108	48	42	2922	7158	5807	10043	3239	7475	6571	10807
108	48	48	2990	7265	5924	10199	3313	7588	6694	10969
108	48	54_	3064	7378	6044	10358	3388	7702	6820	11134
108	48	60	3132	7485	6162	10515	3465	7818	6940	11293
108	48	66	3203	7592	6283	10672	3543	7932	7063	11452
108	48	<u>72</u>	3271	7701	6406	10836	3618	8048	7189	11619
108	48	78_	3343	7812	6523	10992	3698	8167	7310	11779
108	48	84	3414	7921	6643	11150	3776	8283	7431	11938
108	54	24	2781	6757	5565	9541	3084	7060	6328	10304
108	54	30	2849	6940	5683	9774	3159	7250	6451	10542
108	54	36	2922	7158	5803	10039	3239	7475	6571	10807
108	54	42	2990	7265	5921	10196	3313	7588	6694	10969
108	54	48	3064	7378	6041	10355	3388	7702	6820	11134
108 108	54 54	54 60	3132 3203	7485 7592	6161 6281	10514 10670	3465 3543	7818 7932	6940 7063	11293 11452
108	54	66	3271	7701	6403	10833	3618	8048	7189	11619
108	54	72	3343	7812	6522	10991	3698	8167	7310	11779
108	54	78	3414	7921	6641	11148	3776	8283	7431	11938
108	54	84	3485	8033	6760	11308	3849	8397	7553	12101
108	60	24	2849	6864	5679	9694	3159	7174	6451	10466
108	60	30	2922	7052	5802	9932	3239	7369	6571	10701
108	60	36	2990	7265	5918	10193	3313	7588	6694	10969
108	60	42	3064	7378	6039	10353	3388	7702	6820	11134
108	60	48	3132	7485	6157	10510	3465	7818	6940	11293
108	60	54	3203	7592	6279	10668	3543	7932	7063	11452
108	60	60_	3271	7701	6401	10831	3618	8048	7189	11619
108	60	66	3343	7812	6519	10988	3698	8167	7310	11779
108	60	72	3414	7921	6638	11145	3776	8283	7431	11938
108	60	78	3485	8033	6757	11305	3849	8397	7553	12101
108	60	84	3552	8135	6876	11459	3925	8508	7673	12256

B_CRU

Reception Desk Module - U-Shaped (Continued)

			1 3/16" (M) (CONTINUED)			1 9/16" (X) (C	ONTINUED)		
				N LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
			INSET PANEI	FINISH						
Mw	LRw	RRw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
108	66	24	2922	6977	5799	9854	3239	7294	6571	10626
108	66	30	2990	7159	5917	10086	3313	7482	6694	10863
108	66	36	3064	7378	6037	10351	3388	7702	6820	11134
108	66	42	3132	7485	6156	10509	3465	7818	6940	11293
108	66	48	3203	7592	6277	10666	3543	7932	7063	11452
108	66	54	3271	7701	6395	10825	3618	8048	7189	11619
108	66	60	3343	7812	6518	10987	3698	8167	7310	11779
108	66	66	3414	7921	6635	11142	3776	8283	7431	11938
108	66	72	3485	8033	6756	11304	3849	8397	7553	12101
108	66	78	3552	8135	6874	11457	3925	8508	7673	12256
108	66	84	3625	8246	6995	11616	4005	8626	7798	12419
108	72	24	2990	7085	5914	10009	3313	7408	6694	10789
108	72	30	3064	7271	6035	10242	3388	7595	6820	11027
108	72	36	3132	7485	6154	10507	3465	7818	6940	11293
108	72	42	3203	7592	6276	10665	3543	7932	7063	11452
108	72	48	3271	7701	6394	10824	3618	8048	7189	11619
108	72	54	3343	7812	6511	10980	3698	8167	7310	11779
108	72	60	3414	7921	6634	11141	3776	8283	7431	11938
108	72	66	3485	8033	6752	11300	3849	8397	7553	12101
108	72	72	3552	8135	6873	11456	3925	8508	7673	12256
108	72	78	3625	8246	6992	11613	4005	8626	7798	12419
108	72	84	3693	8357	7111	11775	4079	8743	7919	12583
108	78	24	3064	7196	6033	10165	3388	7520	6820	10952
108	78	30	3132	7379	6153	10400	3465	7712	6940	11187
108	78	36	3203	7592	6273	10662	3543	7932	7063	11452
108	78	42	3271	7701	6389	10819	3618	8048	7189	11619
108	78	48	3343	7812	6510	10979	3698	8167	7310	11779
108	78	54_	3414	7921	6629	11136	3776	8283	7431	11938
108	78	60	3485	8033	6751	11299	3849	8397	7553	12101
108	78	66	3552	8135	6870	11453	3925	8508	7673	12256
$\frac{108}{108}$	78 78	<u>72</u> 78	3625 3693	8246 8357	<u>6990</u> 7107	11611 11771	4005 4079	8626 8743	7798 7919	12419 12583
108		84	3764	8463	7229	11928	4155	8854	8042	12741
	, -									·
108	84	24	3132	7306	6150	10324	3465	7639	6940	11114
108	84	30	3203	7488	6272	10557	3543	7828	7063	11348
108	84	36	3271	7701	6386	10816	3618	8048	7189	11619
108	84 84	42	3343	7812	6508	10977	3698	8167	7310	11779
108			<u>3414</u> 3485	7921 8033	6628 6749	11135	<u>3776</u>	8283 8397	7431 7553	11938
$\frac{108}{108}$	84 84	<u>54</u> 60	3485 3552	8033 8135	<u>6749</u> 6868	11297 11451	<u>3849</u> 3925	8397 8508	7553 7673	12101 12256
108	84	66	3625	8246	6988	11609	4005	8626	7798	12419
108	84	72	3693	8357	7106	11770	4079	8743	7919	12583
108	84	78	3764	8463	7228	11927	4155	8854	8042	12741
108	84	84	3834	8575	7347	12088	4234	8975	8164	12905
114	24	24	2499	6143	5095	8739	2776	6420	5839	9483
114	24	30	2572	6325	5214	8967	2852	6605	5959	9712
114	24	36	2640	6542	5336	9238	2929	6831	6083	9985
114	24	42	2711	6649	5453	9391	3007	6945	6205	10143
114	24	48	2781	6757	5574	9550	3084	7060	6328	10304
114	24	54	2849	6864	5693	9708	3159	7174	6451	10466
114	24	60	2922	6977	5813	9868	3239	7294	6571	10626
114	24	66	2990	7085	5933	10028	3313	7408	6694	10789
114	24	72	3064	7196	6049	10181	3388	7520	6820	10952
114	24	78	3132	7306	6170	10344	3465	7639	6940	11114
114	24	84	3203	7411	6291	10499	3543	7751	7063	11271

B - C R U

Reception Desk Module - U-Shaped (Continued)

			1 3/16" (M)	(CONTINUED)			1 9/16" (X) (C	ONTINUED)		
				ON LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOD	1
			INSET PAN	EL FINISH						
Mw	LRw	RRw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
114	30	24	2572	6325	5213	8966	2852	6605	5959	9712
114	30	30	2640	6507	5334	9201	2929	6796	6083	9950
114	30	36	2711	6723	5451	9463	3007	7019	6205	10217
114	30	42	2781	6834	5573	9626	3084	7137	6328	10381
114	30	48	2849	6940	5691	9782	3159	7250	6451	10542
114	30	54	2922	7052	5812	9942	3239	7369	6571	10701
114	30	60_	2990	7159	5928	10097	3313	7482	6694	10863
114	30	66	3064	7271	6048	10255	3388	7595	6820	11027
114	30	72	3132	7379	6165	10412	3465	7712	6940	11187
$\frac{114}{114}$	30 30	78 84	3203	7488	6288	10573	3543	7828	7063	11348
114	30	84	3271	7595	6409	10733	3618	7942	7186	11510
114	36	24	2640	6542	5333	9235	2929	6831	6083	9985
114	36	30	2711	6723	5446	9458	3007	7019	6205	10217
114	36	36	2781	6938	5568	9725	3084	7241	6328	10485
114	36	42	2849	7047	5689	9887	3159	7357	6451	10649
114	36	48	2922	7158	5808	10044	3239	7475	6571	10807
114	36	54	2990	7265	5926	10201	3313	7588	6694	10969
114	36	60	3064	7378	6046	10360	3388	7702	6820	11134
114	36	66_	3132	7485	6164	10517	3465	7818	6940	11293
114 114	<u>36</u> 36	<u>72</u> 78	3203	7592 7701	6285	10674 10837	3543 3618	7932 8048	7063 7186	11452 11616
114	36	84	3271 3343	7812	6407 6525	1085/	3698	8167	7310	11779
114	30	04	3343	7812	0,2,	10774	3098	810/	/310	11//9
114	42	24	2711	6649	5445	9383	3007	6945	6205	10143
114	42	30	2781	6834	5566	9619	3084	7137	6328	10381
114	42	36	2849	7047	5685	9883	3159	7357	6451	10649
114	42	42	2922	7158	5807	10043	3239	7475	6571	10807
114	42	48	2990	7265	5924	10199	3313	7588	6694	10969
114	42	54	3064	7378	6044	10358	3388	7702	6820	11134
114	42	60	3132	7485	6162	10515	3465	7818	6940	11293
114 114	42 42	<u>66</u> 72	3203 3271	7592 7701	6283 6406	10672 10836	3543 3618	7932 8048	7063 7186	11452 11616
114	42	78	3343	7701 7812	6523	10992	3698	8167	7310	11779
114	42	84	3414	7921	6643	11150	3776	8283	7431	11938
114	48	<u>24</u> 30	2781 2849	6757	<u>5565</u> 5683	9541 9774	3084 3159	7060 7250	<u>6328</u> 6451	10304 10542
114 114	48 48	36	2922	6940 7158	5803	10039	3239	7475	6571	10342
114	48	42	2990	7265	5921	10196	3313	7588	6694	10969
114	48	48	3064	7378	6041	10355	3388	7702	6820	11134
114	48	54	3132	7485	6161	10514	3465	7818	6940	11293
114	48	60	3203	7592	6280	10669	3543	7932	7063	11452
114	48	66	3271	7701	6403	10833	3618	8048	7186	11616
114	48	72	3343	7812	6522	10991	3698	8167	7310	11779
114	48	78	3414	7921	6641	11148	3776	8283	7431	11938
114	48	84	3485	8033	6760	11308	3849	8397	7552	12100
114	54	24	2849	6864	5679	9694	3159	7174	6451	10466
114	54	30	2922	7052	5802	9932	3239	7369	6571	10701
114	54	36	2990	7265	5918	10193	3313	7588	6694	10969
114	54	42	3064	7378	6039	10353	3388	7702	6820	11134
114	54	48	3132	7485	6157	10510	3465	7818	6940	11293
114	54	54	3203	7592	6279	10668	3543	7932	7063	11452
114	54	60	3271	7701	6399	10829	3618	8048	7186	11616
114	54	66	3343	7812	6519	10988	3698	8167	7310	11779
114	54	72	3414	7921	6638	11145	3776	8283	7431	11938
114	54	78	3485	8033	6757	11305	3849	8397	7552	12100
114	54	84	3552	8135	6876	11459	3925	8508	7673	12256

B_CRU

Reception Desk Module - U-Shaped (Continued)

			1 3/16" (M) (CONTINUED)			1 9/16" (X) (C	ONTINUED)		
			FOUNDATIO	ON LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
			INSET PANE	L FINISH						
M	I D	D.D.	Source	rd . 1	Source	Elt. 1	Source	rit . I	Source	rde . I
Mw 114	<u>LRw</u> 60	<u>RRw</u> 24	<u>Laminate</u> 2922	Flintwood 6977	<u>Laminate</u> 5799	Flintwood 9854	<u>Laminate</u> 3239	Flintwood 7294	Laminate 6571	Flintwood 10626
114	60	30	2990	7159	5917	10086	3313	7482	6694	10863
114	60	36	3064	7378	6037	10351	3388	7702	6820	11134
114	60	42	3132	7485	6156	10509	3465	7818	6940	11293
114	60	48	3203	7592	6277	10666	3543	7932	7063	11452
114	60	54	3271	7701	6395	10825	3618	8048	7186	11616
114	60	60	3343	7812	6518	10987	3698	8167	7310	11779
114	60	66	3414	7921	6635	11142	3776	8283	7431	11938
114	60	72	3485	8033	6756	11304	3849	8397	7552	12100
114	60	78	3552	8135	6874	11457	3925	8508	7673	12256
114	60	84	3625	8246	6995	11616	4005	8626	7798	12419
114	66	24	2990	7085	5914	10009	3313	7408	6694	10789
114	66	30	3064	7271	6035	10242	3388	7595	6820	11027
114	66	36	3132	7485	6154	10507	3465	7818	6940	11293
114	66	42	3203	7592	6276	10665	3543	7932	7063	11452
114	66	48	3271	7701	6393	10823	3618	8048	7186	11616
114	66	54	3343	7812	6511	10980	3698	8167	7310	11779
114	66	60	3414	7921	6634	11141	3776	8283	7431	11938
114	66	66_	3485	8033	6752	11300	3849	8397	7552	12100
$\frac{114}{114}$	66 66	72 78	3552	8135 8246	6873 6992	11456 11613	3925 4005	8508 8626	7673	12256 12419
$\frac{114}{114}$	66	84	<u>3625</u> 3693	8357	7111	11775	4003	8743	<u>7798</u> 7919	12583
114	00	04		63)/	/111	11//)	40/9	0/43	/919	12383
114	72	24	3064	7196	6033	10165	3388	7520	6820	10952
114	72	30	3132	7379	6153	10400	3465	7712	6940	11187
114	72	36	3203	7592	6273	10662	3543	7932	7063	11452
114	72	42	3271	7701	6389	10819	3618	8048	7186	11616
114	72	48	3343	7812	6509	10978	3698	8167	7310	11779
114	72	54_	3414	7921	6629	11136	3776	8283	7431	11938
114	72	60	3485	8033	6751	11299	3849	8397	7552	12100
114 114	72 72	<u>66</u> 72	3552 3625	8135 8246	6870 6990	11453 11611	3925 4005	8508 8626	<u>7673</u> 7798	12256 12419
114	72	78	3693	8357	7107	11771	4079	8743	7919	12583
114	72	84	3764	8463	7229	11928	4155	8854	8042	12741
114	78	24	3132	7306	6150	10324	3465	7639	6940	11114
114	78	30	3203	7488	6272	10557	3543	7828	7063	11348
114	78	36	3271	7701	6386	10816	3618	8048	7186	11616
114	78	42	3343	7812	6508	10977	3698	8167	7310	11779
114	78	48	3414	7921	6628	11135	3776	8283	7431	11938
114	78	54	3485	8033	6749	11297	3849	8397	7552	12100
114	78	60	3552	8135	6868	11451	3925	8508	7673	12256
114	78	66	3625	8246	6988	11609	4005	8626	7798	12419
114	78	72	3693	8357	7106	11770	4079	8743	7919	12583
114	78	78	3764	8463	7227	11926	4155	8854	8042	12741
114	78	84	3834	8575	7347	12088	4234	8975	8164	12905
114	84	24	3203	7411	6267	10475	3543	7751	7063	11271
114	84	30	3271	7595	6385	10709	3618	7942	7186	11510
114	84	36	3343	7812	6505	10974	3698	8167	7310	11779
114	84	42	3414	7921	6626	11133	3776	8283	7431	11938
114	84	48	3485	8033	6747	11295	3849	8397	7552	12100
114	84	54	3552	8135	6866	11449	3925	8508	7673	12256
114	84	60	3625	8246	6987	11608	4005	8626	7798	12419
114	84	<u>66</u>	3693	8357	7104	11768	4079	8743	7919	12583
114 114	84	72	3764 3834	8463 8575	7226 7342	11925 12083	4155 4234	8854 8975	8042 8164	12741 12905
114	84 84	78 84	3907	85/5 8686	7463	12083	4309	9088	8287	13066
114	04	04	390/	0000	/403	12242	4307	2000	028/	13000

B - C R U

Reception Desk Module - U-Shaped (Continued)

			1 3/16" (M) (CONTINUED)			1 9/16" (X) (C	ONTINUED)		
			FOUNDATIO	N LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
			INSET PANEI	L FINISH						
	T D	D.D.	Source	rit . I	Source	Elt. I	Source	rt . I	Source	rt . 1
Mw 120	LRw 24	<u>RRw</u> 24	<u>Laminate</u> 2572	Flintwood 6254	<u>Laminate</u> 5213	Flintwood 8895	<u>Laminate</u> 2852	Flintwood 6534	<u>Laminate</u> 5959	Flintwood 9641
120	24	30	2640	6431	5334	9125	2929	6720	6083	9874
120	24	36	2711	6649	5451	9389	3007	6945	6205	10143
120	24	42	2781	6757	5570	9546	3084	7060	6328	10304
120	24	48	2849	6864	5691	9706	3159	7174	6450	10465
120	24	54	2922	6977	5812	9867	3239	7294	6571	10626
120	24	60	2990	7085	5928	10023	3313	7408	6694	10789
120	24	66	3064	7196	6048	10180	3388	7520	6818	10950
120	24	72	3132	7306	6165	10339	3465	7639	6940	11114
120 120	24 24	78 84	3203 3271	7411 7520	6288 6408	10496 10657	3543 3618	7751 7867	7063 7186	11271 11435
120	24	04	32/1	/ 320	0408	1003/	3018	/80/	/180	1143)
120	30	24	2640	6431	5333	9124	2929	6720	6083	9874
120	30	30	2711	6619	5446	9354	3007	6915	6205	10113
120	30	36	2781	6834	5568	9621	3084	7137	6328	10381
120	30	42	2849	6940	5689	9780	3159	7250	6450	10541
120	30	48	2922	7052	5808	9938	3239	7369	6571	10701
120 120	30	<u>54</u> 60	<u>2990</u> 3064	7159 7271	<u>5926</u> 6046	10095 10253	3313	7482 7595	6694 6818	10863 11025
120	30	66	3132	7379	6164	10233	3465	7712	6940	11187
120	30	72	3203	7488	6285	10570	3543	7828	7063	11348
120	30	78	3271	7595	6407	10731	3618	7942	7186	11510
120	30	84	3343	7703	6525	10885	3698	8058	7310	11670
120	36	24	2711	6649	5445	9383	3007	6945	6205	10143
120	36	30	2781	6834	5566	9619	3084	7137	6328	10381
120	36	36	2849	7047	5685	9883	3159	7357	6450	10648
120	36	42	2922	7158	5807	10043	3239	7475	6571	10807
120	36	48	2990	7265	5924	10199	3313	7588	6694	10969
120	36	54_	3064	7378	6044	10358	3388	7702	6818	11132
120	36	60	3132	7485	6162	10515	3465	7818	6940	11293
120	36	66	3203	7592	6283	10672	3543	7932	7063	11452
120	36	72	3271	7701	6404	10834	3618	8048	7186	11616
120 120	<u>36</u> 36	78 84	3343 3414	7812 7921	6523 6643	10992 11150	3698 3776	8167 8283	7310 7431	11779 11938
120				/ 921		111)0		0203	/ 4 31	11938
120	42	24	2781	6757	5565	9541	3084	7060	6328	10304
120	42	30	2849	6940	5682	9773	3159	7250	6450	10541
120	42	<u>36</u> 42	2922	7158	<u>5803</u> 5921	10039	3239	7475	6571	10807
120 120	42	48	2990 3064	7265 7378	6041	10196 10355	3313 3388	7588 7702	6694 6818	10969 11132
120	42	54	3132	7485	6161	10514	3465	7818	6940	11293
120	42	60	3203	7592	6280	10669	3543	7932	7063	11452
120	42	66	3271	7701	6403	10833	3618	8048	7186	11616
120	42	72	3343	7812	6520	10989	3698	8167	7310	11779
120	42	78	3414	7921	6641	11148	3776	8283	7431	11938
120	42	84	3485	8033	6760	11308	3849	8397	7552	12100
120	48	24	2849	6864	5679	9694	3159	7174	6450	10465
120	48	30	2922	7052	5802	9932	3239	7369	6571	10701
120	48	36	2990	7265	5918	10193	3313	7588	6694	10969
120	48	42	3064	7378	6039	10353	3388	7702	6818	11132
120	48	48	3132	7485	6157	10510	3465	7818	6940	11293
120	48	54	3203	7592	6279	10668	3543	7932	7063	11452
120	48	60	3271	7701	6399	10829	3618	8048	7186	11616
120	48	<u>66</u>	3343 3414	7812	6519	10988	3698	8167	7310	11779
120 120	48 48	<u>72</u> 78	3414	7921 8033	<u>6638</u> 6757	11145 11305	3776 3849	8283 8397	7431 7552	11938 12100
120	48	84	3552	8135	6876	11459	3925	8508	7673	12256
120	-10	04		0133	00/0	11777		0,00		12270

B_CRU

Reception Desk Module - U-Shaped (Continued)

			1 3/16" (M) (CONTINUED)			1 9/16" (X) (C	ONTINUED)		
			FOUNDATIO	N LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOL)
			INSET PANE	L FINISH						
	T D	D.D.	Source	Trie . I	Source	Elt. I	Source	rit . I	Source	rde . 1
Mw 120	LRw 54	<u>RRw</u> 24	<u>Laminate</u> 2922	Flintwood 6977	<u>Laminate</u> 5799	Flintwood 9854	<u>Laminate</u> 3239	Flintwood 7294	Laminate 6571	Flintwood 10626
120	54	30	2990	7159	5917	10086	3313	7482	6694	10863
120	54	36	3064	7378	6037	10351	3388	7702	6818	11132
120	54	42	3132	7485	6156	10509	3465	7818	6940	11293
120	54	48	3203	7592	6277	10666	3543	7932	7063	11452
120	54	54	3271	7701	6395	10825	3618	8048	7186	11616
120	54	60	3343	7812	6515	10984	3698	8167	7310	11779
120	54	66	3414	7921	6635	11142	3776	8283	7431	11938
120	54	72	3485	8033	6756	11304	3849	8397	7552	12100
120	54 54	78	3552	8135	6874	11457	3925	8508	7673	12256
120	54	84	3625	8246	6995	11616	4005	8626	7798	12419
120	60	24	2990	7085	5914	10009	3313	7408	6694	10789
120	60	30	3064	7271	6035	10242	3388	7595	6818	11025
120	60	36	3132	7485	6154	10507	3465	7818	6940	11293
120	60	42	3203	7592	6276	10665	3543	7932	7063	11452
120	60	48	3271	7701	6393	10823	3618	8048	7186	11616
120	60	54	3343	7812	6511	10980	3698	8167	7310	11779
120	60	60	3414	7921	6634	11141	3776	8283	7431	11938
$\frac{120}{120}$	60	<u>66</u> 72	3485 3552	8033 8135	6752 6873	11300 11456	3849 3925	8397 8508	7552 7673	12100 12256
120	60	78	3625	8246	6992	11613	4005	8626	7798	12419
120	60	84	3693	8357	7111	11775	4079	8743	7919	12583
120	00	01	3073	037/	/ 111	11///	10/)	07 13	/ / / /	12)05
120	66	24	3064	7196	6033	10165	3388	7520	6818	10950
120	66	30	3132	7379	6153	10400	3465	7712	6940	11187
120	66	36	3203	7592	6273	10662	3543	7932	7063	11452
120	66	42	3271	7701	6389	10819	3618	8048	7186	11616
120	66	48	3343	7812	6509	10978	3698	8167	7310	11779
120	66	54	3414	7921	6629	11136	3776	8283	7431	11938
120 120	66	66	3485	8033	6751 6870	11299 11453	3849 3925	8397 8508	7552	12100 12256
120	<u>66</u>	72	<u>3552</u> 3625	8135 8246	6990	11611	4005	8626	<u>7673</u> 7798	12419
120	66	78	3693	8357	7107	11771	4079	8743	7919	12583
120	66	84	3764	8463	7229	11928	4155	8854	8042	12741
120	72	24	3132	7306	6150	10324	3465	7639	6940	11114
120	72	30	3203	7488	6272	10557	3543	7828	7063	11348
120	72	36	3271	7701	6386	10816	3618	8048	7186	11616
120	72	42	3343	7812	6508	10977	3698	8167	7310	11779
120	72	48	3414	7921	6627	11134	3776	8283	7431	11938
120	72	54	3485	8033	6749	11297	3849	8397	7552	12100
120	72	60	3552	8135	6868	11451	3925	8508	7673	12256
120	72	66	3625	8246	6988	11609	4005	8626	7798	12419
120	72	72	3693	8357	7106	11770	4079	8743	7919	12583
120	72	78	3764	8463	7227	11926	4155	8854	8042	12741
120	72	84	3834	8575	7347	12088	4234	8975	8164	12905
120	78	24	3203	7411	6267	10475	3543	7751	7063	11271
120	78	30	3271	7595	6385	10709	3618	7942	7186	11510
120	78	36	3343	7812	6505	10974	3698	8167	7310	11779
120	78	42	3414	7921	6626	11133	3776	8283	7431	11938
120	78	<u>48</u> 54	3485	8033	6747 6866	11295 11449	3849	8397	7552	12100
$\frac{120}{120}$	78 78		3552 3625	8135 8246	6987	11608	3925 4005	8508 8626	<u>7673</u> 7798	12256 12419
120		66	3623	8357	7104	11768	4079	8626	7919	12583
120		72	3764	8463	7226	11925	4155	8854	8042	12741
120	78	78	3834	8575	7342	12083	4234	8975	8164	12905
120	78	84	3907	8686	7463	12242	4309	9088	8287	13066
	, 0							,		-5500

B - C R U

Reception Desk Module - U-Shaped (Continued)

			1 3/16" (M) (CONTINUED)			1 9/16" (X) (C	ONTINUED)		
			FOUNDATIO	N LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
			INSET PANEI	L FINISH						
М	I D	D.D	Source	Eliment	Source	Flintwood	Source	Flintwood	Source Laminate	El:
Mw 120	LRw 84	<u>RRw</u> 24	<u>Laminate</u> 3271	Flintwood 7520	Laminate 6382	10631	<u>Laminate</u> 3618	7867	7186	Flintwood 11435
120	84	30	3343	7703	6504	10864	3698	8058	7310	11670
120	84	36	3414	7921	6624	11131	3776	8283	7431	11938
120	84	42	3485	8033	6743	11291	3849	8397	7552	12100
120	84	48	3552	8135	6865	11448	3925	8508	7673	12256
120	84	54	3625	8246	6983	11604	4005	8626	7798	12419
120	84	60	3693	8357	7103	11767	4079	8743	7919	12583
$\frac{120}{120}$	84 84	<u>66</u> 72	<u>3764</u> 3834	8463 8575	7221 7340	11920 12081	4155 4234	8854 8975	8042 8164	12741 12905
120	84	78	3907	8686	7460	12239	4309	9088	8287	13066
120	84	84	3974	8791	7579	12396	4385	9202	8410	13227
120	0.	0.1	37/1	0,71	, , , ,	12570	1309	,202	0110	13227
126	24	24	2640	6357	5333	9050	2929	6646	6082	9799
126	24	30	2711	6544	5446	9279	3007	6840	6205	10038
126	24	36	2781	6757	5568	9544	3084	7060	6328	10304
126	24	42	2849	6864	5687	9702	3159	7174	6450	10465
126	24	<u>48</u> 54	<u>2922</u> 2990	6977	<u>5808</u> 5926	9863	3239	7294 7408	6571 6694	10626
126 126	24 24	60	3064	7085 7196	6046	10021 10178	3313 3388	7520	6818	10789 10950
126	24	66	3132	7306	6164	10338	3465	7639	6940	11114
126	24	72	3203	7411	6285	10493	3543	7751	7063	11271
126	24	78	3271	7520	6407	10656	3618	7867	7186	11435
126	24	84	3343	7630	6524	10811	3698	7985	7310	11597
126	30	24	2711	6544	5445	9278	3007	6840	6205	10038
126	30	30	2781 2849	6730 6940	<u>5566</u> 5685	9515	3084	7033 7250	6328 6450	10277
126 126	30 30	<u>36</u> 42	2922	7052	5805	9776 9935	3159 3239	7369	6571	10541 10701
126	30	48	2990	7159	5924	10093	3313	7482	6694	10863
126	30	54	3064	7271	6044	10251	3388	7595	6818	11025
126	30	60	3132	7379	6162	10409	3465	7712	6940	11187
126	30	66	3203	7488	6283	10568	3543	7828	7063	11348
126	30	72_	3271	7595	6404	10728	3618	7942	7186	11510
126	30	78	3343	7703	6523	10883	3698	8058	7310	11670
126	30	84	3414	7815	6643	11044	3776	8177	7431	11832
126	36	24	2781	6757	5565	9541	3084	7060	6328	10304
126	36	30	2849	6940	5682	9773	3159	7250	6450	10541
126	36	36	2922	7158	5803	10039	3239	7475	6571	10807
126	36	42	2990	7265	5921	10196	3313	7588	6694	10969
126	36	48	3064	7378	6041	10355	3388	7702	6818	11132
126	36	54_	3132	7485	6161	10514	3465	7818	6940	11293
126	36	60	3203	7592	6280	10669	3543	7932	7063	11452
126	36	66	3271	7701	6403	10833	3618	8048	7186	11616
126 126	<u>36</u> 36	72 78	3343 3414	7812 7921	6520 6641	10989 11148	3698 3776	8167 8283	7310 7431	11779 11938
126	36	84	3485	8033	6760	11308	3849	8397	7552	12100
120	50	0.1	5 10 5	0033	0, 00	11500	3019	0377	, 552	12100
126	42	24	2849	6864	5679	9694	3159	7174	6450	10465
126	42	30	2922	7052	5801	9931	3239	7369	6571	10701
126	42	36	2990	7265	5918	10193	3313	7588	6694	10969
126	42	42	3064	7378	6039	10353	3388	7702	6818	11132
126	42	48	3132	7485	6157	10510	3465	7818	6940	11293
126	42 42	<u>54</u> 60	3203 3271	7592 7701	6279 6399	10668 10829	3543	7932	7063	11452 11616
126 126	42	66	3343	7701 7812	6519	10829	3618 3698	8048 8167	7186 7310	11779
126	42	72	3414	7921	6636	11143	3776	8283	7431	11938
126	42	78	3485	8033	6757	11305	3849	8397	7552	12100
126	42	84	3552	8135	6876	11459	3925	8508	7673	12256
				0,	/-			- /		

B_CRU

Reception Desk Module - U-Shaped (Continued)

			1 2/16" (M) (CONTINUED			1.0/16" (V) (C	ONTINUED)		
				CONTINUED)	FLINTWOOD		1 9/16" (X) (C	•	FLINTWOOD	
			FOUNDATIO		FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
			INSET PANEI	FINISH						
Mw	LRw	RRw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
126	48	24	2922	6977	5799	9854	3239	7294	6571	10626
126	48	30	2990	7159	5916	10085	3313	7482	6694	10863
126	48	36	3064	7378	6037	10351	3388	7702	6818	11132
126	48	42	3132	7485	6156	10509	3465	7818	6940	11293
126	48	48	3203	7592	6277	10666	3543	7932	7063	11452
126	48	54	3271	7701	6395	10825	3618	8048	7186	11616
126	48	60	3343	7812	6515	10984	3698	8167	7310	11779
126	48	66	3414	7921	6635	11142	3776	8283	7431	11938
126	48	72	3485	8033	6756	11304	3849	8397	7552	12100
126	48	78	3552	8135	6874	11457	3925	8508	7673	12256
126	48	84	3625	8246	6995	11616	4005	8626	7798	12419
126	54	24	2990	7085	5914	10009	3313	7408	6694	10789
126	54	30	3064	7271	6035	10242	3388	7595	6818	11025
126	54	36	3132	7485	6154	10507	3465	7818	6940	11293
126	54	42	3203	7592	6276	10665	3543	7932	7063	11452
126	54	48	3271	7701	6393	10823	3618	8048	7186	11616
126	54	54	3343	7812	6511	10980	3698	8167	7310	11779
126	54	60	3414	7921	6633	11140	3776	8283	7431	11938
126	54	66	3485	8033	6752	11300	3849	8397	7552	12100
126	54	72	3552	8135	6873	11456	3925	8508	7673	12256
126	54	78	3625	8246	6992	11613	4005	8626	7798	12419
126	54	84	3693	8357	7111	11775	4079	8743	7919	12583
126	(0	24	3064	7196	(022	10165	2200	7520	6818	10950
126	60	30	3132	7379	6033	10165 10400	3388 3465	7520 7712	6940	11187
126	60					10400		7932		
1 <u>26</u> 126	60	<u>36</u> 42	3203 3271	7592 7701	6273 6389	10819	3543 3618	8048	7063 7186	11452 11616
126	60	48	3343	7812	6509	10978	3698	8167	7310	11779
126	60	54	3414	7921	6629	11136	3776	8283	7431	11938
126	60	60	3485	8033	6750	11298	3849	8397	7552	12100
126	60	66	3552	8135	6870	11453	3925	8508	7673	12256
126	60	72	3625	8246	6990	11611	4005	8626	7798	12419
126	60	78	3693	8357	7107	11771	4079	8743	7919	12583
126	60	84	3764	8463	7229	11928	4155	8854	8042	12741
126	66	24	3132	7306	6150	10324	3465	7639	6940	11114
126	66	30	3203	7488	6272	10524	3543	7828	7063	11114
126	66	36	3271	7701	6386	10337	3618	8048	7186	11616
126	66	42	3343	7812	6508	10977	3698	8167	7310	11779
126	66	48	3414	7921	6627	11134	3776	8283	7431	11938
26	66	54	3485	8033	6749	11134	3849	8397	7552	12100
126	66	60	3552	8135	6868	11451	3925	8508	7673	12256
126	66	66	3625	8246	6988	11609	4005	8626	7798	12419
126	66	72	3693	8357	7106	11770	4079	8743	7919	12583
126	66	78	3764	8463	7227	11926	4155	8854	8042	12741
126	66	84	3834	8575	7347	12088	4234	8975	8164	12905
126	72	2/	2202	7/11	6267	10/75	25/2	7751	7062	11271
126 126	72 72	24	3203 3271	7411 7595	6385	10475 10709	3543 3618	7751 7942	7063 7186	11271 11510
126		30	3343	7812	6505	10/09	3698	8167	7310	11779
126	72 72	<u>36</u> 42	3414	7921	6626	11133	3776	8283	7431	11//9
126	72	48	3485	8033	6744	11292	3849	8397	7552	12100
126	72	54	3552	8135	6866	11449	3925	8508	7673	12256
126	72	60	3625	8246	6987	11608	4005	8626	7798	12419
126	72	66	3693	8357	7104	11768	4079	8743	7919	12583
126	72	72	3764	8463	7226	11925	4155	8854	8042	12741
126		78	3834	8463 8575	7342	12083	4234	8854 8975	8042 8164	12/41
	72 72	84	3907	8686	7463	12242	4309	9088	8287	13066
126	/ 2	04		0000		12242	4307	2000	040/	13000

B - C R U

Reception Desk Module - U-Shaped (Continued)

			1 3/16" (M) (CONTINUED)			1 9/16" (X) (C	ONTINUED)		
				N LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
			INSET PANEI	L FINISH						
	T D	D.D.	Source	rt . I	Source	rete i 1	Source	ri . I	Source	rde . I
Mw 126	<u>LRw</u> 78	<u>RRw</u> 24	<u>Laminate</u> 3271	Flintwood 7520	Laminate 6382	Flintwood 10631	<u>Laminate</u> 3618	Flintwood 7867	Laminate 7186	Flintwood 11435
126	78	30	3343	7703	6504	10864	3698	8058	7310	11670
126	78	36	3414	7921	6624	11131	3776	8283	7431	11938
126	78	42	3485	8033	6743	11291	3849	8397	7552	12100
126	78	48	3552	8135	6863	11446	3925	8508	7673	12256
126	78	54	3625	8246	6983	11604	4005	8626	7798	12419
126	78	60	3693	8357	7103	11767	4079	8743	7919	12583
126	78	66	3764	8463	7221	11920	4155	8854	8042	12741
126	78	72	3834	8575	7340	12081	4234	8975	8164	12905
126	78 78	78 84	3907	8686	7460 7579	12239	4309	9088	8287 8410	13066
126	/8	84	3974	8791	/3/9	12396	4385	9202	8410	13227
126	84	24	3343	7630	6502	10789	3698	7985	7310	11597
126	84	30	3414	7815	6620	11021	3776	8177	7431	11832
126	84	36_	3485	8033	6740	11288	3849	8397	7552	12100
126	84	42_	3552	8135	6859	11442	3925	8508	7673	12256
126 126	84 84	<u>48</u> 54	3625 3693	8246 8357	<u>6982</u> 7100	11603 11764	4005 4079	8626 8743	7798 7919	12419 12583
126	84	60	3764	8463	7220	11919	4155	8854	8042	12741
126	84	66	3834	8575	7337	12078	4234	8975	8164	12905
126	84	72	3907	8686	7458	12237	4309	9088	8287	13066
126	84	78	3974	8791	7575	12392	4385	9202	8410	13227
126	84	84	4046	8902	7698	12554	4465	9321	8532	13388
132	24	24	2711	6466	5445	9200	3007	6762	6205	9960
132	24	30	2781	6651	5566	9436	3084	6954	6328	10198
132	24	36	2849	6864	5685	9700	3159	7174	6450	10465
132	24	42	2922	6977	5805	9860	3239	7294	6571	10626
132	24	48	2990	7085	5924	10019	3313	7408	6694	10789
132	24	54_	3064	7196	6044	10176	3388	7520	6818	10950
132 132	24 24	66	3132 3203	7306 7411	6162 6283	10336 10491	3465 3543	7639 7751	<u>6940</u> 7063	11114 11271
132	24	72	3271	7520	6404	10653	3618	7867	7186	11435
132	24	78	3343	7630	6523	10810	3698	7985	7310	11597
132	24	84	3414	7741	6642	10969	3776	8103	7431	11758
132	30	24	2781	6651	5565	9435	3084	6954	6328	10198
132	30	30	2849	6831	5682	9664	3159	7141	6450	10432
132	30	36	2922	7052	5803	9933	3239	7369	6571	10701
132	30	42	2990	7159	5919	10088	3313	7482	6694	10863
132	30	48	3064	7271	6041	10248	3388	7595	6818	11025
132	30	54	3132	7379	6161	10408	3465	7712	6940	11187
132 132	30	60	3203 3271	7488 7595	6280 6403	10565 10727	3543 3618	7828 7942	7063	11348 11510
132	30 30	<u>66</u> 72	3343	7703	6520	10/2/	3698	8058	7186 7310	11670
132	30	78	3414	7815	6641	11042	3776	8177	7431	11832
132	30	84	3485	7924	6758	11197	3849	8288	7552	11991
132	36	24	2849	6864	5679	9694	3159	7174	6450	10465
132	36	30	2922	7052	5801	9931	3239	7369	6571	10701
132	36	36	2990	7265	5918	10193	3313	7588	6694	10969
132	36	42	3064	7378	6038	10352	3388	7702	6818	11132
132	36	48	3132	7485	6157	10510	3465	7818	6940	11293
132	36	54	3203	7592	6279	10668	3543	7932	7063	11452
132	36	60	3271	7701	6399	10829	3618	8048	7186	11616
132	36	66	3343	7812	6519	10988	3698	8167	7310	11779
132	36	72	3414	7921	6636	11143	3776	8283	7431	11938
132 132	<u>36</u> 36	78 84	3485 3552	8033 8135	<u>6757</u> 6876	11305 11459	3849 3925	8397 8508	7552 7673	12100 12256
132	90	04	3334	0137	00/0	114)7	3743	8508	/0/3	12270

B_CRU

Reception Desk Module - U-Shaped (Continued)

No. Cont. Pounds Pound											
No. No.							·				
Source		FLINTWOOD	LAMINATE	FOUNDATION		FLINTWOOD					
No. No.		Ç		C		Ç	L FINISH				
132 42 24 2920 6977 5799 9854 3239 7294 6571 132 42 36 3064 7378 6037 10351 3388 7702 6818 132 42 42 3132 7485 6156 10599 3465 7818 6940 132 42 48 3203 7592 6277 10666 3543 7932 7063 132 42 48 3203 7592 6277 10666 3543 7932 7063 132 42 54 3271 7701 6395 10825 8618 8048 7186 132 42 60 3343 7812 6615 10984 3698 8167 7310 132 42 72 3485 8033 6754 11302 3849 8397 7552 132 42 73 3485 8033 6754 11497 3925 8508 7673 132 42 84 3625 8246 6095 11616 4005 8626 7798 132 43 83 43 43 43 43 43 43	Flintwood		Flintwood		Flintwood		Flintwood		RRw	LRw	Mw
132 42 36 3064 7378 6037 10351 3388 7702 6818 132 42 42 3132 7485 6156 10509 3465 7818 6949 132 42 48 3203 7592 6277 10666 3543 7932 7063 132 42 54 3271 7701 6395 10825 3618 8048 7186 132 42 60 3343 7812 6615 10984 3698 8167 7310 132 42 66 3414 7921 6635 11142 3776 8283 7431 132 42 72 3485 8033 6754 11302 3849 8397 7552 132 42 78 3552 8135 6874 11457 3925 8508 76/3 132 42 78 3552 8126 6995 11616 4005 8626 7798 132 48 24 2990 7085 5914 10009 3313 7408 6694 132 48 30 3064 7271 6034 10241 3388 7595 6818 132 48 48 36 3132 7485 6154 10507 3465 7818 6940 132 48 48 3203 7592 6276 10665 3543 7932 7063 132 48 48 3271 7701 6393 10823 3618 8048 7186 132 48 54 3343 7812 6511 10980 3608 8167 7310 132 48 66 3485 8033 6752 11300 3849 8397 7552 132 48 66 3485 8033 6752 11300 3849 8397 7552 132 48 66 3485 8033 6752 11300 3849 8397 7552 132 48 86 3485 8033 6752 11300 3849 8397 7552 132 48 86 3485 8033 6752 11300 3849 8397 7552 132 48 86 3485 8033 6752 11300 3465 7712 6940 132 48 86 3485 8033 6752 11300 3465 7712 6940 132 48 86 3485 8033 6752 11300 3465 7712 6940 132 48 86 3485 8033 6752 11300 3463 7712 6940 132 48 86 3485 8033 6752 11300 3463 7712 6940 132 48 86 3485 8033 6752 11300 3465 7712 6940 132 48 86 3485 8033 6752 11300 3465 7712 6940 132 48 49 3064 7196 6033 11065 3388 7520 6818 132 48 54 3064 7196 6033 11065 3388 7520 6818 132 48 49 3064 7196 6033 11065 3388 7520 6818	10626				9854					42	132
132 42 42 3132 7485 6156 10509 3465 7818 6940 132 42 48 3203 7592 6277 10666 3543 7932 7063 132 42 54 3271 7701 6395 10825 3618 8048 7186 132 42 60 3343 7812 6615 10825 3618 8048 7186 132 42 66 3414 7921 6635 11142 3776 8233 7431 132 42 78 3552 8155 8657 11142 3776 8283 7431 132 42 78 3552 8155 8657 11145 3849 8397 7552 132 42 78 3552 8155 8657 11457 3925 8508 7673 132 42 84 3625 8246 6995 11616 4005 8626 7798 132 48 24 2990 7085 5914 10009 3313 7408 6694 132 48 30 3064 7271 6034 10241 3388 7595 6818 132 48 30 3064 7271 6034 10241 3388 7595 6818 132 48 42 3203 7592 6276 10665 3543 77932 7063 132 48 48 3271 7701 6393 10823 3618 8048 7186 132 48 54 3344 7812 6633 11140 3776 8233 7431 132 48 60 3414 7921 6633 11140 3776 8233 7431 132 48 72 3552 8135 6871 11454 3925 8088 7673 132 48 72 3552 8135 6871 11454 3925 8088 7673 132 48 72 3552 8135 6871 11454 3925 8088 7798 132 48 84 3693 8357 7111 11775 4079 8743 7919 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 48 84 3693 8357 7111 11775 4079 8743 7919 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 54 36 3203 7418 6699 10978 3698 8167	10863	6694	7482	3313	10085	5916	7159	2990	30	42	132
132 42 48 3203 7592 6277 10666 3543 7932 7063 132 42 54 3271 7701 6395 10825 3618 8048 7186 132 42 66 3414 7921 6635 11142 3776 8283 7431 132 42 72 3485 8033 6754 11302 3849 8397 7552 132 42 78 3552 8135 6874 11457 3925 8508 7673 132 42 84 3625 8246 6995 11616 4005 8026 7798 132 48 30 3064 7271 6034 10241 3388 7595 6818 132 48 48 30 3064 7271 6034 10241 3388 7595 6818 132 48 48 30 3064 7271 6034 10241 3388 7595 6818 132 48 48 42 3203 7592 6276 10665 3543 7932 7063 132 48 48 48 3271 7701 6393 10823 3618 8048 7186 132 48 60 3414 7921 6633 11140 3776 8283 7431 132 48 60 3414 7921 6633 11140 3776 8283 7431 132 48 78 3625 8246 6992 11613 4005 8066 7798 132 48 60 3414 7921 6633 11140 3776 8283 7431 132 48 78 3625 8246 6992 11613 4005 8066 7798 7552 132 48 78 3625 8246 6992 11613 4005 8026 7798 7552 132 48 78 3625 8246 6992 11613 4005 8026 7798 7791 132 48 84 3693 8357 7111 11775 4079 8743 7919 132 54 54 36 3203 7592 6273 10662 3543 7932 7063 132 48 84 3693 8357 7111 11775 4079 8743 7919 132 54 48 3343 7812 5690 10978 3698 8167 7310 132 54 48 3343 7812 5690 10978 3698 8167 7310 132 54 48 3433 7812 5690 10978 3698 8167 7310 132 54 48 3343 7812 5690 10978 3698 8167 7310 132 54 48 3343 7812 5690 10978 3698 8167 7310 132 54 48 3343 7812 5690 10978 3698 8167 7310 132 54 48 3343 7812 5690 10978 3698 8167 7310 132 54 48 3343 7812 5690 10978 3698 8167 7310 132 54 66 3552 8135 6671 11454 1925 5858 7673 7910 132 54	11132	6818		3388	10351	6037	7378	3064	36	42	132
132 42 54 3271 7701 6395 10825 3618 8048 7186 132 42 60 3343 7812 6615 10984 3698 8167 7310 132 42 66 3414 7921 6635 11142 3776 8283 7431 132 42 78 3552 8135 6674 11302 3849 8397 7552 132 42 78 3552 8135 6674 11457 3925 8508 7673 132 42 84 3625 8246 6995 11616 4005 8626 7798 132 48 24 2990 7085 5914 10009 3313 7408 6694 132 48 30 3064 7271 6034 10241 3388 7595 6818 132 48 36 3132 7485 6154 10507 3465 7818 6940 132 48 42 3203 7592 6276 10665 3545 7932 7063 132 48 48 3271 7701 6393 10823 3618 8048 7186 132 48 54 3343 7812 6511 10980 3698 8167 7310 132 48 60 3414 7921 6633 11140 3776 8283 7451 132 48 78 3625 8246 6992 11613 4005 8626 7798 132 48 78 3625 8246 6992 11613 4005 8626 7798 132 48 78 3625 8246 6992 11613 4005 8626 7798 132 48 78 3625 8246 6992 11613 4005 8626 7798 132 48 84 8303 3577 7111 1775 4079 8743 7919 132 54 42 3064 7196 6033 10165 3388 7520 6818 132 54 48 3433 7812 6509 10978 3698 8167 7310 132 54 48 3633 37592 6273 10662 3543 7932 7063 132 48 84 3693 8357 7111 11775 4079 8743 7919 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 48 3764 8463 7229 11928 3499 3997 7552 312 54 48 3764 8463 7229 11928 3465 7384 7385	11293	6940	7818	3465	10509		7485	3132	42	42	132
132 42 60 3343 7812 6515 10984 3698 8167 7310 132 42 66 3414 7921 6635 11142 3776 8283 7431 132 42 72 3485 8033 6754 11302 3849 8397 7552 132 42 78 3552 8135 6874 11457 3925 8508 7673 132 42 84 3625 8246 6995 11616 4005 8626 7798 132 48 24 2990 7085 5914 10009 3313 7408 6694 132 48 30 3064 7271 6034 10241 3388 7595 6818 132 48 36 3132 7485 6154 10507 3465 7818 6940 132 48 42 2303 7592 6276 10665 3543 7932 7063 132 48 48 3271 7701 6593 10823 3618 8048 7186 132 48 48 3271 7701 6593 10823 3618 8048 7186 132 48 48 3271 7010 6633 11140 3776 8283 7431 132 48 60 3414 7921 6633 11140 3776 8283 7431 132 48 72 3552 8135 6871 11454 3925 8508 7673 132 48 87 3625 8246 6992 11613 4005 8626 7798 132 48 87 3625 8246 6992 11613 4005 8626 7798 132 48 87 3625 8246 6992 11613 4005 8626 7798 132 48 84 3693 8357 7111 11775 4079 8743 7919 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 42 3271 7701 6389 10819 3618 8048 7186 132 54 42 3271 7701 6389 10819 3618 8048 7186 132 54 54 304 3132 7359 6153 10400 3465 7712 6940 132 54 42 3271 7701 6389 10819 3618 8048 7186 132 54 54 304 3132 7359 6153 10400 3465 7712 6940 132 54 54 304 3132 7359 6153 10400 3465 7712 6940 132 54 54 304 304 304 304 304 304 304 132 60 60 3485 8033 6750 11298 3498 3977 7552 132 54 66 3485 8033 6750 11298 3498 3977 7552 132 54 66 3485 8033 6750 11298 3498 3977 75	11452										
132 42 66 3414 7921 6635 11142 3776 8283 7431 132 42 72 3485 8033 6754 11302 3349 8397 7552 132 42 78 3552 8135 6874 11457 3925 8508 7673 132 42 84 3625 8246 6995 11616 4005 8626 7798 132 48 24 2990 7085 5914 10009 3313 7408 6694 132 48 30 3064 7271 6034 10241 3388 7595 6818 332 48 36 3132 7485 6154 10507 3465 7318 6940 132 48 36 3132 7485 6154 10507 3465 7318 6940 132 48 48 3271 7701 6393 10823 3618 8048 7186 132 48 54 3343 7812 6511 10980 3598 8167 7310 132 48 66 3448 7921 6633 11140 3776 8283 7431 132 48 66 3485 8033 6752 11300 3849 8397 7552 132 48 72 3552 8135 6871 11454 3925 8508 7673 132 48 78 3625 8246 6992 11613 4005 8626 7798 132 48 84 3693 8357 7111 11775 4079 8743 7919 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 30 3132 7379 6153 10400 3465 7712 6940 132 54 48 3343 7812 66033 10165 3388 7520 6818 132 54 48 3343 7812 6629 11613 4005 8626 7798 132 54 48 3343 7812 6603 10165 3388 7520 6818 132 54 48 3343 7812 6609 10819 3618 8048 7186 132 54 48 3343 7812 6609 10978 3608 8167 7310 132 54 48 3343 7812 6609 10978 3608 8167 7310 132 54 48 3343 7812 6609 10978 3608 8167 7310 132 54 48 3343 7812 6609 10978 3608 8167 7310 132 54 48 3343 7812 6609 10978 3608 8167 7310 132 54 48 3343 7812 6609 10978 3608 8167 7310 132 54 48 3343 7812 6609 10978 3608 8167 7310 132 54 48 3343 7812 6609 10978 3608 8167 7310 132 54 48 3625 8246 6999 11611 4005 8626 7798 132 54 48 3764 8463 7229 11928 4155 8854 8041	11616										
132 42 72 3485 8033 6754 11302 3849 8397 7552 132 42 78 3552 8135 6874 11457 3925 8508 7673 132 42 84 3625 8246 6995 11616 4005 8626 7798 132 48 24 2990 7085 5914 10009 3313 7408 6694 132 48 30 3064 7271 6034 10241 3388 7595 6818 132 48 36 3132 7485 6154 10597 3465 7818 6994 132 48 42 3203 7592 6276 10665 33543 7932 7063 132 48 48 3271 7701 6393 10823 3618 8048 7186 132 48 54 3343 7812 6511 10980 3698 8167 7310 132 48 60 3414 7921 6633 11140 3776 8283 7431 132 48 72 3552 8135 6871 11454 3925 8508 7673 132 48 84 3693 8357 7111 11775 4079 8743 7919 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 24 3071 7701 6389 10819 3618 8048 7186 132 54 48 3343 7812 6609 11038 3618 8048 7186 132 54 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 54 36 3703 7592 6273 10662 3543 7932 7063 132 54 54 36 3717 7701 6389 10819 3618 8048 7186 132 54 54 36 3717 7701 6389 10819 3618 8048 7186 132 54 54 36 3717 7701 6389 10819 3618 8048 7186 132 54 54 36 3717 7701 6386 10816 3618 8048 7186 132 54 54 36 3717 7701 6386 10816 3618 8048 7186 132 60 42 3343 7812 6609 11611 4005 8626 7798 132 60 64 3444 7921	11779										
132 42 78 3552 8135 6874 11457 3925 8508 7673 132 42 84 3625 8246 6995 11616 4005 8626 7798 132 48 24 2990 7085 5914 10009 3313 7408 6694 132 48 30 3064 7271 6034 10241 3388 7595 6818 132 48 36 3132 7485 6154 10507 3465 7818 6940 132 48 42 3203 7592 6276 10665 3543 7932 7063 132 48 48 3271 7701 6393 10823 3618 8048 7186 132 48 54 3343 7812 6511 10980 3698 8167 7310 132 48 60 3414 7921 6633 11140 3776 8283 7431 132 48 72 3552 8135 6871 11454 3925 8508 7673 132 48 72 3552 8135 6871 11454 3925 8508 7673 132 48 84 3693 8357 7711 11775 4079 8743 7919 132 54 30 3132 7379 6153 10400 3465 7712 6940 132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 48 3443 7812 6509 10978 3698 8167 7310 132 54 48 3443 7812 6509 10978 3698 8167 7310 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 54 30 3132 7379 6153 10400 3465 7712 6940 132 54 54 3414 7921 6629 11136 3776 8283 7431 132 54 54 3414 7921 6629 11136 3776 8283 7431 132 54 54 3414 7921 6629 11136 3776 8283 7431 132 54 54 3414 7921 6629 11136 3776 8283 7431 132 54 54 3414 7921 6629 1136 3776 8283 7431 132 54 54 3414 7921 6629 1136 3776 8283 7431 132 54 54 3414 7921 6629 1136 3776 8283 7431 132 54 54 3414 7921 6629 1136 3776 8283 7431 132 54 54 3414 7921 6629 1136 3776 8283 7431 132 54 54 3414 7921 6629 1136 3766 3888 3776 3888 3776 3888 3897 7552 3898 3897 7552 3898 38	11938										
132 48 24 2990 7085 5914 10009 3313 7408 6694 132 48 30 3064 7271 6034 10241 3388 7595 6818 132 48 36 3132 7485 6154 10507 3465 7818 6990 132 48 42 3203 7592 6276 10665 3543 7932 7063 132 48 48 3271 7701 6393 10823 3618 8048 7186 132 48 54 3343 7812 6511 10980 3698 8167 7310 132 48 60 3414 7921 6633 11140 3776 8283 7431 132 48 78 3625 8246 66992 11613 4005 8626 7798 132 48 78 3625 8246 66992 11613 4005 8626 7798 132 48 84 3693 3857 7111 11775 4079 8743 7919 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 48 3323 7592 6273 10662 3543 7932 7063 132 54 42 3064 7196 6033 10165 3388 7520 6818 132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 42 3271 7701 6389 10819 3618 8048 7186 132 54 48 3343 7812 6509 10978 3618 8048 7186 132 54 54 341 7921 6639 1136 3776 8283 7431 132 54 66 3485 8033 6750 11298 3849 8397 7552 132 54 72 3625 8246 6990 11611 4005 8626 7798 132 54 72 3625 8246 6990 11611 4005 8626 7798 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 54 78 3693 8357 7106 11453 3925 8508 7673 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 50 60 30 3203 7488 6272 10557 3543 7828 7063 132 60 60 3552 8135 6867 11450 3925 8508 7673	12100										
132	12256										
132	12419	//98	8626	4005	11010	6995	8246	3623	84	42	132
132	10789	6694	7408	3313	10009	5914	7085	2990	24	48	132
132	11025										
132	11293										
132	11452										
132 48 60 3414 7921 6633 11140 3776 8283 7431 132 48 66 3485 8033 6752 11300 3849 8397 7552 132 48 72 3552 8135 6871 11454 3925 8508 7673 132 48 78 3625 8246 6992 11613 4005 8626 7798 132 48 84 3693 8357 7111 11775 4079 8743 7919 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 30 3132 7379 6153 10400 3465 7712 6940 132 54 36 3203 7592 6273 10662	11616										
132 48 66 3485 8033 6752 11300 3849 8397 7552 132 48 72 3552 8135 6871 11454 3925 8508 7673 132 48 78 3625 8246 6992 11613 4005 8626 7798 132 48 84 3693 8357 7111 11775 4079 8743 7919 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 30 3132 7379 6153 10400 3465 7712 6940 132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 42 3271 7701 6389 10819 3618 8048 7186 132 54 48 3343 7812 6509 10978	11779										
132 48 72 3552 8135 6871 11454 3925 8508 7673 132 48 78 3625 8246 6992 11613 4005 8626 7798 132 48 84 3693 8357 7111 11775 4079 8743 7919 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 30 3132 7379 6153 10400 3465 7712 6940 132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 42 3271 7701 6389 10819 3618 8048 7186 132 54 42 3217 7701 6389 10819 3618 8048 7186 132 54 48 3343 7812 6509 10978	11938										
132 48 78 3625 8246 6992 11613 4005 8626 7798 132 48 84 3693 8357 7111 11775 4079 8743 7919 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 30 3132 7379 6153 10400 3465 7712 6940 132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 42 3271 7701 6389 10819 3618 8048 7186 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 66 3485 8033 6750 11298 3849 8397 7552 132 54 66 3552 8135 6870 11453	12100										
132 48 84 3693 8357 7111 11775 4079 8743 7919 132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 30 3132 7379 6153 10400 3465 7712 6940 132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 42 3271 7701 6389 10819 3618 8048 7186 132 54 42 3271 7701 6389 10819 3618 8048 7186 132 54 42 3271 7701 6389 10819 3618 8048 7186 132 54 48 3343 7812 6509 11978 3698 8167 7310 132 54 60 3485 8033 6750 11298	12256										
132 54 24 3064 7196 6033 10165 3388 7520 6818 132 54 30 3132 7379 6153 10400 3465 7712 6940 132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 42 3271 7701 6389 10819 3618 8048 7186 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 54 3414 7921 66629 11136 3776 8283 7431 132 54 60 3485 8033 6750 11298 3849 8397 7552 132 54 66 3552 8135 6870 11453 3925 8508 7673 132 54 72 36625 8246 6990 11611	12419										
132 54 30 3132 7379 6153 10400 3465 7712 6940 132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 42 3271 7701 6389 10819 3618 8048 7186 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 54 3414 7921 6629 11136 3776 8283 7431 132 54 60 3485 8033 6750 11298 3849 8397 7552 132 54 66 3552 8135 6870 11453 3925 8508 7673 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 54 78 3693 8357 7107 11771	12583	/919	8/43	40/9	11//3	/111	633/	3093	64	48	132
132 54 36 3203 7592 6273 10662 3543 7932 7063 132 54 42 3271 7701 6389 10819 3618 8048 7186 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 54 3414 7921 6629 11136 3776 8283 7431 132 54 60 3485 8033 6750 11298 3849 8397 7552 132 54 66 3552 8135 6870 11453 3925 8508 7673 132 54 72 3625 8246 6990 11611 4005 8626 7798 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 60 24 3132 7306 6150 10324	10950	6818	7520	3388	10165	6033	7196	3064	24	54	132
132 54 42 3271 7701 6389 10819 3618 8048 7186 132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 54 3414 7921 6629 11136 3776 8283 7431 132 54 60 3485 8033 6750 11298 3849 8397 7552 132 54 66 3552 8135 6870 11453 3925 8508 7673 132 54 72 3625 8246 6990 11611 4005 8626 7798 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 60 24 3132 7306 6150 10324 3465 7639 6940 132 60 36 3271 7701 6386 10816	11187	6940	7712	3465	10400	6153	7379	3132	30	54	132
132 54 48 3343 7812 6509 10978 3698 8167 7310 132 54 54 3414 7921 6629 11136 3776 8283 7431 132 54 60 3485 8033 6750 11298 3849 8397 7552 132 54 66 3552 8135 6870 11453 3925 8508 7673 132 54 72 3625 8246 6990 11611 4005 8626 7798 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 60 24 3132 7306 6150 10324 3465 7639 6940 132 60 36 3271 7701 6386 10816	11452	7063	7932	3543	10662	6273	7592	3203	36	54	132
132 54 54 3414 7921 6629 11136 3776 8283 7431 132 54 60 3485 8033 6750 11298 3849 8397 7552 132 54 66 3552 8135 6870 11453 3925 8508 7673 132 54 72 3625 8246 6990 11611 4005 8626 7798 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 54 84 3764 8463 7229 11928 4155 8854 8041 132 60 24 3132 7306 6150 10324 3465 7639 6940 132 60 36 3271 7701 6386 10816 3618 8048 7186 132 60 36 3271 7701 6386 10977	11616										
132 54 60 3485 8033 6750 11298 3849 8397 7552 132 54 66 3552 8135 6870 11453 3925 8508 7673 132 54 72 3625 8246 6990 11611 4005 8626 7798 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 54 84 3764 8463 7229 11928 4155 8854 8041 132 60 24 3132 7306 6150 10324 3465 7639 6940 132 60 30 3203 7488 6272 10557 3543 7828 7063 132 60 36 3271 7701 6386 10816 3618 8048 7186 132 60 42 3343 7812 6508 10977	11779										
132 54 66 3552 8135 6870 11453 3925 8508 7673 132 54 72 3625 8246 6990 11611 4005 8626 7798 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 54 84 3764 8463 7229 11928 4155 8854 8041 132 60 24 3132 7306 6150 10324 3465 7639 6940 132 60 30 3203 7488 6272 10557 3543 7828 7063 132 60 36 3271 7701 6386 10816 3618 8048 7186 132 60 42 3343 7812 6508 10977 3698 8167 7310 132 60 48 3414 7921 6627 11134	11938										
132 54 72 3625 8246 6990 11611 4005 8626 7798 132 54 78 3693 8357 7107 11771 4079 8743 7919 132 54 84 3764 8463 7229 11928 4155 8854 8041 132 60 24 3132 7306 6150 10324 3465 7639 6940 132 60 30 3203 7488 6272 10557 3543 7828 7063 132 60 36 3271 7701 6386 10816 3618 8048 7186 132 60 42 3343 7812 6508 10977 3698 8167 7310 132 60 48 3414 7921 6627 11134 3776 8283 7431 132 60 54 3485 8033 6749 11297	12100										
132 54 78 3693 8357 7107 11771 4079 8743 7919 132 54 84 3764 8463 7229 11928 4155 8854 8041 132 60 24 3132 7306 6150 10324 3465 7639 6940 132 60 30 3203 7488 6272 10557 3543 7828 7063 132 60 36 3271 7701 6386 10816 3618 8048 7186 132 60 42 3343 7812 6508 10977 3698 8167 7310 132 60 48 3414 7921 6627 11134 3776 8283 7431 132 60 54 3485 8033 6749 11297 3849 8397 7552 132 60 66 3625 8246 6988 11609	12256										
132 54 84 3764 8463 7229 11928 4155 8854 8041 132 60 24 3132 7306 6150 10324 3465 7639 6940 132 60 30 3203 7488 6272 10557 3543 7828 7063 132 60 36 3271 7701 6386 10816 3618 8048 7186 132 60 42 3343 7812 6508 10977 3698 8167 7310 132 60 48 3414 7921 6627 1134 3776 8283 7431 132 60 54 3485 8033 6749 11297 3849 8397 7552 132 60 60 3552 8135 6867 11450 3925 8508 7673 132 60 72 3693 8357 7106 11770	12419									_	
132 60 24 3132 7306 6150 10324 3465 7639 6940 132 60 30 3203 7488 6272 10557 3543 7828 7063 132 60 36 3271 7701 6386 10816 3618 8048 7186 132 60 42 3343 7812 6508 10977 3698 8167 7310 132 60 48 3414 7921 6627 11134 3776 8283 7431 132 60 54 3485 8033 6749 11297 3849 8397 7552 132 60 60 3552 8135 6867 11450 3925 8508 7673 132 60 66 3625 8246 6988 11609 4005 8626 7798 132 60 72 3693 8357 7106 11770	12583 12740										
132 60 30 3203 7488 6272 10557 3543 7828 7063 132 60 36 3271 7701 6386 10816 3618 8048 7186 132 60 42 3343 7812 6508 10977 3698 8167 7310 132 60 48 3414 7921 6627 11134 3776 8283 7431 132 60 54 3485 8033 6749 11297 3849 8397 7552 132 60 60 3552 8135 6867 11450 3925 8508 7673 132 60 66 3625 8246 6988 11609 4005 8626 7798 132 60 72 3693 8357 7106 11770 4079 8743 7919 132 60 78 3764 8463 7227 11926	12/40	0041	00)4	41))	11926		0403	3/04)4	132
132 60 36 3271 7701 6386 10816 3618 8048 7186 132 60 42 3343 7812 6508 10977 3698 8167 7310 132 60 48 3414 7921 6627 11134 3776 8283 7431 132 60 54 3485 8033 6749 11297 3849 8397 7552 132 60 60 3552 8135 6867 11450 3925 8508 7673 132 60 66 3625 8246 6988 11609 4005 8626 7798 132 60 72 3693 8357 7106 11770 4079 8743 7919 132 60 78 3764 8463 7227 11926 4155 8854 8041 132 60 84 3834 8575 7347 12088	11114										
132 60 42 3343 7812 6508 10977 3698 8167 7310 132 60 48 3414 7921 6627 11134 3776 8283 7431 132 60 54 3485 8033 6749 11297 3849 8397 7552 132 60 60 3552 8135 6867 11450 3925 8508 7673 132 60 66 3625 8246 6988 11609 4005 8626 7798 132 60 72 3693 8357 7106 11770 4079 8743 7919 132 60 78 3764 8463 7227 11926 4155 8854 8041 132 60 84 3834 8575 7347 12088 4234 8975 8164 132 66 24 3203 7411 6267 10475	11348										
132 60 48 3414 7921 6627 11134 3776 8283 7431 132 60 54 3485 8033 6749 11297 3849 8397 7552 132 60 60 3552 8135 6867 11450 3925 8508 7673 132 60 66 3625 8246 6988 11609 4005 8626 7798 132 60 72 3693 8357 7106 11770 4079 8743 7919 132 60 78 3764 8463 7227 11926 4155 8854 8041 132 60 84 3834 8575 7347 12088 4234 8975 8164 132 66 24 3203 7411 6267 10475 3543 7751 7063 132 66 30 3271 7595 6385 10709	11616										
132 60 54 3485 8033 6749 11297 3849 8397 7552 132 60 60 3552 8135 6867 11450 3925 8508 7673 132 60 66 3625 8246 6988 11609 4005 8626 7798 132 60 72 3693 8357 7106 11770 4079 8743 7919 132 60 78 3764 8463 7227 11926 4155 8854 8041 132 60 84 3834 8575 7347 12088 4234 8975 8164 132 66 24 3203 7411 6267 10475 3543 7751 7063 132 66 30 3271 7595 6385 10709 3618 7942 7186	11779 11938										
132 60 60 3552 8135 6867 11450 3925 8508 7673 132 60 66 3625 8246 6988 11609 4005 8626 7798 132 60 72 3693 8357 7106 11770 4079 8743 7919 132 60 78 3764 8463 7227 11926 4155 8854 8041 132 60 84 3834 8575 7347 12088 4234 8975 8164 132 66 24 3203 7411 6267 10475 3543 7751 7063 132 66 30 3271 7595 6385 10709 3618 7942 7186											
132 60 66 3625 8246 6988 11609 4005 8626 7798 132 60 72 3693 8357 7106 11770 4079 8743 7919 132 60 78 3764 8463 7227 11926 4155 8854 8041 132 60 84 3834 8575 7347 12088 4234 8975 8164 132 66 24 3203 7411 6267 10475 3543 7751 7063 132 66 30 3271 7595 6385 10709 3618 7942 7186	12100 12256										
132 60 72 3693 8357 7106 11770 4079 8743 7919 132 60 78 3764 8463 7227 11926 4155 8854 8041 132 60 84 3834 8575 7347 12088 4234 8975 8164 132 66 24 3203 7411 6267 10475 3543 7751 7063 132 66 30 3271 7595 6385 10709 3618 7942 7186	12419										
132 60 78 3764 8463 7227 11926 4155 8854 8041 132 60 84 3834 8575 7347 12088 4234 8975 8164 132 66 24 3203 7411 6267 10475 3543 7751 7063 132 66 30 3271 7595 6385 10709 3618 7942 7186	12583										
132 60 84 3834 8575 7347 12088 4234 8975 8164 132 66 24 3203 7411 6267 10475 3543 7751 7063 132 66 30 3271 7595 6385 10709 3618 7942 7186	12740										
<u>132 66 30 3271 7595 6385 10709 3618 7942 7186</u>	12905										
<u>132 66 30 3271 7595 6385 10709 3618 7942 7186</u>	11271	7063	7751	3543	10475	6267	7411	3203	24	66	132
	11510										
	11779	7310	8167		10974		7812	3343	36		132
132 66 42 3414 7921 6626 11133 3776 8283 7431	11938										
132 66 48 3485 8033 6744 11292 3849 8397 7552	12100										
132 66 54 3552 8135 6866 11449 3925 8508 7673	12256			3925	11449	6866			54	66	
132 66 60 3625 8246 6984 11605 4005 8626 7798	12419		8626	4005	11605	6984	8246		60	66	132
<u>132 66 66 3693 8357 7104 11768 4079 8743 7919</u>	12583	7919	8743	4079	11768		8357		66	66	132
<u>132 66 72</u> <u>3764 8463 7226 11925</u> <u>4155 8854 8041</u>	12740										
<u>132 66 78 3834 8575 7342 12083 4234 8975 8164</u>	12905										
<u>132 66 84 3907 8686 7463 12242 4309 9088 8287</u>	13066	8287	9088	4309	12242	7463	8686	3907	84	66	132

B - C R U

Reception Desk Module - U-Shaped (Continued)

			1 3/16" (M) (CONTINUED)			1 9/16" (X) (C	ONTINUED)		
			FOUNDATIO	N LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
			INSET PANEI	FINISH						
	T D	DD	Source	rt . I	Source	rete i 1	Source	rit . I	Source	rt . I
Mw 132	72	<u>RRw</u> 24	<u>Laminate</u> 3271	Flintwood 7520	Laminate 6382	Flintwood 10631	<u>Laminate</u> 3618	Flintwood 7867	Laminate 7186	Flintwood 11435
132	72	30	3343	7703	6504	10864	3698	8058	7310	11670
132	72	36	3414	7921	6624	11131	3776	8283	7431	11938
132	72	42	3485	8033	6743	11291	3849	8397	7552	12100
132	72	48	3552	8135	6863	11446	3925	8508	7673	12256
132	72	54	3625	8246	6983	11604	4005	8626	7798	12419
132	72	60	3693	8357	7103	11767	4079	8743	7919	12583
132	72	66	3764	8463	7221	11920	4155	8854	8041	12740
132	72	72	3834	8575	7340	12081	4234	8975	8164	12905
132	72 72	78 84	3907	8686	7460 7579	12239	4309	9088	8287 8409	13066
132	/2	84	3974	8791	/3/9	12396	4385	9202	8409	13226
132	78	24	3343	7630	6502	10789	3698	7985	7310	11597
132	78	30	3414	7815	6620	11021	3776	8177	7431	11832
132	78	36_	3485	8033	6740	11288	3849	8397	7552	12100
132	78	42_	3552	8135	6859	11442	3925	8508	7673	12256
132	78	<u>48</u> 54	3625	8246	<u>6981</u> 7100	11602 11764	4005 4079	8626 8743	7798 7919	12419 12583
132 132	<u>78</u> 	60	3693 3764	8357 8463	7220	11919	4155	8854	8041	12740
132	78	66	3834	8575	7337	12078	4234	8975	8164	12905
132	78	72	3907	8686	7458	12237	4309	9088	8287	13066
132	78	78	3974	8791	7575	12392	4385	9202	8409	13226
132	78	84	4046	8902	7698	12554	4465	9321	8532	13388
132	84	24	3414	7741	6618	10945	3776	8103	7431	11758
132	84	30	3485	7924	6738	11177	3849	8288	7552	11991
132	84	36	3552	8135	6857	11440	3925	8508	7673	12256
132	84	42	3625	8246	6976	11597	4005	8626	7798	12419
132	84	48	3693	8357	7099	11763	4079	8743	7919	12583
132	84	54	3764	8463	7216	11915	4155	8854	8041	12740
132	84 84	60	3834	8575	<u>7336</u> 7455	12077	4234	8975 9088	8164	12905
132 132	84	72	3907 3974	8686 8791	7574	12234 12391	4309 4385	9202	8287 8409	13066 13226
132	84	78	4046	8902	7695	12551	4465	9321	8532	13388
132	84	84	4116	9014	7813	12711	4539	9437	8654	13552
138	24	24	2781	6574	5565	9358	3084	6877	6328	10121
138	24	30	2849	6761	5682	9594	3159	7071	6450	10362
138	24	36	2922	6977	5803	9858	3239	7294	6571	10626
138	24	42	2990	7085	5919	10014	3313	7408	6694	10789
138	24	48	3064	7196	6041	10173	3388	7520	6818	10950
138	24	54	3132	7306	6161	10335	3465	7639	6940	11114
138	24	60	3203	7411	6280	10488	3543	7751	7063	11271
138	24	66_	3271	7520	6403	10652	3618	7867	7186	11435
138 138	24 24	72 78	3343 3414	7630 7741	6520 6641	10807 10968	3698 3776	7985 8103	7309 7431	11596 11758
138	24	84	3485	7850	6758	11123	3849	8214	7552	11917
138	30	24	2849	6761	5679	9591	3159	7071	6450	10362
138	30	30	2922	6945	5801	9824	3239	7262	6571	10594
138	30	36	2990	7159	5918	10087	3313	7482	6694	10863
138	30	42	3064	7271	6038	10245	3388	7595	6818	11025
138	30	48	3132	7379	6157	10404	3465	7712	6940	11187
138	30	54	3203	7488	6279	10564	3543	7828	7063	11348
138	30	60	3271	7595	6399	10723	3618	7942	7186	11510
138	30	66	3343	7703	6519	10879	3698	8058	7309	11669
138	30	72	3414	7815	6636	11037	3776	8177	7431	11832
138	30	78_	3485	7924	6757	11196	3849	8288	7552	11991
138	30	84	3552	8030	6875	11353	3925	8403	7672	12150

B_CRU

Reception Desk Module - U-Shaped (Continued)

				CONTINUED)			1 9/16" (X) (C			
			FOUNDATIO INSET PANEI		FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOD	
			Source	Z FINISH	Source		Source		Source	
Mw	LRw	RRw	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
138	36	24	2922	6977	5799	9854	3239	7294	6571	10626
138	36	30	2990	7159	5916	10085	3313	7482	6694	10863
138	36	36	3064	7378	6037	10351	3388	7702	6818	11132
138	36	42	3132	7485	6155	10508	3465	7818	6940	11293
138	36	48	3203	7592	6277	10666	3543	7932	7063	11452
138	36	54	3271	7701	6395	10825	3618	8048	7186	11616
138	36	60	3343	7812	6515	10984	3698	8167	7309	11778
138	36	66	3414	7921	6635	11142	3776	8283	7431	11938
138	36	72	3485	8033	6754	11302	3849	8397	7552	12100
138	36	78	3552	8135	6874	11457	3925	8508	7672	12255
138	36	84	3625	8246	6995	11616	4005	8626	7798	12419
138	42	24	2990	7085	5914	10009	3313	7408	6694	10789
138	42	30	3064	7271	6034	10241	3388	7595	6818	11025
138	42	36	3132	7485	6154	10507	3465	7818	6940	11293
138	42	42	3203	7592	6276	10665	3543	7932	7063	11452
138	42	48_	3271	7701	6393	10823	3618	8048	7186	11616
138	42	54	3343	7812	6511	10980	3698	8167	7309	11778
138	42	60	3414	7921	6633	11140	3776	8283	7431	11938
138	42	<u>66</u> 72	3485	8033	<u>6752</u> 6871	11300 11454	3849	8397 8508	7552	12100
138 138	42	78	3552 3625	8135 8246	6992	11613	3925 4005	8626	<u>7672</u> 7798	12255 12419
138	42	84	3693	8357	7111	11775	4079	8743	7919	12583
130	42	04	3093	633/	/111	11//)	40/9	0/43	/919	12)00
138	48	24	3064	7196	6033	10165	3388	7520	6818	10950
138	48	30	3132	7379	6151	10398	3465	7712	6940	11187
138	48	36	3203	7592	6273	10662	3543	7932	7063	11452
138	48	42	3271	7701	6389	10819	3618	8048	7186	11616
138	48	48	3343	7812	6509	10978	3698	8167	7309	11778
138	48	54	3414	7921	6629	11136	3776	8283	7431	11938
138	48	60	3485	8033	6750	11298	3849	8397	7552	12100
138	48	66	3552	8135	6870	11453	3925	8508	7672	12255
138	48	72	3625	8246	6989	11610	4005	8626	7798	12419
1 <u>38</u> 138	48	78 84	3693 3764	8357 8463	7107 7229	11771 11928	4079 4155	8743 8854	7919 8041	12583 12740
20	<i>- 1</i>	24	2122	7206	(150	1022/	2465	7(20	(0/0	11116
138 138	54 54	<u>24</u> 30	3132 3203	7306 7488	6150 6271	10324 10556	3465 3543	7639 7828	<u>6940</u> 7063	11114 11348
38	54 54	36	3203	7701	6386	10556	3618	8048	7186	11616
138	<u>54</u>	42	3343	7812	6508	10977	3698	8167	7309	11778
38	54	48	3414	7921	6627	11134	3776	8283	7431	11938
138	54	54	3485	8033	6749	11297	3849	8397	7552	12100
138	54	60	3552	8135	6867	11450	3925	8508	7672	12255
138	54	66	3625	8246	6988	11609	4005	8626	7798	12419
138	54	72	3693	8357	7106	11770	4079	8743	7919	12583
138	54	78	3764	8463	7227	11926	4155	8854	8041	12740
138	54	84	3834	8575	7347	12088	4234	8975	8164	12905
38	60	24	3203	7411	6267	10475	3543	7751	7063	11271
138	60	30	3271	7595	6385	10709	3618	7942	7186	11510
138	60	36	3343	7812	6505	10974	3698	8167	7309	11778
138	60	42	3414	7921	6626	11133	3776	8283	7431	11938
138	60	48	3485	8033	6744	11292	3849	8397	7552	12100
138	60	54	3552	8135	6866	11449	3925	8508	7672	12255
138	60	60	3625	8246	6984	11605	4005	8626	7798	12419
138	60	66	3693	8357	7104	11768	4079	8743	7919	12583
138	60	72	3764	8463	7226	11925	4155	8854	8041	12740
138	60	78	3834	8575	7342	12083	4234	8975	8164	12905
138	60	84	3907	8686	7463	12242	4309	9088	8287	13066

B - C R U

Reception Desk Module - U-Shaped (Continued)

				CONTINUED)			1 9/16" (X) (C			
				N LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOL)
			INSET PANEI	L FINISH						
Mw	LRw	RRw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
138	66	24	3271	7520	6382	10631	3618	7867	7186	11435
138	66	30	3343	7703	6504	10864	3698	8058	7309	11669
138	66	36	3414	7921	6624	11131	3776	8283	7431	11938
138	66	42	3485	8033	6743	11291	3849	8397	7552	12100
138	66	48	3552	8135	6863	11446	3925	8508	7672	12255
138	66	54	3625	8246	6983	11604	4005	8626	7798	12419
138	66	60	3693	8357	7102	11766	4079	8743	7919	12583
138	66	66	3764	8463	7221	11920	4155	8854	8041	12740
138	66	72	3834	8575	7340	12081	4234	8975	8164	12905
138	66	78	3907	8686	7460	12239	4309	9088	8287	13066
138	66	84	3974	8791	7579	12396	4385	9202	8409	13226
138	72	24	3343	7630	6502	10789	3698	7985	7309	11596
138	72	30	3414	7815	6620	11021	3776	8177	7431	11832
138	72	36	3485	8033	6740	11288	3849	8397	<u>7552</u>	12100
138	72	42	3552	8135	6859	11442	3925	8508	7672	12255
138	72	48	3625	8246	6981	11602	4005	8626	7798	12419
138	72	54	3693	8357	7100	11764	4079	8743	7919	12583
138	72	60	3764	8463	7220	11919	4155	8854	8041	12740
138	72	66	3834	8575	7337	12078	4234	8975	8164	12905
138 138	72 72	<u>72</u> 78	3907 3974	8686 8791	<u>7458</u> 7575	12237 12392	4309 4385	9088 9202	8287 8409	13066 13226
138	72	84	4046	8902	7698	12554	4465	9321	8532	13388
136	/2			8702		12))4		7,72.1		13388
138	78	24	3414	7741	6618	10945	3776	8103	7431	11758
138	78	30	3485	7924	6738	11177	3849	8288	7552	11991
138	78	36	3552	8135	6857	11440	3925	8508	7672	12255
138	78	42	3625	8246	6976	11597	4005	8626	7798	12419
138	78	48	3693	8357	7095	11759	4079	8743	7919	12583
138	78	54	3764	8463	7216	11915	4155	8854	8041	12740
138	78	60	3834	8575	7336	12077	4234	8975	8164	12905
138 138	78 78	<u>66</u> 72	3907 3974	8686 8791	<u>7455</u> 7574	12234 12391	4309 4385	9088 9202	8287 8409	13066 13226
138		78	4046	8902	7695	12551	4465	9321	8532	13388
138	78	84	4116	9014	7813	12711	4539	9437	8654	13552
138	84	24	3485	7850	6734	11099	3849	8214	7552	11917
138	84	30	3552	8030	6854	11332	3925	8403	7672	12150
138	84	36	3625	8246	6973	11594	4005	8626	7798	12419
138	84	42	3693	8357	7093	11757	4079	8743	7919	12583
138	84	48	3764	8463	7212	11911	4155	8854	8041	12740
138	84	54	3834	8575	7332	12073	4234	8975	8164	12905
138	84	60	3907	8686	7453	12232	4309	9088	8287	13066
138	84	66	3974	8791	7571	12388	4385	9202	8409	13226
138	84	72	4046	8902	7694	12550	4465	9321	8532	13388
138	84	78	4116	9014	7810	12708	4539	9437	8654	13552
138	84	84	4186	9121	7932	12867	4618	9553	8775	13710
144	24	24	2849	6684	5679	9514	3159	6994	6450	10285
144	24	30	2922	6872	5801	9751	3239	7189	6570	10520
144	24	36_	2990	7085	5918	10013	3313	7408	6694	10789
144	24	42_	3064	7196	6038	10170	3388	7520	6818	10950
144	24	48	3132	7306	6157	10331	3465	7639	6939	11113
144	24	54	3203	7411	6278 6399	10486 10648	3543	7751	7063	11271
$\frac{144}{144}$	24	60	3271	7520 7630			3618	7867	7186 7309	11435
$\frac{144}{144}$	24 24	<u>66</u> 72	3343 3414	7630 7741	6519 6636	10806 10963	3698 3776	7985 8103	7431	11596 11758
144	24	78	3485	7850	6757	11122	3849	8214	7552	11917
144	24	84	3552	7957	6875	11122	3925	8330	7672	12077
144	∠ 1	0-1		1 1 1 1	00/)	11200		0,3,0	/ 0/ 2	120//

B_CRU

Reception Desk Module - U-Shaped (Continued)

DIMENSIONS -HES FOR PRICING MM X BY 25.4

	1 3/16" (M) (CONTINUED)									
				·			1 9/16" (X) (C		*** ** *******	
				N LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
			INSET PANEI	L FINISH						
			Source	71.	Source	vii. 1	Source	T1. 1	Source	T
Mw	LRw	RRw	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
144 144	30	<u>24</u> 30	<u>2922</u> 2990	6872	<u>5799</u> 5916	9749	3239	7189	6570 6694	10520 10756
$\frac{144}{144}$	30	36	3064	7052 7271	6037	9978 10244	3313 3388	7375 7595	6818	11025
144	30	42	3132	7379	6155	10402	3465	7712	6939	11186
144	30	48	3203	7488	6277	10562	3543	7828	7063	11348
144	30	54	3271	7595	6395	10719	3618	7942	7186	11510
144	30	60	3343	7703	6515	10875	3698	8058	7309	11669
144	30	66	3414	7815	6635	11036	3776	8177	7431	11832
144	30	72	3485	7924	6754	11193	3849	8288	7552	11991
144	30	78	3552	8030	6874	11352	3925	8403	7672	12150
144	30	84	3625	8142	6994	11511	4005	8522	7798	12315
144	36	24	2990	7085	5914	10009	3313	7408	6694	10789
144	36	30	3064	7271	6034	10241	3388	7595	6818	11025
144	36	36	3132	7485	6154	10507	3465	7818	6939	11292
144	36	42	3203	7592	6274	10663	3543	7932	7063	11452
144	36	48	3271	7701	6393	10823	3618	8048	7186	11616
144	36	54	3343	7812	6511	10980	3698	8167	7309	11778
144	36	60	3414	7921	6633	11140	3776	8283	7431	11938
144	36	66_	3485	8033	6752	11300	3849	8397	7552	12100
144	36	72	3552	8135	6871	11454	3925	8508	7672	12255
$\frac{144}{144}$	36 36	78 84	3625	8246	<u>6992</u> 7110	11613	4005 4079	8626 8743	<u>7798</u> 7919	12419
144	30	84	3693	8357	/110	11774	40/9	8/43	/919	12583
144	42	24	3064	7196	6033	10165	3388	7520	6818	10950
144	42	30	3132	7379	6151	10398	3465	7712	6939	11186
144	42	36	3203	7592	6273	10662	3543	7932	7063	11452
144	42	42	3271	7701	6387	10817	3618	8048	7186	11616
144	42	48	3343	7812	6509	10978	3698	8167	7309	11778
144	42	54	3414	7921	6629	11136	3776	8283	7431	11938
144	42	60	3485	8033	6750	11298	3849	8397	7552	12100
144	42	66	3552	8135	6870	11453	3925	8508	7672	12255
144	42	72	3625	8246	6989	11610	4005	8626	7798	12419
144	42	78	3693	8357	7107	11771	4079	8743	7919	12583
144	42	84	3764	8463	7229	11928	4155	8854	8041	12740
1//	/0	2/	2122	7206	(150	1022/	2/65	7620	(020	11112
144	48	24	3132	7306 7488	6150 6271	10324	3465 3543	7639	6939	11113
$\frac{144}{144}$	48 48	30	3203 3271	7701	6386	10556 10816	3618	7828 8048	7063 7186	11348 11616
144	48	42	3343	7812	6508	10977	3698	8167	7309	11778
144	48	48	3414	7921	6627	11134	3776	8283	7431	11938
144	48	54	3485	8033	6749	11297	3849	8397	7552	12100
144	48	60	3552	8135	6867	11450	3925	8508	7672	12255
144	48	66	3625	8246	6988	11609	4005	8626	7798	12419
144	48	72	3693	8357	7105	11769	4079	8743	7919	12583
144	48	78	3764	8463	7227	11926	4155	8854	8041	12740
144	48	84	3834	8575	7347	12088	4234	8975	8164	12905
144	54	24	3203	7411	6267	10475	3543	7751	7063	11271
144	54	30	3271	7595	6383	10707	3618	7942	7186	11510
144	54	36	3343	7812	6505	10974	3698	8167	7309	11778
144	54	42	3414	7921	6626	11133	3776	8283	7431	11938
144	54	48	3485	8033	6744	11292	3849	8397	7552	12100
144	54	54	3552	8135	6866	11449	3925	8508	7672	12255
144	54	60	3625	8246	6984	11605	4005	8626	7798	12419
144	54	<u>66</u>	3693	8357	7104 7224	11768	4079	8743	7919	12583
144 144	54 54	72 78	3764 3834	8463 8575	7342	11923 12083	4155 4234	8854 8975	8041 8164	12740 12905
$\frac{144}{144}$	<u>54</u>	84	3907	8686	7463	12242	4309	9088	8287	13066
1.1.1)4	0-1	370/	0000		14474	4,507	7000	020/	1,5000

B - C R U


Reception Desk Module - U-Shaped (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4 PRICING

			1 3/16" (M) (CONTINUED)			1 9/16" (X) (C	ONTINUED)		
			FOUNDATIO	N LAMINATE	FLINTWOOD		FOUNDATION	N LAMINATE	FLINTWOOI)
			INSET PANEI	FINISH						
	7 D	D.D.	Source	rd. I	Source	rd. I	Source	ri. I	Source	Tele I
Mw 144	<u>LRw</u> 60	<u>RRw</u> 24	<u>Laminate</u> 3271	Flintwood 7520	Laminate 6382	Flintwood 10631	<u>Laminate</u> 3618	Flintwood 7867	<u>Laminate</u> 7186	Flintwood 11435
$\frac{144}{144}$	60	30	3343	7703	6504	10864	3698	8058	7309	11669
144	60	36	3414	7921	6624	11131	3776	8283	7431	11938
144	60	42	3485	8033	6743	11291	3849	8397	7552	12100
144	60	48	3552	8135	6863	11446	3925	8508	7672	12255
144	60	54	3625	8246	6983	11604	4005	8626	7798	12419
144	60	60	3693	8357	7102	11766	4079	8743	7919	12583
144	60	66	3764	8463	7221	11920	4155	8854	8041	12740
144	60	72	3834	8575	7340	12081	4234	8975	8164	12905
144	60	78	3907	8686	7460	12239	4309	9088	8287	13066
144	60	84	3974	8791	7579	12396	4385	9202	8409	13226
144	66	24	3343	7630	6502	10789	3698	7985	7309	11596
144	66	30	3414	7815	6620	11021	3776	8177	7431	11832
144	66	36	3485	8033	6740	11288	3849	8397	7552	12100
144	66	42	3552	8135	6859	11442	3925	8508	7672	12255
144	66	48	3625	8246	6981	11602	4005	8626	7798	12419
144	66	54	3693	8357	7100	11764	4079	8743	7919	12583
144	66	60	3764	8463	7218	11917	4155	8854	8041	12740
$\frac{144}{144}$	66 66	<u>66</u> 72	3834 3907	8575 8686	7337 7458	12078 12237	4234 4309	8975 9088	8164 8287	12905 13066
$\frac{144}{144}$	66	78	3974	8791	7575	12392	4385	9202	8409	13226
144	66	84	4046	8902	7698	12554	4465	9321	8532	13388
144	72	24	3414	7741	6618	10945	3776	8103	7431	11758
144	72	30	3485	7924	6738	11177	3849	8288	7552	11991
144	72	36	3552	8135	6857	11440	3925	8508	7672	12255
144	72	42	3625	8246	6976	11597	4005	8626	7798	12419
144 144	72 72	<u>48</u> 54	3693 3764	8357 8463	7095 7216	11759 11915	4079 4155	8743 8854	<u>7919</u> 8041	12583 12740
$\frac{144}{144}$	72	60	3834	8575	7335	12076	4234	8975	8164	12905
144	72	66	3907	8686	7455	12234	4309	9088	8287	13066
144	72	72	3974	8791	7574	12391	4385	9202	8409	13226
144	72	78	4046	8902	7695	12551	4465	9321	8532	13388
144	72	84	4116	9014	7813	12711	4539	9437	8654	13552
144	78	24	3485	7850	6734	11099	3849	8214	7552	11917
144	78	30	3552	8030	6854	11332	3925	8403	7672	12150
144	78	36	3625	8246	6973	11594	4005	8626	7798	12419
144	78	42	3693	8357	7093	11757	4079	8743	7919	12583
144	78	48	3764	8463	7212	11911	4155	8854	8041	12740
144	<u>78</u>	54	3834	8575	7332	12073	4234	8975	8164	12905
144	78	60	3907	8686	7453	12232	4309	9088	8287	13066
144	78	66	3974	8791	<u>7571</u> 7694	12388	4385	9202	8409	13226
144 144	78 78	72 78	<u>4046</u> 4116	8902 9014	7810	12550 12708	4465 4539	9321 9437	8532 8654	13388 13552
144	78	84	4186	9121	7932	12867	4618	9553	8775	13710
144	84	24	3552	7957	6851	11256	3925	8330	<u>7672</u>	12077
144	84	30	3625	8142	6972	11489	4005	8522	7798	12315
144	84	36	3693	8357	7091	11755	4079	8743	7919	12583
144 144	84 84	42	3764 3834	8463 8575	7211 7328	11910 12069	4155 4234	8854 8975	8041 8164	12740 12905
144	84	<u>48</u> 54	3907	8575 8686	7450	12069	4309	9088	8287	13066
$\frac{144}{144}$	84	60	3974	8791	7570	12387	4385	9202	8409	13226
144	84	66	4046	8902	7690	12546	4465	9321	8532	13388
144	84	72	4116	9014	7809	12707	4539	9437	8654	13552
144	84	78	4186	9121	7930	12865	4618	9553	8775	13710
144	84	84	4256	9229	8046	13019	4695	9668	8901	13874

B - C W G

Main Worksurface with Two Gables - Reception Desk



This worksurface must only be used with a Reception Desk - Straight Module (B_CRF). It would be unstable if used alone.

WHAT'S INCLUDED

1 worksuface piece or 2 worksurface pieces (if 90" to 144" width is specified), 2 full gables with levelers, 1 half gable with levelers (if 78" to 144" width is specified), 1 or 2 (if 90" to 144" width is specified) cable trays, rectangular grommet (as specified), and mounting hardware.

WHAT'S EXCLUDED

Reception Desk - Straight Module.

Centered grommet option (C) is not available with 78" or 84" worksurface widths.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Front Width	Grommet Option	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable Finish	Grommet Finish
M 1 3/16" X 1 9/16"	20, 24, 30	072, 078, 084, 090, 096, 102, 108, 114, 120, 126, 132, 138, 144	C Centered B Both Ends	Foundation Laminate Flintwood (No Cathedral)	Trim	Edge Trim Colors (for trim style 6)	Source Laminate Flintwood (No Cathedral)	Foundation Mica

SAMPLE ORDER CODE

BMCWG	24	84	C	VZ	9	XS	83

DIMENSIONS -**INCHES / MM**

PRICING

		1 3/16" (M)				1 9/16" (X)			
		FOUNDATION LAMINATE	1	FLINTWOOI)	FOUNDATION LAMINATE	N	FLINTWOOI)
		GABLE FINISH	I						
		Source		Source		Source		Source	
D	Fw	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
20 / 208	72 / 1829	1079	2120	1470	2511	1223	2251	1676	2704
20 / 208	78 / 1981	1254	2591	1663	3000	1423	2749	1882	3208
20 / 208	84 / 2134	1299	2636	1719	3056	1478	2804	1943	3269
20 / 208	90 / 2286	1351	2688	1772	3109	1534	2860	2004	3330
20 / 208	96 / 2438	1402	2739	1857	3194	1589	2915	2096	3422
20 / 208	102 / 2591	1506	2843	2153	3490	1646	2972	2405	3731
20 / 208	108 / 2743	1559	2896	2205	3542	1699	3025	2464	3790
20 / 208	114 / 2896	1611	2948	2292	3629	1755	3081	2555	3881
20 / 208	120 / 3048	1662	2999	2377	3714	1812	3138	2652	3978
20 / 208	126 / 3200	1720	3057	2430	3767	1865	3191	2717	4043
20 / 208	132 / 3353	1777	3114	2487	3824	1923	3249	2777	4103
20 / 208	138 / 3505	1808	3145	2551	3888	1975	3301	2856	4182
20 / 208	144 / 3658	1840	3177	2623	3960	2032	3358	2934	4260

Pricing is continued on the following page.

B - C W G

Main Worksurface with Two Gables - Reception Desk (Continued)


DIMENSIONS -**INCHES / MM**

PRICING

		1 3/16" (M) Foundatio Laminate	N	FLINTWOOI)	1 9/16" (X) Foundation Laminate	ON	FLINTWOOD	
		GABLE FINIS	Н						
D	Fw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
24 / 610	72 / 1829	1268	2438	1631	2801	1469	2627	1880	3038
24 / 610	78 / 1981	1472	2942	1861	3331	1677	3133	2123	3579
24 / 610	84 / 2134	1528	2998	1923	3393	1741	3197	2196	3652
24 / 610	90 / 2286	1589	3059	1980	3450	1808	3264	2263	3719
24 / 610	96 / 2438	1651	3121	2072	3542	1879	3335	2366	3822
24 / 610	102 / 2591	1709	3179	2408	3878	1944	3400	2712	4168
24 / 610	108 / 2743	1771	3241	2466	3936	2009	3465	2781	4237
24 / 610	114 / 2896	1830	3300	2544	4014	2076	3532	2866	4322
24 / 610	120 / 3048	1888	3358	2619	4089	2141	3597	2952	4408
24 / 610	126 / 3200	1951	3421	2676	4146	2209	3665	3021	4477
24 / 610	132 / 3353	2011	3481	2734	4204	2278	3734	3091	4547
24 / 610	138 / 3505	2074	3544	2797	4267	2344	3800	3160	4616
24 / 610	144 / 3658	2136	3606	2856	4326	2409	3865	3231	4687
30 / 762	72 / 1829	1596	3155	1920	3479	1771	3382	2154	3765
30 / 762	78 / 1981	1812	3669	2160	4017	1998	3906	2409	4317
30 / 762	84 / 2134	1888	3745	2230	4087	2080	3988	2492	4400
30 / 762	90 / 2286	1965	3822	2297	4154	2166	4074	2575	4483
30 / 762	96 / 2438	2037	3894	2366	4223	2246	4154	2812	4720
30 / 762	102 / 2591	2112	3969	2747	4604	2327	4235	3045	4953
30 / 762	108 / 2743	2182	4039	2814	4671	2413	4321	3129	5037
30 / 762	114 / 2896	2263	4120	2883	4740	2495	4403	3211	5119
30 / 762	120 / 3048	2343	4200	2949	4806	2579	4487	3291	5199
30 / 762	126 / 3200	2415	4272	3048	4905	2663	4571	3406	5314
30 / 762	132 / 3353	2492	4349	3149	5006	2747	4655	3518	5426
30 / 762	138 / 3505	2566	4423	3217	5074	2827	4735	3599	5507
30 / 762	144 / 3658	2637	4494	3286	5143	2910	4818	3678	5586

B_CWL

Main Worksurface with One Gable -Reception Desk



This worksurface must only be used in conjunction with a Reception Desk – L-Shaped Module (B_CRL) to create a "L" configuration. It would be unstable if used alone.

WHAT'S INCLUDED

1 worksuface piece or 2 worksurface pieces (if 90" to 144" width is specified), 1 full gable with levelers, 1 half gable with levelers (if 78" to 144" width is specified), 1 or 2 (if 90" to 144" width is specified) cable trays, rectangular grommet (as specified), and mounting hardware.

WHAT'S EXCLUDED

Reception Desk - L-Shaped Module and Cross Grain Return - Reception Desk.

Centered grommet option (C) is not available with 78" or 84" worksurface widths.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Front Width	Grommet Option	Configu- ration	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable Finish	Grommet Finish
M 1 3/16" 20, X 1 9/16"		072, 078, 084, 090, 096, 102, 108, 114, 120, 126, 132, 138, 144	(Shown)	L Left (Shown) R Right	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Source Laminate Flintwood (No Cathedral)	Foundation Mica

SAMPLE ORDER CODE

B <u>M</u> CWL	30	078	В	L	2D	6	4D	3D	83
----------------	----	-----	---	---	----	---	----	----	----

DIMENSIONS -**INCHES / MM**

PRICING

		1 3/16" (M)				1 9/16" (X)			
		FOUNDATIC LAMINATE	N	FLINTWOOD		FOUNDATIC LAMINATE	ON	FLINTWOOI)
		GABLE FINIS	Н	-				-	
D	Fw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
20 / 508	72 / 1829	848	1368	1241	1761	944	1459	1394	1909
20 / 508	78 / 1981	1027	1845	1434	2252	1144	1955	1601	2412
20 / 508	84 / 2134	1071	1889	1488	2306	1199	2010	1661	2472
20 / 508	90 / 2286	1122	1940	1542	2360	1253	2064	1724	2535
20 / 508	96 / 2438	1170	1988	1629	2447	1308	2119	1819	2630
20 / 508	102 / 2591	1279	2097	1924	2742	1366	2177	2124	2935
20 / 508	108 / 2743	1332	2150	1975	2793	1420	2231	2184	2995
20 / 508	114 / 2896	1382	2200	2062	2880	1477	2288	2281	3092
20 / 508	120 / 3048	1433	2251	2148	2966	1534	2345	2372	3183
20 / 508	126 / 3200	1489	2307	2202	3020	1587	2398	2438	3249
20 / 508	132 / 3353	1549	2367	2255	3073	1643	2454	2497	3308
20 / 508	138 / 3505	1579	2397	2323	3141	1697	2508	2578	3389
20 / 508	144 / 3658	1611	2429	2398	3216	1753	2564	2656	3467

Pricing is continued on the following page.

B_CWL

Main Worksurface with One Gable -Reception Desk (Continued)

DIMENSIONS -**INCHES / MM**

PRICING

		1 3/16" (M)				1 9/16" (X)			
		FOUNDATIO LAMINATE	DN	FLINTWOOD		FOUNDATIO LAMINATE)N	FLINTWOOI)
		GABLE FINIS	SH						
D	Fw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
24 / 610	72 / 1829	996	1584	1356	1944	1133	1711	1543	2121
24 / 610	78 / 1981	1199	2083	1589	2473	1341	2217	1788	2664
24 / 610	84 / 2134	1254	2138	1651	2535	1411	2287	1858	2734
24 / 610	90 / 2286	1318	2202	1709	2593	1474	2350	1928	2804
24 / 610	96 / 2438	1376	2260	1799	2683	1542	2418	2031	2907
24 / 610	102 / 2591	1434	2318	2136	3020	1608	2484	2377	3253
24 / 610	108 / 2743	1498	2382	2197	3081	1676	2552	2446	3322
24 / 610	114 / 2896	1557	2441	2270	3154	1740	2616	2532	3408
24 / 610	120 / 3048	1616	2500	2347	3231	1807	2683	2618	3494
24 / 610	126 / 3200	1679	2563	2406	3290	1878	2754	2688	3564
24 / 610	132 / 3353	1739	2623	2463	3347	1944	2820	2758	3634
24 / 610	138 / 3505	1800	2684	2525	3409	2009	2885	2826	3702
24 / 610	144 / 3658	1861	2745	2582	3466	2076	2952	2897	3773
30 / 762	72 / 1829	1247	2028	1572	2353	1383	2189	1769	2575
30 / 762	78 /1981	1464	2542	1813	2891	1609	2714	2024	3129
30 / 762	84 / 2134	1542	2620	1883	2961	1692	2797	2105	3210
30 / 762	90 / 2286	1616	2694	1949	3027	1777	2882	2185	3290
30 / 762	96 / 2438	1691	2769	2016	3094	1859	2964	2424	3529
30 / 762	102 / 2591	1764	2842	2401	3479	1944	3049	2662	3767
30 / 762	108 / 2743	1836	2914	2465	3543	2027	3132	2740	3845
30 / 762	114 / 2896	1915	2993	2536	3614	2110	3215	2823	3928
30 / 762	120 / 3048	1996	3074	2601	3679	2192	3297	2903	4008
30 / 762	126 / 3200	2068	3146	2703	3781	2275	3380	3018	4123
30 / 762	132 / 3353	2143	3221	2803	3881	2359	3464	3132	4237
30 / 762	138 / 3505	2214	3292	2870	3948	2443	3548	3213	4318
30 / 762	144 / 3658	2290	3368	2939	4017	2526	3631	3292	4397

B_CWU

Main Worksurface - Reception Desk

This worksurface can only be used in conjunction with a Reception Desk – U-Shaped Module (B_CRU) to create a "U" configuration.

WHAT'S INCLUDED

1 worksuface piece or 2 worksurface pieces (if 90" to 144" width is specified), 1 half gable with levelers, 1 or 2 (if 90" to 144" width is specified) cable trays, rectangular grommet (as specified), and mounting hardware.


WHAT'S EXCLUDED

Reception Desk - U-Shaped Module and Cross Grain Return - Reception Desk.

Centered grommet option (C) is not available with 84" worksurface widths.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksur Thickn	Depth	Front Width	Grommet Option	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Half Gable Finish	Grommet Finish
M 1 3/16 X 1 9/16	20, 24, 30	084, 090, 096, 102, 108, 114, 120, 126, 132, 138, 144	C Centered (Shown) B Both Ends	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Source Laminate Flintwood (No Cathedral)	Foundation Mica

SAMPLE ORDER CODE

BMCWU 20 144 C 2E 6 4E	3E 60
------------------------	-------

DIMENSIONS -INCHES / MM

PRICING

		1 3/16" (M) FOUNDATIO LAMINATE HALF GABLE		FLINTWOOD		1 9/16" (X) Foundatio Laminate	N	FLINTWOOL)
D	Fw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
20 / 508	84 / 2134	841	1137	1257	1553	920	1216	1382	1678
20 / 508	90 / 2286	892	1188	1312	1608	973	1269	1444	1740
20 / 508	96 / 2438	942	1238	1399	1695	1031	1327	1539	1835
20 / 508	102 / 2591	1045	1341	1695	1991	1085	1381	1844	2140
20 / 508	108 / 2743	1102	1398	1748	2044	1139	1435	1906	2202
20 / 508	114 / 2896	1155	1451	1834	2130	1197	1493	2000	2296
20 / 508	120 / 3048	1205	1501	1920	2216	1253	1549	2093	2389
20 / 508	126 / 3200	1259	1555	1972	2268	1306	1602	2155	2451
20 / 508	132 / 3353	1319	1615	2025	2321	1365	1661	2219	2515
20 / 508	138 / 3505	1349	1645	2094	2390	1419	1715	2297	2593
20 / 508	144 / 3658	1382	1678	2167	2463	1473	1769	2373	2669

Pricing is continued on the following page.

B - C W U

Main Worksurface - Reception Desk (Continued)


DIMENSIONS -INCHES / MM

PRICING

		1 3/16" (M)				1 9/16" (X)			
		FOUNDATIO LAMINATE	N	FLINTWOOL)	FOUNDATIC LAMINATE	ON	FLINTWOOI	D
		HALF GABLE	FINISH						
D	Fw	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
24 / 610	84 / 2134	983	1279	1376	1672	1073	1369	1525	1821
24 / 610	90 / 2286	1043	1339	1434	1730	1139	1435	1596	1892
24 / 610	96 / 2438	1105	1401	1527	1823	1208	1504	1696	1992
24 / 610	102 / 2591	1163	1459	1861	2157	1278	1574	2043	2339
24 / 610	108 / 2743	1223	1519	1923	2219	1340	1636	2114	2410
24 / 610	114 / 2896	1285	1581	1999	2295	1407	1703	2199	2495
24 / 610	120 / 3048	1342	1638	2074	2370	1473	1769	2284	2580
24 / 610	126 / 3200	1406	1702	2130	2426	1540	1836	2355	2651
24 / 610	132 / 3353	1465	1761	2189	2485	1608	1904	2422	2718
24 / 610	138 / 3505	1528	1824	2250	2546	1676	1972	2493	2789
24 / 610	144 / 3658	1589	1885	2311	2607	1740	2036	2561	2857
30 / 762	84 / 2134	1196	1492	1535	1831	1305	1601	1719	2015
30 / 762	90 / 2286	1268	1564	1603	1899	1391	1687	1800	2096
30 / 762	96 / 2438	1342	1638	1670	1966	1474	1770	2037	2333
30 / 762	102 / 2591	1416	1712	2052	2348	1557	1853	2274	2570
30 / 762	108 / 2743	1488	1784	2120	2416	1641	1937	2356	2652
30 / 762	114 / 2896	1568	1864	2185	2481	1723	2019	2439	2735
30 / 762	120 / 3048	1650	1946	2255	2551	1805	2101	2523	2819
30 / 762	126 / 3200	1721	2017	2356	2652	1888	2184	2631	2927
30 / 762	132 / 3353	1797	2093	2456	2752	1973	2269	2747	3043
30 / 762	138 / 3505	1868	2164	2525	2821	2057	2353	2826	3122
30 / 762	144 / 3658	1943	2239	2589	2885	2138	2434	2906	3202

B - C W R

Cross Grain Return - Reception Desk



PRODUCT OPTIONS

This worksurface must only be used in conjunction with a Main Worksurface with One Gable (B_CWL) or Main Workurface (B_CWU) and a Reception Desk – L-Shaped Module (B_CRL) or Reception Desk – U-Shaped Module (B_CRU) to create a "L" or "U" configuration. It would be unstable if used alone.

WHAT'S INCLUDED

1 worksuface piece, 1 full gable with levelers, 1 cable tray (as specified), rectangular grommet (as specified), and mounting hardware.

WHAT'S EXCLUDED

Reception Desk Module - L- or U-Shaped, Main Worksurface with One Gable and Main Worksurface.

The 60" return width in Flintwood comes with long grain.

When Centered or End Grommet Option (C or E) is specified, a cable tray is also

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

Worksurface Thickness	Depth	Width	Grommet Option	Configu- ration	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Gable Finish	Grommet Finish
		24, 30, 36, 42, 48, 54, 60	C Centered (Shown) E End Grommet N No Grommet	L Left (Shown) R Right	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim	Edge Trim Colors (for trim style 6)	Source Laminate Flintwood (No Cathedral)	Foundation Mica

SAMPLE ORDER CODE

B <u>M</u> CWR 24 42 N L LW 6 ST XS	74
-------------------------------------	----

DIMENSIONS -**INCHES / MM**

PRICING

		1 3/16"(M)				1 9/16"(X)			
		FOUNDATIC LAMINATE	ON	FLINTWOOI)	FOUNDATION LAMINATE	ON	FLINTWOO	D
		GABLE FINIS	SH						
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
20 / 508	24 / 610	440	960	731	1251	454	974	764	1284
20 / 508	30 / 762	480	1000	793	1313	509	1029	838	1358
20 / 508	36 / 914	538	1058	847	1367	564	1084	900	1420
20 / 508	42 / 1067	599	1119	900	1420	617	1137	963	1483
20 / 508	48 / 1219	654	1174	980	1500	674	1194	1050	1570
20 / 508	54 / 1372	709	1229	1032	1552	727	1247	1112	1632
20 / 508	60 / 1524	761	1281	1118	1638	785	1305	1205	1725
24 / 610	24 / 610	524	1112	811	1399	541	1129	850	1438
24 / 610	30 / 762	574	1162	871	1459	607	1195	922	1510
24 / 610	36 / 914	635	1223	954	1542	674	1262	1015	1603
24 / 610	42 / 1067	694	1282	1013	1601	741	1329	1085	1673
24 / 610	48 / 1219	752	1340	1105	1693	806	1394	1191	1779
24 / 610	54 / 1372	814	1402	1163	1751	872	1460	1256	1844
24 / 610	60 / 1524	875	1463	1240	1828	938	1526	1342	1930
30 / 762	24 / 610	659	1440	922	1703	681	1462	974	1755
30 / 762	30 / 762	731	1512	1015	1796	764	1545	1080	1861
30 / 762	36 / 914	797	1578	1082	1863	846	1627	1163	1944
30 / 762	42 / 1037	876	1657	1184	1965	930	1711	1279	2060
30 / 762	48 /1219	949	1730	1264	2045	1013	1794	1373	2154
30 / 762	54 / 1372	1021	1802	1336	2117	1096	1877	1456	2237
30 / 762	60 / 1524	1100	1881	1404	2185	1179	1960	1536	2317

BCAT

Reception Desk Element -Tackboard


The Reception Desk Element – Tackboard and is fabric-wrapped and is mounted inside the inset panel of the reception desk module.

WHAT'S INCLUDED

1 fabric element with mounting hardware.

Listed dimensions are nominal. The sum of element widths should not exceed the

To realize an enclosed corner, specify one element with the same width and substract 1" to the other(s).



PRODUCT OPTIONS

Height	Width	Fabric Finish
12	23, 24, 29, 30, 35, 36, 41, 42, 47, 48, 53, 54, 59, 60, 65, 66, 71, 72, 77, 78, 83, 84	Panel Fabric

SAMPLE ORDER CODE

BCAT 12	59	D403
---------	----	------

DIMENSIONS

INCHES / MM PRICING

		0.41							
Н	W	Gr. A/ COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
12 / 305	23 / 584	90	95	108	118	129	161	175	191
12 / 305	24 / 610	90	95	108	118	129	161	175	191
12 / 305	29 / 137	99	110	122	132	146	179	197	213
12 / 305	30 / 762	99	110	122	132	146	179	197	213
12 / 305	35 / 889	122	132	146	157	169	204	226	244
12 / 305	36 / 914	122	132	146	157	169	204	226	244
12 / 305	41 / 1041	135	144	161	173	190	231	252	274
12 / 305	42 / 1067	135	144	161	173	190	231	252	274
12 / 305	47 / 1194	144	154	173	183	202	249	271	293
12 / 305	48 / 1219	144	154	173	183	202	249	271	293
12 / 305	53 / 1346	157	169	183	202	220	268	292	318
12 / 305	54 / 1372	157	169	183	202	220	268	292	318
12 / 305	59 / 1499	176	191	212	229	251	307	336	364
12 / 305	60 / 1524	176	191	212	229	251	307	336	364
12 / 305	65 / 1651	191	203	226	244	263	320	350	377
12 / 305	66 / 1676	191	203	226	244	263	320	350	377
12 / 305	71 / 1803	202	217	239	258	282	345	375	406
12 / 305	72 / 1829	202	217	239	258	282	345	375	406
12 / 305	77 / 1956	213	227	252	275	298	369	403	435
12 / 305	78 / 1981	213	227	252	275	298	369	403	435
12 / 305	83 / 2108	225	240	267	288	312	378	414	449
12 / 305	84 / 2134	225	240	267	288	312	378	414	449


meeting tables

Panel Bases

BC_CRP Rectangular Conference Table -


BC_CHP Height-Adjustable Conference Table - Panel Bases

Page 1210 Page 1214



BC_CRK Rectangular Conference Table -Cubic Bases

Page 1218 Page 1220




Blade Legs

BC_CRLB Rectangular Conference Table -

BC_CWA Workshop Conference Table

BC_CBK Boat Conference Table - Cubic

Bases



BC_CRTB Rectangular Conference Table -Blade Legs

Page 1222



Page 1224



B C _ C B P Boat Conference Table - Panel Bases



Page 1230






BC_CVP Video Conference Table - Panel

Page 1232

B C _ M H R B Height-Adjustable Meeting Table Bevel Bases

Page 1234



BC_MRP Rectangular Meeting Table - Panel

Page 1236



B C _ M R L B Rectangular Meeting Table – Blade Legs

Page 1238



Rectangular Meeting Table – Blade T-Legs BC_MRTB

Page 1240



BC_TRTB Rectangular Team Table - Blade T-Legs

Page 1242



B C $_$ M W A Workshop Meeting Table

B C _ M B P Boat Meeting Table - Panel Bases

Page 1246





B C _ M B T B Boat Meeting Table - Blade T-Legs

BC_MPLB Diamond Meeting Table -**Blade Legs**

 $B\ C\ _\ M\ O\ L\ B\quad Round\ Meeting\ Table-Blade$ Legs

B C _ R O F Round Meeting Table – Four-Point

B C _ M S L B Square Meeting Table - Blade

Legs

Base

Page 1248 Page 1250





B C _ M O K Round Meeting Table - Cubic Base

Page 1252 Page 1254





B C _ M O S B Round Meeting Table - Blade Star Base

Page 1256 Page 1257





 $B\ C\ _M\ S\ K\quad Square\ Meeting\ Table-Cubic\ Base$

Page 1260





B C _ M S S B Square Meeting Table - Blade Star

Page 1262

BC_MSF Square Meeting Table - Four-Point Base

Page 1263





B_HRW Height-Adjustable Rectangular Meeting Peninsula

Page 1264

B - HDWHeight-Adjustable D-Shape Meeting Peninsula

Page 1270





B _ H B W Height-Adjustable Tapered Meeting Peninsula

Page 1274

B_HPW Height-Adjustable Diamond Meeting Peninsula

Page 1278





B C _ F R Fixed Rectangular Meeting Peninsula

Page 1282

B C _ F D Fixed D-Shape Meeting Peninsula





BC_FT Fixed Tapered Meeting Peninsula



Page 1294

BC_FP Fixed Diamond Meeting Peninsula



Page 1300






B C _ G Gable for Fixed Meeting Peninsula



Page 1304

BCMW Media Wall

Page 1305






BCSMW Metal Shelf - Media Wall

Page 1306

B C T V TV Stand - Meeting Peninsula

Page 1307






BCSTV Metal Shelf - TV Stand

Page 1308

B C G R L B Rectangular Writable Glass Meeting Table - Blade Legs





B C G R T B Rectangular Writable Glass Meeting Table – Blade T-Legs

Page 1312

B C G S S B Square Writable Glass Meeting Table - Blade Star Base

Page 1314





BAMHK Table Companion Marker Kit

Page 1315

BAME Dry-Erase Pads for Companion Marker

Page 1316









BC_CT Coffee Table

Page 1317

BAWW Wall-Mounted Whiteboard

Page 1318







BAWMG Wall-Mounted Glass Markerboard

Page 1319

BWTTB Blade T-Leg






BWTSB Blade Star Base

BWFP Four-Point Base

Page 1323 Page 1324





BC_CHP

Height-Adjustable Conference Table - Panel Bases

This aesthetically refined height-adjustable conference table is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

Worksurface pieces, height-adjustable panel bases with levelers, 2 switches for height-adjustable mechanism (as specified), reinforcing bars, linking plates, power module cut-out (as specified), cable tray, wire management kit and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

For the number of worksurface pieces, supports and module cut-outs included, refer to the Meeting Table Configurations and Supports in the Application Guide.


When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available.

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

When 156" or 168" deep worksurface is specified, the Power Module Cut-Out (LX) option is not available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Range	Depth	Width	Corner Detail		Power Module Cut-Out
M 1 3/16"	S Standard Range – 28" to 43"	42, 48, 54, 60	108, 120, 132, 144, 156, 168		NN	No Cut-Out (Shown)
V 1 3/16" Knife EdgeX 1 9/16"	20 10 15			S Straight (Shown)	LS	Linear Power Module - Standard 18"
					LX	Linear Power Module – Extended 28"
					PQ	Power Pill – Quad

SAMPLE ORDER CODE

BCMCHP S 54 168	S	NN
-----------------	---	----

PRODUCT OPTIONS CONTINUED

Switch	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Base Infill Finish	Support Finish
D Display with Up/ Down Memory F Toggle Up/Down - Platinum G Toggle Up/Down - Crisp Grey H Toggle Up/Down - Anthracite M Display Toggle with Memory - Crisp Grey O Display Toggle with Memory - Anthracite	Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim F Full Knife Trim	Edge Trim Colors (for trim style 6 or F)	Source Laminate Flintwood (No Cathedral)	Foundation Mica Accent

SAMPLE ORDER CODE CONTINUED

O VZ 9 VZ 74	0	VZ	9		VZ	74
--------------	---	----	---	--	----	----

See Pricing on the following page.

BC_CHP

Height-Adjustable Conference Table - Panel Bases (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4 **PRICING**

		STRAIGH	IT (S)								
		EOLINDAT									
		LAMINAT		FLINTWO	OOD	FOUNDATIO LAMINATE	ON	FOUNDAT LAMINAT		FLINTWO	OOD
		BASE INF	ILL FINISH								
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
42	108	9569	11007	12824	14262	9819	11257	9976	11414	13159	14597
42	120	9713	11151	13154	14592	9983	11421	10151	11589	13604	15042
42	132	9846	11284	13355	14793	10136	11574	10318	11756	13955	15393
42	144	10181	11619	13970	15408	10491	11929	10686	12124	14573	16011
42	156	14549	16705	18804	20960	14879	17035	15087	17243	19949	22105
42	168	14655	16811	19226	21382	15005	17161	15222	17378	20373	22529
48	108	9706	11144	13171	14609	9966	11404	10152	11590	13639	15077
48	120	9859	11297	13392	14830	10139	11577	10336	11774	13994	15432
48	132	10002	11440	13796	15234	10302	11740	10510	11948	14488	15926
48	144	10345	11783	14239	15677	10665	12103	10883	12321	14921	16359
48	156	14722	16878	19328	21484	15062	17218	15290	17446	20305	22461
48	168	14893	17049	19752	21908	15253	17409	15536	17692	20799	22955
54	108	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
54	120	10048	11672	13973	15597	10338	11962	10575	12199	14732	16356
54	132	10225	11849	14310	15934	10535	12159	10798	12422	15054	16678
54	144	14817	17253	19026	21462	15147	17583	15435	17871	19819	22255
54	156	15050	17486	20005	22441	15400	17836	15713	18149	20878	23314
54	168	15198	17634	20342	22778	15568	18004	15904	18340	21277	23713
60	108	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60	120	10120	11744	n/a	n/a	10420	12044	n/a	n/a	n/a	n/a
60	132	10321	11945	n/a	n/a	10641	12265	n/a	n/a	n/a	n/a
60	144	14935	17371	n/a	n/a	15275	17711	n/a	n/a	n/a	n/a
60	156	15208	17644	n/a	n/a	15568	18004	n/a	n/a	n/a	n/a
60	168	15392	17828	n/a	n/a	15772	18208	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 258.

Pricing is continued on the following page.

BC_CHP

Height-Adjustable Conference Table - Panel Bases (Continued)

DIMENSIONS - INCHES

PRICING FOR MM X BY 25.4

POUNDATION FOUNDATION LAMINATE FOUNDATION L			1 3/16" (N	M)			1 3/16" KNIF	FE EDGE (V)	1 9/16" (X	<u>.</u>)		
D LAMINATE FLINTWOD LAMINATE LAMINATE LAMINATE EINTWOD D W Source Laminate Plintwood Elintwood Source Laminate Plintwood Flintwood Laminate Plintwood Helintwood Laminate Plintwood Laminate Plintwood Laminate Plintwood Laminate Plintwood Helintwood Laminate Plintwood Helintwood Laminate Plintwood Laminate P			RADIUS	(S)								
D W					FLINTWO	OOD		ON			FLINTWO	OOD
D W Laminate Flintwood Laminate Flintwood Laminate Flintwood Laminate Flintwood 42 108 9569 11007 13449 14887 n/a n/a 9976 11414 13789 15227 132 29846 11284 14072 15510 n/a n/a n/a 10318 11756 14669 16107 142 144 10181 11619 14726 16164 n/a n/a 10388 11756 14669 16107 142 156 14549 16705 19604 21760 n/a n/a n/a 15087 17243 20749 22905 168 14655 16811 20074 22230 n/a n/a 10322 17378 21221 23377 148 108 9706 11144 13828 15266 n/a n/a n/a 10336 11774 14697 16135 148 132 10002 11440 14545 15983 n/a n/a n/a 10336 11774 14697 16135 148 132 10002 11440 14545 15983 n/a n/a 10336 11774 14697 16135 148 146 14722 16878 20163 22319 n/a n/a 10883 12321 15713 17151 148 156 14722 16878 20163 22319 n/a n/a 15230 17692 21678 23834 168 14893 17049 20632 22788 n/a n/a n/a 10575 12199 15471 17095 54 132 10025 11849 15092 16716 n/a n/a n/a 10575 12199 15471 17095 54 132 10025 11849 15092 16716 n/a n/a n/a 10573 18149 21749 24185 154 156 15050 17486 20875 23311 n/a n/a n/a 15103 18149 21749 24185 154 156 15050 17486 20875 23311 n/a n/			BASE INF	ILL FINISH								
42 120 9713 11151 13827 15265 n/a n/a 10151 11589 14274 15712 42 132 9846 11284 14072 15510 n/a n/a 10318 11756 14669 16107 42 144 10181 11619 14726 16164 n/a n/a 10686 12124 15333 16771 42 156 14549 16705 19604 21760 n/a n/a n/a 15087 17243 20749 22905 42 168 14655 16811 20074 22230 n/a n/a 15222 17378 21221 23377 48 108 9706 11144 13828 15266 n/a n/a n/a 10152 11590 14299 15737 48 120 9859 11297 14095 15533 n/a n/a n/a 10336 11774 14697 16135 48 132 10002 11440 14545 15983 n/a n/a 10510 11948 15238 16676 48 144 10345 11783 15031 16469 n/a n/a 10883 12321 15713 17151 48 156 14722 16878 20163 22319 n/a n/a n/a 15290 17466 21139 23295 48 168 14893 17049 20632 22788 n/a n/a n/a 10575 12199 15471 17095 54 120 10048 11672 14713 16337 n/a n/a n/a 10748 12422 15836 17460 54 132 10225 11849 15092 16716 n/a n/a n/a 15713 18149 21749 24185 54 156 15050 17486 20875 23311 n/a n/a n/a 15904 18340 22191 24627 60 108 n/a	D	W		Flintwood		Flintwood		Flintwood		Flintwood		Flintwood
42 132 9846 11284 14072 15510 n/a n/a 10318 11756 14669 16107 42 144 10181 11619 14726 16164 n/a n/a 10686 12124 15333 16771 142 156 14549 16705 19604 21760 n/a n/a n/a 15087 17243 20749 22905 1268 14655 16811 20074 22230 n/a n/a 15222 17378 21221 23377 148 108 9706 11144 13828 15266 n/a n/a 10152 11590 14299 15737 148 120 9859 11297 14095 15533 n/a n/a 10336 11774 14697 16135 148 132 10002 11440 14545 15983 n/a n/a 10336 11774 14697 16135 148 132 10002 11440 14545 15983 n/a n/a 10888 12321 15713 17151 148 156 14722 16878 20163 22319 n/a n/a 15290 17446 21139 23295 148 168 14893 17049 20632 22788 n/a n/a 15536 17692 21678 23834 168 14817 17253 19850 22286 n/a n/a 10798 12422 15836 17460 1746 1468 14817 17253 19850 22286 n/a n/a 15713 18149 21749 24185 156 1508 17634 21255 23691 n/a n/a n/a 15703 18149 21749 24185 168 15198 17634 21255 23691 n/a n	42	108	9569	11007	13449	14887	n/a	n/a	9976	11414	13789	15227
42 144 10181 11619 14726 16164 n/a n/a 10686 12124 15333 16771 42 156 14549 16705 19604 21760 n/a n/a 15087 17243 20749 22905 42 168 14655 16811 20074 22230 n/a n/a 15087 17243 20749 22905 48 108 9706 11144 13828 15266 n/a n/a 10152 11590 14299 15737 48 120 9859 11297 14095 15533 n/a n/a 10336 11774 14697 16135 48 132 10002 11440 14545 15983 n/a n/a 10510 11948 15238 16676 48 144 10345 11783 15031 16469 n/a n/a 10510 11948 15238 16676 48 156	42	120	9713	11151	13827	15265	n/a	n/a	10151	11589	14274	15712
42 156 14549 16705 19604 21760 n/a n/a 15087 17243 20749 22905 42 168 14655 16811 20074 22230 n/a n/a 15222 17378 21221 23377 48 108 9706 11144 13828 15266 n/a n/a 10152 11590 14299 15737 48 120 9859 11297 14095 15533 n/a n/a 10336 11774 14697 16135 48 132 10002 11440 14545 15983 n/a n/a 10510 11948 15238 16676 48 144 10345 11783 15031 16469 n/a n/a 10883 12321 15713 17151 48 156 14722 16878 20163 22319 n/a n/a 15290 17446 21139 23295 48 168	42	132	9846	11284	14072	15510	n/a	n/a	10318	11756	14669	16107
42 168 14655 16811 20074 22230 n/a n/a 15222 17378 21221 23377 48 108 9706 11144 13828 15266 n/a n/a 10152 11590 14299 15737 48 120 9859 11297 14095 15533 n/a n/a 10336 11774 14697 16135 48 132 10002 11440 14545 15983 n/a n/a 10510 11948 15238 16676 48 132 10002 11440 14545 15983 n/a n/a 10510 11948 15238 16676 48 144 10345 11783 15031 16469 n/a n/a 10883 12321 15713 17151 48 156 14722 16878 20163 22319 n/a n/a n/a 15290 17446 21139 23295 48	42	144	10181	11619	14726	16164	n/a	n/a	10686	12124	15333	16771
48 108 9706 11144 13828 15266 n/a n/a 10152 11590 14299 15737 48 120 9859 11297 14095 15533 n/a n/a 10336 11774 14697 16135 48 132 10002 11440 14545 15983 n/a n/a 10510 11948 15238 16676 48 144 10345 11783 15031 16469 n/a n/a 10883 12321 15713 17151 48 156 14722 16878 20163 22319 n/a n/a 15290 17446 21139 23295 48 168 14893 17049 20632 22788 n/a n/a 15536 17692 21678 23834 54 108 n/a n/a n/a n/a n/a n/a n/a 10575 12199 15471 17095 54	42	156	14549	16705	19604	21760	n/a	n/a	15087	17243	20749	22905
48 120 9859 11297 14095 15533 n/a n/a 10336 11774 14697 16135 48 132 10002 11440 14545 15983 n/a n/a 10510 11948 15238 16676 48 144 10345 11783 15031 16469 n/a n/a 10883 12321 15713 17151 48 156 14722 16878 20163 22319 n/a n/a 15290 17446 21139 23295 48 168 14893 17049 20632 22788 n/a n/a 15536 17692 21678 23834 54 108 n/a n/a n/a n/a n/a n/a n/a n/a n/a 1746 2139 23295 54 108 n/a n/a n/a n/a n/a n/a 1075 12199 15471 17095 5	42	168	14655	16811	20074	22230	n/a	n/a	15222	17378	21221	23377
48 132 10002 11440 14545 15983 n/a n/a 10510 11948 15238 16676 48 144 10345 11783 15031 16469 n/a n/a 10883 12321 15713 17151 48 156 14722 16878 20163 22319 n/a n/a 15290 17446 21139 23295 48 168 14893 17049 20632 22788 n/a n/a 15536 17692 21678 23834 54 108 n/a 17692 21678 23834 54 108 n/a 15753 12199 15471	48	108	9706	11144	13828	15266	n/a	n/a	10152	11590	14299	15737
48 144 10345 11783 15031 16469 n/a n/a 10883 12321 15713 17151 48 156 14722 16878 20163 22319 n/a n/a 15290 17446 21139 23295 48 168 14893 17049 20632 22788 n/a n/a 15536 17692 21678 23834 54 108 n/a	48	120	9859	11297	14095	15533	n/a	n/a	10336	11774	14697	16135
48 156 14722 16878 20163 22319 n/a n/a 15290 17446 21139 23295 48 168 14893 17049 20632 22788 n/a n/a 15536 17692 21678 23834 54 108 n/a n/a n/a n/a n/a n/a n/a n/a 54 120 10048 11672 14713 16337 n/a n/a 10575 12199 15471 17095 54 132 10225 11849 15092 16716 n/a n/a n/a 10798 12422 15836 17460 54 144 14817 17253 19850 22286 n/a n/a 15435 17871 20643 23079 54 156 15050 17486 20875 23311 n/a n/a 15713 18149 21749 24185 54 168 15198	48	132	10002	11440	14545	15983	n/a	n/a	10510	11948	15238	16676
48 168 14893 17049 20632 22788 n/a n/a 15536 17692 21678 23834 54 108 n/a	48	144	10345	11783	15031	16469	n/a	n/a	10883	12321	15713	17151
54 108 n/a	48	156	14722	16878	20163	22319	n/a	n/a	15290	17446	21139	23295
54 120 10048 11672 14713 16337 n/a n/a 10575 12199 15471 17095 54 132 10225 11849 15092 16716 n/a n/a 10575 12199 15471 17095 54 132 10225 11849 15092 16716 n/a n/a 10798 12422 15836 17460 54 144 14817 17253 19850 22286 n/a n/a 15435 17871 20643 23079 54 156 15050 17486 20875 23311 n/a n/a 15713 18149 21749 24185 54 168 15198 17634 21255 23691 n/a n/a 15904 18340 22191 24627 60 108 n/a	48	168	14893	17049	20632	22788	n/a	n/a	15536	17692	21678	23834
54 132 10225 11849 15092 16716 n/a n/a 10798 12422 15836 17460 54 144 14817 17253 19850 22286 n/a n/a 15435 17871 20643 23079 54 156 15050 17486 20875 23311 n/a n/a 15713 18149 21749 24185 54 168 15198 17634 21255 23691 n/a n/a 15904 18340 22191 24627 60 108 n/a n/a n/a n/a n/a n/a n/a n/a 60 120 10120 11744 n/a <	54	108	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
54 144 14817 17253 19850 22286 n/a n/a 15435 17871 20643 23079 54 156 15050 17486 20875 23311 n/a n/a 15713 18149 21749 24185 54 168 15198 17634 21255 23691 n/a n/a 15904 18340 22191 24627 60 108 n/a n/a n/a n/a n/a n/a n/a n/a 60 120 10120 11744 n/a	54	120	10048	11672	14713	16337	n/a	n/a	10575	12199	15471	17095
54 156 15050 17486 20875 23311 n/a n/a 15713 18149 21749 24185 54 168 15198 17634 21255 23691 n/a n/a 15904 18340 22191 24627 60 108 n/a n/a n/a n/a n/a n/a n/a n/a 60 120 10120 11744 n/a n/	54	132	10225	11849	15092	16716	n/a	n/a	10798	12422	15836	17460
54 168 15198 17634 21255 23691 n/a n/a n/a 15904 18340 22191 24627 60 108 n/a	54	144	14817	17253	19850	22286	n/a	n/a	15435	17871	20643	23079
60 108 n/a	54	156	15050	17486	20875	23311	n/a	n/a	15713	18149	21749	24185
60 120 10120 11744 n/a n/a<	54	168	15198	17634	21255	23691	n/a	n/a	15904	18340	22191	24627
60 132 10321 11945 n/a n/a<	60	108	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60 144 14935 17371 n/a n/a<	60	120	10120	11744	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60 156 15208 17644 n/a n/a n/a n/a n/a n/a n/a n/a n/a	60	132	10321	11945	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	60	144	14935	17371	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60 168 15392 17828 n/a n/a n/a n/a n/a n/a n/a n/a n/a	60	156	15208	17644	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	60	168	15392	17828	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 258.

BC_CRP

Rectangular Conference Table - Panel Bases

This aesthetically refined table is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

Worksurface pieces, panel bases with levelers, reinforcing bars, linking plates, power module cut-outs (as specified), wire management kit and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

For the number of worksurface pieces, supports and module cut-outs included, refer to the Meeting Table Configurations and Supports in the Application Guide.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Corner Detail	Power Module Cut-Out
M 1 3/16" X 1 9/16"	42, 48, 54, 60	108, 120, 132, 144, 156, 168, 180, 192, 204, 216	R Radius S Straight (Shown)	NN No Cut-Out (Shown) LS Linear Power Module –
V 1 3/16" Knife Edge				Standard 18" LX Linear Power Module – Extended 28"
				PQ Power Pill – Quad

SAMPLE ORDER CODE

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Base Infill Finish	Support Finish
Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6 or F)	Source Laminate Flintwood (No Cathedral)	AC Clear Anodized Foundation
	F Full Knife Trim			Accent Mica

SAMPLE ORDER CODE CONTINUED

W7	0	1/7	A.C.
V L)	V Z	AC

See Pricing on the following page.

BC_CRP

Rectangular Conference Table - Panel Bases (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4 PRICING

		1 3/16" (N	1)			1 3/16" KNIF	E EDGE (V)	1 9/16" (X)		
		STRAIGH FOUNDAT LAMINAT	ΓΙΟΝ	FLINTWO	DOD	FOUNDATIO LAMINATE)N	FOUNDAT LAMINAT		FLINTWO	OOD
		BASE INF	ILL FINISH	[
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
42	108	2525	3965	5780	7220	2775	4215	3050	4490	6235	7675
42	120	2717	4157	6158	7598	2987	4427	3212	4652	6667	8107
42	132	3003	4443	6511	7951	3293	4733	3435	4875	7073	8513
42	144	3152	4592	6939	8379	3462	4902	3659	5099	7546	8986
42	156	3567	5727	7821	9981	3897	6057	3616	5776	8478	10638
42	168	3755	5915	8329	10489	4105	6265	3887	6047	9036	11196
48	108	2688	4128	6151	7591	2948	4388	3187	4627	6673	8113
48	120	2932	4372	6467	7907	3212	4652	3388	4828	7047	8487
48	132	3182	4622	6976	8416	3482	4922	3634	5074	7614	9054
48	144	3402	4842	7294	8734	3722	5162	3950	5390	7988	9428
48	156	3907	6067	8512	10672	4247	6407	4249	6409	9264	11424
48	168	4079	6239	8937	11097	4439	6599	4487	6647	9747	11907
54	120	3118	4742	7045	8669	3408	5032	3539	5163	7695	9319
54	132	3362	4986	7446	9070	3672	5296	3905	5529	8161	9785
54	144	3580	5204	7788	9412	3910	5534	4184	5808	8568	10192
54	156	4247	6686	9203	11642	4597	7036	4885	7324	10049	12488
54	168	4401	6840	9544	11983	4771	7210	5085	7524	10457	12896
54	180	4697	7136	10681	13120	5087	7526	5512	7951	11657	14096
54	192	4938	7377	11021	13460	5348	7787	5718	8157	12063	14502
60	144	4175	5799	n/a	n/a	4515	6139	n/a	n/a	n/a	n/a
60	156	4551	6990	n/a	n/a	4911	7350	n/a	n/a	n/a	n/a
60	168	4843	7282	n/a	n/a	5223	7662	n/a	n/a	n/a	n/a
60	180	5025	7464	n/a	n/a	5425	7864	n/a	n/a	n/a	n/a
60	192	5196	7635	n/a	n/a	5616	8055	n/a	n/a	n/a	n/a
60	204	5424	7863	n/a	n/a	5864	8303	n/a	n/a	n/a	n/a
60	216	5632	8071	n/a	n/a	6092	8531	n/a	n/a	n/a	n/a

Pricing is continued on the following page.

meeting tables

Xpress

BCCRP

Rectangular Conference Table - Panel Bases (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

		1 3/16" (N	1)			1 3/16" KNIF	E EDGE (V)	1 9/16" (X)		
		RADIUS ((S)								
		FOUNDA' LAMINAT		FLINTWO	OOD	FOUNDATIO LAMINATE	ON	FOUNDA? LAMINAT		FLINTWO	OOD
		BASE INF	ILL FINISH					·			
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
42	108	2525	3965	6407	7847	n/a	n/a	3050	4490	6865	8305
42	120	2717	4157	6829	8269	n/a	n/a	3212	4652	7336	8776
42	132	3003	4443	7228	8668	n/a	n/a	3435	4875	7787	9227
42	144	3152	4592	7697	9137	n/a	n/a	3659	5099	8306	9746
42	156	3567	5727	8623	10783	n/a	n/a	3616	5776	9279	11439
42	168	3755	5915	9174	11334	n/a	n/a	3887	6047	9884	12044
48	108	2688	4128	6810	8250	n/a	n/a	3187	4627	7334	8774
48	120	2932	4372	7169	8609	n/a	n/a	3388	4828	7752	9192
48	132	3182	4622	7726	9166	n/a	n/a	3634	5074	8362	9802
48	144	3402	4842	8088	9528	n/a	n/a	3950	5390	8778	10218
48	156	3907	6067	9347	11507	n/a	n/a	4249	6409	10100	12260
48	168	4079	6239	9817	11977	n/a	n/a	4487	6647	10628	12788
54	120	3118	4742	7784	9408	n/a	n/a	3539	5163	8434	10058
54	132	3362	4986	8227	9851	n/a	n/a	3905	5529	8941	10565
54	144	3580	5204	8613	10237	n/a	n/a	4184	5808	9394	11018
54	156	4247	6686	10072	12511	n/a	n/a	4885	7324	10920	13359
54	168	4401	6840	10459	12898	n/a	n/a	5085	7524	11371	13810
54	180	4697	7136	11637	14076	n/a	n/a	5512	7951	12614	15053
54	192	4938	7377	12021	14460	n/a	n/a	5718	8157	13063	15502
60	144	4175	5799	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60	156	4551	6990	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60	168	4843	7282	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60	180	5025	7464	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60	192	5196	7635	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60	204	5424	7863	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60	216	5632	8071	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

BC_CRK

Rectangular Conference Table - Cubic Bases

This aesthetically refined table is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

Worksurface pieces, cubic bases with levelers, linking plates, power module cut-outs (if specified), wire management kit and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

For the number of worksurface pieces, supports and module cut-outs included, refer to the Meeting Table Configurations and Supports in the Application Guide.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Corner Detail	Power Module Cut-Out
M 1 3/16" X 1 9/16"	48, 54, 60	120, 132, 144, 156, 168, 180, 192, 204, 216	R Radius S Straight (Shown)	NN No Cut-Out (Shown) LS Linear Power Module –
V 1 3/16" Knife Edge				Standard 18" LX Linear Power Module – Extended 28"
				PQ Power Pill – Quad

SAMPLE ORDER CODE

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Base Infill Finish	Support Finish
Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	AC Clear Anodized
Flintwood (No Cathedral)	9 Flintwood Flat Trim	(for trim style 6 or F)	Flintwood (No Cathedral)	Foundation
	F Full Knife Trim			Accent
				Mica

SAMPLE ORDER CODE CONTINUED

2 F	6	4 F	2 F	60
215	U	410	JE	00

See Pricing on the following page.

$B\ C\ _\ C\ R\ K$

Rectangular Conference Table - Cubic Bases (Continued)


DIMENSIONS - INCHES FOR MM X BY 25.4 PRICING

		1 3/16" (N STRAIGH				1 3/16" KNIF	E EDGE (V)	1 9/16" (X)		
		FOUNDAT LAMINAT	ΓΙΟΝ	FLINTWO	OOD	FOUNDATIO LAMINATE	ON	FOUNDAT		FLINTWO	OOD
		BASE INF	ILL FINISH	[
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
48	120	3432	6303	7045	9916	3712	6583	3888	6759	7624	10495
48	132	4060	6931	7492	10363	4360	7231	4478	7349	8128	10999
48	144	4676	7547	7810	10681	4996	7867	5225	8096	8503	11374
48	156	4903	7774	8127	10998	5243	8114	5496	8367	8877	11748
48	168	5121	7992	8556	11427	5481	8352	5759	8630	9365	12236
54	120	3692	6565	7574	10447	3982	6855	4109	6982	8226	11099
54	132	4261	7134	7917	10790	4571	7444	4784	7657	8630	11503
54	144	4843	7716	8256	11129	5173	8046	5480	8353	9039	11912
54	156	5125	7998	8707	11580	5475	8348	5809	8682	9555	12428
54	168	5367	8240	9048	11921	5737	8610	6207	9080	9959	12832
54	180	5809	10122	11363	15676	6199	10512	6635	10948	12338	16651
54	192	6019	10332	11702	16015	6429	10742	6829	11142	12743	17056
60	144	5040	7918	n/a	n/a	5380	8258	n/a	n/a	n/a	n/a
60	156	5316	8194	n/a	n/a	5676	8554	n/a	n/a	n/a	n/a
60	168	5885	8763	n/a	n/a	6265	9143	n/a	n/a	n/a	n/a
60	180	6060	10379	n/a	n/a	6460	10779	n/a	n/a	n/a	n/a
60	192	6233	10552	n/a	n/a	6653	10972	n/a	n/a	n/a	n/a
60	204	6549	10868	n/a	n/a	6989	11308	n/a	n/a	n/a	n/a
60	216	6776	11095	n/a	n/a	7236	11555	n/a	n/a	n/a	n/a

		RADIUS (RADIUS (R)								
		FOUNDAT LAMINAT		FLINTWO	OOD	FOUNDATIO LAMINATE	ON	FOUNDA' LAMINAT		FLINTWO	OOD
		BASE INF	ILL FINISH	1							
		Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
48	120	3432	6303	7748	10619	n/a	n/a	3888	6759	8328	11199
48	132	4060	6931	8241	11112	n/a	n/a	4478	7349	8877	11748
48	144	4676	7547	8601	11472	n/a	n/a	5225	8096	9294	12165
48	156	4903	7774	8964	11835	n/a	n/a	5496	8367	9714	12585
48	168	5121	7992	9434	12305	n/a	n/a	5759	8630	10244	13115
54	120	3692	6565	8313	11186	n/a	n/a	4109	6982	8961	11834
54	132	4261	7134	8699	11572	n/a	n/a	4784	7657	9412	12285
54	144	4843	7716	9082	11955	n/a	n/a	5480	8353	9862	12735
54	156	5125	7998	9576	12449	n/a	n/a	5809	8682	10423	13296
54	168	5367	8240	9961	12834	n/a	n/a	6207	9080	10873	13746
54	180	5809	10122	12317	16630	n/a	n/a	6635	10948	13295	17608
54	192	6019	10332	12703	17016	n/a	n/a	6829	11142	13745	18058
60	144	5040	7918	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60	156	5316	8194	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60	168	5885	8763	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60	180	6060	10379	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60	192	6233	10552	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60	204	6549	10868	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
60	216	6776	11095	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

BC_CRLB

Rectangular Conference Table -Blade Legs



PRODUCT OPTIONS

This table is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

Worksurface pieces, blade legs with levelers, reinforcing bars, power module cut-outs (as specified), wire management kit and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

For the number of worksurface pieces, supports and module cut-outs included, refer to the Meeting Table Configurations and Supports in the Application Guide.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

V 1 3/16" Knife Edge	Worksurface Thickness	Depth	Width	Corner Detail	Power Module Cut-Out
V 1 3/16" Knife Edge Standard 18" LX Linear Power Module – Extended 28"	M 1 3/16"	42, 48, 54, 60	108, 120, 132, 144, 156, 168	R Radius	NN No Cut-Out (Shown)
LX Linear Power Module – Extended 28"				S Straight (Shown)	
PQ Power Pill – Quad	V 1 3/10 Kime Luge				
					PQ Power Pill – Quad

SAMPLE ORDER CODE

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Leg Back Finish	Leg Front Finish
Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim F Full Knife Trim	Edge Trim Colors (for trim style 6 or F)	Foundation Accent Mica	Foundation Accent Mica

SAMPLE ORDER CODE CONTINUED

LW	6	∣ ST	52	52
– ") -	<i>7</i> –

See Pricing on the following page.

$B\ C\ _\ C\ R\ L\ B$

Rectangular Conference Table – Blade Legs (Continued)


DIMENSIONS - INCHES FOR MM X BY 25.4 PRICING

		1 3/16" (M)		1 3/16" KNIFE EDGE (V)	1 9/16" (X)	
		STRAIGHT (S)				
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
42	108	3205	6461	3455	3546	6731
42	120	3291	6734	3561	3659	7111
42	132	3387	6897	3677	3780	7417
42	144	3489	7278	3799	3908	7796
42	156	3575	7830	3905	4021	8883
42	168	3661	8233	4011	4132	9283
48	108	3327	6791	3587	3699	7186
48	120	3420	6955	3700	3814	7474
48	132	3511	7307	3811	3931	7912
48	144	3619	7512	3939	4066	8104
48	156	3713	8318	4053	4183	9196
48	168	3850	8708	4210	4380	9642
54	120	3511	7438	3801	3949	8105
54	132	3631	7714	3941	4102	8359
54	144	3765	7974	4095	4272	8656
54	156	3885	8840	4235	4429	9593
54	168	4004	9148	4374	4582	9955
60	144	3860	n/a	4200	n/a	n/a
60	156	4010	n/a	4370	n/a	n/a
60	168	4159	n/a	4539	n/a	n/a

		RADIUS (R)				
		Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
42	108	3205	7086	n/a	3546	7360
42	120	3291	7405	n/a	3659	7782
42	132	3387	7613	n/a	3780	8132
42	144	3489	8034	n/a	3908	8557
42	156	3575	8632	n/a	4021	9684
42	168	3661	9079	n/a	4132	10130
48	108	3327	7450	n/a	3699	7846
48	120	3420	7656	n/a	3814	8179
48	132	3511	8055	n/a	3931	8659
48	144	3619	8304	n/a	4066	8896
48	156	3713	9154	n/a	4183	10033
48	168	3850	9589	n/a	4380	10522
54	120	3511	8176	n/a	3949	8845
54	132	3631	8498	n/a	4102	9141
54	144	3765	8797	n/a	4272	9482
54	156	3885	9709	n/a	4429	10464
54	168	4004	10062	n/a	4582	10868
60	144	3860		n/a	n/a	n/a
60	156	4010	n/a	n/a	n/a	n/a
60	168	4159	n/a	n/a	n/a	n/a

BC_CRTB 3

Rectangular Conference Table -Blade T-Legs



This table is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

Worksurface pieces, blade t-legs with levelers, reinforcing bars, linking plates, power module cut-outs (as specified), wire management kit and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

For the number of worksurface pieces, supports and module cut-outs included, refer to the Meeting Table Configurations and Supports in the Application Guide.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Corner Detail	Power Module Cut-Out
M 1 3/16"	42	108, 120, 132, 144, 156, 168	R Radius	NN No Cut-Out (Shown)
X 1 9/16"V 1 3/16" Knife Edge			S Straight (Shown)	LS Linear Power Module – Standard 18"
				PQ Power Pill – Quad

SAMPLE ORDER CODE

BC <u>M</u> CRTB 42 108 S NN	N
------------------------------	---

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim F Full Knife Trim	Edge Trim Colors (for trim style 6 or F)	Foundation Accent Mica

SAMPLE ORDER CODE CONTINUED

LW	6	ST	74

See Pricing on the following page.

BC_CRTB

Rectangular Conference Table – Blade T-Legs (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4 PRICING

		1 3/16" (M)		1 3/16" KNIFE EDGE (V)	1 9/16" (X)	
		STRAIGHT (S)				
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
42	108	2968	6224	3218	3309	6494
42	120	3054	6497	3324	3422	6874
42	132	3150	6660	3440	3543	7180
42	144	3252	7041	3562	3671	7559
42	156	3338	7593	3668	3784	8646
42	168	3424	7996	3774	3895	9046

		Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
42	108	2968	6849	n/a	3309	7123
42	120	3054	7168	n/a	3422	7545
42	132	3150	7376	n/a	3543	7895
42	144	3252	7797	n/a	3671	8320
42	156	3338	8395	n/a	3784	9447
42	168	3424	8842	n/a	3895	9893

BCCCWA

Workshop Conference Table

This table is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

Worksurface pieces, workshop legs with levelers, reinforcing bars, linking plates, power module cut-outs (as specified), wire management kit and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES


For the number of worksurface pieces, supports and module cut-outs included, refer to the Meeting Table Configurations and Supports in the Application Guide.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Corner Detail	Power Module Cut-Out
M 1 3/16" X 1 9/16" V 1 3/16" Knife Edge	42, 48, 54, 60	108, 120, 132, 144, 156, 168, 180, 192, 204, 216	R Radius S Straight (Shown)	NN No Cut-Out (Shown) LS Linear Power Module – Standard 18" LX Linear Power Module – Extended 28"
				PQ Power Pill – Quad

SAMPLE ORDER CODE

	BC <u>M</u> CWA	42	108	S	NN
--	-----------------	----	-----	---	----

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim F Full Knife Trim	Edge Trim Colors (for trim style 6 or F)	Foundation Accent Mica

SAMPLE ORDER CODE CONTINUED

LW	6	ST	74

See Pricing on the following page.

BC_CWA Workshop Conference Table (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4 **PRICING**

		1 3/16" (M)		1 3/16" KNIFE EDGE (V)	1 9/16" (X)	
		STRAIGHT (S)				
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
42	108	2641	5896	2891	2967	6153
42	120	2726	6169	2996	3080	6532
42	132	2837	6346	3127	3216	6852
42	144	2939	6728	3249	3344	7230
42	156	3773	8028	4103	4204	9067
42	168	3858	8429	4208	4316	9466
48	108	2752	6214	3012	3110	6595
48	120	2843	6379	3123	3226	6882
48	132	2960	6756	3260	3369	7347
48	144	3069	6962	3389	3501	7539
48	156	3909	8514	4249	4365	9380
48	168	4046	8906	4406	4562	9825
54	120	2935	6861	3225	3358	7514
54	132	3081	7164	3391	3539	7795
54	144	3214	7423	3544	3709	8093
54	156	4081	9036	4431	4611	9775
54	168	4202	9345	4572	4765	10137
54	180	4502	10485	4892	5128	11271
54	192	4616	10698	5026	5278	11626
60	144	3311	n/a	3651	n/a	n/a
60	156	4207	n/a	4567	n/a	n/a
60	168	4357	n/a	4737	n/a	n/a
60	180	4670	n/a	5070	n/a	n/a
60	192	4800	n/a	5220	n/a	n/a
60	204	4945	n/a	5385	n/a	n/a
60	216	5074	n/a	5534	n/a	n/a

Pricing is continued on the following page.

Xpress

 BC_CWA

Workshop Conference Table (Continued)

DIMENSIONS - INCHES


FOR MM X BY 25.4 PRICING

		1 3/16" (M)		1 3/16" KNIFE EDGE (V)	1 9/16" (X)	
D	W	RADIUS (R) Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
D 42						
	108	2641	6523	n/a	2967	6783
42	120	2726	6842	n/a	3080	7202
42	132	2837	7062	n/a	3216	7568
42	144	2939	7484	n/a	3344	7991
42	156	3773	8829	n/a	4204	9866
42	168	3858	9278	n/a	4316	10312
48	108	2752	6873	n/a	3110	7256
48	120	2843	7081	n/a	3226	7588
48	132	2960	7505	n/a	3369	8097
48	144	3069	7755	n/a	3501	8331
48	156	3909	9350	n/a	4365	10216
48	168	4046	9786	n/a	4562	10706
54	120	2935	7599	n/a	3358	8253
54	132	3081	7946	n/a	3539	8575
54	144	3214	8246	n/a	3709	8917
54	156	4081	9905	n/a	4611	10648
54	168	4202	10258	n/a	4765	11052
54	180	4502	11441	n/a	5128	12229
54	192	4616	11697	n/a	5278	12624
60	144	3311	n/a			n/a
60	156	4207	n/a	n/a	n/a	n/a
60	168	4357	n/a	n/a	n/a	n/a
60	180	4670	n/a	n/a	n/a	n/a
60	192	4800	n/a	n/a	n/a	n/a
60	204	4945	n/a	n/a	n/a	n/a
60	216	5074	n/a	n/a	n/a	n/a

Xpress

BC_CBP

Boat Conference Table - Panel **Bases**



This table is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

Worksurface pieces, panel bases with levelers, reinforcing bars, linking plates, power module cut-outs (as specified), wire management kit and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

For the number of worksurface pieces, supports and module cut-outs included, refer to the Meeting Table Configurations and Supports in the Application Guide.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Power Module Cut-Out
M 1 3/16"	42, 48, 54, 60	108, 120, 132, 144, 156, 168, 180, 192, 204, 216	NN No Cut-Out (Shown)
X 1 9/16"			LS Linear Power Module – Standard 18"
			LX Linear Power Module – Extended 28"
			PQ Power Pill – Quad

SAMPLE ORDER CODE

BC <u>M</u> CBP	60	144	LS
-----------------	----	-----	----

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Base Infill Finish	Support Finish
Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Source Laminate Flintwood (No Cathedral)	AC Clear Anodized Foundation Accent Mica

SAMPLE ORDER CODE CONTINUED

2D 6 4D 3D AC	
---------------	--

BC_CBP Boat Conference Table - Panel Bases (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M)				1 9/16" (X)			
		FOUNDATIO	N LAMINATE	FLINTWOO	D	FOUNDATIO	N LAMINATE	FLINTWOOD	
		BASE INFILI	FINISH						
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
42 / 1067	108 / 2743	2525	3965	6407	7847	3050	4490	6865	8305
42 / 1067	120 / 3048	2717	4157	6829	8269	3212	4652	7336	8776
42 / 1067	132 / 3353	3003	4443	7228	8668	3435	4875	7787	9227
42 / 1067	144 / 3658	3152	4592	7697	9137	3659	5099	8306	9746
48 / 1219	108 / 2743	2688	4128	6810	8250	3187	4627	7334	8774
48 / 1219	120 / 3048	2932	4372	7169	8609	3388	4828	7752	9192
48 / 1219	132 / 3353	3182	4622	7726	9166	3634	5074	8362	9802
48 / 1219	144 / 3658	3402	4842	8088	9528	3950	5390	8778	10218
48 / 1219	156 / 3962	3907	6067	9347	11507	4249	6409	10100	12260
48 / 1219	168 / 4267	4079	6239	9817	11977	4487	6647	10628	12788
54 / 1372	120 / 3048	3118	4742	7784	9408	3539	5163	8434	10058
54 / 1372	132 / 3353	3362	4986	8227	9851	3905	5529	8941	10565
54 / 1372	144 / 3658	3580	5204	8613	10237	4184	5808	9394	11018
54 / 1372	156 / 3962	4247	6686	10072	12511	4885	7324	10920	13359
54 / 1372	168 / 4267	4401	6840	10459	12898	5085	7524	11371	13810
54 / 1372	180 / 4572	4697	7136	11637	14076	5512	7951	12614	15053
54 / 1372	192 / 4877	4938	7377	12021	14460	5718	8157	13063	15502
60 / 1524	144 / 3658	4175	5799	n/a	n/a	n/a	n/a	n/a	n/a
60 / 1524	156 / 3962	4551	6990	n/a	n/a	n/a	n/a	n/a	n/a
60 / 1524	168 / 4267	4843	7282	n/a	n/a	n/a	n/a	n/a	n/a
60 / 1524	180 / 4572	5025	7464	n/a	n/a	n/a	n/a	n/a	n/a
60 / 1524	192 / 4877	5196	7635	n/a	n/a	n/a	n/a	n/a	n/a
60 / 1524	204 / 5182	5424	7863	n/a	n/a	n/a	n/a	n/a	n/a
60 / 1524	216 / 5486	5632	8071	n/a	n/a	n/a	n/a	n/a	n/a

Xpress

BC_CBK

Boat Conference Table - Cubic **Bases**

This table is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

Worksurface pieces, cubic bases with levelers, linking plates, power module cut-outs (as specified), wire management kit and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

For the number of worksurface pieces, supports and module cut-outs included, refer to the Meeting Table Configurations and Supports in the Application Guide.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Power Module Cut-Out
M 1 3/16"	48, 54, 60		NN No Cut-Out (Shown)
X 1 9/16"		204, 216	LS Linear Power Module – Standard 18"
			LX Linear Power Module – Extended 28"
			PQ Power Pill – Quad

SAMPLE ORDER CODE

BCMCBK 48	132	NN
-----------	-----	----

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Base Infill Finish	Support Finish
Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	AC Clear Anodized
Flintwood (No Cathedral)	9 Flintwood Flat Trim	(for trim style 6)	Flintwood (No Cathedral)	Foundation
				Accent
				Mica

SAMPLE ORDER CODE CONTINUED

2E 6 4E 3E 7	•
--------------	---

$B\ C\ _\ C\ B\ K$ Boat Conference Table - Cubic Bases (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M)	1 3/16" (M)				1 9/16" (X)				
		FOUNDATIO	ON LAMINATE	FLINTWOO	D	FOUNDATIO	N LAMINATE	FLINTWOOD)		
		BASE INFILI	FINISH								
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood		
48 / 1219	120 / 3048	3432	6303	7748	10619	3888	6759	8328	11199		
48 / 1219	132 / 3353	4060	6931	8241	11112	4478	7349	8877	11748		
48 / 1219	144 / 3658	4676	7547	8601	11472	5225	8096	9294	12165		
48 / 1219	156 / 3962	4903	7774	8964	11835	5496	8367	9714	12585		
48 / 1219	168 / 4267	5121	7992	9434	12305	5759	8630	10244	13115		
54 / 1372	120 / 3048	3692	6565	8313	11186	4109	6982	8961	11834		
54 / 1372	132 / 3353	4261	7134	8699	11572	4784	7657	9412	12285		
54 / 1372	144 / 3658	4843	7716	9082	11955	5480	8353	9862	12735		
54 / 1372	156 / 3962	5125	7998	9576	12449	5809	8682	10423	13296		
54 / 1372	168 / 4267	5367	8240	9961	12834	6207	9080	10873	13746		
54 / 1372	180 / 4572	5809	10122	12317	16630	6635	10948	13295	17608		
54 / 1372	192 / 4877	6019	10332	12703	17016	6829	11142	13745	18058		
60 / 1524	144 / 3658	5040	7918	n/a	n/a	n/a	n/a	n/a	n/a		
60 / 1524	156 / 3962	5316	8194	n/a	n/a	n/a	n/a	n/a	n/a		
60 / 1524	168 / 4267	5885	8763	n/a	n/a	n/a	n/a	n/a	n/a		
60 / 1524	180 / 4572	6060	10379	n/a	n/a	n/a	n/a	n/a	n/a		
60 / 1524	192 / 4877	6233	10552	n/a	n/a	n/a	n/a	n/a	n/a		
60 / 1524	204 / 5182	6549	10868	n/a	n/a	n/a	n/a	n/a	n/a		
60 / 1524	216 / 5486	6776	11095	n/a	n/a	n/a	n/a	n/a	n/a		

Xpress

BCCCVP

Video Conference Table - Panel **Bases**

This table is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

Worksurface pieces, panel bases with levelers, linking plates, reinforcing bars, power module cut-outs (as specified), wire management kit and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

For the number of worksurface pieces, supports and module cut-outs included, refer to the Meeting Table Configurations and Supports in the Application Guide.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Power Module Cut-Out
M 1 3/16"	60	096, 120, 144, 168, 192, 216	NN No Cut-Out (Shown)
			LS Linear Power Module – Standard 18"
			LX Linear Power Module – Extended 28"
			PQ Power Pill – Quad

SAMPLE ORDER CODE

BCMCVP 60	192	PQ
-----------	-----	----

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Base Infill Finish	Support Finish
Foundation Laminate	6 Straight Trim	Edge Trim Colors	Source Laminate	AC Clear Anodized
				Foundation
				Accent
				Mica

SAMPLE ORDER CODE CONTINUED

LW 6	ST	XS	E
------	----	----	---

 $\mathbf{B} \; \mathbf{C} \; _ \; \mathbf{C} \; \mathbf{V} \; \mathbf{P}$

Video Conference Table - Panel Bases (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M)	
		FOUNDATION LAMINATE	
		BASE INFILL FINISH	
D	W	Source Laminate	
60 / 1524	96 / 2438	3207	
60 / 1524	120 / 3048	3659	
60 / 1524	144 / 3658	4175	
60 / 1524	168 / 4267	4843	
60 / 1524	192 / 4877	5196	
60 / 1524	216 / 5486	5632	

BC_MHRB

Height-Adjustable Meeting Table -Bevel Bases

WHAT'S INCLUDED

1 worksurface piece, 2 height-adjustable bevel bases with levelers, 2 switches for height-adjustable mechanism (as specified), reinforcing bars, power module cut-out (as specified), wire management kit and mounting hardware.

This table is available in a range of sizes to accommodate diverse numbers of

WHAT'S EXCLUDED

participants and meeting spaces.


Power Modules.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available.

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Range	Depth	Width	Corner Detail	Power Module Cut-Out
M 1 3/16"	S Standard Range – 28" to 43"	42, 48	72, 78, 84, 90, 96	R Radius	NN No Cut-Out (Shown)
X 1 9/16"V 1 3/16" Knife Edge	10 15			S Straight (Shown)	LC Linear Power Module - Compact 8"
					LS Linear Power Module - Standard 18"
					PQ Power Pill – Quad

SAMPLE ORDER CODE

BC <u>M</u> MHRB S	48	90	S	NN
--------------------	----	----	---	----

PRODUCT OPTIONS CONTINUED

	Switch	Worksurface Finish		Edge Trim Style	Edge Trim Finish	End Panel Finish	Base Finish
D	Display with Up/ Down Memory	Foundation Laminate Flintwood (No Cathedral)	6	Straight Trim Flintwood Flat Trim	Edge Trim Colors (for trim style 6 or F)	Source Laminate Flintwood (No Cathedral)	Foundation Mica
F	Toggle with Up/ Down – Platimum	Filitwood (No Cathedrai)	F	Full Knife Trim		rintwood (No Cathedrai)	Coordinate Colors
G	Toggle with Up/ Down – Crisp Grey						
Н	Toggle with Up/ Down – Anthracite						
M	Display Toggle with Memory – Platimum						
N	Display Toggle with Memory – Crisp Grey						
О	Display Toggle with Memory – Anthracite						

SAMPLE ORDER CODE CONTINUED

U LW 6 51 A5 /2	

BC_MHRB

Height-Adjustable Meeting Table -Bevel Bases (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4 **PRICING**

1 3/16" (M) 1 3/16" KNIFE EDGE (V) 1 9/16" (X) STRAIGHT (S) **FOUNDATION** FOUNDATION FOUNDATION LAMINATE FLINTWOOD LAMINATE LAMINATE FLINTWOOD END PANEL FINISH Source Laminate Source Source Source Source D W Laminate Flintwood Flintwood Laminate Flintwood Flintwood Flintwood Laminate Laminate

		RADIUS ((R)								
		FOUNDAT LAMINAT		FLINTWO	OOD	FOUNDATIO LAMINATE	ON	FOUNDA' Laminat		FLINTWO	OOD
		END PAN	EL INFILL	FINISH							
		Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
42	72	4627	5674	7581	8628	n/a	n/a	4917	6026	7931	9040
42	78	4670	5717	7665	8712	n/a	n/a	4975	6084	7983	9092
42	84	4715	5762	7762	8809	n/a	n/a	5033	6142	8093	9202
42	90	4778	5825	7940	8987	n/a	n/a	5107	6216	8291	9400
42	96	4841	5888	8176	9223	n/a	n/a	5186	6295	8560	9669
48	78	4725	5772	7952	8999	n/a	n/a	5046	6155	8352	9461
48	84	4784	5831	8064	9111	n/a	n/a	5124	6233	8478	9587
48	90	4860	5907	8257	9304	n/a	n/a	5219	6328	8700	9809
48	96	4944	5991	8512	9559	n/a	n/a	5319	6428	8990	10099


If Switch Style (D, M, N or O) is specified, add 258.

Xpress

BC_MRP

Rectangular Meeting Table

- Panel Bases



This aesthetically refined table is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

1 worksurface piece, 2 panel bases with levelers, power module cut-out (as specified), wire management clips and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option

When Worksurface Thickness (M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Corner Detail	Power Module Cut-Out
M 1 3/16"	42, 48	72, 78, 84, 90, 96	R Radius	NN No Cut-Out (Shown)
X 1 9/16"V 1 3/16" Knife Edge			S Straight (Shown)	LC Linear Power Module – Compact 8"
v 1 3/10 Killie Edge				LS Linear Power Module – Standard 18"
				PQ Power Pill – Quad

SAMPLE ORDER CODE

DCMMRY 42 /2 R	BC M MRP	42	72	R	NN
----------------	-----------------	----	----	---	----

PRODUCT OPTIONS CONTINUED

Worksurface Finish Edge	Trim Style Edge Trim Fi	nish Base Infill Finish	Support Finish
Foundation Laminate Flintwood (No Cathedral) F Full Kni	od Flat Trim (for trim style 6 or F)	Source Laminate Flintwood (No Cathedral)	AC Clear Anodized Foundation Accent Mica

SAMPLE ORDER CODE CONTINUED

2D	6	4D	2 D	۸C
20	U	40	30	AC

BC_MRP

Rectangular Meeting Table - Panel Bases (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4 PRICING

D	W
42	72
42	78
42	84
42	90
42	96

96

48

1 3/16" (N	1)			1 3/16" KNIF	E EDGE (V)	1 9/16" (X)		
STRAIGH	T (S)								
FOUNDAT LAMINAT		FLINTWO	OOD	FOUNDATIC LAMINATE	N	FOUNDAT LAMINAT		FLINTWO	OOD
END PAN	EL FINISH								
Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
1655	3095	4189	5629	1845	3285	1897	3337	4494	5934
1782	3222	4335	5775	1982	3422	2096	3536	4666	6106
1897	3337	4481	5921	2107	3547	2240	3680	4838	6278
1949	3389	4627	6067	2169	3609	2311	3751	5010	6450
2001	3441	4829	6269	2231	3671	2368	3808	5233	6673
2044	3484	5083	6523	2284	3724	2406	3846	5547	6987

42	72
42	78
42	84
42	90
42	96
48	96

RADIUS ((R)								
FOUNDAT LAMINAT		FLINTWO	OOD	FOUNDATIC LAMINATE	N	FOUNDA' LAMINAT		FLINTWO	OD
END PAN	EL INFILL	FINISH							
Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
1655	3095	4609	6049	n/a	n/a	1897	3337	4910	6350
1782	3222	4778	6218	n/a	n/a	2096	3536	5104	6544
1897	3337	4945	6385	n/a	n/a	2240	3680	5300	6740
1949	3389	5111	6551	n/a	n/a	2311	3751	5493	6933
2001	3441	5336	6776	n/a	n/a	2368	3808	5740	7180
2044	3484	5613	7053	n/a	n/a	2406	3846	6076	7516

BC_MRLB

Rectangular Meeting Table - Blade Legs

This aesthetically refined table is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

I worksurface piece, 4 blade legs with levelers, reinforcing bars, power module cut-out (as specified), wire management clips and mounting hardware.

WHAT'S EXCLUDED

Power Modules.


NOTES

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option

When Worksurface Thickness (D, M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

	Worksurface Thickness	Depth	Width	Corner Detail	Power Module Cut-Out
$\overline{\mathbf{D}}$	1"	36, 42, 48	72, 78, 84, 90, 96	R Radius	NN No Cut-Out (Shown)
M	1 3/16"			S Straight (Shown)	LC Linear Power Module – Compact 8"
	1 9/16"				LS Linear Power Module –
V	1 3/16" Knife Edge				Standard 18"
					PQ Power Pill – Quad

SAMPLE ORDER CODE

BC <u>M</u> MRLB 48 96	R	LC
------------------------	---	----

PRODUCT OPTIONS CONTINUED

Edge Trim Style	Edge Trim Finish	Leg Back Finish	Leg Front Finish
	Edge Trim Colors (for trim style 6 or F)	Foundation Accent	Foundation Accent
Full Knife Trim		Mica	Mica
	Straight Trim Flintwood Flat Trim	Straight Trim Edge Trim Colors (for trim style 6 or F)	Straight Trim Edge Trim Colors (for trim style 6 or F) Foundation Accent

SAMPLE ORDER CODE CONTINUED

			1	
T XV/				
LW	6	ST	52	52

$B\ C\ _\ M\ R\ L\ B$ Rectangular Meeting Table - Blade Legs (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4 PRICING

		1" (D)	1 3/16" (M)		1 3/16" KNIFE EDGE (V)	1 9/16" (X)	
		STRAIGHT (S)					
D	W	Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
36	72	1732	2019	3823	2199	2282	4146
36	78	1789	2102	3970	2292	2350	4285
36	84	1846	2186	4164	2386	2511	4558
36	90	1902	2270	4314	2480	2569	4682
36	96	1959	2354	4505	2574	2628	4853
50	90	1999	23)4	4,00)	2)/4	2028	40))
42	72	1970	2103	4638	2293	2317	4911
42	78	2008	2146	4699	2346	2375	4943
42	84	2151	2294	4878	2504	2536	5133
42	90	2192	2341	5018	2561	2594	5292
42	96	2232	2384	5213	2614	2653	5519
48	78	2177	2303	5069	2513	2549	5391
48	84	2219	2362	5159	2582	2624	5496
48	90	2261	2421	5310	2651	2702	5676
48	96	2303	2480	5519	2720	2778	5919
		RADIUS (S)	Foundation		Foundation	Foundation	
		RADIUS (S) Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
36	72	Source		Flintwood 4222			Flintwood 4544
36 36	72 78	Source Laminate	Laminate		Laminate	Laminate	
		Source Laminate 1732	Laminate 2019	4222	Laminate n/a	Laminate 2282	4544
36	78	Source Laminate 1732 1789	2019 2102	4222 4392	Laminate n/a n/a	2282 2350	4544 4703
36 36	78 84	Source Laminate 1732 1789 1846	2019 2102 2186	4222 4392 4606	Laminate n/a n/a n/a	2282 2350 2511	4544 4703 5000
36 36 36	78 84 90	Source Laminate 1732 1789 1846 1902	2019 2102 2186 2270	4222 4392 4606 4778	Laminate	2282 2350 2511 2569	4544 4703 5000 5144
36 36 36 36	78 84 90 96	Source Laminate 1732 1789 1846 1902 1959	2019 2102 2186 2270 2354	4222 4392 4606 4778 4993	Laminate	2282 2350 2511 2569 2628	4544 4703 5000 5144 5340
36 36 36 36 42	78 84 90 96	Source Laminate 1732 1789 1846 1902 1959	2019 2102 2186 2270 2354	4222 4392 4606 4778 4993	Laminate	2282 2350 2511 2569 2628	4544 4703 5000 5144 5340
36 36 36 36 42 42	78 84 90 96 72 78	Source Laminate 1732 1789 1846 1902 1959	2019 2102 2186 2270 2354 2103 2146	4222 4392 4606 4778 4993 5056 5140	Laminate	Laminate	4544 4703 5000 5144 5340 5330 5381
36 36 36 36 42 42 42	78 84 90 96 72 78 84	Source Laminate 1732 1789 1846 1902 1959 1970 2008 2151	2019 2102 2186 2270 2354 2103 2146 2294	4222 4392 4606 4778 4993 5056 5140 5341	Laminate	Laminate	4544 4703 5000 5144 5340 5330 5381 5595
36 36 36 36 42 42 42 42	78 84 90 96 72 78 84 90	Source Laminate 1732 1789 1846 1902 1959 1970 2008 2151 2192	Laminate 2019 2102 2186 2270 2354 2103 2146 2294 2341	4222 4392 4606 4778 4993 5056 5140 5341 5503	Laminate	Laminate	4703 5000 5144 5340 5330 5381 5595 5777
36 36 36 36 36 42 42 42 42 42	78 84 90 96 72 78 84 90	Source Laminate 1732 1789 1846 1902 1959 1970 2008 2151 2192 2232	Laminate 2019 2102 2186 2270 2354 2103 2146 2294 2341 2384	4222 4392 4606 4778 4993 5056 5140 5341 5503 5721	Laminate	Laminate	4544 4703 5000 5144 5340 5330 5381 5595 5777 6026
36 36 36 36 36 42 42 42 42 42 42	78 84 90 96 72 78 84 90 96	Source Laminate 1732 1789 1846 1902 1959 1970 2008 2151 2192 2232	2019 2102 2186 2270 2354 2103 2146 2294 2341 2384	4222 4392 4606 4778 4993 5056 5140 5341 5503 5721	Laminate	Laminate	4544 4703 5000 5144 5340 5330 5381 5595 5777 6026

BC_MRTB

Rectangular Meeting Table -Blade T-Legs



This table is available in many sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

1 worksurface piece, 2 blade t-legs with levelers, and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option

When Worksurface Thickness (D, M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

	Worksurface Thickness	Depth	Width	Corner Detail	Power Module Cut-Out
D	1"	36, 42	72, 78, 84, 90, 96	R Radius	NN No Cut-Out (Shown)
	1 3/16"			S Straight (Shown)	LC Linear Power Module – Compact 8"
X	1 9/16"				LS Linear Power Module –
V	1 3/16" Knife Edge				Standard 18"
					PQ Power Pill – Quad

SAMPLE ORDER CODE

DOM: 1111 D	BC <u>M</u> MRTB	36	84	S	LS
-------------	------------------	----	----	---	----

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
Source Laminate Foundation Laminate	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6 or F)	Foundation Accent
Flintwood (No Cathedral)	F Full Knife Trim		Mica

SAMPLE ORDER CODE CONTINUED

V7	0	60
V L)	OU

BC_MRTB

Rectangular Meeting Table – Blade T-Legs (Continued)


DIMENSIONS - INCHES FOR MM X BY 25.4 **PRICING**

		1" (D)	1 3/16" (M)		1 3/16" KNIFE EDGE (V)	1 9/16" (X)	
		STRAIGHT (S)					
D	W	Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
36	72	1537	1928	3732	2108	2143	4007
36	78	1551	1974	3842	2164	2209	4144
36	84	1565	2023	4001	2223	2274	4321
36	90	1579	2068	4112	2278	2343	4456
36	96	1598	2120	4271	2340	2406	4631
42	72	1586	2043	4577	2233	2306	4902
42	78	1621	2117	4670	2317	2399	4965
42	84	1648	2178	4763	2388	2487	5083
42	90	1666	2241	4921	2461	2571	5270
42	96	1690	2298	5127	2528	2647	5515

		RADIUS (S)					
		Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
36	72	1537	1928	4131	n/a	2143	4405
36	78	1551	1974	4264	n/a	2209	4562
36	84	1565	2023	4443	n/a	2274	4763
36	90	1579	2068	4576	n/a	2343	4918
36	96	1598	2120	4759	n/a	2406	5118
42	72	1586	2043	4995	n/a	2306	5320
42	78	1621	2117	5110	n/a	2399	5404
42	84	1648	2178	5225	n/a	2487	5546
42	90	1666	2241	5404	n/a	2571	5752
42	96	1690	2298	5634	n/a	2647	6020

BCTRTB

Rectangular Team Table -Blade T-Legs



This table is available in many sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

1 worksurface piece, 2 blade t-legs with levelers, and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option

When Worksurface Thickness (D, M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Corner Detail	Power Module Cut-Out
D 1"	30	60, 66, 72, 78, 84, 90, 96	R Radius	NN No Cut-Out (Shown)
M 1 3/16"			S Straight (Shown)	PQ Power Pill – Quad
X 1 9/16"				
V 1 3/16" Knife Edge				

SAMPLE ORDER CODE

BC <u>D</u> TRTB	30	84	S	PQ
------------------	----	----	---	----

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
Source Laminate Foundation Laminate	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6 or F)	Foundation Accent
Flintwood (No Cathedral)	F Full Knife Trim		Mica

SAMPLE ORDER CODE CONTINUED

XG	6	SS	26
110			

$B\ C\ _\ T\ R\ T\ B$

Rectangular Team Table – Blade T-Legs (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4 PRICING

		1" (D) STRAIGHT (S)	1 3/16" (M)		1 3/16" KNIFE EDGE (V)	1 9/16" (X)	
D	W	Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
30	60	1557	1631	3073	1781	1763	3254
30	66	1593	1673	3209	1833	1818	3403
30	72	1629	1716	3311	1886	1871	3518
30	78	1662	1759	3443	1939	1927	3664
30	84	1697	1800	3550	1990	1982	3784
30	90	1732	1841	3649	2041	2036	3899
30	96	1768	1885	3755	2095	2091	4018

		RADIUS (S)					
		Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
30	60	1557	1631	3400	n/a	1763	3582
30	66	1593	1673	3554	n/a	1818	3749
30	72	1629	1716	3711	n/a	1871	3917
30	78	1662	1759	3864	n/a	1927	4086
30	84	1697	1800	3994	n/a	1982	4227
30	90	1732	1841	4116	n/a	2036	4363
30	96	1768	1885	4244	n/a	2091	4505

BC_MWA

Workshop Meeting Table

This aesthetically refined table is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

1 worksurface piece, 2 per workshop legs with levelers, power module cut-out (as specified), wire management clips and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option

When Worksurface Thickness (D, M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Corner Detail	Power Module Cut-Out
D 1"	42, 48	72, 78, 84, 90, 96	R Radius	NN No Cut-Out (Shown)
M 1 3/16" X 1 9/16"			S Straight (Shown)	LC Linear Power Module – Compact 8"
V 1 3/16" Knife Edge				LS Linear Power Module – Standard 18"
				PQ Power Pill – Quad

SAMPLE ORDER CODE

7 7	BC <u>M</u> MWA	48	90	S	LS
-----	-----------------	----	----	---	----

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
Source Laminate Foundation Laminate	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6 or F)	Foundation Accent
Flintwood (No Cathedral)	F Full Knife Trim		Mica

SAMPLE ORDER CODE CONTINUED

$\mathbf{I}.\mathbf{W}$	6	ST	52
··		0 1) -

$B\ C\ _\ M\ W\ A$ Workshop Meeting Table (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4 **PRICING**

		1" (D)	1 3/16" (M)		1 3/16" KNIFE EDGE (V)	1 9/16" (X)	
		STRAIGHT (S)	()			2 37 22 (22)	
D	W	Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
42	72	2022	2154	4690	2344	2369	4964
42	78	2060	2198	4751	2398	2427	4993
42	84	2203	2347	4930	2557	2587	5185
42	90	2242	2390	5070	2610	2645	5344
42	96	2284	2436	5264	2666	2704	5570
48	78	2230	2355	5120	2565	2601	5443
48	84	2270	2414	5211	2634	2675	5548
48	90	2313	2472	5363	2702	2754	5727
48	96	2355	2531	5570	2771	2829	5971
		RADIUS (S)					
		Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
42	72	2022	2154	5107	n/a	2369	5381
12			-	5100		2/27	
42	78	2060	2198	5192	n/a	2427	5433
	78 84	2060 2203	2198 2347	5393		2587	5433 5646
42							

n/a

n/a

n/a

n/a

BC_MBP

Boat Meeting Table - Panel Bases

This aesthetically refined table is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

1 worksurface piece, 2 panel bases with levelers, power module cut-out (as specified), wire management clips and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Power Module Cut-Out
M 1 3/16"	42, 48	72, 78, 84, 90, 96	NN No Cut-Out (Shown)
X 1 9/16"			LC Linear Power Module – Compact 8"
			LS Linear Power Module – Standard 18"
			PQ Power Pill – Quad

SAMPLE ORDER CODE

BC <u>M</u> MBP	42	72	LS
-----------------	----	----	----

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Base Infill Finish	Support Finish
Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Source Laminate Flintwood (No Cathedral)	AC Clear Anodized Foundation Accent Mica

SAMPLE ORDER CODE CONTINUED

LW 6	ST	XS	AC
------	----	----	----

$B\ C\ _\ M\ B\ P$

Boat Meeting Table - Panel Bases (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M)				1 9/16" (X)			
		FOUNDATIO	ON LAMINATE	FLINTWOO	D	FOUNDATIO	N LAMINATE	FLINTWOOD)
		BASE INFILI	L FINISH						
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
42 / 1067	72 / 1829	1655	3095	4609	6049	1897	3337	4910	6350
42 / 1067	78 / 1981	1782	3222	4778	6218	2096	3536	5104	6544
42 / 1067	84 / 2134	1897	3337	4945	6385	2240	3680	5300	6740
42 / 1067	90 / 2286	1949	3389	5111	6551	2311	3751	5493	6933
42 / 1067	96 / 2438	2001	3441	5336	6776	2368	3808	5740	7180
48 / 1219	96 / 2438	2044	3484	5613	7053	2406	3846	6076	7516

Xpress

BC_MBTB

Boat Meeting Table - Blade T-Legs

This aesthetically refined table is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

1 worksurface piece, 2 blade t-legs with levelers, and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Power Module Cut-Out
D 1"	36, 42	72, 78, 84, 90, 96	NN No Cut-Out (Shown)
M 1 3/16"			LC Linear Power Module – Compact 8"
X 1 9/16"			LS Linear Power Module – Standard 18"
			PQ Power Pill – Quad

SAMPLE ORDER CODE

BC <u>M</u> MBTB	42	72	LS
------------------	----	----	----

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
Source Laminate Foundation Laminate	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Foundation Accent
Flintwood (No Cathedral)			Mica

SAMPLE ORDER CODE CONTINUED

LW 6	ST	60
------	----	----

BC_MBTB Boat Meeting Table - Blade T-Legs (Continued)

DIMENSIONS INCHES / MM

		1" (D)
D	W	Source Laminate
36 / 914	72 / 1829	1537
36 / 914	78 / 1981	1551
36 / 914	84 / 2134	1565
36 / 914	90 / 2286	1579
36 / 914	96 / 2438	1598
42 / 1067	72 / 1829	1586
42 / 1067	78 / 1981	1621
42 / 1067	84 / 2134	1648
42 / 1067	90 / 2286	1666
42 / 1067	96 / 2438	1690

1 3/16" (M)	
Foundation Laminate	Flintwood
1928	4131
1974	4264
2023	4443
2068	4576
2120	4759
2043	4995
2117	5110
2178	5225
2241	5404
2298	5634

1 9/16" (X)		
Foundation Laminate	Flintwood	
2143	4405	
2209	4562	
2274	4763	
2343	4918	
2406	5118	
2306	5320	
2399	5404	
2487	5546	
2571	5752	
2647	6020	

Xpress

BC_MPLB

Diamond Meeting Table -Blade Legs



This meeting table is ideal for video conferencing application and is available in a range of sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

1 worksurface piece, 4 blade legs with levelers, reinforcing bars (72" to 90" w), power module cut-out (as specified), wire management clips and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

Power Module Cut-Out (LS) option is not available, when 60" or 66" width is

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Power Module Cut-Out
M 1 3/16"	48, 54, 60	60, 66, 72, 78, 84, 90	NN No Cut-Out (Shown)
X 1 9/16"			LC Linear Power Module – Compact 8"
			LS Linear Power Module – Standard 18"
			PQ Power Pill – Quad

SAMPLE ORDER CODE

BC <u>M</u> MPLB	48	72	NN
------------------	----	----	----

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Leg Back Finish	Leg Front Finish
Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Foundation Accent	Foundation Accent
rimtwood (No Cathediai)	7 Fintwood Flat Timi		Mica	Mica

SAMPLE ORDER CODE CONTINUED

2D	6	4D	68	83
20	U	12	00	0,5

$B\ C\ _\ M\ P\ L\ B$ Diamond Meeting Table -

Blade Legs (Continued)

DIMENSIONS INCHES / MM

		1 3/16" (M)		1 9/16" (X)	
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
48 / 1219	60 / 1524	2004	3287	2210	3404
48 / 1219	66 / 1676	2106	3451	2329	3580
48 / 1219	72 / 1829	2209	3615	2449	3756
48 / 1219	78 / 1981	2303	3772	2549	3924
48 / 1219	84 / 2134	2362	3914	2624	4078
48 / 1219	90 / 2286	2421	4060	2702	4236
54 / 1372	60 / 1524	2079	3423	2303	3555
54 / 1372	66 / 1676	2188	3612	2430	3757
54 / 1372	72 / 1829	2297	3787	2558	3946
54 / 1372	78 / 1981	2397	3995	2677	4167
54 / 1372	84 / 2134	2484	4148	2783	4333
54 / 1372	90 / 2286	2575	4319	2892	4517
60 / 1524	60 / 1524	2149	n/a	2388	n/a
60 / 1524	66 / 1676	2264	n/a	2522	n/a
60 / 1524	72 / 1829	2379	n/a	2657	n/a
60 / 1524	78 / 1981	2486	n/a	2784	n/a
60 / 1524	84 / 2134	2579	n/a	2897	n/a
60 / 1524	90 / 2286	2676	n/a	3014	n/a

BC_MOK

Round Meeting Table - Cubic Base

This table is available in many sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

1 worksurface piece, 1 cubic base with levelers, power module cut-out (as specified), and mounting hardware.

WHAT'S EXCLUDED


Power Modules.

NOTES

This table does not accept table accessories.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Diameter	Power Module Cut-Out	Worksurface Finish
D 1"	48, 54, 60	NN No Cut-Out (Shown)	Source Laminate
M 1 3/16"		LC Linear Power Module – Compact 8"	Foundation Laminate
X 1 9/16"		PD Power Pill – Dual	Flintwood (No Cathedral)
		PQ Power Pill – Quad	

SAMPLE ORDER CODE

BC <u>M</u> MOK 54	PQ	VZ
--------------------	----	----

PRODUCT OPTIONS CONTINUED

Edge Trim Style	Edge Trim Finish	Base Infill Finish	Support Finish
6 Straight Trim	Edge Trim Colors	Source Laminate	Foundation
9 Flintwood Flat Trim	(for trim style 6)	Flintwood (No Cathedral)	Mica

SAMPLE ORDER CODE CONTINUED

9 VZ 52

BC_MOK Round Meeting Table - Cubic Base (Continued)

DIMENSIONS INCHES / MM

	1" (D)	1 3/16" (M)			1 9/16" (X			
	SOURCE LAMINATE BASE INFILL FINISH	FOUNDA LAMINAT		FLINTW	OOD	FOUNDAT LAMINAT		FLINTWO(OD
Dia.	Source Laminate	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
48 / 1219	1017	1368	2756	3464	4852	1549	2937	3699	2087
54 / 1372	1180	1622	3060	3819	5257	1855	3293	4505	5943
60 / 1524	1343	1888	3510	n/a	n/a	2177	3799	n/a	n/a

BC_MOLB

Round Meeting Table - Blade Legs

This table is available in many sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

1 worksurface piece, 4 blade leg with levelers, power module cut-out (as specified), 2 wire management clips and mounting hardware.

WHAT'S EXCLUDED


Power Modules.

NOTES

This table does not accept table accessories.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Diameter		Power Module Cut-Out	Worksurface Finish
D 1"	42, 48, 54, 60	NN	No Cut-Out (Shown)	Source Laminate
M 1 3/16"		LC	Linear Power Module - Compact 8"	Foundation Laminate
X 1 9/16"		PD	Power Pill – Dual	Flintwood (No Cathedral)
		PQ	Power Pill – Quad	

SAMPLE ORDER CODE

BC <u>M</u> MOLB	60	LC	LW
------------------	----	----	----

PRODUCT OPTIONS CONTINUED

	Edge Trim Style	Edge Trim Finish	Leg Back Finish	Leg Front Finish
6	Straight Trim	Edge Trim Colors (for trim style 6)	Foundation	Foundation
9	Flintwood Flat Trim	(for trim style 6)	Accent	Accent
			Mica	Mica

SAMPLE ORDER CODE CONTINUED

6	СТ	52	52
U	31	34	<i>)</i> <u>/</u>

$B\ C\ _\ M\ O\ L\ B$

Round Meeting Table - Blade Legs (Continued)

DIMENSIONS INCHES / MM

Dia
42 / 1067
48 / 1219
54 / 1372
60 / 1524

1" (D)	1 3/16" (M)	
Source Laminate	Foundation Laminate	Flintwood
1683	1747	3618
1754	1842	4016
1842	1980	4178
1926	2064	n/a

1	9/16" (X)		
	Foundation Laminate	Flintwood	
	1849	3754	
	1971	4199	
	2112	4763	
_	2255	n/a	

BC_MOSB

Round Meeting Table -Blade Star Base

This table is available in many sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

1 worksurface piece, 1 blade star base with levelers, and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

This table does not accept table accessories.

Only the power modules listed below can be installed on this product.

When a Power Module Cut-Out (LC, PD or PQ) option is specified, the Blade Star Base comes with Wire Management section.

When a Power Module Cut-Out (NN) option is specified, the Blade Star Base comes without Wire Management section.

The 1 9/16" (X) thickness is ${\bf not}$ available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Diameter	Power Module Cut-Out	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
D 1" M 1 3/16" X 1 9/16"	36, 42, 48	NN No Cut-Out (Shown) LC Linear Power Module – Compact 8" PD Power Pill – Dual PQ Power Pill – Quad	Source Laminate Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6)	Foundation Accent Mica

SAMPLE ORDER CODE

BC <u>M</u> MOSB	48	PD	2D	6	4D	52
202112002		- ~	_~	•	12) –

DIMENSIONS

INCHES / MM

	1" (D)	1 3/16" (M)		1 9/16" (X)		
Dia	Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
36 / 914	1052	1099	2732	1210	2876	
42 / 1067	1162	1225	3096	1380	3287	
48 / 1219	1283	1371	3545	1571	3798	

This table is available in many sizes to accommodate diverse numbers of participants and meeting spaces.

BC_ROF

WHAT'S INCLUDED

1 worksurface piece, 1 four-point base with levelers, and mounting hardware.


NOTES

This table does **not** accept table accessories.

Power Modules cannot be installed on this product.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Diameter	Worksurface Finish		Edge Trim Style	Edge Trim Finish	Support Finish
D 1"	36, 42, 48	Source Laminate	6	Straight Trim	Edge Trim Colors	Foundation
M 1 3/16"		Foundation Laminate	9	Flintwood Flat Trim	(for trim style 6)	Mica
X 1 9/16"		Flintwood (No Cathedral)				

SAMPLE ORDER CODE

BC <u>D</u> ROF 36 3D 6 4D 52	BC <u>D</u> ROF 36 3D	6	4D	52
-------------------------------	---------------------------	---	----	----

DIMENSIONS INCHES / MM

	1" (D)
Dia	
36 / 914	
42 / 1067	
48 / 1219	

D)	1 3/16" (M)	
Source Laminate	Foundation Laminate	Flintwood
803	998	2633
843	1112	2984
898	1247	3420

1 9/16" (X)		
Foundation Laminate	Flintwood	
1100	2765	
1254	3160	
1427	3655	

BC_MSK

Square Meeting Table - Cubic Base

This aesthetically refined table is available in many sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

1 worksurface piece, 1 cubic base with levelers, power module cut-out (as specified), and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES


This table does not accept table accessories.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option

When Worksurface Thickness (D, M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Width	Corner Detail	Power Module Cut-Out
D 1"	48, 54, 60	R Radius	NN No Cut-Out (Shown)
M 1 3/16"		S Straight (Shown)	LC Linear Power Module – Compact 8"
X 1 9/16"			PD Power Pill – Dual
V 1 3/16" Knife Edge			PQ Power Pill – Quad

SAMPLE ORDER CODE

BC <u>M</u> MSK 54	S	NN
--------------------	---	----

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Base Infill Finish	Support Finish
Source Laminate Foundation Laminate	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors for trim style 6 or F)	Source Laminate Flintwood (No Cathedral)	Foundation Mica
Flintwood (No Cathedral)	F Full Edge Trim		,	

SAMPLE ORDER CODE CONTINUED

VZ	9	XS	74

BC_MSK

Square Meeting Table - Cubic Base (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4 PRICING

	1" (D)	1 3/16" (1	M)			1 3/16" KN Edge (V)	IFE	1 9/16" (X)		
	STRAIGHT (S	S)									
	SOURCE LAMINATE	FOUNDA LAMINA		FLINTW	OOD	FOUNDAT Laminate		FOUNDA LAMINA		FLINTW	OOD
	BASE INFILL	FINISH									
V	Source Laminate	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Laminate	Flintwood
	1017	1368	2806	3464	4902	1528	2966	1549	2987	3699	5137
	1180	1622	3060	3819	5257	1802	3240	1855	3293	4112	5550
0	1343	1888	3510	n/a	n/a	2088	3710	2177	3799	n/a	n/a
0	RADIUS (R) SOURCE LAMINATE	FOUNDA LAMINA	ATION	n/a		FOUNDAT LAMINATE	ION	FOUNDA LAMINA	ATION	n/a FLINTW	
60	RADIUS (R) SOURCE LAMINATE BASE INFILL	FOUNDA LAMINA	ATION	FLINTW		FOUNDAT LAMINATE	ION	FOUNDA LAMINA	ATION	FLINTW	
50	RADIUS (R) SOURCE LAMINATE	FOUNDA LAMINA	ATION	FLINTW		FOUNDAT	ION	FOUNDA	ATION		
	RADIUS (R) SOURCE LAMINATE BASE INFILL Source	FOUNDA LAMINA FINISH Source	ATION TE	FLINTW	OOD	FOUNDAT LAMINATE	ION	FOUNDA LAMINA Source	ATION TE	FLINTW Source	OOD
48 54	RADIUS (R) SOURCE LAMINATE BASE INFILL Source Laminate	FOUNDA LAMINA FINISH Source Laminate	ATION TE Flintwood	FLINTW(Source Laminate	OOD	FOUNDAT LAMINATE Source Laminate	ION E	FOUNDA LAMINA Source Laminate	ATION TE Flintwood	FLINTW Source Laminate	OOD Flintwood

BC_MSLB

Square Meeting Table - Blade Legs

This table is available in many sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

1 worksurface piece, 4 blade leg with levelers, power module cut-out (as specified), 2 wire management clips and mounting hardware

WHAT'S EXCLUDED

Power Modules.

NOTES


This table does not accept table accessories.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option

When Worksurface Thickness (D, M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Width	Corner Detail	Power Module Cut-Out
D 1"	42, 48, 54	R Radius	NN No Cut-Out (Shown)
M 1 3/16"		S Straight (Shown)	LC Linear Power Module – Compact 8"
X 1 9/16"			PD Power Pill – Dual
V 1 3/16" Knife Edge			PQ Power Pill – Quad

SAMPLE ORDER CODE

BCMMSLB	54	S	NN

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Leg Back Finish	Leg Front Finish
Source Laminate Foundation Laminate	6 Straight Trim 9 Flintwood Flat Trim	Edge Trim Colors (for trim style 6 or F)	Foundation Accent	Foundation Accent
Flintwood (No Cathedral)	F Full Knife Trim		Mica	Mica

SAMPLE ORDER CODE CONTINUED

2D	6	4D	60	60
20	U	40	00	00

4089

4218

4889

$B\ C\ _\ M\ S\ L\ B$

Square Meeting Table - Blade Legs (Continued)

1940

2068

2238

n/a

n/a

n/a

DIMENSIONS - INCHES

42

48

54

1743

1825

1927

1810

1911

2037

FOR MM X BY 25.4 **PRICING**

	1" (D)	1 3/16" (M)		1 3/16" KNIFE EDGE (V)	1 9/16" (X)	
W	STRAIGHT (S) Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwoo
42	1743	1810	3906	1950	1940	4089
48	1825	1911	4007	2071	2068	4218
54	1927	2037	4235	2217	2238	4494
	RADIUS (S)					
	Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwoo

3906

4007

BC_MSSB

Square Meeting Table -Blade Star Base



PRODUCT OPTIONS

This table is available in many sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

1 worksurface piece, 1 blade star base with levelers, and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

This table does not accept table accessories.

Only the power modules listed below can be installed on this product.

When a Power Module Cut-Out (LC, PD or PQ) option is specified, the Blade Star Base comes with Wire Management section.

When a Power Module Cut-Out (NN) option is specified, the Blade Star Base comes without Wire Management section.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available.

When Worksurface Thickness (D, M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

1 9/16" (X)

Foundation

1210

1380

1571

Flintwood

2603

2967

3430

Worksurface Thickness	Width	Corner Detail	Power Module Cut-Out	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
 D 1" M 1 3/16" X 1 9/16" V 1 3/16" Knife Edge 	36, 42, 48	R Radius S Straight (Shown)	NN No Cut-Out (Shown) LC Linear Power Module – Compact 8" PD Power Pill – Dual PQ Power Pill – Quad	Source Laminate Foundation Laminate Flintwood (No Cathedral)	6 Straight Trim 9 Flintwood Flat Trim F Full Knife Trim	Edge Trim Colors (for trim style 6 or F)	Foundation Accent Mica

SAMPLE ORDER CODE

DCM/MCCD	4.0	n n	1.0	2D		4 D	5 0
BC <u>M</u> MSSB	42	K	l LC	2D	6	4D	52
					_		

DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

	1" (D)	1 3/16" (M)		1 3/16" KNIFE EDGE (V)
	STRAIGHT (S)			
W	Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate
36	1052	1099	2462	1219
42	1162	1225	2777	1365
48	1283	1371	3182	1531

	RADIUS (S)					
	Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
36	1052	1099	2732	n/a	1210	2876
42	1162	1225	3096	n/a	1380	3287
48	1283	1371	3545	n/a	1571	3798

This table is available in many sizes to accommodate diverse numbers of participants and meeting spaces.

BC_MSF

Square Meeting Table -Four-Point Base

WHAT'S INCLUDED

1 worksurface piece, 1 four-point base with levelers, and mounting hardware.

NOTES

This table does **not** accept table accessories.


Power Modules cannot be installed on this product.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option

When Worksurface Thickness (D, M or X) option is specified, the Edge Trim Styles (6 or 9) options are available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification



PRODUCT OPTIONS

Worksurface Thickness	Width	Corner Detail	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
D 1"	36, 42, 48	R Radius	Source Laminate	6 Straight Trim	Edge Trim Colors	Foundation
 M 1 3/16" X 1 9/16" V 1 3/16" Knife Edge 		S Straight (Shown)	Foundation Laminate Flintwood (No Cathedral)	9 Flintwood Flat Trim F Full Knife Trim	(for trim style 6 or F)	Mica

SAMPLE ORDER CODE

BC <u>D</u> MSF 42	R	3D	6	4D	52
--------------------	---	----	---	----	----

DIMENSIONS - INCHES

FOR MM X BY 25.4 **PRICING**


	1" (D)	1 3/16" (M)		1 3/16" KNIFE EDGE (V)	1 9/16" (X)	
	STRAIGHT (S)					
W	Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
36	803	998	2359	1118	1100	2492
42	843	1112	2665	1252	1254	2841
48	898	1247	3057	1407	1427	3287

	RADIUS (S)					
	Source Laminate	Foundation Laminate	Flintwood	Foundation Laminate	Foundation Laminate	Flintwood
36	803	998	2633	n/a	1100	2765
42	843	1112	2984	n/a	1254	3160
48	898	1247	3420	n/a	1427	3655

B HRW 3

Height-Adjustable Rectangular Meeting Peninsula

One Table One Plug



This Height-Adjustable Meeting Peninsula must only be mounted to a Workwall Storage (BHKHW or BSMOBH) and allows to alternate seated and standing positions for dynamic meetings. Perfect for virtual meetings and presentations. The table offers both power and data access for laptops, as well as seamless connectivity to the screen.

WHAT'S INCLUDED

1 worksurface with 1 power module and /or 1 tv stand cut-out (as specified), 1 heightadjustable bevel post leg with levelers, 2 height-adjustable mechanisms with supports, 1 power tray, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), wire management kit and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, Workwall Bookcase, Wall Panels, Power Modules and TV Stand – Meeting Peninsula.

NOTES

Worksurface depth is 2" shorter than the Mid-Height Workwall Storage to allow up and down movement of the mechanism without damaging the adjacent products.

Worksurface width includes the 3" clearance between the surface and the Workwall Storage. For more details, refer to the Application Guide.

When Worksurface Thickness (V) option is specified, the Radius (R) Corner Detail

When Worksurface Thickness (V) is specified, only Edge Trim Style (F) option is available.

When Worksurface Thickness (M) option is specified, the Edge Trim Styles (6 or 9) options are available.

For more information about Integrated Powerbar with IEC Outlet (P) option, refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics &

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	Corner Detail	TV Stand Ready	Power Module Cut-Out
M 1 3/16"	34, 40, 46	57, 63, 69, 75, 81, 87	R Radius	N No TV Stand	NN No Cut-Out (Shown)
V 1 3/16" Knife			S Straight (Shown)	R TV Stand Ready	LC Linear Power Module – Compact 8"
Edge					LS Linear Power Module – Standard 18"
					PQ Power Pill – Quad
					SE Square – End

SAMPLE ORDER CODE

BMHRW 40	75	R	N	NN
----------	----	---	---	----

PRODUCT OPTIONS CONTINUED

	Powerbar		Switch		Worksurface Finish	F	Edge Trim Style	Edge Trim Finish	Support and Hardware Finish	
I P	None Integrated Power Bar Integrated Power Bar with IEC Outlet	D F G H	Down Memory Toggle Up/Down – Platinum	M N O	Display Toggle with Memory – Platinum Display Toggle with Memory – Crisp Grey Display Toggle with Memory – Anthracite	Foundation Laminate Flintwood (No Cathedral)	 6 9 F	Straight Trim Flintwood Flat Trim Full Knife Trim	Edge Trim Colors (for trim style 6 or F)	Foundation Mica Accent

SAMPLE ORDER CODE CONTINUED

\mathbf{N}	N	D	2D	6	4D	83
--------------	---	---	----	---	----	----

B_HRW

Height-Adjustable Rectangular Meeting Peninsula (Continued)

DIMENSIONS INCHES / MM

PRICING

		NONE POWERBA	R (N)	INTEGRATED PO	WERBAR (I)	INTEGRATED POV	
		WORKSURFACE F	• /		W DIEDITIC (1)		- (-)
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
34 / 864	57 / 1448	5263	6255	5438	6430	n/a	n/a
34 / 864	63 / 1600	5314	6340	5489	6515	n/a	n/a
34 / 864	69 / 1753	5365	6425	5540	6600	n/a	n/a
34 / 864	75 / 1905	5416	6510	5591	6685	n/a	n/a
34 / 864	81 / 2057	5458	6584	5633	6759	n/a	n/a
34 / 864	87 / 2210	5509	6671	5684	6846	n/a	n/a
0 / 1016	57 / 1448	5257	6493	5432	6668	n/a	n/a
0 / 1016	63 / 1600	5324	6588	5499	6763	n/a	n/a
0 / 1016	69 / 1753	5391	6682	5566	6857	n/a	n/a
0 / 1016	75 / 1905	5458	6777	5633	6952	n/a	n/a
0 / 1016	81 / 2057	5525	6907	5700	7082	n/a	n/a
0 / 1016	87 / 2210	5591	7002	5766	7177	n/a	n/a
6 / 1168	57 / 1448	5330	6648	5505	6823	n/a	n/a
6 / 1168	63 / 1600	5403	6750	5578	6925	n/a	n/a
5 / 1168	69 / 1753	5475	6852	5650	7027	n/a	n/a
6 / 1168	75 / 1905	5548	6954	5723	7129	n/a	n/a
6 / 1168	81 / 2057	5620	7055	5795	7230	n/a	n/a
5 / 1168	87 / 2210	5693	7157	5868	7332	n/a	n/a

		SQUARE - END (S	SE)				
		NONE POWERBA	R (N)	INTEGRATED PO	WERBAR (I)	INTEGRATED POV	
		WORKSURFACE I	INISH				
		Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
34 / 864	57 / 1448	5263	6255	5438	6430	5438	6430
34 / 864	63 / 1600	5314	6340	5489	6515	5489	6515
34 / 864	69 / 1753	5365	6425	5540	6600	5540	6600
34 / 864	75 / 1905	5416	6510	5591	6685	5591	6685
34 / 864	81 / 2057	5458	6584	5633	6759	5633	6759
34 / 864	87 / 2210	5509	6671	5684	6846	5684	6846
40 / 1016	57 / 1448	5257	6493	5432	6668	5432	6668
40 / 1016	63 / 1600	5324	6588	5499	6763	5499	6763
40 / 1016	69 / 1753	5391	6682	5566	6857	5566	6857
40 / 1016	75 / 1905	5458	6777	5633	6952	5633	6952
40 / 1016	81 / 2057	5525	6907	5700	7082	5700	7082
40 / 1016	87 / 2210	5591	7002	5766	7177	5766	7177
46 / 1168	57 / 1448	5330	6648	5505	6823	5505	6823
46 / 1168	63 / 1600	5403	6750	5578	6925	5578	6925
46 / 1168	69 / 1753	5475	6852	5650	7027	5650	7027
46 / 1168	75 / 1905	5548	6954	5723	7129	5723	7129
46 / 1168	81 / 2057	5620	7055	5795	7230	5795	7230
46 / 1168	87 / 2210	5693	7157	5868	7332	5868	7332

If Switch Style (D, M, N or O) is specified, add 129.

B_HRW 🛂

Height-Adjustable Rectangular Meeting Peninsula (Continued)

DIMENSIONS INCHES / MM

PRICING

		. , ,	1 3/16" (M) (CONTINUED) LINEAR POWER MODULE – COMPACT 8" (LC) or POWER PILL – QUAD (PQ)								
		NONE POWERBA	R (N)	INTEGRATED PO	WERBAR (I)	INTEGRATED PO' WITH IEC OUTLE					
		WORKSURFACE F	INISH								
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood				
40 / 1016	69 / 1753	5391	6682	5566	6857	n/a	n/a				
í0 / 1016	75 / 1905	5458	6777	5633	6952	n/a	n/a				
0 / 1016	81 / 2057	5525	6907	5700	7082	n/a	n/a				
60 / 1016	87 / 2210	5591	7002	5766	7177	n/a	n/a				
i6 / 1168	69 / 1753	5475	6852	5650	7027	n/a	n/a				
6 / 1168	75 / 1905	5548	6954	5723	7129	n/a	n/a				
6 / 1168	81 / 2057	5620	7055	5795	7230	n/a	n/a				
6 / 1168	87 / 2210	5693	7157	5868	7332	n/a	n/a				

		LINEAR POWER N	MODULE – STAND	ARD 18" (LS)				
		NONE POWERBA	,	INTEGRATED PO	WERBAR (I)	INTEGRATED POWERBAR WITH IEC OUTLET (P)		
		WORKSURFACE I	INISH					
		Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
40 / 1016	75 / 1905	5458	6777	5633	6952	n/a	n/a	
40 / 1016	81 / 2057	5525	6907	5700	7082	n/a	n/a	
40 / 1016	87 / 2210	5591	7002	5766	7177	n/a	n/a	
46 / 1168	75 / 1905	5548	6954	5723	7129	n/a	n/a	
46 / 1168	81 / 2057	5620	7055	5795	7230	n/a	n/a	
46 / 1168	87 / 2210	5693	7157	5868	7332	n/a	n/a	

		1 3/16" KNIFE ED	GE (V)				
		NO CUT-OUT (N	N)				
		NONE POWERBA	R (N)	INTEGRATED PO	INTEGRATED POWERBAR (I)		WERBAR T (P)
		WORKSURFACE F	INISH				
		Foundation		Foundation		Foundation	
D	W	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
34 / 864	57 / 1448	5387	n/a	5562	n/a	n/a	n/a
34 / 864	63 / 1600	5448	n/a	5623	n/a	n/a	n/a
34 / 864	69 / 1753	5509	n/a	5684	n/a	n/a	n/a
34 / 864	75 / 1905	5570	n/a	5745	n/a	n/a	n/a
34 / 864	81 / 2057	5622	n/a	5797	n/a	n/a	n/a
34 / 864	87 / 2210	5683	n/a	5858	n/a	n/a	n/a
40 / 1016	57 / 1448	5386	n/a	5561	n/a	n/a	n/a
40 / 1016	63 / 1600	5463	n/a	5638	n/a	n/a	n/a
40 / 1016	69 / 1753	5540	n/a	5715	n/a	n/a	n/a
40 / 1016	75 / 1905	5617	n/a	5792	n/a	n/a	n/a
40 / 1016	81 / 2057	5694	n/a	5869	n/a	n/a	n/a
40 / 1016	87 / 2210	5770	n/a	5945	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

B_HRW

Height-Adjustable Rectangular Meeting Peninsula (Continued)

DIMENSIONS INCHES / MM

PRICING

		NO CUT-OUT (N	N)					
		NONE POWERBAR (N) WORKSURFACE FINISH		INTEGRATED POWERBAR (I)		INTEGRATED POWERBAR WITH IEC OUTLET (P)		
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
6 / 1168	57 / 1448	5464	n/a	5639	n/a	n/a	n/a	
6 / 1168	63 / 1600	5547	n/a	5722	n/a	n/a	n/a	
6 / 1168	69 / 1753	5629	n/a	5804	n/a	n/a	n/a	
6 / 1168	75 / 1905	5712	n/a	5887	n/a	n/a	n/a	
5 / 1168	81 / 2057	5794	n/a	5969	n/a	n/a	n/a	
5 / 1168	87 / 2210	5877	n/a	6052	n/a	n/a	n/a	

		NONE POWERBA	R (N)	INTEGRATED PO	WERBAR (I)	INTEGRATED POV WITH IEC OUTLE	
		WORKSURFACE I	INISH				
		Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
34 / 864	57 / 1448	5387	n/a	5562	n/a	5562	n/a
4 / 864	63 / 1600	5448	n/a	5623	n/a	5623	n/a
4 / 864	69 / 1753	5509	n/a	5684	n/a	5684	n/a
4 / 864	75 / 1905	5570	n/a	5745	n/a	5745	n/a
4 / 864	81 / 2057	5622	n/a	5797	n/a	5797	n/a
4 / 864	87 / 2210	5683	n/a	5858	n/a	5858	n/a
/ 1016	57 / 1448	5386	n/a	5561	n/a	5561	n/a
/ 1016	63 / 1600	5463	n/a	5638	n/a	5638	n/a
/ 1016	69 / 1753	5540	n/a	5715	n/a	5715	n/a
/ 1016	75 / 1905	5617	n/a	5792	n/a	5792	n/a
/ 1016	81 / 2057	5694	n/a	5869	n/a	5869	n/a
/ 1016	87 / 2210	5770	n/a	5945	n/a	5945	n/a
6 / 1168	57 / 1448	5464	n/a	5639	n/a	5639	n/a
6 / 1168	63 / 1600	5547	n/a	5722	n/a	5722	n/a
6 / 1168	69 / 1753	5629	n/a	5804	n/a	5804	n/a
/ 1168	75 / 1905	5712	n/a	5887	n/a	5887	n/a
/ 1168	81 / 2057	5794	n/a	5969	n/a	5969	n/a
/ 1168	87 / 2210	5877	n/a	6052	n/a	6052	n/a

		LINEAR POWER N	MODULE - COMP.	PACT 8" (LC) or POWER PILL – QUAD (PQ)						
		NONE POWERBA	R (N)	INTEGRATED PO	INTEGRATED POWERBAR (I)		INTEGRATED POWERBAR WITH IEC OUTLET (P)			
		WORKSURFACE I	INISH							
		Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood			
40 / 1016	69 / 1753	5540	n/a	5715	n/a	n/a	n/a			
40 / 1016	75 / 1905	5617	n/a	5792	n/a	n/a	n/a			
40 / 1016	81 / 2057	5694	n/a	5869	n/a	n/a	n/a			
40 / 1016	87 / 2210	5770	n/a	5945	n/a	n/a	n/a			

If Switch Style (D, M, N or O) is specified, add 129.

B_HRW 🛂

Height-Adjustable Rectangular Meeting Peninsula (Continued)

DIMENSIONS INCHES / MM

PRICING

		LINEAR POWER N	MODULE – COMPA	ACT 8" (LC) or POWER	PILL – QUAD (PQ)	
		NONE POWERBAR (N) INTEGRATED POWERB		WERBAR (I)	INTEGRATED POWERBA WITH IEC OUTLET (P)		
		WORKSURFACE F	INISH				
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
6 / 1168	69 / 1753	5629	n/a	5804	n/a	n/a	n/a
6 / 1168	75 / 1905	5712	n/a	5887	n/a	n/a	n/a
6 / 1168	81 / 2057	5794	n/a	5969	n/a	n/a	n/a
6 / 1168	87 / 2210	5877	n/a	6052	n/a	n/a	n/a


		LINEAR POWER N	MODULE - COMPA	ACT 18" (LS)			
		NONE POWERBA	()	INTEGRATED PO	WERBAR (I)	INTEGRATED POY	
		Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
40 / 1016	75 / 1905	5617	n/a	5792	n/a	n/a	n/a
40 / 1016	81 / 2057	5694	n/a	5869	n/a	n/a	n/a
40 / 1016	87 / 2210	5770	n/a	5945	n/a	n/a	n/a
46 / 1168	75 / 1905	5712	n/a	5887	n/a	n/a	n/a
46 / 1168	81 / 2057	5794	n/a	5969	n/a	n/a	n/a
46 / 1168	87 / 2210	5877	n/a	6052	n/a	n/a	n/a


If Switch Style (D, M, N or O) is specified, add 129.

B HDW 3

Height-Adjustable D-Shape Meeting Peninsula







TV Stand Ready (R)

This Height-Adjustable Meeting Peninsula must only be mounted to a Workwall Storage (BHKHW or BSMOBH) and allows to alternate seated and standing positions for dynamic meetings. Perfect for virtual meetings and presentations. The table offers both power and data access for laptops, as well as seamless connectivity to the screen.

WHAT'S INCLUDED

 $1\ worksurface\ with\ 1\ power\ module\ and\ /or\ 1\ tv\ stand\ cut-out\ (as\ specified),\ 1\ height-adjustable\ bevel\ post\ leg\ with\ levelers,\ 2\ height-adjustable\ mechanisms\ with\ supports,$ 1 power tray, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), wire management kit and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, Workwall Bookcase, Wall Panels, Power Modules and TV Stand – Meeting Peninsula.

NOTES

Worksurface depth is 2" shorter than the Mid-Height Workwall Storage to allow up and down movement of the mechanism without damaging the adjacent products.

Worksurface width includes the 3" clearance between the surface and the Workwall Storage. For more details, refer to the Application Guide.

For more information about Integrated Powerbar with IEC Outlet (P) option, refer to One Table One Plug Application Guide in Complements: Teknion's Érgonomics &

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	TV Stand Ready	Power Module Cut-Out		Powerbar
M 1 3/16"	34, 40, 46, 52, 58	57, 63, 69, 75, 81, 87	N No TV Stand	NN No Cut-Out (Shown)	N	None
			R TV Stand Ready	LC Linear Power Module – Compact 8"	I	Integrated
				LS Linear Power Module – Standard 18"	D	Power Bar
	PQ Power Pill – Quad	PQ Power Pill – Quad	P	Integrated Power Bar with		
				SE Square – End		IEC Outlet

SAMPLE ORDER CODE

	B <u>M</u> HDW	40	75	N	NN	N
--	----------------	----	----	---	----	---

PRODUCT OPTIONS CONTINUED

	Switch			Worksurface Finish		Edge Trim Style	Edge Trim Finish	Support and Hardware Finish
Ι	Display with Up/ Down Memory	M	Display Toggle with Memory – Platinum	Foundation Laminate	6	Straight Trim	Edge Trim Colors (for trim style 6)	Foundation
	•		*	Flintwood	9	Flintwood Flat Trim	(for trini style o)	Mica
F	Toggle Up/Down – Platinum	N	Display Toggle with Memory – Crisp	(No Cathedral)				Accent
C	Toggle Up/Down –		Grey					
	Crisp Grey	O	Display Toggle with Memory –					
ŀ	I Toggle Up/Down – Anthracite		Anthracite					

SAMPLE ORDER CODE CONTINUED

D	2D	6	4D	83
---	----	---	----	----

See Pricing on the following page.

B_HDW

Height-Adjustable D-Shape Meeting Peninsula (Continued)

DIMENSIONS INCHES / MM

PRICING

			,			INTEGRATED POV	WERBAR
		NONE POWERBA	R (N)	INTEGRATED PO	WERBAR (I)	WITH IEC OUTLE	
		WORKSURFACE F	INISH				
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
34 / 864	57 / 1448	5263	6255	5438	6430	n/a	n/a
34 / 864	63 / 1600	5314	6340	5489	6515	n/a	n/a
34 / 864	69 / 1753	5365	6425	5540	6600	n/a	n/a
34 / 864	75 / 1905	5416	6510	5591	6685	n/a	n/a
34 / 864	81 / 2057	5458	6584	5633	6759	n/a	n/a
34 / 864	87 / 2210	5509	6671	5684	6846	n/a	n/a
0 / 1016	57 / 1448	5257	6493	5432	6668	n/a	n/a
0 / 1016	63 / 1600	5324	6588	5499	6763	n/a	n/a
0 / 1016	69 / 1753	5391	6682	5566	6857	n/a	n/a
0 / 1016	75 / 1905	5458	6777	5633	6952	n/a	n/a
0 / 1016	81 / 2057	5525	6907	5700	7082	n/a	n/a
0 / 1016	87 / 2210	5591	7002	5766	7177	n/a	n/a
6 / 1168	57 / 1448	5330	6648	5505	6823		n/a
6 / 1168	63 / 1600	5403	6750	5578	6925	n/a	n/a
6 / 1168	69 / 1753	5475	6852	5650	7027	n/a	n/a
6 / 1168	75 / 1905	5548	6954	5723	7129	n/a	n/a
6 / 1168	81 / 2057	5620	7055	5795	7230	n/a	n/a
6 / 1168	87 / 2210	5693	7157	5868	7332	n/a	n/a
2 / 1321	57 / 1448	5519	6961	5694	7136		n/a
2 / 1321	63 / 1600	5597	7069	5772	7244	n/a	n/a
2 / 1321	69 / 1753	5675	7176	5850	7351	n/a	n/a
2 / 1321	75 / 1905	5753	7284	5928	7459	n/a	n/a
2 / 1321	81 / 2057	5831	7423	6006	7598	n/a	n/a
2 / 1321	87 / 2210	5909	7531	6084	7706	n/a	n/a
8 / 1473	57 / 1448	5612	7274	5787	7449	n/a	n/a
8 / 1473	63 / 1600	5691	7388	5866	7563	n/a	n/a
3 / 1473	69 / 1753	5770	7500	5945	7675	n/a	n/a
8 / 1473	75 / 1905	5849	7614	6024	7789	n/a	n/a
8 / 1473	81 / 2057	5928	7791	6103	7966	n/a	n/a
8 / 1473	87 / 2210	6007	7905	6182	8080	n/a	n/a

		SQUARE - END (S	E)		
		NONE POWERBAL WORKSURFACE F	. ,	INTEGRATED PO	WERBAR (I)
		Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
34 / 864	57 / 1448	5263	6255	5438	6430
34 / 864	63 / 1600	5314	6340	5489	6515
34 / 864	69 / 1753	5365	6425	5540	6600
34 / 864	75 / 1905	5416	6510	5591	6685
34 / 864	81 / 2057	5458	6584	5633	6759
34 / 864	87 / 2210	5509	6671	5684	6846

Foundation Laminate	Flintwood
5438	6430
5489	6515
5540	6600
5591	6685
5633	6759
5684	6846

INTEGRATED POWERBAR
WITH IEC OUTLET (P)

Flintwood
6430
6515
6600
6685
6759
6846

If Switch Style (D, M, N or O) is specified, add 129.

B_HDW

Height-Adjustable D-Shape Meeting Peninsula (Continued)

DIMENSIONS **INCHES / MM**

PRICING

		NONE POWERBA	R (N)	INTEGRATED PO	OWERBAR (I)	INTEGRATED POV WITH IEC OUTLE	
		WORKSURFACE I	INISH				
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
0 / 1016	57 / 1448	5257	6493	5432	6668	5432	6668
0 / 1016	63 / 1600	5324	6588	5499	6763	5499	6763
0 / 1016	69 / 1753	5391	6682	5566	6857	5566	6857
) / 1016	75 / 1905	5458	6777	5633	6952	5633	6952
7 / 1016	81 / 2057	5525	6907	5700	7082	5700	7082
) / 1016	87 / 2210	5591	7002	5766	7177	5766	7177
6 / 1168	57 / 1448	5330	6648	5505	6823	5505	6823
5 / 1168	63 / 1600	5403	6750	5578	6925	5578	6925
7 1168	69 / 1753	5475	6852	5650	7027	5650	7027
5 / 1168	75 / 1905	5548	6954	5723	7129	5723	7129
6 / 1168	81 / 2057	5620	7055	5795	7230	5795	7230
6 / 1168	87 / 2210	5693	7157	5868	7332	5868	7332
2 / 1321	57 / 1448	5519	6961	5694	7136	5694	7136
2 / 1321	63 / 1600	5597	7069	5772	7244	5772	7244
2 / 1321	69 / 1753	5675	7176	5850	7351	5850	7351
2 / 1321	75 / 1905	5753	7284	5928	7459	5928	7459
2 / 1321	81 / 2057	5831	7423	6006	7598	6006	7598
2 / 1321	87 / 2210	5909	7531	6084	7706	6084	7706
1473	57 / 1448	5612	7274	5787	7449	5787	7449
3 / 1473	63 / 1600	5691	7388	5866	7563	5866	7563
/ 1473	69 / 1753	5770	7500	5945	7675	5945	7675
1473	75 / 1905	5849	7614	6024	7789	6024	7789
/ 1473	81 / 2057	5928	7791	6103	7966	6103	7966
/ 1473	87 / 2210	6007	7905	6182	8080	6182	8080

		LINEAR POWER	MODULE - COMP)			
		NONE POWERBAR (N)		INTEGRATED PO	INTEGRATED POWERBAR (I)		WERBAR ET (P)
		WORKSURFACE I	FINISH	•			
		Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
40 / 1016	69 / 1753	5391	6682	5566	6857	n/a	n/a
40 / 1016	75 / 1905	5458	6777	5633	6952	n/a	n/a
40 / 1016	81 / 2057	5525	6907	5700	7082	n/a	n/a
40 / 1016	87 / 2210	5591	7002	5766	7177	n/a	n/a
46 / 1168	69 / 1753	5475	6852	5650	7027	n/a	n/a
46 / 1168	75 / 1905	5548	6954	5723	7129	n/a	n/a
46 / 1168	81 / 2057	5620	7055	5795	7230	n/a	n/a
46 / 1168	87 / 2210	5693	7157	5868	7332	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

B_HDW

Height-Adjustable D-Shape Meeting Peninsula (Continued)

DIMENSIONS INCHES / MM

PRICING

		ZIIIZIICI O W ZICI		ACT 8" (LC) or POWER	TILL QUILD (I Q	INTEGRATED PO	WFRBAR
		NONE POWERBA	R (N)	INTEGRATED PO	WERBAR (I)	WITH IEC OUTLE	
		WORKSURFACE F	INISH				
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
2 / 1321	69 / 1753	5675	7176	5850	7351	n/a	n/a
2 / 1321	75 / 1905	5753	7284	5928	7459	n/a	n/a
2 / 1321	81 / 2057	5831	7423	6006	7598	n/a	n/a
2 / 1321	87 / 2210	5909	7531	6084	7706	n/a	n/a
8 / 1473	69 / 1753	5770	7500	5945	7675	n/a	n/a
8 / 1473	75 / 1905	5849	7614	6024	7789	n/a	n/a
8 / 1473	81 / 2057	5928	7791	6103	7966	n/a	n/a
8 / 1473	87 / 2210	6007	7905	6182	8080	n/a	n/a


		LINEAR POWER N	MODULE – STAND	DARD 18" (LS)			
		NONE POWERBA	` '	INTEGRATED PO	WERBAR (I)	INTEGRATED POV	
		WORKSURFACE F Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
40 / 1016	75 / 1905	5458	6777	5633	6952	n/a	n/a
40 / 1016	81 / 2057	5525	6907	5700	7082	n/a	n/a
40 / 1016	87 / 2210	5591	7002	5766	7177	n/a	n/a
46 / 1168	75 / 1905	5548	6954	5723	7129	n/a	n/a
46 / 1168	81 / 2057	5620	7055	5795	7230	n/a	n/a
46 / 1168	87 / 2210	5693	7157	5868	7332	n/a	n/a
52 / 1321	75 / 1905	5753	7284	5928	7459	n/a	n/a
52 / 1321	81 / 2057	5831	7423	6006	7598	n/a	n/a
52 / 1321	87 / 2210	5909	7531	6084	7706	n/a	n/a
58 / 1473	75 / 1905	5849	7614	6024	7789	n/a	n/a
58 / 1473	81 / 2057	5928	7791	6103	7966	n/a	n/a
58 / 1473	87 / 2210	6007	7905	6182	8080	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

B HBW 3

Height-Adjustable Tapered Meeting Peninsula





This Height-Adjustable Meeting Peninsula must only be mounted to a Workwall Storage (BHKHW or BSMOBH) and allows to alternate seated and standing positions for dynamic meetings. Perfect for virtual meetings and presentations. The table offers both power and data access for laptops, as well as seamless connectivity to the screen.

WHAT'S INCLUDED

 $1\ worksurface\ with\ 1\ power\ module\ and\ /or\ 1\ tv\ stand\ cut-out\ (as\ specified),\ 1\ height-adjustable\ bevel\ post\ leg\ with\ levelers,\ 2\ height-adjustable\ mechanisms\ with\ supports,$ 1 power tray, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), wire management kit and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, Workwall Bookcase, Wall Panels, Power Modules and TV Stand – Meeting Peninsula.

NOTES

Worksurface depth is 2" shorter than the Mid-Height Workwall Storage to allow up and down movement of the mechanism without damaging the adjacent products.

Worksurface width includes the 3" clearance between the surface and the Workwall Storage. For more details, refer to the Application Guide.

For more information about Integrated Powerbar with IEC Outlet (P) option, refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics &

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	TV Stand Ready	Power Module Cut-Out		Powerbar
M 1 3/16"	40, 46, 52, 58	57, 63, 69, 75, 81, 87	N No TV Stand	NN No Cut-Out (Shown)	N	None
			R TV Stand Ready	LC Linear Power Module – Compact 8"	I	Integrated
				LS Linear Power Module – Standard 18" PQ Power Pill – Quad	_	Power Bar
					P	Integrated Power Bar with
				SE Square – End		IEC Outlet

SAMPLE ORDER CODE

B <u>M</u> HBW	40	75	N	NN	N
----------------	----	----	---	----	---

PRODUCT OPTIONS CONTINUED

	Sw	itcł	1	Worksurface Finish		Edge Trim Style	Edge Trim Finish	Support and Hardware Finish
]	D Display with Up/	M	Display Toggle with	Foundation Laminate	6	Straight Trim	Edge Trim Colors	Foundation
	Down Memory		Memory – Platinum	Flintwood	9	Flintwood Flat Trim	(for trim style 6)	Mica
]	F Toggle Up/Down –	N	Display Toggle with	(No Cathedral)				Accent
	Platinum		Memory – Crisp Grev					
•	G Toggle Up/Down – Crisp Grey	o	Display Toggle					
]	H Toggle Up/Down – Anthracite		with Memory – Anthracite					

SAMPLE ORDER CODE CONTINUED

D	2D	6	4D	83
---	----	---	----	----

See Pricing on the following page.

B_HBW

Height-Adjustable Tapered Meeting Peninsula (Continued)

DIMENSIONS INCHES / MM

PRICING

		NONE POWERBAR (N)		INTEGRATED PO	WERBAR (I)	INTEGRATED POWERBAR WITH IEC OUTLET (P)		
		WORKSURFACE F	• /					
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
40 / 1016	57 / 1448	5257	6493	5432	6668	n/a	n/a	
0 / 1016	63 / 1600	5324	6588	5499	6763	n/a	n/a	
0 / 1016	69 / 1753	5391	6682	5566	6857	n/a	n/a	
0 / 1016	75 / 1905	5458	6777	5633	6952	n/a	n/a	
0 / 1016	81 / 2057	5525	6907	5700	7082	n/a	n/a	
0 / 1016	87 / 2210	5591	7002	5766	7177	n/a	n/a	
6 / 1168	57 / 1448	5330	6648	5505	6823	n/a	n/a	
6 / 1168	63 / 1600	5403	6750	5578	6925	n/a	n/a	
5 / 1168	69 / 1753	5475	6852	5650	7027	n/a	n/a	
6 / 1168	75 / 1905	5548	6954	5723	7129	n/a	n/a	
6 / 1168	81 / 2057	5620	7055	5795	7230	n/a	n/a	
6 / 1168	87 / 2210	5693	7157	5868	7332	n/a	n/a	
2 / 1321	57 / 1448	5519	6961	5694	7136	n/a	n/a	
2 / 1321	63 / 1600	5597	7069	5772	7244	n/a	n/a	
2 / 1321	69 / 1753	5675	7176	5850	7351	n/a	n/a	
2 / 1321	75 / 1905	5753	7284	5928	7459	n/a	n/a	
2 / 1321	81 / 2057	5831	7423	6006	7598	n/a	n/a	
2 / 1321	87 / 2210	5909	7531	6084	7706	n/a	n/a	
8 / 1473	57 / 1448	5612	7274	5787	7449	n/a	n/a	
8 / 1473	63 / 1600	5691	7388	5866	7563	n/a	n/a	
3 / 1473	69 / 1753	5770	7500	5945	7675	n/a	n/a	
3 / 1473	75 / 1905	5849	7614	6024	7789	n/a	n/a	
8 / 1473	81 / 2057	5928	7791	6103	7966	n/a	n/a	
8 / 1473	87 / 2210	6007	7905	6182	8080	n/a	n/a	

		SQUARE – END (S) L)			DITECULTED DO	WEDDAD	
		NONE POWERBA	R (N)	INTEGRATED PO	WERBAR (I)	INTEGRATED POWERBAR WITH IEC OUTLET (P)		
		WORKSURFACE F	INISH					
		Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
40 / 1016	57 / 1448	5257	6493	5432	6668	5432	6668	
í0 / 1016	63 / 1600	5324	6588	5499	6763	5499	6763	
í0 / 1016	69 / 1753	5391	6682	5566	6857	5566	6857	
0 / 1016	75 / 1905	5458	6777	5633	6952	5633	6952	
0 / 1016	81 / 2057	5525	6907	5700	7082	5700	7082	
0 / 1016	87 / 2210	5591	7002	5766	7177	5766	7177	
6 / 1168	57 / 1448	5330	6648	5505	6823	5505	6823	
6 / 1168	63 / 1600	5403	6750	5578	6925	5578	6925	
6 / 1168	69 / 1753	5475	6852	5650	7027	5650	7027	
6 / 1168	75 / 1905	5548	6954	5723	7129	5723	7129	
6 / 1168	81 / 2057	5620	7055	5795	7230	5795	7230	
6 / 1168	87 / 2210	5693	7157	5868	7332	5868	7332	

If Switch Style (D, M, N or O) is specified, add 129.

meeting tables

Xpress

B_HBW

Height-Adjustable Tapered Meeting Peninsula (Continued)

DIMENSIONS INCHES / MM

PRICING

		SQUARE – END (S	•	INTEGRATED PO	WERBAR (I)	INTEGRATED POWERBAR WITH IEC OUTLET (P)		
		WORKSURFACE F	FINISH					
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
2 / 1321	57 / 1448	5519	6961	5694	7136	5694	7136	
2 / 1321	63 / 1600	5597	7069	5772	7244	5597	7069	
2 / 1321	69 / 1753	5675	7176	5850	7351	5850	7351	
2 / 1321	75 / 1905	5753	7284	5928	7459	5928	7459	
2 / 1321	81 / 2057	5831	7423	6006	7598	6006	7598	
2 / 1321	87 / 2210	5909	7531	6084	7706	6084	7706	
3 / 1473	57 / 1448	5612	7274	5787	7449	5787	7449	
8 / 1473	63 / 1600	5691	7388	5866	7563	5866	7563	
8 / 1473	69 / 1753	5770	7500	5945	7675	5945	7675	
3 / 1473	75 / 1905	5849	7614	6024	7789	6024	7789	
3 / 1473	81 / 2057	5928	7791	6103	7966	6103	7966	
3 / 1473	87 / 2210	6007	7905	6182	8080	6182	8080	

		LINEAR POWER N	MODULE - COMPA	ACT 8" (LC) or POWER	PILL – QUAD (PQ)	
		NONE POWERBA		INTEGRATED PO	WERBAR (I)	INTEGRATED POV	
		WORKSURFACE I	INISH				
		Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
40 / 1016	69 / 1753	5391	6682	5566	6857	n/a	n/a
40 / 1016	75 / 1905	5458	6777	5633	6952	n/a	n/a
40 / 1016	81 / 2057	5525	6907	5700	7082	n/a	n/a
40 / 1016	87 / 2210	5591	7002	5766	7177	n/a	n/a
46 / 1168	69 / 1753	5475	6852	5650	7027	n/a	n/a
46 / 1168	75 / 1905	5548	6954	5723	7129	n/a	n/a
46 / 1168	81 / 2057	5620	7055	5795	7230	n/a	n/a
46 / 1168	87 / 2210	5693	7157	5868	7332	n/a	n/a
52 / 1321	69 / 1753	5675	7176	5850	7351	n/a	n/a
52 / 1321	75 / 1905	5753	7284	5928	7459	n/a	n/a
52 / 1321	81 / 2057	5831	7423	6006	7598	n/a	n/a
52 / 1321	87 / 2210	5909	7531	6084	7706	n/a	n/a
58 / 1473	69 / 1753	5770	7500	5945	7675	n/a	n/a
58 / 1473	75 / 1905	5849	7614	6024	7789	n/a	n/a
58 / 1473	81 / 2057	5928	7791	6103	7966	n/a	n/a
58 / 1473	87 / 2210	6007	7905	6182	8080	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

B_HBW

Height-Adjustable Tapered Meeting Peninsula (Continued)

DIMENSIONS INCHES / MM

PRICING


		NONE POWERBA	R (N)	INTEGRATED PO	WERBAR (I)	INTEGRATED POWERBAR WITH IEC OUTLET (P)		
		WORKSURFACE F	INISH					
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
) / 1016	75 / 1905	5458	6777	5633	6952	n/a	n/a	
) / 1016	81 / 2057	5525	6907	5700	7082	n/a	n/a	
) / 1016	87 / 2210	5591	7002	5766	7177	n/a	n/a	
6 / 1168	75 / 1905	5548	6954	5723	7129	n/a	n/a	
6 / 1168	81 / 2057	5620	7055	5795	7230	n/a	n/a	
6 / 1168	87 / 2210	5693	7157	5868	7332	n/a	n/a	
/ 1321	75 / 1905	5753	7284	5928	7459	n/a	n/a	
2 / 1321	81 / 2057	5831	7423	6006	7598	n/a	n/a	
2 / 1321	87 / 2210	5909	7531	6084	7706	n/a	n/a	
/ 1473	75 / 1905	5849	7614	6024	7789	n/a	n/a	
/ 1473	81 / 2057	5928	7791	6103	7966	n/a	n/a	
/ 1473	87 / 2210	6007	7905	6182	8080	n/a	n/a	

If Switch Style (D, M, N or O) is specified, add 129.

B HPW 3

Height-Adjustable Diamond Meeting Peninsula







No TV Stand (N)



TV Stand Ready (R)

This Height-Adjustable Meeting Peninsula must only be mounted to a Workwall Storage (BHKHW or BSMOBH) and allows to alternate seated and standing positions for dynamic meetings. Perfect for virtual meetings and presentations. The table offers both power and data access for laptops, as well as seamless connectivity to the screen.

WHAT'S INCLUDED

1 worksurface with 1 power module and /or 1 tv stand cut-out (as specified), 1 height-adjustable bevel post leg with levelers, 2 height-adjustable mechanisms with supports, 1 power tray, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), wire management kit and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, Workwall Bookcase, Wall Panels, Power Modules and TV Stand – Meeting Peninsula.

NOTES

Worksurface depth exceeds the Workwall Srorage by 6" on each side. Always ensure clearance with products to allow up and down movement of the mechanism without damaging the adjacent products.

Worksurface width includes the 3" clearance between the surface and the Workwall Storage. For more details, refer to the Application Guide.

For more information about Integrated Powerbar with IEC Outlet (P) option, refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics &

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width	TV Stand Ready	Power Module Cut-Out	Powerbar
M 1 3/16"	48, 54, 60	57, 63, 69, 75, 81, 87	N No TV Stand	NN No Cut-Out (Shown)	N None
			R TV Stand Ready	LC Linear Power Module – Compact 8" LS Linear Power Module – Standard 18" PQ Power Pill – Quad SE Square – End	I Integrated Power Bar P Integrated Power Bar with IEC Outlet

SAMPLE ORDER CODE

B <u>M</u> HPW	48	75	N	NN	N
----------------	----	----	---	----	---

PRODUCT OPTIONS CONTINUED

Ī	Sw	itch		Worksurface Finish		Edge Trim Style	Edge Trim Finish	Support and Hardware Finish
	D Display with Up/	$ \mathbf{M} $	Display Toggle with	Foundation Laminate	6	Straight Trim	Edge Trim Colors	Foundation
	Down Memory		Memory – Platinum	Flintwood	9	Flintwood Flat Trim	(for trim style 6)	Mica
	F Toggle Up/Down – Platinum	N	Display Toggle with Memory – Crisp	(No Cathedral)				Accent
	G Toggle Up/Down – Crisp Grey	o	Grey Display Toggle					
	H Toggle Up/Down – Anthracite		with Memory – Anthracite					

SAMPLE ORDER CODE CONTINUED

D 2D	6	4D	83
------	---	----	----

See Pricing on the following page.

B_HPW

Height-Adjustable Diamond Meeting Peninsula (Continued)

DIMENSIONS INCHES / MM

PRICING

		NONE POWERBA	R (N)	INTEGRATED PO	WERBAR (I)	INTEGRATED POWERBAR WITH IEC OUTLET (P)		
		WORKSURFACE F	FINISH					
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
8 / 1219	57 / 1448	5330	6648	5505	6823	n/a	n/a	
8 / 1219	63 / 1600	5403	6750	5578	6925	n/a	n/a	
3 / 1219	69 / 1753	5475	6852	5650	7027	n/a	n/a	
3 / 1219	75 / 1905	5548	6954	5723	7129	n/a	n/a	
3 / 1219	81 / 2057	5620	7055	5795	7230	n/a	n/a	
3 / 1219	87 / 2210	5693	7157	5868	7332	n/a	n/a	
í / 1372	57 / 1448	5519	6961	5694	7136	n/a	n/a	
i / 1372	63 / 1600	5597	7069	5772	7244	n/a	n/a	
í / 1372	69 / 1753	5675	7176	5850	7351	n/a	n/a	
/ 1372	75 / 1905	5753	7284	5928	7459	n/a	n/a	
i / 1372	81 / 2057	5831	7423	6006	7598	n/a	n/a	
/ 1372	87 / 2210	5909	7531	6084	7706	n/a	n/a	
/ 1524	57 / 1448	5612	n/a	5787	n/a	n/a	n/a	
/ 1524	63 / 1600	5691	n/a	5866	n/a	n/a	n/a	
/ 1524	69 / 1753	5770	n/a	5945	n/a	n/a	n/a	
/ 1524	75 / 1905	5849	n/a	6024	n/a	n/a	n/a	
/ 1524	81 / 2057	5928	n/a	6103	n/a	n/a	n/a	
/ 1524	87 / 2210	6007	n/a	6182	n/a	n/a	n/a	

		SQUARE - END (S	SE)				
		NONE POWERBA	. ,	INTEGRATED PO	WERBAR (I)	INTEGRATED POV	
		WORKSURFACE F	INISH				
		Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
48 / 1219	57 / 1448	5330	6648	5505	6823	5505	6823
48 / 1219	63 / 1600	5403	6750	5578	6925	5578	6925
48 / 1219	69 / 1753	5475	6852	5650	7027	5650	7027
48 / 1219	75 / 1905	5548	6954	5723	7129	5723	7129
48 / 1219	81 / 2057	5620	7055	5795	7230	5795	7230
48 / 1219	87 / 2210	5693	7157	5868	7332	5868	7332
54 / 1372	57 / 1448	5519	6961	5694	7136	5694	7136
54 / 1372	63 / 1600	5597	7069	5772	7244	5772	7244
54 / 1372	69 / 1753	5675	7176	5850	7351	5850	7351
54 / 1372	75 / 1905	5753	7284	5928	7459	5928	7459
54 / 1372	81 / 2057	5831	7423	6006	7598	6006	7598
54 / 1372	87 / 2210	5909	7531	6084	7706	6084	7706
60 / 1524	57 / 1448	5612	n/a	5787	n/a	5787	n/a
60 / 1524	63 / 1600	5691	n/a	5866	n/a	5866	n/a
60 / 1524	69 / 1753	5770	n/a	5945	n/a	5945	n/a
60 / 1524	75 / 1905	5849	n/a	6024	n/a	6024	n/a
60 / 1524	81 / 2057	5928	n/a	6103	n/a	6103	n/a
60 / 1524	87 / 2210	6007	n/a	6182	n/a	6182	n/a

If Switch Style (D, M, N or O) is specified, add 129.

B_HPW

Height-Adjustable Diamond Meeting Peninsula (Continued)

DIMENSIONS **INCHES / MM**

PRICING


		NONE POWERBA	R (N)	INTEGRATED PO	WERBAR (I)	INTEGRATED POWERBAR WITH IEC OUTLET (P)		
		WORKSURFACE I	INISH					
D	W	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
8 / 1219	69 / 1753	5475	6852	5650	7027	n/a	n/a	
8 / 1219	75 / 1905	5548	6954	5723	7129	n/a	n/a	
8 / 1219	81 / 2057	5620	7055	5795	7230	n/a	n/a	
8 / 1219	87 / 2210	5693	7157	5868	7332	n/a	n/a	
4 / 1372	69 / 1753	5675	7176	5850	7351	n/a	n/a	
4 / 1372	75 / 1905	5753	7284	5928	7459	n/a	n/a	
4 / 1372	81 / 2057	5831	7423	6006	7598	n/a	n/a	
4 / 1372	87 / 2210	5909	7531	6084	7706	n/a	n/a	
0 / 1524	69 / 1753	5770	n/a	5945	n/a	n/a	n/a	
) / 1524	75 / 1905	5849	n/a	6024	n/a	n/a	n/a	
7 / 1524	81 / 2057	5928	n/a	6103	n/a	n/a	n/a	
) / 1524	87 / 2210	6007	n/a	6182	n/a	n/a	n/a	

		LINEAR POWER	MODULE – STAND	OARD 18" (LS)			
		NONE POWERBA	R (N)	INTEGRATED PO	WERBAR (I)	INTEGRATED POV	
		WORKSURFACE I	FINISH				
		Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
48 / 1219	75 / 1905	5548	6954	5723	7129	n/a	n/a
48 / 1219	81 / 2057	5620	7055	5795	7230	n/a	n/a
48 / 1219	87 / 2210	5693	7157	5868	7332	n/a	n/a
54 / 1372	75 / 1905	5753	7284	5928	7459	n/a	n/a
54 / 1372	81 / 2057	5831	7423	6006	7598	n/a	n/a
54 / 1372	87 / 2210	5909	7531	6084	7706	n/a	n/a
60 / 1524	75 / 1905	5849	n/a	6024	n/a	n/a	n/a
60 / 1524	81 / 2057	5928	n/a	6103	n/a	n/a	n/a
60 / 1524	87 / 2210	6007	n/a	6182	n/a	n/a	n/a

If Switch Style (D, M, N or O) is specified, add 129.

BC_FR

Fixed Rectangular Meeting Peninsula



This 29" fixed-height meeting peninsula must only be mounted on a Workwall Srorage (BHKHF, BHKFW, BSMOBW) or a Media Wall (BCMW). Perfect for virtual meetings and presentations. The table offers both power and data access for laptops, as well as seamless connectivity to the screen.

 $1\ worksurface, 2\ worksurface\ supports\ for\ workwall\ storage, 29"\ fixed-height\ support(s)$ with levelers (as specified), reinforcing bars, 1 power module and/or 1 tv-stand cut-out (as specified), wire mangement clips, and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Modules, Workwall Bookcase, Media Wall, Power Modules and TV Stand - Meeting Peninsula.

When Worksurface Thickness (V) opion is specified, the Radius (R) Corner Detail is not available.

When Worksurface Thickness (V) option is specified, only Edge Trim Style (F) option is available.

When Worksurface Thickness (M) option is specified, the Edge Trim Styles (6 or 9) options are available.

Leg Back & Hardware finish and Leg Front finish can be specified with Blade Leg (K) option only.

Support & Hardware finish can be specified with Support Styles (L or M) only.

When Media Wall (M) option is specified, only No TV Stand (N) option is available.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Mounting Style (Not Included)	Depth	Width	Height	Corner Detail	Support Style	TV Stand Ready
M 1 3/16"	K Mid-Height Support	36, 42, 48	60, 66, 72, 78, 84, 90	29	R Radius	K Blade Leg	N No TV Stand
V 1 3/16" Knife Edge	M Media Wall				S Straight (Shown)	L Bevel Post Leg (Shown)	R TV Stand Ready
						M Monopod Base	

SAMPLE ORDER CODE

DOLLED.	T.	/ 2				_	**
BCMFR	K	42.	l 7 2 .	29	⊢ К		l N

PRODUCT OPTIONS CONTINUED

	Power Module Cut-Out	Worksurface Finish		Edge Trim Style	Edge Trim Finish	Support and Hardware Finish (If Applicable)	Leg Back and Hardware Finish (If Applicable)	Leg Front Finish (If Applicable)
NN	No Cut-Out (Shown)	Foundation	6	Straight Trim	Edge Trim Colors	Foundation	Foundation	Foundation
LC	Linear Power Module – Compact 8"	Laminate	9	Flintwood	for trim style 6 or F)	Mica	Mica	Mica
LS	Linear Power Module – Standard 18"	Flintwood (No Cathedral)		Flat Trim		Accent	Accent	Accent
PQ	Power Pill – Quad		F	Full Edge Trim				
SE	Square – End							

SAMPLE ORDER CODE CONTINUED

NN	2D	6	4D	83	
1414	20	U	10	0.5	

See Pricing on the following page.

BC_FR

Fixed Rectangular Meeting Peninsula (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

			BEVEL POST LEG	(L)	BLADE LEG (K)		MONOPOD BASI	E (M)
			POWER MODULE	` '				J (111)
			WORKSURFACE FI		· · ·			
D	w	Н	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
36	60	29	1215	2159	1426	2370	1628	2572
36	66	29	1284	2274	1495	2485	1697	2687
36	72	29	1354	2306	1565	2517	1767	2719
36	78	29	1420	2414	1631	2625	1833	2827
36	84	29	1479	2611	1690	2822	1892	3024
36	90	29	1540	2714	1751	2925	1953	3127
í 2	60	29	1300	2359	1511	2570	1713	2772
1 2	66	29	1376	2485	1587	2696	1789	2898
42	72	29	1452	2569	1663	2780	1865	2982
42	78	29	1524	2689	1735	2900	1937	3102
1 2	84	29	1589	2850	1800	3061	2002	3263
42	90	29	1656	2965	1867	3176	2069	3378
8	60	29	1385	2559	1596	2770	1798	2972
í8	66	29	1468	2696	1679	2907	1881	3109
í8	72	29	1550	2832	1761	3043	1963	3245
8	78	29	1628	2964	1839	3175	2041	3377
í8	84	29	1699	3089	1910	3300	2112	3502
8	90	29	1772	3216	1983	3427	2185	3629

POWER MODULE CUT-OUT (LC, LS or PQ)

			WORKSURFACE FI	NISH				
			Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
36	72	29	1354	2306	1565	2517	1767	2719
36	78	29	1420	2414	1631	2625	1833	2827
36	84	29	1479	2611	1690	2822	1892	3024
36	90	29	1540	2714	1751	2925	1953	3127
42	72	29	1452	2569	1663	2780	1865	2982
42	78	29	1524	2689	1735	2900	1937	3102
42	84	29	1589	2850	1800	3061	2002	3263
42	90	29	1656	2965	1867	3176	2069	3378
48	72	29	1550	2832	1761	3043	1963	3245
48	78	29	1628	2964	1839	3175	2041	3377
48	84	29	1699	3089	1910	3300	2112	3502
48	90	29	1772	3216	1983	3427	2185	3629

BC_FR

Fixed Rectangular Meeting Peninsula (Continued)

DIMENSIONS - INCHES

	M X BY		PRICING					
			1 3/16" (M) (CONT MEDIA WALL (M)	TINUED)				
			BEVEL POST LEG	(L)	BLADE LEG (K)		MONOPOD BASI	E (M)
			POWER MODULE	• •				
			WORKSURFACE FI					
			Foundation		Foundation		Foundation	
D	W	Н	Laminate	Flintwood	Laminate	Flintwood	Laminate	Flintwood
42	60	29	1300	2359	1511	2570	1713	2772
42	66	29	1376	2485	1587	2696	1789	2898
42	72	29	1452	2569	1663	2780	1865	2982
42	78	29	1524	2689	1735	2900	1937	3102
42	84	29	1589	2850	1800	3061	2002	3263
42	90	29	1656	2965	1867	3176	2069	3378
48	60	29	1385	2559	1596	2770	1798	2972
48	66	29	1468	2696	1679	2907	1881	3109
48	72	29	1550	2832	1761	3043	1963	3245
48	78	29	1628	2964	1839	3175	2041	3377
48	84	29	1699	3089	1910	3300	2112	3502
48	90	29	1772	3216	1983	3427	2185	3629
42	72	29	1452	2569	1663	2780	1865	2982
42	72	29	<u>Laminate</u> 1452	Flintwood 2569	Laminate 1663	Flintwood 2780	Laminate	Flintwood
42	78	29	1524	2689	1735	2900	1937	3102
42	84	29	1589	2850	1800	3061	2002	3263
42	90	29	1656	2965	1867	3176	2069	3378
48	72	29	1550	2832	1761	3043	1963	3245
48	78	29	1628	2964	1839	3175	2041	3377
48	84	29	1699	3089	1910	3300	2112	3502
48	90	29	1772	3216	1983	3427	2185	3629
			1 3/16" KNIFE EDO	GF (V)				
			MID-HEIGHT SUP					
			BEVEL POST LEG	• •	BLADE LEG (K)		MONOPOD BASI	E (M)
			POWER MODULE		or (SE)			
			WORKSURFACE FI	INISH				
			Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
36	60	29	1345	n/a	1556	n/a	1758	n/a
36	66	29	1424	n/a	1635	n/a	1837	n/a
36	72	29	1504	n/a	1715	n/a	1917	n/a
36	78	29	1580	n/a	1791	n/a	1993	n/a
36	84	29	1649	n/a	1860	n/a	2062	n/a
36	90	29	1720	n/a	1931	n/a	2133	n/a
42	60	29	1435	n/a	1646	n/a	1848	n/a
42	66	29	1521	n/a	1732	n/a	1934	n/a
42	72	29	1607	n/a	1818	n/a	2020	n/a
/2			1600		1000		2102	

1900

1975

2052

n/a

n/a

n/a

n/a

n/a

2102

2177

2254

42

42

42

78

84

29

29

n/a

n/a

n/a

1689

1764

BC_FR

Fixed Rectangular Meeting Peninsula (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

			BEVEL POST LEG	(L)	BLADE LEG (K)		MONOPOD BASE	E (M)
			POWER MODULE					
			WORKSURFACE FI	NISH				
D	W	Н	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
í8	60	29	1525	n/a	1736	n/a	1938	n/a
í8	66	29	1618	n/a	1829	n/a	2031	n/a
í8	72	29	1710	n/a	1921	n/a	2123	n/a
í8	78	29	1798	n/a	2009	n/a	2211	n/a
í8	84	29	1879	n/a	2090	n/a	2292	n/a
í8	90	29	1962	n/a	2173	n/a	2375	n/a
			DOWNER WOE	OVER OVER (1.C. T.)	200			
			POWER MODULE		or PQ)			
			WORKSURFACE FI	NISH				
			Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
66	72	29	1504	n/a	1715	n/a	1917	n/a
66	78	29	1580	n/a	1791	n/a	1993	n/a
66	84	29	1649	n/a	1860	n/a	2062	n/a
66	90	29	1720	n/a	1931	n/a	2133	n/a
2	72	29	1607	n/a	1818	n/a	2020	n/a
2	78	29	1689	n/a	1900	n/a	2102	n/a
2	84	29	1764	n/a	1975	n/a	2177	n/a
2	90	29	1841	n/a	2052	n/a	2254	n/a
8	72	29	1710	n/a	1921	n/a	2123	n/a
8	78	29	1798	n/a	2009	n/a	2211	n/a
8	84	29	1879	n/a	2090	n/a	2292	n/a
8	90	29	1962	n/a	2173	n/a	2375	n/a
			MEDIA WALL (M)					
			MEDIA WALL (M)	(T.)	DIADELEC (V)		MONOROD PACE	E (M)
			BEVEL POST LEG		BLADE LEG (K)		MONOPOD BASE	C (IVI)
			POWER MODULE		r (SE)			
			WORKSURFACE FI	INIOII				
			Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood

42	60	29
42	66	29
42	72	29
42	78	29
42	84	29
42	90	29
48	60	29
48	66	29
48	72	29
48	78	29
48	84	29
48	90	29

Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
1435	n/a	1646	n/a	1848	n/a
1521	n/a	1732	n/a	1934	n/a
1607	n/a	1818	n/a	2020	n/a
1689	n/a	1900	n/a	2102	n/a
1764	n/a	1975	n/a	2177	n/a
1841	n/a	2052	n/a	2254	n/a
1525	n/a	1736	n/a	1938	n/a
1618	n/a	1829	n/a	2031	n/a
1710	n/a	1921	n/a	2123	n/a
1798	n/a	2009	n/a	2211	n/a
1879	n/a	2090	n/a	2292	n/a
1962	n/a	2173	n/a	2375	n/a

meeting tables

Xpress

BC_FR

Fixed Rectangular Meeting Peninsula (Continued)


DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

			1 3/16" (M) (CONT	(INUED)				
			MEDIA WALL (M)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
			BEVEL POST LEG	(L)	BLADE LEG (K)		MONOPOD BASI	E (M)
			POWER MODULE	CUT-OUT (LC, LS	S or PQ)			
			WORKSURFACE FI	NISH				
D	W	Н	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
42	72	29	1607	n/a	1818	n/a	2020	n/a
42	78	29	1689	n/a	1900	n/a	2102	n/a
42	84	29	1764	n/a	1975	n/a	2177	n/a
42	90	29	1841	n/a	2052	n/a	2254	n/a
48	72	29	1710	n/a	1921	n/a	2123	n/a
48	78	29	1798	n/a	2009	n/a	2211	n/a
48	84	29	1879	n/a	2090	n/a	2292	n/a
48	90	29	1962	n/a	2173	n/a	2375	n/a

BC_FD

Fixed D-Shape Meeting Peninsula



This fixed-height meeting peninsula must only be mounted on a Workwall Srorage (BHKHF, BHKFW or BSMOBW), a Gable for Fixed Meeting Peninsula (BC_G) or a Media Wall (BCMW). Perfect for virtual meetings and presentations. The table offers both power and data access for laptops, as well as seamless connectivity to the screen.

1 worksurface, 2 worksurface supports for workwall storage, fixed-height support(s) with levelers (as specified), reinforcing bars, 1 power module and/or 1 tv-stand cut-out (as specified), 1 power module cover (42" h only), wire mangement clips, and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Modules, Workwall Bookcase, Gable for Fixed Meeting Peninsula, Media Wall, Power Modules and TV Stand – Meeting Peninsula.

When Media Wall (M) option is specified, only No TV Stand (N) option is available.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Mounting Style (Not Included)	Depth	Width	Height	Support Style
M 1 3/16"	G Freestanding Gable	36, 42, 48, 54, 60	60, 66, 72, 78, 84, 90	29 (Shown), 42	L Bevel Post Leg (Shown)
	K Mid-Height Support				M Monopod Base
	M Media Wall				

SAMPLE ORDER CODE

BC <u>M</u> FD M 42 72 29 L	BC <u>M</u> FD	M	42	72	29	L
---------------------------------------	----------------	---	----	----	----	---

PRODUCT OPTIONS CONTINUED

TV Stand Ready		Power Module Cut-Out	Worksurface Finish		Edge Trim Style	Edge Trim Finish	Support and Hardware Finish
N No TV Stand	NN	No Cut-Out	Foundation Laminate	6	Straight Trim	Edge Trim Colors	Foundation
R TV Stand Ready		(Shown)	Flintwood (No Cathedral)	9	Flintwood Flat Trim	for trim style 6)	Mica
	LC	Linear Power Module – Compact 8"					Accent
	LS	Linear Power Module – Standard 18"					
	PQ	Power Pill – Quad					
	SE	Square – End					

SAMPLE ORDER CODE CONTINUED

R	NN	2D	6	4D	83	

See Pricing on the following page.

BC_FD

Fixed D-Shape Meeting Peninsula (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

36

90

29

n/a

n/a

PRICING

			BEVEL POST LEG (L)	1	MONOPOD BASE (M)	
			POWER MODULE CO		MONOFOD BASE (M)	
			WORKSURFACE FIN			
)	W	Н	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
6	60	29	n/a	n/a	1482	2426
6	66	29	n/a	n/a	1551	2541
5	72	29	n/a	n/a	1621	2573
6	78	29	n/a	n/a	1687	2681
<u> </u>	84	29	n/a	n/a	1746	2878
ó	90	29	n/a	n/a	1807	2981
2	60	29	n/a	n/a	1567	2626
2	66	29	n/a	n/a	1643	2752
!	72	29	n/a	n/a	1719	2836
,	78	29	n/a	n/a	1791	2956
:	84	29	n/a	n/a	1856	3117
2	90	29	n/a	n/a	1923	3232
3	60	29	n/a	n/a	1652	2826
3	66	29	n/a	n/a	1735	2963
3	72	29	n/a	n/a	1817	3099
3	78	29	n/a	n/a	1895	3231
3	84	29	n/a	n/a	1966	3356
3	90	29	n/a	n/a	2039	3483
i	60	29	n/a	n/a	1762	3106
	66	29	n/a	n/a	1853	3277
	72	29	n/a	n/a	1944	3434
	78	29	n/a	n/a	2030	3628
	84	29	n/a	n/a	2110	3774
	90	29	n/a	n/a	2192	3936
١	60	29	n/a	n/a	1846	n/a
	66	29	n/a	n/a	1943	n/a
1	72	29	n/a	n/a	2040	n/a
1	78	29	n/a	n/a	2133	n/a
1	84	29	n/a	n/a	2219	n/a
1	90	29	n/a	n/a	2307	n/a
			POWER MODILIE C	JT-OUT (LC, LS or PQ)		
			WORKSURFACE FIN			
			Foundation	1011	Foundation	
			Laminate	Flintwood	Laminate	Flintwood
í	72	29	n/a	n/a	1621	2573
6	78	29	n/a	n/a	1687	2681
<u></u>	84	29	n/a	n/a	1746	2878

Pricing is continued on the following page.

2981

BC_FD 🛂

Fixed D-Shape Meeting Peninsula (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

			1 3/16" (M) (CONTIN	NUED)		
			FREESTANDING GAI	BLE (G)		
			BEVEL POST LEG (L)		MONOPOD BASE (M)	1
			POWER MODULE CU	JT-OUT (LC, LS or PQ)		
			WORKSURFACE FIN	ISH		
D	W	Н	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
42	72	29	n/a	n/a	1719	2836
42	78	29	n/a	n/a	1791	2956
42	84	29	n/a	n/a	1856	3117
42	90	29	n/a	n/a	1923	3232
48	72	29	n/a	n/a	1817	3099
48	78	29	n/a	n/a	1895	3231
48	84	29	n/a	n/a	1966	3356
48	90	29	n/a	n/a	2039	3483
54	72	29	n/a	n/a	1944	3434
54	78	29	n/a	n/a	2030	3628
54	84	29	n/a	n/a	2110	3774
54	90	29	n/a	n/a	2192	3936
60	72	29	n/a	n/a	2040	n/a
60	78	29	n/a	n/a	2133	n/a
60	84	29	n/a	n/a	2219	n/a
60	90	29	n/a	n/a	2307	n/a
			MID-HEIGHT SUPPO	ORT (K)		
			BEVEL POST LEG (L)		MONOPOD BASE (M)	
			POWER MODULE CU		(0.12)	
			WORKSURFACE FIN			
			Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
36	60	29	1215	2159	1628	2572
36	66	29	1284	2274	1697	2687
36	72	29	1354	2306	1767	2719
36	78	29	1420	2414	1833	2827
36	84	29	1479	2611	1892	3024

Pricing	is	continued	on	the	following	page.
---------	----	-----------	----	-----	-----------	-------

BC_FD

Fixed D-Shape Meeting Peninsula (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

72

78

84

90

60

60

60

60

29

29

29

29

1773

1866

1952

2040

n/a

n/a

n/a

n/a

PRICING

			1 3/16" (M) (CONTIN			
			MID-HEIGHT SUPPO			
			BEVEL POST LEG (L)		MONOPOD BASE (M)	
			POWER MODULE CU			
			WORKSURFACE FIN	ISH		
D	W	Н	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
54	60	29	1495	2839	1908	3252
54	66	29	1586	3010	1999	3423
54	72	29	1677	3167	2090	3580
54	78	29	1763	3361	2176	3774
54	84	29	1843	3507	2256	3920
54	90	29	1925	3669	2338	4082
60	60	29	1579	n/a	1992	n/a
60	66	29	1676	n/a	2089	n/a
60	72	29	1773	n/a	2186	n/a
60	78	29	1866	n/a	2279	n/a
60	84	29	1952	n/a	2365	n/a
50	90	29	2040	n/a	2453	n/a
			POWER MODULE CU WORKSURFACE FIN	JT-OUT (LC, LS or PQ)		
			WORKSURFACE FIN	UT-OUT (LC, LS or PQ)	Foundation	
36	72	29	WORKSURFACE FINE Foundation Laminate	UT-OUT (LC, LS or PQ) ISH Flintwood	Foundation Laminate	Flintwood
	72 78	29	WORKSURFACE FINE Foundation Laminate 1354	UT-OUT (LC, LS or PQ) ISH Flintwood 2306	Foundation Laminate 1767	Flintwood 2719
36 36	78	29	WORKSURFACE FIN Foundation Laminate 1354 1420	UT-OUT (LC, LS or PQ) ISH Flintwood 2306 2414	Foundation Laminate 1767 1833	Flintwood 2719 2827
36 36	78 84	29 29	WORKSURFACE FIN Foundation Laminate 1354 1420 1479	UT-OUT (LC, LS or PQ) ISH Flintwood 2306 2414 2611	Foundation Laminate 1767 1833 1892	Flintwood 2719 2827 3024
6	78	29	WORKSURFACE FIN Foundation Laminate 1354 1420	UT-OUT (LC, LS or PQ) ISH Flintwood 2306 2414	Foundation Laminate 1767 1833	Flintwood 2719 2827
36 36 36	78 84	29 29	WORKSURFACE FIN Foundation Laminate 1354 1420 1479	UT-OUT (LC, LS or PQ) ISH Flintwood 2306 2414 2611	Foundation Laminate 1767 1833 1892	Flintwood 2719 2827 3024
36 36 36 42	78 84 90	29 29 29	## WORKSURFACE FINE Foundation	Flintwood 2306 2414 2611 2714	Foundation Laminate 1767 1833 1892 1953	Flintwood 2719 2827 3024 3127
	78 84 90 72	29 29 29 29	WORKSURFACE FINITED TO THE PROPERTY OF THE PRO	UT-OUT (LC, LS or PQ) ISH Flintwood 2306 2414 2611 2714	Foundation Laminate 1767 1833 1892 1953	Flintwood 2719 2827 3024 3127
36 36 36 42 42	78 84 90 72 78	29 29 29 29 29	WORKSURFACE FINITED TO THE PROPERTY OF THE PRO	UT-OUT (LC, LS or PQ) ISH Flintwood 2306 2414 2611 2714 2569 2689	Foundation Laminate 1767 1833 1892 1953 1865 1937	Flintwood 2719 2827 3024 3127 2982 3102
36 36 36 42 42 42 42	78 84 90 72 78 84	29 29 29 29 29 29 29	WORKSURFACE FINITED TO THE PROPERTY OF THE PRO	Flintwood 2306 2414 2611 2714 2569 2689 2850	Foundation Laminate 1767 1833 1892 1953 1865 1937 2002	Flintwood 2719 2827 3024 3127 2982 3102 3263
36 36 36 42 42 42 42 42	78 84 90 72 78 84 90	29 29 29 29 29 29 29 29	WORKSURFACE FINITED TO THE PROPERTY OF THE PRO	Flintwood 2306 2414 2611 2714 2569 2689 2850 2965	Foundation Laminate 1767 1833 1892 1953 1865 1937 2002 2069	Flintwood 2719 2827 3024 3127 2982 3102 3263 3378
36 36 36 42 42 42 42 42 48	78 84 90 72 78 84 90	29 29 29 29 29 29 29 29	WORKSURFACE FINITE Foundation Laminate 1354 1420 1479 1540 1452 1524 1589 1656	UT-OUT (LC, LS or PQ) ISH Flintwood 2306 2414 2611 2714 2569 2689 2850 2965	Foundation Laminate 1767 1833 1892 1953 1865 1937 2002 2069	Flintwood 2719 2827 3024 3127 2982 3102 3263 3378
36 36 36 42 42 42 42 42 48 48	78 84 90 72 78 84 90 72 78	29 29 29 29 29 29 29 29 29	WORKSURFACE FINITE Foundation Laminate 1354 1420 1479 1540 1452 1524 1589 1656 1550 1628	Flintwood 2306 2414 2611 2714 2569 2689 2850 2965	Foundation Laminate 1767 1833 1892 1953 1865 1937 2002 2069 1963 2041	Flintwood 2719 2827 3024 3127 2982 3102 3263 3378 3245 3377
366 366 366 367 442 442 442 442 448 448 448	78 84 90 72 78 84 90 72 78 84	29 29 29 29 29 29 29 29 29 29 29	WORKSURFACE FINITE Foundation Laminate 1354 1420 1479 1540 1452 1524 1589 1656 1550 1628 1699	Flintwood 2306 2414 2611 2714 2569 2689 2850 2965 2832 2964 3089	Foundation Laminate 1767 1833 1892 1953 1865 1937 2002 2069 1963 2041 2112	Flintwood 2719 2827 3024 3127 2982 3102 3263 3378 3245 3377 3502
36 36 36 42 42 42	78 84 90 72 78 84 90 72 78 84 90	29 29 29 29 29 29 29 29 29 29 29 29	WORKSURFACE FINITE Foundation Laminate 1354 1420 1479 1540 1452 1524 1589 1656 1550 1628 1699 1772	Flintwood 2306 2414 2611 2714 2569 2689 2850 2965 2832 2964 3089 3216	Foundation Laminate 1767 1833 1892 1953 1865 1937 2002 2069 1963 2041 2112 2185	Flintwood 2719 2827 3024 3127 2982 3102 3263 3378 3245 3377 3502 3629
366 336 42 442 442 442 442 448 448 448	78 84 90 72 78 84 90 72 78 84 90	29 29 29 29 29 29 29 29 29 29 29 29	WORKSURFACE FINITE Foundation Laminate 1354 1420 1479 1540 1452 1524 1589 1656 1550 1628 1699 1772	### Country (ICC, LS or PQ) Flintwood	Foundation Laminate 1767 1833 1892 1953 1865 1937 2002 2069 1963 2041 2112 2185	Flintwood 2719 2827 3024 3127 2982 3102 3263 3378 3245 3377 3502 3629

Pricing is continued on the following page.

n/a

n/a

n/a

n/a

2186

2279

2365

BC_FD

Fixed D-Shape Meeting Peninsula (Continued)

DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

			1 3/16" (M) (CONTIL	NUED)		
			MEDIA WALL (M) BEVEL POST LEG (L	\ \	MONOPOD BASE (M)	
			POWER MODULE C	•	MONOPOD BASE (M)	
			WORKSURFACE FIN			
			Foundation	1011	Foundation	
D	W	Н	Laminate	Flintwood	Laminate	Flintwood
42	60	29	1300	2359	1713	2772
42	66	29	1376	2485	1789	2898
42	72	29	1452	2569	1865	2982
42	78	29	1524	2689	1937	3102
42	84	29	1589	2850	2002	3263
42	90	29	1656	2965	2069	3378
42	60	42	1523	2582	2022	3081
42	66	42	1599	2708	2098	3207
42	72	42	1675	2792	2174	3291
42	78	42	1747	2912	2246	3411
42	84	42	1812	3073	2311	3572
42	90	42	1879	3188	2378	3687
48	60	29	1385	2559	1798	2972
48	66	29	1468	2696	1881	3109
48	72	29	1550	2832	1963	3245
48	78	29	1628	2964	2041	3377
48	84	29	1699	3089	2112	3502
48	90	29	1772	3216	2185	3629
48	60	42	1608	2782	2107	3281
48	66	42	1691	2919	2190	3418
48	72	42	1773	3055	2272	3554
48	78	42	1851	3187	2350	3686
48	84	42	1922	3312	2421	3811
48	90	42	1995	3439	2494	3938
54	60	29	1495	2839	1908	3252
54	66	29	1586	3010	1999	3423
54	72	29	1677	3167	2090	3580
54	78	29	1763	3361	2176	3774
54	84	29	1843	3507	2256	3920
54	90	29	1925	3669	2338	4082
54	60	42	1718	3062	2217	3561
54	66	42	1809	3233	2308	3732
54	72	42	1900	3390	2399	3889
54	78	42	1986	3584	2485	4083
54	84	42	2066	3730	2565	4229
54	90	42	2148	3892	2647	4391
60	60	29	1579	n/a	1992	n/a
60	66	29	1676	n/a	2089	n/a
60	72	29	1773	n/a	2186	n/a
60	78	29	1866	n/a	2279	n/a
60	84	29	1952	n/a	2365	n/a
60	90	29	2040	n/a	2453	n/a

B C _ F D

Fixed D-Shape Meeting Peninsula (Continued)


DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

			1 3/16" (M) (CONTII	NUED)			
			MEDIA WALL (M)				
			BEVEL POST LEG (L)		MONOPOD BASE (M)		
			POWER MODULE CO	UT-OUT (NN or SE)			
			WORKSURFACE FIN	ISH			
D	W	**	Foundation	El:	Foundation Laminate	El:	
D 60	60	H 42	Laminate 1802	Flintwood	2301	Flintwood	
60	66	42	1899	n/a n/a	2398	n/a n/a	
60	72	42	1996	n/a	2495	n/a	
60	78	42	2089	n/a	2588	n/a	
60	84	42	2175	n/a	2674	n/a	
60	90	42	2263	n/a	2762	n/a	
				11/10		11/11	
			POWER MODULE CO	UT-OUT (LC, LS or PQ)			
			WORKSURFACE FIN	ISH			
			Foundation	rl.	Foundation	Eli I	
/2			Laminate	Flintwood	Laminate	Flintwood	
42	72	29	1452	2569	1865	2982	
42	78 84	29	1524 1589	2689 2850		3102 3263	
42	90	29	1656	2850	2002		
42	90	29	1030	290)	2009	3378	
42	72	42	1675	2792	2174	3291	
42	78	42	1747	2912	2246	3411	
42	84	42	1812	3073	2311	3572	
42	90	42	1879	3188	2378	3687	
48	72	29	1550	2832	1963	3245	
48	78	29	1628	2964	2041	3377	
48	84	29	1699	3089	2112	3502	
48	90	29	1772	3216	2185	3629	
48	72	42	1773	3055	2272	3554	
48	78	42	1851	3187	2350	3686	
48	84	42	1922	3312	2421	3811	
48	90	42	1995	3439	2494	3938	
54	72	29	1677	3167	2090	3580	
54	78	29	1763	3361	2176	3774	
54	84	29	1843	3507	2256	3920	
54	90	29	1925	3669	2338	4082	
54	72	42	1900	3390	2399	3889	
54	78	42	1986	3584	2485	4083	
54	84	42	2066	3730	2565	4229	
54	90	42	2148	3892	2647	4391	
60	72	29	1773	n/a	2186	n/a	
60	78	29	1866	n/a	2279	n/a	
60	84	29	1952	n/a	2365	n/a	
60	90	29	2040	n/a	2453	n/a	
60	72	42	1996	n/a	2495	n/a	
60	78	42	2089	n/a	2588	n/a	
60	84	42	2175	n/a	2674	n/a	
60	90	42	2263	n/a	2762	n/a	

BC_FT

Fixed Tapered Meeting Peninsula



This fixed-height meeting peninsula must only be mounted on a Workwall Srorage (BHKHF, BHKFW or BSMOBW) or a Media Wall (BCMW). Perfect for virtual meetings and presentations. The table offers both power and data access for laptops, as well as seamless connectivity to the screen.

WHAT'S INCLUDED

1 worksurface, 2 worksurface supports for workwall storage, fixed-height support(s) with levelers (as specified), reinforcing bars, 1 power module and/or 1 tv-stand cut-out (as specified), 1 power module cover (42" h only), wire mangement clips, and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Modules, Workwall Bookcase, Media Wall, Power Modules and TV Stand - Meeting Peninsula.

NOTES

When Media Wall (M) option is specified, only No TV Stand (N) option is available.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Mounting Style (Not Included)	Depth	Width	Height	Support Style
M 1 3/16"	K Mid-Height Support	42, 48, 54, 60	60, 66, 72, 78, 84, 90	29 (Shown), 42	L Bevel Post Leg (Shown)
	M Media Wall				M Monopod Base

SAMPLE ORDER CODE

BC <u>M</u> FT M	42	72	42	L
------------------	----	----	----	---

PRODUCT OPTIONS CONTINUED

TV Stand Ready	Power Module Cut-Out	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support and Hardware Finish
N No TV Stand	NN No Cut-Out	Foundation Laminate	6 Straight Trim	Edge Trim Colors	Foundation
R TV Stand Ready	(Shown) LC Linear Power Module – Compact 8"	Flintwood (No Cathedral)	9 Flintwood Flat Trim	for trim style 6)	Mica Accent
	LS Linear Power Module – Standard 18"				
	PQ Power Pill – Quad				
	SE Square – End				

SAMPLE ORDER CODE CONTINUED

R	NN	2D	6	4D	83
---	----	----	---	----	----

See Pricing on the following page.

BC_FT

Fixed Tapered Meeting Peninsula (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

			1 3/16" (M)			
			MID-HEIGHT SUPPO	ORT (K)		
			BEVEL POST LEG (L)		MONOPOD BASE (M)	
			POWER MODULE CU	JT-OUT (NN) or (SE)		
			WORKSURFACE FIN	ISH		
D	W	Н	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
42		1 29	1300	2359		2772
42		29 29	1376	2485	1789	2898
42		29	1452	2569	1865	2982
42		29 29	1524	2689	1937	3102
42		29	1589	2850	2002	3263
42		29	1656	2965	2069	3378
	, ,		10,0	2,0,	200)	337 0
48	60	29	1385	2559		2972
48	66	29	1468	2696	1881	3109
48	72	29	1550	2832	1963	3245
48	78	29	1628	2964	2041	3377
48	84	29	1699	3089	2112	3502
48	90	29	1772	3216	2185	3629
54	60	29	1495	2839	1908	3252
54	66	29	1586	3010	1999	3423
54		29	1677	3167	2090	3580
54		29	1763	3361	2176	3774
54	84	29	1843	3507	2256	3920
54	90	29	1925	3669	2338	4082
60	60	29	1579	n/a	1992	n/a
60	66	29	1676	n/a	2089	n/a
60	72	29	1773	n/a	2186	n/a
60	78	29	1866	n/a	2279	n/a
60	84	29	1952	n/a	2365	n/a
60	90	29	2040	n/a	2453	n/a
			POWER MODULE CU WORKSURFACE FIN Foundation	UT-OUT (LC, LS or PQ)	Foundation	
			Laminate	Flintwood	Laminate	Flintwood
42	72	29	1452	2569	1865	2982
42		29	1524	2689	1937	3102
42		29	1589	2850	2002	3263
42	90	29	1656	2965	2069	3378
48	72	29	1550	2832	1963	3245
48	78	29	1628	2964	2041	3377
48	84	29	1699	3089	2112	3502
48	90	29	1772	3216	2185	3629
54	72	29	1677	3167	2090	3580
54		29	1763	3361	2176	3774
54	84	29	1843	3507	2256	3920
ノユ						

BC_FT

Fixed Tapered Meeting Peninsula (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

MEDIA WALL (M)

			1 3/16" (M) (CONTIN	NUED)		
			MID-HEIGHT SUPPO	ORT (K)		
			BEVEL POST LEG (L))	MONOPOD BASE (M)	
			POWER MODULE CO	UT-OUT (LC, LS or PQ)		
			WORKSURFACE FIN	ISH		
D	W	Н	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
60	72	29	1773	n/a	2186	n/a
60	78	29	1866	n/a	2279	n/a
60	84	29	1952	n/a	2365	n/a
60	90	29	2040	n/a	2453	n/a

			PEVEL POST LEG (L)		MONOPOD PASE (M)		
			BEVEL POST LEG (L)		MONOPOD BASE (M)		
			POWER MODULE CI				
			WORKSURFACE FIN	ISH			
			Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
42	60	29	1300	2359	1713	2772	
42	66	29	1376	2485	1789	2898	
42	72	29	1452	2569	1865	2982	
42	78	29	1524	2689	1937	3102	
42	84	29	1589	2850	2002	3263	
42	90	29	1656	2965	2069	3378	
42	90	29	10,00	290)	2009	33/6	
42	60	42	1523	2582	2022	3081	
42	66	42	1599	2708	2098	3207	
42	72	42	1675	2792	2174	3291	
42	78	42	1747	2912	2246	3411	
42	84	42	1812	3073	2311	3572	
42	90	42	1879	3188	2378	3687	
48	60	29	1385	2559	1798	2972	
48	66	29	1468	2696	1881	3109	
48	72	29	1550	2832	1963	3245	
48	78	29	1628	2964	2041	3377	
48	84	29	1699	3089	2112	3502	
48	90	29	1772	3216	2185	3629	
48	60	42	1608	2782	2107	3281	
48	66	42	1691	2919	2190	3418	
48	72	42	1773	3055	2272	3554	
48	78	42	1851	3187	2350	3686	
48	84	42	1922	3312	2421	3811	
48	90	42	1995	3439	2494	3938	
54	60	29	1495	2839	1908	3252	
54	66	29	1586	3010	1999	3423	
54	72	29	1677	3167	2090	3580	
54	78	29	1763	3361	2176	3774	
54	84	29	1843	3507	2256	3920	
54	90	29	1925	3669	2338	4082	

BC_FT

Fixed Tapered Meeting Peninsula (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

1 3/16" (M) (CONTINUED)

			MEDIA WALL (M)	(CED)		
			BEVEL POST LEG (L)		MONOPOD BASE (M)	
			POWER MODULE CU			
			WORKSURFACE FIN			
D	W	Н	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
64	60	42	1718	3062	2217	3561
4	66	42	1809	3233	2308	3732
4	72	42	1900	3390	2399	3889
4	78	42	1986	3584	2485	4083
4	84	42	2066	3730	2565	4229
4	90	42	2148	3892	2647	4391
0	60	29	1579	n/a	1992	n/a
0	66	29	1676	n/a	2089	n/a
0	72	29	1773	n/a	2186	n/a
0	78	29	1866	n/a	2279	n/a
0	84	29	1952	n/a	2365	n/a
0	90	29	2040	n/a	2453	n/a
0	60	42	1802	n/a	2301	n/a
0	66	42	1899	n/a	2398	n/a
0	72	42	1996	n/a	2495	n/a
0	78	42	2089	n/a	2588	n/a
0	84	42	2175	n/a	2674	n/a
0	90	42	2263	n/a	2762	n/a
			MEDIA WALL (M)			
			BEVEL POST LEG (L)		MONOPOD BASE (M)	
				JT-OUT (LC, LS or PQ)		
			WORKSURFACE FIN	ISH		
			Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
2	72	29	1452	2569	1865	2982
2	78	29	1524	2689	1937	3102
2	84	29	1589	2850	2002	3263
2	90	29	1656	2965	2069	3378
2	72	42	1675	2792	2174	3291
2	78	42	1747	2912	2246	3411
2	84	42	1812	3073	2311	3572
2	90	42	1879	3188	2378	3687
8	72	29	1550	2832	1963	3245
8	78	29	1628	2964	2041	3377
_				***		2502

Pricing is continued on the following page.

Xpress

BC_FT

Fixed Tapered Meeting Peninsula (Continued)


DIMENSIONS - INCHES

FOR MM X BY 25.4 PRICING

			MEDIA WALL (M)			
			BEVEL POST LEG (L))	MONOPOD BASE (M)	
			POWER MODULE CO	UT-OUT (LC, LS or PQ)		
			WORKSURFACE FIN	ISH		
D	W	Н	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
54	72	29	1677	3167	2090	3580
54	78	29	1763	3361	2176	3774
54	84	29	1843	3507	2256	3920
54	90	29	1925	3669	2338	4082
54	72	42	1900	3390	2399	3889
54	78	42	1986	3584	2485	4083
54	84	42	2066	3730	2565	4229
54	90	42	2148	3892	2647	4391
50	72	29	1773	n/a	2186	n/a
60	78	29	1866	n/a	2279	n/a
60	84	29	1952	n/a	2365	n/a
50	90	29	2040	n/a	2453	n/a
60	72	42	1996	n/a	2495	n/a
60	78	42	2089	n/a	2588	n/a
0	84	42	2175	n/a	2674	n/a
60	90	42	2263	n/a	2762	n/a

BC_FP

Fixed Diamond Meeting Peninsula



This fixed-height meeting peninsula must only be mounted on a Workwall Srorage (BHKHF, BHKFW or BSMOBW) or a Media Wall (BCMW). Perfect for virtual meetings and presentations. The table offers both power and data access for laptops, as well as seamless connectivity to the screen.

WHAT'S INCLUDED

1 worksurface, 2 worksurface supports for workwall storage, fixed-height support(s) with levelers (as specified), reinforcing bars, 1 power module and/or 1 tv-stand cut-out (as specified), 1 power module cover (42" h only), wire mangement clips, and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Modules, Workwall Bookcase, Media Wall, Power Modules and TV Stand - Meeting Peninsula.

NOTES

When Media Wall (M) option is specified, only No TV Stand (N) option is available.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Mounting Style (Not Included)	Depth	Width	Height	Support Style
M 1 3/16"	K Mid-Height Support	48, 54, 60	60, 66, 72, 78, 84, 90	29 (Shown), 42	L Bevel Post Leg (Shown)
	M Media Wall				M Monopod Base

SAMPLE ORDER CODE

BC <u>M</u> FP	М	48	72	42	L
----------------	---	----	----	----	---

PRODUCT OPTIONS CONTINUED

TV Stand Ready	Power Module Cut-Out	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support and Hardware Finish
N No TV Stand	NN No Cut-Out	Foundation Laminate	6 Straight Trim	Edge Trim Colors	Foundation
R TV Stand Ready	(Shown) LC Linear Power Module – Compact 8"	Flintwood (No Cathedral)	9 Flintwood Flat Trim	for trim style 6)	Mica Accent
	LS Linear Power Module – Standard 18"				
	PQ Power Pill – Quad				
	SE Square – End				

SAMPLE ORDER CODE CONTINUED

R	NN	2D	6	4D	83
---	----	----	---	----	----

See Pricing on the following page.

B C _ F P

Fixed Diamond Meeting Peninsula (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

			1 3/16" (M)			
			MID-HEIGHT SUPPO	ORT (K)		
			BEVEL POST LEG (L)		MONOPOD BASE (M)	
			POWER MODULE CU	JT-OUT (NN) or (SE)		
			WORKSURFACE FIN	ISH		
D	w	Н	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
48	60	29	1404	2687	1817	3100
48	66	29	1488	2833	1901	3246
48	72	29	1573	2979	1986	3392
48	78	29	1653	3122	2066	3535
48	84	29	1726	3257	2139	3670
48	90	29	1801	3394	2214	3807
54	60	29	1495	2839	1908	3252
54	66	29	1586	3010	1999	3423
54	72	29	1677	3167	2090	3580
54	78	29	1763	3361	2176	3774
54	84	29	1843	3507	2256	3920
54	90	29	1925	3669	2338	4082
60	60	29	1579	n/a	1992	n/a
60	66	29	1676	n/a	2089	n/a
60	72	29	1773	n/a	2186	n/a
60	78	29	1866	n/a	2279	n/a
60	84	29	1952	n/a	2365	n/a
60	90	29	2040	n/a	2453	n/a
			WORKSURFACE FIN	JT-OUT (LC, LS or PQ)	Foundation	
			Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
48	72	29	1573	2979	1986	3392
48	78	29	1653	3122	2066	3535
48	84	29	1726	3257	2139	3670
48	90	29	1801	3394	2214	3807
54	72	29	1677	3167	2090	3580
54	78	29	1763	3361	2176	3774
54	84	29	1843	3507	2256	3920
54	90	29	1925	3669	2338	4082
60	72	29	1773	n/a	2186	n/a
60	78	29	1866	n/a	2279	n/a
60	84	29	1952	n/a	2365	n/a

Pricing is continued on the following page.

Xpress

BC_FP

Fixed Diamond Meeting Peninsula (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

PRICING

			1 3/16" (M) (CONTIN	NUED)		
			MEDIA WALL (M) BEVEL POST LEG (L)	<u> </u>	MONOPOD BASE (M)	
			POWER MODULE CO		morror ob base (m)	
			WORKSURFACE FIN			
			Foundation	1011	Foundation	
D	W	H	Laminate	Flintwood	Laminate	Flintwood
48	60	29	1404	2687	1817	3100
48	66	29	1488	2833	1901	3246
48	72	29	1573	2979	1986	3392
48	78	29	1653	3122	2066	3535
48	84	29	1726	3257	2139	3670
48	90	29	1801	3394	2214	3807
48	60	42	1627	2910	2126	3409
48	66	42	1711	3056	2210	3555
48	72	42	1796	3202	2295	3701
í8	78	42	1876	3345	2375	3844
48	84	42	1949	3480	2448	3979
48	90	42	2024	3617	2523	4116
54	60	29	1495	2839	1908	3252
54	66	29	1586	3010	1999	3423
54	72	29	1677	3167	2090	3580
54	78	29	1763	3361	2176	3774
54	84	29	1843	3507	2256	3920
54	90	29	1925	3669	2338	4082
54	60	42	1718	3062	2217	3561
54	66	42	1809	3233	2308	3732
54	72	42	1900	3390	2399	3889
54	78	42	1986	3584	2485	4083
54	84	42	2066	3730	2565	4229
54	90	42	2148	3892	2647	4391
50	60	29	1579	n/a	1992	n/a
50	66	29	1676	n/a	2089	n/a
60	72	29	1773	n/a	2186	n/a
60	78	29	1866	n/a	2279	n/a
60	84	29	1952	n/a	2365	n/a
60	90	29	2040	n/a	2453	n/a
60	60	42	1802	n/a	2301	n/a
50	66	42	1899	n/a	2398	n/a
60	72	42	1996	n/a	2495	n/a
50	78	42	2089	n/a	2588	n/a
50	84	42	2175	n/a	2674	n/a
50	90	42	2263	n/a	2762	n/a

Pricing is continued on the following page.

B C _ F P

Fixed Diamond Meeting Peninsula (Continued)

DIMENSIONS - INCHES FOR MM X BY 25.4

			1 3/16" (M) (CONTII MEDIA WALL (M)	NUED)		
			BEVEL POST LEG (L)		MONOPOD BASE (M)	
			POWER MODULE C	UT-OUT (LC, LS or PQ)		
			WORKSURFACE FIN	ISH		
D	w	Н	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
48	72	29	1573	2979	1986	3392
48	78	29	1653	3122	2066	3535
48	84	29	1726	3257	2139	3670
48	90	29	1801	3394	2214	3807
48	72	42	1796	3202	2295	3701
48	78	42	1876	3345	2375	3844
48	84	42	1949	3480	2448	3979
48	90	42	2024	3617	2523	4116
54	72	29	1677	3167	2090	3580
54	78	29	1763	3361	2176	3774
54	84	29	1843	3507	2256	3920
54	90	29	1925	3669	2338	4082
54	72	42	1900	3390	2399	3889
54	78	42	1986	3584	2485	4083
54	84	42	2066	3730	2565	4229
54	90	42	2148	3892	2647	4391
60	72	29	1773	n/a	2186	n/a
60	78	29	1866	n/a	2279	n/a
60	84	29	1952	n/a	2365	n/a
60	90	29	2040	n/a	2453	n/a
60	72	42	1996	n/a	2495	n/a
60	78	42	2089	n/a	2588	n/a
60	84	42	2175	n/a	2674	n/a
60	90	42	2263	n/a	2762	n/a



BC_G

Gable for Fixed Meeting Peninsula

The gable is a alternative to a Workwall Storage or a Media Wall to support a 29" Fixed D-Shape Meeting Peninsula (BC_FD).


WHAT'S INCLUDED

 $1\ {
m solid}\ {
m supported}\ {
m gables},\ 1\ {
m metal}\ {
m mounting}\ {
m bracket},\ 1\ {
m cable}\ {
m pass-through}\ {
m ring}\ ({
m as\ specified})\ {
m and}\ {
m mounting}\ {
m hardware}.$

WHAT'S EXCLUDED

Fixed D-Shape Meeting Peninsula and Cable Pass-Through Cover (If Applicable).

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Worksurface Thickness	Depth	Cable Pass-Through	Gable Finish	Support & Hardware Finish
M 1 3/16"	36, 42, 48, 54, 60	Y Yes	Source Laminate	Foundation
		N No (Shown)	Flintwood (No Cathedral)	Accent Mica Coordinate Colors

SAMPLE ORDER CODE

BC <u>M</u> G 42	Y	3D	83
------------------	---	----	----

DIMENSIONS INCHES / MM

	1 3/16" (M)		
D	Source Laminate	Flintwood	
36 / 914	272	611	
42 / 1067	300	684	
48 / 1219	329	736	
54 / 1372	357	798	
60 / 1524	386	n/a	

BCMW Media Wall

The Media Wall is always attached to a building wall and facilitates the mounting of a monitor for a digital experience. Can be used standalone or with a Fixed Meeting Peninsula (BC_FR, BC_FD, BC_FT or BC_FP) to complete a meeting space.

WHAT'S INCLUDED

 $1\,solid$ media wall, 2 peninsula mounting brackets (as specified), 1 tv monitor mount, wire management truff, and mounting hardware.

WHAT'S EXCLUDED

Fixed Meeting Peninsulas (If For Peninsula (F) option is specified only), Metal Shelf – Media Wall and Plug-In Power Bar.


NOTES

The Working Datum Height option must be specified accordingly to attached Peninsula for Media Wall or Standalone Worsurface Height combination with Height-Adjustable Meeting Table, it is recommended to use 42" Working Datum Height.

TV Monitor Mount is finished in Black.

When For Peninsula (F) option is specified, the worksurface bracket matches with the frame finish.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.



PRODUCT OPTIONS

Configuration	Height	Width	Working Datum Height	Corner Detail	Shelf Option	Panel Finish	Frame Finish
F For PeninsulaS Standalone	72, 81	42, 48, 54, 60		S Straight	M Metal Shelf Ready N No Shelf	(No Cathedral)	Foundation Accent Mica Coordinate Color

SAMPLE ORDER CODE

BCMW S 72 54 29 S N 3D 83	BCMW S
---------------------------	--------

DIMENSIONS INCHES / MM

		1 3/16" (M)								
		29" DATUM	29" DATUM HEIGHT			42" DATUM HEIGHT				
		STRAIGHT (S)		RADIUS (R)		STRAIGI	STRAIGHT (S)		RADIUS (R)	
D	W	Source Laminate	Flintwood	Source Laminate	Flintwood	Source Lamina		Source Laminate	Flintwood	
72 / 1829	42 / 1067	1502	3092	1557	3321	n/a	n/a	n/a	n/a	
72 / 1829	48 / 1219	1566	3304	1627	3551	n/a	n/a	n/a	n/a	
72 / 1829	54 / 1372	1630	3500	1695	3765	n/a	n/a	n/a	n/a	
72 / 1829	60 / 1524	1694	n/a	1764	n/a	n/a	n/a	n/a	n/a	
81 / 2057	42 / 1067	1558	3234	1617	3476	1558	3234	1617	3476	
81 / 2057	48 / 1219	1628	3462	1693	3722	1628	3462	1693	3722	
81 / 2057	54 / 1372	1698	3675	1769	3953	1698	3675	1769	3953	
81 / 2057	60 / 1524	1768	n/a	1845	n/a	1768	3 n/a	1845	n/a	

Xpress

BCSMW

Metal Shelf - Media Wall

This Metal Shelf provides storage or display space mounted on a Media Wall.

WHAT'S INCLUDED


1 metal shelf and mounting hardware.

WHAT'S EXCLUDED

Media Wall.

NOTES

Only compatible with Media Wall (BCMW).



PRODUCT OPTIONS

Depth	Width	Shelf Finish
7	18, 24, 30	Foundation
		Accent
		Mica

SAMPLE ORDER CODE

BCSMW 7	18	52
---------	----	----

DIMENSIONS

INCHES / MM	PRICING
-------------	---------

D	W		
7 / 178	18 / 457	160	
7 / 178	24 / 610	175	
7 / 178	30 / 762	190	

This TV Stand with TV Monitor Mount facilitates the mounting of a monitor for a digital experience.

BCTV

WHAT'S INCLUDED

1 TV stand with back cover, 1 monitor stand and mounting hardware.

WHAT'S EXCLUDED


Height-Adjustable or Fixed Meeting Peninsulas and Metal Shelf - TV Stand.

NOTES

Can be used with:

- FixedMeeting Peninsulas (BC_FR, BC_FD, BC_FT or BC_FP)
- Height-Adjustable Meeting Peninsulas (B_HRW, B_HDW, B_HBW or B_HPW).

TV Monitor Mount is finished in Black.



TV Stand - Meeting Peninsula

PRODUCT OPTIONS

Shelf Option	Stand Finish
M Metal Shelf Ready	Foundation
N No Shelf	Accent
	Mica

SAMPLE ORDER CODE

BCTV N	68

SHELF OPTION	PRICING	
M	330	
N	330	

Xpress

BCSTV

Metal Shelf - TV Stand

This Metal Shelf provides storage or display space mounted on a TV Stand.

WHAT'S INCLUDED


1 metal shelf and mounting hardware.

WHAT'S EXCLUDED

TV Stand.

NOTES

Only compatible with TV Stand - Meeting Peninsula (BCTV).



PRODUCT OPTIONS

Depth	Width	Shelf Finish
7	18, 24	Foundation
		Accent
		Mica

SAMPLE ORDER CODE

BCSTV 7 18 52	BCSTV 7	18	52
---------------	---------	----	----

DIMENSIONS

INCHES / MM

|--|

D	W
7 / 178	18 / 457
7 / 178	24 / 610

160
175

BCGRLB

Rectangular Writable Glass Meeting Table - Blade Legs

This table is available in many sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED


1 writable glass worksurface piece with metal tapered edge, 4 blade legs with levelers, 1 companion marker holder, power cut-out (as specified), 2 wire management clips (if applicable), reinforcing bars, and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

When Power Module Cut-Out option (NN) is specified, Wire Management Clips are not included.

Comes with radius corner only.



PRODUCT OPTIONS

Depth	Width	Power Module Cut-Out	Companion Marker Kit	Worksurface Finish
42, 48	72, 78, 84, 90, 96	NN No Cut-Out (Shown)	K With Companion Kit	Back-Painted
		LC Linear Power Module – Compact 8"		
		LS Linear Power Module – Standard 18"		
		PQ Power Pill – Quad		

SAMPLE ORDER CODE

BCGRLB 48	72	LS	K	K 1
-----------	----	----	---	------------

PRODUCT OPTIONS CONTINUED

Metal Edge Finish	Leg Back Finish	Leg Front Finish	Companion Finish
Foundation	Foundation	Foundation	Foundation
Accent	Accent	Accent	Accent
Mica	Mica	Mica	Mica

SAMPLE ORDER CODE CONTINUED

60 60	60	60
-------	----	----

See Pricing on the following page.

BCGRLB

Rectangular Writable Glass Meeting Table - Blade Legs (Continued)

DIMENSIONS **INCHES / MM**

D	W	NO CUT-OUT (NN)	WITH POWER MODULE CUT-OUT (LC, LS or PQ)
42 / 1067	72 / 1829	4159	4237
42 / 1067	78 / 1981	4328	4406
42 / 1067	84 / 2134	4490	4566
42 / 1067	90 / 2286	4660	4735
42 / 1067	96 / 2438	4837	4914
48 / 1219	72 / 1829	4460	4537
48 / 1219	78 / 1981	4642	4721
48 / 1219	84 / 2134	4816	4895
48 / 1219	90 / 2286	5002	5078
48 / 1219	96 / 2438	5192	5270

BCGRTB

Rectangular Writable Glass Meeting Table - Blade T-Legs

This table is available in many sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

1 writable glass worksurface piece with metal tapered edge, 2 blade t-legs with levelers, 1 companion marker holder, power cut-out (as specified), 2 wire management clips (if applicable), reinforcing bars, and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

When Power Module Cut-Out option (NN) is specified, Wire Management Clips are not included.

Comes with radius corner only.



PRODUCT OPTIONS

Depth	Width	Power Module Cut-Out	Companion Marker Kit
36, 42	72, 78, 84, 90, 96	NN No Cut-Out (Shown)	K With Companion Kit
		LC Linear Power Module – Compact 8"	
		LS Linear Power Module – Standard 18"	
		PQ Power Pill – Quad	

SAMPLE ORDER CODE

BCGRTB 42 72	LS	K
--------------	----	---

PRODUCT OPTIONS CONTINUED

on Finish

SAMPLE ORDER CODE CONTINUED

K1	52	52	52
17.1)2	72	<i>)</i> 2

See Pricing on the following page.

BCGRTB

Rectangular Writable Glass Meeting Table - Blade T-Legs (Continued)

DIMENSIONS **INCHES / MM**

D	W	NO CUT-OUT (NN)	WITH POWER MODULE CUT-OUT (LC, LS or PQ)
36 / 914	72 / 1829	3326	3403
36 / 914	78 / 1981	3482	3559
36 / 914	84 / 2134	3626	3704
36 / 914	90 / 2286	3782	3859
36 / 914	96 / 2438	3945	4022
42 / 1067	72 / 1829	3623	3702
42 / 1067	78 / 1981	3792	3869
42 / 1067	84 / 2134	3953	4031
42 / 1067	90 / 2286	4123	4200
42 / 1067	96 / 2438	4300	4378

BCGSSB

Square Writable Glass Meeting Table – Blade Star Base

This table is available in many sizes to accommodate diverse numbers of participants and meeting spaces.

WHAT'S INCLUDED

I writable glass worksurface piece with metal tapered edge, I blade star base with levelers, I companion marker holder, power cut-out (as specified), and mounting hardware.

WHAT'S EXCLUDED

Power Modules.

NOTES

Comes with radius corner only.

This table does **not** accept table accessories.

Only the power modules listed below can be installed on this product.

When a Power Module Cut-Out (LC, PD or PQ) option is specified, the Blade Star Base comes with Wire Management section.

When a Power Module Cut-Out (NN) option is specified, the Blade Star Base comes without Wire Management section.



PRODUCT OPTIONS

Width		Module -Out	Companion Marker Kit	Worksurface Finish	Metal Edge Finish	Support Finish	Companion Finish
36, 42, 48	Mod Com	wn) ar Power lule – npact 8" er Pill – l er Pill –	K With Companion Kit	Back-Painted	Foundation Accent Mica	Foundation Accent Mica	Foundation Accent Mica

SAMPLE ORDER CODE

BCGSSB 42	NN	K	K1	60	60	52
						<i>></i> –

DIMENSIONS INCHES / MM

W	NO CUT-OUT (NN)	WITH POWER MODULE CUT-OUT (LC, LS or PQ)
36 / 914	2271	2350
42 / 1067	2603	2680
8 / 1219	2972	3050

Table Companion Marker Kit provides convenient for markers and dry eraser at the

BAMHK Table Companion Marker Kit

WHAT'S INCLUDED

1 companion marker holder with integrated dry-erase pad, 3 dry-erase replacement pads, and 4 dry-erase markers (red, blue, green and black).

WHAT'S EXCLUDED

PRODUCT OPTIONS

Rectangular or Square Writable Glass Meeting Tables.

Interior of the Companion Marker Holder is finished in felt: Carrara only (Loft).

Dry-Erase Pads are finished in felt: Carbon only (Loft).



Companion Finish Foundation Accent



BAMHK 52

PRICING

Mica

150

Xpress

BAME

Dry-Erase Pads for Companion Marker Holder

A kit of replacement dry-erase pads for Companion Marker Holder.

WHAT'S INCLUDED

 $3\ dry\mbox{-}erase$ pads for companion marker holder.

WHAT'S EXCLUDED

Companion Marker Holder.

Dry-Erase Pads are finished in felt: Carbon only (Loft).



PRODUCT OPTIONS


Quantity
03
SAMPLE ORDER CODE
BAME 03
PRICING
<i>\(\text{\tint{\text{\text{\text{\text{\text{\tint{\text{\text{\tint{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tint{\text{\text{\text{\text{\text{\text{\tint{\text{\text{\tint{\text{\text{\tint{\tint{\tint{\text{\tint{\text{\tint{\text{\text{\text{\tint{\text{\tint{\text{\text{\text{\text{\text{\text{\tint{\tint{\text{\tint{\text{\tint{\text{\tint{\text{\tint{\tinit{\text{\text{\text{\text{\text{\text{\tinit{\text{\text{\text{\tinit{\text{\tinit{\text{\text{\text{\tinit{\text{\tinit{\ti}\tinithtt{\text{\tinit{\text{\tinit{\text{\tinit{\text{\tinit{\tinit{\text{\tinit{\text{\tinit{\tinit{\text{\tinit{\text{\tinit{\tinit{\text{\tinit{\tiin}\tinit{\tiit{\tinit}\tinit{\tiint{\tiit{\tiit{\tiit{\tiit}\tiint{\tii}\tiint{\tii}\tinit{\tiit{\tiit{\tiit{\tiit{\tii}\tiinit{\tiit{\tiit{\ti</i>

WHAT'S INCLUDED

1 worksurface piece, 4 angular legs with levelers, and mounting hardware.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

 BC_CT Coffee Table



PRODUCT OPTIONS

	Worksurface Thickness	Depth	Width	Height	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
]) 1"	18, 24	18, 24, 30, 36,	15, 18	Source Laminate	6 Straight Trim	Edge Trim Colors	Foundation
1	M 1 3/16"		42, 48		Foundation			Mica
2	X 1 9/16"				Laminate			

SAMPLE ORDER CODE

BC <u>M</u> CT 18	48	18	LW	6	ST	52
-------------------	----	----	----	---	----	----

DIMENSIONS - INCHES FOR MM X BY 25.4

			15" HEIGHT			18" HEIGHT
			1" (D)	1 3/16" (M)	1 9/16" (X)	1" (D)
D	W	Н	Source Laminate	Foundation Laminate	Foundation Laminate	Source Laminate
18	18	15 / 18	965	1014	1045	991
18	24	15 / 18	981	1044	1081	998
18	30	15 / 18	987	1068	1119	1009
18	36	15 / 18	1000	1099	1152	1023
18	42	15 / 18	1013	1124	1190	1032
18	48	15 / 18	1021	1152	1223	1044
24	24	15 / 18	994	1079	1126	1013
24	30	15 / 18	1000	1111	1170	1023
24	36	15 / 18	1015	1147	1215	1041
24	42	15 / 18	1029	1180	1259	1052
24	48	15 / 18	1043	1215	1305	1065


18" HEIGHT		
1" (D)	1 3/16" (M)	1 9/16" (X)
Source Laminate	Foundation Laminate	Foundation Laminate
991	1039	1065
998	1064	1102
1009	1089	1137
1023	1121	1172
1032	1147	1209
1044	1172	1247
1013	1099	1147
1023	1132	1192
1041	1168	1239
1052	1203	1284
1065	1239	1328

BAWW Wall-Mounted Whiteboard

The Wall-Mounted Whiteboard is vertical whiteboard which provides an erasable message board and a marker tray.

WHAT'S INCLUDED

1 whiteboard, 1 marker tray, wall supports, and mounting hardware.



PRODUCT OPTIONS

Width		Height	Marker Tray Finish
36, 48, 60	48		Foundation
			Mica

SAMPLE ORDER CODE

BAWW 36	48	52
---------	----	----

DIMENSIONS INCHES / MM

W	Н	Foundation/Mica	
36 / 914	48 / 1219	1288	
48 / 1219	48 / 1219	1592	
60 / 1524	48 / 1219	1851	

The Wall-Mounted Markerboard is vertical whiteboard which provides an erasable message board and a pencil tray.

WHAT'S INCLUDED


1 markerboard, 1 pencil tray (as specified), wall supports, 8 rare earth magnets (if applicable), and mounting hardware.

NOTES

When 52" high markerboard is specified, only 48" to 88" widths are available.

Textured finishes in Foundation and Mica colors are not available with Top Trim and Pencil Tray Finish.

BAWMG Wall-Mounted Glass Markerboard



Glass (M)

PRODUCT OPTIONS

Markerboard Style	Height	Width	Pencil Tray Option	Glass Finish	Top Trim & Pencil Tray Finish
G Non-Magnetic Glass	48, 52	48, 49, 50, 51, 52, 53,	Y Yes	Back-Painted	Foundation
M Magnetic Glass		54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96	N No		Mica

SAMPLE ORDER CODE

DIMENSIONS INCHES / MM

PRICING

H W NO PENCIL TRAY (N) WITH PENCIL TRAY (Y) NO PENCIL TRAY (N) WITH PENCIL TRAY (Y) 48 / 1219 48 / 1219 989 1036 1290 1337 48 / 1219 49 / 1245 1050 1099 1369 1419 48 / 1219 51 / 1295 1050 1099 1369 1419 48 / 1219 52 / 1321 1108 1161 1445 1499 48 / 1219 53 / 1346 1108 1161 1445 1499 48 / 1219 54 / 1372 1108 1161 1445 1499 48 / 1219 55 / 1397 1168 1224 1527 1581 48 / 1219 56 / 1422 1168 1224 1527 1581 48 / 1219 57 / 1448 1168 1224 1527 1581 48 / 1219 58 / 1473 1226 1285 1603 1662 48 / 1219 59 / 1499 1226 1285 1603 1662 48 / 1219 60 / 1524			NON-MAGNETIC GLASS (G)	MAGNETIC GLASS (M)	
48/1219 49/1245 1050 1099 1369 1419 48/1219 50/1270 1050 1099 1369 1419 48/1219 51/1295 1050 1099 1369 1419 48/1219 51/1295 1050 1099 1369 1419 48/1219 52/1321 1108 1161 1445 1499 48/1219 53/1346 1108 1161 1445 1499 48/1219 54/1372 1108 1161 1445 1499 48/1219 55/1397 1168 1224 1527 1581 48/1219 56/1422 1168 1224 1527 1581 48/1219 57/1448 1168 1224 1527 1581 48/1219 58/1473 1226 1285 1603 1662 48/1219 59/1499 1226 1285 1603 1662 48/1219 60/1549 1286 1348 1682 1743	Н	W	NO PENCIL TRAY (N)	WITH PENCIL TRAY (Y)	NO PENCIL TRAY (N)	WITH PENCIL TRAY (Y)
48 / 1219 50 / 1270 1050 1099 1369 1419 48 / 1219 51 / 1295 1050 1099 1369 1419 48 / 1219 52 / 1321 1108 1161 1445 1499 48 / 1219 53 / 1346 1108 1161 1445 1499 48 / 1219 54 / 1372 1108 1161 1445 1499 48 / 1219 55 / 1397 1168 1224 1527 1581 48 / 1219 56 / 1422 1168 1224 1527 1581 48 / 1219 57 / 1448 1168 1224 1527 1581 48 / 1219 58 / 1473 1226 1285 1603 1662 48 / 1219 59 / 1499 1226 1285 1603 1662 48 / 1219 60 / 1524 1226 1285 1603 1662 48 / 1219 60 / 1549 1286 1348 1682 1743 48 / 1219 62 / 1575 1286 1348	48 / 1219	48 / 1219	989	1036	1290	1337
48 / 1219 51 / 1295 1050 1099 1369 1419 48 / 1219 52 / 1321 1108 1161 1445 1499 48 / 1219 53 / 1346 1108 1161 1445 1499 48 / 1219 54 / 1372 1108 1161 1445 1499 48 / 1219 55 / 1397 1168 1224 1527 1581 48 / 1219 56 / 1422 1168 1224 1527 1581 48 / 1219 56 / 1422 1168 1224 1527 1581 48 / 1219 57 / 1448 1168 1224 1527 1581 48 / 1219 58 / 1473 1226 1285 1603 1662 48 / 1219 59 / 1499 1226 1285 1603 1662 48 / 1219 60 / 1524 1226 1285 1603 1662 48 / 1219 61 / 1549 1286 1348 1682 1743 48 / 1219 62 / 1575 1286 1348	48 / 1219	49 / 1245	1050	1099	1369	1419
48 / 1219 52 / 1321 1108 1161 1445 1499 48 / 1219 53 / 1346 1108 1161 1445 1499 48 / 1219 54 / 1372 1108 1161 1445 1499 48 / 1219 55 / 1397 1168 1224 1527 1581 48 / 1219 56 / 1422 1168 1224 1527 1581 48 / 1219 57 / 1448 1168 1224 1527 1581 48 / 1219 58 / 1473 1226 1285 1603 1662 48 / 1219 59 / 1499 1226 1285 1603 1662 48 / 1219 60 / 1524 1226 1285 1603 1662 48 / 1219 60 / 1524 1226 1285 1603 1662 48 / 1219 62 / 1575 1286 1348 1682 1743 48 / 1219 63 / 1600 1286 1348 1682 1743 48 / 1219 64 / 1626 1346 1411	48 / 1219	50 / 1270	1050	1099	1369	1419
48 / 1219 53 / 1346 1108 1161 1445 1499 48 / 1219 54 / 1372 1108 1161 1445 1499 48 / 1219 55 / 1397 1168 1224 1527 1581 48 / 1219 56 / 1422 1168 1224 1527 1581 48 / 1219 57 / 1448 1168 1224 1527 1581 48 / 1219 57 / 1448 1168 1224 1527 1581 48 / 1219 58 / 1473 1226 1285 1603 1662 48 / 1219 59 / 1499 1226 1285 1603 1662 48 / 1219 60 / 1524 1226 1285 1603 1662 48 / 1219 61 / 1549 1286 1348 1682 1743 48 / 1219 62 / 1575 1286 1348 1682 1743 48 / 1219 63 / 1600 1286 1348 1682 1743 48 / 1219 64 / 1626 1346 1411	48 / 1219	51 / 1295	1050	1099	1369	1419
48 / 1219 54 / 1372 1108 1161 1445 1499 48 / 1219 55 / 1397 1168 1224 1527 1581 48 / 1219 56 / 1422 1168 1224 1527 1581 48 / 1219 57 / 1448 1168 1224 1527 1581 48 / 1219 58 / 1473 1226 1285 1603 1662 48 / 1219 59 / 1499 1226 1285 1603 1662 48 / 1219 60 / 1524 1226 1285 1603 1662 48 / 1219 61 / 1549 1286 1285 1603 1662 48 / 1219 61 / 1549 1286 1348 1682 1743 48 / 1219 62 / 1575 1286 1348 1682 1743 48 / 1219 63 / 1600 1286 1348 1682 1743 48 / 1219 64 / 1626 1346 1411 1761 1826 48 / 1219 65 / 1651 1346 1411	48 / 1219	52 / 1321	1108	1161	1445	1499
48 / 1219 55 / 1397 1168 1224 1527 1581 48 / 1219 56 / 1422 1168 1224 1527 1581 48 / 1219 57 / 1448 1168 1224 1527 1581 48 / 1219 58 / 1473 1226 1285 1603 1662 48 / 1219 59 / 1499 1226 1285 1603 1662 48 / 1219 60 / 1524 1226 1285 1603 1662 48 / 1219 61 / 1549 1286 1348 1682 1743 48 / 1219 62 / 1575 1286 1348 1682 1743 48 / 1219 63 / 1600 1286 1348 1682 1743 48 / 1219 64 / 1626 1346 1411 1761 1826 48 / 1219 65 / 1651 1346 1411 1761 1826 48 / 1219 66 / 1676 1346 1411 1761 1826 48 / 1219 67 / 1702 1404 1472	48 / 1219	53 / 1346	1108	1161	1445	1499
48 / 1219 56 / 1422 1168 1224 1527 1581 48 / 1219 57 / 1448 1168 1224 1527 1581 48 / 1219 58 / 1473 1226 1285 1603 1662 48 / 1219 59 / 1499 1226 1285 1603 1662 48 / 1219 60 / 1524 1226 1285 1603 1662 48 / 1219 61 / 1549 1286 1348 1682 1743 48 / 1219 62 / 1575 1286 1348 1682 1743 48 / 1219 63 / 1600 1286 1348 1682 1743 48 / 1219 64 / 1626 1346 1411 1761 1826 48 / 1219 65 / 1651 1346 1411 1761 1826 48 / 1219 67 / 1702 1404 1472 1837 1907 48 / 1219 69 / 1753 1404 1472 1837 1907 48 / 1219 70 / 1778 1463 1535	48 / 1219	54 / 1372	1108	1161	1445	1499
48 / 1219 57 / 1448 1168 1224 1527 1581 48 / 1219 58 / 1473 1226 1285 1603 1662 48 / 1219 59 / 1499 1226 1285 1603 1662 48 / 1219 60 / 1524 1226 1285 1603 1662 48 / 1219 61 / 1549 1286 1348 1682 1743 48 / 1219 62 / 1575 1286 1348 1682 1743 48 / 1219 63 / 1600 1286 1348 1682 1743 48 / 1219 64 / 1626 1346 1411 1761 1826 48 / 1219 65 / 1651 1346 1411 1761 1826 48 / 1219 66 / 1676 1346 1411 1761 1826 48 / 1219 67 / 1702 1404 1472 1837 1907 48 / 1219 69 / 1753 1404 1472 1837 1907 48 / 1219 70 / 1778 1463 1535	48 / 1219	55 / 1397	1168	1224	1527	1581
48 / 1219 58 / 1473 1226 1285 1603 1662 48 / 1219 59 / 1499 1226 1285 1603 1662 48 / 1219 60 / 1524 1226 1285 1603 1662 48 / 1219 60 / 1524 1226 1285 1603 1662 48 / 1219 61 / 1549 1286 1348 1682 1743 48 / 1219 62 / 1575 1286 1348 1682 1743 48 / 1219 63 / 1600 1286 1348 1682 1743 48 / 1219 64 / 1626 1346 1411 1761 1826 48 / 1219 65 / 1651 1346 1411 1761 1826 48 / 1219 66 / 1676 1346 1411 1761 1826 48 / 1219 67 / 1702 1404 1472 1837 1907 48 / 1219 69 / 1753 1404 1472 1837 1907 48 / 1219 70 / 1778 1463 1535	48 / 1219	56 / 1422	1168	1224	1527	1581
48 / 1219 59 / 1499 1226 1285 1603 1662 48 / 1219 60 / 1524 1226 1285 1603 1662 48 / 1219 61 / 1549 1286 1348 1682 1743 48 / 1219 62 / 1575 1286 1348 1682 1743 48 / 1219 63 / 1600 1286 1348 1682 1743 48 / 1219 64 / 1626 1346 1411 1761 1826 48 / 1219 65 / 1651 1346 1411 1761 1826 48 / 1219 66 / 1676 1346 1411 1761 1826 48 / 1219 67 / 1702 1404 1472 1837 1907 48 / 1219 69 / 1753 1404 1472 1837 1907 48 / 1219 70 / 1778 1463 1535 1916 1987 48 / 1219 71 / 1803 1463 1535 1916 1987	48 / 1219	57 / 1448	1168	1224	1527	1581
48 / 1219 60 / 1524 1226 1285 1603 1662 48 / 1219 61 / 1549 1286 1348 1682 1743 48 / 1219 62 / 1575 1286 1348 1682 1743 48 / 1219 63 / 1600 1286 1348 1682 1743 48 / 1219 64 / 1626 1346 1411 1761 1826 48 / 1219 65 / 1651 1346 1411 1761 1826 48 / 1219 66 / 1676 1346 1411 1761 1826 48 / 1219 67 / 1702 1404 1472 1837 1907 48 / 1219 68 / 1727 1404 1472 1837 1907 48 / 1219 69 / 1753 1404 1472 1837 1907 48 / 1219 70 / 1778 1463 1535 1916 1987 48 / 1219 71 / 1803 1463 1535 1916 1987	48 / 1219	58 / 1473	1226	1285	1603	1662
48 / 1219 61 / 1549 1286 1348 1682 1743 48 / 1219 62 / 1575 1286 1348 1682 1743 48 / 1219 63 / 1600 1286 1348 1682 1743 48 / 1219 64 / 1626 1346 1411 1761 1826 48 / 1219 65 / 1651 1346 1411 1761 1826 48 / 1219 66 / 1676 1346 1411 1761 1826 48 / 1219 67 / 1702 1404 1472 1837 1907 48 / 1219 68 / 1727 1404 1472 1837 1907 48 / 1219 69 / 1753 1404 1472 1837 1907 48 / 1219 70 / 1778 1463 1535 1916 1987 48 / 1219 71 / 1803 1463 1535 1916 1987	48 / 1219	59 / 1499	1226	1285	1603	1662
48 / 1219 62 / 1575 1286 1348 1682 1743 48 / 1219 63 / 1600 1286 1348 1682 1743 48 / 1219 64 / 1626 1346 1411 1761 1826 48 / 1219 65 / 1651 1346 1411 1761 1826 48 / 1219 66 / 1676 1346 1411 1761 1826 48 / 1219 67 / 1702 1404 1472 1837 1907 48 / 1219 68 / 1727 1404 1472 1837 1907 48 / 1219 69 / 1753 1404 1472 1837 1907 48 / 1219 70 / 1778 1463 1535 1916 1987 48 / 1219 71 / 1803 1463 1535 1916 1987	48 / 1219	60 / 1524	1226	1285	1603	1662
48 / 1219 63 / 1600 1286 1348 1682 1743 48 / 1219 64 / 1626 1346 1411 1761 1826 48 / 1219 65 / 1651 1346 1411 1761 1826 48 / 1219 66 / 1676 1346 1411 1761 1826 48 / 1219 67 / 1702 1404 1472 1837 1907 48 / 1219 68 / 1727 1404 1472 1837 1907 48 / 1219 69 / 1753 1404 1472 1837 1907 48 / 1219 70 / 1778 1463 1535 1916 1987 48 / 1219 71 / 1803 1463 1535 1916 1987	48 / 1219	61 / 1549	1286	1348	1682	1743
48 / 1219 64 / 1626 1346 1411 1761 1826 48 / 1219 65 / 1651 1346 1411 1761 1826 48 / 1219 66 / 1676 1346 1411 1761 1826 48 / 1219 67 / 1702 1404 1472 1837 1907 48 / 1219 68 / 1727 1404 1472 1837 1907 48 / 1219 69 / 1753 1404 1472 1837 1907 48 / 1219 70 / 1778 1463 1535 1916 1987 48 / 1219 71 / 1803 1463 1535 1916 1987	48 / 1219	62 / 1575	1286	1348	1682	1743
48 / 1219 65 / 1651 1346 1411 1761 1826 48 / 1219 66 / 1676 1346 1411 1761 1826 48 / 1219 67 / 1702 1404 1472 1837 1907 48 / 1219 68 / 1727 1404 1472 1837 1907 48 / 1219 69 / 1753 1404 1472 1837 1907 48 / 1219 70 / 1778 1463 1535 1916 1987 48 / 1219 71 / 1803 1463 1535 1916 1987	48 / 1219	63 / 1600	1286	1348	1682	1743
48 / 1219 66 / 1676 1346 1411 1761 1826 48 / 1219 67 / 1702 1404 1472 1837 1907 48 / 1219 68 / 1727 1404 1472 1837 1907 48 / 1219 69 / 1753 1404 1472 1837 1907 48 / 1219 70 / 1778 1463 1535 1916 1987 48 / 1219 71 / 1803 1463 1535 1916 1987	48 / 1219	64 / 1626	1346	1411	1761	1826
48 / 1219 67 / 1702 1404 1472 1837 1907 48 / 1219 68 / 1727 1404 1472 1837 1907 48 / 1219 69 / 1753 1404 1472 1837 1907 48 / 1219 70 / 1778 1463 1535 1916 1987 48 / 1219 71 / 1803 1463 1535 1916 1987	48 / 1219	65 / 1651	1346	1411	1761	1826
48 / 1219 68 / 1727 1404 1472 1837 1907 48 / 1219 69 / 1753 1404 1472 1837 1907 48 / 1219 70 / 1778 1463 1535 1916 1987 48 / 1219 71 / 1803 1463 1535 1916 1987	48 / 1219	66 / 1676	1346	1411	1761	1826
48 / 1219 69 / 1753 1404 1472 1837 1907 48 / 1219 70 / 1778 1463 1535 1916 1987 48 / 1219 71 / 1803 1463 1535 1916 1987	48 / 1219	67 / 1702	1404	1472	1837	1907
48 / 1219 70 / 1778 1463 1535 1916 1987 48 / 1219 71 / 1803 1463 1535 1916 1987	48 / 1219	68 / 1727	1404	1472	1837	1907
48 / 1219 71 / 1803 1463 1535 1916 1987	48 / 1219	69 / 1753	1404	1472	1837	1907
	48 / 1219	70 / 1778	1463	1535	1916	1987
48 / 1219 72 / 1829 1463 1535 1916 1987	48 / 1219	71 / 1803	1463	1535	1916	1987
	48 / 1219	72 / 1829	1463	1535	1916	1987

Pricing is continued on the following page.

BAWMG

Wall-Mounted Glass Markerboard (Continued)

DIMENSIONS INCHES / MM

PRICING

		NON-MAGNETIC GLASS (MAGNETIC GLASS (M)	
Н	W	NO PENCIL TRAY (N)	WITH PENCIL TRAY (Y)	NO PENCIL TRAY (N)	WITH PENCIL TRAY (Y)
48 / 1219	73 / 1854	1523	1597	1996	2068
48 / 1219	74 / 1880	1523	1597	1996	2068
48 / 1219	75 / 1905	1523	1597	1996	2068
48 / 1219	76 / 1930	1581	1659	2072	2149
48 / 1219	77/ 1956	1581	1659	2072	2149
48 / 1219	78 / 1981	1581	1659	2072	2149
48 / 1219	79 / 2007	1643	1721	2151	2232
48 / 1219	80 / 2032	1643	1721	2151	2232
48 / 1219	81 / 2057	1643	1721	2151	2232
48 / 1219	82 / 2083	1702	1783	2231	2313
48 / 1219	83 / 2108	1702	1783	2231	2313
48 / 1219	84 / 2134	1702	1783	2231	2313
48 / 1219	85 / 2159	1761	1847	2308	2393
48 / 1219	86 / 2184	1761	1847	2308	2393
48 / 1219	87 / 2210	1761	1847	2308	2393
48 / 1219	88 / 2235	1821	1909	2385	2474
48 / 1219	89 / 2261	1821	1909	2385	2474
48 / 1219	90 / 2286	1821	1909	2385	2474
48 / 1219	91 / 2311	1882	1972	2465	2555
48 / 1219	92 / 2337	1882	1972	2465	2555
48 / 1219	93 / 2362	1882	1972	2465	2555
48 / 1219	94 / 2388	1940	2033	2543	2638
48 / 1219	95 / 2413	1940	2033	2543	2638
48 / 1219	96 / 2438	1940	2033	2543	2638
52 / 1321	48 / 1219	1075	1122	1402	1450
52 / 1321	49 / 1245	1140	1190	1487	1537
52 / 1321	50 / 1270	1140	1190	1487	1537
52 / 1321	51 / 1295	1140	1190	1487	1537
52 / 1321	52 / 1321	1203	1256	1572	1624
52 / 1321	53 / 1346	1203	1256	1572	1624
52 / 1321	54 / 1372	1203	1256	1572	1624
52 / 1321	55 / 1397	1269	1325	1658	1713
52 / 1321	56 / 1422	1269	1325	1658	1713
52 / 1321	57 / 1448	1269	1325	1658	1713
52 / 1321	58 / 1473	1335	1394	1742	1801
52 / 1321	59 / 1499	1335	1394	1742	1801
52 / 1321	60 / 1524	1335	1394	1742	1801
52 / 1321	61 / 1549	1399	1460	1828	1890
52 / 1321	62 / 1575	1399	1460	1828	1890
52 / 1321	63 / 1600	1399	1460	1828	1890
52 / 1321	64 / 1626	1464	1529	1913	1977
52 / 1321	65 / 1651	1464	1529	1913	1977
52 / 1321	66 / 1676	1464	1529	1913	1977
52 / 1321	67 / 1702	1528	1596	1999	2066
52 / 1321	68 / 1727	1528	1596	1999	2066
52 / 1321	69 / 1753	1528	1596	1999	2066
52 / 1321	70 / 1778	1593	1662	2083	2153
52 / 1321	71 / 1803	1593	1662	2083	2153
52 / 1321	72 / 1829	1593	1662	2083	2153
52 / 1321	73 / 1854	1656	1730	2169	2241
52 / 1321	74 / 1880	1656	1730	2169	2241
52 / 1321	75 / 1905	1656	1730	2169	2241

Pricing is continued on the following page.

BAWMG Wall-Mounted Glass Markerboard (Continued)

DIMENSIONS INCHES / MM

		NON-MAGNETIC GLASS (G)	MAGNETIC GLASS (M)	
Н	W	NO PENCIL TRAY (N)	WITH PENCIL TRAY (Y)	NO PENCIL TRAY (N)	WITH PENCIL TRAY (Y)
52 / 1321	76 / 1930	1720	1798	2253	2328
52 / 1321	77/ 1956	1720	1798	2253	2328
52 / 1321	78 / 1981	1720	1798	2253	2328
52 / 1321	79 / 2007	1784	1865	2340	2417
52 / 1321	80 / 2032	1784	1865	2340	2417
52 / 1321	81 / 2057	1784	1865	2340	2417
52 / 1321	82 / 2083	1851	1935	2424	2504
52 / 1321	83 / 2108	1851	1935	2424	2504
52 / 1321	84 / 2134	1851	1935	2424	2504
52 / 1321	85 / 2159	1914	2001	2507	2594
52 / 1321	86 / 2184	1914	2001	2507	2594
52 / 1321	87 / 2210	1914	2001	2507	2594
52 / 1321	88 / 2235	1979	2068	2591	2681
52 / 1321	89 / 2261	n/a	n/a	n/a	n/a
52 / 1321	90 / 2286	n/a	n/a	n/a	n/a
52 / 1321	91 / 2311	n/a	n/a	n/a	n/a
52 / 1321	92 / 2337	n/a	n/a	n/a	n/a
52 / 1321	93 / 2362	n/a	n/a	n/a	n/a
52 / 1321	94 / 2388	n/a	n/a	n/a	n/a
52 / 1321	95 / 2413	n/a	n/a	n/a	n/a
52 / 1321	96 / 2438	n/a	n/a	n/a	n/a

Xpress

BWTTB Blade T-Leg

The Blade T-Leg is available for Meeting Tables and is included as an option with specific products.

WHAT'S INCLUDED

1 blade t-leg with levelers, and hardware.

Leg height is 29" from the finished floor to the top of the finished worksurface with a leveling range of 1".

The levelers come in Black.



PRODUCT OPTIONS

Wire Management	Height	Support Finish
P With Wire Management	29	Foundation
		Accent
		Mica

SAMPLE ORDER CODE

BWTTB P	29	52

DIMENSIONS INCHES / MM	PRICING		
Н	_		
29 / 137	687		

This Blade Star Base is available for Meeting Tables and is included as an option with specific products.


BWTSB


WHAT'S INCLUDED

1 blade star base with levelers, wire management (as specified), and hardware.

Base height is 29" from the finished floor to the top of the finished worksurface with a leveling range of 1".

The levelers come in Black.





PRODUCT OPTIONS

Wire Management	Height	Support Finish
P With Wire Management	29	Foundation
N No Wire Management		Accent
		Mica

SAMPLE ORDER CODE

BWTSB P	29	52
---------	----	----

DIMENSIONS INCHES / MM	PRICING	
H 29 / 137	863	

Xpress

BWFP

Four-Point Base

This base is available for Meeting Tables and is included as an option with specific products.

WHAT'S INCLUDED

1 four-point base with levelers, and hardware.

Base height is 29" from the finished floor to the top of the finished worksurface with a leveling range of 1".

The levelers come in Black.



PRODUCT OPTIONS

Height	Support Finish
29	Foundation
	Mica

SAMPLE ORDER CODE

BWFP 29	52
---------	----

DIMENSIONS	
INCHES / MM	

PRICING

Н

29 / 137

790

lighting, electrics & communications

lighting, electrics & communications product map

BLEDD Linear LED Light



Page 1331

BLEDW Support for Linear LED Light -Wall Panel

Page 1332





B L E D S Support for Linear LED Light -Overhead



Page 1333

BLYTU Tangent Undercabinet Light

Page 1334






BLPP Plug-In Power Bar

Page 1335

B L D B Data Box

Page 1336






BLWC Wire Management Clip

Page 1337

Page 1338

BEEPC Power Qube





lighting, electrics & communications product map

B L M C Power/Data Center

BLEPP Power Pill

Page 1339 Page 1340






BLELP Linear Power Module

Page 1341

BLEPT Power Tray

Page 1342





B L C T Cable Tray

Page 1343

BLWAC Wrap Around Cable Manager

Page 1344





B L F C M Floor Cable Cover - Meeting Table

Page 1345





Page 1346





lighting, electrics & communications product map

B L C G Rectangular Grommet

B L G E Elliptical Grommet

Page 1347 Page 1348



Page 1349



B L U S B Dual USB Charging Outlet

B L A O USB/Data Faceplate Kit


Page 1350





BLECF Faceplate

Page 1351



This light can be mounted on top of a Wall Panel or underside of an Overhead Cabinet when combine with a Support For Linear LED Light (BLEDW or BLEDS). It provides ambian lighting within the working area.

BLEDD Linear LED Light

WHAT'S INCLUDED

 $1\ \mbox{light fixture}$ with lens and switch, $1\ \mbox{power}$ supply plug-in, $2\ \mbox{wire}$ management channels.

WHAT'S EXCLUDED

Support for Linear LED Light – Wall Panel and Support for Linear LED Light – Wall Panel – Overhead.

For countries other than those listed, contact Teknion's Customer Service.

PRICING

Cannot be used without a Support for Linear LED Light.



PRODUCT OPTIONS

	Country of Installation	Optional Feature	Mounting Option	Plug Option	Width
AC Clear Anodized	A Canada/U.S.A	0 Light Only	S Standard	0 Standard	24, 36, 48

SAMPLE ORDER CODE

BLEDD 24 0	s	0	A	AC
------------	---	---	---	----

DIMENS	10	ONS
INCHES	/	MM

W		
24 / 610	244	
36 / 914	343	
48 / 1219	440	

lighting, electrics & communications



BLEDW

Support for Linear LED Light - Wall Panel

This support provides a base for the Linear LED Light (BLEDD), when mounted on top of a Wall Panel. It can be positioned anywhere along the width of the Wall Panel.

WHAT'S INCLUDED

1 support for linear LED light - wall panel and mounting hardware.

WHAT'S EXCLUDED

Wall Panels and Linear LED Light.

24" wide light support can be used with 30" to 90" wide Wall Panels.

36" wide light support can be used with 36" to 90" wide Wall Panels.

48" wide light support can be used with 48" to 90" wide Wall Panels.



PRODUCT OPTIONS

Linear LED Light Width	Optional LED Light Feature	Support Finish
24, 36, 48	0 Light Only	Foundation
		Mica
		Accent

SAMPLE ORDER CODE

BLEDW 24	0	60
----------	---	----

DIMENSIONS

INCHES / MM	PRICING	
W		
24 / 610	193	
36 / 914	201	
48 / 1219	205	

Overhead

This support provides a base for the Linear LED Light (BLEDD), when mounted underneath of a Overhead Cabinet.

BLEDS Support for Linear LED Light -

WHAT'S INCLUDED

1 support for linear LED light – overhead and mounting hardware.

WHAT'S EXCLUDED

Solid Overhead Cabinets and Linear LED Light.

 $24\ensuremath{^{"}}$ wide light support can be used with $30\ensuremath{^{"}}$ to $84\ensuremath{^{"}}$ wide Overhead Cabinets.

36" wide light support can be used with 42" to 84" wide Overhead Cabinets.

48" wide light support can be used with 54" to 84" wide Overhead Cabinets.

The Overhead Cabinet must be specified with Linear LED Light Ready (L) option.



PRODUCT OPTIONS

Linear LED Light Width	Optional LED Light Feature	Support Finish
24, 36, 48	0 Light Only	Foundation
		Mica
		Accent

SAMPLE ORDER CODE


BLEDS 24	0	60
----------	---	----

DIMENSIONS

INCHES / MM	PRICING		
W			
24 / 610	84		
36 / 914	89		
48 / 1219	95		

BLYTU

Tangent Undercabinet Light



This light is mounted to the underside of hutches, standard or cubic overhead cabinets or standard wall cabinets. It provides task lighting for the worksurface.

WHAT'S INCLUDED

1 tangent undercabinet light of specified width, attachment hardware for both metal and wood overhead cabinets (magnets, mounting plates and screews), and 10' cord with detachable power adapter face.

Color temperature of 3500K.

Dimming of ON/OFF, 100%, 60%, 30%.

Lifespan of 50,000 hours.

Color Rendering Index (CRI) of 80+.

Generates 900 Lux.

UL/c-UL certified.

Optional PIR Occupancy Sensor with override for on and off.

Input voltage 100 - 240 V.

Output voltage 24 V 1A.

20" wide light can be used with 24" to 84" wide overheads.

23" wide light can be used with 30" to 84" wide overheads.

30" and 33" wide lights can be used with 42" to 84" wide overheads.

40" wide light can be used with overhead 48" to 84" wide overheads.

43" wide light can be used with overhead 54" to 84" wide overheads.

PRODUCT OPTIONS

Accessory Feature	Width	Country of Installation	Finish
No Accessory Feature	20, 23, 30, 33, 40, 43	A Canada / U.S.A.	AC Clear Anodized
1 With Occupancy Sensor			

SAMPLE ORDER CODE

BLYTU 24	20	A	AC

DIMENSIONS

NCHES / MM	PRICING
NCHES / MM	PRICING

W	NO ACCESSORY FEATURE (0)	WITH OCCUPANCY SENSOR (1)
20 / 508	268	n/a
23 / 584	n/a	340
30 / 762	367	n/a
33 / 838	n/a	437
40 / 1016	466	n/a
43 / 1092	n/a	535

Plug-In Power Bar

Xpress

BLPP

This power bar has four outlets and may be connected to a wall outlet, multi-outlet strip or other power source.

WHAT'S INCLUDED

1 plug-in power bar and accessories listed below:

_	Configuration (as specified)				
_	D	Н	N	W	
Wire Management Clip Cable Tray (BLCT) Adjoining Clip Underworksurface Bracket	6 n/a 1 n/a	2 n/a n/a 1	n/a n/a n/a n/a	6 1 n/a n/a	

NOTES

This product has a flat 45° plug.

This product is finished in Clear Anodized.

The wire management clips, adjoining clips and cable tray are finished in Black only.

Desk Mounted with Height-Adjustable Wire Clips (D) Mounted with Wire Clips (H) Worksurface Mounted with Cable Tray and Wire Clips (W) No Mounting Hardware (N)

PRODUCT OPTIONS

Configuration	Length
N No Mounting Hardware	072, 120, 180
D Desk Mounted with Wire Clips	
H Height-Adjustable Mounted with Wire Clips	
W Worksurface Mounted with Cable Tray and Wire Clips	

SAMPLE ORDER CODE

BLPP D 072

DIMENSIONS INCHES / MM

	CONFIGURATION			
L	Desk Mounted with Wire Clips (D) or Worksurface Mounted with Cable Tray & Wire Clips (W)	No Mounting Hardware (N)	Height-Adjustable Mounted with Wire Clips (H)	
72 / 1829	253	217	262	
120 / 3048	269	233	275	
180 / 4572	339	303	349	

Xpress

BLDB

Data Box

The Data Box can be installed anywhere into the $1/4^{\prime\prime}$ gap between the worksurface and supports, or they can be screwed under the worksurface at the desired location.

WHAT'S INCLUDED

1 data box.

WHAT'S EXCLUDED

Voice/data faceplates and jacks (must be field supplied and installed), Wire Management Clips and USB/Data Faceplate Kit.

The Data Box has an opening of 69 mm x 35 mm.

This product is finished in Black.



PRICING

The wire clips can be installed anywhere into the $1/4^{\prime\prime}$ gap between the worksurface and supports, or they can be screwed under the worksurface at the desired location.

BLWC

Wire Management Clip

WHAT'S INCLUDED

1 package of 6 clips and hardware.

This product is finished in Black.



PRICING

Xpress

BEEPC

Power Qube

One Table One Plug

Connector and



Plug-In (A)



PRODUCT OPTIONS

This product is mounted above a worksurface with Square Cut-Out and fixed inside Square Grommet Ring. It is used to provide quick power, data and USB access at the worksurface level.

WHAT'S INCLUDED

1 power qube, 1 twistable attachment ring and 1 square grommet ring.

Must be installed in Square Grommet Ring.

Data Faceplate **not** included (if specified).

The Square Cut-Out mounting option can be specified on worksurface to allow Power Oube installation.

IEC Connector option (C) can only be used in combination with a Height-Adjustable Worksurfaces.

For more information about IEC Connector option (C), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm. Power Cord is a grey cloth covered type.

Each USB Outlet has one USB-A port and one USB-C port for charging only.

The USB-A port always supplies 10 Watts maximum at 5 Volts DC when used alone. Standard USB-C Capacity (S):

The USB-C port supplies 18 Watts maximum at 5 to 12 Volts DC when used alone.

Maximum combined output is 15 Watts when both ports are used together: 5 Watts for USB-A port and 10 Watts for USB-C.

High USB-C Capacity (H):

The USB-C port supplies 65 Watts at 5 to 20 Volts DC when used alone.

Due to limitations with transformer design, the maximum combined output is 30 Watts when both ports are used together: 10 Watts for USB-A port and 20 Watts for USB-C port

This reduced output in dual port mode will not support charging of laptops or quick charging of some phones/tablets that require more than 5 Volts DC.

The USB-C port will charge laptops up to 65 Watts and support Quick Charge when used in single port mode.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

> Q320H n/a 488 488 552

Plug Type	Config	uration	Mounting Option	Power Cord Length (Inches)	Country of Installation	Case and Front Finish
Plug-In C IEC Connector D2 Q2	 101N Dual - 1 Power / 0 USB / 1 Data 120S Dual - 1 Power / 2 USB / 0 Data - Standard USB Capacity 200N Dual - Power Only 202N Quad - 2 Power / 0 USB / 2 Data 221H Quad - 2 Power / 2 USB / 1 Data - High USB Capacity 	Q221S Quad - 2 Power / 2 USB / 1 Data - Standard USB Capacity Q240S Quad - 2 Power / 4 USB / 0 Data - Standard USB Capacity Q320H Quad - 3 Power / 2 USB / 0 Data - High USB Capacity Q320S Quad - 3 Power / 2 USB / 0 Data - Standard USB Capacity	D Desk Edge ClampQ Square Cut-Out	048, 072, 120, 180	A Canada/U.S.A.	Foundation Mica Accent

SAMPLE ORDER CODE

BEEPC A	D101N	Q	120	A	52

DIMENSIONS INCHES / MM

	PLUG-IN (A)								
L	D101N	D120S	D200N	Q202N	Q221S	Q221H	Q240S	Q320S	
48 / 1219	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
72 / 1829	278	348	256	391	462	538	531	412	
120 / 3048	278	348	256	391	462	538	531	412	
180 / 4572	343	412	321	454	525	601	594	476	

	IEC CONNEC	CTOR (C)							
	D101N	D120S	D200N	Q202N	Q221S	Q221H	Q240S	Q320S	Q320H
48 / 1219	278	348	256	391	462	n/a	531	412	n/a
72 / 1829	278	348	256	391	462	n/a	531	412	n/a
120 / 3048	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
180 / 4572	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

The Power/Data Center provides access to power, data and optional USB access at surface level. Its retractable door design allows the unit to remain open during use for

BLMC Power/Data Center

WHAT'S INCLUDED

1 power/data center, voice/data adapters, and template.

The unit can be field-installed using a cutting template.



PRODUCT OPTIONS

Length (Inches)	Configuration	Finish
072, 120	221 2 Power / 2 USB / 1 Data	26 Soft Gris
	301 3 Power / 0 USB / 1 Data	52 Ebony

SAMPLE ORDER CODE

BLMC 072 221 52	BLMC 072	221	52
-----------------	----------	-----	----

DIMENSIONS

INCHES / MM

•	1/1	·	11	•	•
_					

	CONFIGURATION		
L	221	301	
72 / 1829	292	222	
120 / 3048	313	241	

Xpress

BLEPP

Power Pill







Configuration (D120 or D200)

The Power Pill provides access to power and USB to a worksurface.

WHAT'S INCLUDED

Dual Configuration: 1 power pill, 2 wire clips and mounting hardware.

Quad Configuration: 1 power pill, 2 wire clips, skirt and mounting hardware.

NOTES

USB-A Output: 5VDC (10 Watts).

Complete wired Power Pill with cord. Mounting bracket assembly with wire management and mounting hardware.

Not all configurations apply to all worksurface types. Refer to the Application Guide

When Anthracite Finish (68) is specified, the outlets are finished in Black.

When Crisp Grey (25) or Platinum (60) Finish is specified, the outlets are finished in

PRODUCT OPTIONS

Configuration	Cord Length	Finish
D120 Dual – 1 Power/2 USB	120, 180	25 Crisp Grey
D200 Dual – 2 Power/0 USB		60 Platinum
Q240 Quad – 2 Power/4 USB		68 Anthracite
Q320 Quad – 3 Power/2 USB		
Q320 Quau - 3 1 0wc1/2 U3D		

SAMPLE ORDER CODE

BLEPP Q320	120	25
------------	-----	----

DIMENSIONS

INCHES / MM

	CONFIGURATIO	ON			
L	D120	D200	Q240	Q320	
120 / 3048	416	363	531	496	
180 / 4572	451	399	567	531	

The Linear Power Module provides accessibility of outlets and communication plugs in both sides.

BLELP

Linear Power Module

WHAT'S INCLUDED

1 linear power module, media holder plate and mounting hardware.

WHAT'S EXCLUDED

Faceplate (BLECF).

NOTES

Each USB Outlet has one USB-A port and one USB-C port for charging only.

The USB-A port always supplies 10 Watts maximum at 5 Volts DC when used alone.

The USB-C port supplies 18 Watts maximum at 5 to 12 Volts DC when used alone.

Maximum combined output is 15 Watts when both ports are used together: 5 Watts for USB-A port and 10 Watts for USB-C port.

The faceplates (BLECF) are not compatible with Linear Power Module - Compact 8" (C0220 or C0300).

Not all configurations apply to all worksurface types. Refer to the Application Guide for details.

The outlets are finished in Soft Gris.

Refer to local electrical code for guidance.

Not all configurations are available as Xpress, Please see Xpress catalogue and/or specification software for details.







Standard 18" Configuration (S0442 or S0602)



Compact 8" Configuration (C0220 or C0300)

PRODUCT OPTIONS

	Configuration	Wire System	Cord Length	Door and Case Finish	Frame Finish
C0220	Compact 8" – 2 Power/2 USB/0 Media	H Hard Wire Base Feed (Single Circuit)	072, 180	Foundation Mica	Foundation Accent
C0300	Compact 8" – 3 Power/0 USB/0 Media	P Plug-In (Shown)		Mica	Mica
	Standard 18" – 4 Power/4 USB/2 Media				
S0602	Standard 18" – 6 Power/0 USB/2 Media				
X0882	Extended 28" – 8 Power/8 USB/2 Media				
X1202	Extended 28" – 12 Power/0 USB/2 Media				

SAMPLE ORDER CODE

BLELP S0442 H	072	74	74
---------------	-----	----	----

DIMENSIONS INCHES / MM

L
72 / 1829
180 / 4572

PLUG-IN (P)					
CONFIG	URATION	1			
C0220	C0300	S0442	S0602	X0882	X1202
514	406	784	572	1237	806
567	459	838	623	1288	860
Ypress		Ypress		Vorece	

HARD WIRE BASE FEED (H)					
S0442	S0602	X0882	X1202		
947	731	1397	966		
n/a	n/a	n/a	n/a		

Xpress

BLEPT

Power Tray

The Power Tray mounts to allow access to the receptacles for managing wires and power bar.

WHAT'S INCLUDED


1 power tray, 1 power bar bracket and mounting hardware.

WHAT'S EXCLUDED

Plug-In Power Bar - No Mounting Hardware (BLPPN).

The width to specified depends on products and supports and/or secondary desk selected. For details, refer to the Application Guide.

The Plug-In Power Bar - No Mounting Hardware (BLPPN) can be placed beside the tray and fixed with a Power Bar Bracket.



PRODUCT OPTIONS

Width	Worksurface Style	Finish
24, 30, 36, 42, 48, 54, 60, 66, 72	G Glass Top	Foundation
	S Standard Solid Top (D, M, X)	Mica
		Coordinate Colors

SAMPLE ORDER CODE

BLEPT 66	G	52
----------	---	----

INCHES / MM	PRICING	
W		
24 / 610	79	
30 / 762	90	_
36 / 914	103	
42 / 1067	115	
48 / 1219	124	
54 / 1372	137	
60 / 1524	151	
66 / 1676	165	
72 / 1829	173	_

The Cable Tray attaches to the underside of a worksurface to manage the left over

BLCT Cable Tray

WHAT'S INCLUDED

1 cable tray and mounting hardware.

WHAT'S EXCLUDED

Plug-In Power Bar - No Mounting Hardware (BLPPN).

The Plug-In Power Bar (BLPPN) can be clipped to this product.

Available in black only.




PRODUCT OPTIONS					
Width					
12					
SAMPLE ORDER CO	DE				
SAMPLE ORDER CO.	DE				
BLCT 12					
DIMENSIONS INCHES / MM	PRICING				
INCHES / MM	PRICING				
W					
12 / 305	21				

Xpress

BLWAC

Wrap Around Cable Manager



The Wrap Around Cable Manager hides and routes power and communication cables from the floor to the worksurface.

WHAT'S INCLUDED

1 mesh wrap around cable manager, 2 velcro® and mounting hardware.

NOTES

Has a 2" diamteter.

PRODUCT OPTIONS

Finish	
B Black	
G Grey	
	B Black

SAMPLE ORDER CODE

BLWAC FF	В
----------	---

CONFIGURATION	PRICING	
FF	159	
HS	180	

BLFCM

The Floor Cable Cover hides and routes power and communication cables on the floor.

WHAT'S INCLUDED

1 floor cable cover and mounting hardware.

Not intended to be used in corridors or circulation paths, the product is design for low traffic area like meeting room.

Comes with Velcro* and mounting holes to ensure the fixation on a variety of flooring

Xpress

Floor Cable Cover - Meeting Table



PRODUCT OPTIONS

Width	Cover Finish
36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96	Foundation Mica
	Accent
	AC Clear Anodized

SAMPLE ORDER CODE

BLFCM 36	60
----------	----

INCHES / MM	PRICING				
W		W		W	
36 / 914	333	61 / 1549	548	86 / 2184	762
37 / 940	342	62 / 1575	556	87 / 2210	771
38 / 965	351	63 / 1600	565	88 / 2235	779
39 / 991	359	64 / 1626	574	89 / 2261	788
40 / 1016	368	65 / 1651	582	90 / 2286	796
41 / 1041	376	66 / 1676	591	91 / 2311	805
42 / 1067	385	67 / 1702	599	92 / 2337	814
43 / 1092	393	68 / 1727	608	93 / 2362	822
44 / 1118	402	69 / 1753	616	94 / 2388	831
45 / 1143	411	70 / 1778	625	95 / 2413	839
46 / 1168	419	71 / 1803	634	96 / 2438	848
47 / 1194	428	72 / 1829	642		
48 / 1219	436	73 / 1854	651		
49 / 1245	445	74 / 1880	659		
50 / 1270	453	75 / 1905	668		
51 / 1295	462	76 / 1930	676		
52 / 1321	471	77 / 1956	685		
53 / 1346	479	78 / 1981	694		
54 / 1372	488	79 / 2007	702		
55 / 1397	496	80 / 2032	711		
56 / 1422	505	81 / 2057	719		
57 / 1448	513	82 / 2083	728		
58 / 1473	522	83 / 2108	736		
59 / 1499	531	84 / 2134	745		
60 / 1524	539	85 / 2159	754		



The grommet can be field installed when cable management is needed.

WHAT'S INCLUDED

1 square duo grommet.



PRODUCT OPTIONS

Grommet Finish Foundation Mica Accent

SAMPLE ORDER CODE

PRICING

The grommet can be field installed when cable management is needed.

WHAT'S INCLUDED

 $\boldsymbol{1}$ grommet and grommet hole pattern template.

NOTES Can be interchangeable with the Elliptical Grommet (BLGE).

The grommet ring finish is Ebony only (Cover Finish as specified).





Cover Finish
Foundation
Mica

Accent

SAMPLE ORDER CODE

PRODUCT OPTIONS

BLGC 74

PRICING



BLGE

Elliptical Grommet

The grommet can be field installed when cable management is needed.

WHAT'S INCLUDED

1 grommet and grommet hole pattern template.

Grommets can also be specified as an option on worksurface or tables.

Can be interchangeable with the Rectangular Grommet (BLGC).

When 1 9/16" (X) thickness is selected, only Source Laminate (Storm White, Very White, Crisp Grey, Soft Gris or Wood Prints) finishes are available.



PRODUCT OPTIONS

Worksurface Thickness	Finish
D 1"	Foundation
M 1 3/16"	Mica
X 1 9/16"	Source Laminate (Wood Print only)

SAMPLE ORDER CODE

BLGE M 74

PRICING

BLUSB

This product snaped into the space of one data port.

WHAT'S INCLUDED

 $1\ USB$ charging outlet, $2\ USB$ charging ports, and power supply with power cord.

Dual USB Charging Outlet

WHAT'S EXCLUDED

Data Box, Power/Data Center, Power Qube, Recessed Power/Data Module or Power Bar and Cover included with Wall Panels.

2,000 mA of Charging Power.

5 Volts Direct Current.



PRODUCT OPTIONS

Cord Length	Finish
144 (Inches)	YN Platinum Grey Coordinate
SAMPLE ORDER CODE	

BLUSB 144 YN

PRICING

BLAO USB/Data Faceplate Kit

Can be used with all standard rectangular data/communication opening.

WHAT'S INCLUDED

Data cover, voice/data adapters and mounting hardware.

WHAT'S EXCLUDED

Data Box, Power Bar and Cover included with Wall Panels.

Can accomodate up to two voice/data ports.

Can also accomodate Dual USB Charging Outlet (BLUSB)



PRODUCT OPTIONS

TRODUCT OF TIONS		
inish		
N Platinum Grey Coordinate		
AMPLE ORDER CODE		
LAO YN		
RICING		

This product snaped into the Linear Power Module and provides multiple telecom

WHAT'S INCLUDED

Audio Video Interface (A): 1 HDMI with 36" patch cord attached, 1 15pin VGA with 60" patch cord attached and 1 mini stereo inline F/F, and mounting hardware.

Dual Data (B): 2 RJ45 cat6 data jack and mounting hardware.


Quad Data (C): 4 RJ45 cat6 data jack and mounting hardware.

WHAT'S EXCLUDED

Are not compatible with Linear Power Module - Compact 8" (C0220 or C0300).

Faceplates are finished in Grey.







Audio Video Interface (A)

Dual Data

Quad Data

PRODUCT OPTIONS

Configuration

- Audio Video Interface
- Dual Data
- Quad Data

SAMPLE ORDER CODE

BLECF C

CONFIGURATION	PRICING	
A	550	
В	231	
C	461	_

teknion

www.teknion.com

IN CANADA: 1150 Flint Road Toronto, Ontario M3J 2J5 Canada Tel 866.teknion 866.835.6466

IN THE USA:
350 Fellowship Road
Mt Laurel, New Jersey
08054 USA
Tel 877.teknion
877.835.6466

other offices located in: Europe, South and Central America Middle East, Asia and Russia For regional contact information go to www.teknion.com

CAN/US/INT 01-22 ©Teknion 2024

®, TM trade marks of Teknion Corporation and/or its subsidiaries or licensed to it. Patents may be pending.

Some products may not be available in all markets. Contact your local Teknion Representative for availability.

JAN24-EXPCASE