

**Name**

Limitless Loop

**Designer**

Suzanne Tick

**Style No.**

4116

**Collection**

Organized Complexity

**Use**

Upholstery

Wrapped Wall

**Content**

100% Polyester Ground  
50% Polyester + 50% Nylon  
Stitching

**Abrasion**

Wyzenbeek

100,000 double rubs


**Environmental**

Chemical Finish Free


Heavy Metal Free




Automata 4116-03




Telophase 4116-02




Zero Point 4116-01



Radian 4116-04



Mitosis 4116-05



Waveform 4116-06

# LUUM

Name 

---

## Limitless Loop

Style No. 

---

# 4116

Designer

Suzanne Tick

Specification

Use: Upholstery/Wrapped Wall  
Content: 100% Polyester Ground  
50% Polyester + 50% Nylon Stitching  
Weight: 26.7 oz per linear yard  
Width: 52"  
Pattern Repeat: 10.5" Horizontal, 5.25" Vertical  
Directional: Yes

Finish

None

Performance

Abrasion: ASTM D4157 Wyzenbeek 100,000 double rubs  
Breaking Strength: ASTM D5034 Warp 411.6 lbf, Fill 294.5 lbf  
Seam Slippage: ASTM D4034 Warp 88.7 lbf, Fill 95.4 lbf  
Colorfastness to Light: AATCC 16, Grade 5 at 40 Hours  
Colorfastness to Crocking: AATCC 8, Wet Class 5, Dry Class 5  
Pilling: ASTM D3511 (Brush Pill), Class 5

Acoustical Rating

Fabric Transparency 0.75, NRC 0.60 tested to ISO 10534-2 standards

Flame Retardancy

Cal TB 117-2013  
ASTM E84 Unadhered Class A or 1

Maintenance


WS, Clean with either a water-based or solvent-based cleaning agent.

Environmental

Chemical Finish Free  
Heavy Metal Free

Origin

Base: Italy  
Stitching: USA



Graphic shows one full repeat.

**Canada**  
877.705.LUUM  
luumtextiles.ca

**USA**  
877.705.LUUM  
luumtextiles.com

**International**  
919.464.2922  
luumtextiles.com

cdn/us/int/09-23

© Luum™ 2023, all rights reserved.

®,™ Trademarks used under license by Luum™, Limitless Loop™

\*Certification Marks owned by the Association for Contract Textiles, Inc.

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.

Multiple factors affect fabric durability and appearance retention.

U14-SC-305-4116