

Name

Photogram

Designer

Suzanne Tick

Style No.

4094

Collection

Rare Earth

Use

Upholstery

Content

55% Polyester +
45% Recycled Polyester

Abrasion

Wyzenbeek
100,000 double rubs


Special

Characteristics


Bleach Cleanable

Environmental


Chemical Finish Free
Heavy Metal Free
Oeko-Tex 100
Certified
REACH Regulation
Compliant
Recycled Content




Shadowgraph 4094-01




Light Meter 4094-04




Silver Salts 4094-03




Toner 4094-02




Sunprint 4094-05




Heliograph 4094-06




Safelight 4094-07



Cyanotype 4094-08



Mezzotint 4094-09



Darkroom 4094-10

Name _____ **Photogram**

Style No. _____ **4094**

Designer Suzanne Tick

Specification **Use:** Upholstery
Content: 55% Polyester + 45% Recycled Polyester (Postconsumer)
Weight: 27.16 oz per linear yard
Width: 54"
Pattern Repeat: Horizontal 27" Vertical 32.3" Random Match
Directional: Yes

Finish None

Performance **Abrasion:** ASTM D4157 Wyzenbeek 100,000 double rubs
Breaking Strength: ASTM D5034 Warp 571 lbf, Fill 433.8 lbf
Seam Slippage: ASTM D4034 Warp 54.8 lbf, Fill 62 lbf
Colorfastness to Light: AATCC 16, Grade 5 at 40 Hours
Colorfastness to Crocking: AATCC 8, Wet Class 4-5, Dry Class 4-5
Pilling: ASTM D3511 (Brush Pill), Class 4


Flame Retardancy Cal TB 117-2013

Maintenance WS, Clean with either a water-based or solvent-based cleaning agent.
Bleach Cleanable: 9% (10:1 Ratio), wipe with water after solution.

Environmental Chemical Finish Free
Heavy Metal Free
Oeko-Tex 100 Certified
REACH Regulation Compliant
Recycled Content

Origin Italy

Dye lots may vary slightly from samples shown. Samples shown off the bolt.



Canada
877.705.LUUM
luumtextiles.ca

USA
877.705.LUUM
luumtextiles.com

International
919.464.2922
luumtextiles.com

cdn/us/int/05-21

© Luum™ 2021, all rights reserved.

*,™ Trademarks used under license by Luum™, Photogram™

*Certification Marks owned by the Association for Contract Textiles, Inc.

U6-SC-305-4094