

ie

INDEX By Section

Product Name	Product Code	Guide No.	Last Updated
FRAME STRUCTURE & SCREENS			
Post	JFD	1400	Oct. 2006
Add-On Post	JFA		
Beam	JFB	1401	Oct. 2006
Accessory Cap	JFP		
Upholstered Inset Screen	JCU	1415	Oct. 2006
Membrane Screen	JCS	1416	May 2011
Clamp-On Screen	JCT	1417	Jan. 2008
Desk-Mounted Screen	JCD	1418	Jan. 2008
Desk-Mounted Edge Screen	JCE	1419	Oct. 2006
Translucent Inset Screen	JCA	1438	Oct. 2006
Divisional Screen	JCH	1439	Jan. 2008
Privacy Screen	JAD	1440	Feb. 2006
Fully Segmented Post	JFQ	1446	Jan. 2009
Semi-Segmented Post	JFH		
Transition Post	JFX		
Add-On Post	JFA	1447	Oct. 2010
Beam	JFY	1448	Jan. 2008
Service Beam	JFL	1449	May 2013
Service Beam Door	JFLD		
Fabric Inset Screen	JCF	1450	Feb. 2016
Whiteboard Inset Screen	JCR		
Accessory Inset Screen	JCQ		
Laminate Inset Screen	JCL	1451	Jan. 2008
WORKSURFACES & CONNECTORS			
Table Leg	JFT	1402	Oct. 2006
Cantilever Bracket	JFC	1403	Oct. 2006
Table Bracket	JFR	1404	Oct. 2006
Cantilever Foot	JFF	1405	Oct. 2006
Table Connectors	JFN	1406	Oct. 2006
120° Triangular Corner Worksurface	JWG	1408	Oct. 2006
120° Shared Corner Worksurface	JWS		
120° Triangular Corner Cockpit Worksurface	JWZ		
Bench Worksurface	JWJ	1437	Dec. 2012
Countertop	JWN	1452	Jan. 2008
Table Bracket	JFJ	1453	Sep. 2009
Cantilever Bracket	JFK	1454	Jan. 2008
Beam Mounted Worksurface Support	JFM	1455	Jan. 2008
Pedestal Supporting Bracket Kit	JFZ	1456	Aug. 2008

Product Name	Product Code	Guide No.	Last Updated
Rectangular Worksurface	JWR	1461	Jan. 2008
Rectangular Bridge Worksurface	JWE		
Transition Worksurface	JWT		
Wave Worksurface	JWW		
120° Corner Worksurface	JWD		
120° Corner Worksurface with Keyboard Surface	JWB		
90° Officer Corner Worksurface	JWF		
90° Officer Corner Worksurface with Keyboard Surface	JWY		
90° Corner Worksurface	JWC		
90° Corner Worksurface with Keyboard Surface	JWK		
120° Triangular Corner Worksurface	JWG	1462	Jan. 2008
Arched Extension Worksurface	JWA		
Rectangular Extension Worksurface	JWX		
Semi-Circular Extension Worksurface	JWM		
DESKS			
Rectangular Desk	JDR	1412	Oct. 2006
Transition Desk	JDT		
Wave Desk	JDW		
120° Corner Desk	JDD		
120° Corner Desk with Keyboard Surface	JDB		
120° Shared Corner Desk	JDS		
90° Offset Corner Desk	JDF		
90° Offset Corner Desk with Keyboard Surface	JDY		
Keyboard Surface			
90° Corner Desk	JDC		
90° Corner Desk with Keyboard Surface	JDK		
TABLES			
Rectangular Table	JTR	1413	Oct. 2006
Square Table	JTS		
Triangular Table	JTT		
Oval Table	JTV		
Semi-Circular Table	JTC		
Round Table	JTN		
Round Mobile Side Table	JTM	1414	May 2004
Square Mobile Side Table	JTQ		

Product Name	Product Code	Guide No.	Last Updated
MOUNTED STORAGE & ACCESSORIES			
Shelf	JSS	1420	Oct. 2006
Desk-Mounted Shelf	JSSM	1421	May 2004
90° Micro Surface	JSQ	1422	Oct. 2006
120° Micro Surface	JSH		
Modesty Panel	JAM	1423	May 2004
Elliptical Baffle	JABE	1441	Feb. 2006
Liner Baffle	JABL		
Corner Baffle	JABC		
FREESTANDING STORAGE & ACCESSORIES			
Casters and Counter Weight	W	125	May 2013
Stretch Pedestal Top	JSTP	1424	May 2005
Kiosk Top	JSLT		
Worksurface - Bar Digital Meeting	JSAT		
LIGHTING, ELECTRICS & COMMUNICATIONS			
Tolomeo	ACTO	1425	May 2004
Universal Light	TUI	1427	May 2004
Utility Light	TYI	1428	May 2004
Power Harness	JEBH	1429	May 2004
Back-to-Back Power Harness	JEBB		
Ceiling Feed	JECF	1430	May 2004
Power Pole	JEPF		
Base Feed	JEBF	1431	Oct. 2006
Mounted Power Box	JEPB		
Desk-Mounted Power & Data Box	JEPD	1432	May 2004
Distribution box	JEDB	1433	Feb. 2006
Horizontal Wire Cover	JEHC	1434	Oct. 2006
Worksurface Wire	JESW	1435	May 2004
Managment Clips			
Vertical Wire Manager	JELW	1436	May 2004
Plug-In Power Box	JEPM	1442	Feb. 2006
Circular Ambient Light	JECA	1443	Oct. 2006
Chain Ambient Light	JESA	1444	Feb. 2006
Liner Ambient Light	JELA		
Cord Manager	JECM	1445	Feb. 2006
Service Beam Power Bar	JEJF	1457	Jan. 2008

INDEX


By Section

[illegible]

Filing & Storage Section – **Accessories**

Casters & Counterweights
Counterweight

W1
W2



Reference Installation Guides:

No. 215 Filing & Storage “Ledger Pedestal LPF, Standard Pedestal LCD, Almanac Pedestal LXPS”



No. 714 Leverage “Pedestal KD”

For additional information on this installation contact Teknion **Technical Support**.

Issue Date: 2013 May 27

Filing & Storage Section – Accessories

Pedestal Casters & Counterweights


PART/PRODUCT IDENTIFICATION AND WHAT'S INCLUDED				W1	W2
REF.	ILLUSTRATION	DESCRIPTION	PART NO. / PROD. CODE		
A1		Caster 40mm with Plate	D04-0097	4	0
A2		#10-32x3/8 Long Machine Screw	E01-0612	4	0
B		Counterweight	W2	1	1
C		3/8" Hex. Nut	PH Nut3-8	4	2
D		3/8" Helical Split Lockwasher	PH Wash 3-802	4	2
E		3/8" x 1" Hex Head Bolt	PH Bolt3-8	0	2
F		Ledger Pedestal OR Leverage Pedestal OR Almanac Pedestal OR Standard Pedestal (as per order)	LPF KD LXP LCD	*	*

* Parts/Products listed for reference ONLY

Filing & Storage Section – **Accessories**

Pedestal Casters & Counterweights

CASTERS AND COUNTERWEIGHTS (SW1/W1 AND SW2/W2)




Section – Frame Structure & Screens

No. **1400**

Post
Add-On Post

JFD
JFA

Product




JFD – Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Top Cap	N80-65001	1
B		4" Post Coupling	N80-65003 +04	1
C		Post	N80-65003 +XX	As per Order
D		Post Base	N80-65002	1
E		Post Gasket	A15-65045	As per Order
F		4" x 3/8" - 16 Leveller	D03-0002	1

JFA – Part / Product Identification and What's Included

G		Post Gasket	A15-65045 or A15-65046 or A15-65047	1
H		Add-On Post (Hook Spanner)	N80- 65003+XX	1
I		Hook Spanner	A15-65037	2

Configuration




Section – Frame Structure & Screens

No. 1400

Post
Add-On Post

POST AND ADD-ON POST INSTALLATION




Section – Frame Structure & Screens

No. **1401**

Beam
Accessory Cap

JFB
JFP


Product



Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Post Insert	A02-65004	2
B		Beam Linking Part	A02-65001	2
		OR Accessory Cap Linking Part	A02-65002	2
C		M6 x 22mm Button Head Hex Socket Cap Screw (4mm Hexagonal Socket Key)	E01-50689	2
D		Beam	A23-65001+XX	1
		OR Accessory Cap	A23-65002+XX	1
E		Cam (4mm Hexagonal Socket Key)	N80-65046	2

Configuration



Not Included

F		Post	JFD	N/A
----------	--	------	-----	-----

Reference Installation Guides:
No. 1400 ie "Post and Add-On Post JFD, JFA"

For additional information on this installation contact Teknion | Roy & Breton **Technical Support**.


Issue Date: 2006 October 16

Section – Frame Structure & Screens

No. 1401

Beam
Accessory Cap


BEAM AND ACCESSORY CAP INSTALLATION




Section – **Frame Structure & Screens**

No. **1401**

Beam
Accessory Cap



BEAM AND ACCESSORY CAP POSITIONS




Section – Worksurfaces & Connectors

JFT – Table Leg

No. 1402


Product




TOOLS REQUIRED:

Cross or Square Drive #3,
and 3 mm Hexagonal Socket Key

JFT - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Table Leg with Leveler	N/A	1	
		Table Leg with Lockable Caster	N/A	1	
B		M5 x 0.8 x 14 mm Hex Button Head Socket Cap Screw, Zinc	E01-50723	1	X80-65001
C		1/4" - 20 x 5/8" Quadrex Pan Head, Mechanical Screw, Black	E01-50403	2	
D		#12 x 1 3/4" Quadrex Pan Head, Wood Screw, Zinc	E04-50012	4	
		#12 x 3/4" Quadrex Pan Head, Wood Screw, Zinc (Use with Wrap Around Configuration only)	E04-50017	2	

For use with Seamless Color Worksurfaces only

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
E		Butterfly Plate	A15-65058	1	X80-65024
F		1/4" - 20 x 5/8" Quadrex Pan Head, Mechanical Screw, Black	E01-50403	8	
G		1/4" - 20 x 1 1/2" Quadrex Round Head, Mechanical Screw, Black	E01-50651	2	
H		1/4" - 20 x 1" Quadrex Pan Head, Mechanical Screw, Black	E01-50655	2	
		#12 x 1 1/2" Quadrex Pan Head, Wood Screw, Zinc (Use with Wrap Around Configuration only)	E04-50016	4	
		#12 x 3/4" Quadrex Pan Head, Wood Screw, Zinc (Use with Wrap Around Configuration only)	E04-50017	2	

Reference Installation Guides:

No.1461 ie "Worksurfaces JWR, JWE, JWT, JWW, JWD, JWB, JWF, JWY, JWC, and JWK"

No.1462 ie "Worksurfaces JWG, JWA, JWX and JWM"

For additional information on this installation contact Teknion I Roy & Breton **Technical Support**.

Issue Date: 2009 September 14

(L04-65003_R04)



EMS (ISO 14001)



QMS (ISO 9001)

TABLE LEG INSTALLATION







TABLE LEG INSTALLATION ON SEAMLESS COLOR WORKSURFACE




Section – **Worksurfaces & Connectors**

No. **1403**

Cantilever Bracket


JFC

Product




JFC

Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No.
A		Half-Moon Adaptor	A15-65006	1	
B		Adaptor	A15-65004	1	
		Cap	A02-65009	1	
C		M6 x 1 x 25mm Hex Screw, Zinc (Hexagonal Socket Key)	E01-50699	2	X80-65002
D		Post Insert	A02-65004	2	
E		Sharing Bracket	A15-65048	2	
F		1/4" - 20 x 5/8" UNC Cross/Square Comb. Round Head M. Screw (Cross Drive "Philips" #3, Square Drive "Robertson" #3)	E01-50403	4	
G		Cantilever Support	N80-65010	1	
H		M8 x 1.25 x 25mm Hex Screw (5mm Hexagonal Socket Key)	E01-50692	2	
I		Cantilever Linking Plate	A15-65005	1	

Configuration



Not Included

J		Post	JFD	N/A	
K		Worksurface	As per Order	N/A	


Reference Installation Guides:
No. 1400 ie "Post and Add-On Post JFD, JFA"

For additional information on this installation contact Teknion | Roy & Breton **Technical Support**.

Issue Date: 2006 October 16

Section – **Worksurfaces & Connectors**No. **1403**


Cantilever Bracket

CANTILEVER BRACKET INSTALLATION

Section – **Worksurfaces & Connectors**

No. **1403**

Cantilever Bracket






Section – **Worksurfaces & Connectors**

No. **1404**

Table Bracket

JFR

Product




JFR

Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No.
A		Half-Moon Adaptor	A15-65006	1	
B		Adaptor	A15-65004	1	
		Cap	A02-65009	1	
C		M6 x 1 x 25mm Hex Screw, Zinc (4mm Hexagonal Socket Key)	E01-50699	2	X80-65003
D		Post Insert	A02-65004	2	
E		1/4" - 20 x 5/8" UNC Cross/Square Comb. Round Head M. Screw (Cross Drive "Philips" #3, Square Drive "Robertson" #3)	E01-50403	2	
F		#12 X 1-3/4" Cross/Square Comb. Round Head Wood Screw (Cross Drive "Philips" #3, Square Drive "Robertson" #3)	E04-50012	2	
G		Table Bracket Support	A02-65005	1	
H		M6 x 1 x 30mm 90° Countersunk Flat Head Hex Socket Cap Screw (4mm Hexagonal Socket Key)	E01-50707	2	
I		Table Bracket Linking Plate	A02-65026	1	

Configuration



Not Included

J		Post	JFD	N/A	
K		Worksurface	As per Order	N/A	


Reference Installation Guides:
No. 1400 ie "Post and Add-On Post JFD, JFA"

For additional information on this installation contact Teknion | Roy & Breton **Technical Support**.

Issue Date: 2006 October 16

Section – **Worksurfaces & Connectors**No. **1404**


Table Bracket

TABLE BRACKET INSTALLATION

Section – **Worksurfaces & Connectors**



No. **1404**

Table Bracket



Section – **Worksurfaces & Connectors**No. **1404**


Table Bracket



Product**JFF****TOOLS REQUIRED:**

8 mm Hexagonal Socket Key

JFF - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Foot Linking Part	A02-65008	1	X80-65012
B		Conical Screw	A18-65003	1	
C		Black Rubber Plug Button	B02-50051	1	
D		Foot	N80-65004 +XX	1	
E		M8 x 1.25 x 21 mm, Ø40 mm Leveler	D06-50012	1	
F		Leveler Extension	A18-65004	As per Order	

Reference Installation Guide:

No.1446 ie "Posts JFQ, JFH, JFX"

No.1461 ie "Worksurfaces JWR, JWE, JWT, JWW, JWD, JWB, JWF, JWY, JWC, and JWK"

No.1462 ie "Worksurfaces JWG, JWA, JWX and JWM"

For additional information on this installation contact Teknion I Roy & Breton **Technical Support**.**Issue Date: 2008 January 21**

(L04-65034_R00)





EMS (ISO 14001)



QMS (ISO 9001)

CANTILEVER FOOT INSTALLATION



Product

TOOLS REQUIRED:
Cross or Square Drive #3





JFNST - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Standard Connectors	A15-61233	2	X80-50002
B		#12 x 3/4" Quadrex Pan Head, Wood Screw, Zinc	E04-50017	8	



JFNSP - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
C		Spaced Connectors	A15-65009	2	X80-50001
D		#12 x 3/4" Quadrex Pan Head, Wood Screw, Zinc	E04-50017	4	
E		1/4" - 20 x 5/8" Quadrex Pan Head, Mechanical Screw, Black	E01-50403	4	

STANDARD CONNECTOR INSTALLATION



SPACED CONNECTOR INSTALLATION




Section – Worksurfaces & Connectors

No. 1408

120° Triangular Corner Worksurface
120° Shared Corner Worksurface
120° Corner Cockpit Worksurface

JWG
JWS
JWZ


Product



Part / Product Identification and What's Included

		JWG	JWS	JWZ	
					
Ref.	Illustrator	Quantities			Kit No.
A	 120° Triangular Corner Worksurface JWWG	1	0	0	
	OR  120° Shared Corner Worksurface JWWS	0	1	0	
	OR  120° Corner Cockpit Worksurface JWWZ	0	0	1	
B	 Support Rail As per Order	1	1	1	
C	 #8 x 1" Pan Recex Head, W. Screw, Black Oxide (Cross Drive "Philips" #2, Square Drive "Robertson" #2) E04-50001	8	8	8	
D	 1/4" - 20 x 5/8" UNC Cross/Square Comb., Round Head, M. Screw (Cross Drive "Philips" #3, Square Drive "Robertson" #3) E01-50403	4	2	4	2X X80-65001 for JWG
E	 #12 x 1-3/4" Zinc Cross/Square Comb., Round Head, Wood Screw (Cross Drive "Philips" #3, Square Drive "Robertson" #3) E04-50012	8	4	8	OR 1X X80-65001 for JWS
F	 M5 x 0.8 x 14mm Button Head Hex Socket Cap Screw, Zinc (3mm Hexagonal Socket Key) E01-50723	2	1	2	
G	 Table Leg with Leveller N/A	2	1	2	

Configuration




Section – **Worksurfaces & Connectors**No. **1408**

Worksurfaces

For Seamless Color Worksurfaces only

		JWG 	JWS 	JWZ 	
Ref.	Illustrator	Quantities			Kit No.
	 Plate A15-65058	2	1	2	
	 1/4" - 20 x 5/8" UNC Cross/Square Comb. Round Head M. Screw (Cross Drive "Philips" #3, Square Drive "Robertson" #3) E01-50403	16	8	16	2X X80-65024 for JWG and JWZ OR 1X X80-65024 for JWS
	 1/4" - 20 x 1-1/2" Quadrex Round Head M. Screw, Black (Cross Drive "Philips" #3, Square Drive "Robertson" #3) E01-50651	4	2	4	
	 1/4" - 20 x 1" Quadrex Round Head M. Screw, Black (Cross Drive "Philips" #3, Square Drive "Robertson" #3) E01-50655	4	2	4	

Not Included


Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No.
H		Table Bracket	JFR	N/A	
I		Frame	N/A	N/A	

Section – **Worksurfaces & Connectors**

No. **1408**

Worksurfaces




WORKSURFACES INSTALLATION



Support Rail - Compatibility Chart


Product Code	Seamless Colors (A15-63177+XX)		All other worksurfaces (A15-63112+XX)	
	Support Rail Code	Real Dimension	Support Rail Code	Real Dimension
JWG				
36	48"	35.197"	60"	37.860"
42	54"	41.220"	60"	37.860"
48	60"	47.205"	66"	43.860"
54	66"	53.189"	72"	49.860"
60	72"	59.213"	78"	55.860"
JWZ				
42	42"	29.213"	60"	37.860"
48	48"	35.197"	66"	43.860"
54	54"	41.220"	72"	49.860"
60	60"	47.205"	78"	55.860"
JWS				
48	60"	47.205"	66"	43.860"
54	66"	53.189"	72"	49.860"
60	72"	59.213"	78"	55.860"

SUPPORT RAIL DIRECTION





NOTE: The indicated height includes the worksurface.

NOTE: Refer to instruction #1402 for Table Leg installation on Seamless Color worksurfaces.



Section – **Worksurfaces & Connectors**No. **1408**

Worksurfaces


5**6**

Section – Desks

No. 1412

Rectangular Desk	JDR	120° Shared Corner Desk	JDS
Transition Desk	JDT	90° Offset Corner Desk	JDF
Wave Desk	JDW	90° Offset Corner Desk with Keyboard Surface	JDY
120° Corner Desk	JDD	90° Corner Desk	JDC
120° Corner Desk with Keyboard Surface	JDB	90° Corner Desk with Keyboard Surface	JDK


Product



Part / Product Identification and What's Included

		JDR	JDT	JDW	JDD	JDB	
Ref.	Illustrator	Quantities					Kit No.
A	Rectangular Worksurface JWDR	1	0	0	0	0	
	OR Transition Worksurface JWDT	0	1	0	0	0	
	OR Wave Worksurface JDW	0	0	1	0	0	
	OR 120° Corner Worksurface JWDD	0	0	0	1	0	
	OR 120° Corner Worksurface with Keyboard JWDB	0	0	0	0	1	
B	Support Rail As per Order	1	1	1	1	1	
C	#8 x 1" Pan Recex Head, W. Screw, Black Oxyde (Cross Drive "Philips" #2, Square Drive "Robertson" #2) E04-50001	8	8	8	8	8	
D	1/4" - 20 x 5/8" UNC Cross/Square Comb., Round Head, M. Screw (Cross Drive "Philips" #3, Square Drive "Robertson" #3) E01-50403	8	8	8	10	10	4X X80-65001 for JDR, JDT, JDW
E	#12 x 1-3/4" Zinc Cross/Square Comb., Round Head, Wood Screw (Cross Drive "Philips" #3, Square Drive "Robertson" #3) E04-50012	16	16	16	20	20	OR 5X X80-65001 for JDD, JDB
F	M5 x 0.8 x 14mm Button Head Hex Socket Cap Screw, Zinc (3mm Hexagonal Socket Key) E01-50723	4	4	4	5	5	
G	Table Leg with Leveller N/A	4	4	4	5	5	
H	Keyboard Mechanism D12-50004	0	0	0	0	1	
I	Keyboard Support JWWKB	0	0	0	0	1	
J	#12 x 1" Screw for Keyboard Mechanism (Cross Drive "Philips" #2, Square Drive "Robertson" #2) N/A	0	0	0	0	20	

Configuration




Section – Desks

No. 1412

Desks

Part / Product Identification and What's Included


								
Ref.	Illustrator	Quantities					Kit No.	
A	 120° Shared Corner Worksurface JWDS	1	0	0	0	0		
	OR  90° Offset Corner Worksurface JWDF	0	1	0	0	0		
	OR  90° Offset Corner Worksurface with Keyboard JWDY	0	0	1	0	0		
	OR  120° Corner Worksurface JWDD	0	0	0	1	0		
	OR  120° Corner Worksurface with Keyboard JWDB	0	0	0	0	1		
B	 Support Rail As per Order	1	1	1	1	1		
C	 #8 x 1" Pan Recex Head, W. Screw, Black Oxyde (Cross Drive "Philips" #2, Square Drive "Robertson" #2) E04-50001	8	8	8	8	8		
D	 1/4" - 20 x 5/8" UNC Cross/Square Comb., Round Head, M. Screw (Cross Drive "Philips" #3, Square Drive "Robertson" #3) E01-50403	8	10	10	10	10	4X X80-65001 for JDS	
E	 #12 x 1-3/4" Zinc Cross/Square Comb., Round Head, Wood Screw (Cross Drive "Philips" #3, Square Drive "Robertson" #3) E04-50012	16	20	20	20	20	OR 5X X80-65001 for JDF, JDY, JDC, JDK	
F	 M5 x 0.8 x 14mm Button Head Hex Socket Cap Screw, Zinc (3mm Hexagonal Socket Key) E01-50723	4	5	5	5	5		
G	 Table Leg with Leveller N/A	4	5	5	5	5		
H	 Keyboard Mechanism D12-50004	0	0	1	0	1		
I	 Keyboard Support JWWKB	0	0	1	0	1		
J	 #12 x 1" Screw for Keyboard Mechanism (Cross Drive "Philips" #2, Square Drive "Robertson" #2) N/A	0	0	20	0	20		


Section – **Desks**

No. **1412**

Desks

For Seamless Color Worksurfaces only

		JDR	JDT	JDW	JDD	JDB	
							
Ref.	Illustrator	Quantities					Kit No.
	 Plate A15-65058	4	4	4	5	5	
	 1/4" - 20 x 5/8" UNC Cross/Square Comb. Round Head M. Screw (Cross Drive "Philips" #3, Square Drive "Robertson" #3) E01-50403	32	32	32	40	40	4X X80-65024 for JDR, JDT, JDW OR 5X X80-65024 for JDD, JDB
	 1/4" - 20 x 1-1/2" Quadrex Round Head M. Screw, Black (Cross Drive "Philips" #3, Square Drive "Robertson" #3,) E01-50651	8	8	8	10	10	
	 1/4" - 20 x 1" Quadrex Round Head M. Screw, Black (Cross Drive "Philips" #3, Square Drive "Robertson" #3,) E01-50655	8	8	8	10	10	

		JDS 	JDF 	JDY 	JDC 	JDK 	
Ref.	Illustrator	Quantities					Kit No.
	 Plate A15-65058	4	5	5	5	5	
	 1/4" - 20 x 5/8" UNC Cross/Square Comb. Round Head M. Screw (Cross Drive "Philips" #3, Square Drive "Robertson" #3) E01-50403	32	40	40	40	40	4X X80-65024 for JDS OR 5X X80-65024 for JDF, JDY, JDC, JDK
	 1/4" - 20 x 1-1/2" Quadrex Round Head M. Screw, Black (Cross Drive "Philips" #3, Square Drive "Robertson" #3,) E01-50651	8	10	10	10	10	
	 1/4" - 20 x 1" Quadrex Round Head M. Screw, Black (Cross Drive "Philips" #3, Square Drive "Robertson" #3,) E01-50655	8	10	10	10	10	



Section – Desks

No. 1412


Desks

DESKS INSTALLATION


1



2



3



Section – **Desks**


No. **1412**

Desks

Support Rail - Compatibility Chart


Product Code	Seamless Colors (A15-63177+XX)		All other worksurfaces (A15-63112+XX)		Product Code	Seamless Colors (A15-63177+XX)		All other worksurfaces (A15-63112+XX)		Product Code	Seamless Colors (A15-63177+XX)		All other worksurfaces (A15-63112+XX)	
	Support Rail Code	Real Dimension	Support Rail Code	Real Dimension		Support Rail Code	Real Dimension	Support Rail Code	Real Dimension		Support Rail Code	Real Dimension	Support Rail Code	Real Dimension
JDR					JDS					JDY				
2448	N/A	N/A	N/A	N/A	48	60"	47.205"	66"	43.860"	24245460	60"	47.205"	66"	43.860"
2454	42"	29.213"	N/A	N/A	54	66"	53.189"	72"	49.860"	24245466	66"	53.189"	66"	43.860"
2460	48"	35.197"	66"	43.860"	60	72"	59.213"	78"	55.860"	24245472	72"	59.213"	66"	43.860"
2466	54"	41.220"	72"	49.860"	JDF					30245460	60"	47.205"	66"	43.860"
2472	60"	47.205"	78"	55.860"	24243654	54"	41.220"	66"	43.860"	30245466	66"	53.189"	66"	43.860"
3048	N/A	N/A	N/A	N/A	24243660	60"	47.205"	72"	49.860"	30245472	72"	59.213"	66"	43.860"
3054	42"	29.213"	N/A	N/A	24243666	66"	53.189"	78"	55.860"	JDC				
3060	48"	35.197"	66"	43.860"	24243672	72"	59.213"	84"	61.860"	242448	48"	35.197"	66"	43.860"
3066	54"	41.220"	72"	49.860"	24244254	54"	41.220"	66"	43.860"	242454	54"	41.220"	72"	49.860"
3072	60"	47.205"	78"	55.860"	24244260	60"	47.205"	72"	49.860"	242460	60"	47.205"	78"	55.860"
3648	N/A	N/A	N/A	N/A	24244266	66"	53.189"	78"	55.860"	243048	48"	35.197"	66"	43.860"
3654	42"	29.213"	N/A	N/A	24244272	72"	59.213"	84"	61.860"	243054	54"	41.220"	72"	49.860"
3660	48"	35.197"	66"	43.860"	24244854	54"	41.220"	66"	43.860"	243060	60"	47.205"	78"	55.860"
3666	54"	41.220"	72"	49.860"	24244860	60"	47.205"	72"	49.860"	302448	48"	35.197"	66"	43.860"
3672	60"	47.205"	78"	55.860"	24244866	66"	53.189"	78"	55.860"	302454	54"	41.220"	72"	49.860"
JDT					24244872	72"	59.213"	84"	61.860"	302460	60"	47.205"	78"	55.860"
243048	N/A	N/A	N/A	N/A	24245460	60"	47.205"	72"	49.860"	303048	48"	35.197"	66"	43.860"
243054	42"	29.213"	N/A	N/A	24245466	66"	53.189"	78"	55.860"	303054	54"	41.220"	72"	49.860"
243060	48"	35.197"	66"	43.860"	24245472	72"	59.213"	84"	61.860"	303060	60"	47.205"	78"	55.860"
243066	54"	41.220"	72"	49.860"	24304254	54"	41.220"	66"	43.860"	JDK				
243072	60"	47.205"	78"	55.860"	24304260	60"	47.205"	72"	49.860"	2454	54"	41.220"	66"	43.860"
303648	N/A	N/A	N/A	N/A	24304266	66"	53.189"	78"	55.860"	2460	60"	47.205"	72"	49.860"
303654	42"	29.213"	N/A	N/A	24304272	72"	59.213"	84"	61.860"	3060	60"	47.205"	72"	49.860"
303660	48"	35.197"	66"	43.860"	24304854	54"	41.220"	66"	43.860"					
303666	54"	41.220"	72"	49.860"	24304860	60"	47.205"	72"	49.860"					
303672	60"	47.205"	78"	55.860"	24304866	66"	53.189"	78"	55.860"					
JDW					24304872	72"	59.213"	84"	61.860"					
3048	N/A	N/A	N/A	N/A	24305460	60"	47.205"	72"	49.860"					
3054	42"	29.213"	N/A	N/A	24305466	66"	53.189"	78"	55.860"					
3060	48"	35.197"	66"	43.860"	24305472	72"	59.213"	84"	61.860"					
3066	54"	41.220"	72"	49.860"	30243654	54"	41.220"	66"	43.860"					
3072	60"	47.205"	78"	55.860"	30243660	60"	47.205"	72"	49.860"					
3648	N/A	N/A	N/A	N/A	30243666	66"	53.189"	78"	55.860"					
3654	42"	29.213"	N/A	N/A	30243672	72"	59.213"	84"	61.860"					
3660	48"	35.197"	66"	43.860"	30244254	54"	41.220"	66"	43.860"					
3666	54"	41.220"	72"	49.860"	30244260	60"	47.205"	72"	49.860"					
3672	60"	47.205"	78"	55.860"	30244266	66"	53.189"	78"	55.860"					
JDD					30244272	72"	59.213"	84"	61.860"					
2448	48"	35.197"	66"	43.860"	30244854	54"	41.220"	66"	43.860"					
2454	54"	41.220"	72"	49.860"	30244860	60"	47.205"	72"	49.860"					
2460	N/A	N/A	78"	55.860"	30244866	66"	53.189"	78"	55.860"					
3048	48"	35.197"	66"	43.860"	30244872	72"	59.213"	84"	61.860"					
3054	54"	41.220"	72"	49.860"	30245460	60"	47.205"	72"	49.860"					
3060	N/A	N/A	78"	55.860"	30245466	66"	53.189"	78"	55.860"					
JDB					30245472	72"	59.213"	84"	61.860"					
2448	48"	35.197"	60"	37.860"	30304254	54"	41.220"	66"	43.860"					
2454	54"	41.220"	66"	43.860"	30304260	60"	47.205"	72"	49.860"					
2460	N/A	N/A	72"	49.860"	30304266	66"	53.189"	78"	55.860"					
3048	48"	35.197"	60"	37.860"	30304272	72"	59.213"	84"	61.860"					
3054	54"	41.220"	66"	43.860"	30304854	54"	41.220"	66"	43.860"					
3060	N/A	N/A	72"	49.860"	30304860	60"	47.205"	72"	49.860"					
					30304866	66"	53.189"	78"	55.860"					
					30304872	72"	59.213"	84"	61.860"					
					30305460	60"	47.205"	72"	49.860"					
					30305466	66"	53.189"	78"	55.860"					
					30305472	72"	59.213"	84"	61.860"					

SUPPORT RAIL DIRECTION



Section – **Desks**No. **1412**

Desks



NOTE:
Refer to instruction #1402 for Table Leg installation on Seamless Color worksurfaces.

Section – Tables

JTR – Rectangular Table

JTS – Square Table

JTT – Triangular Table


JTV – Oval Table

JTC – Semi-Circular Table

JTN – Round Table

No. 1413

Product



TOOLS REQUIRED:

Cross or Square Drive #2 and #3,
and 3 mm Hexagonal Key

TABLES - Part / Product Identification and What's Included

		JTR	JTS	JTT	JTC	Kit No. / Assy. No.
Ref.	Illustration	Quantity				
A	Rectangular Worksurface JWTR_ OR	1	0	0	0	
	Square Worksurface JWTS_ OR	0	1	0	0	
	Triangular Worksurface JWTT_ OR	0	0	1	0	
	Oval Worksurface JWTV_ OR	1	0	0	0	
	Semi-Circular Worksurface JWTC_ OR	0	0	0	1	
	Round Worksurface JWTN_ OR	0	1	0	0	
B	Support Rail A15-63177+XX	1	0	0	1	X80-63012 +XX or X80-63005 (for Seamless Color Work- surfaces only)
C	#8 x 1" Recex Pan Head Wood Screw, Black Oxyde E04-50001	As per Order	0	0	As per Order	
D	Table Leg with Leveler JFTLW (for Standard Worksurfaces) or JFTLS (for Seamless Color Worksurfaces) OR	2 or 4	2 or 4	3	3	
	Table Leg with Caster JFTCW (for Standard Worksurfaces) or JFTCS (for Seamless Color Worksurfaces)	2 or 4	2 or 4	3	3	
E	M5 x 0.8 x 14 mm Button Head Hex Socket Cap Screw, Zinc E01-50723	4	4	3	3	
F	1/4" - 20 x 5/8" Quadrex Pan Head Mechanical Screw, Black E01-50403	8	8	6	6	This kit is included with Table Leg (JFTLW or JFTCW) 4x X80-65001 (JTR, JTS, JTV, and JTN) or 3x X80-65001 (JTT and JTC)
G	#12 x 1 3/4" Quadrex Pan Head Wood Screw, Zinc E04-50012	16	16	12	12	
	#12 x 3/4" Quadrex Pan Head Wood Screw, Zinc (Use with Wrap Around Configuration only) E04-50017	8	8	6	6	

Reference Installation Guides:

No.1402 ie "Table Leg JFT"

For additional information on this installation contact Teknion | Roy & Breton **Technical Support.**
Issue Date: 2008 January 21

Section – Worksurfaces & Connectors

JTR – Rectangular Table

JTS – Square Table

JTT – Triangular Table

JTV – Oval Table

JTC – Semi-Circular Table

JTN – Round Table

No. 1413


TABLES - Part / Product Identification and What's Included (continued)

Ref.	Illustration	Quantity				Kit No. / Assy. No.
		JTR	JTS	JTT	JTC	
	 Butterfly Plate A15-65058	4	4	3	3	This kit is included with Table Leg (JFTLS or JFTCS) 4x X80-65024 (JTR, JTS, JTV, and JTN) or 3x X80-65024 (JTT and JTC)
	 1/4" - 20 x 5/8" Quadrex Pan Head Mechanical Screw, Black E01-50403	32	32	24	24	
	 1/4" - 20 x 1 1/2" Quadrex Round Head Mechanical Screw, Black E01-50651	8	8	6	6	
	 1/4" - 20 x 1" Quadrex Round Head Mechanical Screw, Black E01-50655	8	8	6	6	
	 #12 x 3/4" Quadrex Pan Head Wood Screw, Zinc (Use with Wrap Around Configuration only) E04-50017	8	8	6	6	
	 #12 x 1 1/2" Quadrex Pan Head Wood Screw, Zinc (Use with Wrap Around Configuration only) E04-50016	16	16	12	12	

TABLE INSTALLATION

1

NOTE:
The indicated height
includes the worksurface.





In 3/4" increments

Section – Worksurfaces & Connectors

JTR – Rectangular Table
JTS – Square Table
JTT – Triangular Table


JTV – Oval Table
JTC – Semi-Circular Table
JTN – Round Table

No. 1413





NOTE:

Refer to instruction #1402 for Table Leg installation on Seamless Color worksurfaces.



SUPPORT RAIL DIRECTION




Section – Tables

JTM – Round Mobile Side Table
JTQ – Square Mobile Side Table

No. **1414**

Product



JTM and JTQ - Part / Product Identification and What's Included





Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Gas Cylinder Mechanism Non-Swivel	N80-65103	1	N80-65026
B		Star Base	N80-65102	1	
C		1/4" - 20 x 5/8" Quadrex Pan Head, Mechanical Screw, Black	E01-50403	4	
D	 OR 	Round Worksurface	JWTM_	1	
		Sqaure Worksurface	JWTQ_		

Section – Tables

JTM – Round Mobile Side Table
JTG – Square Mobile Side Table

No. 1414

MOBILE SIDE TABLE INSTALLATION




Section – Frame Structure & Screens

No. 1415

Upholstered Inset Screen

JCU


Product



Part / Product Identification and What's Included

		JCUBB	JCUAB	JCUBN	JCUNB
Ref.	Illustrator	Quantities			
A	Beam A23-65001+XX OR Accessory Cap A23-65002+XX OR U-Chanel A23-65016+XX	1	0	1	0
		0	1	0	0
		0	0	1	0
B	Post Bracket for Beam A02-65001 OR Post Bracket for Accessory Cap A02-65002 OR Post Bracket for U-Chanel A02-65003	2	0	2	0
		0	2	0	0
		0	0	2	0
C	M6 x 22mm Button Head, Hex Socket Cap Screw, Zinc (4mm Hexagonal Socket Key) E01-50689	2	2	4	0
D	Cam (4mm Hexagonal Socket Key) N80-65046	2	2	2	0
E	M6 x 1 x 10mm 90° Countersunk, Flat Head, Hex Socket Cap Screw, Zinc (4mm Hexagonal Socket Key) E01-50704	0	0	8	0
F	Fabric Element Top Clip N80-65033+06	2 or 3	2 or 3	2 or 3	2 or 3
G	Fabric Element Bottom Clip N80-65035+06	2 or 3	2 or 3	0	2 or 3
H	Pass-Through Element Top Clip N80-65036+06	0	0	0	0
I	Pass-Through Trim B11-65005+XX	0	0	0	0
J	Fabric Element N80-65032+XX	2	2	2	2

Configuration



Not Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
K		Post	JFD	N/A

Reference Installation Guides:

No. 1400 ie "Post and Add-On Post JFD, JFA"

No. 1401 ie "Beam and Accessory Cap JFB, JFP"

For additional information on this installation contact Teknion | Roy & Breton **Technical Support**.

Issue Date: 2006 October 16

Section – Frame Structure & Screens

No. 1415

Upholstered Inset Screen

Part / Product Identification and What's Included

		JCUNN	JCUAN	JCUPA	JCUPT
					
Ref.	Illustrator	Quantities			
A	 Beam A23-65001+XX	0	0	0	0
	OR  Accessory Cap A23-65002+XX	0	1	1	0
	OR  U-Chanel A23-65016+XX	1	1	1	1
B	 Post Bracket for Beam A02-65001	0	0	0	0
	OR  Post Bracket for Accessory Cap A02-65002	0	2	2	0
	OR  Post Bracket for U-Chanel A02-65003	2	2	2	2
C	 M6 x 22mm Button Head, Hex Socket Cap Screw, Zinc (4mm Hexagonal Socket Key) E01-50689	2	4	4	2
D	 Cam (4mm Hexagonal Socket Key) N80-65046	0	2	2	0
E	 M6 x 1 x 10mm 90° Countersunk, Flat Head, Hex Socket Cap Screw, Zinc (4mm Hexagonal Socket Key) E01-50704	8	8	8	8
F	 Fabric Element Top Clip N80-65033+06	2 or 3	2 or 3	0	0
G	 Fabric Element Bottom Clip N80-65035+06	0	0	0	0
H	 Pass-Through Element Top Clip N80-65036+06	0	0	2 or 3	2 or 3
I	 Pass-Through Trim B11-65005+XX	0	0	1	1
J	 Fabric Element N80-65032+XX	2	2	2	2

Not Included


Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
K		Post	JFD	N/A

Section – **Frame Structure & Screens**

No. **1415**

Upholstered Inset Screen

SCREEN HORIZONTAL SUPPORTS INSTALLATION







Section – **Frame Structure & Screens**

No. **1415**

Upholstered Inset Screen


SCREEN CLIPS INSTALLATION

Clip Chart

	JCUBB	JCUBN	JCUNB	JCUAB	JCUAN	JCUNN	JCUPA	JCUPT
TOP								
BOTTOM								

6

NOTE: Inset Screens wider than 42" need three clips.





Section – **Frame Structure & Screens**


No. **1415**

Upholstered Inset Screen


PASS-THROUGH TRIM INSTALLATION



ELEMENTS INSTALLATION





Product





JCS


TOOLS REQUIRED:
Measuring Tap, Flat Drive,
and Wrench

JCS - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Membrane Screen	N80 65091 +XX+YY	As per Order
B		Ø 7/32" x 1 1/14" Slotted Spring Tension Pin	E03-50658	4 (18" to 42" w) 6 (48" to 114" w)

MEMBRANE SCREEN INSTALLATION






Section – Frame Structure and Screens

JCT – Clamp-On Translucent Screen

No. 1417

Product



JCT


TOOLS REQUIRED:

3mm Hexagonal Socket Key

JCT - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Translucent Screen	B10-65004 +XX+YY	1	
B		Male Clamp for Translucent Screen	A25-65001	As per Order	As per Order X80-65018
C		Female Clamp for Translucent Screen	A25-65002	As per Order	
D		Beam Insert	A25-65003	As per Order	
E		M4 x 0.70 x 8 mm Hex Socket Head Cap Screw, Zinc	E01-50730	As per Order	
F		M5 x 0.8 x 14 mm Hex Socket Head Cap Screw, Zinc	E01-50786	As per Order	
G		Plug Button Ø 18 mm x 4 mm	426065	As per Order	

CLAMP-ON TRANSLUCENT SCREEN INSTALLATION




Section – Frame Structure and Screens

JCD – Desk-Mounted Screen

No. 1418

Product

**TOOLS REQUIRED:**

Cross or Square Drive #2 and #3, and 3mm Hexagonal Socket Key


JCD1 - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Translucent Element	B10-65005 +14+XX	1	
B		Male Clamp for Translucent Screen	A25-65001	1	2x X80-65019 (for 30" to 48" wide) or 3x X80-65019 (for 54" to 72" wide)
C		Female Clamp for Translucent Screen	A25-65002	1	
D		Desk Clamp Square End Adjustable	A25-65007	1	
E		Desk Clamp Triangular Adjustable	A25-65006	1	
F		M4 x 0.70 x 8 mm Hex Socket Head Cap Screw, Zinc	E01-50730	1	
G		M5 x 0.8 x 14 mm Hex Button Head Socket Cap Screw, Zinc	E01-50723	1	
H		M4 x 0.70 x 25 mm Hex Socket Head Cap Screw, Zinc	E01-50703	1	


JCD2 - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
I		Fabric Element	N80-65100 +14+XX	1	
J		Right Desk-Mounted Bracket	N80-65056R	1	X80-65030
K		Left Desk-Mounted Bracket	N80-65056L	1	
L		1/4" - 20 x 5/8" Quadrex Pan Head, Mechanical Screw, Black	E01-50403	2	
M		#8 - 1 1/2" Quadrex Pan Head, Wood Screw, Zinc	E04-50003	2	
N		#12 - 3/4" Quadrex Pan Head, Wood Screw, Zinc	E04-50017	2	

TRANSLUCENT DESK-MOUNTED SCREEN INSTALLATION



FABRIC DESK-MOUNTED SCREEN INSTALLATION




Section – Frame Structure & Screens

No. **1419**

Desk-Mounted Edge Screen

JCE


Product



Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Translucent Element	B10-65006	1
B		Desk-Clamp Square End Adjustable	A25-65007	2
C		Male Clamp for Translucent Screen	A25-65001	2
D		Female Clamp for Translucent Screen	A25-65002	2
E		M5 x 0.8 x 14mm Button Head Hex Socket Cap Screw, zinc (3mm Hexagonal Socket Key)	E01-50723	2
F		Desk-Clamp Triangular Adjustable	A25-65006	2
G		M4 x 0.70 x 8mm Hex Socket Cap Screw, Zinc (3mm Hexagonal Socket Key)	E01-50730	2
H		M4 x 0.70 x 25mm Hex Socket Cap Screw, Zinc (3mm Hexagonal Socket Key)	E01-50703	2

Configuration




Not Included

I		ie Workstation	N/A	N/A
----------	--	----------------	-----	-----

Section – **Frame Structure & Screens**No. **1419**

Desk-Mounted Edge Screen


INDIVIDUAL – DESK-MOUNTED EDGE SCREEN INSTALLATION

Section – **Frame Structure & Screens**

No. **1419**

Desk-Mounted Edge Screen

SHARED – DESK-MOUNTED EDGE SCREEN INSTALLATION




Section – Mounted Storage & Accessories

JSS – Shelf

No. 1420

Product



TOOLS REQUIRED:
4 mm Hexagonal Socket Key


JSSS - Part / Product Identification and What's Included


Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Standard Shelf	N80-65024 +14+XX	1
B		Standard Shelf Rods	N80-65019	2
C		Standard Shelf Straps	A23-65010	2
D		Shelf Hook	A23-65021	2
E		M6 x 1 x 20 mm Hex Flat Head Socket Cap Screw, Zinc	E01-50706	4
F		M6 x 1 x 14 mm Hex Flat Head Socket Cap Screw, Zinc	E01-50702	2
G		M6 Beam Insert	A15-65034	2

JSSU - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
E		M6 x 1 x 20 mm Hex Flat Head Socket Cap Screw, Zinc	E01-50706	4
F		M6 x 1 x 14 mm Hex Flat Head Socket Cap Screw, Zinc	E01-50702	2
G		M6 Beam Insert	A15-65034	4
H		M6 x 1 x 10 mm Hex Button Head Socket Cap Screw, Zinc	E01-50738	2
I		Up-Mount Shelf	N80-65025 +14+XX	1
J		Up-Mount Shelf Rods	N80-65020	2
K		Up-Mount Shelf Straps	A23-65011 +XX	2

STANDARD SHELF INSTALLATION





Product




JSSM

TOOLS REQUIRED:
Cross or Square Drive #3

JSSM - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Desk-Mounted Shelf	JWSSM	1	
B		Desk-Mounted Shelf Bracket	N80-65016	2	X80-65005
C		1/4" - 20 x 5/8" Quadrex Pan Head, Mechanical Screw, Black	E01-50403	4	
D		#12 x 3/4" Quadrex Pan Head, Wood Screw, Zinc	E04-50017	4	

DESK-MOUNTED SHELF INSTALLATION



Section – Mounted Storage & Accessories

No. 1422

90° Micro Surface
120° Micro Surface

JSQ
JSH


Product



Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No.
A		90° Micro Worksurface	JWSQ	1	
		OR 120° Micro Worksurface	JWSH	1	
B		Cover for Adaptor	A02-65009	2	
C		Half-Moon Adaptor	A15-65006	1	
D		Adaptor	A15-65004	1	X80-65003
E		M6 x 1 x 25mm Hex Screw, Zinc (4mm Allen Key)	E01-50699	2	
F		Post Insert	A02-65004	2	
G		1/4" - 20 x 5/8" UNC Cross/Square Comb. Round Head M. Screw (Cross Drive "Phillips" #3, Square Drive "Robertson" #3)	E01-50403	2	
H		#12 X 1-3/4" Cross/Square Comb. Round Head Wood Screw (Cross Drive "Phillips" #3, Square Drive "Robertson" #3)	E04-50012	2	
I		Table Bracket Support	A02-65005	1	
J		M6 x 1 x 30mm 90° Countersunk Flat Head Hex Socket Cap Screw (4mm Allen Key)	E01-50707	2	
K		Table Bracket Linking Plate	A02-65026	1	

Configuration




Not Included

L		Post	JFD	N/A	
----------	--	------	-----	-----	--

Section – **Mounted Storage & Accessories**No. **1422**


Micro Surfaces

MICRO SURFACES INSTALLATION

Section – **Mounted Storage & Accessories**

No. **1422**



Micro Surfaces



Section – **Mounted Storage & Accessories**

No. **1422**

Micro Surfaces




Section – Mounted Storage & Accessories

JAM – Modesty Panel

No. 1423

Product




JAM


TOOLS REQUIRED:

Cross or Square Drive #3

JAM - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Modesty Panel	N80-65017 +XX+14E305	1	
B		Modesty Panel Trim	B11-65001 +XX	1	
C		1/4" - 20 x 5/8" Quadrex Pan Head, Mechanical Screw, Black	E01-50403	4	X80-61011

MODESTY PANEL INSTALLATION




Section – Freestanding Storage & Accessories

JSTP – Pedestal Top
JSLT – Stretch Pedestal Top
JSAT – Kiosk Top

No. 1424



Product




Tops - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Pedestal Top	JSTP	1	
		Stretch Pedestal Top	JSLT		
		Kiosk Top	JSAT		
B		Double Face Tape	530251	4	KIT301

TOP INSTALLATION




Product




ACTO1

ACTO2



ACTO7




ACTO8

TOOLS REQUIRED:
4 mm Hexagonal Socket Key





ACTO - Part / Product Identification and What's Included

		ACTO1	ACTO2	ACTO7	ACTO8
Ref.	Illustration	Quantities			
A	 Double Articulating Arm Lighting Fixture ACTO	1	1	1	1
B	 Desk-Clamp ACTO-1	1	0	0	0
C	 Beam-Mounted Bracket N/A	0	0	1	0
D	 Arm Adapter N/A	0	0	1	1
E	 M6 x 14 mm Hex Flat Head Socket Cap Screw E01-50702	0	0	2	3
F	 Post Inert A02-65004	0	0	0	1
G	 Post-Mounted Bracket N/A	0	0	0	1
	 Freestanding Base ACTO-2	0	1	0	0





DESK-CLAMP INSTALLATION




BEAM-MOUNTED INSTALLATION



POST-MOUNTED INSTALLATION




Product





TUI - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Universal Light	As per Order	1
B		Wire Management Clip	N/A	2
C		Double Face Tape	N/A	2

UNIVERSAL LIGHT INSTALLATION





Product




TOOLS REQUIRED:
Cross or Square Drive #3

TYI - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Mounting Bracket Assembly	N/A	2
B		Utility Light – Body	N/A	1
C		3/16" - 16 x 3/8" Type B Truss Round Head, Mechanical Screw	N/A	2
D		Back Mounting Bracket	N/A	2
E		Knob	N/A	2
F		Wire Management Clip	N/A	2
G		Double Face Tape	N/A	2

UTILITY LIGHT INSTALLATION




Section – **Lighting, Electrics & Communications**

No. **1429**

Power Harness
Back-to-Back Power Harness

JEBH
JEBB


Product



Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Power Harness	JEBH	1
B		Back-to-Back Power Harness	JEBB	1

Configuration




Not Included

C		Mounted Power Box	JEBP	N/A
D		ie Workstation	N/A	N/A

Section – **Lighting, Electrics & Communications**No. **1429**

Power Harness
Back-to-Back Power Harness

POWER HARNESS AND BACK-TO-BACK POWER HARNESS INSTALLATION


Section – **Lighting, Electrics & Communications**

No. **1430**

Power Pole
Ceiling Feed

JECF
JEPP


Product



JEPP – Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No.
A		Mounted Brackets (1/8" Hexagonal Socket Key)	N/A	4	
B		Power Pole	A23-65009+18	1	
C		Power Pole	A23-65009+39	1	
D		Power Pole	A23-65009+XX	1	
E		Cover for Power Pole	A23-65008+60	1	
F		Cover for Power Pole	A23-65008+XX	1	
G		Post Insert	A02-65004	3	X80-65004
H		M6 x 1x 14mm Hex Socket Cap Screw (4mm Hexagonal Socket Key)	E01-50705	3	
I		Ceiling Plate	A15-65029	2	
J		Prong T-Nut	D08-0002	2	
K		Tooth Washer	D01-0076	2	
L		#8 - 32 x 1/2" Slot/Square Comb. Truss Head Machine Screw (Cross Drive "Philips" #2, Square Drive "Robertson" #2)	E01-0170	2	
		#8 - 18 x 3/4" Cross/Square Comb. Drill Screew (Cross Drive "Philips" #2, Square Drive "Robertson" #2)	E01-0043	2	

Configuration




Section – **Lighting, Electrics & Communications**No. **1430**

Power Pole
Ceiling Feed

JECF – Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No.
M		Ceiling Feed	JECF	1	

Not Included

N		ie Workstation	N/A	N/A	
O		Ceiling	N/A	N/A	

CAUTION:

Recommended installation of electrical harness
is under supervision of a licensed electrician
in accordance with applicable codes and regulations.


Use of this product is subject to codes and
regulations applicable at the site of installation.

Section – **Lighting, Electrics & Communications**

No. **1430**

Power Pole
Ceiling Feed


CEILING FEED AND POWER POLE INSTALLATION




Section – **Lighting, Electrics & Communications**


No. **1430**

Power Pole
Ceiling Feed



Power Pole Ceiling Feed



Section – **Lighting, Electrics & Communications**No. **1430**Power Pole
Ceiling Feed


Section – Lighting, Electrics & Communications

No. **1431**

Base Feed
Mounted Power Box

JEBF
JEPB

Product




Part / Product Identification and What's Included


Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Mounted Power Box	JEPB	1
B		Back Extrusion	N/A	1
C		Base Feed	JEBF	1

Not Included

Configuration



D		Power Harness	JEBH	N/A
E		ie Workstation	N/A	N/A


Section – **Lighting, Electrics & Communications**No. **1431**Base Feed
Mounted Power Box**BASE FEED AND MOUNTED POWER BOX INSTALLATION**

Product




JEPD

JEPD - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Desk-Mounted Power & Data Box	JEPD	1
B		Top Bracket	N/A	1
C		#10 - 16 x 7/16" Type B Quadrex Pan Head, Self-Tapping Screw, Black	N/A	2
D		Bottom Bracket	N/A	1

DESK-MOUNTED POWER & DATA BOX INSTALLATION




Section – Lighting, Electrics & Communications

No. 1433

Distribution Box


JEDB

Product




JEDB


Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Distribution Box	JEDB	1
B		#8 x 2" Type A Cross/Square Comb. Round Head W.Screw (Cross Drive "Philips" #2, Square Drive "Robertson" #2)	N/A	3


Not Included

C		Power Harness	JEBH	N/A
D		Desk-Mounted Power & Data Box	JEPD	N/A
E		ie Workstation	N/A	N/A

Configuration



DISTRIBUTION BOX INSTALLATION




Section – **Lighting, Electrics & Communications**

No. **1434**


Horizontal Wire Cover

JEHC




Product




Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Cover Clip	B02-50085	As per Order
B		Horizontal Wire Cover	As per Order	1


Not Included

C		Mounted Power Box	JFPB	N/A
D		Power Harness	JEBH	N/A
E		ie Workstation	N/A	N/A

Configuration



HORIZONTAL WIRE COVER INSTALLATION




Section – Lighting, Electrics & Communications

No. 1435

Worksurface Wire Management Clips

JESW

Product



JESW


Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Worksurface Wire Management Clip	B11-65002	6
B		#14 x 3/4" Cross/Square Comb. Round Head (Cross Drive "Philips" #3, Square Drive "Robertson" #3)	E07-0014	6


Not Included

C		Worksurface	As per Order	N/A
D		Laptop	N/A	N/A
E		Power Harness	JEBH	N/A
F		Mounted Power Box	JEPB	N/A
G		ie Worksurface	N/A	N/A

Configuration



WORKSURFACE WIRE MANAGEMENT CLIPS INSTALLATION




Section – **Lighting, Electrics & Communications**

No. **1436**

Vertical Wire Manager




JELW

Product




JELW


Part / Product Identification and What's Included


Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Worksurface Mounting Bracket	N/A	1
B		Vertebral Element	N/A	1
C		4 x 25 Wood Screew (Cross Drive "Philips" #2, Square Drive "Robertson" #2)	N/A	3

Not Included

D		Desks	As per Order	N/A
E		Laptop	N/A	N/A

Configuration




VERTICAL WIRE MANAGER INSTALLATION

Product**JWJ****TOOLS REQUIRED:**

Cross or Square Drive #2

JWJ - Part / Product Identification and What's Included


Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Bench Worksurface	JWWJ	As per Order
B		Support Rail	A15-50501+XX	As per Order
C		#8 x 1.000 Quadrex Pan Head, Wood Screw	402102	As per Order

BENCH WORKSURFACE INSTALLATION


Reference Installation Guides:
No.1453 ie "Table Bracket JFJ"

For additional information on this installation contact Teknion | Roy & Breton **Technical Support**.

Issue Date: 2012 December 11



For these two installations, refer to installation guide #1453 for Table Bracket Supports.




Section – Frame Structure and Screens

JCA – Translucent Inset Screen
JCM – Metal Inset Screen

No. **1438**

Product





TOOLS REQUIRED:
3 mm and 4 mm Hexagonal
Socket Key

JCA and JCM - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A	OR 	Translucent Inset Screen	B10-65009 +XX+YY	1	
		Metal Inset Screen	A15-65070 +XX+YYZZZ		
B		Plastic Joint (for Translucent Inset Screen only) or Plastic Joint (for Metal Inset Screen only)	B11-65010 +XX B10-65011 +XX	4	
C		Male Clamp	A25-65001	1	2x X80-65020 (for 40" and higher Translucent Inset Screen only)
D		Female Clamp	A25-65002	1	
E		Post Insert	A02-65004	1	
F		M4 x 0.70 x 8 mm Hex Socket Head Cap Screw, Zinc	E01-50730	1	
G		M6 x 1 x 20 mm Hex Button Head Socket Cap Screw, Zinc	E01-50724	1	

INSET SCREEN INSTALLATION







Section – **Frame Structure and Screens**

JCH – Divisional Screen


No. **1439****Product**

JCH


TOOLS REQUIRED:Cross Drive #2 or
Square Drive #1**JCH - Part / Product Identification and What's Included**

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Fabric Element	N80-65050 +14+XX	1
B		Desk Clamp – Rear	A15-65043	1
C		Desk Clamp – Front	A15-65044	1
D		#6 x 1 1/2" Quadrex Flat Head, Wood Screw, Zinc	E04-50018	3
E		1" x 0.180" Square Bumper, Clear (for Seamless Worksurface only)	B02-50106	4

DIVISIONAL SCREEN INSTALLATION



Product



JAD


TOOLS REQUIRED:


Square Drive #2 and
4 mm Hexagonal Socket Key

JAD - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Privacy Screen	JAD8336 or JAD8342	1
B		Sliding Cover	A15-6444	2
C		8/32" x 1/2" Combination Square Socket/Slot Drive Pan Head, Mechanical Screw, Zinc	E01-2017	4
D		8/32" Hex Nut	E03-2044	4
E		Beam Insert	A15-5746	8
F		M6 X 10 mm Hex Flat Head Socket Cap Screw	E01-0624	8

PRIVACY SCREEN INSTALLATION





Section – Mounted Storage & Accessories

JABE – Elliptical Baffle

JABL – Linear Baffle

JABC – Corner Baffle

No. 1441

Product



JABE

JABL



JABC

TOOLS REQUIRED:

4 mm Hexagonal Socket Key

BAFFLES - Part / Product Identification and What's Included

		JABE	JABL	JABC
				
Ref.	Illustration	Quantities		
A	 Elliptical Fabric Sock N80-65051	1	0	0
	OR  Rectangular Fabric Sock N80-65053+XX	0	1 or 2	0
	OR  Corner Fabric Sock N80-65052	0	0	1
B	 Elliptical Rod N80-65054	1	0	0
C	 Linking Part A25-65005	1	0	0
D	 Post Insert A02-65004	1	0	0
E	 M6 x 1.00 x 30 mm Hex Flat Head Socket Cap Screw, Zinc E01-50707	1	0	0
F	 Beam Insert A15-65034	1	0	0
G	 Rectangular Rod A15-65052+XX	0	1 or 2	0
H	 Linear Rod A15-65053+XX	0	1 or 2	0
I	 Linking Part A25-65004	0	2	4
J	 Beam Insert – Top A25-65003	0	2	4
K	 M5 x 0.80 x 25 mm Hex Socket Head Cap Screw, Zinc E01-50708	0	2	4
L	 Corner Rod A15-65050	0	0	1
M	 Linear Rod A15-65051	0	0	2


Section – Mounted Storage & Accessories

JABE – Elliptical Baffle
JABL – Linear Baffle
JABC – Corner Baffle

No. 1441


ELLIPTICAL BAFFLE INSTALLATION

POST-MOUNTED INSTALLATION







OR

BEAM-MOUNTED INSTALLATION



NOTE: Do not tighten completely.




Section – **Mounted Storage & Accessories**

JABE – Elliptical Baffle
JABL – Linear Baffle
JABC – Corner Baffle

No. **1441**


POST- OR BEAM-MOUNTED INSTALLATION

4



POST- OR BEAM-MOUNTED INSTALLATION

5



Section – Mounted Storage & Accessories


JABE – Elliptical Baffle

JABL – Linear Baffle

JABC – Corner Baffle

No. 1441

LINEAR AND CORNER BAFFLE INSTALLATION




Section – **Mounted Storage & Accessories**

JABE – Elliptical Baffle


JABL – Linear Baffle

JABC – Corner Baffle


No. **1441**



DOUBLE – LINEAR BAFFLE INSTALLATION



Product



TOOLS REQUIRED:
4 mm Hexagonal Socket Key


JEPM1 - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Desk-Mounted Plug-In Power Box	JEPM1	1
B		Top Bracket	N/A	1
C		#10 - 16 x 7/16" Type B Quadrex Pan Head, Self-Tapping Screw, Black	N/A	2
D		Bottom Bracket	N/A	1


JEPM8 - Part / Product Identification and What's Included


Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
E		Post-Mounted Plug-In Power Box	JEPM8	1
F		Mounting Extrusion	A23-65028	1
G		M6 x 1.00 x 14 mm Hex Button Head Socket Cap Screw	E01-50705	1
H		Post Insert	A02-65004	1

DESK-MOUNTED PLUG-IN POWER BOX INSTALLATION




POST-MOUNTED PLUG-IN POWER BOX INSTALLATION






Product







TOOLS REQUIRED:
3 mm and 4 mm Hexagonal
Socket Key

JECA - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A	OR  	Circular Ambient Light – Light Up	JECAL	1
		or Circular Ambient Light – Light Down	JECAD	
B		Post Insert	A02-65004	1
C		Linking Part	A25-65005	1
D		M6 x 1 x 30 mm Hex Flat Head Socket Cap Screw, Zinc	E01-50707	1
E		Beam Insert	N/A	1
F		M5 x 0.8 x 10 mm Hex Flat Head Socket Cap Screw, Zinc	E01-50695	2

CIRCULAR AMBIENT LIGHT INSTALLATION






Section – Lighting, Electrics & Communications






JESA – Chain Ambient Light
JELA – Linear Ambient Light

No. 1444


Product




JESA and JELA - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A	OR 	Linear Ambient Light with Cord-Mounted Switch	JELA_S	1
		Linear Ambient Light without Cord-Mounted Switch	JELA_N	
B		Chain Ambient Light	JESA_	1
C	OR 	Power Cord with Cord-Mounted Switch	WC-JESA- S	1
		Power Cord without Cord-Mounted Switch	WC-JESA- N	
D		Linking Cord	VLLCO_A	As per Order
F		Safety Rod	PR-8531K12-15	1

LINEAR AMBIENT LIGHT INSTALLATION



CHAIN AMBIENT LIGHT INSTALLATION




Product

JECM - Part / Product Identification and What's Included





		JECMP06 & JECMP50	JECMS20	JECMS60	JECMS61
					
Ref.	Illustration	Quantities			
A	 Point B02-65003	6 or 50	2	6	0
B	 20" Stream B11-65006+20	0	1	0	0
	 OR 60" Stream B11-65006+60	0	0	1	10



POINT INSTALLATION




STREAM INSTALLATION



STREAM WITH TWO POINTS INSTALLATION


NOTE:

The points must be installed before the stream. Refer the point installation.




POSSIBILITIES

HORIZONTALLY ALONG THE BEAM




VERTICALLY ON POST




OR

OR

VERTICALLY BETWEEN TWO BEAMS



TOP VIEW




Section – Frame Structure and Screens

JFQ – Fully Segmented Post
JFH – Semi-Segmented Post
JFX – Transition Post

No. **1446**

Product



Posts - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Post	As per Order	1	
B	AND AND AND	15° Section Covers (Available with Power Post only) 30° Section Covers (Available with Power Post only) 90° Section Covers (Available with Power Post only)	A25-65017 A25-65016 A25-65015	2 2 3	X80-65026
C		Leveler	D06-50208	1	

Section – Frame Structure and Screens




JFQ – Fully Segmented Post

JFH – Semi-Segmented Post







JFX – Transition Post

No. 1446



COVER INSTALLATION




COVER APPLICATIONS




COVER REMOVAL




LEVELER




Product**JFA - Part / Product Identification and What's Included**

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Add-On Post	N80-65003 + XXX	1	
B		Hook Wrench	A15-65037	2	X80-65032
C		1.02 mm Thick Post Gasket	A15-65045	1	
		1.22 mm Thick Post Gasket	A15-65046	1	
		0.91 mm Thick Post Gasket	A15-65047	1	
		0.76 mm Thick Post Gasket	A15-65057	1	

ADD-ON POST INSTALLATION



Product



JFY


TOOLS REQUIRED:

4 mm Hexagonal Socket Key

JFY - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Beam	N80-65070 + XX	1	2x N80-65069
B		Post Insert	A25-65026	1	
C		Beam Linking Part	A25-65024	1	
D		M6 x 1 x 40 mm Hex Button Head Socket Cap Screw	E01-50743	1	

BEAM INSTALLATION



Reference Installation Guide:

No.1446 ie "Fully Segmented Post, Semi-Segmented Post, Transition Post JFQ, JFH, JFX"



For additional information on this installation contact Teknion | Roy & Breton **Technical Support**.**Issue Date: 2008 January 21**

(L04-65030_R00)




3

NOTE:
Must always be installed between two posts.




4

NOTE:
Screw is pre-installed in Beam slot.



BEAM POSITIONS




Section – Frame Structure and Screens

JFL – Service Beam
JFLD – Service Beam Door

No. 1449

Product



TOOLS REQUIRED:
Cross or Square Drive #1 and #3,
and 4 mm Hexagonal Socket Key

JFL and JFLD - Part / Product Identification and What's Included

		JFL_NP	JFL_P1	JFL_P2	JFLD_N	JFLD_P	Kit No. / Assy. No.
Ref.	Illustration	Quantities					N80-65067+XX (for JFL_NP only) or N80-65065+XX (for JFL_P1 only) or N80-65066+XX (for JFL_P2 only)
A	 Service Beam Canalisation Structure N80-65064+XX	1	1	1	0	0	
B	 Upper Hinge for Door A23-65038+XX	2	2	2	0	0	
C	 OR Service Beam Doors (No Power or Data Access) A23-65046+XX	2	1	0	1	0	
	 Service Beam Doors (Power and Data Access) A23-65040+XX	0	1	2	0	1	
D	 Base to Link Service Beam to Post A25-65023	2	2	2	0	0	
E	 #6 x 1/2" Quadrex Pan Head, Self-Drilling Screw, Zinc E04-50039	2	2	2	0	0	
F	 Rubber O-Ring E03-50962	2	2	2	0	0	
G	 Service Beam Linking Part A25-65027	1	1	1	0	0	2x N80-65068
H	 Post Insert A25-65026	1	1	1	0	0	
I	 M6 x 1 x 40 mm Hex Button Head Socket Cap Screw E01-50743	1	1	1	0	0	
J	 Rubber O-Ring E03-50962	1	1	1	0	0	

Continued on next page

Reference Installation Guide:

No.1446 ie "Fully Segmented Post, Semi-Segmented Post, Transition Post JFQ, JFH, JFX"

For additional information on this installation contact Teknion I Roy & Breton **Technical Support**.**Issue Date: 2013 May 27**

(L04-65033_R02)

Section – Frame Structure and Screens

JFL – Service Beam



JFLD – Service Beam Door

No. 1449

JFL and JFLD - Part / Product Identification and What's Included (continued)

		JFL_NP	JFL_P1	JFL_P2	JFLD_N	JFLD_P	
Ref.	Illustration	Quantities					Kit No. / Assy. No.
K	 Left Service Beam Cover A25-65033L	2	2	2	0	0	N80-50017 (2x If JFL_P2 is specified)
L	 Right Service Beam Cover A25-65033R	2	2	2	0	0	
M	 Cable Tray B02-50125	0	1	1	0	0	
N	 #12 x 3/4" Quadrex Pan Head, Wood Screw, Zinc E04-50017 (preinstalled on cable tray)	0	3	3	0	0	



SERVICE BEAM INSTALLATION



Section – Frame Structure and Screens

JFL – Service Beam
JFLD – Service Beam Door

No. 1449




NOTE: Apply pressure towards the post.

Section – Frame Structure and Screens

JFL – Service Beam
JFLD – Service Beam Door

No. 1449




7

NOTE:
Insert any electrical/data wiring now, then go to next step. For details see Lighting, Electrics & Communication instructions.

8



NOTE: Door must be open when installing covers.



Section – Frame Structure and Screens


JFL – Service Beam
JFLD – Service Beam Door

No. 1449




NOTE:
Repeat steps 6 to 10 for opposite side of Beam.


CABLE TRAY INSTALLATION



DOOR REPLACEMENT



NEW DOOR INSTALLATION




Section – Frame Structure and Screens




JCF – Fabric Inset Screen
JCR – Whiteboard Inset Screen
JCQ – Accessory Inset Screen

No. 1450

Product



JCF, JCR, and JCQ - Part / Product Identification and What's Included


		JCF	JCRWW	JCRWF	JCQAA	JCQAF
Ref.	Illustration	Quantities				
A	 Fabric Inset Screen N80-65090+XX+YY	2		1		1
	OR  Whiteboard Inset Screen N80-65092+XX+YY		2	1		
	OR  Accessory Inset Screen N80-65094+XX+YY				2	1
B	 Plastic Trim B11-65009+XX	1				

Section – Frame Structure and Screens

JCF – Fabric Inset Screen
JCR – Whiteboard Inset Screen
JCQ – Accessory Inset Screen

No. 1450

INSET SCREEN INSTALLATION



NOTE:


Repeat steps 2 and 3 for opposite side of Beam.


Section – Frame Structure and Screens

JCF – Fabric Inset Screen
JCR – Whiteboard Inset Screen
JCQ – Accessory Inset Screen

No. 1450

INSET SCREEN UNINSTALLATION




Product

JCL

JCL - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Laminate Inset Screen	JCLXXYY	1

LAMINATE INSET SCREEN INSTALLATION**NOTE:**

To uninstall the screen, remove the upper beam.

Reference Installation Guide:
No.1448 ie "Beam JFY"For additional information on this installation contact Teknion | Roy & Breton **Technical Support**.
Issue Date: 2008 January 21

(No1451-01)




EMS (ISO 14001)



QMS (ISO 9001)


Product




TOOLS REQUIRED:


Cross or Square Drive #3 and
4 mm Hexagonal Socket Key

JWN - Part / Product Identification and What's Included


Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A	OR  	Curved Countertop Worksurface	As per Order	1	
		Squared Countertop Worksurface			
B		Countertop Bracket	A25-65035	2	X80-65029
C		1/4" - 20 x 5/8" Quadrex Pan Head, Mechanical Screw, Black	E01-50403	8	
D		5/16" x 3/4" x 0.06 Flat Washer	E03-50004	8	
E		M6 x 1 x 14 mm Hex Button Head Socket Cap Screw, Zinc	E01-50705	2	
F		M6 Beam Insert	A15-65034	2	

COUNTERTOP INSTALLATION









COUNTERTOP POSSIBILITIES





OVER TWO POSTS



BETWEEN TWO POSTS



END OF RUN



Product



JFJ


TOOLS REQUIRED:

Cross or Square Drive #3 and
4 mm Hexagonal Socket Key

JFJ - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Table Bracket	N80-65088	1	
B		M6 x 1.00 x 60 mm Hex Button Head Socket Cap Screw	E01-50742	1	
C		M6 x 1.00 x 14 mm Hex Flat Head Socket Cap Screw, Zinc	E04-50702	2	
D		1/4\" - 20 x 5/8\" Quadrex Pan Head, Mechanical Screw, Black	E01-50403	2	X80-65023
E		#12 x 1 1/2\" Quadrex Pan Head, Wood Screw, Zinc	E04-50016	2	
F		#12 x 3/4\" Quadrex Pan Head, Wood Screw, Zinc	E01-50017	2	

TABLE BRACKET INSTALLATION



Reference Installation Guides:

No.1437 ie "Bench Worksurface JWJ"

No.1446 ie "Posts JFQ, JFH, and JFX"

No.1461 ie "Worksurfaces JWR, JWE, JWT, JWW, JWD, JWB, JWF, JWY, JWC, and JWK"

No.1462 ie "Worksurface JWA, JWX, and JWM"

For additional information on this installation contact Teknion I Roy & Breton **Technical Support**.

Issue Date: 2009 September 14


(L04-65025_R01)



EMS (ISO 14001)





QMS (ISO 9001)





5

BOTTOM VIEW



BOTTOM VIEW




Product**JFK****TOOLS REQUIRED:**

Cross or Square Drive #3 and
4 mm and 5 mm Hexagonal
Socket Key

JFK - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Cap	A02-65009	1	
		Adaptor	A23-65047	1	
B		Post Insert	A02-65004	2	X80-65021
C		M6 x 1.00 x 25 mm Hex Button Head Socket Cap Screw, Zinc	E01-50699	2	
D		Cantilever Linking Support	N80-65010	1	
E		Cantilever Linking Plate	A15-65005	1	
F		M8 x 1.25 x 25 mm Hex Button Head Socket Cap Screw, Zinc	E01-50692	2	
G		Sharing Bracket	A15-65048	2	X80-65022
H		1/4" - 20 x 5/8" Quadrex Pan Head, Mechanical Screw, Black	E01-50403	4	

CANTILEVER BRACKET INSTALLATION

Reference Installation Guides:

No.1446 ie "Posts JFQ, JFH, and JFX"

No.1461 ie "Worksurfaces JWR, JWE, JWT, JWW, JWD, JWB, JWF, JWY, JWC, and JWK"

No.1462 ie "Worksurface JWG, JWA, JWX, and JWM"

For additional information on this installation contact Teknion | Roy & Breton **Technical Support**.

Issue Date: 2008 January 21


(L04-65029_R00)




EMS (ISO 14001)



QMS (ISO 9001)






Product**JFM****TOOLS REQUIRED:**

Cross or Square Drive #3 and
4 mm Hexagonal Socket Key

JFM - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Beam Mounted Bracket	A25-65030	1
B		Beam Mounted Bracket Connector	A25-65029	1
C		M6 x 1 x 12 mm Hex Flat Head Socket Cap Screw, Black	E01-50744	2
D		1/4\" - 20 x 5/8\" Quadrex Pan Head, Mechanical Screw, Black	E01-50403	2
E		#12 - 3/4\" Quadrex Pan Head, Wood Screw, Zinc	E04-50017	3

BEAM MOUNTED WORKSURFACE SUPPORT INSTALLATION

Reference Installation Guides:

No.1448 ie "Beam JFY"

No.1449 ie "Service Beam and Service Beam Door JFL and JFLD"

No.1461 ie "Worksurfaces JWR, JWE, JWT, JWW, JWD, JWB, JWF, JWY, JWC, and JWK"

No.1462 ie "120° Triangular Corner Worksurface JWG"

For additional information on this installation contact Teknion | Roy & Breton **Technical Support**.

Issue Date: 2008 January 21


(L04-65026_R00)




EMS (ISO 14001)



QMS (ISO 9001)




Product**JFZ**

TOOLS REQUIRED:
Cross or Square Drive #2

JFZ - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A		Pedestal Supporting Bracket	C05-65001+XX	1	X80-65028
B		5 mm Shelf Support, White	E03-50961	2	
C		Double Face Tape	530253	4	
D		#8 - 1 1/2" Recex Pan Head, Wood Screw, Black	402101	2	

PEDESTAL MOUNTING BRACKET KIT INSTALLATION




Reference Installation Guides:


No.1461 ie "Worksurfaces JWR, JWE, JWT, JWW, JWD, JWB, JWF, JWY, JWC, and JWK"

For additional information on this installation contact Teknion I Roy & Breton **Technical Support**.**Issue Date: 2008 August 20**

(L04-65031_R01)





Product


JEJF

JEJF - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Service Beam Power Bar	JEJF	1


CAUTION: Remove all electrical power before unplugging cable.

SERVICE BEAM POWER BAR INSTALLATION






Reference Installation Guides:
No.1449 ie "Service Beam and Service Beam Door JFL, JFLD"

For additional information on this installation contact Teknion | Roy & Breton **Technical Support**.
Issue Date: 2008 January 21



SERVICE BEAM POWER BAR REMOVAL



Section – Lighting, Electrics & Communications



JEBA – Base Feed

JEST – Starting Power Harness

JEBT – Connecting Power Harness

No. **1458**

Product




JEBT

TOOLS REQUIRED:
4 mm Hexagonal Socket Key

Power Harness - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Base Feed	JEBA	1
B		Starting Power Harness	JEST	1
C		Connecting Power Harness	JEBT	1

POWER HARNESS INSTALLATION




Section – Lighting, Electrics & Communications

JEPL – Power Pole
JECF – Ceiling Feed



No. 1459

Product



TOOLS REQUIRED:
Cross or Square Drive #2, 1/8" and
4 mm Hexagonal Socket Key

JEPL - Part / Product Identification and What's Included

		JEPL02	JEPL08	JEPL10	
Ref.	Illustration	Quantities			Kit No. / Assy. No.
A	 Top Cap A25-65032	1	0	0	
B	 23" high Power Pole A23-65050	1	0	0	
C	 Power Pole – Base Section A23-65041	0	1	1	
D	 Power Pole – Middle Section A23-65042+1000	0	1	1	
E	 Power Pole – Top Section A23-65042+838 or A23-65042+1448	0	1	0	
		0	0	1	
F	 Mounted Bracket N80-61115 (kit)	0	1 (4 / kit)	1 (4 / kit)	
G	 23" high Power Pole Cover A23-65049	1	0	0	
H	 Power Pole Cover – Base and Middle Section A23-65048+1600	0	1	1	
I	 Power Pole Cover – Top Section A23-65048+838 or A23-65048+1448	0	1	0	
		0	0	1	
J	 Post Insert A02-65004	2	3	3	X80-65027 (for JEPL08 and JEPL10 only)
K	 M6 x 1 x 14 mm Hex Button Head Socket Cap Screw, Zinc E01-50705	2	3	3	
L	 Ceiling Plate A15-65068	0	2	2	

Continued on next page

JEPL – Power Pole
JECF – Ceiling Feed


JEPL - Part / Product Identification and What's Included (continued)

		JEPL02	JEPL08	JEPL10	
Ref.	Illustration	Quantities			Kit No. / Assy. No.
M	 Prong T-Nut D08-0002	0	2	2	X80-65027 (for JEPL08 and JEPL10 only)
N	 Tooth Washer D01-0076	0	2	2	
O	 #8 - 32 x 3/4" Slot/Square Pan Head, Mechanical Screw E01-0170	0	2	2	
	 #8 - 18 x 3/4" Quadrex Pan Head, Self-Drilling Screw, Zinc E01-0072	0	2	2	


CAUTION:
Installation should be supervised by a licensed electrician in accordance with applicable regulations.

Use of this product is subject to applicable regulations.


JECF - Part / Product Identification and What's Included





Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
P		Ceiling Feed	JECF	1

23" HIGH POWER POLE (JEPL02) INSTALLATION



96" and 120" HIGH POWER POLE AND CEILING FEED (JEPL08 and JEPL10) INSTALLATION










Section – **Lighting, Electrics & Communications**

JEPL – Power Pole
JECF – Ceiling Feed


No. **1459**





Product**JEBO**

TOOLS REQUIRED:
Cross or Square Drive #2

JEBO - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.
A		Distribution Box	JEBO	1
B		#8 x 2" Type A Quadrex Round Head, Wood Screw, Zinc	N/A	3

DISTRIBUTION BOX INSTALLATION



Section – Worksurfaces & Connectors

JWR – Rectangular Worksurface

JWE – Rectangular Bridge Worksurface

JWT – Transition Worksurface

JWW – Wave Worksurface

JWD – 120° Corner Worksurface

JWB – 120° Corner Worksurface with Keyboard Surface

JWF – 90° Offset Corner Worksurface


JWY – 90° Offset Corner Worksurface with Keyboard Surface

JWC – 90° Corner Worksurface

JWK – 90° Corner Worksurface with Keyboard Surface

No. 1461


Product




TOOLS REQUIRED:

Cross or Square Drive #2

All worksurfaces - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
A	OR  	Curved Worksurface or Squared Worksurface	As per Order	1	
B		Reinforcing Bar	A15-63177 +XX	1	X80-63012 +XX (All other worksurfaces)
C		#8 x 1" Recex Pan Head, Wood Screw, Black Oxyde	E04-50001	As per Order	or X80-63005 +XX (Seamless Color Worksurfaces only)

JWB, JWY, and JWK only - Part / Product Identification and What's Included

Ref.	Illustration	Description	Part No. / Prod. Code	Qty.	Kit No. / Assy. No.
D	OR  	Curved Keyboard Support or Squared Keyboard Support	As per Order	1	
E		Keyboard Mechanism	D12-50004	1	
F		#12 x 1" Screw for Keyboard Mechanism	N/A	20	

Reference Installation Guides:

No.1402 ie "Table Leg JFT"

No.1405 ie "Cantilever Foot JFF"

No.1453 ie "Table Bracket JFJ"

No.1454 ie "Cantilever Bracket JFK"

No.1455 ie "Beam Mounted Worksurface Support JFM"

No.1456 ie "Pedestal Supporting Bracket Kit JFZ"

For additional information on this installation contact Teknion I Roy & Breton **Technical Support.****Issue Date: 2008 January 21**


Section – Worksurfaces & Connectors

JWR – Rectangular Worksurface
 JWE – Rectangular Bridge Worksurface
 JWT – Transition Worksurface
 JWW – Wave Worksurface
 JWD – 120° Corner Worksurface


JWB – 120° Corner Worksurface with Keyboard Surface
 JWF – 90° Offset Corner Worksurface
 JWY – 90° Offset Corner Worksurface with Keyboard Surface
 JWC – 90° Corner Worksurface
 JWK – 90° Corner Worksurface with Keyboard Surface

No. 1461


KEYBOARD SUPPORT INSTALLATION



WORKSURFACE INSTALLATION



SUPPORT RAIL POSITION



Section – Worksurfaces & Connectors

JWR – Rectangular Worksurface

JWE – Rectangular Bridge Worksurface

JWT – Transition Worksurface

JWW – Wave Worksurface

JWD – 120° Corner Worksurface

JWB – 120° Corner Worksurface with Keyboard Surface


JWF – 90° Offset Corner Worksurface

JWY – 90° Offset Corner Worksurface with Keyboard Surface

JWC – 90° Corner Worksurface

JWK – 90° Corner Worksurface with Keyboard Surface

No. 1461





Section – Worksurfaces & Connectors

JWG – 120° Triangular Corner Worksurface
 JWA – Arched Extension Worksurface
 JWX – Rectangular Extension Worksurface
 JWM – Semi-Circular Extension Worksurface

No. 1462

Product



TOOLS REQUIRED:

Cross or Square Drive #2 and #3,
 and 3 mm Hexagonal Socket Key

JWG, JWA, JWX, and JWM - Part / Product Identification and What's Included

		JWGC JWGS	JWAC	JWXC JWS	JMC JMS		
Ref.	Illustration	Quantity				Kit No. / Assy. No.	
A	Curved Worksurface JWW_C	1	1	1	1		
	OR Squared Worksurface JWW_S	1	1	1	1		
B	Table Leg with Leveler (for Standard Worksurfaces) JFTLW or Table Leg with Leveler JFTLS (for Seamless Color Worksurfaces)	2	0	2	1		
C	M5 x 0.8 x 14 mm Hex Button Head, Socket Cap Screw, Zinc E01-50723	2	0	2	1		
D	1/4 - 20 x 5/8" Quadrex Pan Head, Mechanical Screw, Black E01-50403	4	0	4	2		
E	#12 - 1 3/4" Quadrex Pan Head, Wood Screw, Zinc E01-50012	8	0	8	4	This kit is included with Table Leg 1x X80-65001 (JWM only) or 2x X80-65001 (JWG and JWX only)	
	#12 x 3/4" Quadrex Pan Head, Wood Screw, Zinc (Use with Wrap Around Config. only) E04-50017	4	0	4	2		
F	Reinforcing Bar A15-63177+XX	1	0	1	1	X80-63012 +XX or X80-63005 +XX (Seamless Color Worksurfaces only)	
G	#8 - 1" Recex Pan Head, Wood Screw, Black Oxide E04-50001	As per Order	0	As per Order	As per Order		

Reference Installation Guides:

No.1402 ie "Table Leg JFT"

No.1405 ie "Cantilever Foot JFF"

No.1453 ie "Table Bracket JFJ"

No.1454 ie "Cantilever Bracket JFK"

No.1455 ie "Beam Mounted Worksurface Support JFM"

For additional information on this installation contact Teknion | Roy & Breton **Technical Support.**

Issue Date: 2008 January 21



Section – Worksurfaces & Connectors

JWG – 120° Triangular Corner Worksurface

JWA – Arched Extension Worksurface

JWX – Rectangular Extension Worksurface


JWM – Semi-Circular Extension Worksurface

No. 1462


Seamless Color Worksurfaces only - Part / Product Identification and What's Included

		JWGC JWGS	JWAC	JWXC JWXS	JWMC JWMS	Kit No. / Assy. No.
						
Ref.	Illustration	Quantity				This kit is included with Table Leg 1x X80-65024 (JWM only) or 2x X80-65024 (JWG and JWXS only)
	 Butterfly Plate A15-65058	2	0	2	1	
	 1/4 - 20 x 5/8" Quadrex Pan Head, Mechanical Screw, Black E01-50403	16	0	16	8	
	 1/4 - 20 x 1 1/2" Quadrex Round Hd., Mechanical Screw, Black E01-50651	4	0	4	2	
	 1/4 - 20 x 1" Quadrex Pan Head, Mechanical Screw, Black E01-50655	4	0	4	2	
	 #12 x 1 1/2" Quadrex Pan Hd., Wood Screw, Zinc (Use with Wrap Around Configuration only) E04-50016	8	0	8	4	
	 #12 x 3/4" Quadrex Pan Hd., Wood Screw, Zinc (Use with Wrap Around Configuration only) E04-50017	4	0	4	2	

WORKSURFACE INSTALLATION



SUPPORT RAIL POSITION



Section – Worksurfaces & Connectors

JWG – 120° Triangular Corner Worksurface
 JWA – Arched Extension Worksurface
 JWX – Rectangular Extension Worksurface
 JWM – Semi-Circular Extension Worksurface

No. 1462

