

Name

Oblique Argyle

Designer

Suzanne Tick

Style No.

4131

Collection

Unified Field

Use

Upholstery

Content


60% Acrylic,
21% Polyester,
19% Recycled Polyester

Abrasion


Wyzenbeek
65,000 double rubs

Environmental

Recycled Content
Chemical Finish Free
Heavy Metal Free
REACH Regulation
Compliant



Pink Champagne 4131-03




Scarlet Ochre 4131-04

LUUM

Oblique Argyle




Golden Slate 4131-06



Aubergine Olive 4131-05




Smoky Granite 4131-02



Salty Peppercorn 4131-01

Name	_____	Oblique Argyle
Style No.	_____	4131
Designer	Suzanne Tick	
Specification	Use: Upholstery Content: 60% Acrylic, 21% Polyester, 19% Post Consumer Recycled Polyester Weight: 26.43 oz per linear yard Width: 55" Pattern Repeat: 13.78" Horizontal, 24.21" Vertical Directional: Yes	
Finish	None	
Performance	Abrasion: ASTM D4157 Wyzenbeek 65,000 double rubs Breaking Strength: ISO 13934-1 Warp 251.79 lbf, 238.3 Fill lbf Seam Slippage: ISO 13936-1 Warp 73.3 lbf, Fill 40 lbf Colorfastness to Light: ISO 105-B02, Grade 6 Colorfastness to Crocking: ISO 105-X12, Wet Class 3-4, Dry Class 4-5 Pilling: ISO 12945 (Martindale), Class 5	
Flame Retardancy	Cal TB 117-2013, NFPA 260	
Maintenance	WS, Clean with either a water-based or solvent-based cleaning agent. Bleach Cleanable: 9% (10:1 Ratio), wipe with water after solution.	
Environmental	Recycled Content Chemical Finish Free Heavy Metal Free REACH Regulation Compliant	
Origin	Germany	
Dye lots may vary slightly from samples shown. Samples shown off the bolt. Due to directional nap, apply consistently.		



Graphic shows one full repeat.

Canada 877.705.LUUM luumtextiles.ca	USA 877.705.LUUM luumtextiles.com	International 919.464.2922 luumtextiles.com
--	--	--