


upstage

price & application guide

05.22.2023



teknion

update summary

Please be advised that information has been updated within the upStage Price & Application Guide. To highlight these updates, a summary has been created for your reference.

delisted

The following products have been removed from all relevant pages and software:

- Variable Privacy Desk Edge Screen - Fixed (HTNV)
- Variable Privacy Desk Edge Screen - Sliding (HTNW)

Please note, first orders for new products will be accepted on May 22, 2023. All software will also be updated by May 22, 2023. If you have any questions regarding the information enclosed, please contact your Teknion Customer Service Representative.





WHAT IS UPSTAGE 6

INDEX 16

APPLICATION GUIDE 21

PRICE & PRODUCT GUIDE. 229

what is upstage

inspiration

upStage is a furniture based system consisting of worksurfaces, storage, screens and accessories that drop into place and fit together. It is supported by a stage that houses power/data.




real furniture A truly unique structural solution, the staging unit integrates a full complement of desks, height-adjustable tables, cabinets, shelves, cubbies and screens and serves as a conduit for electrics. Every element simply moves into place and fits together, offering innumerable combinations and fresh design concepts for a dynamic and collaborative workplace.

creative freedom A rich material vocabulary gives designers an opportunity to be original and bold; to use color and texture to create a more varied and more inspiring work environment. upStage offers a myriad of options, including textiles and wood veneer, translucent and back-painted glass, perforated metal and a range of beautiful metal finishes.

user choices Offering an array of versatile furniture pieces, upStage gives users the ability to tailor the layout and configuration of their own workspace, the position and height of desks, cabinets, cubbies and screens. Equally, teams can create the workspace that works best for their project, moving tables and desks around and adjusting the level of privacy. As priorities change, upStage adapts.

components and features




stage

- The stage and simple Stage is the support structure for workstation configurations. Height-Adjustable Tables can be integrated into a Height-Adjustable Power Modules allowing the Leg of the table to be concealed, giving it a clean and integrated look. It can also be placed adjacent to the Stage
- The Stage incorporates Navigate Height Adjustable tables in a variety of configurations:
 - Both legs exposed
 - One leg concealed
 - Two legs concealed


storage

- upStage storage options include Hutch Stackers, Credenzas, Bookcases, Hinged Door Stackers, Lockers and Cubby Lockers to provide a unique workstation landscape



electrics

- Stage power can be accessed along the stage with Flexible Power Modules or on the worksurface with Access Doors or Rectangular Grommets
- Simple stage power is in fixed locations, it is accessed by a power box



screens

- A wide range of screens define space and offer varied degrees of visual privacy and functionality
- Functional Screens mount to the stage on and off-module and are available tackable, solid, metal, with accessory rail or whiteboard
- Glass add-on screens can be added to the Functional Screens to create height and a greater sense of enclosure
- Casual Screens are available as Desk Edge (Glass and Solid, Infinity & Framed), Stage Mounted or Lateral Screen in glass, tackable or solid




what is upstage

planning with upstage


upStage provides the functionality and flexibility of a panel system, but reinterprets how components are planned to give a real furniture look. The same criteria is met and provides new and exciting furniture layouts.

criteria: overhead & rethinking panels

panel system




upstage



planning with upstage (continued)


criteria: rethinking storage

spine planning



- 1 Stack-on Storage
- 2 Glazing
- 3 Primary worksurface
- 4 File Storage
- 5 Open Storage
- 6 Guest Seating
- 7 Accessories

upstage




- 1 Back to back storage cabinets mount into the Stage
- 2 Casual glass screen mounted to the stage provide translucent space division
- 3 Worksurfaces mount to the stage
- 4 Elevated credenzas and stage credenzas provide shared or individual storage and can be placed beside or below the stage to create more open space in the workstation
- 5 Open cubbies in stackers and credenzas provide storage and provide a light and airy feel to a workstation
- 6 Cushion can be placed on elevated storage stages to provide guest seating
- 7 Accessories are designed to fit into cubbies to provide storage for small items

planning with upstage (continued)


Criteria: Adding Light & Rethinking Storage

storage spine



- 0 Storage Spine
- 1 Hinged door Storage
- 2 Open Storage
- 3 Casual Screens
- 4 Mounted Worksurface
- 5 Tackable Surface
- 6 File Storage

upstage



- 0 The stage provides support for storage worksurfaces and routes power through a workstation
- 1 Unique locker formats allow for hinged storage
- 2 Cubbies provide open storage for small items
- 3 Casual screens mount to worksurfaces to provide privacy
- 4 Worksurfaces mount to hutches to allow for "Zero footprint" planning
- 5 Hutches can accommodate tackboards or they can mount to the back of stacking storage or lockers
- 6 File storage is provided with file drawers and accessories

upstage assets

Teknion offers a variety of assets to help better understand upStage and all that it can do.

Go to www.teknion.com to review all of the assets shown below.

what is upstage

idea starters

The following layouts are available on the **Teknion Planning Tool**.

idea starters

introduction

where to find the information you need

Teknion provides an array of tools and information resources to help you get things done simply and easily. From product pricing to application guidelines to online planning suggestions, you will find what you need when you need it.

guide contents

This guide contains all the information you need to order this product through your specification software. The Introduction section provides everything you need to get started, including an index for product reference. The Application Guide section contains detailed specification guidelines, application and planning information to help you plan your project correctly. The Price Guide sections provide detailed pricing and specification information by product type. Available online at www.teknion.com.

where to find the information you need

All Teknion marketing materials are available online at www.teknion.com, including:

price & product guide

application guide

planning tool

installation guides

fabrics & finishes

product photography & drawings

weights & volumes

order forms

warranty/terms & conditions of sale

xpress program guide

teknion forms

The following forms are available online at www.teknion.com, to help you specify and place your order if required:

teknipaint

If you require a custom paint color match, you must submit a TekniPaint form.

using your own material (COM)

If you wish to use your own material on fabric-covered products, you must submit a completed COM form including a sample upholstery and safety testing. A COM Order Information Sheet must also be submitted. This form captures all relevant ordering and tracking information. A COM Request for Yardage Calculation form may be sent to Teknion for preliminary yardage requirements.

placing a manual order

Complete an Order Cover Sheet with the information we need to fill your order. This is the most important step. If the Order Cover Sheet is not complete and correct, the order may be delayed.

key requirements

If you require that certain pieces share the same locks you will need to specify Set of Keys Alike (SOKL) located in the Price and Product Guide.

user feedback

How is our marketing material working for you?

Feedback from the user is very important to the quality of Teknion's marketing material. We ask that if you have suggestions on how you think we could improve content OR if you have found an error, that you contact your Teknion Technical Services department.

index

Section Contents	Product Code	Page No.
WHAT IS UPSTAGE		
Inspiration		6
Components and Features		7
Planning with upStage		8
upStage Assets		11
Idea Starters		12
INTRODUCTION		
Where to find the information you need		15
APPLICATION GUIDES		
Understanding Application Guide Pages		23
STAGE		
Understanding Stages		26
Standard Stage Basics		28
Planning with Standard Stages		29
Understanding Standard Stage Electrics		31
Standard Stage Power Entry Basics		32
Planning with Standard Stage Power Entry		33
Understanding Standard Stage Data/Communications		34
Standard Stage Power Distribution Basics		36
Planning with Standard Stage Power Distribution		37
Simple Stage Basics		38
Planning with Simple Stages		39
Understanding Simple Stage Electrics		42
Simple Stage Power Entry Basics		43
Planning with Simple Stage Power Entry		44
Understanding Simple Stage Data/Communications		46
Simple Stage Power Distribution Basics		47
Planning with Simple Stage Power Distribution		48
Power Conservation System Basics		49
Planning with Power Conservation System		50
WORKSURFACES & SUPPORTS		
Understanding Worksurfaces		54
Worksurface Basics		56
Tables Basics		57
Planning with Worksurfaces		58
Worksurface Power Access Basics		63
Wire Management Basics		64
Planning with Worksurface Power Access		65
Wiring Systems		68
Worksurface Grain/Pattern Direction		69
Worksurface Supports & Accessory Basics		70
Planning with Worksurface Supports		71
HEIGHT-ADJUSTABILITY		
Understanding Height-Adjustable Tables		80
upStage Navigate Height-Adjustable Table Basics		82
upStage hiSpace Height-Adjustable Tables Basics		84
Planning with upStage Height-Adjustable Tables		86
Stage Module for Height-Adjustable Table Basics		91
Planning with Stage Module for Height-Adjustable Tables		92

Section Contents	Product Code	Page No.
Stage Module for Height-Adjustable Table Power Distribution Basics		95
Planning with Stage Module for Height-Adjustable Table Power Access		96
Credenza for Height-Adjustable Table Basics		98
Planning with Credenzas for Height-Adjustable Tables		99
SCREENS		
Understanding Screens		108
Casual Screen Basics		110
Planning with Casual Screens		111
Desk Edge Screen Basics		113
Planning with Desk Edge Screens		117
Desk Edge Floor Screen Basics		124
Planning with Desk Edge Floor Screens		125
Desk Edge Screens with Glass Basics		126
Planning with Desk Edge Screens with Glass		127
Modesty Screen Basics		128
Solid Lateral Screen Basics		129
Planning with Solid Lateral Screens		130
Solid Corridor Screen Basics		132
Planning with Solid Corridor Screens		133
Lateral Screen Basics		136
Functional Screen Basics		137
Planning with Functional Screens		139
HUTCH STACKERS & ACCESSORIES		
Understanding Hutch Stackers		144
Hutch Stackers Basics		146
Planning with Hutch Stackers		147
Hutch Stackers with Sliding Door Basics		148
Planning with Hutch Stackers with Sliding Door Overhead		149
Planning with Hutch Stackers & Hutch Stackers with Overhead		150
Hutch Stackers Finishes		154
Hutch Stackers with Sliding Door Overhead Finishes		155
Hutch Accessory Basics		156
Hutch Fascia Add-Ons Basics		157
Planning with Fascia Add-Ons		158
Elevated Hutch Basics		160
Planning with Elevated Hutches		161
Elevated Hutch & Lateral Tower Finishes		162
STORAGE		
Understanding Credenzas		166
Stage Credenzas Basics		168
Planning with Stage Credenzas		169
Elevated Credenzas Basics		170
Planning with Elevated Credenzas		171
Pedestal Basics		172
Credenza Finishes		173
Bookcase Basics		175
Planning with Bookcases		176
Bookcase Finishes		179
Variable Bookcase Finishes		180

index

Section Contents	Product Code	Page No.
Hinged Door Stacker Basics		181
Planning with Hinged Door Stackers		182
Hinged Door Stacker Finishes		183
Locker Basics		184
Planning with Lockers		185
Locker Finishes		186
Storage Support Basics		187
Lateral Tower Basics		188
Planning with Lateral Towers		189
Side Filer & Mini Side Filer Basics		192
Planning with Side Filers & Mini Side Filers		193
Planning with Side Filers		194
Planning with Mini Side Filers		195
Planning with Side Filer, Mini Side Filer & USB Power		196
Storage Cube Basics		198
Planning with Storage Cube		199
STORAGE ACCESSORIES		
Accessory Basics		202
Planning with Accessories		203
Storage Fascia Add-On Basics		206
Planning with Storage Fascia Add-On		207
Accessory Bundle Basics		208
Planning with Accessory Bundles		209
Hutch Stacker Lock Chart		210
Credenza Lock Chart		211
Hinged Door Stacker Lock Chart		210
Locker lock Chart		215
Grain Direction		216
Drawer & Opening Sizing Chart		219
Filing Capabilities		226
STAGE		
Beginning Stage	HTBB	234
Middle Stage	HTBM	236
Finish Stage	HTBF	238
Complete Stage	HTBC	240
Stage Center Support	HTBS	243
Beginning Simple Stage	HTDB	244
Middle Simple Stage	HTDM	246
Finish Simple Stage	HTDF	248
Complete Simple Stage	HTDC	250
Simple Stage Center Support	HTDS	252
Stage Accessory Beam Cover	HTBR	253
Stage Connector	HTBA	254
Stage Grommet	HTBG	255
WORKSURFACES & SUPPORTS		
Parallel Worksurface	HTWR	260
Perpendicular Worksurface	HTWP	264
Perpendicular with Radius Corner Worksurface	HTWH	268
Dual Perpendicular Worksurface	HTWV	272

Section Contents	Product Code	Page No.
Dual Perpendicular with Radius Corner Worksurface	HTWW	274
End Worksurface	HTWG	276
End with Radius Corners Worksurface	HTWZ	277
Interpret Style Table	HTWT	277
Interpret Style Radius Corner Table	HTWU	280
Interpret Style Leg	HTWN	282
Interpret Style Mono Leg	HTWM	283
Y Table	HTWE	284
Y Table Radius Corner	HTWX	285
Y Leg	HTWD	286
Stage to Worksurface Support	HTWQ	287
Storage Back to Worksurface Support	HTWS	288
Credenza to Worksurface Support	HTWC	289
Stage to Dual Worksurface Support Kit	HTWB	290
End Worksurface Support Kit	HTWJ	292
Hutch to Worksurface Support	HTWF	293
Worksurface Support Wire Manager	HTWY	294
Flush Plate	HTWA	295
Worksurface Reinforcement Channel	UNRC	296
HEIGHT-ADJUSTABILITY		
Single Stage Module for Height-Adjustable Table	HTBH	302
Double Stage Module for Height-Adjustable Table	HTBD	303
Navigate Height-Adjustable Built-In Base	YGU <small>One Table One Plug</small>	304
Navigate Height-Adjustable Built-in Gable Base	YVU <small>One Table One Plug</small>	306
hiSpace Height-Adjustable Built-in Base with Quick Connect	YSU	308
Rectangular Height-Adjustable Worksurface, Gable	WBU	310
Rectangular Height-Adjustable Worksurface with Radius Corners	WJU	314
hiSpace Rectangular Height-Adjustable Worksurface	WBA	316
hiSpace Rectangular Height-Adjustable Worksurface with Radius Corner for Quick Connect	WJB	317
Double Credenza for Height-Adjustable Table	HTSCC	318
Triple Credenza for Height-Adjustable Table	HTSCT	320
Height-Adjustable Integrated Double Credenza	HTSCD	322
Height-Adjustable Integrated Triple Credenza	HTSCP	324
CASUAL SCREENS		
Casual Glass Screen	HTNX	332
Casual Solid Screen	HTND	333
Casual Thick Solid Screen	HTNJ	334
Casual Thick Solid Screen with Glass	HTNK	336
Casual Infinity Screen	GXAU	338
Casual Fabric Screen	HTNB	340
Glass Desk Edge Screen	HTNG	341
Solid Desk Edge Screen	HTNS	342
Infinity Curved Desk Edge Screen	GXCU	346
Infinity Desk Edge Screen	GXDU	350
Quilted Infinity Desk Edge Screen	GQDU	364
Infinity Side Desk Edge Screen	GXSU	366

index

Section Contents	Product Code	Page No.
Fabric Desk Edge Screen	HTNF	370
Framed Fabric Side Desk Edge Screen	GYSU	374
Infinity Desk Edge Floor Screen	GXFU	378
Infinity Side Desk Edge Floor Screen	GXEU	384
Infinity Screen Alignment Clip	GXCC	381
Framed Fabric Desk Edge Floor Screen	GYFU	382
Framed Fabric Side Desk Edge Floor Screen	GYEU	384
Desk Edge Screen with Glass	GVGU	386
Modesty Screen	HTNN	388
Solid Lateral Screen	HTNL	390
Solid Lateral Screen with Glass	HTNA	394
Solid Corridor Screen	HTNC	399
Solid Corridor Screen with Glass	HTNE	400
Glass 6mm Lateral Screen	GNGU	402
Glass 10mm Lateral Screen	GNTU	403
Writeable Glass Lateral Screen	GNWU	404
Solid Lateral Screen	GNSU	374
Writeable Laminate Lateral Screen	GMLU	406
Infinity Lateral Screen	GNXU	407
Smooth Felt Lateral Screen	GNZU	408
Framed Fabric Lateral Screen	GNYU	409
Metal Lateral Screen	GNMU	410
FUNCTIONAL SCREENS		
Functional Screen Frame	HTCF	414
Top Trim	HTCT	415
Top Trim for Glass Add-On	HTCG	416
End Trim	HTCE	417
Fabric Fascia	HTCR	418
Whiteboard Fascia	HTCW	420
Accessory Fascia	HTCA	421
Fascia Post Kit	HTCK	422
Glass Add-On Screen	HTCL	423
Screen Connector	HTCC	424
HUTCH STACKERS & ACCESSORIES		
Open Through Hutch Stacker	HTSHN	430
Open Through Hutch Stacker with		
Sliding Door Overhead	HTSHNK	434
Solid Back Hutch Stacker	HTSHS	436
Solid Back Hutch Stacker with Sliding Door Overhead	HTSHSK	438
Glass Back Hutch Stacker	HTSHG	440
Glass Back Hutch Stacker with Sliding Door Overhead	HTSHGK	444
Perforated Hutch Stacker	HTSHP	448
Perforated Hutch Stacker with Sliding Door Overhead	HTSHPK	450
Elevated Hutch Stacker	HTSHE	452
Hutch Fascia Add-On	HTAH	454
Hutch Overhead Fascia Add-On	HTAV	460
Hutch Accessory	HTHA	462

Section Contents	Product Code	Page No.
STORAGE		
Bookcase Stacker	HTSB	470
Solid Door Bookcase Stacker	HTSBS	472
Fascia Door Bookcase Stacker	HTSBF	474
Writable Door Bookcase Stacker	HTSBW	478
Variable Bookcase Stacker	HTSBV	480
Single Solid Hinged Door Stacker	HTSSS	482
Single Writable Hinged Door Stacker	HTSSG	486
Shared Solid Hinged Door Stacker	HTSSD	488
Shared Writable Hinged Door Stacker	HTSSP	490
Stage Single Credenza	HTSCJ	491
Stage Double Credenza	HTSCW	492
Stage Shared Double Credenza	HTSCU	494
Stage Triple Credenza	HTSCZ	496
Stage Shared Triple Credenza	HTSCV	498
Elevated Double Credenza	HTSCY	500
Elevated Triple Credenza	HTSCX	504
Elevated Shared Double Credenza	HTSCR	506
Elevated Shared Triple Credenza	HTSCQ	508
Lockers	HTSL	510
Cubby Lockers	HTSLC	512
Mobile Pedestal	HTSM	514
Lateral Tower	HTST	516
Side Filer	HTSFT	518
Mini Side Filer	HTSFS	522
Storage Cube	HTAB	524
STORAGE ACCESSORIES		
Bookcase Fascia Add-On	HTAN	530
Hinged Door Stacker Fascia Add-On	HTAZ	534
Stage Spacer Block	HTAS	536
Variable Bookcase Bookend	HTAD	537
Cushion	HTAC	538
Horizontal Filing Insert	HTAF	539
Mobile Cubby Tray	HTAT	540
Mini Tray Organizer	HTAG	541
Accessory Bundle	HTAK	542
Side Filer Boot Tray	HTAR	543
ELECTRICS		
Base Feed	HTEBF	549
Split Base Feed	HTEBS	550
Chicago Base Feed	HTEBC	551
Base Feed Cover	HTEFB	552
Ceiling Feed	HTECF	553
Chicago Ceiling Feed	HTECC	554
Power Harness	HTEBH	555
Flexible Power Module	HTEFP	556
Chicago Power Module	HTEFC	558
Simple Stage Power Box	HTEFS	559

Section Contents	Product Code	Page No.
Multi-Circuit Desk Power Module	HTEM	560
Chicago Power Box for Height-Adjustable Stage Module	HTEPMC	561
Chicago Desk Power Module	HTEMC	562
Power Module for Height-Adjustable Stage	HTEPM	563
Communication Box	HTECB	564
Power Pole	HTEL	565
Access Door for Multi-Circuit Desk	HTEA	566
Rectangle Grommet	HTEG	567
Multi-Circuit Desk Housing	HTEH	568
I-Connector	HTEJIC	569
Four-Way Splitter	HTEJDB	570
Wire Clips	HTEW	571
Worksurface Cable Tray	HTET	572
Receptacle Outlet	HTERO	573
Simple Stage Power Cover	HTEK	574
Data Extender Plate	HTEEE	575
Simple Stage Data Cover	HTEZ	576
Chicago Junction Box	HTEX	577
International Stage Mount Kit	VES	578
Power Conservation System	HTEPC	579
CALA Power Module	VBCU	580
CALA Jumper Power Harness	VBPH	581
CALA Power In Feed	VBPU	582
CALA Power Station	VBWB	583

application guide

application guide

UNDERSTANDING APPLICATION GUIDE PAGES	23
STAGE	25
WORKSURFACE & SUPPORTS	53
HEIGHT-ADJUSTABILITY	79
SCREENS	107
HUTCH STACKERS & ACCESSORIES	143
STORAGE	165
STORAGE ACCESSORIES	201

understanding application guide pages


This application guide will include the following types of pages.

application guides

understanding stages

The Stage provides a spine for workstation configurations. It routes power and data and provides support for storage and worksurfaces.

standard stage
Available with flexible electric to provide maximum flexibility in a workstation




understanding pages

Used to describe the intent and common features of a group of products.

application guides

standard stage basics

Beginning, Middle and Finish Stages are combined to create workstation spines. Complete Stages are used for single stage applications when combining with the Stage Module for Height-Adjustable Tables.



- Provides a base structure to support worksurfaces, storage and screens and to route power and data
- Width: 48" - 96" in 6" increments
- Height: 21"
- Depth: 16"
- Optional Accessory Braces available
- Single or Double Sided Power and Data is accessed through flip-down doors
- Single Sided electric should only be used in applications where the stage is up against the wall. When Single Sided is placed in a corridor application, Stage hardware will be visible.

Stage Finish:
Screen Lamination, Fiberglass and Natural Veneer
Metal Finish:
Foundation, Mica and Accent colors

basics pages


Used to describe the details of each individual product including:

- Product codes
- Dimensions
- Options
- Features
- Links to the price page

application guides

planning with standard stages


The following should be considered when planning with Stages.



Beginning Stage
Used only at the beginning of a base structure and must be connected to a Middle Stage or a Finish Stage. One Beginning Stage is required on all configurations.

Middle Stage
Used only in the middle of a base structure and must be connected to a Beginning Stage on one side and either a second Middle Stage or a Finish Stage on the other. It is recommended that maximum length of a Stage run should not exceed 32'-0". For example, four stages at 8'0" long) due to leveling stages of the stage.

Finish Stage
Used only at the end of a base structure and must be connected to a Beginning Stage or a Middle Stage. One Finish Stage is required on all configurations.



Complete Stage
Complete Stages do not attach to Beginning, Middle or Finish Stages, they are intended to be used as single units only or attached to stage modules for height adjustable tables. If nonadjacent and non-Complete Stages need to be attached to each other, the Stage Connector (STTK) must be specified.

planning pages

Used to outline the rules and restrictions that should be considered when planning with products.

stage

stage


UNDERSTANDING STAGES	26
STANDARD STAGE BASICS	28
PLANNING WITH STANDARD STAGES	29
UNDERSTANDING STANDARD STAGE ELECTRICS	31
STANDARD STAGE POWER ENTRY BASICS	32
PLANNING WITH STANDARD STAGE POWER ENTRY	33
UNDERSTANDING STANDARD STAGE DATA/COMMUNICATIONS	34
STANDARD STAGE POWER DISTRIBUTION BASICS	36
PLANNING WITH STANDARD STAGE POWER DISTRIBUTION	37
SIMPLE STAGE BASICS	38
PLANNING WITH SIMPLE STAGES	39
UNDERSTANDING SIMPLE STAGE ELECTRICS	42
SIMPLE STAGE POWER ENTRY BASICS	43
PLANNING WITH SIMPLE STAGE POWER ENTRY	44
UNDERSTANDING SIMPLE STAGE DATA/COMMUNICATIONS	46
SIMPLE STAGE POWER DISTRIBUTION BASICS	47
PLANNING WITH SIMPLE STAGE POWER DISTRIBUTION	48
POWER CONSERVATION SYSTEM BASICS	49
PLANNING WITH POWER CONSERVATION SYSTEM	50

understanding stages

The Stage provides a spine for workstation configurations. It routes power and data and provides support for storage and worksurfaces.

standard stage

Available with flexible electrics to provide maximum flexibility in a workstation



simple stage


Provides a more economical solution for a stage when flexible electrics are not required

- Electrical is in fixed locations
- Can be linked to the standard stage



understanding stages (continued)


standard stage



The standard stage consists of the following components:

- 1 Stage Surface for supporting worksurfaces, storage & hutches
- 2 Accessory Beam (optional) for mounting screens
- 3 Rail Cover (optional) for covering the exposed sections of the Accessory Beam
- 4 Data/Communication Cut Out to accept voice/Data Faceplates with a size of 2.71" x 1.38" (69mm x 35mm)
- 5 Cables management clips providing cable weight to both the exterior and interior of the stage Structure
- 6 Flip Down door for canaling power and data cord
- 7 Power Rail to support Flexible power Module
- 8 End Gable for supporting the ends of a stage
- 9 Infeed Grommet (optional) for routing harnesses
- 10 Levelers for leveling the stage (+2" -2")

simple stage




The simple stage consists of the following components:

- 1 Stage Surface for supporting worksurfaces, storage and hutches
- 2 Accessory Beam (optional) for mounting screens
- 3 Rail Cover (optional) for covering the exposed sections of the Accessory Beam
- 4 Data/Communication Cut-Out to accept voice/Data Faceplates with a size of 2.71" x 1.38" (69mm x 35mm)
- 5 End Gable for supporting the ends of a stage
- 6 Infeed Grommet (optional) for routing harnesses
- 7 Levelers (+2" -2")


standard stage basics

Beginning, Middle and Finish Stages are combined to create workstation spines. Complete Stages are used for single stage applications when combining with the Stage Module for Height-Adjustable Tables.




- Provides a base structure to support worksurfaces, storage and screens and to route power and data
- Widths: 48" - 96" in 6" increments
- Height: 21"
- Depth: 16"
- Optional Accessory Beam available
- Single or Double Sided Power and Data is accessed through flip down doors
- Single Sided electrics should only be used in applications where the stage is up against the wall. When Single Sided is placed in a corridor application, Stage hardware will be visible

Stage Finishes:
Source Laminate, Flintwood and Natural Veneer
Metal Finishes:
Foundation, Mica and Accent colors




Beginning Stage (HTBB)

- Includes one End Gable and one Mid Gable
- Infeed Grommet available for exterior base feed or power pole entrance




Middle Stage (HTBM)

- Includes one Mid Gable



Finish Stage (HTBF)

- Includes one End Gable
- Infeed Grommet available for exterior base feed or power pole entrance




Complete Stage (HTBC)

- Includes two End Gables
- Infeed Grommet available on one or both sides for exterior base feed or power pole entrance



Stage Center Support (HTBS)

- Used for additional support on Stages wider than 72"
- Must be mounted in the center location



Stage Accessory Beam Cover (HTBR)

- Used to conceal the exposed portion of the optional Accessory Beam when screens are not being used
- Available in widths of 48" - 96" in 6" increments
- Can be cut on site



Stage Connector (HTBA)

- Used to connect two Complete Stage End Gables together if Stages are reconfigured




Stage Grommet (HTBG)

- Stages are available with an option for a Grommet and Cover at time of order. The Grommet Cover is only ordered when an additional infeed is required on site
- Specified on Beginning, End and Complete Stages


planning with standard stages

The following should be considered when planning with Stages.




Beginning Stage

Used only at the beginning of a base structure and must be connected to a Middle Stage or a Finish Stage. One Beginning Stage is required on all configurations.




Middle Stage

Used only in the middle of a base structure and must be connected to a Beginning Stage on one side and either a second Middle Stage or a Finish Stage on the other. It is recommended that maximum length of a Stage run should not exceed 32'-0". (For example, four stages at 96" long) due to leveling ranges of the stage.



Finish Stage

Used only at the end of a base structure and must be connected to a Beginning Stage or a Middle Stage. One Finish frame is required on all configurations.




Complete Stage

Complete Stages do **not** attach to Beginning, Middle or Finish Stages, they are intended to be used as single units only or attached to stage module for height-adjustable tables. If reconfigured and two Complete Stages need to be attached to each other, the Stage Connector (HTBA) must be specified.


stage support

Stages greater than 72" wide require additional support. Support is provided by either the Stage Center Support (HTBS) or any Stage Credenzas .

On 72" wide Stages that support large amounts of storage and there is no Stage Credenzas underneath, it is recommended that the Stage Center Support (HTBS) be specified for additional support.



The Stage Center Support is installed in the middle of the stage to provide necessary support.




A Stage Credenza meets the underside of the stage to provide support. It can be located anywhere along the stage (See *Storage* section for Credenza info).


planning with standard stages (continued)

accessory beam

An optional 1-3/4" wide Accessory Beam can be specified on the stage for mounting Screens.




Screens must mount onto an Accessory Beam. Storage can be used on a Stage with an Accessory Beam, the beam will not obstruct the storage.



When specifying Stack on Storage only, no Accessory Beam is required.


stage connector

The Stage Connector (HTBA) is used when existing Complete Stages are being attached together. All other Stages come with the required attachment brackets.




grain direction

The grain direction will always run the length of a stage.




leveling

To ensure a level Stage, the maximum number of suggested spine structures should not exceed four. Maximum leveling capabilities for each Stage are +2" and -1".




understanding standard stage electrics


upStage power is distributed through the Stage using a Power Harness and Four-Way Splitters and is accessed with a Flexible Power Module that allows power to be positioned exactly where it is required.




1 Base Feed power enters the stage through a Base Feed cover at the End Gable and connects to a Four-Way Splitter. Power can also enter the stage through a Ceiling Feed and Power Pole.




2 Four-Way Splitters mount in the center of every Stage to accept Power Harnesses and Flexible Power Modules. It can route power in four directions.



3 Power Harnesses route power from a Four-Way Splitter to connecting Stages. Interior clips allow for wire management. These clips are designed to support Data/Connecting Cords. The Power Harnesses gets routed through interior clips.



4 Flexible Power Module mounts to the stage for easy access to power and can be moved anywhere along the length of the spine. The Cable routes to a Four-Way Splitter.



standard stage power entry basics

Power can enter a Stage through either a Base Feed or a Ceiling Feed.



Ceiling Feed (HTECF)

- Routes power from the ceiling to the workstation
- Wire systems:
 - 8-Wire Isolated Ground (8T)
 - 7-Wire Non Isolated Ground (7T)
 - 8-Wire Dual Isolated (8K)
 - 7-Wire Dual Non Isolated (7K)
- Used with the Power Pole (HTEL)
- Available 120" and 144" long



Chicago Ceiling Feed (HTECC)

- Required for the city of Chicago electrical code requirements
- Used with the Power Pole (HTEL)
- Available 120" and 144" long




Power Pole (HTEL)

- Routes a Ceiling Feed and Data Cables from the ceiling to the workstation
- Available in 96", 120" and 144" high
- Finishes available are Foundation, Mica and Accent colors




Base Feed (HTEBF)

- Routes power from the floor into the stage, then on a Four-Way Splitter
- Wire systems:
 - 8-Wire Isolated Ground (8T)
 - 7-Wire Non Isolated Ground (7T)
 - 8-Wire Dual Isolated (8K)
 - 7-Wire Dual Non Isolated (7K)
- Available (For Stage modules less than 60" or 66" or more)
- When For Stage Module 66" or more option is selected, base feed will come with additional I-Connector and Short Harness to reach the required length




Split Base Feed (HTEBS)

- Routes power from the floor into the stage, then to a Four-Way Splitter and is wired into the building power source in two locations for New York City wiring restrictions
- Wire systems:
 - 8-Wire Isolated Ground (8T)
 - 7-Wire Non Isolated Ground (7T)
 - 8-Wire Dual Isolated (8K)
 - 7-Wire Dual Non Isolated (7K)
- Available 72" long



Chicago Base Feed (HTEBC)

- Required for the city of Chicago electrical code requirements
- Available 72" long



upStage CALA Power In feed (VBPU)

- Routes power from the floor into the stage in CALA applications
- Length: 1800mm
- Country of Installation:
 - Argentina
 - Brazil
 - Chile




Base Feed Cover (HTEFB)

- Used to route Base Feed and Data Cables into a workstation from the floor
- Applications available are Interior, Mid or Exterior of Stage
- Finishes available are Foundation, Mica and Accent colors


planning with standard stage power entry

The following should be considered when planning with upStage power entry.


power poles



Power Poles mount to the outside of the Stage End Gable only in order to route power and data from the ceiling.



When using a Power Pole, the stage with an Infeed Grommet must be specified to allow power to enter the stage.





The Power Pole protrudes 2" beyond the stage gable.

base feed cover



Mounts to either the outside of an End Gable or the inside of a Mid or End Gable.

Interior and Mid application



Outside application



If mounting to the outside of the stage the Infeed Grommet must be specified.



The Base Feed cover will protrude 2" beyond the base.




The Base Feed is available in two sizes:

- For stages 60" or less and 66" or more
- The width of the stage determines which option is required
- When used with a Stage that is 60" wide or less, the Harness connects directly to the first Four-Way Splitter
- When used with a Stage that is 66" wide or wider, the Harness is complete with an I-Connector and extension Harness which allows it to reach the first Four-Way Splitter


understanding standard stage data/communications

The Stage provides various locations for both the Power Harness cable and data cables to be routed within the interior of the Stage.




- 1 Flexible Power Module entry location into the interior of the stage structure
- 2 Upper clips are used to house Harness cables for Flexible Power Module
- 3 Opening for Data Plate
- 4 Lower clips are used to house Data cables
- 5 Data cable entry location from the exterior of the stage


The stages provide various locations that both the Power Harness cables can be routed from the Flexible Power Module through to the Four-Way Splitter within the interior of the stage. Data cables can enter and exit the stage interior on both ends and the center of the stage. Clips for both are provided along the stage exterior to allow Data and Power Harness cables to be routed separately through to the interior of the stage.




Power Harness cables are routed through designated Cut Out locations to maximize user adjustment.




Data Cables are routed from the Exterior of the Stage down to the Data Plate through designated clips.



understanding standard stage data/communications (continued)



Above is the recommended installation of the attached Power Harness cable from the Flexible Power Module through the designated Cut Out locations in the stage structure to allow for maximum user adjustment. If the Power Harness cable is routed through the open channel not in the designed location of in the stage structure then the placement range of the Flexible Power Module will be limited to individual metal Cut Out locations instead of the complete Stage.



If the Power Harness cable is routed through the open channel not in the designed location of in the stage structure then the placement range of the Flexible Power Module will be limited to individual metal Cut Out locations instead of the complete Stage.

standard stage power distribution basics

Power is distributed through the Stage with Power Harnesses and accessed with Flexible Power Modules.



Flexible Power Module



Power Harness (HTEBH)

- Routes power through the stage by connecting to a Four-Way Splitter or I-Connector
- Wire system available:
 - 8-Wire Isolated Ground (8T)
 - 8-Wire Dual Isolated (8K)
- Lengths: 24" - 144" in 12" increments



Chicago Power Module (HTEFC)

- Mounts anywhere along the stage to provide power for Chicago applications
- Cable length is 24", 36" and 48" and specified half the width of the stage for maximizing flexibility
- Standard 15 Amp and T-Slot 20 Amp available
- Includes one Power Module and two Data openings
- Data covers will always be Platinum (receptacles will have to be specified separately)
- Finishes: Gris and Very White



I-Connector (HTEJIC)

- Used to join two harnesses when a single harness is not long enough



Four-Way Splitter (HTEJDB)

- Mounts to the stage and connects to a power harness, ceiling feed and splits power in four directions
- Are typically mounted to the center of each Stage



Flexible Power Module (HTEFP)


- Mounts any along the stage to provide Power
- Cable Lengths:
 - 24", 36" and 48"
 - Specified half the width of the stage for maximum flexibility
- Outlet Configurations
 - Circuit 1
 - Circuit 1 and 2
 - Circuit 1 and 3 (use 8T only)
 - Circuit 1 and 5
 - Circuit 1 and 6 (use 8K only)
 - Circuit 2 and 2
 - Circuit 2 and 3 (use 8T only)
 - Circuit 2 and 5
 - Circuit 2 and 6 (use with 8K only)
 - Circuit 3 and 3 (use 8T only)
 - Circuit 3 and 5 (use 8T only)
 - Circuit 5 and 5
 - Circuit 5 and 6 (use 8K only)
 - Circuit 6 and 6 (use 8K only)
 - USB and Circuit 1
 - Circuit 2 and 5 (use 7T and 7K only)
 - Circuit 1 and 6 (use with 7K only)
 - Circuit 2 and 2 (use 7T and 7K only)
 - Circuit 2 and 3 (use with 7K only)
 - Circuit 2 and 5 (use with 7K only)
 - Circuit 2 and 6 (use 7T and 7K only)
 - Circuit 3 and 3 (use with 7K only)
 - Circuit 3 and 5 (use with 7K only)
- Wiring Systems:
 - 8-Wire Isolated (8T)
 - 8-Wire Dual Isolated (8K)
 - 7-Wire Non-Isolated (7T)
 - 7-Wire Non-Dual Isolated (7K)

- Finishes:
 - Soft Gris
 - Very White
- Receptacles will automatically match the finish option selected



Chicago Junction Box (HTEX)

- Used in place of the Four-Way Splitter in Chicago applications



upStage CALA Power Module (VBCU)

- Mounts anywhere along the stage to provide power for CALA applications
- **Application:**
 - Single Sided, Single and Double Duplexes
- **Outlet Configurations:**
 - One Single Duplex
 - Two Power
 - One Power and One USB
 - Two Double Duplex
 - Four Power
 - Three Power and One USB
- **Country of Installation:**
 - Argentina
 - Brazil
 - Chile
- **Finishes:**
 - Ebony Coordinate
 - Very White Coordinate




CALA Jumper Power Harness (VBPH)

- Routes power through the stage in CALA applications
- Connects to a Four-Way Splitter or I-Connector
- Length: 2000 mm
- Finish: Black


planning with standard stage power distribution

The following should be considered when planning with Stage Power Distribution.


When power needs to pass through a Stage with no Flexible Power Modules, an I-Connector can be used between the two Harnesses, as only two connection points are required.



When more than one Flexible Power Module is required on the side of a Stage, an additional Four-Way Splitter can be used. The Harness length will be the distance between the two Four-Way Splitters.



When two Stages of different widths are specified, the Four-Way Splitters center to center dimension is used to determine the harness length required.
 Example: 72" Stage and a 48" Stage requires a 60" harness



$$(72/2) + (48/2) \quad \text{minimum harness length} = 60"$$


power harness lengths

The following chart demonstrates the nominal vs. actually lengths of Power Harnesses:

Nominal	Actual
24"	24"
36"	48"
48"	48"
60"	72"
72"	72"
84"	96"
96"	96"
108"	120"
120"	120"
144"	144"


simple stage basics

Beginning Simple Stage, Middle Simple Stage and Finish Simple Stages are combined to create workstation spines. Complete Simple Stages are used for single stage applications.




- Provides a simpler base structure to support worksurfaces, storage and screens and to route power and data
- Widths: 30" - 96" in 6" increments
- Available 21" high and 16" deep
- Optional Accessory Beam available
- Electrics are available as fixed or double sided on Simple Stages 72" - 96" wide

Stage Finishes:
Source Laminate, Flintwood and Natural Veneer
Metal Finishes:
Foundation, Mica and Accent colors




Beginning Simple Stage (HTDB)

- Includes one End Gable and one Mid Gable
- Infeed Grommet available for exterior base feed or power pole entrance




Middle Simple Stage (HTDM)

- Includes one Mid Gable



Finish Simple Stage (HTDF)

- Includes one End Gable
- Infeed Grommet available for exterior base feed or power pole entrance




Complete Simple Stage (HTDC)

- Includes two End Gables
- Infeed Grommet available on one or both sides for exterior base feed or power pole entrance



Simple Stage - Center Support (HTDS)

- Used for additional support on Stages wider than 72"
- Must be mounted in the center location



Stage Accessory Beam Cover (HTBR)

- Used to conceal the exposed portion of the optional Accessory Beam when screens are not being used
- Available in widths of 48" - 96" in 6" increments
- Can be cut on site



Stage Connector (HTBA)

- Used to connect two Complete Stage End Gables together if Stages are reconfigured




Stage Grommet (HTBG)

- Stages are available with an option for a Grommet and Cover at time of order. The Grommet Cover is only ordered when an additional infeed is required on site
- Specified on Beginning, End and Complete Stages


planning with simple stages

The following should be considered when planning with Simple Stages.




Beginning Simple Stage

Used only at the beginning of a base structure and must be connected to a Middle Simple Stage or a Finish Simple Stage. Beginning Simple Stage or Beginning Standard Stage is required on all configurations.




Middle Simple Stage

Used only in the middle of a base structure and must be connected to a Beginning Simple Stage on one side and either a second Middle Simple Stage or a Finish Simple Stage on the other. It is recommended that maximum length of a Simple Stage run should not exceed 32'-0" (For example, four stages at 96" long) due to leveling ranges of the stage.



Finish Simple Stage

Used only at the end of a base structure and must be connected to a Beginning Simple Stage or a Middle Simple Stage. One Finish frame is required on all configurations.




Complete Simple Stage

Complete Simple Stages do not attach to Beginning, Middle or Finish Stages. They are intended to be used as single units only or attached to simple stage modules for height-adjustable tables. If reconfigured and two Complete Simple Stages need to be attached to each other, the Stage Connector (HTBA) must be specified.


simple stage support

Stages greater than 72" wide or wider require additional support. Support is provided by the Simple Stage Center Support (HTDS).

On 72" wide Stages that support large amounts of storage and there is no Stage Credenzas underneath, it is recommended that the Stage Center Support (HTDS) be specified for additional support.



The Simple Stage Center Support is installed in the middle of the stage to provide necessary support.




Stage Credenzas cannot be substituted for a center support, unless a Simple Stage Center Support (HTDS) is also specified.


planning with simple stages (continued)

accessory beam


An optional 1-3/4" wide Accessory Beam can be specified on the Simple Stage for mounting Screens.



Screens must mount onto an Accessory Beam. Storage can be used on a Simple Stage with an Accessory Beam, the beam will not obstruct the storage.




When specifying Stack on Storage only, no Accessory Beam is required.



Elevated Hutches and Lateral Towers must mount onto an Accessory Beam.


grain direction

The grain direction will always run the length of the Simple Stage.



leveling



To ensure a level Stage, the maximum number of suggested spine structures should not exceed four. Maximum leveling capabilities for each Stage are +2" and -1".




planning with simple stages (continued)

connecting simple stages with standard stages


Simple Stages can be connected with Standard Stages with the use of a Stage Connector (HTBA). Only Finish stages at their finished ends or Complete stages can be connected with this connector.




Beginning Simple Stage
(HTDB)




Middle Simple Stage
(HTDM)




Finish Simple Stage
(HTDF)



Beginning Standard Stage
(HTBB)




Finish Standard Stage
(HTBF)




Complete Simple Stage
(HTDC)



Complete Standard Stage
(HTBC)



Complete Simple Stage
(HTDC)



Complete Standard Stage
(HTBC)




Beginning Standard Stage
(HTBB)




Middle Standard Stage
(HTBM)




Finish Simple Stage
(HTDF)



Beginning Standard Stage
(HTBB)



Middle Simple Stage
(HTDM)




Finish Standard Stage
(HTBF)




understanding simple stage electrics


upStage power is distributed through the Simple Stage using a Power Harness and is accessed from both sides in the end or center position.




- 1 Simple Stage Blank (HTEK)
- 2 Simple Stage Power Box (HTEFS)
- 3 Standard Data Plate
- 4 Receptacle Outlet (HTERO)



- 1 Base Feed power enters the stage through a Base Feed cover (HTEFB) at the End Gable.




- 2 Power Harnesses routes power to connecting Stages The structure of the Simple Stage allows for cable management for the linking of harnesses, as well as provide a data trough to route data cables.
The correct harness lengths must be specified.



- 3 The simple stage doesn't have a flexible power module, it has a fixed power box.

simple stage power entry basics

Power can enter a Simple Stage through either a Base Feed or a Ceiling Feed.



Ceiling Feed (HTECF)

- Routes power from the ceiling to the workstation
- Wire systems:
 - 8-Wire Isolated Ground (8T)
 - 7-Wire Non Isolated Ground (7T)
 - 8-Wire Dual Isolated (8K)
 - 7-Wire Dual Non Isolated (7K)
- Used with the Power Pole (HTEL)
- Available 120" and 144" long



Chicago Ceiling Feed (HTECC)

- Required for the city of Chicago electrical code requirements
- Used with the Power Pole (HTEL)
- Available 120" and 144" long




Power Pole (HTEL)

- Routes a Ceiling Feed and Data Cables from the ceiling to the workstation
- Available in 96", 120" and 144" high
- Finishes available are Foundation, Mica and Accent colors



Base Feed (HTEBF)

- Routes power from the floor into the stage, then on a Four-Way Splitter
- Wire systems:
 - 8-Wire Isolated Ground (8T)
 - 7-Wire Non Isolated Ground (7T)
 - 8-Wire Dual Isolated (8K)
 - 7-Wire Dual Non Isolated (7K)
- Available (For Stage modules less than 60" or 66" or more)
- When For Stage Module 66" or more option is selected, base feed will come with additional I-Connector and Short Harness to reach the required length



Split Base Feed (HTEBS)

- Routes power from the floor into the stage, then to a Four-Way Splitter and is wired into the building power source in two locations for New York City wiring restrictions
- Wire systems:
 - 8-Wire Isolated Ground (8T)
 - 7-Wire Non Isolated Ground (7T)
 - 8-Wire Dual Isolated (8K)
 - 7-Wire Dual Non Isolated (7K)
- Available 72" long



Chicago Base Feed (HTEBC)

- Required for the city of Chicago electrical code requirements
- Available 72" long




Base Feed Cover (HTEFB)

- Used to route Base Feed and Data Cables into a workstation from the floor
- Applications available are Interior, Mid or Exterior of Stage
- Finishes available are Foundation, Mica and Accent colors


planning with simple stage power entry

The following should be considered when planning with upStage power entry.


power poles



Power Poles mount to the outside of the Simple Stage End Gable only in order to route power and data from the ceiling.



When using a Power Pole, the Simple Stage with an Infeed Grommet must be specified to allow power to enter the stage.





The Power Pole protrudes 2" beyond the Simple Stage gable.


base feed cover

Mounts to either the outside of an End Gable or the inside of a Mid or End Gable.


Interior and Mid application



Outside application



If mounting to the outside of the Simple Stage the Infeed Grommet must be specified.




The Base Feed cover will protrude 2" beyond the base.


planning with simple stage power entry (continued)

base feed connection

If the Simple Stage is 30" wide, 36" wide or between 72"-96" wide and has "end" electrics, the base feed can connect directly to the Simple Stage Power Box (HTEFS) which is fixed and shared along the spine of the Simple Stage.




30" - 36" wide




72" - 96" wide

If the Simple Stage is 42"-66" wide, the Base Feed must connect to a Flexible Harness (HTEBH) before connecting to the Simple Stage Power Box (HTEFS).





42" - 66" wide

Additional Power Harnesses (HTEB) routes power to connecting stages. The correct length of Power Harness (HTEB) must be specified. See *planning with simple stage power distribution* for more information on specifying harnesses.



power box locations

Simple Stage electrics are fixed and double sided which allows for optimization of symmetrical planning.




- Centered electrics are only available for Simple Stages 30" - 66" wide
- Electrics are non-handed as they are double sided
- No mid-gable is required

- End electrics only are available for Simple Stages 72" - 96" wide
- Electrics are non-handed as they are double sided
- End electrics can be set at either end by flipping the structure on site, no specification needed
- Center Support is required for simple stages larger than 72". On 72" wide Simple
- Stages that support large amounts of storage, it is recommended that the Stage Center Support be specified for additional support


understanding simple stage data/communications

The Simple Stage provides various locations for both the Power Harness cable and data cables to be routed within the interior of the Simple Stage.

stage vs. simple stage data cables capacity



Simple Stage allows for 36 cat 5 data cables (centered).



Stage allows for 42 cat 5 data cables (21 per side).

simple stage power distribution basics

Power is distributed through the Simple Stage with Power Harnesses and accessed with Power Boxes.




Simple Stage Power Box



Power Harness (HTEBH)

- Routes power through the stage by connecting to a Four-Way Splitter or I-Connector, Simple Power Box
- Wire system:
 - 8-Wire Isolated Ground (8T)
 - 8-Wire Dual Isolated (8K)
- Lengths: 18" - 144" in 6" increments



Simple Stage Power Box (HTEFS)

- Cable Lengths:
 - 24", 36" and 48"
 - Specified half the width of the stage for maximum flexibility
- Compatible Wiring Systems:
 - 8-Wire Isolated (8T)
 - 8-Wire Dual Isolated (8K)
 - 7-Wire Non-Isolated (7T)
 - 7-Wire Non-Dual Isolated (7K)
- Finishes:
 - Soft Gris
 - Very White
- Specified Separately



Receptacle Outlet (HTERO)

- Mounts onto the Simple Stage Power Box to provide access to power
- Outlet Configurations
 - Circuit 1
 - Circuit 1 and 2
 - Circuit 1 and 3 (use 8T only)
 - Circuit 1 and 5
 - Circuit 1 and 6 (use 8K only)
 - Circuit 2 and 2
 - Circuit 2 and 3 (use 8T only)
 - Circuit 2 and 5
 - Circuit 2 and 6 (use with 8K only)
 - Circuit 3 and 3 (use 8T only)
 - Circuit 3 and 5 (use 8T only)
 - Circuit 5 and 5
 - Circuit 5 and 6 (use 8K only)
 - Circuit 6 and 6 (use 8K only)
 - USB and Circuit 1



Simple Stage Power Cover (HTEK)

- A blank plate to cover unused opening in power ports



Data Extender Plate (HTEEE)

- Placed over a communication opening to provide extended depth for data jack




Simple Stage Data Cover (HTEZ)

- A blank plate to cover unused opening in data ports

planning with simple stage power distribution

power harness lengths

When specifying the harnesses for Simple Stages, the correct length must always be calculated. Power Harness calculations must account for the length of the Power Module which is 12" wide. For Stages 72" or wider, the distance of the center of the Power Module to the end of the stage is 15". For Stages 30"-60" the Power Module is centered. For example, in the following example a 72" beginning stage, a 60" middle stage and a 60" finish stage has been specified. The length of the Harness is calculated as followed:





Harness A = (Beginning stage dimension - 15" - 6") + (stage dimension / 2 - 6")

Harness B = (Middle stage dimension / 2 - 6") + (End stage dimension / 2 - 6")

power conservation system basics

Furniture based solution for the controlling function that addresses the ASHRAE/Title 24 electrical requirements.



Power Conservation System (HTEPC)

- Up to two circuits can be controlled by occupancy sensors (included)
- Maximum of 4 sensors can be connected to each individual controlled circuit
- When using the Power Conservation System, circuits 3, 5, 6, A and B will always stay powered on (uncontrolled)
- To get individually controlled stations, specify the Power Conservation System with 2 sensors
- Available with option of 2, 4 or 8 sensors (Maximum of 4 sensors per run)
- Sensors mount to the underside of the worksurface
- A hard wired connection supplies power into a stage from the building power source


planning with power conservation system

The following should be considered when planning with the Power Conservation System.


The following are two ways of planning with the Power Conservation System.

scenario A: multiple sensor planning

The connection between two power modules only applies on the installation for 4 sensors and 8 sensors.



scenario B: single sensor planning



- Always specify one sensor per workstation.
- Only one controlled circuit per workstation (do not specify two controlled circuits in one single workstation)
- Do not specify mix receptacles for both circuit 1 and 2 in a single workstation

worksurfaces &
supports

worksurfaces & supports

UNDERSTANDING WORKSURFACES	54
WORKSURFACE BASICS	56
TABLE BASICS	57
PLANNING WITH WORKSURFACES	58
WORKSURFACE POWER ACCESS BASICS	63
WIRE MANAGEMENT BASICS	64
PLANNING WITH WORKSURFACE POWER ACCESS	65
WIRING SYSTEMS	68
WORKSURFACE GRAIN/PATTERN DIRECTION	69
WORKSURFACE SUPPORTS & ACCESSORY BASICS	70
PLANNING WITH WORKSURFACE SUPPORTS	71

understanding workspaces


upStage offers a variety of workstations for parallel and perpendicular applications. They can be mounted directly to the Stage, storage units or hutch stackers in a semi-suspended application or specified with legs to create freestanding tables. Navigate + hiSpace can also be integrated with upStage.

parallel and perpendicular workspaces


When no hutches or stacked storage are used workspaces are typically mounted 2" from the centerline of the stage. The gap is required to allow for the placement of screens on the stage and for cable management.

Parallel

Workspaces face the Stage




Standard Parallel Planning




Parallel Planning with Hutches

(When mounting parallel to a Hutch, there is no gap)




Back to Back Parallel Planning




Single Sided Planning

Perpendicular


Workspaces run perpendicular to the Stage



Standard Perpendicular Planning



Single Sided Perpendicular Planning




Perpendicular Planning with Hutches

(When mounting perpendicular to a Hutch, there is no gap)

understanding worksurfaces (continued)


navigate and hispace table integration

Navigate and hiSpace Tables are available with an upStage leg option.




Navigate and hiSpace Tables Integrated with stages

- The leg fits into the Stage Module for Height-Adjustable Table to conceal the leg



Navigate Tables Integrated with Credenzas

- The leg fits into the credenza for Height-Adjustable Table to conceal the leg




Navigate and hiSpace Freestanding

- Designed to sit the leg against the stage in freestanding applications


freestanding tables

Freestanding tables are available with Interpret legs or Y-legs.



Freestanding Table

- The table sits beside the stage



Y-table


- The shape of the leg allows the table to overlap the stage



Worksurfaces can be mounted perpendicular or parallel over the stage with no gap in between to create a large shared worksurface .



Perpendicular

Parallel




worksurface basics

upStage worksurfaces are available for parallel and perpendicular applications to optimize “zero footprint” planning.




Parallel Worksurface (HTWR)

- Runs parallel to the stage or can be used freestanding when configured with legs (see *Supports* section for details)
- Depths: 23", 29" and 35"
- Widths: 30", 36" and 42" to 96" in 1" increments
- All dimensions are actual
- Available with Access Door or Rectangular Cut Outs
- Access door Cut Out options are not available for 23" depth worksurface




Perpendicular Worksurface (HTWP)

- Runs perpendicular from the stage or can be used freestanding when configured with legs (see *Supports* section for details)
- Depths: 24" - 48" in 6" increments
- Widths: 46" - 71" in 1" increments
- All dimensions are actual
- Available with Access Door or Rectangular Cut Outs




Perpendicular with Radius Corner Worksurface (HTWH)

- Runs perpendicular from the stage
- Depths: 24" - 48" in 6" increments
- Widths: 46" - 71" in 1" increments
- All dimensions are actual
- Available with Access Door or Rectangular Cut Outs
- Available with two or four radiused corners




Dual Perpendicular Worksurface (HTWV)

- Two face to face worksurfaces
- Wire gap and flush profiles available
- Depths: 48", 60" and 72"
- Widths: 46" to 71" in 1" increments
- All dimensions are actual
- Available with Access Door or Rectangular cut outs
- Access door cut out options are not available for 23" depth worksurface
- Round 3" radius corner profile




Dual Perpendicular with Radius Corner Worksurface (HTWW)

- Two face to face worksurfaces
- Wire gap and flush profiles available
- Depths: 48", 60" and 72"
- Widths: 46" - 71" in 1" increments
- All dimensions are actual
- Available with Access Door or Rectangular cut outs
- Access door cut out options are not available for 23" depth worksurface
- Available with two or four radius corners



End Worksurface (HTWG)

- Two face to face worksurfaces
- Wire gap and flush profiles available
- Depths: 16"
- Widths: 50", 62" and 74"
- All dimensions are actual




End with Radius Corners Worksurface (HTWZ)

- Provides an end worksurface to a dual perpendicular worksurface
- Depths: 16"
- Widths: 50", 62" and 74"
- All dimensions are actual
- Round 3" radius corner profile

table basics

upStage workspaces are available for parallel and perpendicular applications to optimize “zero footprint” planning.




Worksurface Finishes:

Foundation Laminate, Flintwood and Natural Veneer

Edge Trim Finishes for Worksurface:


PVC with HPL surface only, Acrylic with HPL, Flintwood edge trim defaults to Flintwood surface finish, Natural Veneer edge trim defaults to Natural Veneer surface finish

- Widths: 46" - 70"
- Depths: 23", 29" and 35"
- Available with Access Door option or Rectangular Cut Outs option
- Worksurface finishes: Foundation Laminate, Flintwood and Natural Veneer
- 23" deep tables are not available in 70" wide
- 29" and 35" deep tables are not available in 46" wide
- Rectangular Grommet Cut Outs and Access Door for Multi-Circuit Desk Cut Outs have size restrictions:
 - On Parallel worksurface widths less than 42" and specified with the Access Door, only the center location is available.
 - Access Door **cannot** be specified on the Y-Table (HTWE)
 - Access Door **cannot** be specified on parallel worksurfaces if the depth is less than 29".
 - Access Door Cut Out options Left and Right and the Rectangle Cut Out options Left and Right are not available on 30" and 36" wide parallel worksurfaces




Interpret Style Table (HTWT)

- A freestanding table with Interpret legs
- Fixed Height has a leveling range of +1 and -1
- Height-Adjustable available with a (+3" and -3" range)
- All dimensions are actual
- Available with or without casters
- Leg finishes: Foundation, Mica and Accent colors




Interpret Table Radius Corner Table (HTWU)

- A freestanding table with Interpret legs
- Round 3" Radius corner profile
- Fixed Height has a leveling range of +1 and -1
- Height-Adjustable available with a (+3" and -3" range)
- All dimensions are actual
- Available with or without casters
- Leg finishes: Foundation, Mica and Accent colors



Y Table (HTWE)

- A freestanding table featuring Y-Legs
- Y-Legs are available in two finish options
 - Wood & Metal (Upper support metal and lower support wood)
 - Metal & Metal (Upper and lower supports metal, can specify different metal finishes)
- Wood & Metal option offers an adjustment range of + 1/2" and - 1/2"
- Metal & Metal option offers an adjustment range of + 2" and - 1"
- Available without casters only
- Metal finishes: Foundation, Mica and Accent colors
- Wood support finishes are Flintwood and select Natural Veneer coordinate




Y Table with Radius Corner (HTWX)

- A freestanding table featuring Y-Legs
- Round 3" Radius corner profile
- Y-Legs are available in two finish options
 - Wood & Metal (Upper support metal and lower support wood)
 - Metal & Metal (Upper and lower supports metal, can specify different metal finishes)
- Wood & Metal option offers an adjustment range of + 1/2" and - 1/2"
- Metal & Metal option offers an adjustment range of + 2" and - 1"
- Available without casters only
- Metal finishes: Foundation, Mica and Accent colors
- Wood support finishes: Flintwood and select Natural Veneer coordinate


planning with worksurfaces

The following should be considered when planning with upStage worksurfaces mounted to the Stage.



parallel worksurfaces




When specifying parallel work surfaces, it is recommended that all work surfaces be mounted 2" from the centerline of the stage, which allows for a 6" overhang over the stage




2" wire gap required when planning single sided.




perpendicular worksurfaces



When specifying Perpendicular worksurfaces, it is recommended that all worksurfaces be mounted 2" from the centerline of the stage, which allows for a 6" overhang over the stage.



To allow for "zero footprint" planning, perpendicular worksurfaces should be planned 2" less than the desired footprint.




1" wire gap required when planning perpendicular worksurfaces.

planning with worksurfaces (continued)

The following should be considered when planning with upStage worksurfaces mounted to the Stage.




If a common kit of parts is desired, "zero footprint" planning can still be achieved, however there will be minor variances between widths and depths of worksurface.



parallel worksurfaces



- 1 49" wide x 29" deep
- 2 70" wide x 23" deep



perpendicular worksurface

- 1 48" wide x 30" deep
- 2 70" wide x 24" deep

When combining parallel and perpendicular worksurfaces, both worksurfaces must be mounted to the stage, a perpendicular worksurface **cannot** be mounted to a parallel worksurface.




planning with worksurfaces (continued)

freestanding tables

The Interpret table is available with Flat and Knife edges. Y Table is only available with Flat edges.


Flat Edge

On Flat Edge worksurfaces, the legs are flush to the worksurface edge.




Knife Edge

On Knife Edge worksurfaces, the legs are inset by 1".




planning with worksurfaces mounted to hutch stackers or storage


Worksurfaces can be mounted to hutches or storage on the stage (please see Storage section for more details). When mounting a perpendicular worksurface to a hutch, the hutch depth must be taken into consideration when determining the width of the surface.



When a worksurface is specified against hutch storage there will be no gap the worksurface must be specified 8" less than the desired footprint size.



When planning parallel worksurfaces with a shared Hutch each the worksurface will have to be 8" less than the stage width to accommodate the Shared Hutch Stacker.




When planning parallel worksurfaces with Hutches note your worksurface will have to be 16" less than the stage width to accommodate the Hutch Stackers.

planning with worksurfaces (continued)


planning with lateral screens

upStage parallel worksurfaces are available in 1" widths to allow for the placement of lateral screens between worksurfaces. Lateral Screens are offset to the left or right, they are not centered between two Stages.


When a lateral Screen is not required on either end of a worksurface, the worksurface is specified the same width as the stage.



When a Lateral Screen is not required between two worksurfaces, the worksurfaces are specified the same widths as the stages.




When a lateral screen is being specified between two worksurfaces allow 1" for the thickness of the screen and a additional 1" gap on either side.



planning with worksurfaces (continued)

planning with dual perpendicular worksurfaces and elevated hutches


When planning with the Dual Perpendicular Worksurface and Elevated Hutch, the Support Kit can accommodate the Elevated Hutch gables.



The accessory rail between the two worksurfaces will be shorter to allow for the gables of the elevated hutch.


planning with worksurfaces with radius corners

Worksurfaces with radiused corners allow for planning with the Infinity Desk Edge Screen to offer a softer aesthetic



Side by Side Planning

- Worksurfaces have two curved corners and two straight corners




Single Side Planning'

- Worksurfaces have two curved corners


worksurface power access basics

Multi-Circuit power is available for semi-suspended worksurface applications. Worksurfaces must be specified with Access Door Cut Out to access the power.




Multi-Circuit Desk Power Module (HTEM)

- Mounts inside of a multi-circuit desk housing to provides access to power on semi-suspended worksurfaces
- Wire system:
 - 8-Wire Isolated Ground (8T)
 - 8-Wire Dual Isolated (8K)



Chicago Desk Power Module (HTEMC)

- Provides access to power on semi-suspended worksurfaces in Chicago applications



Multi-Circuit Desk Housing (HTEN)

- Provides the housing required to support the Multi-Circuit Desk Module
- Finishes: Foundation, Mica and Accent colors



CALA Power Station (VBWB)

Mounts to a worksurface to provide power

Outlet Configurations:

Double duplex
Two Power & Two Data
Four Power
Three Power & One USB

Country of Installation:

R Argentina
N Brazil
L Chile

Cord Length:
1800 mm

Finishes

Receptacle Finish:
Ebony Coordinate
Very White Coordinate

Clamp Finish:
Clear Anodized Aluminum



Receptacle Outlet (HTERO)

- Mounts onto the Power Module or in the Multi-Circuit Desk Module or to the Power Module in a Height-Adjustable Module
- Styles: Standard 15 amp, T-Slot 20 amp, USB, Controlled 15 and 20 amp
- Outlet configurations consist of Circuit 1, Circuit 2, Circuit 3 (use 7T & 8T only), Circuit 5 (8T and 8K only), Circuit 6 (use 8K only), Circuit A (7T and 7K only), Circuit B (7K only) and USB
- Receptacle style D and E include a marking indicating it is connected to a control system.
- Finishes: Platinum, Ebony, Storm White and Very White




Access Door for Multi-Circuit Desk (HTEA)

- Provides the above worksurface access to the outlets on the Multi-Circuit Desk Module
- Finishes: Foundation, Mica and Accent colors


wire management basics

Wire management components are specified to route and manage cables below the worksurface.



Rectangle Grommet (HTEG)

- Provides worksurface pass through wire management
- Finishes: Clear Anodized Coordinate, Graphic Steel, Storm White, Very White and Platinum



Worksurface Cable Tray (HTET)

- Provides wire management below worksurface
- Length: 12"
- Available in Black only



Wire Clips (HTEW)

- Provides management below the worksurface
- Package includes six clips
- Available in Black only



International Stage Mount Kit (VES)

A bracket that holds International electrics to the stage

Mounting styles:

- Power Logic
- CALA

Bracket Packages:


- For Two Outlet Box
- For Four Outlet Box

planning with worksurface power access

The following should be considered when planning with Worksurface Power Access.


worksurface power and data management

Worksurfaces can be specified with a Rectangle Cut Out or an Access Door Cut Out. Two options are available for accessing power at desk level.



Rectangle Grommet

The Rectangle Grommet (HTEG) routes power through the worksurface to the Flexible Power Module specified on the stage and must be ordered separately.




Access Door for Multi-Circuit Desk

The Access Door for Multi-Circuit Desk (HTEA) is used with the Multi-Circuit Desk Module (HTEM) and housing to provide multi-circuit power from the worksurface. A worksurface with Access Door Cut Out must be specified. All components need to use specified separately.

multi-circuit desk power

The Multi-Circuit Desk Housing (HTEN), Multi-Circuit Desk Power Module (HTEM), Receptacle Outlet (HTERO) and Access Door for Multi-Circuit Desk (HTEA) are all specified separately. Multi-Circuit Desk Power is only available with Standard Stages and cannot be specified with Simple Stages.



Multi-Circuit Desk Housing (HTEN)




Multi-Circuit Desk Power Module (HTEM)



Receptacle Outlet (HTERO)




Access Door for Multi-Circuit Desk (HTEA)




perpendicular worksurfaces

Rectangular Grommet Cut Out are available left, right and center.




Rectangle Cut Out is inset 4" from the edge of the worksurface.




Access Door for Multi-Circuit Desk can be specified on worksurfaces that are semi-suspended from the stage.


Access Door for Multi-Circuit Desks are available left and right.



Access Door Cut Outs are inset 5" from the edge of the worksurface.




Access Door for Multi-Circuit Desk can be specified on worksurfaces that are attached to a Hutch Stacker.



*If an Access Door Cut Out is specified, a left or right Rectangular Cut Out cannot be specified in the same location



planning with worksurface power access (continued)

The Multi-Circuit Desk Module must be used in a semi-suspended application. The following examples demonstrate how power routes to the module.





Standard Application

- Half the width of the stage power is required at desk level only, two harnesses extend from the Four-way Splitter to connect to the Multi-Circuit Desk Power Module




Alternate Aesthetic Application

- When power is required at desk level only, two Harnesses extend from the Four-Way Splitter to two I-Connectors, (or an additional Four-Way Splitter) and a 24" Harness from each I-Connector to the Multi-Circuit Desk Power Module
- It is recommended that a 24" flexible harness be used to go from the stage to the bottom of the worksurface as it provides a better aesthetic



Both Power and Flexible Power Module


- When both desk power and a Flexible Power Module are required for each user, additional Four-Way Splitters are required
- The Four-Way Splitter connects to the base feed, two 24" harnesses leading to the Multi-Circuit Desk Power Modules and the next Four-Way Splitter, which then connects to two flexible power modules and connects to the next Four-Way Splitter to repeat the same connections in the next stage



planning with worksurface power access (continued)


parallel worksurfaces

Rectangular Cut Out are available left, right and center.



Rectangular Cut Out is inset 4" from the edge of the worksurface.




Access Door Cut Outs are available left, right and center.



Access Door Cut Outs are inset 5" from the edge of the worksurface and can only be specified over the stage.

Access Door Cut Out can only be specified to be centered when planning with the Y-Leg in parallel applications.

Parallel and Perpendicular worksurfaces can be interchanged but electrical cut outs will not be in their correct positions. Also, the depths are not consistent so some gaps may appear.







The Access Door for Multi-Circuit Desk can be specified centered on a parallel worksurface that has been mounted perpendicularly application, however the housing and cables will be visible. Longer harness will be required.

wiring systems

Four wiring systems are available for Interpret 8-Wire Isolated (8T), 7-Wire Non Isolated (7T), 8-Wire Dual Isolated (8K) and 7-Wire Dual Non Isolated (7K). Most common Teknion wiring configurations are achieved with these wiring systems.

For sites where Isolated Ground is not available, Teknion offers Non-Isolated Ground options for furniture wiring. The site electrician or electrical contractor/consultant can identify sites where Isolated Ground is not available. For those sites, please specify Teknion 7T or 7K wiring systems.

	No. Regular Circuits	No. Isolated Circuits
8-Wire Isolated (8T) (3+1) 	3	1
8-Wire Dual Isolated (8K) (2+2) 	2	2
7-Wire Non Isolated (7T) (3+1) 	4	0
7-Wire Dual Non Isolated (7K) (2+2) 	4	0

wiring system/receptacles


	Wiring System			
	8T	8K	7T	7K
Regular Ground Receptacles	1, 2, 3	1, 2	1, 2, 3, A	1, 2, A, B
Isolated Ground Receptacles	5	5, 6	n/a	n/a

wiring system/related circuit


	Wiring System			
	8T	8K	7T	7K
Regular Circuit 1 Receptacle	✓	✓	✓	✓
Regular Circuit 2 Receptacle	✓	✓	✓	✓
Regular Circuit 3 Receptacle	✓		✓	
Isolated Circuit 5 IG Receptacle	✓	✓		
Isolated Circuit 6 IG Receptacle		✓		
Regular Circuit A Receptacle			✓	✓
Regular Circuit B Receptacle				✓

✓ Applicable


15 Amp



20 Amp



USB




- Outlets are available 15, 20 amp or USB
- The 20 Amp is only available in Black
- USB is always on Circuit 1

worksurface grain/pattern direction

Attention to grain/pattern direction is important when planning worksurfaces.












grain direction

- There is no user edge so care must be taken during installation to match grain/pattern direction
- Grain/patterns are not “centered” on worksurfaces
- Applies to Foundation Laminate (Wood Grain patterns), Flintwood (Standard and Cathedral) and Natural Veneer




- Grain direction will appear in the same direction, from side to side
- For Cathedral Flintwoods and Natural Veneers the grain will run from left to right from the user’s prospective

edges


	Foundation Laminate Worksurface	Flintwood Worksurface	Natural Veneer Worksurface
Flat (8) All Edges 		n/a	n/a
Flintwood Flat (9) All Edges 	n/a		
Flat (G) All Edges 	n/a	n/a	n/a
Full Knife (H) User Edge 			
Full Knife (X) User Edge 	n/a	n/a	n/a

worksurface supports & accessory basics

upStage supports worksurfaces and are used to mount to Stage or to make freestanding tables.




For details on attaching a worksurface to a hutch, please refer to Storage Support Basics.




Interpret Style Leg (HTWN)

- Used in freestanding and/or semi-suspended applications
- Available in pairs and singles (left and right), standard or height-adjustable
- Height-adjustable leg has range of 6" (3" above and 3" below)
- Standard leg has leveling range of 2" (1" above and 1" below)




Interpret Style Mono Leg (HTWM)

- Installed between two semi-supported worksurfaces to provide support
- Available fixed or height-adjustable
- Height-adjustable leg has range of 6" (3" above and 3" below)




Y-Leg (HTWD)

- Y-Legs are available in two finish options
 - Wood & Metal (Upper support metal and lower support wood)
 - Metal & Metal (Upper and lower supports metal, can specify different metal finishes)
- Wood & Metal option offers an adjustment range of +1/2" and -1/2"
- Metal & Metal option offers an adjustment range of +2" and -1"
- Metal finishes: Foundation, Mica and Accent colors
- Wood support finishes: Flintwood and select Natural Veneer coordinate




Stage to Worksurface Support (HTWQ)

- Mounts to the underside of a worksurface and to the top of the stage to provide support to the worksurface
- Available fixed or height-adjustable
- Height-Adjustable ranges include +3" and -1"



End Worksurface Support Kit (HTWJ)




Flush Plate (HTWA)

- Used in conjunction with other supports to maintain alignment of worksurfaces
- Available as Flush Plate or Structural Flush Plate
- Available in Black only



Worksurface Support Wire (HTWY)

- The HTWY cable router is used to guide power and data cables from the stage to the worksurface
- It is installed on top of the Stage to Worksurface Support (HTWQ) as an add-on piece




Worksurface Reinforcement Channel (UNRC)

- Adds rigidity to worksurfaces to reduce deflection
- Must be used on all unsupported worksurface spans over 48"



planning with worksurface supports

The following should be considered when planning with upStage worksurface Supports.

Worksurfaces must be supported on all corners, they cannot be cantilevered.



flush plates



Structural Flush Plate


Used with legs and brackets to provide required stability with worksurface returns.

Flush Plate

Used in conjunction with other supports to maintain alignment of worksurfaces.


stage to worksurface supports

Brackets mount to the underside of the stage to prevent damage when repositioning.



worksurface support wire manager


Bracket can be installed right on top of the worksurface support (HTWQ) as an add-on piece.




planning with worksurface supports (continued)

stage to worksurface supports (continued)


- Supports connect worksurfaces to Stages and can be installed anywhere along the length of the stage
- When no Access Door Cut Out, are required inset brackets 6" from the edge of worksurface



- Spacing from the edge of the worksurface is dependent on whether worksurface has Access Door Cut Out
- At least one Stage to Worksurface (HTWQ) support must be specified on each end of the worksurface and at least one every 72".
- Spacing location of the stage to worksurface Brackets are dependent on the location of the Multi-Circuit Module when specified




When the stage to Worksurface support is being planned in a perpendicular application with Access Door Cut Outs, the support locations are based on worksurface depths.




planning with worksurface supports (continued)

y-leg


In freestanding applications the Y-Leg enables worksurfaces to bridge over the stage to provide the necessary 2" gapping or it can be used to create freestanding tables.



Parallel



Perpendicular




Freestanding

edges


Flat Edge

On worksurfaces with Flat Edges, the Interpret Post or Y-Legs is installed flush to the edge.



Knife Edge



On worksurfaces with Knife Edges, the Interpret or Y-Legs are installed 1" inset from the edge.



planning with worksurface supports (continued)

worksurface mounting

Y-Leg with wood finish and the Interpret Style Leg, fixed height leg **should not** be used when mounting a worksurface to a hutch stacker as it could cause leveling issues.





Semi-Suspended

When planning with Y-Legs in a semi-suspended application, the metal finish should be specified as it allows for the height-adjustment range needed for leveling on uneven floors.

interpret style post leg

Handedness is determined by the location of the leg from the users perspective.




planning with worksurface supports (continued)

planning with end worksurfaces


End Worksurfaces are used to complete the ends of parallel planning applications. They function as shared collaborative surface on the end of runs and visually complete the end of the configuration.

End worksurfaces are offered in standard square corners (HTWG) or with a 3" radius (HTWZ).




End Worksurface Support Kit (HTWJ)

+




End Worksurface (HTWG)
End with Radius Corners Worksurface (HTWZ)

=






Complete Solution with End Worksurface



End Worksurface Support Kit (HTWJ) includes all required flush plates, reinforcement channels and an option of leg styles.


End Worksurfaces are sized to accommodate the 2" gap between the two parallel worksurfaces.



23" deep worksurfaces

29" deep worksurfaces

35" deep worksurfaces



End Worksurface (HTWG)



The 16" deep End Worksurface can be used with 16" wide storage.

planning with worksurface supports (continued)

planning with dual perpendicular workspaces

The Dual Perpendicular Worksurface combines two workspaces, face to face, removing the cost of unnecessary middle legs. It also adds an accessory beam down the middle for the attachment of Interpret screens.

Dual Perpendicular Worksurfaces are offered with standard square corners or with a 2" radius.




Stage to Dual Worksurface Support Kit (HTWB) includes all required flush plates, reinforcement channels and option of leg styles.

Two options are available for wire management:

- Grommet cut outs
- 1/2" wire gap between the worksurface and the accessory rail

If the wire gap option is not desired, the worksurface is available with no gap

A wire gap enables the mounting of desk edge accessories such as edge mounted power bars and monitor arms



Standard Dual worksurface with no Wire Gap

- The worksurface will mount flush to the accessory beam
- Grommet cut-outs are recommended in this application

Standard Dual worksurface with Wire Gap

- The worksurface will have a 1/2" gap for wire management

height-adjustability


height-adjustability

UNDERSTANDING HEIGHT-ADJUSTABLE TABLES	80
UPSTAGE NAVIGATE HEIGHT-ADJUSTABLE TABLE BASICS	82
UPSTAGE HISPACE HEIGHT-ADJUSTABLE TABLE BASICS	84
PLANNING WITH UPSTAGE HEIGHT-ADJUSTABLE TABLES	86
STAGE MODULE FOR HEIGHT-ADJUSTABLE TABLE BASICS	91
PLANNING WITH STAGE MODULE FOR HEIGHT-ADJUSTABLE TABLES	92
STAGE MODULE FOR HEIGHT-ADJUSTABLE TABLE POWER DISTRIBUTION BASICS	95
PLANNING WITH STAGE MODULE FOR HEIGHT-ADJUSTABLE TABLE POWER ACCESS	96
CREDENZA FOR HEIGHT-ADJUSTABLE TABLE BASICS	98
PLANNING WITH CREDENZAS FOR HEIGHT-ADJUSTABLE TABLES	99

understanding height-adjustable tables


Height adjustable tables can be integrated into upStage in a variety of ways. The follow provides a step by step understanding of the options available.

1 Choose your application:




freestanding

- Both legs of height-adjustable table are exposed
- Allows for ease of reconfiguration



integrated with stage module

- One height-adjustable table leg is concealed in a stage module
- Ease of planning with smaller footprints



integrated with stage module and credenza


- One height-adjustable table leg is concealed in the stage module
- One height-adjustable table leg is concealed in a credenza
- Maximizes use of space with extra storage capabilities

understanding height-adjustable tables (continued)

There are two options in upStage height-adjustable tables:

- Navigate
- hiSpace

2 Choose your height-adjustable table type:



navigate height-adjustable built-in tables

- Option of two types of base mechanisms:
 - Standard Range Electric
 - Extended-Electric-Restricted
- Leg styles:
 - Post Leg and T-Leg
 - T-Legs
 - T-Leg and Gable Leg
- Two worksurface styles:
 - Rectangular
 - Rectangular worksurface with Radius Corners
- Worksurface finishes:
 - Foundation Laminate, Flintwood and Natural Veneer
- Power and undersurface cable management options available




hiSpace height-adjustable built-in quickconnect tables

- Option of one type of base mechanism:
 - Extended Electric with Riser
- Leg styles:
 - T-Legs
- Two worksurface styles:
 - Rectangular
 - Rectangular worksurface with Radius Corners
- Worksurface finishes:
 - Foundation Laminate
- Power and undersurface cable management options available

upstage navigate height-adjustable table basics

upStage Navigate tables are available with a square or radius corner profile.




upStage Navigate Height-Adjustable Table with Double Stage Module (HTBD) for Height-Adjustable Table

Worksurface Finishes:
Foundation Laminate, Flintwood and Natural Veneer

Navigate worksurfaces are used with a coordinating Navigate height-adjustable base to create a complete table.

- Widths: 53", 59", 65", 71", 77" and 83" (actual)
- Depths: 25" and 30" (actual)
- Cut Out Styles:
 - None (no cut outs)
 - Rectangular (Diamond Shaped cut outs)

For more information about planning with IEC connection and height-adjustability, refer to Complements: *Teknion's Ergonomics & Accessories Program*.



Rectangular Height-Adjustable Worksurface (WBU)

- A height-adjustable worksurface with a rectangular corner profile
- Available in three different leg applications:

Two T-Leg


- Two T-Leg (Left Leg in Corridor, Right Leg in Stage Module) (TML)
- Two T-Leg (Right Leg in Corridor, Left Leg in Stage Module) (TMR)
- Two T-Leg (Left Leg in Credenza, Right Leg in Stage Module) (TCL)
- Two T-Leg (Right Leg in Credenza, Left Leg in Stage Module) (TCR)

T-Leg and Post Leg

- T-Leg and Post Leg (Left Post in Credenza, Right Leg in Stage Module) (PTL)
- T-Leg and Post Leg (Right Post in Credenza, Left Leg in Stage Module) (PTR)

Gable and T-Leg

- Gable and T-Leg (Left Gable in Corridor, Right Leg in Stage Module) (GTL)
- Gable and T-Leg (Right Gable in Corridor, Left Leg in Stage Module) (GTR)



Rectangular Height-Adjustable Worksurface with Radius Corners (WJU)

- A height-adjustable worksurface that have radius corner profile
- Available in two different leg applications:

Two T-Leg


- Two T-Leg (Left Leg in Corridor, Right Leg in Stage Module) (TML)
- Two T-Leg (Right Leg in Corridor, Left Leg in Stage Module) (TMR)
- Two T-Leg (Left Leg in Credenza, Right Leg in Stage Module) (TCL)
- Two T-Leg (Right Leg in Credenza, Left Leg in Stage Module) (TCR)

T-Leg and Post Leg

- T-Leg and Post Leg (Left Post in Credenza, Right Leg in Stage Module) (TTL)
- T-Leg and Post Leg (Right Post in Credenza, Left Leg in Stage Module) (TTR)

upstage navigate height-adjustable table basics (continued)

upStage Navigate tables are available with a square or radius corner profile.



upStage Navigate Height-Adjustable Table with Double Stage Module (HTBD) for Height-Adjustable Table

Base Finishes:
Foundation, Mica color or Accent

Navigate bases are used with a corresponding Navigate height-adjustable worksurface to create a complete table.

Base Mechanisms:

- Standard Range Electric (27" to 43")
- Extended Range Electric-Restrict Height (25" to 48.7")

Switch Styles:

- Standard Up/Down
- Display with Up/Down Memory
- Toggle Up/Down
- Display Toggle with Memory and Navigate GPS


Optional Under Surface Cable Manager

- Cable Organizer with or without felt cover
- Dual Plastic Tray with or without Power Bar

Optional Vertical Wire Carrier


- Optional Cross Chanel Integrated Powerbar

For more information about planning with IEC connection and height-adjustability, refer to Complements: *Teknion's Ergonomics & Accessories Program*. Bases are handed, the handedness is determined by the location of the corridor, stage module, or credenza.



upStage Height-Adjustable Built-In Base (YGU)


- The Built-in Table Base size is determined by the size of the worksurface it is used with
- Widths: 53", 59", 65", 71", 77", 83" (actual)
- Depths: 25" and 30" (actual)
- Leg style:
 - Standard T-Leg (30" deep)
 - Standard T-Leg and Post Leg
- Available for following Leg Applications:
 - Two T-Leg (Left Leg in Corridor, Right Leg in Stage Module)
 - Two T-Leg (Right Leg in Corridor, Left Leg in Stage Module)
 - Two T-Leg (Left Leg in Credenza, Right Leg in Stage Module)
 - Two T-Leg (Right Leg in Credenza, Left Leg in Stage Module)
 - T-Leg and Post Leg (Left Post in Credenza, Right Leg in Stage Module)
 - T-Leg and Post Leg (Right Post in Credenza, Left Leg in Stage Module)



upStage Height-Adjustable Built-In Gable Base (YVU)

- The Built-in Base size is determined by the size of the worksurface it is used with
- Widths: 47", 53", 59", 65", 71", 77", 83" (actual)
- Depths: 30" (actual)
- Available for following Leg Applications:
 - Gable and T-Leg (Left Gable in the Corridor, Right Leg in the Stage Module)
 - Gable and T-Leg (Right Gable in the Corridor, Left Leg in the Stage Module)

upstage hispace height-adjustable table basics




upStage hiSpace Height-Adjustable Table with Double Stage Module (HTBD) for Height-Adjustable Table

Worksurface Finishes:
- Foundation Laminate

hiSpace worksurfaces are used with a coordinating hiSpace height-adjustable base to create a complete table.


- Widths: 53", 59", 65", and 71" (actual)
- Depths: 25" and 30" (actual)
- Cut Out Styles
 - None (no cut outs)
 - Rectangular (Diamond Shaped cut outs)
- Cut Out Styles:
 - None (no cut outs)
 - Center
 - Left
 - Right

For more information about planning with IEC connection and height-adjustability, refer to Complements: *Teknion's Ergonomics & Accessories Program*.



Rectangular Height-Adjustable Worksurface (WBA)

- A height-adjustable worksurface with a rectangular corner profile
- Available in four different T-leg applications:
 - Two T-Leg (Left Leg in Corridor, Right Leg in Stage Module) (TML)
- Two T-Leg (Right Leg in Corridor, Left Leg in Stage Module) (TMR)
 - Two T-Leg (Left Leg in Credenza, Right Leg in Stage Module) (TCL)
 - Two T-Leg (Right Leg in Credenza, Left Leg in Stage Module) (TCR)




Rectangular Height-Adjustable Worksurface with Radius Corners (WJB)

- A height-adjustable worksurface that have radius corner profile
- Available in four different T-leg applications:
 - Two T-Leg (Left Leg in Corridor, Right Leg in Stage Module) (TML)
- Two T-Leg (Right Leg in Corridor, Left Leg in Stage Module) (TMR)
 - Two T-Leg (Left Leg in Credenza, Right Leg in Stage Module) (TCL)
 - Two T-Leg (Right Leg in Credenza, Left Leg in Stage Module) (TCR)

upstage hispace height-adjustable table basics (continued)

upStage hiSpace Height-Adjustable Table with Double Stage Module (HTBD) for Height-Adjustable Table



Base Finishes:
 - Platinum
 - Very White
 - Ebony

hiSpace bases are used with a corresponding hiSpace height-adjustable worksurface to create a complete table.


Base Mechanisms:

- Extended Electric with Riser (25" to 51.1")
- Display with Up/Down Memory

Optional Undersurface Cable Management:

- Cable Organizer with Felt Cover
- None
- Optional Cross Chanel Integrated Powerbar

For more information about planning with IEC connection and height-adjustability, refer to Complements: *Teknion's Ergonomics & Accessories Program*. Bases are handed, the handedness is determined by the location of the corridor, stage module, or credenza.



upStage Height-Adjustable Built-In Base (YGU)


- The Built-in Table Base size is determined by the size of the worksurface it is used with
- Widths: 53", 59", 65", and 71" (actual)
- Depths: 25" and 30" (actual)
- Leg style: Standard T-Leg
- Available for following Leg Applications:
 - Two T-Leg (Left Leg in Corridor, Right Leg in Stage Module (TML)
 - Two T-Leg (Right Leg in Corridor, Left Leg in Stage Module (TMR)
 - Two T-Leg (Left Leg in Credenza, Right Leg in Stage Module (TCL)
 - Two T-Leg (Right Leg in Credenza, Left Leg in Stage Module (TCR)

planning with upstage height-adjustable tables

The following should be considered when planning with upStage Navigate and hiSpace Height-Adjustable tables.

cut outs and grommets

Grommets are used to direct wires to the underside of the desk so they can be plugged into an under worksurface power bar or directed to the Vertical Wire Carrier (YEEE) for plugging into a monument or power bar that is not on the desk.




Cut out locations:

- None
- Rectangular Center
- Rectangular Right
- Rectangular Left


Rectangle Grommet (HTEG) routes power through the worksurface to the Flexible Power Module specified on the stage and is ordered separately.

grommet options

Left, right and center cut out positions are available. Cut outs **cannot** be specified in the corridor side if credenzas are specified, to avoid wires or components interference. The following are cut out locations:




Rectangular Left Cut Out Location




Rectangular Center Cut Out Location




Rectangular Right Cut Out Location




Rectangular Left Cut Out Location



Rectangular Center Cut Out Location




Rectangular Right Cut Out Location




planning with upstage height-adjustable tables (continued)

height-adjustment range




Standard Electric

- Minimum Height: 27"
- Maximum Height: 43"



Extended Electric - Restricted

- Minimum Height: 25"
- Maximum Height: 48.7"
- Minimum height is restricted so it does not interfere with a credenza or stage module




hiSpace Extended Electric - Riser

- Minimum Height: 25"
- Maximum Height: 51.1"


upstage height-adjustable table leg integration

upStage Height Adjustable tables must always have one leg integrated into a stage module with the other leg integrated into the credenza or on the corridor. There are four options for upstage height-adjustable leg integration:




T-Leg and Corridor (TMR/TML)

- Two T-Legs
- One Leg is integrated into the stage module and the other leg exposed
- Accommodates worksurface depths of 25" and 30"




T-Leg and Credenza (TCR/TCL)

- Two T-Legs
- One Leg is integrated into the stage module and the other leg is integrated into one of the following credenzas:
 - Double Credenza for HA Table (HTSCC)
 - Triple Credenza for HA Table (HTSCT)
- Accommodates worksurface depths of 30" only



Post and T-Leg (PTR/PTL)

- One T-Leg and one Post Leg
- The T-Leg is integrated into the stage module and the Post leg is integrated into one of the following Elevated Credenzas:
 - Height-Adjustable Integrated Double Credenza (HTSCD) or,
 - Height-Adjustable Integrated Triple Credenza (HTSCP)
- Accommodates worksurface depths of 30" only




Gable and T-Leg (GTR/GTL)

- This application is only available on Navigate Height-adjustable built-in tables
- One Gable and one T-Leg
- The T-Leg is integrated into the stage module and the gable is exposed on the corridor side
- Accommodates worksurface depths of 30" only


planning with upstage height-adjustable tables (continued)

handedness

upstage Height-Adjustable worksurfaces are specified right or left handed. Handedness is determined by the user's point of view, sitting at the desk. The worksurface has an overhang which is always on the corridor side and determines the handedness of the worksurface.




Right handed worksurface, overhang to the corridor side on right



Left handed worksurface, overhang to the corridor side on left


To plan a right handed layout; Worksurface, Base, Stage Module, Credenza and Screens - all have to be specified right handed.



right handed workstation layout

Right handed

- upStage Height-Adjustable Table - Right Handed
- Single Stage Module for Height-Adjustable Table - Right Handed
- upStage Credenza for Height-Adjustable Table - Right Handed



left handed workstation layout

Left handed


- upStage Height-Adjustable Table - Left Handed
- Stage Module for Height-Adjustable Table - Left Handed
- upStage Credenza for Height-Adjustable Table - Left Handed

planning with upstage height-adjustable tables (continued)

switches

There are four switches available when specifying the upStage Navigate Height-Adjustable Built-In Base.


- Navigate
 - Standard Up/Down
 - Display with Up/Down Memory
 - Toggle Up/Down
 - Display Toggle w/ Memory & Navigate GPS
- hiSpace
 - Display with Up/Down Memory
 - Toggle with Display Memory



wire management

power bars

There is an optional Cross Channel Integrated Power Bar which is mounted under the worksurface in the cross channel.




- Available on worksurfaces with 53" - 83" widths
- Includes four outlets and one internal cord to provide power both the table controls and the power bar

If no Cross Channel Integrated Power Bar is specified, a cover plate will be provided.

power pack on hiSpace

There is an optional power pack integrated with Cable Organizer with felt cover.




- Available on worksurfaces 53" - 71"

planning with upstage height-adjustable tables (continued)


under surface cable manager

The following under surface are available for upStage Navigate and hiSpace Height-Adjustable Built-In bases:


- Navigate
 - None
 - Cable organization with felt cover (Only available on worksurface depths 30")
 - Cable organization with no cover
 - Dual Plastic Trays & Power Bar
 - Dual Plastic Trays
- hiSpace
 - None
 - Dual Plastic Trays & Power Bar
 - Dual Plastic Trays




None




Cable organization with felt cover (Only available on worksurface depths 30")



Cable organization with no cover



Dual plastic trays, power bar and under surface mount




Dual plastic trays

vertical wire carrier


Vertical Wire Carriers are an option on upStage Navigate and hiSpace Height-Adjustable Built-In Bases:

- None
- Vertical Wire Carrier



stage module for height-adjustable table basics

The Stage Module for Height-Adjustable Table provides built-in single- or double-sided height-adjustable tables.



Double Stage Module for Height-Adjustable Table

Single Stage Module for Height-Adjustable Table

Base Finishes:

Source Laminate, Flintwood and Natural Veneer


Front Finishes:

Source Laminate, Flintwood and Natural Veneer

Metal Finishes:


Foundation, Mica and Accent colors

- Connects to any Beginning, End or Complete Stage for integration of Height-Adjustable Tables
- An integrated option is available on Navigate tables that allows the leg to be concealed into the Stage Module
- Widths: 30", 36" and 42"
- Height: 21"
- Depth: 16"
- Available with an optional Accessory Beam to maintain a continuous look and functionality with other Stages
- Available with Infeed Grommet options. Options:
 - One Grommet
 - Two Grommets
 - No Grommets
- Stage connectors are provided with Stage Modules in order to connect them to the End Gables on the Stage.



Single Stage Module for Height-Adjustable Table (HTBH)

- Used when a Height-Adjustable Table is used on one side only
- Handedness is determined by the location of the table



Double Stage Module for Height-Adjustable Table (HTBD)

- Used when a Height-Adjustable Table is used on both sides of the Module
- Is not handed

planning with stage module for height-adjustable tables

The following should be considered when planning with Stage Modules for Height-Adjustable tables.

handedness


Handedness, when applicable, is determined by the worksurface overhang which will always be on the corridor side

Single stage modules for Height-Adjustable Tables are handed, The handedness is determined by the location of the cut out on the module from the users perspective

Single-sided modules must be specified left or right and cannot be rotated



Right handed

- upStage Height-Adjustable Navigate Table - Right Handed
- Single Stage Module for Height-Adjustable Table - Right Handed
- upStage Credenza for Height-Adjustable Table - Right Handed



Left handed

- upStage Height-Adjustable Navigate Table - Left Handed
- Stage Module for Height-Adjustable Table - Left Handed
- upStage Credenza for Height-Adjustable Table - Left Handed




Double-sided stage modules for Height-Adjustable Tables are non-handed

Since the product is shipped unassembled, handedness is determined during assembly for double-sided modules


planning with stage module for height-adjustable tables (continued)

leg grommet

The movable leg grommet accommodates multiple positions of the upStage Navigate or hiSpace height-adjustable table leg within the module based on screen type and planning application.




When planning back-to-back with height-adjustable tables and credenza, the leg cut out allows screens to be added in the future without disassembling the whole layout.



planning with stage module for height-adjustable tables (continued)


stage modules with leg integration and vertical wire carrier

The Stage Module for Height-Adjustable Table is complete with an offset cut out for the upStage height adjustable table leg to be recessed into the module. When the unit is closed, the leg and Vertical Wire Carrier will be concealed.




stage modules with wire management

The above worksurface power for monitors, lights etc. should be routed through a cut out with Grommet (HTEG) and plugged into an under worksurface Power Bar (see Complements: *Teknion's Ergonomics & Accessories Program*). It is routed through a cable tray and then to the Vertical Wire Carrier Vertical Cable Manager, Navigate for upStage Built-In Stage (YEEE11) to the interior of the module, so that no cables are visible.




connecting stage modules for height-adjustable tables to stage modules with stage connectors

- The Stage Module for Height-Adjustable Table connects to the End Gables on the stage using the Stage Connector that is included. It cannot be mounted to a Mid Gable
- The Infeed Grommet option allows electrics to pass through to the stage. The Infeed Grommet option must be selected on the adjacent Stage if power routing is required through to the Module
- When one Infeed Grommet is specified, Stage module will include one Stage Connector. When two, Infeed Grommets are specified, it will include two Stage Connectors



stage module for height-adjustable table power distribution basics

Power & Data are distributed through the Stage Module for Height-Adjustable Table with Power Modules and Communication Boxes.



Power Module for Height-Adjustable Stage (HTEPM)

- Mounts inside of the Stage Module for Height-Adjustable Table to accommodate the mounting of receptacles
- Wire system available:
 - 8-Wire Isolated Ground (8T)
 - 8-Wire Dual Isolated (8K)
- Mounting brackets included and available in Black only
- Outlets must be ordered separately and can be mounted to one or both sides of the Power Module for Single or Double Sided application
- Please see Power Access Basics page for Outlet details



Communication Box (HTECB)

- The Communication Box is used on the Stage Module for Height-Adjustable Tables to accommodate data modules
- Opening measures 2.71" x 1.38" to accommodate Voice/Data jacks and faceplates (not included)
- Finished in Platinum



Chicago Power Box for Height-Adjustable Stage Module (HTEPMC)


- Mounts inside of the Stage Module for Height-Adjustable Table to accommodate the mounting of receptacles in Chicago applications
- Available Single or Double Sided

planning with stage module for height-adjustable table power access

The following should be considered when planning with Stage Module for Height-Adjustable Table Power Access.

power routing to module for height-adjustable table


The Power Module for Height-Adjustable Stage mounts 6" off center and mounts to the underside of the Stage Module for Height-Adjustable Table Surface. The harness attaching to the module must be a minimum of half the length of the connecting Stage plus the remaining length determined by size and direction of the Module.



Example 1

15" from left side of the Power Module for Height-Adjustable Stage + half the length of the connecting Stage (42") = 57" length (round up to 60" harness).

60" long harness required



planning with stage module for height-adjustable table power access (continued)


power routing to module for height-adjustable table

The Power Module for Height-Adjustable Stage mounts 6" off center and mounts to the underside of the Stage Module for Height-Adjustable Table Surface. The harness attaching to the module must be a minimum of half the length of the connecting Stage plus the remaining length determined by size and direction of the Module.


Example 2

3" from right side of the Height-Adjustable Power Module + half the length of the connecting Stage (42") = 45" length (round up to 48" harness).


48" long harness required





I-Connectors and Four-Way Splitters are not required when planning with the Power Module for Height-Adjustable Stage.



Each power module has two ins and two outs and can be used in combination with Flexible Power Module.




When connecting the Simple Stage to a Height-Adjustable Module, ensure 3" of harness can reach into the Height-Adjustable Module.




credenza for height-adjustable table basics

Credenzas for Height-Adjustable Tables are available in a double and triple configuration and accommodate the leg of upStage Height-Adjustable Tables.

Triple Credenza for Height-Adjustable Table




- Height is 21" high and depth is 16"
- Power and Data cannot be passed through Credenzas, it must route to Stage side
- upStage Navigate and hiSpace Height-Adjustable Tables can be used with these credenzas
- Orientation is determined from users perspective, sitting at the desk




Double Credenza for Height-Adjustable Table (HTSCC)

- Widths: 48", 54" and 60"
- Configurations:
 - Box/Box
 - File
 - Hinged door
- Do **not** require counterweights




Height-Adjustable Integrated Double Credenza (HTSCD)

- Widths: 48" and 54"
- Configurations are specified left to right:
 - Box/Box
 - File
- Do **not** require counterweights



Triple Credenza for Height-Adjustable Table (HTSCT)

- Widths: 66" and 72"
- Hinged Door is always positioned at the outer end of the credenza with drawers being placed in the middle section
- Do **not** require counterweights




Height-Adjustable Integrated Triple Credenza (HTSCP)

- Widths: 54", 60", 66" and 72"
- Configurations are specified left to right:
 - Hinged Door/File (HF)
 - Hinged Door, Box/Box (HB)
 - File, Box/Box (FB)
- Do **not** require counterweights


planning with credenzas for height-adjustable tables

The following should be considered when planning with Credenzas for Height-Adjustable Tables.


Credenzas for height-adjustable tables have cut-outs and metal grommets to match upStage Navigate and hiSpace height-adjustable tables.




If an upStage Navigate or hiSpace Height-Adjustable Table is specified with T-Legs and Credenza (TCR/TCL), you can choose between the Double Credenza for Height-Adjustable Table (HTSCC) and the Triple Credenza for Height-Adjustable Table (HTSCT).



Double Credenza for Height-Adjustable Table (HTSCC)




Triple Credenza for Height-Adjustable Table (HTSCT)




These two non-elevated credenzas hide a T-Leg foot. The storage starts right after the worksurface.


If the upStage Navigate Height-Adjustable Table is specified with Post and T-Legs (PTR/PTL), you can choose between the Height-Adjustable Integrated Double Credenza (HTSCD) and the Height-Adjustable Integrated Triple Credenza (HTSCP).




Height-Adjustable Integrated Double Credenza (HTSCD)



Height-Adjustable Integrated Triple Credenza (HTSCP)




These two elevated credenzas hide a Post Leg. The storage tucks under the worksurface.




The Post Leg can be leveled through two standard levelers which work independently from the credenza

Height-Adjustable Integrated Double Credenza (HTSCD) and the Height-Adjustable Integrated Triple Credenza (HTSCP) are compatible with 30" deep upStage worksurfaces only.




25" upStage Navigate worksurface.




30" upStage Navigate worksurface.

planning with credenzas for height-adjustable tables (continued)


It is recommended that 65", 71", 77" and 83" wide Rectangular Height-Adjustable Worksurface for upStage Navigate (WBU or WJU) be specified for enough clearance between credenza and stage.




53" worksurface




59" worksurface




65" worksurface



71" worksurface





77" worksurface





83" worksurface

It is recommended to plan with a grommet over the non-credenza side of a worksurface to avoid pinching wires and component interference.




planning with credenzas for height-adjustable tables (continued)

Power and data should always be routed through the stage side, not through the credenza side. If an Vertical Wire Carrier is specified, it must be specified to the non-credenza side.




Credenza will not fit under the stage. Height-Adjustable worksurface cannot overlap edge.



planning with credenzas for height-adjustable tables (continued)

hutches and stackers

Hutches and stackers must be 6" shorter than available space to provide adequate clearance between height adjustable worksurface and stationary hutch or stacker.




workstation footprint



Workstations planned with stage and credenza are 1" wider and 1" - 3" deeper than standard footprint. For example, a 6'x6' workstation planned with a credenza will have a width of 73" and a depth of 73" - 75".

When planning face to face workstations with credenzas additional space is required between desks for screens and pinch gap (minimum 1")

Credenzas are not recommended for parallel planning as there are not enough space for circulation path.



The overhang of the worksurface is 1" after the credenza edge. Worksurface edge will always be 2" offset inside from the center of the stage when leg is installed in stage module.



The width will be determined by the worksurface.

Depth of the worksurface is determined by screens used and the pinch gap required. The minimum 1" pinch point clearance is provided between screens to avoid pinch and accommodating cable routing. The gap between worksurface and screen will be 1/2".


planning with credenzas for height-adjustable tables (continued)

handedness


Handedness is determined from users point of view, in which side they are sitting at the desk.

All credenzas for upStage Height-Adjustable Tables are available with right to left handedness.


Credenza configuration must be specified left to right.




Left handed Height-Adjustable
Integrated Double Credenzas
(HTSCD)




Left handed Height-Adjustable
Integrated Triple Credenza (HTSCP)




Left handed Double Credenza for
Height-Adjustable Table (HTSCC)




Left handed Triple Credenza for
Height-Adjustable Table (HTSCD)




Right handed Height-Adjustable
Integrated Double Credenzas
(HTSCD)



Right handed Height-Adjustable
Integrated Triple Credenza (HTSCP)



Right handed Double Credenza for
Height-Adjustable Table (HTSCC)






Right handed Triple Credenza for
Height-Adjustable Table (HTSCD)

planning with height-adjustable tables, credenzas and screens

upStage height adjustable worksurfaces and credenzas provide sufficient clearance for screens applications.


upStage hiSpace and Navigate Rectangular Height-Adjustable Worksurfaces for will have 2" overhang on the non-user side and 1" overhang on the corridor side. After integrating the upStage credenza, upStage hiSpace and Navigate Rectangular Height-Adjustable Worksurfaces will have 1" overhang on front and side, which avoids the conflict between credenza and screen.



planning with credenzas for height-adjustable tables (continued)


maximum width of screen

There should be a 1" pinch gap between the stage module and a screen used with a height-adjustable work surface. The illustrations below show the maximum width of the screens that can be used with a height-adjustable work surface.




Centered Screens

- 83" wide height-adjustable table = maximum screen width is 66"
- 77" wide height-adjustable table = maximum screen width is 60"
- 71" wide height-adjustable table = maximum screen width is 54"
- 65" wide height-adjustable table = maximum screen width is 48"
- 59" wide height-adjustable table = maximum screen width is 42" (credenzas not recommended with 59" worksurface)
- 53" wide height-adjustable table = maximum screen width is 36" (credenzas not recommended with 53" worksurface)



Corridor Justified Screens

- 83" wide height-adjustable table = maximum screen width is 72"
- 77" wide height-adjustable table = maximum screen width is 68"
- 71" wide height-adjustable table = maximum screen width is 62"
- 65" wide height-adjustable table = maximum screen width is 56"
- 59" wide height-adjustable table = maximum screen width is 50" (credenzas not recommended with 59" worksurface)
- 53" wide height-adjustable table = maximum screen width is 44" (credenzas not recommended with 53" worksurface)



Infinity Curved Screens

- 83" wide height-adjustable table = maximum screen width is 59"
- 77" wide height-adjustable table = maximum screen width is 59"
- 71" wide height-adjustable table = maximum screen width is 59"
- 65" wide height-adjustable table = maximum screen width is 53"
- 59" wide height-adjustable table = maximum screen width is 47" (credenzas not recommended with 59" worksurface)
- 53" wide height-adjustable table = maximum screen width is 41" (credenzas not recommended with 53" worksurface)


screens

screens

UNDERSTANDING SCREENS	108
CASUAL SCREEN BASICS	110
PLANNING WITH CASUAL SCREENS	111
DESK EDGE SCREEN BASICS	113
PLANNING WITH DESK EDGE SCREENS	117
DESK EDGE FLOOR SCREEN BASICS	124
PLANNING WITH DESK EDGE FLOOR SCREENS	125
DESK EDGE SCREENS WITH GLASS BASICS	126
PLANNING WITH DESK EDGE SCREENS WITH GLASS	127
MODESTY SCREEN BASICS	128
SOLID LATERAL SCREEN BASICS	129
PLANNING WITH SOLID LATERAL SCREENS	130
SOLID CORRIDOR SCREEN BASICS	132
PLANNING WITH SOLID CORRIDOR SCREENS	133
LATERAL SCREEN BASICS	136
FUNCTIONAL SCREEN BASICS	137
PLANNING WITH FUNCTIONAL SCREENS	139


understanding screens

upStage offers a variety of screens at varying heights and available in multiple materials. The screens provide various levels of casual privacy and functionality.




casual screens

- Casual Screens mount to the Accessory Beam on the Stage to provide space division
- Available in six styles:
 - Glass
 - Solid
 - Thick Solid
 - Solid with Glass
 - Infinity
 - Framed
- Solid and Thick Solid Screens with rail can accommodate hanging accessories




desk edge screens

- Mounts on-or off-module to the edge of single return worksurfaces
- Creates space division and local desktop privacy at various heights
- Desk Edge Screens are available in six styles:
 - Glass
 - Solid
 - Solid with Glass
 - Infinity
 - Framed
 - Smooth Felt Desk Edge Screens
- Smooth Felt Screen with a lightweight aesthetic
 - Available in Complements: *Teknion's Ergonomics & Accessories Program*



infinity desk edge screens


- Attaches to worksurfaces to provide a lightweight, thin upholstered fabric screen
- Provides privacy at 42"h, 51"h and 57"h
- Provides a softer curvilinear aesthetic
- Creates space division and local desktop privacy at various heights
- Available in four styles:
 - Curved
 - Desk Edge
 - Quilted
 - Side Desk Edge



framed fabric desk edge screens


- Attaches to worksurfaces to provide an upholstered fabric screen
- Provides privacy at 42"h, 51"h and 57"h
- Is outlined by a frame
- Creates space division and local desktop privacy at various heights
- Above and below the worksurface
- Available in two styles:
 - Desk Edge
 - Side Desk Edge

understanding screens (continued)




solid lateral screens

- Solid Lateral Screens mount perpendicular to the spine to provide space division
- Available in two styles:
 - Solid
 - Solid with Glass
- Various heights available to match datum heights along screens and storage on the stage



lateral screens

- Lateral Screens attach to the worksurface to provide lateral space division
- Available with a straight/curved profile
- Five different finishes available:
 - Glass
 - Writable solid surface
 - Smooth Felt
 - Fabric
 - Metal




functional screens

- Functional Screens are a panel like structure with fascias that provide privacy and functionality
- Functional Screen fascia finishes available:
 - Fabric
 - Whiteboard
 - Accessory Fascias
 - Glass Add-ons


casual screen basics

Casual Screens mount to the Accessory Beam on the Stage to provide space division.




Casual Glass Screen

Metal and Hardware Frame Finishes:
Foundation, Mica and Accent colors
Solid Finishes:
Source Laminate, Flintwood and Natural Veneer
Glass Finishes:
Clear and Frost
Fabric Finishes:
All Teknion Standard Panel Fabrics




Casual Glass Screen (HTNX)

- Provides glass space division along the Accessory Beam of the stage
- Heights:
 - 21" high for a 42" high datum
 - 30" high for a 51" high datum
- Widths: 24" - 96" in 6" increments
- Available in 6mm or 10mm
- 6mm is not available on 30" high Screen




Casual Solid Screen (HTND)

- Provides solid space division along the Accessory Beam of the stage
- Available with or without Accessory Rail at the top
- Heights:
 - 21" high for a 42" high datum
 - 30" high for a 51" high datum
- Widths: 24"-96" in 6" increments




Casual Thick Solid Screen (HTNJ)

- Provides solid space division along the Accessory Beam of the stage
- Available with or without Accessory Rail at the top
- Heights:
 - 21" high for a 42" high datum
 - 30" high for a 51" high datum
 - 36" high for a 57" high datum
- Widths: 24" - 96" in 6" increments
- Available with three alignment options:
 - Without Alignment
 - With In-Line Alignment
 - End Alignment




Casual Thick Solid Screen with Glass (HTNK)

- Provides solid space division along the Accessory Beam of the stage
- Heights:
 - 51" (42" plus 9" glass)
 - 57" (48" plus 9" glass)
- Widths: 24"-96" in 6" increments
- Available with three alignment options:
 - Without Alignment
 - With In-Line Alignment
 - End Alignment



Casual Infinity Screen (GXAU)

- Provides solid space division along the Accessory Beam of the stage or on worksurface
- Heights:
 - 21" high for a 42" high datum
 - 30" high for a 51" high datum
- Widths: 24"-72" in 6" increments
- Applications:
 - Stage Mount
 - Worksurface Mount



Casual Framed Fabric Screen (HTNB)


- Provides tackable fabric space division along Accessory Beam of the stage
- Heights:
 - 13" high for a 42" high datum Worksurface Mount
 - 21" high for 42" high datum Stage Mount
 - 22" high for 51" high datum Worksurface Mount
- Widths: 24" - 72" in 6" increments
- Applications:
 - Stage Mount
 - Worksurface Mount

planning with casual screens

The following should be considered when planning with Casual Screens.


casual screen datum heights

- Casual Screens match standard Teknion datum heights of 42", 51" and 57" when mounted on the stage
- Alignment clips are provided



casual thick solid screens


- Casual Thick Solid Screens can be specified with or without alignment holes for added stability for longer runs
- When multiple screens are ganged together, alignment kits are supplied




- No Alignment
 - No Alignment holes
 - Two end caps

- With In-Line Alignment
 - Alignment holes both sides
 - No End Caps

- End Alignment, holes one side, one end cap
 - Alignment holes one side
 - No End Caps




Casual Thick Solid Screens, 42", 51" and 57" datum heights can be placed along the stage side by side.




planning with casual screens (continued)

casual thick solid screens with accessories

- Sit and Slide Screens with Accessories (JNSSE) can be used on a casual thick solid screen without a accessory rail
- The datum heights are 44" and 53" and cannot be used on any other screen type
- Casual Solid Screens and Casual Thick Solid Screens with an accessory rail can accommodate
 - Personal Organizers (PAX)
 - fx Accessories (with the exception of the fx Letter Tray (YFGY))
- The accessory rail can accept up to a 5 lb load




Sit and Slide Screens with Accessories (JNSSE)




Personal Organizers (PAX) and fx Accessories

casual infinity and framed screens

- Casual Infinity and Casual Framed Screens can be specified side by side on a stage
- When Casual Infinity Screens are ganged together, Infinity Screen Alignment Clip (GXCC) must be specified separately



Casual Infinity Screens (GXAU)




Casual Framed Fabric Screens (HTNB)

desk edge screen basics

Desk Edge Screens mount to worksurfaces on- and off-module to provide privacy.

glass and solid desk edge screens



Solid Desk Edge Screen

Glass Desk Edge Screen

Metal and Hardware Finishes:

Foundation, Mica and Accent colors

Solid Finishes:


Source Laminate, Flintwood and Natural Veneer

Glass Finishes:

Clear and Frost


Fabric Finishes:

All Teknion Standard Panel Fabrics



Glass Desk Edge Screen (HTNG)

- Heights above worksurface:
 - 13" for a 42" high datum
 - 22" for a 51" high datum
 - 28" for a 57" high datum
- Modesty Base Heights:
 - Modesty Height (15")
- Widths:
 - 30" - 66" in 6" increments
- Glass thickness is 6mm or 10mm
- Provides privacy at 42", 51 & 57" height




Solid Desk Edge Screen (HTNS)

- Heights above worksurface:
 - 0" for a 29" high datum
 - 13" for a 42" high datum
 - 22" for a 51" high datum
 - 28" for a 57" high datum
- Modesty Base Heights:
 - Partial Modesty Height (23")
 - Modesty Height (15")
 - Elevated Height (6")
 - Floor Height (1")
- Available widths:
 - 30" - 66" in 6" increments
- Available with or without an Accessory Rail along the top
- If 0" (29" high) is specified the Accessory Rail is not available
- Provides privacy at 42", 51 & 57" height

desk edge screen basics (continued)

infinity desk edge screens




Infinity Curved Desk Edge Screen

- Infinity Screen Features:
 - Radius corners
 - Casual and continuous corner applications
 - 1/2" thickness
 - Non tackable
- Heights:
 - 13" for a 42" high datum
 - 22" for a 51" high datum
 - 28" for a 57" high datum
- Modesty Base Heights:
 - Partial Modesty Height (23")
 - Modesty Height (15")
- Available in select panel and upholstery fabric, please refer to the Teknion Textiles Program Guide
- Provides privacy at 42", 51" & 57" height to most materials

Quilted Infinity Desk Edge Screen


Infinity Desk Edge Screen

- Metal and Hardware Finishes:**
Foundation, Mica and Accent colors
- Solid Finishes:**
Source Laminate, Flintwood and Natural Veneer
- Glass Finishes:**
Clear, Frost and Satin
- Fabric Finishes:**
All Teknion Standard Panel Fabrics




Infinity Curved Desk Edge Screen (GXCU)

- A curved fabric screen that mounts to a radius corner worksurface
- Depths: 20"
- Widths:
 - 23", 29", 35", 41", 47", 53" and 59"
- Optional wire manager




Infinity Desk Edge Screen (GXDU)

- A fabric screen that mounts to the edge of a worksurface
- Widths:
 - 36" to 71" in 1" increments
- Optional wire manager



Quilted Infinity Desk Edge Screen (GQDU)

- A quilted fabric screen that mounts to the edge of a worksurface
- Widths:
 - 36" to 66" in 1" increment and 71"
- Optional wire manager



Infinity Side Desk Edge Screen (GXSU)

- A fabric screen that mounts to the side edge of a worksurface
- Widths:
 - 17", 18", 23", 24", 29", 30", 31", 35", 36", 42", 48", 60" and 72"




Infinity Screen Alignment Clip (GXCC)

- Used to clip Infinity screens together in side-by-side applications

desk edge screen basics (continued)

framed desk edge screens

Framed Side Desk Edge Screen



Framed Fabric Desk Edge Screen

Framed Fabric Desk Edge Screen, Floor Height

- Square Corners
- Tackable
- 1" Thickness
- Tight fit corner application
- Select Panel Fabric and Upholstery Fabric available for application. See *Teknion's Fabrics & Finishes Program* for more information

Metal and Hardware Finishes:

Foundation, Mica and Accent colors

Solid Finishes:


Source Laminate, Flintwood and Natural Veneer

Glass Finishes:

Clear, Frost and Satin


Fabric Finishes:

All Teknion Standard Panel Fabrics



Framed Fabric Desk Edge Screen (HTNF)

- Heights above worksurface:
 - 13" for a 42" high datum
 - 22" for a 51" high datum
 - 28" for a 57" high datum
- Modesty Base Heights:
 - Modesty Height (15")
 - Elevated Height (6")
 - Floor Height (1")
- Widths:
 - 36" to 72" in 1" increments
- If Floor Modesty Base Height is specified, 22" high for a 51" datum is not available
- Provides privacy at 42", 51 & 57" height




Framed Side Desk Edge Screen (GYSU)

- Heights above worksurface:
 - 13" for a 42" high datum
 - 22" for a 51" high datum
- Modesty Base Heights: Modesty Height (15")
- Depths: 20"
- Widths:
 - 23", 29", 35", 41", 47", 53" and 59"
- Provides privacy at 42", 51 & 57" height

desk edge screen basics (continued)


smooth felt desk edge screens




Smooth Felt Desk Edge Screen shown

Smooth Felt Side Desk Edge Screen shown


The Smooth Felt Screens can be used on upStage worksurfaces.
They are available in Complements: *Teknion's Ergonomics & Accessories Program*




Smooth Felt Desk Edge Screen (GZDH)



Smooth Felt Side Desk Edge Screen (GZSH)



Smooth Felt Curved Radius
Desk Edge Screen (GZCH)





Smooth Felt Square Corner
Desk Edge Screen (GZBH)

planning with desk edge screens


The following should be considered when planning with upStage Desk Edge Screens.

The following are all of the possible datum and modesty heights for Desk Edge Screens.


Please refer to each individual screen for the list of specific heights available for that screen.



For 15" high Desk Edge Screens on worksurfaces semi-suspended from the stage or freestanding, it is recommended that the Screens be centered and be minimally 16" smaller than the worksurface to avoid interference with the stage.



For Desk Edge Screens for worksurfaces semi-suspended from storage or a hutch, screens can be flush with the worksurface edge. If the width is shorter than the worksurface width, it is recommended that it be centered on the worksurface.




When Partial Modesty Height is specified, Solid Desk Edge Screens can be specified the full width of the worksurface as they will not interfere with the stage.


planning with desk edge screens (continued)

infinity screens


The following applications are available when planning with infinity screens.




Desk Edge Screen




Side Desk Edge Screen



Curved Desk Edge Screen




Desk Edge Floor Screen




Side Desk Edge Floor Screen


Infinity Screen widths are nominal.
 • The actual width is 1/4" less on each side




When two screens are planned side by side, there will be a 1/2" gap between the two screens.
 • Screen Alignment Clips (GXCC) are used to align the two parallel screens




Infinity screens have no physical connection at corners. They are a casual fit.




The brackets on infinity screens will always have a common bracket placement of 4 1/2" from either edge



There are two types of patterns available when planning with the Quilted Infinity Desk Edge Screens:




Diode




Pico

planning with desk edge screens (continued)


Infinity Desk Edge Screens (GXDU) can be attached to worksurfaces in the following applications.



Worksurface with Stage Module or Credenza





Worksurface with Hutch Stacker




Freestanding Worksurface

Infinity Desk Edge Screens should only be placed on worksurfaces mounted perpendicular to the stage.




Two leg styles can be used with the Infinity Desk Edge Screen:

- Y-Leg (HTWD) (shown)
- Interpret Leg (HTWN)




planning with desk edge screens (continued)

The following should be considered when planning with Infinity Desk Edge Screens:



Perpendicular Worksurface (HTWP) with Infinity Desk Edge Screen (GXDU).




Perpendicular with Radius Corner Worksurface (HTWH) with Infinity Curved Desk Edge Screen (GXCU).

planning with desk edge screens (continued)


Infinity Side Desk Edge Screens can be planned at both partial and full depth.



24" deep workspace with
24" deep Infinity Side Desk Edge Screen (GXSU).



30" deep workspace with
30" deep Infinity Side Desk Edge Screen (GXSU).



36" deep workspace with
36" deep Infinity Side Desk Edge Screen (GXSU).



24" deep workspace with
18" deep Infinity Side Desk Edge Screen (GXSU).




30" deep workspace with
24" deep Infinity Side Desk Edge Screen (GXSU).



36" deep workspace with
30" deep Infinity Side Desk Edge Screen (GXSU).

Infinity Desk Edge Screens offer an optional wire manager that accompanies the bracket connection


- The gap will always be 1/2"
- A continuous trough allows for cable management
- The trough can accommodate a Power Rod (YEPD) or Power Bar (YEPS). Available from Complements: *Teknion's Ergonomics & Accessories Program*




planning with desk edge screens (continued)

framed fabric screens


The following applications are available when planning with framed fabric screens.




Side Desk Edge Screen



Accessory Beam Mount Screen



Desk Edge Floor Screen




Side Desk Edge Floor Screen

Framed Fabric Screen widths are actual and will be same width as worksurface.




Framed Fabric Screens are always the width of the worksurface, there are no gaps. When planning in-line, no alignment clips are required. It will be a tight fit but not physically connected.

The screen mounts 1/2" from the worksurface.




Framed Fabric Screens are physically connected at a corner. It is not a casual collection.




The brackets on framed fabric screens will always have a common bracket placement of 10 3/8" from either edge




Framed Desk Edge Screens (GYSU) can be attached to worksurfaces in the following applications:



Worksurface with Stage Module or Credenza




Worksurface with Hutch Stackers



Freestanding Worksurface

planning with desk edge screens (continued)


The following should be considered when planning with Framed Desk Edge Screens:



Perpendicular Worksurface (HTWP) with Framed Fabric Desk Edge Floor Screen (GYFU).


Two leg styles can be used with the Framed Side Desk Edge Screens:

- Y-Leg (HTWD) (shown)
- Interpret Leg (HTWN)




desk edge floor screen basics

Desk Edge Floor Screens mount to worksurfaces and provide full-height privacy.




Metal and Hardware Finishes:
Foundation, Mica and Accent colors
Solid Finishes:
Source Laminate, Flintwood and Natural Veneer
Glass Finishes:
Clear, Frost and Satin
Fabric Finishes:
All Teknion Standard Panel Fabrics



Infinity Desk Edge Floor Screen (GXFU)

- Heights above worksurface:
 - 13" for a 42" high datum
 - 22" for a 51" high datum
- Modesty Base Heights: Floor Height (1")
- Widths: 36" - 70" in 1" increments




Infinity Side Desk Edge Floor Screen (GXEU)

- Heights above worksurface:
 - 0" for a 29" high datum
 - 13" for a 42" high datum
 - 22" for a 51" high datum
- Modesty Base Heights:
 - Partial Modesty Height (23")
 - Modesty Height (15")
 - Elevated Height (6")
 - Floor Height (1")
- Widths: 30" - 66" in 6" increments
- Available with or without an Accessory Rail along the top




Infinity Screen Alignment Clip (GXCC)

- Used to clip Infinity screens together in side-by-side applications



Framed Fabric Desk Edge Floor Screen (GYFU)

- Heights above worksurface:
 - 13" for a 42" high datum
 - 22" for a 51" high datum
- Modesty Base Heights: Floor Height (1")
- Widths: 36" - 70" in 1" increments




Framed Fabric Side Desk Edge Floor Screen (GYEU)

- Heights above worksurface:
 - 13" for a 42" high datum
 - 22" for a 51" high datum
- Modesty Base Heights: Floor Height (1")
- Widths: 36" - 70" in 1" increments
- Depths: 18" to 48" in 6" increments

planning with desk edge floor screens

The following should be considered when planning with single-sided upStage Desk Edge Floor Screens.


When mounting a Desk Edge Floor Screen on a single sided upStage configuration, the screen must stop minimum 12" from the edge of Stage Module to avoid bracket interferences




desk edge screens with glass basics

Desk Edge Screens with Glass mount to worksurfaces on-module to provide privacy at 42", 51" and 57" heights.

desk edge screens with glass



Metal and Hardware Finishes:
Foundation, Mica and Accent colors
Solid Finishes:
Source Laminate, Flintwood and Natural Veneer
(Horizontal Wood Grain)
Glass Finishes:
Clear, Frost and Satin



Desk Edge Screens with Glass (GVGU)

Mount to a worksurface to provide a solid modesty below and glass above at various heights.

- Widths: 46", 52", 58", 64", 70"
- Heights:
 - 29" Solid with 13" Glass to provide a 42"h datum
 - 42" Solid with 9" Glass to provide a 51"h datum
 - 29" Solid with 22" Glass to provide a 51"h datum
 - 42" Solid with 15" Glass to provide a 57"h datum
- Modesty Base Heights: Floor Height 1"


planning with desk edge screens with glass

The following should be considered when planning with Desk Edge Screens with Glass.

desk edge screens with glass


- Desk Edge Screens with Glass are available in three standard Teknion overall datum heights, 42", 51" and 57" high.

42" high datum




42" high Screen consists of a 29" high solid screen with 13" Glass above.

51" high datum




- The 51" high Screen is available in two options:
 - 42" high solid Screen with 9" Glass above
 - 29" high solid Screen with 22" Glass above

51" high datum




57" high datum




57" high Screen consists of a 42" high solid screen with 15" Glass above.


Desk Edge Screens with Glass can be attached to worksurfaces in the following applications.



Worksurface with Stage Module or Credenza



Worksurface with Hutch Stacker





Freestanding Worksurface

modesty screens basics

Modesty Screens mount below the worksurface to provide privacy.


modesty screens




Modesty Screen (HTNN)

- Modesty Height Below Worksurface: (13") for 29" high datum
- Widths: 24" - 54" in 6" increments
- Available in Solid only

Careful attention should be paid when planning Modesty Screens with the Y-Leg and Interpret Leg as brackets can interfere.




When specifying a Modesty Screen with the Y-leg it must be specified 22" narrower than the worksurface.



When specifying a Modesty Screen with the Interpret Leg it must be specified 16" narrower than the worksurface.

solid lateral screen basics

Solid Lateral Screens mount perpendicular to the spine to provide space division.



Metal and Hardware Frame Finishes:

Foundation, Mica and Accent colors

Solid Finishes:


Source Laminate, Flintwood and Natural Veneer

Glass Finishes:

Clear and Frost


*Support Foot will match hardware color

- Options:
 - End Mounted Single
 - End Mounted Double
 - End Mounted Double (for HA module)
 - End Mounted Shared
 - End Mounted Shared (for HA module)
 - Flush Mid Gable
 - Flush End Gable
 - End Mounted Corner Connection
- Most screens are handed and are determined by the location of the bracket in relation to the screen
- All floor screen widths are actual
- Infeed Grommets **cannot** be accessed when End Mounted, Shared, Double and Single are used
- Power Pole or Exterior Base Feed **cannot** be used when Lateral Screens are covering both End Gables of a Stage




Solid Lateral Floor Screen (HTNL)

- Heights: 42", 51" and 57"
- Depths: 24", 30", 36" and 42" - 84" in 1" increments



Solid Lateral Screen with Glass (HTNA)

- Heights:
 - 42" total (29" plus 13" glass)
 - 51" total (42" plus 9" glass)
 - 51" total (29" plus 22" glass)
 - 57" total (42" plus 15" glass)
- Depths: 24" - 84" in 6" increments



- The left handed orientation will have the visible mounting brackets on the right and the support foot (if required) will be on the left
- The right handed orientation will have the visible mounting brackets on the left and the support foot (if required) will be on the right

planning with solid lateral screens

The following should be considered when planning with Solid Lateral Screens.


solid lateral screens

When there is 36" of unsupported screen a Support Foot is required and will be included with screen.

The Lateral Screen can be mounted in nine locations:

End Mounted Corner Connection (handed)


- Mounts to the entire end of the Spine to provide Privacy in single sided applications
- Works in conjunction with HTNE Solid Corridor Screens and includes alignment pin hardware to ensure tight corners
- Widths: 24" - 84"
- To determine User Width, minus the full depth of the stage (16")



On widths 44" and above there will be a mandatory support foot

End Mounted Shared (not handed)


- Mounts on the outside of the stage to provide partial privacy on both sides
- Widths: 24" - 84"
- To determine User Width, use overall width of screen, minus the depth of the stage



Will not have support foot

End Mounted Double (handed)


- Mounts to the midpoint of the outside of the stage to provide additional privacy
- Widths: 24" - 84"
- To determine User Width, use overall width of screen, minus half the depth of the stage (8")



On widths 44" and above there will be a mandatory support foot

End Mounted Single (handed)


- Mounts to the entire end of the spine to provide privacy in single sided applications
- Widths: 24" - 84"
- To determine User Width, use overall width of screen, minus the full depth of the stage (16")



On widths 52" and above there will be a mandatory support foot

Flush Mid Gable (not handed)


- Mounts to the face of the stage to provide privacy between users
- Widths: 24" - 72"
- 73" - 84" is not available
- The User Width equals overall width of screen



On widths 36" and above there will be a mandatory support foot

Flush End Gable (handed)


- Mounts to both faces of the stage to provide privacy between users
- Widths: 24" - 72"
- 73" - 84" is not available
- The User Width equals overall width of screen



On widths 36" and above there will be a mandatory support foot

End Mounted Shared for HA Module (handed)


- Mounts on the outside of the stage to provide partial privacy on both sides
- Widths: 24" - 84"
- To determine User Width, use overall width of screen, minus the depth of the stage



Will not have support foot

End Mounted Double for HA Module (handed)


- Mounts to the midpoint of the outside of the stage to provide additional privacy
- Widths: 24" - 84"
- To determine User Width, use overall width of screen, minus half the depth of the stage (8")



On widths 44" and above there will be a mandatory support foot

End Mounted Single for HA Module (handed)

- Mounts to the entire end of the spine to provide privacy in single sided applications
- Widths: 24" - 84"
- To determine User Width, use overall width of screen, minus the full depth of the stage (16")




On widths 52" and above there will be a mandatory support foot

planning with solid lateral screens (continued)

solid lateral screens with glass


- Lateral Screens with Glass are available in two standard Teknion overall datum heights, 42", 51" and high.

42" Datum



42" high Screen consists of a 29" high solid screen with 13" Glass above


51" Datum




The 51" high Screen is available in two options:

- 29" high solid Screen with 22" Glass above
- 42" high solid Screen with 9" Glass above

51" Datum




57" Datum




57" high Screen consists of a 42" high solid screen with 15" Glass above

grain direction




- For 42" high solid lateral screens with Source Laminate finishes the grain runs horizontal
- For Cathedral Flintwood and Natural Veneers the grain direction is from left to right from the user's perspective. From the visitor's perspective, outside the workstation, the grain direction is right to left




- For 51" and 57" high solid lateral screens with Source Laminate finishes the grain runs horizontal
- For Cathedral Flintwood and Natural Veneers the grain direction is from bottom to top from both the user's and visitor's perspective, inside and outside the workstation

solid corridor screen basics

Corridor Screens attach to the Stage to provide space division in a single-sided application or along a corridor.




Metal and Hardware Frame Finishes:
Foundation, Mica and Accent colors
Solid Finishes:
Source Laminate, Flintwood and Natural Veneer
Glass Finishes:
Clear and Frost
*Support Foot will match hardware color



Solid Corridor Screen with Glass (HTNE)

- Heights:
 - 42" total (29" plus 13" glass)
 - 51" total (42" plus 9" glass)
 - 51" total (29" plus 22" glass)
- Widths:
 - 42" high screens include widths 24" - 96" in 6" increments
 - 51" high screens include widths 24" - 84" in 6" increments
- All Solid Corridor Screen widths are actual



Solid Corridor Screen (HTNC)


- Heights: 42" and 51" high
- Widths:
 - 42" high screens include widths 24" - 96" in 6" increments
 - 51" high screens include widths 24" - 84" in 6" increments
- All Solid Corridor Screen widths are actual

planning with solid corridor screens


The following should be considered when planning with Solid Corridor Screens.

solid corridor screens


When planning with solid corridor screens there are various ways to create privacy and one-sided workstations.




Corridor Screens can be used together with lateral screens for a continuous privacy solution.




Corridor Screens can be combined with stage-mounted storage to completely cover one side of the stage.




Corridor Screens can be used with single-sided worksurfaces to optimize the available space above the stage.



Corridor Screens can be casually overlapped with stage-mounted storage units to provide varying levels of privacy.




Corridor Screens cannot attach to Height-Adjustable credenzas.




Corridor Screens are always planned against a stage.

on and off module planning

- When planning with corridor screens on-module, or end-mounted off-module, the end gables will always be used as a primary vertical bracket attachment, whenever possible
- When planning with corridor screens off-module, at least one vertical attachment should always be provided either by a mid-gable or a credenza



- For Solid Corridor Screens that are 24" to 48", there will be two horizontal brackets and one vertical bracket included



- For Solid Corridor Screens that are 54" to 96", there will be three horizontal brackets and two vertical bracket included


planning with solid corridor screens (continued)

The following should be considered when planning with Solid Corridor Screens.


without alignment, with in-line alignment and extended corner in-line alignment

The following shows the location of alignment options for self alignment and mix and match capabilities of the Solid Corridor Screens.


Solid Corridor Screens (HTNC) have the option of specifying Without Alignment, With In-Line Alignment, Extended Left Corner & In-Line Alignment and Extended Right Corner & In-Line Alignment. Solid Corridor Screens with Glass (HTNE) have the option of specifying Without Alignment and With In-Line Alignment. In order to connect Solid Corridor Screen (HTNC) with the Solid Lateral Screen (HTNL), End Mounted Corner Connection (EC) must be specified.



Alignment options for Solid Corridor Screen (HTNC)




Without alignment




With In-Line alignment

Alignment options for Solid Corridor Screen with Glass (HTNE)




Without alignment




With In-Line alignment

Extended Left/Right Corner & In-Line Alignment



planning with solid corridor screens (continued)


In-Line Alignment



solid corridor screens with glass


Corridor Screens with Glass are available in two standard Teknion overall datum heights, 42" and 51" high.

42" Datum




42" high Screen consists of a 29" high solid screen with 13" Glass above

51" Datum




The 51" high Screen is available in two options:
 - 29" high solid Screen with 22" Glass above
 - 42" high solid Screen with 9" Glass above


51" Datum



grain direction




- For 42" (24"-96" wide) high solid corridor screens with Source Laminate finishes the grain runs horizontal
- For Cathedral Flintwood and Natural Veneers the grain direction is from left to right from the user's perspective. From the visitor's perspective, outside the workstation, the grain direction is right to left



- For 51" (24"-84" wide) high solid corridor screens with Source Laminate finishes the grain runs horizontal
- For Cathedral Flintwood and Natural Veneers the grain direction is from bottom to top from both the user's and visitor's perspective, inside and outside the workstation

lateral screen basics

Lateral Screens attach to the worksurface to provide lateral space division.



- A screen with straight/curved profile which provides privacy along with lateral space division
- Heights:
 - 13" for a 42" datum
 - 22" for a 51" datum
 - 28" for a 57" datum
- Depths: 23", 29" and 35"


Metal and Hardware Finishes:
Foundation, Mica and Accent colors

Solid Finishes:
Source Laminate, Flintwood and Natural Veneer


Glass Finishes:
Clear, Frost and Satin

Fabric Finishes:
All Teknion Standard Panel Fabrics


Felt Finishes:
Strata, Pewter, Lunar and Warm Ash




6mm Glass Lateral Screen (GNGU)




10mm Glass Lateral Screen (GNTU)




Writable Glass Lateral (GNWU)




Solid Lateral Screen (GNSU)



Writable Laminate Lateral Screen (GNLU)




Infinity Lateral Screen (GNXU)




Smooth Felt Lateral Screen (GNZU)

- Available 13" and 22" high only



Framed Fabric Lateral Screen (GNYU)



Metal Lateral Screen (GNMU)


- Available 13" and 22" high only

functional screen basics


upStage offers one framed spine screen option; the Functional Screen. The panel like structure with fascias provide privacy and functionality.

functional screen

The Functional Screen provides additional stability and can be used with Fabric, Whiteboard as well as Accessory Fascias and Glass Add-ons up to 51" high datum height. Accessory Fascia is only available 13" high to provide a total of 42" high when use with a Glass Add-On.



Functional screens add functionality to a workstation.



Functional Screens may be specified 13", 21" and 30" high. The 13" high Functional Screen is optimized to be used with the Glass Add-On Screen.



Functional Screen Frame (HTCF)

- Mounts to the Accessory Beam and consists of a frame with vertical posts and a top rail. Frames over 48" wide will consist of two segments for added stability
- Heights: 13", 21" and 30"
- Widths: 24" - 96" in 6" increments
- Supports the Glass Add-On Screen
- Mounted on- or off-module



Fascia Post Kit (HTCK)

- Required to provide additional support to the Functional Screen Frame when Accessory Fascias (HTCA) are used
- The kit mounts vertically inside of the frame and its required for all fascia sizes
- Heights: 13" and 21"

functional screen basics (continued)

Functional Spine Screen Frames require Top Trim, End Trim, Intermediate Trim, Screen Connectors and Fascias to complete the screen.



Top Trim (HTCT)

- Used on a Functional Screen when no Glass Add-On is required
- Widths: 24" - 96" in 6" increments
- Finishes: Foundation, Mica and Accent colors
- Can span more than one frame




Top Trim for Glass Add-On (HTCG)

- Finishes the top of Functional Screen when a Glass Add-On is used
- Widths: 24" - 96" in 6" increments
- Finishes: Foundation, Mica and Accent colors
- Includes clips
- Can span more than one frame




End Trim (HTCE)

- Finishes the end of a Functional Screen
- Heights: 13", 21" and 30"
- Finishes: Foundation, Mica and Accent colors




Fabric Fascia (HTCR)

- Provides a tackable surface
- Heights: 13", 21" and 30"
- Widths: 24", 27", 30", 33", 36", 39", 42", 45", 48", 54" and 60"
- Finishes: all Standard Teknion Panel Fabrics




Whiteboard Fascia (HTCW)

- Provides a Whiteboard surface
- Heights: 13", 21" and 30"
- Widths: 24", 27", 30", 33", 36", 39", 42", 45", 48", 54", 60", 66" and 72"



Accessory Fascia (HTCA)

- Provides an Accessory Rail for mounting accessories
- Additional Fascia Post Kits (HTCK) are required for stability of this screen and are not included with the screen
- Available 13" high only and when used with an 8" Glass Add-On Screen provides a 42" high datum Height
- Widths: 24" - 96" in 6" increments
- Finishes: Foundation, Mica and Accent colors



Glass Add-On Screen (HTCL)

- Heights:
 - 8" and 9" (8" high attaches to a 13" functional screen for a 42" datum height)
 - 9" high attaches to a 21" functional screen for 51" a datum height)
- Widths: 24" - 96" in 6" increments
- Screen finishes: Clear and Frosted Glass




Screen Connector (HTCC)

- Required to connect adjoining frames
- Heights: 13", 21" and 30"


planning with functional screens

The following should be considered when planning with Functional Spine Screens.


functional spine screens



Frame widths 24" – 48" consist of two vertical posts and a top frame, they can accommodate one Fascia on each side of the frame.



Frame widths 54" – 96" consist of four vertical posts and can accommodate one or two Fascia on each side of the frame.



Fascias can be specified to span over the entire width of the Functional Screen, or two Fascias can be specified at half the width each and do **not** need to be the same finish.

Side 1



Side 2




Fascias do not need to be the same on both sides of a frame, two Fascias can be specified on one side of the frame and a single fascia on the opposite side.




Only one or two Fascias of equal size can be used on a frame. Three Fascias **cannot** span on one frame.

planning with functional screens (continued)


Screen connectors are required between adjoining screens



End Trims are required on all exposed Ends.




Four End Trims are required



One End Trim is required


When planning with Casual Screens beside Functional Screens, the End Cap on the Casual Screen must be removed providing space for the End Trim of the Spine Screen.



planning with functional screens (continued)


top trim-glass

The Top Trim for Glass Add-On (HTCG) must be used when Add-On Glass Screens (HTCL) are specified.



datum heights

The 8" high Glass Add-On is used with the 13" high functional frame to reach a 42" high datum. The 9" high Glass Add-On is used with the 21" high functional frame to reach a 51" high datum.



hutch stackers &
accessories


hutch stackers & accessories

UNDERSTANDING HUTCH STACKERS	144
HUTCH STACKERS BASICS	146
PLANNING WITH HUTCH STACKERS	147
HUTCH STACKERS WITH SLIDING DOOR BASICS	148
PLANNING WITH HUTCH STACKERS WITH SLIDING DOOR OVERHEAD	149
PLANNING WITH HUTCH STACKERS & HUTCH STACKERS WITH OVERHEAD	150
HUTCH STACKER FINISHES	154
HUTCH STACKERS WITH SLIDING DOOR OVERHEAD FINISHES	155
HUTCH ACCESSORY BASICS	156
HUTCH FASCIA ADD-ON BASICS	157
PLANNING WITH FASCIA ADD-ONS	158
ELEVATED HUTCH BASICS	160
PLANNING WITH ELEVATED HUTCHES	161
ELEVATED HUTCH & LATERAL TOWER FINISHES	162


understanding hutch stackers

Hutch Stackers are used on Stages and Credenzas to provide functional space division and various levels of privacy. All are complete with a lower cubby and options for upper storage.


Hutches are available in three styles:




Single Hutches face one direction with a screening element aligned to the back of the cabinet. The integrated cubby and optional overhead extends the full depth of the cabinet.




Shared Hutches face in two directions with a screening element along the center line of the cabinet, so is optimized for flexible planning. The integrated lower cubbies are half depth and the optional overhead creates a handed “S” style split.




Aperture Style Hutches have the screening element split, with a 6” gap between them. Optimized for asymmetric planning of workspaces, it provides a shared open space between neighbors, while providing privacy for heads-down work. Both lower cubbies and optional overheads have the “S” style split (always handed).



Single Style Hutches allow for head down space and privacy between users. Provides full cabinet depth of storage for one user in single sided applications or allows for a second user to access the backside for additional functionality.




Shared Style Hutches allow for head down space and privacy between users. The center screen allows workspaces to be planned either symmetric or asymmetric with some area for small items.



Aperture Style Hutches Worksurfaces mount to the backside of each screen to provide heads down privacy when required, additional space for small items and the ability to collaborate when desired.


understanding hutch stackers (continued)

Six levels of privacy are available:




Open Through Hutch

Hutch area is open, however both upper and lower Cubby area closed.




Glass Back Hutch

Provides translucency between users in Hutch area.



Solid Back Hutch

Provides solid privacy for users in Hutch and Cubby area.




Perforated Hutch

Provides privacy in Hutch area while allowing light to pass through the Hutch.


hutch stackers basics

upStage hutches mount to a stage to provide various levels of casual privacy and functionality.




- All hutches include a lower cubby at desk height to allow worksurfaces to be mounted horizontally
- Heights: 21", 30" and 45"
 - The 30" and 45"h are available with optional top cubbies
- Configurations:
 - Single, the hutch and cubbies will be open from one side only
 - Shared (the hutch and cubby section is split so that each side is half the depth of the hutch)
 - Aperture (the hutch and cubby section is split so that each side is half the width of the hutch but the full depth)
- The cubby section will always be solid regardless of the style

- Widths:
 - 30" - 72" in 6" increments for single applications
 - 42" - 72" in 6" increments for shared or aperture applications
- Styles:
 - Open
 - Solid back
 - Glass back
 - Perforated metal
- In single and shared hutches 42"w or wider, the lower and upper cubbies will have a mid gable for support
- An interior chrome rod is required for support on hutches 42"w or wider (except in shared applications)




Open Through Hutch Stacker (HTSHN)

- The hutch is open through so only the cubbies are considered single sided




Solid Back Hutch Stacker (HTSHS)

- The hutch has a solid back
- Accommodates a hutch fascia add-on (HTAH)



Glass Back Hutch Stacker (HTSHG)

- The hutch has a glass back




















































Perforated Hutch Stacker (HTSHP)

- The hutch has angled perforated blades to provide partial privacy
- Not available single sided


planning with hutch stackers

The following chart outlines the configurations available when planning with upStage Hutch Stackers.

		Open		Solid Back		Glass Back		Perforated	
		HTSHN	with cubbies	HTSHS	with cubbies	HTSHG	with cubbies	HTSHP	with cubbies
21" High	Single		×		×		×	×	×
	Shared		×		×		×		×
	Aperture		×	×	×	×	×	×	×
30" High	Single							×	×
	Shared								
	Aperture								
45" High	Single	×						×	×
	Shared	×							
	Aperture	×							


hutch stackers with sliding door basics

upStage hutches mount to a stage to provide various levels of casual privacy and functionality and additional closed overhead storage.




Perforated Hutch Stacker with Sliding Door

- All hutches with sliding doors include a lower cubby at desk height to allow worksurfaces to be mounted horizontally
- Heights: 45" h
- Configurations:
 - Single, the hutch, cubbies and overhead will be open from one side only
 - Shared (the hutch and lower cubbies are split so that each side is half the depth of the hutch, the overhead is split so that each side is half the width of the hutch but the full depth)
 - Aperture (the hutch, cubbies and overhead is split so that each side is half the width of the hutch but the full depth)
- The cubby section will always be solid regardless of the style
- Widths:
 - 30" - 72" in 6" increments for single applications
 - 42" - 72" in 6" increments for shared or aperture applications
- Styles:
 - Open
 - Solid back
 - Glass back
 - Perforated metal
- In single and shared hutches 42" w or wider, the lower cubbies will have a mid gable for support
- An interior chrome rod is required for support on hutches 42" w. or wider (except in shared applications)




Open Through Hutch Stacker with Sliding Door Overhead (HTSHNK)

- The hutch is open through so only the cubbies are considered single sided




Solid Back Hutch Stacker with Sliding Door Overhead (HTSHSK)

- The hutch has a solid back
- Accommodates a hutch fascia add-on (HTAH)



Glass Back Hutch Stacker with Sliding Door Overhead (HTSHGK)

- The hutch has a glass back














Perforated Hutch Stacker with Sliding Door Overhead (HTSHPK)

- The hutch has angled perforated blades to provide partial privacy
- Not available single sided

planning with hutch stackers with sliding door overhead

The following chart outlines the configurations available when planning with upStage Hutch Stackers with Sliding Door Overhead.


		Open	Solid Back	Glass Back	Perforated
		HTSHNK	HTSHSK	HTSHGK	HTSHPK
45" HIGH	Single				×
	Shared				
	Aperture				

planning with hutch stackers & hutch stackers with overhead


The following should be considered when planning with Hutch Stackers & Hutch Stackers with Overheads.

- upStage Hutches match Teknion standard 42", 51" and 66" datum heights
- Hutches can stack onto the following:
 - 21h" stages
 - 21h." elevated credenzas
 - 15"h. stage credenzas with a 6" Stage Spacer Block (HTAS)


datum heights




Hutch on Stage
(42"h shown)



Hutch on Stage Credenza
with spacer block
(42"h shown)




Hutch on Elevated Credenza
(51"h shown)



Hutch on Stage
(66"h shown)


The top cubby height will vary depending on the height of the hutch.

30" high Hutch with
Top Cubby




The 8" high Top Cubby accommodates casual piling.

45" high Hutch with
Top Cubby



The 15" high Top Cubby accommodates standard binder storage.

45" Hutch with
Sliding Door Overhead




The 15" high Sliding Door Overhead accommodates standard binder storage.

planning with hutch stackers & hutch stackers with overhead (continued)

support

A chrome plated rod is integrated into hutches over 42" w excluding the following:


- Shared Solid and Glass Hutches
- Shared Solid and Glass Aperture Hutches



handedness


Singled Sided Hutches are not handed aperture hutch handedness is determined by the location of the open space in both the upper and lower cubbies.

Shared Hutch handedness is determined by the location of the open space in both the upper and lower cubbies.




planning with hutch stackers & hutch stackers with overhead (continued)

Perforated Hutches are handed to provide various degrees of privacy between users. The user can either look into the dividers or through the dividers.




The spacing between the perforated blades depends on the width of the hutch.

Perforated Metal Shared Hutch




Perforated Metal Aperture Hutch



planning with hutch stackers & hutch stackers with overhead (continued)


aperture hutches

- Hutches are designed to provide privacy for the user
 - The worksurface should be mounted against the solid side of the hutch
 - Planning against the open side will cause bracket interference




additional support

- The following 45" high hutches (66" h overall datum height) without overheads or top cubbies require additional support for stability
 - Open
 - Perforated
- The support must be provided by an adjacent hutch 30" h or higher
- The two hutches must be fastened to each other on site



semi-suspended worksurfaces and hutches

- Cubbies have a shelf at 29" high which has two uses
 - Perpendicular worksurfaces mount to it
 - It provides a secondary worksurface
 - If used in this application it is recommended that both surfaces be specified in the same finish




hutch stacker finishes


upStage offers an extensive finish offering. The following outlines the finish protocol for Hutch Stackers.

For all Hutches without Sliding Door Overhead (Open Through Hutch Stacker **HTSHN**, Solid Back Hutch Stacker **HTSHS**, Glass Back Hutch Stacker **HTSHG**, Perforated Hutch Stacker **HTSHP**)


- Two Finish Zones
 - Case
 - Secondary which has three options
 - A - Shelves Only
 - B - Backs & Interior Dividers
 - C - Shelves & Interior Dividers & Back




A



B



C



Case Finish	Secondary Finish
Flintwood	Flintwood
Natural Veneer	Natural Veneer
Source Laminate	Source Laminate



- Glass Back Options:
 - Clear
 - Frosted
- Perforated Metal Paint Options:
 - Foundation
 - Mica
 - Accent

hutch stackers with sliding door overhead finishes

upStage offers an extensive finish offering. The following outlines the finish protocol for Hutch Stackers with Overheads.

For Hutch Stackers with Sliding Door Overhead (Open Through Hutch Stacker with Sliding Door Overhead **HTSHNK**, Solid Back Hutch Stacker with Sliding Door Overhead **HTSHSK**, Glass Back Hutch Stacker with Sliding Door Overhead **HTSHGK**, Perforated Hutch Stacker with Sliding Overhead **HTSHPK**)

- Three Finish Zones
 - Case, includes the outer walls and any surfaces not included in the secondary or front finish
 - Secondary finish, shelves only
 - Front, sliding doors



Case Finish	Secondary Finish	Front Finish
Flintwood	Flintwood	Flintwood Clear Glass Frosted Glass Back-Painted Glass
Natural Veneer	Natural Veneer	Natural Veneer Clear Glass Frosted Glass Back-Painted Glass
Source Laminate	Source Laminate	Source Laminate Flintwood Clear Glass Frosted Glass Back-Painted Glass

• **Hutch Glass Back Options:**

- Clear
- Frosted

• **Perforated Metal Paint Options:**

- Foundation
- Mica
- Accent

• **Sliding Door Handle:**


- Foundation
- Mica

*Sliding Door Handle Finish:


Foundation, Mica

hutch accessory basics

Hutch Accessories are available to add functionality to upStage Hutches.




- Finishes:**
- Fabric:
 - Standard Teknion panel fabrics
 - Back Painted Glass:
 - Standard Teknion back painted glass finishes




Hutch Fascia Add-On (HTAH)

- Heights: 21", 30" and 45"
 - Heights are nominal and match the size of the hutch it is being mounted to
- Widths: 30" - 72" in 6" increments
- Applications:
 - Single
 - Single with overhead/cubby
 - Aperture
 - Aperture with overhead/cubby
 - Shared
 - Shared with overhead/cubby
- Interior and exterior options for shared applications



Hutch Overhead Fascia Add-On (HTAV)


- Mounts to the back of an overhead/cubby
- Heights: 30" and 45"
 - Heights are nominal and match the size of the hutch it is being mounted to
- Widths: 30" - 72" in 6" increments
- Applications:
 - Single
 - Shard
 - Aperture



Hutch Accessory (HTHA)

- Adds casual file storage to a hutch with and without overhead/cubbies
- Width: 12"
- Heights are nominal to match the height of the opening in the hutch
 - 21" High (actual 12"h)
 - Used with a 21"h hutch without an overhead/cubby
 - Used with a 30"h hutch with an overhead/cubby
 - 30" High (actual 21"h)
 - Used with a 30"h hutch without an overhead/cubby
 - Used with a 45"h. hutch with an overhead/cubby
 - 36" High (actual 36"h)
 - Used with a 45"h hutch without an overhead/cubby
- The back is unfinished, placing it against glass is not recommended unless it is planned back to back

hutch fascia add-on basics




- Fascias are applied to hutches with solid backs

planning with fascia add-ons

The following should be considered when planning with Hutch Fascia Add-Ons.


Fascia sizes are nominal and match the size of the hutch that they are being mounted to.




applications

- Fascias are available for:
 - Interior and exterior applications
 - Single and shared applications


Hutch Fascia Add-On




Single Application, Interior



Shared Application, Interior




Single Application, Exterior




Shared Application, Exterior

Hutch Overhead Fascia Add-On

- When a fascia is required on an overhead, it must be specified separately
- It is available for single and shared applications



Single Application




Shared Application


planning with fascia add-ons (continued)

When planning with hutches with overheads the fascias are applied as follows:

- The exterior fascia spans the full height
- The interior fascia spans the height from the hutch shelf to the underside of the overhead
- Fascias do not span over the exterior or interior of a cubby




Fascias must be ordered to match the configuration that they are being used on.




Single Sided, Back

- Spans over the hutch and the overhead (excludes the back of the cubbies)
- It conceals the seam between the hutch and overhead



Shared

- Covers only the back of one side of the overhead
- One fascia for each side is required



Aperture


- Covers only the back of one side of the overhead
- One fascia for each side is required

overhead fascia heights


Overhead heights:

- 8" on 30" high hutch (overall datum height of 51")
- 14" on 45" high hutch (overall datum height of 66")
- The actual fascia width is 2" less than the width of the hutch

Single




Shared / Aperture




elevated hutch basics

upStage Elevated Hutches mount on stages or credenzas to provide storage and space division.



Elevated Hutch Stacker (shown)




Elevated Hutch Stacker (HTSHE)

- Elevated hutches are always shared between 2 users
- Height: 51" datum
- Depth: 16"
- Widths: 60", 66", 72", 78", 84", 90" and 96"
- Styles:
 - Paper storage (shown)
 - Hinged doors
 - Door is lockable

planning with elevated hutches

The following should be considered when planning with Elevated Hutches.

lateral tower styles




Paper Storage

- An angled display shelf and file slots


stage planning

Perpendicular worksurfaces can be used when the elevated hutch is mounted to a stage.




The worksurface must be fixed.

- Mounts inside of the Elevated Hutch Gable



Height-adjustable tables mounted in a Stage Module **cannot** be used when Elevated Hutches are mounted onto a stage.



Elevated hutches need an accessory rail on the stage



Hinged Door

- An angled display shelf
- Open shelves
- Hinged door storage

credenza planning

Elevated Hutches can be mounted to upStage and District Credenzas, they are both 21" high and 16" deep.


- They can be mounted to:
 - A single credenza
 - Overlap the stage in single sided applications
 - Overlap the stage in side by side applications



elevated hutch & lateral tower finishes

upStage offers an extensive finish offering to allow a user to create their own unique look.

- Three finish zones:
 - Outer case finish
 - Inner case finish
 - Accent metal



Elevated Hutch (HTSHE)

storage


storage

UNDERSTANDING CREDENZAS	166
STAGE CREDENZAS BASICS	168
PLANNING WITH STAGE CREDENZAS.	169
ELEVATED CREDENZAS BASICS	170
PLANNING WITH ELEVATED CREDENZAS.	171
PEDESTAL BASICS	172
CREDENZA FINISHES.	173
BOOKCASE BASICS.	175
PLANNING WITH BOOKCASES	176
BOOKCASE FINISHES.	179
VARIABLE BOOKCASE FINISHES	180
HINGED DOOR STACKER BASICS	181
PLANNING WITH HINGED DOOR STACKERS.	182
HINGED DOOR STACKER FINISHES	183
LOCKER BASICS.	184
PLANNING WITH LOCKERS	185
LOCKER FINISHES	186
STORAGE SUPPORT BASICS	187
LATERAL TOWER BASICS	188
PLANNING WITH LATERAL TOWERS.	189
SIDE FILER & MINI SIDE FILER BASICS	192
PLANNING WITH SIDE FILERS & MINI SIDE FILERS	193
PLANNING WITH SIDE FILERS	194
PLANNING WITH MINI SIDE FILERS.	195
PLANNING WITH SIDE FILER, MINI SIDE FILER & USB POWER	196
STORAGE CUBE BASICS	198
PLANNING WITH STORAGE CUBE	199

understanding credenzas


upStage credenzas are available in a variety of sizes and configurations to meet all of a users filing and storage needs.

Credenzas are available single sided, or shared.



Stage Credenza


Stage credenzas are 15"h. and sit below the stage in parallel or perpendicular applications



Elevated Credenza

Elevated credenzas are 21"h. and match the depth and height of a stage

- Can be used parallel or perpendicular to a stage or support stackers



Elevated Credenza with Casters

Elevated credenzas with casters are 21"h. and match the depth and height of a stage


- Provide user movability

understanding credenzas (continued)

handedness


Single Sided Credenzas are always specified from the left to the right and have four options for storage.

- F- File
- B- Box/Box
- H- Hinged Door
- C- Cubby









Example: Hinged Drawer, Box/Box and Cubby Door (F/B/C)

- Shared Double Credenzas are handed
- The handedness is determined by the location of the drawer when viewed by the user



Left handed shown

- Shared Triple Credenzas are handed
- The handedness is determined by the location of the drawer when viewed by the user




Left handed shown

Right handed shown


stage credenzas basics

upStage Credenzas are used below the stage to provide storage and are available in a variety of configurations.



Shared Stage Triple Credenza


- Height: 15"
- Formats:
 - Box/Box
 - File
 - Hinged door (hinged doors have touch latch hardware and no handles)
- Single and shared configurations
- Provides support to stages that are 72w" or wider
- Power and data cannot route through stage credenzas



Stage Single Credenza (HTSCJ)

Widths: 24", 30" and 36"


- Includes one file drawer
- Must be used under a stage, and is not freestanding



Stage Double Credenza (HTSCW)

• Widths: 30", 36", 42" and 48"


- Includes two sections, both facing the same direction
- Configurations
- Counterweight Options:
 - If used freestanding counterweights must be specified on credenzas with file drawers
 - If used under the stage, counterweights are not required but are recommended for reconfiguration flexibility



Stage Shared Double Credenza (HTSCU)

Widths: 42", 48", 60" and 72"


- Includes two sections, one facing each direction
- Configurations:
 - File (F)
 - Box/Box (B) (not available on 60" or 72" w credenzas)
- Counterweights are not required



Stage Triple Credenza (HTSCZ)

Widths: 54", 60", 66" and 72"

- Includes three sections, all facing the same direction
- Configurations:
 - Does not require counterweights



Stage Shared Triple Credenza (HTSCV)


• Widths: 54", 60", 66" and 72"

- Includes three sections, one facing each direction, and one open through cubby
- Configurations:
 - File (F) (accessory option not available)
 - Box/Box (B)
- Counterweight Options:
 - If used freestanding counterweights must be specified on credenzas with file drawers
 - Does not require counterweights


planning with stage credenzas

The following should be considered when planning with Stage Credenzas.


- Stage credenzas can be planned parallel or perpendicular to the stage
- Provide support for stages 72" w or wider



parallel




perpendicular




centered
(For Stage Support)

Stage credenzas planned in parallel positions must be specified at least one size narrower than the overall width of the stage to allow for the thickness of the gables on either side.



- The credenza depth of 16" is nominal
- The drawer fronts will sit outside of the stage




Worksurfaces **cannot** be mounted to Stage Credenzas, the heights do not align.



Planning Tip


- Stage Credenzas can support stackers, but do not match standard datum heights
- To reach the 21" high datum requirement for stackers a Stage Spacer Block (HTAS) is required. Please see *Accessory Section* for more details



stage credenza with
spacer block

elevated credenzas basics

upStage Elevated Credenzas are the same height as a Stage and can be planned parallel and perpendicular to the Stage to provide storage.




Elevated Shared Triple Credenza

- Height: 21"
- Includes a cubby for accessories
- Formats:
 - Box/Box (B)
 - File (F)
 - Hinged door (hinged doors have touch latch hardware and no handles)
- Single and shared configurations
- Can support worksurfaces
- Power and data cannot route through Elevated Credenzas




Elevated Double Credenza (HTSCY)

- Widths: 30", 36", 42" and 48"
- Includes two sections, both facing the same direction
- Available with either feet or casters
- Configurations:
 - Box, Box/Cubby (BC)
 - Box, Box/Hinged Door (BH)
 - File/Cubby (FC)
- Counterweight is included in file configurations




Elevated Triple Credenza (HTSCX)

- Widths: 54", 60", 66" and 72"
- Includes three sections, all facing the same direction
- Configurations:
 - Cubby/Box, Box/File (CBF)
 - Cubby/File/Hinged Door (CFH)
 - File/Box, Box/Cubby (FBC)
- Counterweights are not required



Elevated Shared Double Credenza (HTSCR)

- Widths: 42" and 48"
- Includes two sections, one facing each direction
- Configurations:
 - File (F)
 - Box/Box (B)
- Counterweights are not required




Elevated Shared Triple Credenza (HTSCQ)


- Widths: 54", 60", 66" and 72"
- Includes three sections, one facing each direction, and one open through location
 - The open through location can be on the side or centered
- Configurations:
 - File (F)
 - Box/Box (B)
- Counterweights are not required

planning with elevated credenzas

The following should be considered when planning with Elevated Credenzas.




- Elevated Credenzas are 21" h. the same height as a stage
- They can accommodate stacked storage when used in perpendicular applications





- Elevated Double Credenza configurations with an opening can support a work surface
- The work surface must mount over the opening
- Credenza to Worksurface Support (HTSCY) must be specified over an open cubby
- The Cubby Shelf is removable to allow the work surface support to be installed
- The back of the cubby section will be solid

When installed on worksurfaces 30" or 36" deep, the support bracket is centered to the work surface.



When installed on a work surface 24" deep, the support bracket is centered to the credenza cubby.





- Elevated Shared Credenzas have a solid back on the back side of each drawer configuration to provide a seamless aesthetic
- Credenzas with a center cubby cannot support a work surface, the open through must be on an end location
- Cubby spaces are open from both sides

The following outlines the size of work surface a credenza can support.

- 54" w. - up to 24" d. work surface
- 60" w. - up to 30" d. work surface
- 66" w. - up to 36" d. work surface
- 72" w. - all work surface depths

integrating accessories



- Cubby spaces on all Elevated Credenzas can accommodate mobile cubby trays
- Mobile Cubby Trays can be oriented horizontally or vertically to fill the cubby space



- The Mini Tray organization attaches to the Mobile Cubby Tray to provide storage for small items
- It is also used as a handle


pedestal basics

upStage Mobile Pedestals provide additional personal storage in a workstation.




Mobile Pedestal (HTSM)

- Widths: 16"
- Height: 21"
- Depth: 19"
- Configurations:
 - Hinged Door
 - File Drawer
- Optional seat cushion available (HTAC)



The rolling Pedestal **cannot** be used for support.




The top cubby accommodates Mobile Accessory Trays (HTAT).

credenza finishes

upStage offers an extensive finish offering, to allow a user to create their own unique look.

Stage Credenza Finishes

- Two finish zones
 - Case and back (will always be the same)
 - Front



Elevated Shared Double Credenza (HTSCR)

Elevated Shared Triple Credenza (HTSCQ)

Elevated Triple Credenza (HTSCX)

Elevated Double Credenza (HTSCY)

Mobile Pedestal (HTSM)

Case, Shelves, Front and Back Finish	Shelves Finish	Front and Back Finish
Flintwood	Flintwood	Flintwood
Natural Veneer	Natural Veneer	Natural Veneer
Source Laminate	Source Laminate	Source Laminate Flintwood

Foot Finishes:

- Storm white
- Platinum
- Very white
- Anthracite
- Graphite
- Burnished bronze


Handle Paint Finishes:

- Foundation
- Mica
- Accent

credenza finishes (continued)

Elevated Credenza and Mobile Pedestal Finishes

- Three finish zones
 - Case and back (will always be the same)
 - Shelves & dividers
 - Front



Stage Shared Double Credenza (HTSCU) Stage Shared Triple Credenza (HTSCV)


Case Finish	Front and Back Finish
Flintwood	Flintwood
Natural Veneer	Natural Veneer
Source Laminate	Source Laminate Flintwood

Stage Single Credenza (HTSCJ) Stage Double Credenza (HTSCW) Stage Triple Credenza (HTSCZ)

Case & Back Finish	Front Finish
Flintwood	Flintwood
Natural Veneer	Natural Veneer
Source Laminate	Source Laminate Flintwood


bookcase basics

upStage Bookcases stack onto stages or credenzas to provide storage and space division, and are available in a variety of configurations.




All bookcases listed below:

- Depth: 16"
- Applications:
 - Single
 - Shared



Variable Bookcase Stacker (HTSBV)


- Depth: 16"
- Provides open bookcase storage with variable privacy
- Heights: 21", 30" and 45"
- Widths: 30" - 72" in 6" increments



Single
Shared, Open Through Top

Bookcase Stacker (HTSB)


- A bookcase with open shelves only
- Heights: 21", 30", 45"
- Widths:
 - Single -24", 30", 36", 42", 48"w
 - Shared -30", 36", 42", 48", 60", 66" and 72"
- Configurations:
 - Shelves
 - Shelves with open through top



Single
Shared, Open Through Top

Solid Door Bookcase Stacker (HTSBS)


- A bookcase with a solid sliding door
- Heights: 21", 30", 45"
- Widths:
 - Single -42", 48"w
 - Shared -42", 48", 60", 66" and 72"
- Configurations:
 - Shelves with solid sliding door panel
 - Shelves with open through top and sliding door panel



Single
Shared, Open Through Top

Writeable Door Bookcase Stacker (HTSBW)

- A bookcase with a writable sliding door
- Heights: 30", 45"
- Widths:
 - Single -42", 48"w
 - Shared -42", 48", 60", 66" and 72"
- Configurations:
 - Shelves with backpainted glass sliding door panel
 - Shelves with open through top and backpainted glass sliding door panel
- Te glass frame finish coordinates with the finish of the glass

















Single
Shared, Open Through Top

Fabric Door Bookcase Stacker (HTSBF)


- A bookcase with a fabric sliding door
- Heights: 30", 45"
- Widths:
 - Single -42", 48"w
 - Shared -42", 48", 60", 66" and 72"
- Configurations:
 - Shelves with fabric sliding door panel
 - Shelves with fabric open through top and fabric sliding door panel
 - fabric is tackable
- Door Trim Finishes:
 - Clear Anodized
 - Espresso
 - Very White

planning with bookcases

The following chart outlines the configurations available with upStage Bookcase Stackers.


	Bookcase		Bookcase with Sliding Door (Solid, Back-Painted Glass, Fabric)	
	Shelves	Shelves with open through top	Shelves with sliding door panel	Shelves with sliding door panel and open through top
21" High, Single		×	×	×
21" High, Shared		×	×	×
30" High, Single		×		×
30" High, Shared		×		×
45" High, Single				
45" High, Shared				

planning with bookcases (continued)




The number of tall and low dividers depends on the height of the Variable Bookcase.

21" High




Includes one tall divider and one low divider.

30" High



Includes one tall divider and two low dividers.

45" High




Includes two tall dividers and two low dividers.

planning with bookcases (continued)

shared bookcases





Handedness is determined by the location of the open shelves.



sliding door panel

- The case depth of 16" is nominal
- The door panel will sit outside of the case

Worksurfaces cannot be mounted to a bookshelf, the shelves are recessed into the case.



Worksurfaces can only mount to the back of a Single-Sided Bookcase Stacker using two Storage Back to Worksurface Support (HTWS).


Worksurfaces **cannot** mount to a variable bookcase.

bookcase finishes

upStage offers an extensive finish offering to allow a user to create their own unique look.


Bookcase Stacker (HTSB)

- Two finish zones
 - Case
 - Secondary which has three options
 - A - Shelves & Dividers only
 - B - Backs only
 - C - Shelves & Interior Dividers & Backs



Bookcase Stacker, with Sliding Door Fabric Door Bookcase Stacker (HTSBF) Writeable Door Bookcase Stacker (HTSBW) and Solid Door Bookcase Stacker (HTSBS)

- Three finish zones
 - Case
 - Secondary which has three options
 - A - Shelves & Dividers only
 - B - Backs only
 - C - Shelves & Interior Dividers & Backs
 - Fronts



Bookcase Stacker Writeable Door Bookcase Stacker (HTSBW) Fabric Door Bookcase Stacker (HTSBF)

Bookcase Stacker (HTSB)

Case Finish	Secondary Finish
Flintwood	Flintwood
Natural Veneer	Natural Veneer
Source Laminate	Source Laminate

Case Finish	Secondary Finish	Front Finish
Flintwood	Flintwood	Writeable Door Bookcase Stacker (HTSBW): Storm White Very White Graphic Steel Soft Gris
Natural Veneer	Natural Veneer	
Source Laminate	Source Laminate	Fascia Door Bookcase Stacker (HTSBF): Panel Fabrics


Bookcase with Solid Sliding Door (HTSBS)

Case Finish	Secondary Finish	Front Finish
Flintwood	Flintwood	Flintwood
Natural Veneer	Natural Veneer	Natural Veneer
Source Laminate	Source Laminate	Source Laminate Flintwood

variable bookcase finishes

upStage offers an extensive finish offering to allow a user to create their own unique look.

- Four finish zones
 - Case
 - Shelves
 - Tall dividers
 - Low dividers




Variable Bookcase Stacker (HTSBV)

Case Finish	Shelves Finish
Flintwood	Flintwood
Natural Veneer	Natural Veneer
Source Laminate	Source Laminate


Dividers:
Mica
Foundation
Accent Colors

hinged door stacker basics

upStage Hinged Door Stackers stack onto Stages or Credenzas to provide closed storage.




- Heights: 21", 30" and 45"
- Widths: 30", 36", 42" and 48"
- All doors are hinged
- Push Latch or upStage handle available
- With Push Latch option, no handle is required
- Lock options available
- Handle Styles:
 - Push Latch, no handle required
 - upStage handle



Open with Cubbies All Closed


Single Solid Hinged Door Stacker (HTSSS)

- Two options available:
 - Closed door with open cubbies
 - Closed doors
- Used in single sided applications



Shared Solid Hinged Door Stacker (HTSSD)


- The hinged door is solid
- Two options available:
 - Closed door with open cubbies (available on 42" and 48" w, the cubbies will be centered)
 - Closed doors
- Used in shared applications, one door will face in each direction



Open with Cubbies All Closed

Single Writeable Hinged Door Stacker (HTSSG)

- The hinged door is back-painted glass
- Two options available:
 - Closed door with open cubbies
 - Closed doors
- Used in single sided applications
- Only the push latch option is available
- The glass frame finish will coordinate with the finish of the glass



Shared Writeable Hinged Door Stacker (HTSSP)


- The hinged door is writable
- Two options available:
 - Closed door with open cubbies (available on 42" and 48" w, the cubbies will be centered)
 - Closed doors
- Used in shared applications, one door will face in each direction

planning with hinged door stackers


The following should be considered when planning with upStage Hinged Door Stackers.

single application


- On cabinets with doors:
 - 30" and 36"w. have two doors
 - 42" and 48"w. have three doors
 - Two doors will be connected and one will be a single door
 - The handedness is determined by the location of the single door



- On cabinets with doors and cubbies:
 - 30" and 36"w. have one door and one cubby section
 - 42" and 48"w. have two doors and one cubby section
 - The handedness is determined by the location of the open cubbies



shared application




- On cabinets with all doors:
 - 30" and 36"w have two doors, one on each side
 - 42" and 48"w have two doors, one on each side, and an open through cubby section in the center
- Widths 42" and 48" have an open through cubby section in the middle

hinged door stacker finishes

upStage offers an extensive finish offering to allow a user to create their own unique look.


Single Hinged Door Stackers (HTSSS)

- Three finish zones
 - Case
 - Secondary which has three combinations
 - A Shelves only
 - B Backs only
 - C Shelves & interior dividers & backs
- Front



Shared Hinged Door Stackers (HTSSD)

- Three finish zones
 - Case
 - Secondary which has three combinations
 - A Shelves only
 - B Backs only
 - C Shelves & interior dividers & backs
- Front




Single Hinged Door Stacker (HTSSS)

Shared Hinged Door Stacker (HTSSD)


Case Finish	Secondary Finish	Front Finish
Flintwood	Flintwood	Flintwood Back-Painted Glass
Natural Veneer	Natural Veneer	Natural Veneer Back-Painted Glass
Source Laminate	Source Laminate	Source Laminate Flintwood Back-Painted Glass

locker basics


upStage Lockers provide personal coat and shelf storage.



- Handle Styles:
 - Push latch
 - Upstage handle
- Locks included (digital or custom locks available)



Dual, Push Latch Triple, Push Latch Quad, Push Latch



Hinged Door, Push Latch Hinged Door with Mail Slot, Push Latch

Lockers (HTSL)

- Lockers have full height doors
- Heights: 42", 51" and 66"h
 - (no push latch available on 66"h)
- Configurations:
 - Dual
 - Triple
 - Quad
- Widths:
 - Dual 30" and 36"w
 - Triple 42" and 48"w
 - Quad 48"w


Cubby Lockers (HTSLC)

- Cubby lockers have four cubbies per unit
- Configurations:
 - Hinged doors
 - Hinged doors with mail slots
- Heights: 51" and 66"
- Widths: 30", 36" and 42"h.


planning with lockers

The following should be considered when planning with upStage Lockers.


- Dual and quad lockers are not handed
- Triple lockers are handed, two of the doors will have their handles side by side and the third door will have a single handle
 - The handedness is determined by the location of the hinge on the single door



- Each 51" and 66"h locker section includes:
 - One triangular corner shelf
 - One adjustable shelf



A Locker can provide support to a worksurface using the Storage Back to Worksurface Support (HTWS)



The worksurface must be supported from the back side of the storage.

worksurfaces cannot be supported from the side of a locker.


locker finishes

upStage offers an extensive finish offering to allow a user to create their own unique look.

- Two finish zones:
 - Case
 - Front

Lockers (HTSL)

Cubby Lockers (HTSLC)





Lockers (HTSL)
Cubby Lockers (HTSLC)

Case Finish	Front Finish
Flintwood	Flintwood
Natural Veneer	Natural Veneer
Source Laminate	Source Laminate Natural Veneer

- Foot finishes:
- Storm White
 - Platinum
 - Very White
 - Anthracite
 - Graphite
 - Burnished Bronze


storage support basics

Worksurface supports connect worksurfaces horizontally either to the back of a stacker, credenza or to a hutch.




Storage Back to Worksurface Support (HTWS)

- Used to attach a worksurface to the back of stacking storage
- Available only as a pair (two)



Credenza to Worksurface Support (HTWC)

- Mounts to the underside of a worksurface and to the top of the credenza to provide support to the worksurface
- Available Fixed or Height-Adjustable





Hutch to Worksurface Support (HTWF)

- Used to attach a worksurface to a Hutch
- Brackets that are included are dependent on the Hutch style, size and worksurface depth

lateral tower basics

Lateral Towers mount to stages and elevated credenzas to provide functional space division and an impromptu collaboration surface.



Lateral Tower (HTST)


- Height: 42"
- Depth: 16"
- Widths: 60", 66", 72"
- Mounts to a stage or credenza
- Styles:
 - Basic Gable
 - Storage Tower (lockable)
- Applications:
 - Single Sided
 - Shared

planning with lateral towers

The following should be considered when planning with lateral towers.


Lateral Towers are available in four styles:

- storage shared
- storage single sided
- solid gable shared
- solid gable single sided




Storage - Shared

- Mounts to a stage or elevated credenza
- Is Shared between two users
- Features:
 - An angled display shelf
 - A closed storage section with slots for filing above
- Non handed




Storage - Single Sided

- Mounts to a stage or elevated credenza
- Singled sided
- Features:
 - Open shelves
 - A closed storage section
 - Left or right handed



Solid Gable - Shared

- Mounts to a stage or elevated credenza
- Shared between two users
- Features
 - An angled display shelf
 - An end gable
- Non handed




Solid Gable - Single Sided


- Mounts to a stage or elevated credenza
- Singled sided
- Features:
 - Open shelves
 - An end gable
- Non handed

handedness


Single Sided and Solid Gable Single Sided handedness is determined by the open space as viewed by the user.




Shared Storage - Left



Shared Storage - Right



Solid Gable - Left




Solid Gable - Right

planning with lateral towers (continued)

The following should be considered when planning with lateral towers.


lateral towers with single and shared storage



Shared Storage

- The shelves and lower closed storage have a mid divider with storage on each side

(Note: image for visualization purposes, is shown without an end gable)





Single-Sided Storage

- The shelves and lower closed storage have a back with storage facing the user

(Note: image for visualization purposes, is shown without an end gable)


mounting lateral towers

Lateral towers mount to a stage or to 21" h storage.



Stages

- When mounting to a stage the lateral tower the inside gable will connect to the accessory beam
- Towers can be mounted on one or both sides of the stage




- When mounting to a credenza the lateral tower the inside gable will connect mount to the back of the credenza

- Towers can mount to upStage or District credenzas

planning with lateral towers (continued)

lateral tower datum heights

Lateral Towers are at 42" high provide a perch for impromptu collaboration or seated height divisional privacy.




Standing Height

Seated Height


Single sided and shared lateral towers do not have same clearance from the worksurface to the underside of the storage on the lateral tower

- Single sided applications 5"
- Shared 3"



Lateral Tower - Single Sided

Lateral Tower - Shared



Lateral Tower (HTST)

- Outer Case Finish
- Inner Case Finish
- Accent Metal


Outer Case Finish	Inner Case Finish
Source Laminate	Source Laminate
Flintwood	Flintwood
Veneer 2 & 3	Veneer 2 & 3

- Metal Finish:
- Foundation
- Mica
- Accent

side filer & mini side filer basics


The following outlines the features of upStage Side Filer and Mini Side Filers.

Side Filers have a pull out storage door provide personal storage and divisional privacy.




- Side Filers are available in two formats:
 - Side Filer -provides storage and privacy
 - Mini Side Filers - provide undersurface storage
- Width: 16"
- a variety of accessory and wardrobe options are available

- Front Face and Case and Interior finish:
 - Laminate
 - Flintwood
 - Natural Veneer
- Interior Metal and Pull Handle finish:
 - Foundation
 - Mica
 - Accent



Side Filer (HTSFT)

- Heights: 42" and 51"
- Depths: 24" , 30" and 36"
- Applications:
 - With fixed height tables
 - With height adjustable tables
 - Freestanding
- Leveling Range:
 - fixed levelers with no range, the unit is supported with a caster when extended
- Locks: Standard
 - Digital lock options available
- Configurations:
 - (N) No Accessories, with Wardrobe
 - (A) Accessory Bundle A, with Wardrobe
 - (B) Accessory Bundle B, with Wardrobe
 - (K) No Accessories, No Wardrobe
 - (M) Accessory Bundle A, No Wardrobe
 - (P) Accessory Bundle B, No Wardrobe
- USB Options:
 - (N) No USB
 - (S) Grommet on the Side
 - (B) Grommet on the Bottom



Mini Side Filer (HTSFS)


- Height: 28"
- Depths: 23" and 29"
- Provides support to a worksurface
- Leveling Range is 0.5" to +2.5"
- Configurations:
 - (N) No Accessories
 - (A) Accessory Bundle A
 - (B) Accessory Bundle B
- USB option
- Locks: Standard
 - Digital lock options available

planning with side filers & mini side filers

interior configurations


All Side Filers and Mini Side Filers are complete with accessory shelves, rails, bag drop area and the option for a wardrobe and accessory bundles. The storage area will vary depending on the depth and configuration selected.

42" High Side Filer




24" deep Side Filer

- 20 4/5" extension
- Option with coat storage, accessory storage and bag drop



24" deep Side Filer


- 20 4/5" extension
- Option with accessory storage and bag drop



30" or 36" deep Side Filer


- 26 4/5" extension
- Option includes coat storage, accessory storage and bag drop

51" High Side Filer




24" deep Side Filer

- 20 4/5" extension
- Option with coat storage, accessory storage and bag drop



24" deep Side Filer


- 20 4/5" extension
- Option with accessory storage and bag drop



30" or 36" deep Side Filer


- 26 4/5" extension
- Option includes coat storage, accessory storage and bag drop

28" High Mini Side Filer



23" deep Side Filer

- 20 1/10" extension
- Option with accessory storage and bag drop




29" deep Mini Side Filer

- 26 1/10" extension
- Option includes accessory storage and bag drop

handedness

Handedness is determined by the location of the Side Filer and Mini Side Filer in relation to the user.




planning with side filers

The following should be considered when planning with upStage Side Filers.

Side Filers can be planned in parallel and perpendicular applications.


parallel planning

30" deep worksurface



- Can be planned with a 24" or 30" deep side filer
 - 24" deep is used in the middle of a run and will sit against the stage
 - 30" deep is used at the end of a stage run, and can be planned back to back


36" deep worksurface




- Can be planned with a 30" or 36" deep Side Filer
 - 30" deep is used in the middle of a run and will sit against the stage
 - 36" deep is used at the end of a stage run, and can be planned back to back

perpendicular planning

In perpendicular applications, the Side Filer will match the depth of the worksurface.



Perpendicular 24" deep worksurface



Perpendicular 30" deep worksurface

planning with mini side filers


The following should be considered when planning with Mini Side Filers.

- Mini Side Filers can be planned in parallel and perpendicular applications
 - worksurface supporting


parallel planning

30" deep worksurface

- If planned below the worksurface must be one depth smaller than the worksurface
 - 24" d. is used on a 30" worksurface
 - 30" d. is used on a 36" worksurface



Parallel 30" deep worksurface




Parallel 36" deep worksurface


perpendicular planning with side filers

24" and then 30" deep worksurface

- Mini Side Filers are worksurface supporting:
 - The Mini Filer must be the same depth as the worksurface



Perpendicular 24" deep worksurface




Perpendicular 30" deep worksurface

planning with side filer, mini side filer & usb power


The following should be considered when planning with Side Filers and USB Power.

The optional USB add-on provides two USB-A ports in the pocket drop area to allow for the charging of USB powered devices.




power cord locations


- The power location can be specified in these locations:
 - Bottom (Side Filer only)
 - Right side (Side and Mini Side Filer)
 - Left side (Side and Mina Side Filer)




Side Filer
Bottom Power Location




Side Filer
Right Side Power Location



Side Filer
Left Side Power Location




Mini Side Filer
Right Side Power Location




Mini Side Filer
Left Side Power Location

The height from the floor to a power cord location is 25" for Side Filers and Mini Side Filers.





The Side Filer can be planned at least 50" from a power source.




The Mini Side filer can be planned at leave 80" from a power source.

planning with side filer, mini side filer & usb power (continued)

- When parallel planning with Side Filers, the power cord will come from the side of the Side Filer to the stage
 - This applies to both Side Filers in a run or at the end of a run





- When perpendicular planning with Side Filers, the power cord will run from the side of the Side Filer to a Power Rod, Under Worksurface Mount with Cable Tray (YEPD)
 - It is also recommended what Wire Management Clips (YESW) are specified



storage cube basics

The Storage Cube is a mobile personal storage unit that fits casually under the stage or anywhere in a workstation.

- Storage Cubes can be used in a variety of locations:
 - Fully underneath stage
 - Protrude outside of it
 - Sit back to be back
 - Be conveniently situated anywhere under a worksurface as a freestanding storage unit




Storage Cube (HTAB)


- Height: 15"
- Depth: 13"
- Width: 18"
- Includes a divider for optimal organization

planning with storage cube


The following should be considered when planning with the Storage Cube.




Back-to-Back Planning
- Will protrude from the stage on the user side



Mirrored Planning
- Will fit fully under the stage




Single Sided Planning
- Will fit fully under the stage



Parallel Back-to-Back Planning
- Will fit fully under the stage

upStage offers an extensive finish offering to allow a user to create their own unique look.

Storage Cube (HTAB)



- Primary Finish
- Secondary Finish

Primary Finish	Secondary Finish	Base Finish
Foundation Mica Accent Colors	Foundation Mica Accent Colors	Source Laminate



storage accessories

storage accessories

ACCESSORY BASICS	202
PLANNING WITH ACCESSORIES	203
STORAGE FASCIA ADD-ON BASICS	206
PLANNING WITH STORAGE FASCIA ADD-ON	207
ACCESSORY BUNDLE BASICS	208
PLANNING WITH ACCESSORY BUNDLES	209
HUTCH STACKER LOCK CHART	210
CREDENZA LOCK CHART	211
HINGED DOOR STACKER LOCK CHART	214
LOCKER LOCK CHART	215
GRAIN DIRECTION	216
DRAWER & OPENING SIZING CHART	219
FILING CAPABILITIES	226



accessory basics

upStage accessories add functionality and the ability to add a personal touch to a workstation.




Mobile Cubby Tray (HTAT)

- Trays fit into the cubbies of hutches and stackers to provide additional storage
- Configurations:
 - Small
 - Medium
 - Large
- Includes a textured fabric liner to cushion stored items
- Optional Mini Tray Organizer available
- Finishes:
 - Foundation
 - Mica
 - Accent



Mini Tray Organizer (HTAG)

- Used with a variety of storage units to provide organization
- Heights: 12", 14"
- Finishes:
 - Foundation
 - Mica
 - Accent




Horizontal Filing Insert (HTAF)

- Provides casual filing storage inside a box drawer
- Options:
 - Ordered as an option with the cabinet (finish will default to the drawer finish)
 - Order separately
- Widths: 16", 18", 21", 24" and 30"w
- Finishes:
 - Foundation
 - Mica
 - Accent



Variable Bookcase Bookend (HTAD)

- Used with a variety of storage units to provide organization
- Heights: 12", 14"
- Finishes:
 - Foundation
 - Mica
 - Accent



Cushion (HTAC)

- Provides additional seating on a stage or credenza
- Widths: 24" - 48" in 6" increments
- Fabrics:
 - All Teknion Seating fabrics

Stage Spacer Block (HTAS)


- Used between a Stage Credenza and stacking hutches and storage to elevate the credenza height to the standard 21"h datum height
- Widths: 24" - 48"w. in 6" increments
- Configurations:
 - Single
 - Shared (24"w. not available)
- Finishes:
 - Foundation
 - Mica
 - Accent

planning with accessories

The following should be considered when planning with upStage Accessories.


bookend

- Bookends can be used with a variety of upStage storage units
 - Short: 12"h
 - Used on the Variable Bookcase lower shelf
 - Tall: 14"
 - Used on the Variable Bookcase upper shelf and all bookcases




cushion

- Cushions can be used on stages or credenzas
- Not for use on a Mobile Pedestal
 - Mobile pedestals have a unique cushion which is ordered as an option on the pedestal



stage spacer block


- Attaches to the underside of a stacker
- Must be the same width as the stacker



planning with accessories (continued)

horizontal filing insert (HTAF)

- Provides casual filing storage in Box/Box drawers
- Available in 16", 18", 21" 24" and 30" widths
- Can be specified as an option when ordering Credenzas with Box/Box drawers
- When ordered as an option within Credenzas, File divider finish specified drawer handle finish and bottom liner is defaulted to the interior of the drawer













- The depth of the Horizontal Filing Insert is dependent on the size of the storage it is used in
- Can only be used in box drawers, and not file drawers
- Inserts mount horizontally into a box drawer

Storage Width		30"	36"	42"	48"
Stage Double Credenza (HTSCW)	FF	×	×	×	×
	F/BB	×	16	21	24
	F/H	×	×	×	×
	H/BB	18	21	24	30
Elevated Double Credenza (HTSCY)	BB/F	×	16	21	24
	C/F	×	×	×	×
	F/H	×	×	×	×
	C/BB	18	21	24	30
	BB/H	18	21	24	30

Storage Width		54"	60"	66"	72"
Stage Triple Credenza (HTSCZ)	F/BB/H	18	18	18	21
	F/BB/C	18	21	24	24
	C/F/H	×	×	×	×
	C/BB/H	18	18	18	24
Elevated Triple Credenza (HTSCX)	C/BB/F	18	18	18	21
	C/F/H	18	21	24	24
	F/H	×	×	×	×
	C/BB/H	18	18	18	24


planning with accessories (continued)

Storage Width		30"	36"	42"	48"
Stage Shared Double Credenza (HTSCU)	 FF	×	×	×	×
	 BB	×	×	21	24
Elevated Shared Double Credenza (HTSCR)	 FF	×	×	×	×
	 BB	×	×	21	24

Storage Width		54"	60"	66"	72"
Elevated Shared Triple Credenza (HTSCQ)	 BBC	18	18	21	21
	 FFC	×	×	×	×
	 BCB	18	21	21	24
	 FCF	×	×	×	×
Stage Shared Triple Credenza (HTSCV)	 BB	18	21	24	24
	 F	×	×	×	×


storage fascia add-on basics

upStage Fascia Add-Ons add functionality to bookcases and stackers with hinged doors.




- **Finishes:**
 - **Fabric Finishes:**
 - All standard Teknion Panel Fabrics
 - **Back-Painted Glass Finishes:**
 - All Teknion Back-Painted Glass options

- Fascias mount to the outside back of a storage unit
- **Styles**
 - Whiteboard
 - Fabric
 - Backpainted glass
- Fascias match the height of the stacker



Bookcase Fascia Add-On (HTAN)

- Widths: 30" - 72" in 6" increments
- **Applications:**
 - Single sided
 - Single sided with open through top
 - Shared
 - Shared with open through top



Hinged Door Stacker Fascia Add-On (HTAZ)



- Widths: s30" - 48" in 6" increments
- **Applications:**
 - Single sided
 - Shared

planning with storage fascia add-on

The following should be considered when planning with Storage Fascia Add-Ons.

- Fascias are inset into the frame on the back of a bookcase or stacker
- Widths are nominal and specified the same width as the storage
 - In shared applications one fascia needs to be ordered for each side


Bookcase Stacker Fascia Add-On (HTAN)



cannot be used with bookcases with sliding doors


- In shared applications the fascia is specified the full width of the bookcase even though it only covers one backside of the bookcase

Hinged Door Stacker Fascia Add-On (HTAZ)




accessory bundle basics

upStage accessories and accessory bundles provide organization to the inside of a Side Filer or Mini Sider Filer.



Paint Finishes:
• Foundation
• Mica
• Accent




Boot Tray (HTAR)


- Provides storage for shoes and boots
- Sits on the bottom shelf of a Side Filer or Mini Side Filer
- Depth: 13"
- Widths:
 - 12" w - used with a 24" d and 32" d Side Filer
 - 18" w - used with a 30" d and 38" d Side Filer
 - 20" w - used with a 24" d Side Filer without coat storage
 - used with a 23" d Mini Side Filer
 - 26" w - used with a 2" d Mini Side Filer

Accessory Bundles (HTAK)

- Provide storage inside of a Side Filer or Mini Side Filer
- Can be specified two ways:
 - As an option to the Side Filer or Mini Side Filer
 - The finish will default to the finish of the cabinet interior
 - Individually
 - All finishes available and can be different than the interior of the cabinet interior
- Configurations:
 - Bundle A
 - Bundle B



- Bundle A includes:**
- Hanging Pen Pocket
 - Hanging Tray
 - Headphone Hook



- Bundle B includes:**
- Hanging Pen Pocket
 - Hanging Tray
 - Headphone Hook
 - Paper Filer


planning with accessory bundles

The following storage components are included in Accessory Bundles



Hanging Pen Pocket

- Provides storage for pens, pencils, markers and scissors
- Attaches to the accessory rail




Hanging Tray

- Provides storage for small office accessories
- Attaches to the accessory rail



Headphone Hook

- Provides storage for standard headphones
- Attaches to the hanging tray or accessory rail




Paper Filer


- Accommodates file folders, books and papers
- Designed to sit on bottom shelf

hutch stacker lock chart


Open Through Hutch Stacker with Sliding Door Overhead (HTSHNK)



Single
1 Lock




Shared
2 Locks




Aperture
2 Locks


Solid Back Hutch Stacker with Sliding Door Overhead (HTSHSK)



Single
1 Lock




Shared
2 Locks




Aperture
2 Locks


Glass Back Hutch Stacker with Sliding Door Overhead (HTSHGK)



Single
1 Lock




Shared
2 Locks




Aperture
2 Locks

Perforated Hutch Stacker with Sliding Door Overhead (HTSHPK)




Shared
2 Locks



Aperture
2 Locks


Elevated Hutch Stacker (HTSHE)



1 Lock


credenza lock chart

Stage Single Credenza (HTSCJ)




1 Lock


Stage Double Credenza (HTSCW)




2 Locks



2 Locks




2 Locks




2 Locks


Stage Triple Credenza (HTSCZ)




3 Locks



2 Locks




2 Locks




2 Locks

Mobile Pedestals (HTSM)




1 Lock


Elevated Double Credenza (HTSCY)




2 Lock




1 Lock



2 Lock



1 Lock







2 Lock



application guide

credenza lock chart (continued)



Elevated Triple Credenza (HTSCX)





Stage Shared Double Credenza (HTSCU)







Stage Shared Triple Credenza (HTSCV)



Elevated Shared Double Credenza (HTSCR)




Elevated Shared Triple Credenza (HTSCQ)




credenza lock chart (continued)


Double Credenza for Height-Adjustable Table (HTSCC)



H
1 Locks




F
1 Locks




B
1 Locks

Triple Credenza for Height-Adjustable Table (HTSCT)




B
H
2 Locks




F
H
2 Locks

hinged door stacker lock chart

Single Hinged Door Stacker (HTSSS)




Open with Cubbies
1 Lock




All Closed
2 Locks

Shared Hinged Door Stacker (HTSSD)




2 Locks




2 Locks

Single Writeable Hinged Door Stacker (HTSSG)




Open with Cubbies
1 Lock




All Closed
1 Lock

Shared Writeable Hinged Door Stacker (HTSSP)




2 Locks




2 Locks

locker lock chart


Lockers (HTSL)



Dual, Push Latch
2 Locks




Triple, Push Latch
3 Locks




Quad, Push Latch
4 Locks

Cubby Lockers (HTSLC)




Hinged Door,
Push Latch
4 Locks




Hinged Door with
Mail Slot, Push Latch
4 Locks

Lateral Tower (HTST)




1 Lock

Side Filer (HTSFT)



1 Lock

Mini Side Filer (HTSFS)




1 Lock

grain direction

The following outlines the grain direction of a upStage storage units.


stage credenza

Fronts




Laminate, Veneer & Flintwood


Backs



Laminate




Laminate



Veneer & Flintwood


elevated credenza

Fronts




Laminate, Veneer & Flintwood


Backs



Laminate




Laminate




Veneer & Flintwood

stage single credenza



Laminate, Veneer & Flintwood




Laminate, Veneer & Flintwood

grain direction (continued)


credenzas for height-adjustable tables

Fronts


Backs




Laminate, Veneer & Flintwood



Laminate











Laminate




Veneer & Flintwood

Laminate and Veneer




grain direction (continued)




Single

Shared


Aperture




30" - 60" widths




66" - 72" widths



30" - 60" widths





























66" - 72" widths



30" - 72" widths

drawer & opening sizing chart





















single-sided stage credenzas

		24"	30"	36"	42"	48"
Stage Single Credenza (HTSCJ) One opening widths 24", 30", 36" height 15.5"		 24"	 30"	 36"		
					 21" 21"	 24" 24"
Stage Double Credenza (HTSCW) Two opening widths 30", 36", 42", 48" height 15.5"				 18" 16"	 21" 21"	 24" 24"
			 12" 18"	 15" 21"	 18" 24"	 18" 30"
			 12" 18"	 15" 21"	 18" 24"	 18" 30"
			 12" 18"	 15" 21"	 18" 24"	 18" 30"

drawer & opening sizing chart (continued)






























The following outlines the configurations and sizes available for stage filing.

single-sided stage credenzas

		54"	60"	66"	72"
<p>Stage Triple Credenza (HTSCZ) Three opening widths 54" - 72" (6" increments) height 15.5"</p>		 18.5" 18.5" 17"	 18.5" 18.5" 23"	 24" 24" 18"	 30" 24" 18"
		 18.5" 18.5" 17"	 18.5" 18.5" 23"	 18.5" 18.5" 29"	 21" 21" 30"
		 18.5" 18.5" 17"	 18.5" 18.5" 23"	 18.5" 18.5" 29"	 18.5" 24" 29.5"
		 18.5" 18.5" 17"	 18.5" 18.5" 23"	 18.5" 18.5" 29"	 18.5" 24" 29.5"





















drawer & opening sizing chart (continued)

single-sided elevated credenzas

		16"	30"	36"	42"	48"
Mobile Pedestals (HTSM) widths 16" depth 19" height 21"	 H F	 16" 16"				
	 F B			 18.5" 18.5"	 21" 21"	 24" 24"
Elevated Double Credenza (HTSCY) widths 30" - 48" (6" increments) height 21"	 F C		 18.5" 11.5"	 21" 15"	 24" 18"	 30" 18"
	 F H		 18.5" 11.5"	 21" 15"	 24" 18"	 30" 18"
	 B C		 18.5" 11.5"	 21" 15"	 24" 18"	 30" 18"
	 B H		 18.5" 11.5"	 21" 15"	 24" 18"	 30" 18"
				 18.5" 11.5"	 21" 15"	 24" 18"



















drawer & opening sizing chart (continued)

single-sided elevated credenzas

		54"	60"	66"	72"
<p>Elevated Triple Credenza (HTSCX) Three opening widths 54" - 72" (6" increments) height 21"</p>		 18.5" 18.5" 17"	 21" 21" 18"	 24" 24" 18"	 30" 24" 18"
		 18.5" 18.5" 17"	 18.5" 18.5" 23"	 18.5" 18.5" 29"	 21" 21" 30"
		 18.5" 18.5" 17"	 18.5" 18.5" 23"	 18.5" 18.5" 29"	 18.5" 24" 29.5"
		 18.5" 18.5" 17"	 18.5" 18.5" 23"	 18.5" 18.5" 29"	 18.5" 24" 29.5"







drawer & opening sizing chart (continued)





















shared credenzas

		42"	48"	60"	72"
Stage Shared Double Credenza (HTSCU) widths 42", 48", 60" and 72" height 15.5"	 F	 21" 21"	 24" 24"	 30" 30"	 36" 36"
	 B	 21" 21"	 24" 24"		
Stage Shared Triple Credenza (HTSCV) Three opening widths 54" - 72" (6" increments) height 15.5"	 H F C	 18" 18" 18"	 21" 21" 18"	 24" 24" 18"	 24" 24" 24"
	 H B C	 18" 18" 18"	 21" 21" 18"	 24" 24" 18"	 24" 24" 24"

drawer & opening sizing chart (continued)












shared elevated credenzas







		42"	48"
Elevated Shared Double Credenza (HTSCR) widths 42" - 48" height 21"	 F	 21" 21"	 24" 24"
	 B	 21" 21"	 24" 24"

		54"	60"	66"	72"
Elevated Shared Triple Credenza (HTSCQ) Three opening widths 54", 60", 66", 72" height 21"	 F C	 18" 18" 18"	 18" 18" 24"	 21" 21" 24"	 21" 21" 30"
	 B C	 18" 18" 18"	 18" 18" 24"	 21" 21" 24"	 21" 21" 30"
	 F C	 18" 18" 18"	 21" 18" 21"	 21" 24" 21"	 24" 24" 24"
	 B C	 18" 18" 18"	 21" 18" 21"	 21" 24" 21"	 24" 24" 24"

drawer & opening sizing chart (continued)

credenzas for height-adjustable tables


		48"	54"	60"
<p>Double Credenza for Height-Adjustable Table (HTSCC) widths 48", 54" and 60" height 21"</p>	 B	 16" 32"	 21" 33"	 24" 36"
	 F	 16" 32"	 21" 33"	
	 H	 16" 32"	 21" 33"	 24" 36"

		66"	72"
<p>Triple Credenza for Height-Adjustable Table (HTSCT) widths 66" and 72" height 21"</p>	 B H	 13" 21" 32"	 16" 24" 32"
	 F H	 13" 21" 32"	 16" 24" 32"


filing capabilities

The following outlines the filing capability of Credenzas.


- 16" deep file drawers do not have full extension files, therefore Filing must be front-to-back not side-to-side
- For 16" and 18" wide file drawers only one front-to-back filing can be used (letter)
- For 21" and 24" wide file drawers only one front-to-back filing can be used (letter, legal, A4 or foolscap)
- For 30" wide file drawers two front-to-back filing sections can be used (letter) or one filing section (legal, A4 or foolscap)
- For 36" wide filing drawers, two front-to-back filing sections can be used (letter, legal, A4 or foolscap)




16" wide drawer




Letter




18" wide drawer




Letter




21" wide drawer




Letter, Legal, A4 and Foolscap




24" wide drawer




Letter, Legal, A4 and Foolscap




30" wide drawer




Legal, A4 and Foolscap Letter




36" wide drawer



Letter



Front-to-Back



Side-to-Side

price & product guide

price & product guide


STAGE	231
WORKSURFACE SUPPORT	257
HEIGHT-ADJUSTABILITY	299
CASUAL SCREENS	327
FUNCTIONAL SCREENS	413
HUTCH SCREEN ACCESS	427
STORAGE	465
STORAGE ACCESSORIES	527
ELECTRICS	545

stage

product map

H T B B Beginning Stage

Page 234




With Accessory Beam

Without Accessory Beam

H T B M Middle Stage

Page 236




With Accessory Beam

Without Accessory Beam

H T B F Finish Stage

Page 238




With Accessory Beam

Without Accessory Beam

H T B C Complete Stage

Page 240




With Accessory Beam

Without Accessory Beam


H T B S Stage Center Support

Page 243




H T D B Beginning Simple Stage

Page 244




H T D M Middle Simple Stage

Page 246



H T D F Finish Simple Stage


Page 248



product map

H T D C Complete Simple Stage

Page 250




H T D S Simple Stage Center Support

Page 252



H T B R Stage Accessory Beam Cover

Page 253



H T B A Stage Connector

Page 254




H T B G Stage Grommet

Page 255



HTBB

Beginning Stage



With Accessory Beam

Without Accessory Beam

The Beginning Stage is always used as the first module when a large spanning Stage is desired. It must be attached to either a Middle Stage (HTBM) or a Finish Stage (HTBF).

WHAT'S INCLUDED

1 Stage with optional accessory beam, single or double side power and infeed grommet.

NOTES

With both Single and Double Sided Power options selected the related electrical components must be specified separately.

If Accessory Beam option is selected, Stage Accessory Beam Cover (HTBR) must be specified separately.

When Infeed Grommets are specified, Grommet Covers are included.

Stages have a 3" nominal leveling range, 1" below and 2" above.

PRODUCT OPTIONS

Height	Depth	Width	Accessory Beam	Power/ Data Door	Infeed Grommet	Base Finish	Metal Finish
21	16	48, 54, 60, 66, 72, 78, 84, 90, 96	Y Yes N No	S Single Sided D Double Sided	Y Yes N No	Source Laminate Flintwood Natural Veneer	Foundation Mica Accent

SAMPLE ORDER CODE

HTBB 21	16	96	Y	D	Y	XG	74
----------------	-----------	-----------	----------	----------	----------	-----------	-----------

DIMENSIONS INCHES / MM

H	D	W
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITHOUT ACCESSORY BEAM (N)

SINGLE SIDED (S)

WITHOUT INFEED GROMMET (N)

Source Laminate	Flintwood	Natural Veneer
1175	2544	2624
1225	2649	2731
1274	2755	2840
1324	2861	2949
1373	2966	3057
1424	3072	3164
1474	3177	3276
1524	3282	3383
1574	3388	3492

WITH INFEED GROMMET (Y)

Source Laminate	Flintwood	Natural Veneer
1245	2617	2696
1296	2720	2803
1346	2827	2912
1395	2931	3021
1445	3038	3129
1495	3145	3238
1547	3249	3349
1597	3355	3454
1647	3459	3564

DOUBLE SIDED (D)

WITHOUT INFEED GROMMET (N)

Source Laminate	Flintwood	Natural Veneer
1304	2673	2752
1363	2787	2870
1423	2905	2988
1484	3021	3106
1544	3134	3227
1604	3250	3347
1666	3366	3464
1725	3482	3583
1786	3599	3703

WITH INFEED GROMMET (Y)

Source Laminate	Flintwood	Natural Veneer
1373	2746	2825
1435	2861	2943
1494	2978	3061
1557	3090	3178
1616	3207	3298
1676	3323	3416
1737	3439	3536
1797	3555	3654
1858	3670	3773

If Accent/Mica is specified without infeed grommet, add 13

If Accent/Mica is specified with infeed grommet, add 23

Pricing is continued on the following page.

H T B B
Beginning Stage (Continued)

DIMENSIONS
INCHES / MM

H	D	W
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITH ACCESSORY BEAM (Y)
SINGLE SIDED (S)


WITHOUT INFEED GROMMET (N)			WITH INFEED GROMMET (Y)		
Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer
1317	2687	2767	1390	2758	2837
1386	2810	2893	1459	2883	2964
1455	2936	3022	1528	3008	3093
1523	3060	3148	1596	3131	3219
1593	3185	3276	1666	3256	3349
1661	3308	3403	1734	3380	3475
1731	3434	3531	1803	3504	3603
1800	3558	3656	1872	3627	3731
1869	3682	3784	1940	3753	3857

DOUBLE SIDED (D)

WITHOUT INFEED GROMMET (N)			WITH INFEED GROMMET (Y)		
Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer
1445	2818	2897	1518	2887	2968
1524	2951	3032	1597	3023	3104
1604	3086	3170	1676	3158	3241
1684	3219	3307	1756	3291	3379
1763	3355	3445	1835	3425	3516
1842	3487	3583	1914	3560	3654
1921	3623	3720	1993	3693	3792
1999	3758	3857	2071	3828	3929
2079	3891	3995	2151	3965	4066

If Accent/Mica is specified without infeed grommet, add 13
If Accent/Mica is specified with infeed grommet, add 23

HTBM Middle Stage



With Accessory Beam

Without Accessory Beam

The Middle Stage is always used between a Beginning Stage (HTBB) and Finish Stage (HTBF) to create large Stage applications.

WHAT'S INCLUDED

1 Stage with optional accessory beam and single or double side power, 1 mid gable.

NOTES

With both Single and Double Sided Power options selected the related electrical components must be specified separately.

If Accessory Beam option is selected, Stage Accessory Beam Cover (HTBR) must be specified separately.

Stages have a 3" nominal leveling range, 1" below and 2" above.

PRODUCT OPTIONS

Height	Depth	Width	Accessory Beam	Power/ Data Door	Base Finish	Metal Finish
21	16	48, 54, 60, 66, 72, 78, 84, 90, 96	Y Yes N No	S Single Sided D Double Sided	Source Laminate Flintwood Natural Veneer	Foundation Mica Accent

SAMPLE ORDER CODE

HTBM 21	16	96	Y	D	XG	74
----------------	-----------	-----------	----------	----------	-----------	-----------

DIMENSIONS INCHES / MM

H	D	W
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITHOUT ACCESSORY BEAM (N)

SINGLE SIDED (S)

Source Laminate	Flintwood	Natural Veneer
1109	2387	2465
1159	2492	2573
1209	2597	2682
1261	2702	2790
1310	2807	2899
1361	2913	3008
1411	3021	3118
1462	3124	3226
1511	3232	3334

DOUBLE SIDED (D)

Source Laminate	Flintwood	Natural Veneer
1238	2515	2595
1298	2630	2712
1358	2747	2832
1420	2862	2950
1480	2979	3069
1540	3093	3188
1600	3209	3307
1660	3325	3424
1720	3441	3543

If Accent/Mica is specified without infeed grommet, add 13

If Accent/Mica is specified with infeed grommet, add 23

Pricing is continued on the following page.

H T B M
Middle Stage (Continued)

DIMENSIONS
INCHES / MM

H	D	W
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITH ACCESSORY BEAM (Y)

SINGLE SIDED (S)

Source Laminate	Flintwood	Natural Veneer
1254	2530	2609
1321	2654	2735
1391	2778	2863
1460	2902	2988
1529	3028	3118
1597	3151	3246
1667	3276	3373
1735	3399	3500
1805	3525	3626


DOUBLE SIDED (D)

Source Laminate	Flintwood	Natural Veneer
1383	2659	2739
1462	2793	2874
1540	2927	3011
1618	3061	3149
1697	3197	3286
1776	3329	3424
1856	3464	3562
1935	3599	3700
2014	3734	3835

If Accent/Mica is specified without infeed grommet, add 13

If Accent/Mica is specified with infeed grommet, add 23

HTBF Finish Stage



With Accessory Beam

Without Accessory Beam

The Finish Stage is always used as the last module when a large spanning Stage is desired. It must be attached to either a Beginning Stage (HTBB) or a Middle Stage (HTBM).

WHAT'S INCLUDED

1 stage with optional accessory beam, single or double side power and infeed grommet, 1 end gable.

NOTES

With both Single and Double Sided Power options selected the related electrical components must be specified separately.

If Accessory Beam option is selected, Stage Accessory Beam Cover (HTBR) must be specified separately.

Stages have a 3" nominal leveling range, 1" below and 2" above.

When Infeed Grommets are specified, Grommet Covers are included.

PRODUCT OPTIONS

Height	Depth	Width	Accessory Beam	Power/ Data Door	Infeed Grommet	Base Finish	Metal Finish
21	16	48, 54, 60, 66, 72, 78, 84, 90, 96	Y Yes N No	S Single Sided D Double Sided	Y Yes N No	Source Laminate Flintwood Natural Veneer	Foundation Mica Accent

SAMPLE ORDER CODE

HTBF 21	16	96	Y	D	Y	XG	74
----------------	-----------	-----------	----------	----------	----------	-----------	-----------

DIMENSIONS INCHES / MM

H	D	W
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITHOUT ACCESSORY BEAM (N)

SINGLE SIDED (S)

WITHOUT INFEED GROMMET (N)

Source Laminate	Flintwood	Natural Veneer
1080	2393	2472
1131	2497	2580
1181	2603	2690
1232	2709	2797
1282	2816	2906
1332	2921	3014
1383	3028	3124
1433	3131	3233
1482	3238	3340

WITH INFEED GROMMET (Y)

Source Laminate	Flintwood	Natural Veneer
1209	2522	2601
1269	2638	2719
1329	2753	2837
1391	2869	2956
1450	2985	3075
1511	3101	3195
1571	3216	3314
1632	3330	3432
1691	3448	3553

DOUBLE SIDED (D)

WITHOUT INFEED GROMMET (N)

Source Laminate	Flintwood	Natural Veneer
1225	2538	2617
1293	2660	2743
1362	2785	2870
1431	2908	2997
1500	3033	3124
1568	3158	3251
1638	3282	3380
1708	3407	3506
1775	3531	3634

WITH INFEED GROMMET (Y)

Source Laminate	Flintwood	Natural Veneer
1354	2667	2746
1433	2800	2881
1511	2935	3021
1590	3069	3156
1669	3204	3294
1748	3336	3432
1828	3473	3568
1906	3605	3706
1985	3740	3844

If Accent/Mica is specified without infeed grommet, add 13

If Accent/Mica is specified with infeed grommet, add 23

Pricing is continued on the following page.

H T B F
Finish Stage (Continued)

DIMENSIONS
INCHES / MM

H	D	W
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITH ACCESSORY BEAM (Y)
SINGLE SIDED (S)

WITHOUT INFEED GROMMET (N)			WITH INFEED GROMMET (Y)		
Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer
1152	2465	2544	1282	2595	2673
1203	2571	2653	1342	2709	2791
1254	2676	2760	1402	2826	2910
1304	2781	2869	1463	2942	3029
1354	2886	2979	1522	3057	3148
1404	2993	3087	1583	3171	3267
1453	3098	3197	1643	3287	3385
1505	3204	3305	1705	3403	3503
1554	3309	3413	1764	3518	3623

DOUBLE SIDED (D)

WITHOUT INFEED GROMMET (N)			WITH INFEED GROMMET (Y)		
Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer
1296	2609	2687	1424	2739	2818
1364	2732	2815	1505	2871	2953
1434	2857	2943	1583	3006	3090
1503	2981	3069	1661	3140	3228
1571	3105	3197	1741	3276	3365
1640	3229	3325	1819	3409	3503
1711	3355	3452	1898	3543	3642
1777	3478	3577	1978	3678	3778
1847	3603	3706	2057	3812	3915

If Accent/Mica is specified without infeed grommet, add 13

If Accent/Mica is specified with infeed grommet, add 23

HTBC Complete Stage

The Complete Stage is used when a Single 4' - 8' Stage is desired.

WHAT'S INCLUDED

1 stage with optional accessory beam, single or double side power and infeed grommet, 2 end gables.


NOTES

With both Single and Double Sided Power options selected the related electrical components must be specified separately.

If Accessory Beam option is selected, Stage Accessory Beam Cover (HTBR) must be specified separately.

Stages have a 3" nominal leveling range, 1" below and 2" above.

When Infeed Grommets are specified, Grommet Covers are included.



PRODUCT OPTIONS

Height	Depth	Width	Accessory Beam	Power/ Data Door	Infeed Grommet	Base Finish	Metal Finish
21	16	48, 54, 60, 66, 72, 78, 84, 90, 96	Y Yes N No	S Single Sided D Double Sided	S Single Ended D Double Ended N None	Source Laminate Flintwood Natural Veneer	Foundation Mica Accent

SAMPLE ORDER CODE

HTBC 21	16	96	Y	D	Y	XG	74
---------	----	----	---	---	---	----	----

DIMENSIONS INCHES / MM

H	D	W
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITHOUT ACCESSORY BEAM (N)						
SINGLE SIDED (S)						
WITHOUT INFEED GROMMET (N)			SINGLE ENDED INFEED GROMMET (S)			
Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer	
1217	2696	2781	1288	2696	2781	
1267	2800	2887	1339	2800	2887	
1317	2906	2999	1390	2906	2999	
1366	3010	3105	1440	3010	3105	
1419	3118	3214	1489	3118	3214	
1469	3222	3325	1540	3222	3325	
1518	3328	3434	1590	3328	3434	
1568	3434	3540	1640	3434	3540	
1618	3538	3651	1690	3538	3651	

DOUBLE ENDED INFEED GROMMET (D)						
Source Laminate	Flintwood	Natural Veneer				
1304	2767	2854				
1354	2871	2959				
1404	2979	3071				
1453	3082	3177				
1505	3189	3286				
1554	3294	3396				
1604	3400	3504				
1655	3504	3613				
1829	3749	3859				

If Accent/Mica is specified with one infeed grommet, add 13
If Accent/Mica is specified with two infeed grommets, add 23

Pricing is continued on the following page.

H T B C
Complete Stage (Continued)

DIMENSIONS
INCHES / MM

H	D	W
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITHOUT ACCESSORY BEAM (N) (Continued)

DOUBLE SIDED (D)

WITHOUT INFEED GROMMET (N)

Source Laminate	Flintwood	Natural Veneer
1346	2825	2910
1406	2939	3029
1467	3054	3148
1528	3170	3265
1588	3286	3384
1647	3401	3503
1709	3517	3623
1768	3633	3740
1916	3821	3934

SINGLE ENDED INFEED GROMMET (S)

Source Laminate	Flintwood	Natural Veneer
1419	2825	2910
1479	2939	3029
1538	3054	3148
1598	3170	3265
1659	3286	3384
1719	3401	3503
1779	3517	3623
1840	3633	3740
1706	3612	3722

DOUBLE ENDED INFEED GROMMET (D)

Source Laminate	Flintwood	Natural Veneer
1433	2897	2982
1492	3010	3101
1553	3127	3219
1612	3241	3336
1673	3358	3456
1734	3474	3575
1795	3589	3693
1854	3705	3812
1899	3749	3859

WITH ACCESSORY BEAM (Y)

SINGLE SIDED (S)

WITHOUT INFEED GROMMET (N)

Source Laminate	Flintwood	Natural Veneer
1361	2837	2924
1430	2961	3051
1499	3087	3178
1567	3210	3306
1637	3335	3434
1706	3458	3561
1774	3584	3689
1843	3707	3816
1913	3831	3943

SINGLE ENDED INFEED GROMMET (S)

Source Laminate	Flintwood	Natural Veneer
1433	2837	2924
1502	2961	3051
1569	3087	3178
1639	3210	3306
1709	3335	3434
1776	3458	3561
1846	3584	3689
1916	3707	3816
1984	3831	3943

DOUBLE ENDED INFEED GROMMET (D)

Source Laminate	Flintwood	Natural Veneer
1445	2910	2997
1515	3033	3123
1586	3159	3250
1654	3282	3378
1721	3408	3504
1791	3531	3633
1861	3655	3762
1928	3779	3887
1998	3906	4015

Pricing is continued on the following page.

If Accent/Mica is specified with one infeed grommet, add 13
If Accent/Mica is specified with two infeed grommets, add 23

H T B C

Complete Stage (Continued)

**DIMENSIONS
INCHES / MM**

H	D	W
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITH ACCESSORY BEAM (Y) (Continued)

DOUBLE SIDED (D)

WITHOUT INFEED GROMMET (N)

Source Laminate	Flintwood	Natural Veneer
1489	2968	3053
1568	3102	3190
1647	3236	3328
1726	3370	3464
1806	3504	3603
1885	3639	3740
1964	3773	3880
2043	3908	4015
2123	4040	4153

SINGLE ENDED INFEED GROMMET (S)

Source Laminate	Flintwood	Natural Veneer
1561	2968	3053
1640	3102	3190
1719	3236	3328
1799	3370	3464
1877	3504	3603
1957	3639	3740
2037	3773	3880
2115	3908	4015
2192	4040	4153

DOUBLE ENDED INFEED GROMMET (D)

Source Laminate	Flintwood	Natural Veneer
1574	3039	3126
1655	3174	3262
1734	3308	3400
1813	3442	3536
1892	3576	3676
1971	3710	3812
2050	3847	3950
2129	3979	4088
2210	4115	4224

If Accent/Mica is specified with one infeed grommet, add 13

If Accent/Mica is specified with two infeed grommets, add 23

The Stage Center Support provides mid-span support to open bottom of a Stage when not supported by storage.

HTBS

Stage Center Support


WHAT'S INCLUDED

Center support, brackets and attachment hardware.

NOTES

Designed to accompany 21" height of the Stage.

Used for additional support on Stages wider than 72" must be mounted in the center location.



PRODUCT OPTIONS

Height	Depth	Base Finish	Bracket Finish
21	16	Source Laminate Flintwood Natural Veneer	Foundation Mica Accent

SAMPLE ORDER CODE

HTBS 21	16	XG	74
----------------	-----------	-----------	-----------

**DIMENSIONS
INCHES / MM**

H	D
21 / 533	16 / 406

PRICING

Source Laminate	Flintwood	Natural Veneer
266	580	686

If Accent/Mica is specified with one infeed grommet, add 6

HTDB

Beginning Simple Stage


The Beginning Simple Stage is always used as the first module when a large spanning Stage is desired. It must be attached to either a Middle Simple Stage (HTDM) or a Finish Simple Stage (HTDF).

WHAT'S INCLUDED

1 Simple Stage with optional accessory beam, single or double side power and infeed grommet.

NOTES

If Accessory Beam option is selected, Stage Accessory Beam Cover (HTBR) must be specified separately. When Infeed Grommets are specified, Grommet Covers are included. Stages have a 3" nominal leveling range, 1" below and 2" above.



PRODUCT OPTIONS

Height	Depth	Width (in 6" increments)	Accessory Beam	Power / Data Door	Infeed Grommet	Base Finish		Metal Finish		Bezel Finish		
						Source Laminate	Flintwood	Natural Veneer	Foundation	Mica	Accent	YD Soft Gris Coordinate
21	16	30 - 96	Y Yes N No	C Center E End	Y Yes N No	Source Laminate	Flintwood	Natural Veneer	Foundation	Mica	Accent	YD Soft Gris Coordinate YE Anthracite Coordinate

SAMPLE ORDER CODE

HTDB 21	16	96	Y	E	Y	XG	74	YD
----------------	-----------	-----------	----------	----------	----------	-----------	-----------	-----------

DIMENSIONS INCHES / MM

H	D	W
21 / 533	16 / 406	30 / 762
21 / 533	16 / 406	36 / 914
21 / 533	16 / 406	42 / 1067
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITHOUT ACCESSORY BEAM

WITHOUT INFEEED GROMMET (N)

Source Laminate	Flintwood	Natural Veneer
976	2023	2085
1029	2124	2188
1082	2225	2290
1133	2327	2394
1186	2426	2496
1239	2526	2601
1291	2627	2703
1343	2727	2807
1395	2828	2912
1449	2929	3014
1500	3030	3116
1554	3131	3220

WITH INFEEED GROMMET (Y)

Source Laminate	Flintwood	Natural Veneer
1038	2086	2146
1090	2188	2249
1144	2289	2354
1195	2390	2456
1249	2489	2559
1302	2590	2663
1354	2689	2765
1406	2791	2869
1459	2892	2973
1510	2993	3076
1565	3093	3180
1616	3192	3283

If Accent/Mica is specified without infeed grommet, add 13

If Accent/Mica is specified with infeed grommet, add 23

Pricing is continued on the following page.

H T D B
Beginning Simple Stage
(Continued)

DIMENSIONS
INCHES / MM

H	D	W
21 / 533	16 / 406	30 / 762
21 / 533	16 / 406	36 / 914
21 / 533	16 / 406	42 / 1067
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITH ACCESSORY BEAM								
WITHOUT INFEED GROMMET (N)						WITH INFEED GROMMET (Y)		
Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer
1053	2100	2160	1116	2162	2223	1116	2162	2223
1119	2217	2279	1184	2278	2343	1184	2278	2343
1189	2335	2399	1253	2395	2463	1253	2395	2463
1260	2451	2521	1321	2513	2581	1321	2513	2581
1327	2568	2639	1390	2630	2700	1390	2630	2700
1395	2684	2757	1459	2747	2820	1459	2747	2820
1464	2801	2877	1529	2863	2939	1529	2863	2939
1534	2920	2997	1596	2980	3060	1596	2980	3060
1601	3033	3116	1666	3098	3180	1666	3098	3180
1670	3152	3236	1734	3214	3299	1734	3214	3299
1741	3269	3356	1801	3329	3417	1801	3329	3417
1808	3385	3475	1871	3449	3537	1871	3449	3537

If Accent/Mica is specified without infeed grommet, add 13

If Accent/Mica is specified with infeed grommet, add 23

HTDM Middle Simple Stage


The Middle Simple Stage is always used between a Beginning Simple Stage (HTDB) and Finish Simple Stage (HTDF) to create large Stage applications.

WHAT'S INCLUDED

1 Simple Stage with optional accessory beam and single or double side power, 1 mid gable.

NOTES

With both Single and Double Sided Power options selected the related electrical components must be specified separately. If Accessory Beam option is selected, Stage Accessory Beam Cover (HTBR) must be specified separately. When Infeed Grommets are specified, Grommet Covers are included. Stages have a 3" nominal leveling range, 1" below and 2" above.



PRODUCT OPTIONS

Height	Depth	Width (in 6" increments)	Accessory Beam	Power / Data Door	Base Finish	Metal Finish	Bezel Finish
21	16	30 - 96	Y Yes N No	C Center E End	Source Laminate Flintwood Natural Veneer	Foundation Mica Accent	YD Soft Gris Coordinate YE Anthracite Coordinate

SAMPLE ORDER CODE

HTDM 21	16	96	Y	E	XG	74	YD
---------	----	----	---	---	----	----	----

DIMENSIONS INCHES / MM

H	D	W
21 / 533	16 / 406	30 / 762
21 / 533	16 / 406	36 / 914
21 / 533	16 / 406	42 / 1067
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1676
21 / 533	16 / 406	72 / 1729
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITHOUT ACCESSORY BEAM (N)

Source Laminate	Flintwood	Natural Veneer
919	1887	1946
972	1986	2050
1027	2087	2153
1078	2188	2256
1130	2289	2361
1182	2391	2464
1235	2491	2567
1286	2593	2670
1341	2690	2774
1392	2791	2877
1444	2893	2979
1498	2994	3082

WITH ACCESSORY BEAM (Y)

Source Laminate	Flintwood	Natural Veneer
996	1963	2022
1064	2079	2141
1133	2197	2262
1204	2314	2381
1270	2428	2501
1341	2546	2620
1408	2663	2741
1478	2781	2859
1545	2897	2979
1614	3014	3100
1684	3131	3219
1750	3248	3337

If Accent/Mica is specified without accessory beam, add 13

If Accent/Mica is specified with accessory beam, add 23

HTDF

Finish Simple Stage


The Finish Simple Stage is always used as the last module when a large spanning Stage is desired. It must be attached to either a Beginning Simple Stage (HTDB) or a Middle Simple Stage (HTDM).

WHAT'S INCLUDED

1 Simple Stage with optional accessory beam and single or double side power, 1 end gable.

NOTES

With both Single and Double Sided Power options selected the related electrical components must be specified separately. If Accessory Beam option is selected, Stage Accessory Beam Cover (HTBR) must be specified separately. When Infeed Grommets are specified, Grommet Covers are included. Stages have a 3" nominal leveling range, 1" below and 2" above.



PRODUCT OPTIONS

Height	Depth	Width (in 6" increments)	Accessory Beam	Power / Data Door	Infeed Grommet	Base Finish		Metal Finish		Bezel Finish		
						Source Laminate	Flintwood	Natural Veneer	Foundation	Mica	Accent	YD Soft Gris Coordinate
21	16	30 - 96	Y Yes N No	C Center E End	Y Yes N No	Source Laminate	Flintwood	Natural Veneer	Foundation	Mica	Accent	YD Soft Gris Coordinate YE Anthracite Coordinate

SAMPLE ORDER CODE

HTDF 21	16	96	Y	E	Y	XG	74	YD
----------------	-----------	-----------	----------	----------	----------	-----------	-----------	-----------

DIMENSIONS INCHES / MM

H	D	W
21 / 533	16 / 406	30 / 762
21 / 533	16 / 406	36 / 914
21 / 533	16 / 406	42 / 1067
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITHOUT ACCESSORY BEAM

WITHOUT INFEEED GROMMET (N)

Source Laminate	Flintwood	Natural Veneer
894	1892	1952
947	1993	2054
1000	2095	2160
1053	2194	2262
1105	2293	2365
1157	2395	2468
1210	2495	2572
1262	2597	2676
1314	2698	2779
1366	2798	2884
1420	2898	2986
1472	3000	3089

WITH INFEEED GROMMET (Y)

Source Laminate	Flintwood	Natural Veneer
958	1955	2015
1009	2054	2119
1063	2156	2221
1115	2256	2327
1167	2357	2428
1219	2457	2531
1273	2559	2633
1324	2659	2739
1379	2758	2843
1430	2861	2945
1482	2959	3047
1536	3061	3152

If Accent/Mica is specified without infeed grommet, add 13

If Accent/Mica is specified with infeed grommet, add 23

Pricing is continued on the following page.

H T D F
Finish Simple Stage
(Continued)

DIMENSIONS
INCHES / MM

H	D	W
21 / 533	16 / 406	30 / 762
21 / 533	16 / 406	36 / 914
21 / 533	16 / 406	42 / 1067
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITH ACCESSORY BEAM Y)								
WITHOUT INFEED GROMMET (N)						WITH INFEED GROMMET (Y)		
Source Laminate	Flintwood	Natural Veneer		Source Laminate	Flintwood	Natural Veneer		
972	1969	2028		1034	2030	2093		
1039	2085	2148		1102	2148	2212		
1109	2202	2269		1172	2264	2330		
1177	2319	2390		1239	2381	2451		
1246	2436	2507		1308	2497	2569		
1314	2553	2627		1379	2615	2689		
1384	2670	2746		1444	2732	2808		
1453	2786	2866		1514	2849	2928		
1521	2902	2986		1583	2966	3047		
1590	3022	3105		1651	3082	3169		
1659	3135	3224		1720	3200	3286		
1726	3254	3345		1789	3316	3407		

If Accent/Mica is specified without infeed grommet, add 13

If Accent/Mica is specified with infeed grommet, add 23

HTDC

Complete Simple Stage


The Complete Stage is used when a Single 30" - 96" Stage is desired.

WHAT'S INCLUDED

1 Simple Stage with optional accessory beam, single or double side power and infeed grommet, 2 end gables.

NOTES

If Accessory Beam option is selected, Stage Accessory Beam Cover (HTBR) must be specified separately. When Infeed Grommets are specified, Grommet Covers are included. Stages have a 3" nominal leveling range, 1" below and 2" above.



PRODUCT OPTIONS

Height	Depth	Width (in 6" increments)	Accessory Beam	Power / Data Door	Infeed Grommet	Base Finish		Metal Finish		Bezel Finish	
						Source Laminate Flintwood Natural Veneer	Foundation Mica Accent	YD Soft Gris Coordinate YE Anthracite Coordinate			
21	16	30 - 96	Y Yes N No	C Center E End	S Single Ended D Double Ended N None	Source Laminate Flintwood Natural Veneer	Foundation Mica Accent	YD Soft Gris Coordinate YE Anthracite Coordinate			

SAMPLE ORDER CODE

HTDC 21	16	96	Y	E	S	XG	74	YD
----------------	-----------	-----------	----------	----------	----------	-----------	-----------	-----------

DIMENSIONS INCHES / MM

H	D	W
21 / 533	16 / 406	30 / 762
21 / 533	16 / 406	36 / 914
21 / 533	16 / 406	42 / 1067
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITHOUT ACCESSORY BEAM

Without Infeed Grommet (N)

Source Laminate Flintwood Natural Veneer

986	2131	2199
1044	2239	2307
1102	2343	2416
1172	2456	2531
1221	2557	2633
1277	2658	2739
1328	2757	2841
1382	2859	2944
1434	2958	3047
1486	3060	3152
1538	3161	3254
1667	3325	3422

Single Ended Infeed Grommet (S)

Source Laminate Flintwood Natural Veneer

1137	2197	2263
1177	2290	2361
1218	2381	2455
1234	2456	2531
1286	2557	2633
1337	2658	2739
1391	2757	2841
1443	2859	2944
1495	2958	3047
1547	3060	3152
1601	3161	3254
1484	3144	3238

If Accent/Mica is specified with one infeed grommet, add 13

If Accent/Mica is specified with two infeed grommets, add 23

Pricing is continued on the following page.

H T D C
Complete Simple Stage
(Continued)

DIMENSIONS
INCHES / MM

H	D	W
21 / 533	16 / 406	30 / 762
21 / 533	16 / 406	36 / 914
21 / 533	16 / 406	42 / 1067
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

H	D	W
21 / 533	16 / 406	30 / 762
21 / 533	16 / 406	36 / 914
21 / 533	16 / 406	42 / 1067
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

21 / 533	16 / 406	30 / 762
21 / 533	16 / 406	36 / 914
21 / 533	16 / 406	42 / 1067
21 / 533	16 / 406	48 / 1219
21 / 533	16 / 406	54 / 1372
21 / 533	16 / 406	60 / 1524
21 / 533	16 / 406	66 / 1677
21 / 533	16 / 406	72 / 1829
21 / 533	16 / 406	78 / 1981
21 / 533	16 / 406	84 / 2134
21 / 533	16 / 406	90 / 2286
21 / 533	16 / 406	96 / 2438

PRICING

WITHOUT ACCESSORY BEAM (CONTINUED)

Double Ended Infeed Grommet (D)

Source Laminate	Flintwood	Natural Veneer
1092	2241	2306
1145	2336	2405
1196	2433	2504
1246	2521	2596
1297	2619	2698
1353	2720	2801
1404	2820	2902
1456	2922	3006
1509	3023	3110
1561	3123	3214
1612	3222	3316
1654	3262	3357

WITH ACCESSORY BEAM

Without Infeed Grommet (N)

Source Laminate	Flintwood	Natural Veneer
1089	2231	2299
1158	2348	2419
1227	2465	2538
1296	2581	2656
1364	2698	2776
1434	2816	2895
1502	2931	3014
1571	3050	3134
1639	3164	3254
1709	3283	3376
1777	3399	3493
1846	3515	3613

Single Ended Infeed Grommet (S)

Source Laminate	Flintwood	Natural Veneer
1152	2231	2299
1220	2348	2419
1290	2465	2538
1358	2581	2656
1427	2698	2776
1495	2816	2895
1566	2931	3014
1633	3050	3134
1702	3164	3254
1771	3283	3376
1840	3399	3493
1908	3515	3613

Double Ended Infeed Grommet (D)

Source Laminate	Flintwood	Natural Veneer
1165	2293	2361
1233	2410	2479
1303	2526	2598
1369	2644	2719
1440	2760	2837
1509	2878	2958
1576	2995	3076
1646	3111	3198
1714	3228	3316
1784	3347	3437
1853	3461	3557
1921	3580	3676

If Accent/Mica is specified with one infeed grommet, add 13

If Accent/Mica is specified with two infeed grommets, add 23

HTDS

Simple Stage Center Support

The Simple Stage Center Support provides mid-span support to open bottom of a Simple Stage when not supported by storage.

WHAT'S INCLUDED

Center support, brackets and attachment hardware.

NOTES

Designed to accompany 21" height of the Stage.

Used for additional support on Stages wider than 66"



PRODUCT OPTIONS

Height	Depth	Base Finish	Bracket Finish
21	16	Source Laminate Flintwood Natural Veneer	Foundation Mica Accent

SAMPLE ORDER CODE

HTDS 21	16	XG	74
---------	----	----	----

DIMENSIONS INCHES / MM

H	D
21 / 533	16 / 406

PRICING

Source Laminate	Flintwood	Natural Veneer
226	492	585

If Accent/Mica is specified with one infeed grommet, add 6


The Stage Accessory Beam Cover provides an aesthetic look and hides the interior of the Accessory Beam on top of the Stage.

HTBR

Stage Accessory Beam Cover

WHAT'S INCLUDED

1 stage accessory beam cover.



PRODUCT OPTIONS

Width	Accessory Beam Cover Finish
48, 54, 60, 66, 72, 78, 84, 90, 96	Foundation Mica Accent

SAMPLE ORDER CODE

HTBR 72	74
----------------	-----------

**DIMENSIONS
INCHES / MM**

W
48 / 1219
54 / 1372
60 / 1524
66 / 1677
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

	Foundation	Accent/Mica
	109	115
	121	125
	135	142
	147	153
	158	169
	173	180
	184	197
	200	208
	210	224

H T B A
Stage Connector

The Stage Connector is a two-way connector that creates a connection between two End Gables finished Stages.

WHAT'S INCLUDED
1 stage connector



PRICING

42

The Stage Grommet is mounted on a pass-through ring on a Stage.

WHAT'S INCLUDED

1 stage grommet.

HTBG
Stage Grommet



PRODUCT OPTIONS

Grommet Finish

Foundation

Mica

Source Laminate (Wood Print Only)

SAMPLE ORDER CODE

HTBG 74

PRICING


21

worksurfaces &
supports

product map


H T W R Parallel Worksurface

Page 260




H T W P Perpendicular Worksurface

Page 264




H T W H Perpendicular with Radius Corner Worksurface

Page 268




H T W V Dual Perpendicular Worksurface

Page 272




H T W W Dual Perpendicular with Radius Corner Worksurface

Page 274




H T W G End Worksurface

Page 276




H T W Z End with Radius Corners Worksurface

Page 277




H T W T Interpret Style Table

Page 278



H T W U Interpret Style Radius Corner Table

Page 280




H T W N Interpret Style Leg

Page 282




H T W M Interpret Style Mono Leg

Page 283



H T W E Y Table


Page 284



product map


H T W X Y Table Radius Corner

Page 285




H T W D Y Leg

Page 286




H T W Q Stage to Worksurface Support

Page 287



H T W S Storage Back to Worksurface Support

Page 288



Two Height-Adjustable Brackets

Two Height-Adjustable Brackets, One Hook


H T W C Credenza to Worksurface Support

Page 289




H T W B Stage to Dual Worksurface Support Kit

Page 290




H T W J End Worksurface Support Kit

Page 292



H T W F Hutch to Worksurface Support

Page 293




H T W Y Worksurface Support Wire Manager

Page 294



H T W A Flush Plate

Page 295




Flush Plate

Structural Flush Plate

U N R C Worksurface Reinforcement Channel


Page 296



worksurfaces & supports

HTWR

Parallel Worksurface



The Parallel Worksurface provides a range of depths to support the primary and single sided worksurface applications.

WHAT'S INCLUDED

1 worksurface.

NOTES

Dimensions are actual width, allowance for gaps at side edges must be specified.

The number and location of Cut Outs vary, please refer to the *Application Guides* for more details.

Access door Cut Out options are not available for 23" depth worksurface.

Worksurfaces include only a cut out in the worksurface. When Rectangular Cut Out (RN, RC, RL) is specified, a Rectangular Grommet (HTEG) must be ordered separately. When Access Door Cut Out (AN, AC, AL) is specified, a kit of products including the Access Door for Multi-Circuit Desk (HTEA), Multi-Circuit Desk Housing (HTEN), Multi-Circuit Desk Power Module (HTEM) and Receptacle Outlet (HTERO) must be specified separately.

PRODUCT OPTIONS

Depth	Width (in 1" increments)	Access Door Cut Out		Rectangle Cut Out		Worksurface Finish	Edge Trim Styles		Edge Trim Finishes							
		AN	AC	AL	AR		RN	RC		RL	RR	8	9	H		
23, 29, 35	30, 36, 42 - 96	No Access Door Cut Out	Center Access Door Cut Out	Left Access Door Cut Out	Right Access Door Cut Out	No Rectangle Cut Out	Center Rectangle Cut Out	Left Rectangle Cut Out	Right Rectangle Cut Out	Foundation Laminate	Flintwood	Natural Veneer	Flat (Foundation Laminate)	Flat (Flintwood, Natural Veneer)	Full Knife (Foundation Laminate, Flintwood, Natural Veneer)	Edge Trim Colors

SAMPLE ORDER CODE

HTWR 23	48	AN	RL	LW	8	ST
---------	----	----	----	----	---	----

DIMENSIONS INCHES / MM

D	W
23 / 584	30 / 762
23 / 584	36 / 762
23 / 584	42 / 1067
23 / 584	43 / 1092
23 / 584	44 / 1118
23 / 584	45 / 1143
23 / 584	46 / 1168
23 / 584	47 / 1194
23 / 584	48 / 1219
23 / 584	49 / 1245
23 / 584	50 / 1270
23 / 584	51 / 1295
23 / 584	52 / 1321
23 / 584	53 / 1346
23 / 584	54 / 1372
23 / 584	55 / 1397
23 / 584	56 / 1422
23 / 584	57 / 1448
23 / 584	58 / 1473
23 / 584	59 / 1499
23 / 584	60 / 1524
23 / 584	61 / 1549
23 / 584	62 / 1575

PRICING

FOUNDATION		FLINTWOOD		VENEER	
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
379	473	854	986	894	1035
426	535	933	1071	977	1124
465	595	1042	1202	1093	1260
470	602	1083	1244	1133	1304
470	602	1083	1244	1133	1304
470	602	1083	1244	1133	1304
474	611	1121	1285	1176	1347
474	611	1121	1285	1176	1347
474	611	1121	1285	1176	1347
621	802	1204	1386	1262	1453
621	802	1204	1386	1262	1453
621	802	1204	1386	1262	1453
625	811	1244	1429	1304	1498
625	811	1244	1429	1304	1498
625	811	1244	1429	1304	1498
630	818	1283	1471	1343	1542
630	818	1283	1471	1343	1542
630	818	1283	1471	1343	1542
636	826	1321	1514	1385	1587
636	826	1321	1514	1385	1587
636	826	1321	1514	1385	1587
640	832	1383	1586	1449	1661
640	832	1383	1586	1449	1661

If Cut Out is specified, add 41 for each

Pricing is continued on the following page.

H T W R
Parallel Worksurface (Continued)

DIMENSIONS
INCHES / MM

PRICING

DIMENSIONS		PRICING					
INCHES / MM		FOUNDATION		FLINTWOOD		VENEER	
D	W	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
23 / 584	63 / 1600	640	832	1383	1586	1449	1661
23 / 584	64 / 1626	646	841	1421	1629	1489	1706
23 / 584	65 / 1651	646	841	1421	1629	1489	1706
23 / 584	66 / 1676	646	841	1421	1629	1489	1706
23 / 584	67 / 1702	650	849	1460	1669	1531	1749
23 / 584	68 / 1727	650	849	1460	1669	1531	1749
23 / 584	69 / 1753	650	849	1460	1669	1531	1749
23 / 584	70 / 1778	654	856	1500	1713	1571	1795
23 / 584	71 / 1803	654	856	1500	1713	1571	1795
23 / 584	72 / 1829	654	856	1500	1713	1571	1795
23 / 584	73 / 1854	717	952	1539	1756	1612	1840
23 / 584	74 / 1880	717	952	1539	1756	1612	1840
23 / 584	75 / 1905	717	952	1539	1756	1612	1840
23 / 584	76 / 1930	723	960	1579	1797	1655	1884
23 / 584	77 / 1956	723	960	1579	1797	1655	1884
23 / 584	78 / 1981	723	960	1579	1797	1655	1884
23 / 584	79 / 2007	728	967	1617	1840	1695	1928
23 / 584	80 / 2032	728	967	1617	1840	1695	1928
23 / 584	81 / 2057	728	967	1617	1840	1695	1928
23 / 584	82 / 2083	733	976	1699	1940	1781	2036
23 / 584	83 / 2108	733	976	1699	1940	1781	2036
23 / 584	84 / 2134	733	976	1699	1940	1781	2036
23 / 584	85 / 2159	737	983	1739	1984	1821	2079
23 / 584	86 / 2184	737	983	1739	1984	1821	2079
23 / 584	87 / 2210	737	983	1739	1984	1821	2079
23 / 584	88 / 2235	741	991	1777	2025	1864	2124
23 / 584	89 / 2261	741	991	1777	2025	1864	2124
23 / 584	90 / 2286	741	991	1777	2025	1864	2124
23 / 584	91 / 2311	747	999	1818	2068	1904	2168
23 / 584	92 / 2337	747	999	1818	2068	1904	2168
23 / 584	93 / 2362	747	999	1818	2068	1904	2168
23 / 584	94 / 2388	753	1006	1858	2111	1946	2213
23 / 584	95 / 2413	753	1006	1858	2111	1946	2213
23 / 584	96 / 2438	753	1006	1858	2111	1946	2213
29 / 737	30 / 762	428	536	974	1129	1021	1182
29 / 737	36 / 762	440	556	1061	1225	1114	1283
29 / 737	42 / 1067	507	648	1194	1379	1250	1443
29 / 737	43 / 1092	513	655	1237	1424	1296	1494
29 / 737	44 / 1118	513	655	1237	1424	1296	1494
29 / 737	45 / 1143	513	655	1237	1424	1296	1494
29 / 737	46 / 1168	521	665	1282	1472	1342	1544
29 / 737	47 / 1194	521	665	1282	1472	1342	1544
29 / 737	48 / 1219	521	665	1282	1472	1342	1544
29 / 737	49 / 1245	639	827	1346	1550	1411	1625
29 / 737	50 / 1270	639	827	1346	1550	1411	1625
29 / 737	51 / 1295	639	827	1346	1550	1411	1625
29 / 737	52 / 1321	645	835	1390	1597	1456	1675
29 / 737	53 / 1346	645	835	1390	1597	1456	1675
29 / 737	54 / 1372	645	835	1390	1597	1456	1675
29 / 737	55 / 1397	650	843	1434	1646	1502	1725
29 / 737	56 / 1422	650	843	1434	1646	1502	1725
29 / 737	57 / 1448	650	843	1434	1646	1502	1725

If Cut Out is specified, add 41 for each

Pricing is continued on the following page.

worksurfaces & supports

H T W R

Parallel Worksurface (Continued)

DIMENSIONS
INCHES / MM

PRICING

D	W	FOUNDATION		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
29 / 737	58 / 1473	655	853	1478	1692	1547	1775
29 / 737	59 / 1499	655	853	1478	1692	1547	1775
29 / 737	60 / 1524	655	853	1478	1692	1547	1775
29 / 737	61 / 1549	661	860	1521	1742	1593	1825
29 / 737	62 / 1575	661	860	1521	1742	1593	1825
29 / 737	63 / 1600	661	860	1521	1742	1593	1825
29 / 737	64 / 1626	668	868	1608	1847	1685	1936
29 / 737	65 / 1651	668	868	1608	1847	1685	1936
29 / 737	66 / 1676	668	868	1608	1847	1685	1936
29 / 737	67 / 1702	674	879	1651	1895	1731	1986
29 / 737	68 / 1727	674	879	1651	1895	1731	1986
29 / 737	69 / 1753	674	879	1651	1895	1731	1986
29 / 737	70 / 1778	679	886	1695	1943	1776	2037
29 / 737	71 / 1803	679	886	1695	1943	1776	2037
29 / 737	72 / 1829	679	886	1695	1943	1776	2037
29 / 737	73 / 1854	1025	1355	1739	1992	1821	2086
29 / 737	74 / 1880	1025	1355	1739	1992	1821	2086
29 / 737	75 / 1905	1025	1355	1739	1992	1821	2086
29 / 737	76 / 1930	1030	1363	1783	2039	1868	2138
29 / 737	77 / 1956	1030	1363	1783	2039	1868	2138
29 / 737	78 / 1981	1030	1363	1783	2039	1868	2138
29 / 737	79 / 2007	1035	1371	1869	2145	1959	2248
29 / 737	80 / 2032	1035	1371	1869	2145	1959	2248
29 / 737	81 / 2057	1035	1371	1869	2145	1959	2248
29 / 737	82 / 2083	1042	1380	1914	2192	2004	2299
29 / 737	83 / 2108	1042	1380	1914	2192	2004	2299
29 / 737	84 / 2134	1042	1380	1914	2192	2004	2299
29 / 737	85 / 2159	1049	1387	1957	2241	2050	2348
29 / 737	86 / 2184	1049	1387	1957	2241	2050	2348
29 / 737	87 / 2210	1049	1387	1957	2241	2050	2348
29 / 737	88 / 2235	1054	1395	2001	2289	2096	2398
29 / 737	89 / 2261	1054	1395	2001	2289	2096	2398
29 / 737	90 / 2286	1054	1395	2001	2289	2096	2398
29 / 737	91 / 2311	1059	1405	2044	2336	2141	2449
29 / 737	92 / 2337	1059	1405	2044	2336	2141	2449
29 / 737	93 / 2362	1059	1405	2044	2336	2141	2449
29 / 737	94 / 2388	1064	1414	2087	2384	2188	2497
29 / 737	95 / 2413	1064	1414	2087	2384	2188	2497
29 / 737	96 / 2438	1064	1414	2087	2384	2188	2497
35 / 889	30 / 762	534	690	1064	1226	1115	1285
35 / 889	36 / 762	623	803	1204	1391	1262	1457
35 / 889	42 / 1067	695	912	1321	1524	1385	1598
35 / 889	43 / 1092	702	919	1369	1580	1435	1655
35 / 889	44 / 1118	702	919	1369	1580	1435	1655
35 / 889	45 / 1143	702	919	1369	1580	1435	1655
35 / 889	46 / 1168	708	930	1419	1632	1486	1711
35 / 889	47 / 1194	708	930	1419	1632	1486	1711
35 / 889	48 / 1219	708	930	1419	1632	1486	1711
35 / 889	49 / 1245	996	1310	1465	1685	1537	1766
35 / 889	50 / 1270	996	1310	1465	1685	1537	1766
35 / 889	51 / 1295	996	1310	1465	1685	1537	1766
35 / 889	52 / 1321	1002	1320	1558	1796	1632	1884

If Cut Out is specified, add 41 for each

Pricing is continued on the following page.

H T W R
Parallel Worksurface (Continued)

DIMENSIONS
INCHES / MM

PRICING


DIMENSIONS		PRICING					
INCHES / MM		FOUNDATION		FLINTWOOD		VENEER	
D	W	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
35 / 889	53 / 1346	1002	1320	1558	1796	1632	1884
35 / 889	54 / 1372	1002	1320	1558	1796	1632	1884
35 / 889	55 / 1397	1009	1329	1607	1849	1683	1938
35 / 889	56 / 1422	1009	1329	1607	1849	1683	1938
35 / 889	57 / 1448	1009	1329	1607	1849	1683	1938
35 / 889	58 / 1473	1015	1337	1655	1902	1734	1994
35 / 889	59 / 1499	1015	1337	1655	1902	1734	1994
35 / 889	60 / 1524	1015	1337	1655	1902	1734	1994
35 / 889	61 / 1549	1024	1347	1702	1955	1784	2050
35 / 889	62 / 1575	1024	1347	1702	1955	1784	2050
35 / 889	63 / 1600	1024	1347	1702	1955	1784	2050
35 / 889	64 / 1626	1030	1357	1795	2068	1878	2167
35 / 889	65 / 1651	1030	1357	1795	2068	1878	2167
35 / 889	66 / 1676	1030	1357	1795	2068	1878	2167
35 / 889	67 / 1702	1036	1366	1842	2122	1928	2221
35 / 889	68 / 1727	1036	1366	1842	2122	1928	2221
35 / 889	69 / 1753	1036	1366	1842	2122	1928	2221
35 / 889	70 / 1778	1042	1377	1891	2173	1980	2277
35 / 889	71 / 1803	1042	1377	1891	2173	1980	2277
35 / 889	72 / 1829	1042	1377	1891	2173	1980	2277
35 / 889	73 / 1854	1165	1563	1938	2227	2030	2333
35 / 889	74 / 1880	1165	1563	1938	2227	2030	2333
35 / 889	75 / 1905	1165	1563	1938	2227	2030	2333
35 / 889	76 / 1930	1172	1572	1986	2279	2080	2390
35 / 889	77 / 1956	1172	1572	1986	2279	2080	2390
35 / 889	78 / 1981	1172	1572	1986	2279	2080	2390
35 / 889	79 / 2007	1177	1582	2036	2333	2131	2446
35 / 889	80 / 2032	1177	1582	2036	2333	2131	2446
35 / 889	81 / 2057	1177	1582	2036	2333	2131	2446
35 / 889	82 / 2083	1184	1592	2083	2388	2182	2501
35 / 889	83 / 2108	1184	1592	2083	2388	2182	2501
35 / 889	84 / 2134	1184	1592	2083	2388	2182	2501
35 / 889	85 / 2159	1190	1601	2197	2526	2300	2648
35 / 889	86 / 2184	1190	1601	2197	2526	2300	2648
35 / 889	87 / 2210	1190	1601	2197	2526	2300	2648
35 / 889	88 / 2235	1197	1611	2245	2580	2350	2703
35 / 889	89 / 2261	1197	1611	2245	2580	2350	2703
35 / 889	90 / 2286	1197	1611	2245	2580	2350	2703
35 / 889	91 / 2311	1205	1621	2292	2633	2401	2758
35 / 889	92 / 2337	1205	1621	2292	2633	2401	2758
35 / 889	93 / 2362	1205	1621	2292	2633	2401	2758
35 / 889	94 / 2388	1211	1631	2341	2687	2451	2815
35 / 889	95 / 2413	1211	1631	2341	2687	2451	2815
35 / 889	96 / 2438	1211	1631	2341	2687	2451	2815

If Cut Out is specified, add 41 for each

worksurfaces & supports

HTWP

Perpendicular Worksurface



The Perpendicular Worksurface provides a range of depths to support both primary, secondary and single sided worksurface applications.

WHAT'S INCLUDED

1 worksurface.

NOTES

Dimensions are actual width, allowance for gaps at side edges must be specified.

The number and location of Cut Outs vary, please refer to the *Application Guides* for more details.

Worksurfaces include only a cut out in the worksurface. When Rectangular Cut Out (RN, RC, RL) is specified, a Rectangular Grommet (HTEG) must be ordered separately. When Access Door Cut Out (AN, AC, AL) is specified, a kit of products including the Access Door for Multi-Circuit Desk (HTEA), Multi-Circuit Desk Housing (HTEN), Multi-Circuit Desk Power Module (HTEM) and Receptacle Outlet (HTERO) must be specified separately.

PRODUCT OPTIONS

Depth	Width (1" increments)	Access Door Cut Out	Rectangle Cut Out	Worksurface Finish	Edge Trim Styles	Edge Trim Finishes
24, 30, 36, 42, 48	46 - 71	AN No Access Door Cut Out	RN No Rectangle Cut Out	Foundation Laminate Flintwood Natural Veneer	8 Flat (Foundation Laminate)	Edge Trim Colors
		AL Left Access Door Cut Out	RC Center Rectangle Cut Out		9 Flat (Flintwood, Natural Veneer)	
		AR Right Access Door Cut Out	RL Left Rectangle Cut Out		H Full Knife (Foundation Laminate, Flintwood, Natural Veneer)	
			RR Right Rectangle Cut Out			

SAMPLE ORDER CODE

HTWP 24	48	AN	RL	LW	8	ST
----------------	-----------	-----------	-----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

D	W
24 / 610	46 / 1168
24 / 610	47 / 1194
24 / 610	48 / 1219
24 / 610	49 / 1245
24 / 610	50 / 1270
24 / 610	51 / 1295
24 / 610	52 / 1321
24 / 610	53 / 1346
24 / 610	54 / 1372
24 / 610	55 / 1397
24 / 610	56 / 1422
24 / 610	57 / 1448
24 / 610	58 / 1473
24 / 610	59 / 1499
24 / 610	60 / 1524
24 / 610	61 / 1549
24 / 610	62 / 1575
24 / 610	63 / 1600
24 / 610	64 / 1626
24 / 610	65 / 1651
24 / 610	66 / 1676
24 / 610	67 / 1702
24 / 610	68 / 1727
24 / 610	69 / 1753
24 / 610	70 / 1778
24 / 610	71 / 1803

PRICING

FOUNDATION		FLINTWOOD		VENEER	
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
477	615	1184	1365	1240	1431
477	615	1184	1365	1240	1431
477	615	1184	1365	1240	1431
623	806	1225	1409	1283	1478
623	806	1225	1409	1283	1478
623	806	1225	1409	1283	1478
629	814	1264	1452	1324	1522
629	814	1264	1452	1324	1522
629	814	1264	1452	1324	1522
632	822	1304	1494	1365	1567
632	822	1304	1494	1365	1567
632	822	1304	1494	1365	1567
639	829	1365	1568	1431	1643
639	829	1365	1568	1431	1643
639	829	1365	1568	1431	1643
645	838	1406	1611	1472	1689
645	838	1406	1611	1472	1689
645	838	1406	1611	1472	1689
648	846	1444	1655	1514	1735
648	846	1444	1655	1514	1735
648	846	1444	1655	1514	1735
653	854	1485	1697	1557	1779
653	854	1485	1697	1557	1779
653	854	1485	1697	1557	1779
659	860	1524	1742	1597	1825
659	860	1524	1742	1597	1825

If Cut Out is specified, add 41 for each

Pricing is continued on the following page.

H T W P
Perpendicular Worksurface
(Continued)

DIMENSIONS
INCHES / MM

PRICING

DIMENSIONS INCHES / MM		FOUNDATION		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
30 / 762	46 / 1168	523	670	1321	1523	1385	1597
30 / 762	47 / 1194	523	670	1321	1523	1385	1597
30 / 762	48 / 1219	523	670	1321	1523	1385	1597
30 / 762	49 / 1245	641	831	1365	1572	1431	1648
30 / 762	50 / 1270	641	831	1365	1572	1431	1648
30 / 762	51 / 1295	641	831	1365	1572	1431	1648
30 / 762	52 / 1321	647	839	1411	1621	1479	1698
30 / 762	53 / 1346	647	839	1411	1621	1479	1698
30 / 762	54 / 1372	647	839	1411	1621	1479	1698
30 / 762	55 / 1397	653	849	1455	1669	1523	1749
30 / 762	56 / 1422	653	849	1455	1669	1523	1749
30 / 762	57 / 1448	653	849	1455	1669	1523	1749
30 / 762	58 / 1473	659	856	1499	1719	1571	1801
30 / 762	59 / 1499	659	856	1499	1719	1571	1801
30 / 762	60 / 1524	659	856	1499	1719	1571	1801
30 / 762	61 / 1549	665	865	1588	1826	1662	1914
30 / 762	62 / 1575	665	865	1588	1826	1662	1914
30 / 762	63 / 1600	665	865	1588	1826	1662	1914
30 / 762	64 / 1626	673	876	1632	1875	1711	1965
30 / 762	65 / 1651	673	876	1632	1875	1711	1965
30 / 762	66 / 1676	673	876	1632	1875	1711	1965
30 / 762	67 / 1702	677	883	1676	1923	1756	2015
30 / 762	68 / 1727	677	883	1676	1923	1756	2015
30 / 762	69 / 1753	677	883	1676	1923	1756	2015
30 / 762	70 / 1778	682	890	1720	1972	1803	2067
30 / 762	71 / 1803	682	890	1720	1972	1803	2067
36 / 914	46 / 1168	710	935	1438	1654	1507	1734
36 / 914	47 / 1194	710	935	1438	1654	1507	1734
36 / 914	48 / 1219	710	935	1438	1654	1507	1734
36 / 914	49 / 1245	1000	1314	1486	1708	1558	1789
36 / 914	50 / 1270	1000	1314	1486	1708	1558	1789
36 / 914	51 / 1295	1000	1314	1486	1708	1558	1789
36 / 914	52 / 1321	1006	1324	1579	1819	1655	1907
36 / 914	53 / 1346	1006	1324	1579	1819	1655	1907
36 / 914	54 / 1372	1006	1324	1579	1819	1655	1907
36 / 914	55 / 1397	1013	1334	1629	1873	1706	1964
36 / 914	56 / 1422	1013	1334	1629	1873	1706	1964
36 / 914	57 / 1448	1013	1334	1629	1873	1706	1964
36 / 914	58 / 1473	1020	1343	1676	1927	1756	2021
36 / 914	59 / 1499	1020	1343	1676	1927	1756	2021
36 / 914	60 / 1524	1020	1343	1676	1927	1756	2021
36 / 914	61 / 1549	1027	1354	1725	1982	1807	2078
36 / 914	62 / 1575	1027	1354	1725	1982	1807	2078
36 / 914	63 / 1600	1027	1354	1725	1982	1807	2078
36 / 914	64 / 1626	1032	1362	1818	2095	1904	2194
36 / 914	65 / 1651	1032	1362	1818	2095	1904	2194
36 / 914	66 / 1676	1032	1362	1818	2095	1904	2194
36 / 914	67 / 1702	1039	1371	1866	2148	1955	2250
36 / 914	68 / 1727	1039	1371	1866	2148	1955	2250
36 / 914	69 / 1753	1039	1371	1866	2148	1955	2250
36 / 914	70 / 1778	1046	1382	1916	2202	2008	2307
36 / 914	71 / 1803	1046	1382	1916	2202	2008	2307

If Cut Out is specified, add 41 for each

Pricing is continued on the following page.

worksurfaces & supports

H T W P

Perpendicular Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING


D	W	FOUNDATION		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
42 / 1067	46 / 1168	728	958	1596	1842	1672	1928
42 / 1067	47 / 1194	728	958	1596	1842	1672	1928
42 / 1067	48 / 1219	728	958	1596	1842	1672	1928
42 / 1067	49 / 1245	1017	1337	1650	1901	1727	1992
42 / 1067	50 / 1270	1017	1337	1650	1901	1727	1992
42 / 1067	51 / 1295	1017	1337	1650	1901	1727	1992
42 / 1067	52 / 1321	1025	1349	1702	1960	1785	2053
42 / 1067	53 / 1346	1025	1349	1702	1960	1785	2053
42 / 1067	54 / 1372	1025	1349	1702	1960	1785	2053
42 / 1067	55 / 1397	1032	1358	1800	2078	1887	2176
42 / 1067	56 / 1422	1032	1358	1800	2078	1887	2176
42 / 1067	57 / 1448	1032	1358	1800	2078	1887	2176
42 / 1067	58 / 1473	1041	1369	1854	2138	1942	2241
42 / 1067	59 / 1499	1041	1369	1854	2138	1942	2241
42 / 1067	60 / 1524	1041	1369	1854	2138	1942	2241
42 / 1067	61 / 1549	1049	1382	1907	2197	1996	2301
42 / 1067	62 / 1575	1049	1382	1907	2197	1996	2301
42 / 1067	63 / 1600	1049	1382	1907	2197	1996	2301
42 / 1067	64 / 1626	1057	1391	1962	2256	2053	2364
42 / 1067	65 / 1651	1057	1391	1962	2256	2053	2364
42 / 1067	66 / 1676	1057	1391	1962	2256	2053	2364
42 / 1067	67 / 1702	1063	1402	2014	2317	2110	2426
42 / 1067	68 / 1727	1063	1402	2014	2317	2110	2426
42 / 1067	69 / 1753	1063	1402	2014	2317	2110	2426
42 / 1067	70 / 1778	1065	1405	2033	2336	2127	2448
42 / 1067	71 / 1803	1065	1405	2033	2336	2127	2448
48 / 1219	46 / 1168	746	981	1756	2028	1839	2126
48 / 1219	47 / 1194	746	981	1756	2028	1839	2126
48 / 1219	48 / 1219	746	981	1756	2028	1839	2126
48 / 1219	49 / 1245	1035	1362	1814	2095	1899	2194
48 / 1219	50 / 1270	1035	1362	1814	2095	1899	2194
48 / 1219	51 / 1295	1035	1362	1814	2095	1899	2194
48 / 1219	52 / 1321	1043	1373	1872	2159	1962	2262
48 / 1219	53 / 1346	1043	1373	1872	2159	1962	2262
48 / 1219	54 / 1372	1043	1373	1872	2159	1962	2262
48 / 1219	55 / 1397	1053	1385	1928	2223	2021	2330
48 / 1219	56 / 1422	1053	1385	1928	2223	2021	2330
48 / 1219	57 / 1448	1053	1385	1928	2223	2021	2330
48 / 1219	58 / 1473	1060	1395	1987	2289	2082	2397
48 / 1219	59 / 1499	1060	1395	1987	2289	2082	2397
48 / 1219	60 / 1524	1060	1395	1987	2289	2082	2397
48 / 1219	61 / 1549	1070	1409	2111	2442	2212	2555
48 / 1219	62 / 1575	1070	1409	2111	2442	2212	2555
48 / 1219	63 / 1600	1070	1409	2111	2442	2212	2555
48 / 1219	64 / 1626	1079	1420	2169	2506	2271	2625
48 / 1219	65 / 1651	1079	1420	2169	2506	2271	2625
48 / 1219	66 / 1676	1079	1420	2169	2506	2271	2625
48 / 1219	67 / 1702	1087	1431	2226	2571	2332	2692
48 / 1219	68 / 1727	1087	1431	2226	2571	2332	2692
48 / 1219	69 / 1753	1087	1431	2226	2571	2332	2692
48 / 1219	70 / 1778	1089	1435	2246	2593	2351	2716
48 / 1219	71 / 1803	1089	1435	2246	2593	2351	2716

If Cut Out is specified, add 41 for each

worksurfaces & supports

HTWH

Perpendicular with Radius Corner Worksurface



The Perpendicular with Radius Corners Worksurface provides a range of depths to support primary worksurface applications.

WHAT'S INCLUDED

1 worksurface, grommet (if specified).

NOTES

Worksurface is designed to accompany the upStage Infinity Curved Desk Edge Screen (GXCU). Dimensions are actual width, allowance for gaps at side edges must be specified.

PRODUCT OPTIONS

Depth	Width (in 1" increments)	Corner Profile	Access Door Cut Out	Rectangle Cut Out	Leg Style	Worksurface Finish	Edge Trim Styles	Edge Trim Finishes
24, 30, 36, 42, 48	46 - 71	F Four Round 3" Radius L Two Round 3" Radius Left R Two Round 3" Radius Right	AN No Access Door Cut Out AL Left Access Door Cut Out AR Right Access Door Cut Out	RN No Rectangle Cut Out RC Center Rectangle Cut Out RL Left Rectangle Cut Out RR Right Rectangle Cut Out	D Y Leg N Interpret Style	Foundation Laminate Flintwood Natural Veneer	8 Flat (Foundation Laminate) 9 Flat (Flintwood, Natural Veneer) H Full Knife (Foundation Laminate, Flintwood, Natural Veneer)	Edge Trim Colors

SAMPLE ORDER CODE

HTWH 24	48	R	AN	RL	D	LW	8	ST
---------	----	---	----	----	---	----	---	----

DIMENSIONS INCHES / MM

D	W
24 / 610	46 / 1168
24 / 610	47 / 1194
24 / 610	48 / 1219
24 / 610	49 / 1245
24 / 610	50 / 1270
24 / 610	51 / 1295
24 / 610	52 / 1321
24 / 610	53 / 1346
24 / 610	54 / 1372
24 / 610	55 / 1397
24 / 610	56 / 1422
24 / 610	57 / 1448
24 / 610	58 / 1473
24 / 610	59 / 1499
24 / 610	60 / 1524
24 / 610	61 / 1549
24 / 610	62 / 1575
24 / 610	63 / 1600
24 / 610	64 / 1626
24 / 610	65 / 1651
24 / 610	66 / 1676
24 / 610	67 / 1702
24 / 610	68 / 1727
24 / 610	69 / 1753
24 / 610	70 / 1778
24 / 610	71 / 1803

PRICING

FOUNDATION		FLINTWOOD		VENEER	
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
477	615	1184	1365	1240	1431
477	615	1184	1365	1240	1431
477	615	1184	1365	1240	1431
623	806	1225	1409	1283	1478
623	806	1225	1409	1283	1478
623	806	1225	1409	1283	1478
629	814	1264	1452	1324	1522
629	814	1264	1452	1324	1522
629	814	1264	1452	1324	1522
632	822	1304	1494	1365	1567
632	822	1304	1494	1365	1567
632	822	1304	1494	1365	1567
639	829	1365	1568	1431	1643
639	829	1365	1568	1431	1643
639	829	1365	1568	1431	1643
645	838	1406	1611	1472	1689
645	838	1406	1611	1472	1689
645	838	1406	1611	1472	1689
648	846	1444	1655	1514	1735
648	846	1444	1655	1514	1735
648	846	1444	1655	1514	1735
653	854	1485	1697	1557	1779
653	854	1485	1697	1557	1779
653	854	1485	1697	1557	1779
659	860	1524	1742	1597	1825
659	860	1524	1742	1597	1825
659	860	1524	1742	1597	1825

If Cut Out is specified, add 41 for each

Pricing is continued on the following page.

H T W H
Perpendicular with Radius Corner
Worksurface (Continued)

DIMENSIONS
INCHES / MM

PRICING

DIMENSIONS		PRICING					
INCHES / MM		FOUNDATION		FLINTWOOD		VENEER	
D	W	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
30 / 762	46 / 1168	523	670	1321	1523	1385	1597
30 / 762	47 / 1194	523	670	1321	1523	1385	1597
30 / 762	48 / 1219	523	670	1321	1523	1385	1597
30 / 762	49 / 1245	641	831	1365	1572	1431	1648
30 / 762	50 / 1270	641	831	1365	1572	1431	1648
30 / 762	51 / 1295	641	831	1365	1572	1431	1648
30 / 762	52 / 1321	647	839	1411	1621	1479	1698
30 / 762	53 / 1346	647	839	1411	1621	1479	1698
30 / 762	54 / 1372	647	839	1411	1621	1479	1698
30 / 762	55 / 1397	653	849	1455	1669	1523	1749
30 / 762	56 / 1422	653	849	1455	1669	1523	1749
30 / 762	57 / 1448	653	849	1455	1669	1523	1749
30 / 762	58 / 1473	659	856	1499	1719	1571	1801
30 / 762	59 / 1499	659	856	1499	1719	1571	1801
30 / 762	60 / 1524	659	856	1499	1719	1571	1801
30 / 762	61 / 1549	665	865	1588	1826	1662	1914
30 / 762	62 / 1575	665	865	1588	1826	1662	1914
30 / 762	63 / 1600	665	865	1588	1826	1662	1914
30 / 762	64 / 1626	673	876	1632	1875	1711	1965
30 / 762	65 / 1651	673	876	1632	1875	1711	1965
30 / 762	66 / 1676	673	876	1632	1875	1711	1965
30 / 762	67 / 1702	677	883	1676	1923	1756	2015
30 / 762	68 / 1727	677	883	1676	1923	1756	2015
30 / 762	69 / 1753	677	883	1676	1923	1756	2015
30 / 762	70 / 1778	682	890	1720	1972	1803	2067
30 / 762	71 / 1803	682	890	1720	1972	1803	2067
36 / 914	46 / 1168	710	935	1438	1654	1507	1734
36 / 914	47 / 1194	710	935	1438	1654	1507	1734
36 / 914	48 / 1219	710	935	1438	1654	1507	1734
36 / 914	49 / 1245	1000	1314	1486	1708	1558	1789
36 / 914	50 / 1270	1000	1314	1486	1708	1558	1789
36 / 914	51 / 1295	1000	1314	1486	1708	1558	1789
36 / 914	52 / 1321	1006	1324	1579	1819	1655	1907
36 / 914	53 / 1346	1006	1324	1579	1819	1655	1907
36 / 914	54 / 1372	1006	1324	1579	1819	1655	1907
36 / 914	55 / 1397	1013	1334	1629	1873	1706	1964
36 / 914	56 / 1422	1013	1334	1629	1873	1706	1964
36 / 914	57 / 1448	1013	1334	1629	1873	1706	1964
36 / 914	58 / 1473	1020	1343	1676	1927	1756	2021
36 / 914	59 / 1499	1020	1343	1676	1927	1756	2021
36 / 914	60 / 1524	1020	1343	1676	1927	1756	2021
36 / 914	61 / 1549	1027	1354	1725	1982	1807	2078
36 / 914	62 / 1575	1027	1354	1725	1982	1807	2078
36 / 914	63 / 1600	1027	1354	1725	1982	1807	2078
36 / 914	64 / 1626	1032	1362	1818	2095	1904	2194
36 / 914	65 / 1651	1032	1362	1818	2095	1904	2194
36 / 914	66 / 1676	1032	1362	1818	2095	1904	2194
36 / 914	67 / 1702	1039	1371	1866	2148	1955	2250
36 / 914	68 / 1727	1039	1371	1866	2148	1955	2250
36 / 914	69 / 1753	1039	1371	1866	2148	1955	2250
36 / 914	70 / 1778	1046	1382	1916	2202	2008	2307
36 / 914	71 / 1803	1046	1382	1916	2202	2008	2307

If Cut Out is specified, add 41 for each

Pricing is continued on the following page.

worksurfaces & supports

H T W H

Perpendicular with Radius Corner Worksurface (Continued)

DIMENSIONS
INCHES / MM

PRICING


D	W	FOUNDATION		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
42 / 1067	46 / 1168	728	958	1596	1842	1672	1928
42 / 1067	47 / 1194	728	958	1596	1842	1672	1928
42 / 1067	48 / 1219	728	958	1596	1842	1672	1928
42 / 1067	49 / 1245	1017	1337	1650	1901	1727	1992
42 / 1067	50 / 1270	1017	1337	1650	1901	1727	1992
42 / 1067	51 / 1295	1017	1337	1650	1901	1727	1992
42 / 1067	52 / 1321	1025	1349	1702	1960	1785	2053
42 / 1067	53 / 1346	1025	1349	1702	1960	1785	2053
42 / 1067	54 / 1372	1025	1349	1702	1960	1785	2053
42 / 1067	55 / 1397	1032	1358	1800	2078	1887	2176
42 / 1067	56 / 1422	1032	1358	1800	2078	1887	2176
42 / 1067	57 / 1448	1032	1358	1800	2078	1887	2176
42 / 1067	58 / 1473	1041	1369	1854	2138	1942	2241
42 / 1067	59 / 1499	1041	1369	1854	2138	1942	2241
42 / 1067	60 / 1524	1041	1369	1854	2138	1942	2241
42 / 1067	61 / 1549	1049	1382	1907	2197	1996	2301
42 / 1067	62 / 1575	1049	1382	1907	2197	1996	2301
42 / 1067	63 / 1600	1049	1382	1907	2197	1996	2301
42 / 1067	64 / 1626	1057	1391	1962	2256	2053	2364
42 / 1067	65 / 1651	1057	1391	1962	2256	2053	2364
42 / 1067	66 / 1676	1057	1391	1962	2256	2053	2364
42 / 1067	67 / 1702	1063	1402	2014	2317	2110	2426
42 / 1067	68 / 1727	1063	1402	2014	2317	2110	2426
42 / 1067	69 / 1753	1063	1402	2014	2317	2110	2426
42 / 1067	70 / 1778	1065	1405	2033	2336	2127	2448
42 / 1067	71 / 1803	1065	1405	2033	2336	2127	2448
48 / 1219	46 / 1168	746	981	1756	2028	1839	2126
48 / 1219	47 / 1194	746	981	1756	2028	1839	2126
48 / 1219	48 / 1219	746	981	1756	2028	1839	2126
48 / 1219	49 / 1245	1035	1362	1814	2095	1899	2194
48 / 1219	50 / 1270	1035	1362	1814	2095	1899	2194
48 / 1219	51 / 1295	1035	1362	1814	2095	1899	2194
48 / 1219	52 / 1321	1043	1373	1872	2159	1962	2262
48 / 1219	53 / 1346	1043	1373	1872	2159	1962	2262
48 / 1219	54 / 1372	1043	1373	1872	2159	1962	2262
48 / 1219	55 / 1397	1053	1385	1928	2223	2021	2330
48 / 1219	56 / 1422	1053	1385	1928	2223	2021	2330
48 / 1219	57 / 1448	1053	1385	1928	2223	2021	2330
48 / 1219	58 / 1473	1060	1395	1987	2289	2082	2397
48 / 1219	59 / 1499	1060	1395	1987	2289	2082	2397
48 / 1219	60 / 1524	1060	1395	1987	2289	2082	2397
48 / 1219	61 / 1549	1070	1409	2111	2442	2212	2555
48 / 1219	62 / 1575	1070	1409	2111	2442	2212	2555
48 / 1219	63 / 1600	1070	1409	2111	2442	2212	2555
48 / 1219	64 / 1626	1079	1420	2169	2506	2271	2625
48 / 1219	65 / 1651	1079	1420	2169	2506	2271	2625
48 / 1219	66 / 1676	1079	1420	2169	2506	2271	2625
48 / 1219	67 / 1702	1087	1431	2226	2571	2332	2692
48 / 1219	68 / 1727	1087	1431	2226	2571	2332	2692
48 / 1219	69 / 1753	1087	1431	2226	2571	2332	2692
48 / 1219	70 / 1778	1089	1435	2246	2593	2351	2716
48 / 1219	71 / 1803	1089	1435	2246	2593	2351	2716

If Cut Out is specified, add 41 for each

worksurfaces & supports

HTWV

Dual Perpendicular Worksurface



The Dual Perpendicular Worksurface provides two face to face worksurfaces in a range of depths to support both primary, secondary and single sided worksurface applications.

WHAT'S INCLUDED

2 worksurfaces.

NOTES

Dimensions are actual width, allowance for gaps at side edges must be specified.

The number and location of Cut Outs vary, please refer to the Application Guides for more details. Worksurfaces include only a cut out in the worksurface. When Rectangular Cut Out (RN, RC, RL) is specified, a Rectangular Grommet (HTEG) must be ordered separately. When Access Door Cut Out (AN, AC, AL) is specified, a kit of products including the Access Door for Multi-Circuit Desk (HTEA), Multi-Circuit Desk Housing (HTEN), Multi-Circuit Desk Power Module (HTEM), Receptacle Outlet (HTERO) and a Stage to Dual Worksurface Support Kit (HTWB) must be specified separately.

PRODUCT OPTIONS

Depth	Width (in 1" increments)	Access Door Cut Out	Rectangle Cut Out	Worksurface Profile	Worksurface Finish	Edge Trim Styles	Edge Trim Finishes
48, 60, 72	46 - 72	AN No Access Door Cut Out AS Stage Access Door Cut Out	RN No Rectangle Cut Out RS Stage Rectangle Cut Out RC Center Rectangle Cut Out	F Flush W Wire Gap	Foundation Laminate Flintwood Natural Veneer	8 Flat (Foundation Laminate) 9 Flat (Flintwood, Natural Veneer) H Full Knife (Foundation Laminate, Flintwood, Natural Veneer)	Edge Trim Colors

SAMPLE ORDER CODE

HTWV 24	48	AN	RS	F	LW	8	ST
----------------	-----------	-----------	-----------	----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

D	W
48 / 1219	46 / 1168
48 / 1219	47 / 1194
48 / 1219	48 / 1219
48 / 1219	49 / 1245
48 / 1219	50 / 1270
48 / 1219	51 / 1295
48 / 1219	52 / 1321
48 / 1219	53 / 1346
48 / 1219	54 / 1372
48 / 1219	55 / 1397
48 / 1219	56 / 1422
48 / 1219	57 / 1448
48 / 1219	58 / 1473
48 / 1219	59 / 1499
48 / 1219	60 / 1524
48 / 1219	61 / 1549
48 / 1219	62 / 1575
48 / 1219	63 / 1600
48 / 1219	64 / 1626
48 / 1219	65 / 1651
48 / 1219	66 / 1676
48 / 1219	67 / 1702
48 / 1219	68 / 1727
48 / 1219	69 / 1753
48 / 1219	70 / 1778
48 / 1219	71 / 1803
48 / 1219	72 / 1829

PRICING

FOUNDATION		FLINTWOOD		VENEER	
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
955	1231	2368	2731	2481	2862
955	1231	2368	2731	2481	2862
955	1231	2368	2731	2481	2862
1246	1612	2449	2818	2566	2953
1246	1612	2449	2818	2566	2953
1246	1612	2449	2818	2566	2953
1257	1630	2528	2903	2648	3045
1257	1630	2528	2903	2648	3045
1257	1630	2528	2903	2648	3045
1266	1643	2605	2988	2731	3133
1266	1643	2605	2988	2731	3133
1266	1643	2605	2988	2731	3133
1277	1660	2731	3135	2862	3286
1277	1660	2731	3135	2862	3286
1277	1660	2731	3135	2862	3286
1288	1676	2811	3222	2945	3379
1288	1676	2811	3222	2945	3379
1288	1676	2811	3222	2945	3379
1296	1690	2891	3308	3029	3471
1296	1690	2891	3308	3029	3471
1296	1690	2891	3308	3029	3471
1307	1708	2971	3395	3111	3559
1307	1708	2971	3395	3111	3559
1307	1708	2971	3395	3111	3559
1318	1720	3051	3483	3195	3651
1318	1720	3051	3483	3195	3651
1318	1720	3051	3483	3195	3651

Each code includes two Worksurfaces.
If One Cut Out per Worksurface is specified, add 85
If Two Cut Outs per Worksurface are specified, add 169

Pricing is continued on the following page.

H T W V
Dual Perpendicular Worksurface
(Continued)

DIMENSIONS
INCHES / MM

PRICING


DIMENSIONS INCHES / MM		FOUNDATION		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
60 / 1524	46 / 1168	1043	1337	2642	3047	2771	3195
60 / 1524	47 / 1194	1043	1337	2642	3047	2771	3195
60 / 1524	48 / 1219	1043	1337	2642	3047	2771	3195
60 / 1524	49 / 1245	1283	1662	2731	3146	2862	3298
60 / 1524	50 / 1270	1283	1662	2731	3146	2862	3298
60 / 1524	51 / 1295	1283	1662	2731	3146	2862	3298
60 / 1524	52 / 1321	1293	1680	2820	3241	2956	3398
60 / 1524	53 / 1346	1293	1680	2820	3241	2956	3398
60 / 1524	54 / 1372	1293	1680	2820	3241	2956	3398
60 / 1524	55 / 1397	1307	1696	2908	3338	3047	3501
60 / 1524	56 / 1422	1307	1696	2908	3338	3047	3501
60 / 1524	57 / 1448	1307	1696	2908	3338	3047	3501
60 / 1524	58 / 1473	1318	1713	2999	3439	3144	3603
60 / 1524	59 / 1499	1318	1713	2999	3439	3144	3603
60 / 1524	60 / 1524	1318	1713	2999	3439	3144	3603
60 / 1524	61 / 1549	1329	1732	3176	3653	3326	3828
60 / 1524	62 / 1575	1329	1732	3176	3653	3326	3828
60 / 1524	63 / 1600	1329	1732	3176	3653	3326	3828
60 / 1524	64 / 1626	1343	1748	3264	3750	3420	3930
60 / 1524	65 / 1651	1343	1748	3264	3750	3420	3930
60 / 1524	66 / 1676	1343	1748	3264	3750	3420	3930
60 / 1524	67 / 1702	1355	1766	3354	3848	3511	4031
60 / 1524	68 / 1727	1355	1766	3354	3848	3511	4031
60 / 1524	69 / 1753	1355	1766	3354	3848	3511	4031
60 / 1524	70 / 1778	1365	1783	3442	3944	3605	4133
60 / 1524	71 / 1803	1365	1783	3442	3944	3605	4133
60 / 1524	72 / 1829	1365	1783	3442	3944	3605	4133
72 / 1829	46 / 1168	1421	1868	2876	3306	3011	3467
72 / 1829	47 / 1194	1421	1868	2876	3306	3011	3467
72 / 1829	48 / 1219	1421	1868	2876	3306	3011	3467
72 / 1829	49 / 1245	1998	2629	2973	3414	3115	3577
72 / 1829	50 / 1270	1998	2629	2973	3414	3115	3577
72 / 1829	51 / 1295	1998	2629	2973	3414	3115	3577
72 / 1829	52 / 1321	2013	2648	3156	3639	3308	3813
72 / 1829	53 / 1346	2013	2648	3156	3639	3308	3813
72 / 1829	54 / 1372	2013	2648	3156	3639	3308	3813
72 / 1829	55 / 1397	2025	2668	3256	3748	3412	3928
72 / 1829	56 / 1422	2025	2668	3256	3748	3412	3928
72 / 1829	57 / 1448	2025	2668	3256	3748	3412	3928
72 / 1829	58 / 1473	2040	2687	3354	3856	3511	4040
72 / 1829	59 / 1499	2040	2687	3354	3856	3511	4040
72 / 1829	60 / 1524	2040	2687	3354	3856	3511	4040
72 / 1829	61 / 1549	2051	2706	3450	3965	3615	4155
72 / 1829	62 / 1575	2051	2706	3450	3965	3615	4155
72 / 1829	63 / 1600	2051	2706	3450	3965	3615	4155
72 / 1829	64 / 1626	2066	2723	3635	4188	3808	4388
72 / 1829	65 / 1651	2066	2723	3635	4188	3808	4388
72 / 1829	66 / 1676	2066	2723	3635	4188	3808	4388
72 / 1829	67 / 1702	2079	2743	3734	4297	3912	4502
72 / 1829	68 / 1727	2079	2743	3734	4297	3912	4502
72 / 1829	69 / 1753	2079	2743	3734	4297	3912	4502
72 / 1829	70 / 1778	2094	2761	3830	4407	4012	4617
72 / 1829	71 / 1803	2094	2761	3830	4407	4012	4617
72 / 1829	72 / 1829	2094	2761	3830	4407	4012	4617

Each code includes two Worksurfaces.
If One Cut Out per Worksurface is specified, add 85
If Two Cut Outs per Worksurface are specified, add 169

worksurfaces & supports

HTWW

Dual Perpendicular with Radius Corner Worksurface



The Dual Perpendicular with Radius Corner Worksurface provides a range of depths to support both primary, secondary and single sided worksurface applications.

WHAT'S INCLUDED

2 worksurfaces.

NOTES

Dimensions are actual width, allowance for gaps at side edges must be specified. The number and location of Cut Outs vary, please refer to the Application Guides for more details. Worksurfaces include only a cut out in the worksurface. When Rectangular Cut Out (RN, RC, RL) is specified, a Rectangular Grommet (HTEG) must be ordered separately. When Access Door Cut Out (AN, AC, AL) is specified, a kit of products including the Access Door for Multi-Circuit Desk (HTEA), Multi-Circuit Desk Housing (HTEN), Multi-Circuit Desk Power Module (HTEM), Receptacle Outlet (HTERO) and a Stage to Dual Worksurface Support Kit (HTWB) must be specified separately.

PRODUCT OPTIONS

Depth	Width (in 1" increments)	Access Door Cut Out	Rectangle Cut Out	Worksurface Profile	Corner Profile	Worksurface Finish	Edge Trim Styles	Edge Trim Finishes
48, 60, 72	46 - 71	AN No Access Door Cut Out AS Stage Access Door Cut Out	RN No Rectangle Cut Out RS Stage Rectangle Cut Out RC Center Rectangle Cut Out	F Flush W Wire Gap	F Four Round 3" Radius T Two Round 3" Radius Left	Foundation Laminate Flintwood Natural Veneer	8 Flat (Foundation Laminate) 9 Flat (Flintwood, Natural Veneer) H Full Knife (Foundation Laminate, Flintwood, Natural Veneer)	Edge Trim Colors

SAMPLE ORDER CODE

HTWW 72	48	AN	RL	F	R	LW	8	ST
---------	----	----	----	---	---	----	---	----

DIMENSIONS INCHES / MM

D	W
48 / 1219	46 / 1168
48 / 1219	47 / 1194
48 / 1219	48 / 1219
48 / 1219	49 / 1245
48 / 1219	50 / 1270
48 / 1219	51 / 1295
48 / 1219	52 / 1321
48 / 1219	53 / 1346
48 / 1219	54 / 1372
48 / 1219	55 / 1397
48 / 1219	56 / 1422
48 / 1219	57 / 1448
48 / 1219	58 / 1473
48 / 1219	59 / 1499
48 / 1219	60 / 1524
48 / 1219	61 / 1549
48 / 1219	62 / 1575
48 / 1219	63 / 1600
48 / 1219	64 / 1626
48 / 1219	65 / 1651
48 / 1219	66 / 1676
48 / 1219	67 / 1702
48 / 1219	68 / 1727
48 / 1219	69 / 1753
48 / 1219	70 / 1778
48 / 1219	71 / 1803
48 / 1219	72 / 1828

PRICING

FOUNDATION		FLINTWOOD		VENEER	
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
955	1231	2368	2731	2481	2862
955	1231	2368	2731	2481	2862
955	1231	2368	2731	2481	2862
1246	1612	2449	2818	2566	2953
1246	1612	2449	2818	2566	2953
1246	1612	2449	2818	2566	2953
1257	1630	2528	2903	2648	3045
1257	1630	2528	2903	2648	3045
1257	1630	2528	2903	2648	3045
1266	1643	2605	2988	2731	3133
1266	1643	2605	2988	2731	3133
1266	1643	2605	2988	2731	3133
1277	1660	2731	3135	2862	3286
1277	1660	2731	3135	2862	3286
1277	1660	2731	3135	2862	3286
1288	1676	2811	3222	2945	3379
1288	1676	2811	3222	2945	3379
1288	1676	2811	3222	2945	3379
1296	1690	2891	3308	3029	3471
1296	1690	2891	3308	3029	3471
1296	1690	2891	3308	3029	3471
1307	1708	2971	3395	3111	3559
1307	1708	2971	3395	3111	3559
1307	1708	2971	3395	3111	3559
1318	1720	3051	3483	3195	3651
1318	1720	3051	3483	3195	3651
1318	1720	3051	3483	3195	3651

If Access Door Cut Out is specified, add 168 for each
 If Rectangular Cut Out is specified, add 168 for each
 If One Cut Out per Worksurface is specified, add 85
 If Two Cut Outs per Worksurface are specified, add 169

Pricing is continued on the following page.

H T W W

Dual Perpendicular with Radius
Corner Worksurface (Continued)

DIMENSIONS
INCHES / MM

PRICING

DIMENSIONS		FOUNDATION		FLINTWOOD		VENEER	
D	W	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
60 / 1524	46 / 1168	1043	1337	2642	3047	2771	3195
60 / 1524	47 / 1194	1043	1337	2642	3047	2771	3195
60 / 1524	48 / 1219	1043	1337	2642	3047	2771	3195
60 / 1524	49 / 1245	1283	1662	2731	3146	2862	3298
60 / 1524	50 / 1270	1283	1662	2731	3146	2862	3298
60 / 1524	51 / 1295	1283	1662	2731	3146	2862	3298
60 / 1524	52 / 1321	1293	1680	2820	3241	2956	3398
60 / 1524	53 / 1346	1293	1680	2820	3241	2956	3398
60 / 1524	54 / 1372	1293	1680	2820	3241	2956	3398
60 / 1524	55 / 1397	1307	1696	2908	3338	3047	3501
60 / 1524	56 / 1422	1307	1696	2908	3338	3047	3501
60 / 1524	57 / 1448	1307	1696	2908	3338	3047	3501
60 / 1524	58 / 1473	1318	1713	2999	3439	3144	3603
60 / 1524	59 / 1499	1318	1713	2999	3439	3144	3603
60 / 1524	60 / 1524	1318	1713	2999	3439	3144	3603
60 / 1524	61 / 1549	1329	1732	3176	3653	3326	3828
60 / 1524	62 / 1575	1329	1732	3176	3653	3326	3828
60 / 1524	63 / 1600	1329	1732	3176	3653	3326	3828
60 / 1524	64 / 1626	1343	1748	3264	3750	3420	3930
60 / 1524	65 / 1651	1343	1748	3264	3750	3420	3930
60 / 1524	66 / 1676	1343	1748	3264	3750	3420	3930
60 / 1524	67 / 1702	1355	1766	3354	3848	3511	4031
60 / 1524	68 / 1727	1355	1766	3354	3848	3511	4031
60 / 1524	69 / 1753	1355	1766	3354	3848	3511	4031
60 / 1524	70 / 1778	1365	1783	3442	3944	3605	4133
60 / 1524	71 / 1803	1365	1783	3442	3944	3605	4133
60 / 1524	72 / 1828	1365	1783	3442	3944	3605	4133
72 / 1829	46 / 1168	1421	1868	2876	3306	3011	3467
72 / 1829	47 / 1194	1421	1868	2876	3306	3011	3467
72 / 1829	48 / 1219	1421	1868	2876	3306	3011	3467
72 / 1829	49 / 1245	1998	2629	2973	3414	3115	3577
72 / 1829	50 / 1270	1998	2629	2973	3414	3115	3577
72 / 1829	51 / 1295	1998	2629	2973	3414	3115	3577
72 / 1829	52 / 1321	2013	2648	3156	3639	3308	3813
72 / 1829	53 / 1346	2013	2648	3156	3639	3308	3813
72 / 1829	54 / 1372	2013	2648	3156	3639	3308	3813
72 / 1829	55 / 1397	2025	2668	3256	3748	3412	3928
72 / 1829	56 / 1422	2025	2668	3256	3748	3412	3928
72 / 1829	57 / 1448	2025	2668	3256	3748	3412	3928
72 / 1829	58 / 1473	2040	2687	3354	3856	3511	4040
72 / 1829	59 / 1499	2040	2687	3354	3856	3511	4040
72 / 1829	60 / 1524	2040	2687	3354	3856	3511	4040
72 / 1829	61 / 1549	2051	2706	3450	3965	3615	4155
72 / 1829	62 / 1575	2051	2706	3450	3965	3615	4155
72 / 1829	63 / 1600	2051	2706	3450	3965	3615	4155
72 / 1829	64 / 1626	2066	2723	3635	4188	3808	4388
72 / 1829	65 / 1651	2066	2723	3635	4188	3808	4388
72 / 1829	66 / 1676	2066	2723	3635	4188	3808	4388
72 / 1829	67 / 1702	2079	2743	3734	4297	3912	4502
72 / 1829	68 / 1727	2079	2743	3734	4297	3912	4502
72 / 1829	69 / 1753	2079	2743	3734	4297	3912	4502
72 / 1829	70 / 1778	2094	2761	3830	4407	4012	4617
72 / 1829	71 / 1803	2094	2761	3830	4407	4012	4617
72 / 1829	72 / 1828	2094	2761	3830	4407	4012	4617

If Access Door Cut Out is specified, add 168 for each
 If Rectangular Cut Out is specified, add 168 for each
 If One Cut Out per Worksurface is specified, add 85
 If Two Cut Outs per Worksurface are specified, add 169


HTWG

End Worksurface

The End Worksurface provides a range of depths to support the end of stage application.

WHAT'S INCLUDED

1 worksurface.



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Styles	Edge Trim Finishes
16	50, 62, 74	Foundation Laminate Flintwood Natural Veneer	8 Flat (Foundation Laminate) 9 Flat (Flintwood, Natural Veneer) H Full Knife (Foundation Laminate, Flintwood, Natural Veneer)	Edge Trim Colors

SAMPLE ORDER CODE

HTWG 16	50	LW	8	ST
----------------	-----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

D	W
16 / 406	50 / 1270
16 / 406	62 / 1575
16 / 406	74 / 1880

PRICING


FOUNDATION		FLINTWOOD		VENEER	
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
367	512	892	964	909	983
387	544	949	1027	969	1049
463	647	1128	1218	1147	1239

The End Worksurface with Radius Corners provides a range of depths to support the end of stage application.

WHAT'S INCLUDED

1 worksurface.

HTWZ
End with Radius Corners
Worksurface



PRODUCT OPTIONS

Depth	Width	Corner Profile	Worksurface Finish	Edge Trim Styles	Edge Trim Finishes
16	50, 62, 74	T Two Round 3" Radius Left	Foundation Laminate Flintwood Natural Veneer	8 Flat (Foundation Laminate) 9 Flat (Flintwood, Natural Veneer) H Full Knife (Foundation Laminate, Flintwood, Natural Veneer)	Edge Trim Colors

SAMPLE ORDER CODE

HTWZ 16	50	T	LW	8	ST
----------------	-----------	----------	-----------	----------	-----------

DIMENSIONS
INCHES / MM

D	W
16 / 406	50 / 1270
16 / 406	62 / 1575
16 / 406	74 / 1880


PRICING

FOUNDATION		FLINTWOOD		VENEER	
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
367	512	892	964	909	983
387	544	949	1027	969	1049
463	647	1128	1218	1147	1239

worksurfaces & supports

HTWT

Interpret Style Table



The Interpret Style Table is designed for use in freestanding applications. Available in a Fixed, Height-Adjustable and Casters options.

WHAT'S INCLUDED

1 worksurface, reinforcing bar(s) (if applicable), power/data cut out(s), mounting hardware.

NOTES

Grommets must be ordered separately.

The number and location of grommets vary, refer Application Guide for details.

Height-Adjustability range is +3"/-3".

Worksurfaces include only a cut out in the worksurface. When Rectangular Cut Out (RN, RC, RL) is specified, a Rectangular Grommet (HTEG) must be ordered separately. When Access Door Cut Out (AN, AC, AL) is specified, a kit of products including the Access Door for Multi-Circuit Desk (HTEA), Multi-Circuit Desk Housing (HTEN), Multi-Circuit Desk Power Module (HTEM) and Receptacle Outlet (HTERO) must be specified separately.

PRODUCT OPTIONS

Base	Depth	Width	Rectangle Cut Out	Leg Finish	Surface Finish	Edge Trim Styles	Edge Trim Finishes
C Fixed Leg with Casters	23, 29, 35	46, 52, 58, 64, 70	RN No Rectangle Cut Out	Foundation	Foundation Laminate	8 Flat (Foundation Laminate)	Edge Trim Colors
F Fixed Leg			Mica	Flintwood	9 Flat (Flintwood, Natural Veneer)		
H Height-Adjustable Leg			Accent	Natural Veneer	H Full Knife (Foundation Laminate, Flintwood, Natural Veneer)		

SAMPLE ORDER CODE

HTWT H	35	52	RC	74	LW	8	ST
---------------	-----------	-----------	-----------	-----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

D	W
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778

PRICING

FIXED LEG WITH CASTERS (C)

FOUNDATION		FLINTWOOD		VENEER	
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
1392	1530	2098	2281	2156	2346
1549	1734	2184	2371	2243	2442
1560	1753	2289	2491	2352	2566
1572	1769	2370	2579	2439	2660
1565	1760	2329	2540	2397	2618
1582	1779	2421	2641	2493	2724
1595	1798	2557	2800	2636	2891
1611	1819	2648	2900	2729	2994
1924	2243	2497	2740	2573	2827
1942	2265	2598	2849	2677	2944
1958	2286	2743	3019	2829	3120
1973	2310	2843	3130	2934	3236

If Accent/Mica Legs is specified, add 56

If Cut Out is specified, add 44

Pricing is continued on the following page.

H T W T
Interpret Style Table (Continued)

**DIMENSIONS
INCHES / MM**

D	W
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778

PRICING

FIXED LEG (F)							
FOUNDATION		FLINTWOOD		VENEER			
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim		
1144	1282	1850	2032	1908	2097		
1300	1486	1936	2123	1995	2194		
1312	1505	2040	2242	2104	2318		
1324	1521	2122	2330	2191	2412		
1317	1511	2081	2292	2148	2370		
1334	1531	2173	2393	2245	2475		
1347	1550	2308	2552	2387	2642		
1363	1571	2400	2652	2481	2746		
1676	1995	2249	2492	2325	2579		
1694	2017	2350	2601	2429	2696		
1710	2038	2495	2771	2581	2872		
1725	2061	2595	2881	2685	2988		

HEIGHT-ADJUSTABLE LEG (H)							
FOUNDATION		FLINTWOOD		VENEER			
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim		
1199	1337	1906	2088	1964	2153		
1356	1542	1992	2178	2051	2249		
1368	1560	2096	2298	2160	2373		
1379	1576	2177	2386	2247	2467		
1372	1567	2137	2348	2204	2426		
1390	1587	2228	2449	2300	2531		
1402	1605	2364	2608	2443	2698		
1419	1626	2456	2707	2537	2801		
1732	2051	2305	2547	2380	2634		
1749	2073	2406	2656	2485	2752		
1766	2094	2551	2827	2637	2928		
1781	2117	2651	2937	2741	3044		


If Accent/Mica Legs is specified, add 56

If Cut Out is specified, add 44

worksurfaces & supports

HTWU

Interpret Style Radius Corner Table



The Interpret Style with Radius Corners Table is designed for use in freestanding applications. Available in a Fixed, Height-Adjustable and Casters options.

WHAT'S INCLUDED

1 worksurface, reinforcing bar(s) (if applicable), power/data cut out(s), mounting hardware.

NOTES

Worksurface is designed to accompany the upStage Infinity Curved Desk Edge Screen GXCU. Grommets must be ordered separately. The number and location of grommets vary, refer Application Guide for details.

Height-Adjustability range is +3"/-3". Worksurfaces include only a cut out in the worksurface. When Rectangular Cut Out (RN, RC, RL) is specified, a Rectangular Grommet (HTEG) must be ordered separately. When Access Door Cut Out (AN, AC, AL) is specified, a kit of products including the Access Door for Multi-Circuit Desk (HTEA), Multi-Circuit Desk Housing (HTEN), Multi-Circuit Desk Power Module (HTEM) and Receptacle Outlet (HTERO) must be specified separately

PRODUCT OPTIONS

Base	Depth	Width	Corner Profile	Rectangle Cut Out	Leg Finish	Worksurface Finish	Edge Trim Styles	Edge Trim Finishes
C Fixed Leg with Casters	23, 29, 35	46, 52, 56, 64, 70	T Two Round 3" Radius Left	RN No Rectangle Cut Out RC Center Rectangle Cut Out	Foundation Mica Accent	Foundation Laminate Flintwood Natural Veneer	8 Flat (Foundation Laminate) 9 Flat (Flintwood, Natural Veneer) H Full Knife (Foundation Laminate, Flintwood, Natural Veneer)	Edge Trim Colors

SAMPLE ORDER CODE

HTWU H	35	64	T	RC	74	LW	8	ST
---------------	-----------	-----------	----------	-----------	-----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

D	W
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778

PRICING

FIXED LEG WITH CASTERS (C)

FOUNDATION		FLINTWOOD		VENEER	
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
1392	1530	2098	2281	2156	2346
1549	1734	2184	2371	2243	2442
1560	1753	2289	2491	2352	2566
1572	1769	2370	2579	2439	2660
1565	1760	2329	2540	2397	2618
1582	1779	2421	2641	2493	2724
1595	1798	2557	2800	2636	2891
1611	1819	2648	2900	2729	2994
1924	2243	2497	2740	2573	2827
1942	2265	2598	2849	2677	2944
1958	2286	2743	3019	2829	3120
1973	2310	2843	3130	2934	3236

If Accent/Mica Legs is specified, add 56

If Cut Out is specified, add 44

Pricing is continued on the following page.

H T W U

Interpret Style Radius Corner Table
(Continued)

DIMENSIONS
INCHES / MM

D	W
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778

PRICING


FIXED LEG (F)							
FOUNDATION		FLINTWOOD		VENEER			
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim		
1144	1282	1850	2032	1908	2097		
1300	1486	1936	2123	1995	2194		
1312	1505	2040	2242	2104	2318		
1324	1521	2122	2330	2191	2412		
1317	1511	2081	2292	2148	2370		
1334	1531	2173	2393	2245	2475		
1347	1550	2308	2552	2387	2642		
1363	1571	2400	2652	2481	2746		
1676	1995	2249	2492	2325	2579		
1694	2017	2350	2601	2429	2696		
1710	2038	2495	2771	2581	2872		
1725	2061	2595	2881	2685	2988		

HEIGHT-ADJUSTABLE LEG (H)							
FOUNDATION		FLINTWOOD		VENEER			
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim		
1199	1337	1906	2088	1964	2153		
1356	1542	1992	2178	2051	2249		
1368	1560	2096	2298	2160	2373		
1379	1576	2177	2386	2247	2467		
1372	1567	2137	2348	2204	2426		
1390	1587	2228	2449	2300	2531		
1402	1605	2364	2608	2443	2698		
1419	1626	2456	2707	2537	2801		
1732	2051	2305	2547	2380	2634		
1749	2073	2406	2656	2485	2752		
1766	2094	2551	2827	2637	2928		
1781	2117	2651	2937	2741	3044		

If Accent/Mica Legs is specified, add 56
If Cut Out is specified, add 44

HTWN

Interpret Style Leg



Right Shown

The Interpret Style Leg is available with a Fixed and a Height-Adjustable option that provides a Intermediate fixed or height-adjustable to worksurface support as an alternative to Mid Gable or Cantilever.

WHAT'S INCLUDED

1 leg, attachment hardware

NOTES

The Leg is used in combination with other stage or with storage based supports or legs to create a semi supported or freestanding table.

Handedness is determined by the user perspective from when seated at the worksurface.

Height-Adjustability range is +3"/-3".

PRODUCT OPTIONS

Style	Left/Right	Finish
F Fixed	L Left	Foundation
H Height-Adjustable	R Right	Mica Accent

SAMPLE ORDER CODE

HTWN F	R	74
---------------	----------	-----------

PRICING

FIXED (F)		HEIGHT-ADJUSTABLE (H)	
Foundation	Accent/Mica	Foundation	Accent/Mica
157	173	173	187

The Interpret Style Mono Leg is available with a Fixed and a Height-Adjustable option that provides a intermediate fixed or height-adjustable to worksurface support as an alternative to a Mid Gable or Cantilever.


HTWM
Interpret Style Mono Leg

WHAT'S INCLUDED

1 leg, attachment hardware

NOTES

Height-Adjustability range is +3"/-3".



PRODUCT OPTIONS

Style	Finish
F Fixed	Foundation Mica Accent
H Height-Adjustable	

SAMPLE ORDER CODE

HTWM F	74
---------------	-----------


PRICING

FIXED (F)		HEIGHT-ADJUSTABLE (H)	
Foundation	Accent/Mica	Foundation	Accent/Mica
157	173	173	187

worksurfaces & supports

HTWE

Y Table



The Y Table is designed for use in freestanding applications.

WHAT'S INCLUDED

1 worksurface, reinforcing bar(s) (if applicable), center rectangle cut out (if specified), 4 Y legs and mounting hardware.

NOTES

Worksurfaces include only a cut out in the worksurface. When Rectangular Cut Out (RN, RC, RL) is specified, a Rectangular Grommet (HTEG) must be ordered separately.

PRODUCT OPTIONS

Base	Depth	Width	Rectangle Cut Out	Upper Support Finish	Lower Support Finish	Surface Finish	Edge Trim Styles	Edge Trim Finishes
W Wood & Metal	23, 29, 35	46, 52, 58, 64, 70	RN No Rectangle Cut Out	Foundation	Foundation	Foundation Laminate	8 Flat (Foundation Laminate) 9 Flat (Flintwood, Natural Veneer)	Edge Trim Colors
M Metal & Metal			RC Center Rectangle Cut Out	Mica Accent	Mica Accent Flintwood Natural Veneer	Flintwood Natural Veneer		

SAMPLE ORDER CODE

HTWE H	23	64	RC	74	MP	LW	9	ST
---------------	-----------	-----------	-----------	-----------	-----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

D	W
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778

PRICING

METAL & METAL (M)

Foundation	Flintwood	Veneer
1516	2223	2281
1673	2308	2368
1684	2413	2477
1696	2494	2564
1689	2453	2521
1706	2545	2617
1719	2681	2760
1735	2772	2854
2049	2622	2697
2066	2723	2801
2082	2868	2953
2097	2967	3058

METAL & WOOD (W)

Foundation	Flintwood	Veneer
1805	2511	2569
1962	2597	2656
1973	2702	2765
1985	2783	2852
1978	2742	2810
1995	2834	2906
2008	2970	3048
2024	3061	3142
2337	2910	2986
2355	3011	3090
2371	3156	3242
2386	3256	3347

If Mica on Leg is specified, add 56

If Cut Out is specified, add 43

The Y Table Radius Corner is designed for use in freestanding applications.

HTWX


Y Table Radius Corner

WHAT'S INCLUDED

1 worksurface, reinforcing bar(s) (if applicable), center rectangle cut out (if specified), 4 Y legs and mounting hardware.

NOTES

Worksurface is designed to accompany the upStage Infinity Curved Desk Edge Screen GXCU. Worksurfaces include only a cut out in the worksurface. When Rectangular Cut Out (RN, RC, RL) is specified, a Rectangular Grommet (HTEG) must be ordered separately



PRODUCT OPTIONS

Base	Depth	Width	Corner Profile	Rectangle Cut Out	Upper Support Finish	Lower Support Finish	Worksurface Finish	Edge Trim Styles	Edge Trim Finishes
W Metal and Wood	23, 29, 35	46, 52, 58, 64, 70	R Round 3" Radius	RN No Rectangle Cut Out	Foundation	Foundation	Foundation Laminate	8 Flat (Foundation Laminate)	Edge Trim Colors
M Metal and Metal					Mica Accent	Mica Accent Flintwood Natural Veneer	Flintwood Natural Veneer		

SAMPLE ORDER CODE

HTWX W	23	64	R	RC	74	MP	LW	9	ST
---------------	-----------	-----------	----------	-----------	-----------	-----------	-----------	----------	-----------

**DIMENSIONS
INCHES / MM**

D	W
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778

PRICING

METAL & METAL (M)			METAL & WOOD (W)		
Foundation	Flintwood	Veneer	Foundation	Flintwood	Veneer
1516	2223	2281	1805	2511	2569
1673	2308	2368	1962	2597	2656
1684	2413	2477	1973	2702	2765
1696	2494	2564	1985	2783	2852
1689	2453	2521	1978	2742	2810
1706	2545	2617	1995	2834	2906
1719	2681	2760	2008	2970	3048
1735	2772	2854	2024	3061	3142
2049	2622	2697	2337	2910	2986
2066	2723	2801	2355	3011	3090
2082	2868	2953	2371	3156	3242
2097	2967	3058	2386	3256	3347

If Mica on Leg, is specified, add 56
If Cut Out is specified, add 43

worksurfaces & supports


HTWD

Y Leg

The Y Leg provides an intermediate worksurface support as an alternative to a Mid Gable or Cantilever.

WHAT'S INCLUDED

1 leg, attachment hardware.



PRODUCT OPTIONS

Style	Upper Support Finish	Lower Support Finish
W Wood & Metal	Foundation	Foundation
M Metal & Metal	Mica	Mica
	Accent	Accent
		Flintwood
		Natural Veneer

SAMPLE ORDER CODE

HTWD W	74	MP
--------	----	----

PRICING

METAL & METAL (M)		WOOD & METAL (W)	
Foundation	Accent/Mica	Foundation	Accent/Mica
253	266	324	336

The Stage to Worksurface Support is used to attach worksurfaces to the Stage.


WHAT'S INCLUDED

2 brackets and attachment hardware.

NOTES

Height-Adjustability range is +3"/-3".

HTWQ
Stage to Worksurface Support



PRODUCT OPTIONS

Style	Finish
F Fixed	Foundation
H Height-Adjustable	Mica
	Accent

SAMPLE ORDER CODE

HTWQ H	74
---------------	-----------

PRICING

FIXED (F)		HEIGHT-ADJUSTABLE (H)	
Foundation	Accent/Mica	Foundation	Accent/Mica
258	270	299	318


HTWS

Storage Back to Worksurface Support


The Storage Back to Worksurface Support is used to attach worksurfaces to storage.

WHAT'S INCLUDED

2 brackets and attachment hardware.



Two Height-Adjustable Brackets



Two Height-Adjustable Brackets, One Hook

PRODUCT OPTIONS

Style	Finish
H Two Height-Adjustable Brackets	Foundation
B Two Height-Adjustable Brackets, One Hook	Mica
	Accent

SAMPLE ORDER CODE

HTWS H	74
---------------	-----------

PRICING

93

The Credenza to Worksurface Support mounts to the underside of a worksurface and to the top of a credenza to provide support for the worksurface.

HTWC

Credenza to Worksurface Support

WHAT'S INCLUDED

Brackets, as specified and attachment hardware.

NOTES

Adjustment range is +3"/-1" (28" - 32" worksurface height).



PRODUCT OPTIONS

Style	Finish
F Fixed	Foundation Mica Accent
H Height-Adjustable	

SAMPLE ORDER CODE

HTWC F	74
---------------	-----------


PRICING

FIXED (F)		HEIGHT-ADJUSTABLE (H)	
Foundation	Accent/Mica	Foundation	Accent/Mica
202	208	231	238

worksurfaces & supports

H T W B

Stage to Dual Worksurface Support Kit



The Stage to Dual Worksurface Support Kit mounts to the underside of a worksurface and to the Stage to provide support for the worksurface.

WHAT'S INCLUDED

Brackets, as specified and attachment hardware.

This support kit is designed to accompany the Dual Perpendicular Worksurface (HTWW) and the Dual Perpendicular Radius Worksurface (HTWW).

PRODUCT OPTIONS

Support Style	Depth of Worksurface	Width of Worksurface (in 1" increments)	Application	Leg Style	Accessory Beam Finish	Support Finish	Upper Support Finish	Lower Support Finish
H Height-Adjustable	48, 60, 72	46 - 73	S Standard E With Elevated Storage	N No Leg	Foundation Mica Accent	Foundation Mica Accent	Foundation Mica Accent	Foundation Mica Accent Flintwood Natural Veneer
				F Fixed				
				H Height-Adjustable				
				W Y Leg Metal and Wood M Y Leg Metal and Metal				

SAMPLE ORDER CODE

HTWB H	48	50	S	W	74	74	74	MP
---------------	-----------	-----------	----------	----------	-----------	-----------	-----------	-----------

**DIMENSIONS
INCHES / MM**

PRICING

D	W	NO LEG (N)		FIXED (F)		HEIGHT-ADJUSTABLE (H)		Y LEG METAL & WOOD (W)		Y LEG METAL & METAL (M)	
		Foundation	Accent/Mica	Foundation	Accent/Mica	Foundation	Accent/Mica	Foundation	Accent/Mica	Foundation	Accent/Mica
48 / 1219	46 / 1168	822	855	1138	1201	1166	1233	1469	1530	1324	1385
48 / 1219	47 / 1194	822	855	1138	1201	1166	1233	1469	1530	1324	1385
48 / 1219	48 / 1219	822	855	1138	1201	1166	1233	1469	1530	1324	1385
48 / 1219	49 / 1245	826	858	1143	1204	1169	1237	1472	1534	1328	1390
48 / 1219	50 / 1270	826	858	1143	1204	1169	1237	1472	1534	1328	1390
48 / 1219	51 / 1295	826	858	1143	1204	1169	1237	1472	1534	1328	1390
48 / 1219	52 / 1321	829	863	1146	1208	1175	1240	1478	1538	1333	1393
48 / 1219	53 / 1346	829	863	1146	1208	1175	1240	1478	1538	1333	1393
48 / 1219	54 / 1372	829	863	1146	1208	1175	1240	1478	1538	1333	1393
48 / 1219	55 / 1397	829	863	1146	1208	1175	1240	1478	1538	1333	1393
48 / 1219	56 / 1422	829	863	1146	1208	1175	1240	1478	1538	1333	1393
48 / 1219	57 / 1448	829	863	1146	1208	1175	1240	1478	1538	1333	1393
48 / 1219	58 / 1473	829	863	1146	1208	1175	1240	1478	1538	1333	1393
48 / 1219	59 / 1499	829	863	1146	1208	1175	1240	1478	1538	1333	1393
48 / 1219	60 / 1524	832	865	1150	1210	1177	1244	1480	1540	1335	1395
48 / 1219	61 / 1549	832	865	1150	1210	1177	1244	1480	1540	1335	1395
48 / 1219	62 / 1575	832	865	1150	1210	1177	1244	1480	1540	1335	1395
48 / 1219	63 / 1600	832	865	1150	1210	1177	1244	1480	1540	1335	1395
48 / 1219	64 / 1626	832	865	1150	1210	1177	1244	1480	1540	1335	1395
48 / 1219	65 / 1651	832	865	1150	1210	1177	1244	1480	1540	1335	1395
48 / 1219	66 / 1676	835	868	1152	1212	1180	1246	1482	1543	1337	1398
48 / 1219	67 / 1702	835	868	1152	1212	1180	1246	1482	1543	1337	1398
48 / 1219	68 / 1727	835	868	1152	1212	1180	1246	1482	1543	1337	1398
48 / 1219	69 / 1753	835	868	1152	1212	1180	1246	1482	1543	1337	1398
48 / 1219	70 / 1778	838	872	1155	1216	1182	1249	1485	1545	1341	1402
48 / 1219	71 / 1803	838	872	1155	1216	1182	1249	1485	1545	1341	1402
48 / 1219	72 / 1829	841	876	1158	1218	1186	1253	1488	1549	1343	1405

If Mica Upper Leg finish is specified, for Fixed Leg or Y-Leg, add 61 for Height-Adjustable Leg, add 66

Pricing is continued on the following page.

H T W B
Stage to Dual Worksurface
Support Kit (Continued)

DIMENSIONS
INCHES / MM

PRICING

D		W		NO LEG (N)		FIXED (F)		HEIGHT ADJUSTABLE (H)		Y LEG METAL & WOOD (W)		Y LEG METAL & METAL (M)	
				Foundation	Accent/Mica	Foundation	Accent/Mica	Foundation	Accent/Mica	Foundation	Accent/Mica	Foundation	Accent/Mica
60 / 1524	46 / 1168	839	873	1157	1217	1184	1250	1486	1547	1342	1404		
60 / 1524	47 / 1194	839	873	1157	1217	1184	1250	1486	1547	1342	1404		
60 / 1524	48 / 1219	839	873	1157	1217	1184	1250	1486	1547	1342	1404		
60 / 1524	49 / 1245	843	878	1160	1220	1188	1255	1491	1551	1346	1408		
60 / 1524	50 / 1270	843	878	1160	1220	1188	1255	1491	1551	1346	1408		
60 / 1524	51 / 1295	843	878	1160	1220	1188	1255	1491	1551	1346	1408		
60 / 1524	52 / 1321	849	882	1165	1226	1191	1260	1494	1557	1351	1412		
60 / 1524	53 / 1346	849	882	1165	1226	1191	1260	1494	1557	1351	1412		
60 / 1524	54 / 1372	849	882	1165	1226	1191	1260	1494	1557	1351	1412		
60 / 1524	55 / 1397	849	882	1165	1226	1191	1260	1494	1557	1351	1412		
60 / 1524	56 / 1422	849	882	1165	1226	1191	1260	1494	1557	1351	1412		
60 / 1524	57 / 1448	849	882	1165	1226	1191	1260	1494	1557	1351	1412		
60 / 1524	58 / 1473	849	882	1165	1226	1191	1260	1494	1557	1351	1412		
60 / 1524	59 / 1499	849	882	1165	1226	1191	1260	1494	1557	1351	1412		
60 / 1524	60 / 1524	851	884	1167	1228	1195	1262	1498	1559	1354	1414		
60 / 1524	61 / 1549	851	884	1167	1228	1195	1262	1498	1559	1354	1414		
60 / 1524	62 / 1575	851	884	1167	1228	1195	1262	1498	1559	1354	1414		
60 / 1524	63 / 1600	851	884	1167	1228	1195	1262	1498	1559	1354	1414		
60 / 1524	64 / 1626	851	884	1167	1228	1195	1262	1498	1559	1354	1414		
60 / 1524	65 / 1651	851	884	1167	1228	1195	1262	1498	1559	1354	1414		
60 / 1524	66 / 1676	854	886	1169	1232	1197	1264	1500	1561	1356	1416		
60 / 1524	67 / 1702	854	886	1169	1232	1197	1264	1500	1561	1356	1416		
60 / 1524	68 / 1727	854	886	1169	1232	1197	1264	1500	1561	1356	1416		
60 / 1524	69 / 1753	854	886	1169	1232	1197	1264	1500	1561	1356	1416		
60 / 1524	70 / 1778	856	889	1173	1234	1202	1267	1503	1565	1358	1420		
60 / 1524	71 / 1803	856	889	1173	1234	1202	1267	1503	1565	1358	1420		
60 / 1524	72 / 1829	858	892	1176	1237	1204	1269	1507	1567	1362	1422		
72 / 1829	46 / 1168	857	890	1175	1235	1203	1268	1505	1566	1361	1421		
72 / 1829	47 / 1194	857	890	1175	1235	1203	1268	1505	1566	1361	1421		
72 / 1829	48 / 1219	857	890	1175	1235	1203	1268	1505	1566	1361	1421		
72 / 1829	49 / 1245	861	894	1179	1239	1206	1273	1509	1569	1364	1424		
72 / 1829	50 / 1270	861	894	1179	1239	1206	1273	1509	1569	1364	1424		
72 / 1829	51 / 1295	861	894	1179	1239	1206	1273	1509	1569	1364	1424		
72 / 1829	52 / 1321	865	900	1182	1244	1210	1277	1513	1573	1368	1430		
72 / 1829	53 / 1346	865	900	1182	1244	1210	1277	1513	1573	1368	1430		
72 / 1829	54 / 1372	865	900	1182	1244	1210	1277	1513	1573	1368	1430		
72 / 1829	55 / 1397	865	900	1182	1244	1210	1277	1513	1573	1368	1430		
72 / 1829	56 / 1422	865	900	1182	1244	1210	1277	1513	1573	1368	1430		
72 / 1829	57 / 1448	865	900	1182	1244	1210	1277	1513	1573	1368	1430		
72 / 1829	58 / 1473	865	900	1182	1244	1210	1277	1513	1573	1368	1430		
72 / 1829	59 / 1499	865	900	1182	1244	1210	1277	1513	1573	1368	1430		
72 / 1829	60 / 1524	868	902	1186	1246	1212	1279	1515	1576	1371	1433		
72 / 1829	61 / 1549	868	902	1186	1246	1212	1279	1515	1576	1371	1433		
72 / 1829	62 / 1575	868	902	1186	1246	1212	1279	1515	1576	1371	1433		
72 / 1829	63 / 1600	868	902	1186	1246	1212	1279	1515	1576	1371	1433		
72 / 1829	64 / 1626	868	902	1186	1246	1212	1279	1515	1576	1371	1433		
72 / 1829	65 / 1651	868	902	1186	1246	1212	1279	1515	1576	1371	1433		
72 / 1829	66 / 1676	872	906	1188	1249	1216	1283	1518	1580	1373	1435		
72 / 1829	67 / 1702	872	906	1188	1249	1216	1283	1518	1580	1373	1435		
72 / 1829	68 / 1727	872	906	1188	1249	1216	1283	1518	1580	1373	1435		
72 / 1829	69 / 1753	872	906	1188	1249	1216	1283	1518	1580	1373	1435		
72 / 1829	70 / 1778	876	908	1190	1253	1218	1285	1521	1582	1377	1438		
72 / 1829	71 / 1803	876	908	1190	1253	1218	1285	1521	1582	1377	1438		
72 / 1829	72 / 1829	878	911	1194	1255	1220	1288	1523	1586	1380	1441		

If Mica Upper Leg finish is specified, for Fixed Leg or Y-Leg, add 61 for Height-Adjustable Leg, add 66

HTWJ


End Worksurface Support Kit

The End Worksurface Support mounts to the underside of an End worksurface and to the Stage to provide support for the worksurface.

WHAT'S INCLUDED

Brackets, as specified and attachment hardware.

This support kit is designed to accompany the End Worksurface (HTWG) and the End Worksurface with Radius Corner (HTWZ).



PRODUCT OPTIONS

Depth of Worksurface	Width of Worksurface	Leg Style	Leg Support Finish	Lower Y Leg Support Finish
16	50, 62, 74	F Fixed H Height-Adjustable W Y Leg Metal and Wood M Y Leg Metal and Metal	Foundation Mica Accent	Foundation Mica Accent Flintwood Natural Veneer

SAMPLE ORDER CODE

HTWJ 16	62	W	74	MP
----------------	-----------	----------	-----------	-----------

PRICING


FIXED (F)		HEIGHT-ADJUSTABLE (H)		Y LEG METAL & WOOD (W)		Y LEG METAL & METAL (M)	
Foundation	Accent/Mica	Foundation	Accent/Mica	Foundation	Accent/Mica	Foundation	Accent/Mica
436	464	464	498	766	793	622	650

The Hutch to Worksurface Support mounts to the underside of a worksurface and to the Hutch to provide support for the worksurface.

WHAT'S INCLUDED

Brackets, as specified and attachment hardware.

HTWF
Hutch to Worksurface Support



PRODUCT OPTIONS

Support Style	Style of Hutch	Width of Hutch	Depth of Worksurface	Finish
F Fixed	S Single D Shared Y Aperture	30, 36, 42, 48, 54, 60, 66, 72	24, 30, 36, 42, 48	Foundation Mica Accent

SAMPLE ORDER CODE

HTWF F	Y	60	30	74
--------	---	----	----	----

PRICING

109

HTWY

Worksurface Support Wire Manager

The Worksurface Support Wire Manager is an add on to the worksurface support that provides additional wire management from the worksurface and the stage.

WHAT'S INCLUDED

1 wire management support.

NOTES

Wire Manager is designed to use the same connection fasteners that accompany the Stage to Worksurface support (HTWQ).



PRODUCT OPTIONS

Support Style	Finish
Q Stage to Worksurface Support	Foundation Mica Accent

SAMPLE ORDER CODE

HTWY Q	74
--------	----

PRICING

STAGE TO WORKSURFACE SUPPORT (Q)

Foundation	Accent/Mica
42	51

The Flush Plate is used in conjunction with other supports to maintain alignment of the worksurfaces.

HTWA Flush Plate


WHAT'S INCLUDED

1 flush plate, attachment hardware.

NOTES

Structural Flush Plate option.

Finished in Ebony.



PRODUCT OPTIONS

Style
F Flush
R Structural Flush Plate

SAMPLE ORDER CODE

HTWA F

PRICING

FLUSH (F)	STRUCTURAL FLUSH PLATE (R)
46	59

UNRC

Worksurface Reinforcement Channel


The Worksurface Reinforcement Channel adds rigidity to worksurfaces.

WHAT'S INCLUDED

1 reinforced channel, attachment hardware.

NOTES

Finished in Ebony.



PRODUCT OPTIONS

Width
(6" increments)

36 - 96

SAMPLE ORDER CODE

UNRC 60

DIMENSIONS INCHES / MM

W
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

30
32
34
38
41
46
49
51
55
57
59

height-adjustability

product map


H T B H Single Stage Module for HA Table

Page 302



H T B D Double Stage Module for HA Table


Page 303



Y G U Navigate Height-Adjustable Built-In Base

One Table
One Plug


Page 304



Y V U Navigate Height-Adjustable Built-in Gable Base


One Table
One Plug

Page 306




Y S U hiSpace Height-Adjustable Built-In Base with Quick Connect

Page 308




W B U Rectangular Height-Adjustable Worksurface, Gable

Page 310




W J U Rectangular Height-Adjustable Worksurface with Radius Corners

Page 314



W B A hiSpace Rectangular Height-Adjustable Worksurface


Page 316



product map


W J B hiSpace Rectangular Height-Adjustable Worksurface with Radius Corners for Quick Connect

Page 317



H T S C C Double Credenza for Height-Adjustable Table

Page 318




Right, Hinged Door

Right, File Drawer

Right, Box/Box Drawers

H T S C T Triple Credenza for Height-Adjustable Table

Page 320




Right, Box, Box/ Hinged Door

Right, File/Hinged Door

H T S C D Height-Adjustable Integrated Double Credenza

Page 322




Right, File

Right, Box, Box

H T S C P Height-Adjustable Integrated Triple Credenza

Page 324



Right, Hinged Door/File


Right, Hinged Door/Box, Box

Left, File/ Box, Box


height-adjustability

HTBH


Single Stage Module for HA Table



With Accessory Beam (HiSpace)



Without Accessory Beam



With Accessory Beam (Navigate)

The Single Stage Module for Height-Adjustable Table is placed in between Stages, or at the end of a Stage run. It conceals power and data wiring and creates a physical enclosure between adjustable legs down to the floor. Designed to accompany Navigate Height-Adjustable Built-In Base (YGU).

WHAT'S INCLUDED

1 stage with optional accessory beam, single or double side power and infeed grommet.

NOTES

Specify the width of the module 6" larger than the depth of the Height-Adjustable Table.

With both Single and Double Sided Power options selected the related electrical components must be specified separately.

If Accessory Beam option is selected, Stage Accessory Beam Cover (HTBR) must be specified separately.

When Infeed Grommets are specified, Grommet Covers are included.

PRODUCT OPTIONS

HA Table	Height	Depth	Width	Accessory Beam	Infeed Grommet	Left/Right	Base Finish	Front Finish	Metal Finish	Leg Grommet Finish
NV Navigate	21	16	30, 36	Y Yes	Y1 Yes, One Grommet	R Right	Source Laminate	Source Laminate	Foundation	Foundation
HQ hiSpace				N No	Y2 Yes, Two Grommet	L Left	Flintwood	Flintwood	Mica Accent	Mica Accent
					NA No Grommet		Natural Veneer	Natural Veneer		

SAMPLE ORDER CODE

HTBH NV	21	16	36	Y	Y2	L	XG	ZI	74	74
---------	----	----	----	---	----	---	----	----	----	----

DIMENSIONS INCHES / MM

H	D	W
21 / 533	16 / 406	30 / 762
21 / 533	16 / 406	36 / 914

21 / 533	16 / 406	30 / 762
21 / 533	16 / 406	36 / 914

PRICING

WITHOUT ACCESSORY BEAM (N)

BASE FINISH			FRONT FINISH		
Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer
618	1550	1625	193	476	496
635	1583	1662	203	513	536

WITH ACCESSORY BEAM (Y)

BASE FINISH			FRONT FINISH		
Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer
704	1760	1849	193	476	496
739	1849	1940	203	513	536

If Accent/Mica is specified with one infeed grommet, add 6

If Accent/Mica is specified with two infeed grommets, add 13

The Double Stage Module for Height-Adjustable Table is placed in between Stages, or at the end of a Stage run. It conceals power and data wiring and creates a physical enclosure between adjustable legs down to the floor. Designed to accompany Navigate Height-Adjustable Built-In Base (YGU).

HTBD

Double Stage Module for HA Table

WHAT'S INCLUDED

1 stage with optional accessory beam, single or double side power and infeed grommet.


NOTES

Specific the width of the module 6" larger than the depth of the Height-Adjustable Table.


With both Single and Double Sided Power options selected the related electrical components must be specified separately.

If Accessory Beam option is selected, Stage Accessory Beam Cover (HTBR) must be specified separately.


When Infeed Grommets are specified, Grommet Covers are included.



With Accessory Beam (HiSpace)



Without Accessory Beam



With Accessory Beam (Navigate)

PRODUCT OPTIONS

HA Table	Height	Depth	Width	Accessory Beam	Infeed Grommet	Base Finish	Front Finish	Metal Finish	Leg Grommet Finish
NV Navigate	21	16	30, 36	Y Yes	Y1 Yes, One Grommet	Source Laminate	Source Laminate	Foundation	Foundation
HQ hiSpace				N No	Y2 Yes Two Grommet	Flintwood	Flintwood	Mica	Mica
					NA No Grommet	Natural Veneer	Natural Veneer	Accent	Accent

SAMPLE ORDER CODE

HTBD NV	21	16	36	Y	Y1	XG	ZI	74	74
---------	----	----	----	---	----	----	----	----	----

DIMENSIONS INCHES / MM

H	D	W
21 / 533	16 / 406	30 / 762
21 / 533	16 / 406	36 / 914

PRICING

WITHOUT ACCESSORY BEAM (N)

BASE FINISH			FRONT FINISH		
Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer
668	1673	1755	191	476	496
684	1708	1792	203	513	536

WITH ACCESSORY BEAM (Y)

BASE FINISH			FRONT FINISH		
Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer
753	1884	1975	191	476	496
789	1971	2068	203	513	536

If Accent/Mica is specified with one infeed grommet, add 6


If Accent/Mica is specified with two infeed grommets, add 13

height-adjustability

Y G U

Navigate Height-Adjustable Built-In Base

One Table
One Plug



Navigate Height-Adjustable Built-In Base is for use with upStage Modules and Credenzas for Height-Adjustable Tables.

WHAT'S INCLUDED

1 electric height-adjustable table base, leg and foot configuration as specified.

NOTES

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

For Switch details, see the Application Guide section.

Vertical Wire Carrier includes Cross-Channel bracket and mounts into Module.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: *Teknion's Ergonomics & Accessories Program*.

PRODUCT OPTIONS

Leg Application		Base Mechanism	Actual Depth	Actual Width	Foot Style
TML	T-Legs (Left Leg Corridor, Right Leg Stage Module)	7S Standard Range Electric (27" - 43")	25, 30	53, 59, 65, 71, 77, 83	1 Standard
TMR	T-Legs (Right Leg Corridor, Left Leg Stage Module)				
TCL	T-Legs (Left Leg Credenza, Right Leg Stage Module)	9C Extended Electric-Restricted (25" - 48.7")			
TCR	T-Legs (Right Leg Credenza, Left Leg Stage Module)				
PTL	Post and T-Leg (Left Post Credenza, Right Leg Stage Module)				
PTR	Post and T-Leg (Right Post Credenza, Left Leg Stage Module)				

SAMPLE ORDER CODE

YGU TML	9C	30	65	1
----------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS (CONTINUED)

Base Finish	Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (Optional)
Foundation	S Standard Up/Down	E Ebony Coordinate	N None	N None	N None
Mica Accent	D Display with Up/Down Memory	X Anthracite	I Cross Channel Integrated - 4 Outlets	1 Cable Organizer with Felt Cover	E Ebony Coordinate
	T Toggle Up/Down	7 Platinum	C Cross Channel Integrated - 3 Outlets +1 IEC	3 Dual Plastic Trays and Powerbar	7 Platinum Coordinate
	X Display toggle with Memory and Navigate GPS	6 Crisp Grey		4 Dual Plastic Trays	V Very White Coordinate
			5 Dual Plastic Trays + Powerbar with IEC		

SAMPLE ORDER CODE (CONTINUED)

52	X	X	I	1	N
-----------	----------	----------	----------	----------	----------

See Pricing on the following page.

Y G U

Navigate Height-Adjustable
Built-In Base (Continued)

DIMENSIONS
INCHES / MM

D	W
25 / 635	53 / 1346
25 / 635	59 / 1499
25 / 635	65 / 1651
25 / 635	71 / 1803
25 / 635	77 / 1956
25 / 635	83 / 2108
30 / 762	53 / 1346
30 / 762	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

D	W
25 / 635	53 / 1346
25 / 635	59 / 1499
25 / 635	65 / 1651
25 / 635	71 / 1803
25 / 635	77 / 1956
25 / 635	83 / 2108
30 / 762	53 / 1346
30 / 762	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

PRICING

STANDARD RANGE ELECTRIC BASE MECHANISM (7S)

Foundation	Mica/Accent
3226	3327
3226	3327
3262	3363
3262	3363
3262	3363
3262	3363
3262	3363
3226	3327
3226	3327
3262	3363
3262	3363
3262	3363
3262	3363

EXTENDED ELECTRIC-RESTRICTED RANGE BASE MECHANISM (9C)


Foundation	Mica/Accent
3445	3546
3445	3546
3458	3560
3458	3560
3458	3560
3458	3560
3445	3546
3445	3546
3458	3560
3458	3560
3458	3560
3458	3560

- If Display with Up/Down Memory (D) switch is specified, add 177
- If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 177
- If Dual Plastic Trays are specified, add 57
- If Dual Plastic Trays + Powerbar is specified, add 274
- If Cable Organizer with Felt Cover is specified, add 281
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 238
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 296
- If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 513
- If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 582
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover is specified, add 521
- If Vertical Wire Carrier is specified, add 321

Y V U

Navigate Height-Adjustable Built-in Gable Base

One Table
One Plug



Navigate Height-Adjustable Built-In Gable Base is to be paired with Rectangular Height-Adjustable Worksurface Gable to create a specific upStage integrated Height-Adjustable Table.

WHAT'S INCLUDED

1 electric height-adjustable base, leg and foot configuration as specified, integrated Vertical Wire Carrier Cable Manager.

NOTES

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

For Switch details, see the Application Guide section.

Vertical Wire Carrier includes Cross-Channel bracket and mounts into Module.

The height-adjustable worksurface must be specified separately.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: Teknion's Ergonomics & Accessories Program.

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Base Finish
GTL Gable & T-Leg (L Gable Corr, R Leg Stage Module)	7S Standard Range Electric (27" - 43")	30	47, 53, 59, 65, 71, 77, 83	Foundation
GTR Gable & T-Leg (R Gable Corr, L Leg Stage Module)				Mica Accent
	9C Extended Electric-Restricted (25" - 48.7")			

SAMPLE ORDER CODE

YVU GTL	9C	30	65	52
----------------	-----------	-----------	-----------	-----------

PRODUCT OPTIONS (CONTINUED)

Water Fall Finish	Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (Optional)
Foundation	S Standard Up/Down	E Ebony Coordinate	N None	N None	N None
Flintwood	D Display with Up/Down Memory	X Anthracite	I Cross Channel Integrated - 4 Outlets	1 Cable Organizer with Felt Cover	E Ebony Coordinate
Natural Veneer	T Toggle Up/Down	7 Platinum	C Cross Channel Integrated - 3 Outlets +1 IEC	3 Dual Plastic Trays and Powerbar	7 Platinum Coordinate
	X Display toggle with Memory and Navigate GPS	6 Crisp Grey		4 Dual Plastic Trays	V Very White Coordinate
				5 Dual Plastic Trays + Powerbar with IEC	

SAMPLE ORDER CODE (CONTINUED)

VZ	X	X	I	1	N
-----------	----------	----------	----------	----------	----------

See Pricing on the following page.

Y V U

Navigate Height-Adjustable Built-in Gable Base (Continued)

**DIMENSIONS
INCHES / MM**

D	W
30 / 762	47 / 1194
30 / 762	53 / 1346
30 / 762	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

D	W
30 / 762	47 / 1194
30 / 762	53 / 1346
30 / 762	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

PRICING

STANDARD RANGE ELECTRIC BASE MECHANISM (7S)

Foundation	Mica/Accent
4753	4855
4809	4911
4842	4944
4918	5019
4959	5061
4660	4763
4690	4793

EXTENDED ELECTRIC-RESTRICTED RANGE BASE MECHANISM (9C)

Foundation	Mica/Accent
5133	5235
5192	5294
5229	5329
5268	5368
5309	5411
5016	5118
5048	5150

If Flintwood Water Fall Finish is specified,

47" Width:	799
53" Width	763
59" Width	839
65" Width	960
71" Width	1038
77" Width	819
83" Width	894

If Veneer Water Fall Finish is specified,

47" Width:	863
53" Width	831
59" Width	912
65" Width	1038
71" Width	1119
77" Width	907
83" Width	986

If Display with Up/Down Memory (D) switch is specified, add 177

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 177

If Dual Plastic Trays are specified, add 57

If Dual Plastic Trays + Powerbar is specified, add 274

If Cable Organizer with Felt Cover is specified, add 281

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 238

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 296

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 513


If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 582

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover is specified, add 521

If Vertical Wire Carrier is specified, add 321

Y S U

hiSpace Height-Adjustable Built-In Base with Quick Connect



hiSpace Height-Adjustable Built-In Base is for use with upStage Modules and Credenzas for Height-Adjustable Tables.

WHAT'S INCLUDED

1 electric height-adjustable table base, leg and foot configuration as specified.

WHAT'S EXCLUDED

Rectangle Grommet (HTEG) and HA mechanism must be ordered separately.

NOTES

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

For Switch details, see the Application Guide section. E-Chain includes Cross-Channel bracket and mounts into Module.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (3) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: Teknion's Ergonomics & Accessories Program.

PRODUCT OPTIONS

Leg Application		Base Mechanism	Actual Depth	Actual Width	Foot Style
TML	T-Legs (Left Leg Corridor, Right Leg Stage Module)	9U Extended Electric-Restricted (25" - 51.1")	25, 30	53, 59, 65, 71	1 Standard
TMR	T-Legs (Right Leg Corridor, Left Leg Stage Module)				
TCL	T-Legs (Left Leg Credenza, Right Leg Stage Module)				
TCR	T-Legs (Right Leg Credenza, Left Leg Stage Module)				

SAMPLE ORDER CODE

YSU TML	9U	30	65	1
----------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS (CONTINUED)

Base Finish	Switch Style	Power Pak	Undersurface Cable Management	Vertical Wire Carrier (Optional)
60 Platinum	D Display with Up/Down Memory	1 Cable Organizer with Felt Cover	N None	N None
83 Very White			3 Dual Plastic Trays and Powerbar	E Ebony Coordinate
52 Ebony			4 Dual Plastic Trays	7 Platinum Coordinate
	A Toggle Display with Memory			V Very White Coordinate

SAMPLE ORDER CODE (CONTINUED)

52	D	1	3	N
-----------	----------	----------	----------	----------

See Pricing on the following page.

Y S U
hiSpace Height-Adjustable
Built-In Base with Quick Connect
(Continued)


PRICING

No Cable Management	Dual Plastic Trays and Powerbar	Dual Plastic Trays
1972	2247	2028

If Vertical Wire Carrier (-) is specified, add 321

W B U

Rectangular Height-Adjustable Worksurface, Post & T Legs



Rectangular Height-Adjustable Worksurface, Post & T Legs is to be paired with Navigate Height-Adjustable Built-In Base (YGU) to create an UpStage specific integrated Height-Adjustable table.

WHAT'S INCLUDED

1 worksurface.

NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

Rectangle Grommet (HTEG) must be ordered separately.

Cut out locations are not available on the same side as a Post and T-Leg (PTL/PTR).

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width
TML T-Legs (Left Leg Corridor, Right Leg Stage Module)	7S Standard Range Electric (27" - 43")	30	47, 53, 59, 65, 71, 77, 83
TMR T-Legs (Right Leg Corridor, Left Leg Stage Module)			
TCL T-Legs (Left Leg Credenza, Right Leg Stage Module)	9C Extended Electric-Restricted (25" - 48.6")		
TCR T-Legs (Right Leg Credenza, Left Leg Stage Module)			
PTL Post & T-Leg (Left Post Credenza, Right Leg Stage Module)			
PTR Post & T-Leg (Right Post Credenza, Left Leg Stage Module)			

SAMPLE ORDER CODE

WBU GTL	7S	30	71
----------------	-----------	-----------	-----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Style	Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish
N None	N None	Foundation Laminate	8 Flat (with Foundation)	PVC
R Rectangular (Diamond Shaped Cut Out)	C Center	Flintwood	9 Flat (with Flintwood)	
	L Left	Natural Veneer	9 Flat Edge	
	R Right			

SAMPLE ORDER CODE (CONTINUED)

R	C	LW	8	ST
----------	----------	-----------	----------	-----------

See Pricing on the following page.

W B U

**Rectangular Height-Adjustable
Worksurface, Post & T Legs (Continued)**

**DIMENSIONS
INCHES / MM**

PRICING

NO CUT OUT (N)


		FOUNDATION		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
25 / 635	53 / 1346	626	812	1250	1438	1310	1508
25 / 635	59 / 1499	638	827	1332	1523	1394	1597
25 / 635	65 / 1651	647	842	1433	1640	1500	1719
25 / 635	71 / 1803	658	857	1511	1726	1583	1810
25 / 635	77 / 1956	725	964	1592	1814	1668	1901
25 / 635	83 / 2108	735	978	1716	1959	1797	2052
30 / 762	53 / 1346	646	836	1395	1607	1463	1683
30 / 762	59 / 1499	658	854	1485	1702	1557	1785
30 / 762	65 / 1651	670	872	1617	1859	1692	1948
30 / 762	71 / 1803	681	887	1706	1955	1786	2050
30 / 762	77 / 1956	1032	1365	1837	2111	1924	2213
30 / 762	83 / 2108	1044	1383	1926	2211	2018	2315

CENTER, LEFT OR RIGHT CUT OUT (C/L/R)

		FOUNDATION		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
25 / 635	53 / 1346	670	854	1292	1480	1353	1549
25 / 635	59 / 1499	679	868	1372	1566	1436	1639
25 / 635	65 / 1651	688	884	1473	1683	1542	1761
25 / 635	71 / 1803	701	900	1553	1768	1625	1850
25 / 635	77 / 1956	766	1005	1633	1856	1711	1943
25 / 635	83 / 2108	777	1020	1757	1999	1839	2095
30 / 762	53 / 1346	686	879	1438	1647	1505	1724
30 / 762	59 / 1499	701	894	1528	1745	1597	1826
30 / 762	65 / 1651	710	913	1659	1899	1735	1989
30 / 762	71 / 1803	724	930	1747	1996	1828	2093
30 / 762	77 / 1956	1074	1408	1878	2153	1966	2254
30 / 762	83 / 2108	1087	1423	1967	2250	2060	2357

W B U

Rectangular Height-Adjustable Worksurface, Gable



Rectangular Height-Adjustable Worksurface Gable is to be paired with Navigate Height-Adjustable Built-In Base (YGU) to create an upStage specific integrated Height-Adjustable table.

WHAT'S INCLUDED

1 worksurface.

NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

Rectangle Grommet (HTEG) must be ordered separately.

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width
GTL Left Gable Corridor , Right Leg Stage Module GTR Right Gable Corridor, Left Leg Stage Module	7S Standard Range Electric (27" - 43") 9C Extended Electric-Restricted (25" - 48.6")	30	47, 53, 59, 65, 71, 77, 83

SAMPLE ORDER CODE

WBU GTL	7S	30	71
----------------	-----------	-----------	-----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Style	Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish
N None R Rectangular (Diamond Shaped Cut Out)	N None C Center L Left R Right	Foundation Laminate Flintwood Natural Veneer	8 Flat (with Foundation) 9 Flat (with Flintwood) 9 Flat Edge	PVC

SAMPLE ORDER CODE (CONTINUED)

R	C	LW	8	ST
----------	----------	-----------	----------	-----------

See Pricing on the following page.

W B U _

**Rectangular Height-Adjustable Worksurface,
Gable (Continued)**

**DIMENSIONS
INCHES / MM**

30 / 762	47 / 1194
30 / 762	53 / 1346
30 / 762	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

30 / 762	47 / 1194
30 / 762	53 / 1346
30 / 762	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108


PRICING

NO CUT OUT (N)		
Foundation	Flintwood	Veneer
522	1285	1346
646	1395	1463
658	1485	1557
670	1617	1692
681	1706	1786
1032	1837	1924
1044	1926	2018

CENTER (C) / LEFT (L) / RIGHT (R) CUT OUT		
Foundation	Flintwood	Veneer
561	1327	1387
686	1438	1505
701	1528	1597
710	1659	1735
724	1747	1828
1074	1878	1966
1087	1967	2060

W J U

Rectangular Height-Adjustable Worksurface with Radius Corners



Rectangular Height-Adjustable Worksurface with Radius Corners is to be paired with Navigate Height-Adjustable Built-In Base (YGU) to create an UpStage specific integrated Height-Adjustable table that can also support curved screens.

WHAT'S INCLUDED

1 worksurface.

NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

Rectangle Grommet (HTEG) must be ordered separately.

Cut Out locations are not available on the same side as a specified Post Leg (PTL and PTR).

PRODUCT OPTIONS

Leg Application		Base Mechanism	Actual Depth	Actual Width
TML	T-Legs (Left Leg Corridor, Right Leg Stage Module)	7S Standard Range Electric (27" - 43") 9C Extended Electric-Restricted (25" - 48.7")	25, 30	53, 59, 65, 71, 77, 83
TMR	T-Legs (Right Leg Corridor, Left Leg Stage Module)			
TCL	T-Legs (Left Leg Credenza, Right Leg Stage Module)			
TCR	T-Legs (Right Leg Credenza, Left Leg Stage Module)			
PTL	Post and T-Leg (Left Post Credenza, Right Leg Stage Module)			
PTR	Post and T-Leg (Right Post Credenza, Left Leg Stage Module)			

SAMPLE ORDER CODE

WJU TML	7S	30	71
----------------	-----------	-----------	-----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Style	Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish
N None	N None	Foundation Laminate	8 Flat (with Foundation)	Edge Trim Colors
R Rectangular (Diamond Shaped Cut Out)	C Center	Flintwood	9 Flat (with Flintwood & Natural Veneer)	
	L Left	Natural Veneer		
	R Right			

SAMPLE ORDER CODE (CONTINUED)

R	C	LW	8	ST
----------	----------	-----------	----------	-----------

See Pricing on the following page.

W J U
Rectangular Height-Adjustable
Worksurface with Radius Corners
(Continued)

DIMENSIONS
INCHES / MM


PRICING

		FOUNDATION		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
25 / 635	53 / 1346	626	812	1250	1438	1310	1508
25 / 635	59 / 1499	638	827	1332	1523	1394	1597
25 / 635	65 / 1651	647	842	1433	1640	1500	1719
25 / 635	71 / 1803	658	857	1511	1726	1583	1810
25 / 635	77 / 1956	725	964	1592	1814	1668	1901
25 / 635	83 / 2108	735	978	1716	1959	1797	2052
30 / 762	53 / 1346	646	836	1395	1607	1463	1683
30 / 762	59 / 1499	658	854	1485	1702	1557	1785
30 / 762	65 / 1651	670	872	1617	1859	1692	1948
30 / 762	71 / 1803	681	887	1706	1955	1786	2050
30 / 762	77 / 1956	1032	1365	1837	2111	1924	2213
30 / 762	83 / 2108	1044	1383	1926	2211	2018	2315

If Cut Out is specified, add 44 for each

W B A

hiSpace Rectangular Height-Adjustable Worksurface



Rectangular Height-Adjustable Worksurface is to be paired with hiSpace Height-Adjustable Built-In Base (YSU) to create an upStage specific integrated Height-Adjustable table.

WHAT'S INCLUDED

1 worksurface with quick connect.

NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width
TML T-Legs (Left Leg Corridor, Right Leg Stage Module)	9U Extended Electric-with Riser (25" - 51.1")	25, 30	53, 59, 65, 71
TMR T-Legs (Right Leg Corridor, Left Leg Stage Module)			
TCL T-Legs (Left Leg Credenza, Right Leg Stage Module)			
TCR T-Legs (Right Leg Credenza, Left Leg Stage Module)			

SAMPLE ORDER CODE

WBA TSL	9U	30	71
----------------	-----------	-----------	-----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Style	Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish	Connection Kit Finish
N None	N None	Foundation Laminate	8 Flat	PVC with HPL surface only	52 Ebony 60 Platinum 83 Very White
R Rectangular (Diamond Shaped Cut Out)	C Center				
	L Left				
	R Right				

SAMPLE ORDER CODE (CONTINUED)

R	C	LW	8	ST	52
----------	----------	-----------	----------	-----------	-----------

DIMENSIONS INCHES / MM

D	W
25 / 635	53 / 1346
25 / 635	59 / 1499
25 / 635	65 / 1651
25 / 635	71 / 1803
30 / 762	53 / 1346
30 / 635	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803

PRICING

No Cut Out	Rectangular Cut Out
728	769
737	778
747	789
759	799
746	788
759	799
770	812
782	824

Rectangular Height-Adjustable Worksurface with radius corners is to be paired with hiSpace Height-Adjustable Built-In Base (YSU) to create an upStage specific integrated Height-Adjustable table.

WHAT'S INCLUDED

1 worksurface with quick connect.


WHAT'S EXCLUDED

Rectangle Grommet (HTEG) and Height-Adjustable mechanism must be ordered separately.

NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

W J B
hiSpace Rectangular Height-Adjustable Worksurface with Radius Corners for Quick Connect



PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width
TML T-Legs (Left Leg Corridor, Right Leg Stage Module)	9U Extended Electric-with Riser (25" - 51.1")	25, 30	53, 59, 65, 71
TMR T-Legs (Right Leg Corridor, Left Leg Stage Module)			
TCL T-Legs (Left Leg Credenza, Right Leg Stage Module)			
TCR T-Legs (Right Leg Credenza, Left Leg Stage Module)			

SAMPLE ORDER CODE

WJB TML	9U	30	71
----------------	-----------	-----------	-----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Style	Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish	Connection Kit Finish
N None	N None C Center L Left R Right	Foundation Laminate	8 Flat	PVC	52 Ebony
R Rectangular (Diamond Shaped Cut Out)					60 Platinum
					83 Very White

SAMPLE ORDER CODE (CONTINUED)

R	C	LW	8	ST	52
----------	----------	-----------	----------	-----------	-----------

DIMENSIONS INCHES / MM

D	W
25 / 635	53 / 1346
25 / 635	59 / 1499
25 / 635	65 / 1651
25 / 635	71 / 1803
30 / 762	53 / 1346
30 / 635	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803


PRICING

No Cut Out	Rectangular Cut Out
728	769
737	778
747	789
759	799
746	788
759	799
770	812
782	824

height-adjustability

HTSCC

Double Credenza for Height-Adjustable Table



Right, Hinged Door

Right, File Drawer

Right, Box/Box Drawers

WHAT'S INCLUDED

Case and drawers/doors, levelers, filing accessory (if box drawers are specified), hanging bar when file drawers specified, leg grommet.

NOTES

File (F) Configuration is only available in widths 48" and 54".

Hinged door includes Push Latch, no handle option is available.

If Filing Accessory for box drawer is specified, the dividers match the color of the upStage handle, while the liner defaults to Ebony.

Orientation is determined from user's point of view, sitting at the desk.

PRODUCT OPTIONS

Width	Configuration	Pull Style	Orientation
48, 54, 60	F Navigate File H Navigate Hinged Door B Navigate Box/Box E hiSpace File G hiSpace Hinged Door A hiSpace Box, Box	X upStage Handle	L Left R Right

SAMPLE ORDER CODE

HTSCC 48	F	X	R
----------	---	---	---

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Leg Grommet Finish	Case, Shelves, Front & Back Finish	Key	Filing Accessory
Foundation	Foundation	Source Laminate	N No Key K Key Alike R Key Random	Y Yes N No
Mica	Mica	Flintwood		
Accent	Accent	Veneer		

SAMPLE ORDER CODE (CONTINUED)

74	74	ZA	ZA	ZA	K	N
----	----	----	----	----	---	---

See Pricing on the following page.

HTSCC
Double Credenza for
Height-Adjustable Table
(Continued)

DIMENSIONS
INCHES / MM

PRICING

W	FILE (F)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case, Shelves, Front & Back	Case, Shelves & Flintwood Front & Back	Case, Shelves, Front & Back	Case, Shelves, Front & Back
48 / 1219	1987	2624	3812	3994
54 / 1372	2050	2702	3927	4115

W	HINGED DOOR (H)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case, Shelves, Front & Back	Case, Shelves & Flintwood Front & Back	Case, Shelves, Front & Back	Case, Shelves, Front & Back
48 / 1219	1653	2228	3543	3742
54 / 1372	1702	2296	3648	3855
60 / 1524	1766	2366	3757	3970


W	BOX, BOX (B)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case, Shelves, Front & Back	Case, Shelves & Flintwood Front & Back	Case, Shelves, Front & Back	Case, Shelves, Front & Back
48 / 1219	2136	2688	4002	4200
54 / 1372	2199	2768	4121	4324
60 / 1524	2282	2849	4244	4456

If Filing Accessory is specified, add 138


height-adjustability

HTSCT

Triple Credenza for Height-Adjustable Table



Right, Box, Box/
Hinged Door



Right, File/Hinged
Door

WHAT'S INCLUDED

Case and drawers/door, filing accessory (if box drawers are specified), hanging bar (when files drawer specified), leg grommet.

NOTES

Hinged door includes Push Latch, no handle option is available.

If Filing Accessory for box drawer is specified, the dividers match the color of the upStage handle, while the liner defaults to Ebony.

Orientation is determined from user's point of view, sitting at the desk.

Hinged Door is always positioned at the outer end of the credenza with drawers been placed in the mid section.

PRODUCT OPTIONS

Width	Configuration	Pull Style	Orientation
66, 72	FH Navigate File/Hinged Door BH Navigate Box, Box/Hinged Door EH hiSpace File/Hinged Door AH hiSpace Box, Box/Hinged Door	X upStage Handle	L Left R Right

SAMPLE ORDER CODE

HTSCT 66	BH	X	R
-----------------	-----------	----------	----------

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Leg Grommet Finish	Case, Shelves, Front & Back Finish	Key	Filing Accessory
Foundation	Foundation	Source Laminate	N No Key	Y Yes
Mica	Mica	Flintwood	K Key Alike	N No
Accent	Accent	Veneer	R Key Random	

SAMPLE ORDER CODE (CONTINUED)

74	74	ZA	ZA	ZA	K	N
-----------	-----------	-----------	-----------	-----------	----------	----------

See Pricing on the following page.

HTSCT
Triple Credenza for
Height-Adjustable Table
(Continued)

DIMENSIONS
INCHES / MM

PRICING


	FILE/HINGED DOOR (FH)			
	SOURCE LAMINATE	FLINTWOOD	VENEER	
W	Case, Shelves, Front & Back	Case, Shelves & Flintwood Front & Back	Case, Shelves, Front & Back	Case, Shelves, Front & Back
66 / 1676	2401	3164	5145	5403
72 / 1829	2414	3183	5175	5433

	BOX, BOX/HINGED DOOR (BH)			
	SOURCE LAMINATE	FLINTWOOD	VENEER	
	Case, Shelves, Front & Back	Case, Shelves & Flintwood Front & Back	Case, Shelves, Front & Back	Case, Shelves, Front & Back
66 / 1676	2634	3472	5647	5928
72 / 1829	2653	3500	5689	5974


If Filing Accessory is specified, add 104

HTSCD

Height-Adjustable Integrated Double Credenza



Right, File



Right, Box, Box

WHAT'S INCLUDED

1 credenza with feet and levelers

1 leg pass-through grommet

Configuration B (Box/Box): two box drawers

Configuration F (File): one file drawer, one 12" hanging file bar (if width 48" is specified) and two 12" hanging file bars (if width 54"

If specified), lock and keys (if specified).

WHAT'S EXCLUDED

Height-Adjustable table base and worksurface, height-adjustable run-off and motor.

NOTES

Orientation is determined from user's perspective.

PRODUCT OPTIONS

Width	Configuration	Pull Style	Orientation
48, 54	F File B Box, Box	X upStage Handle	L Left R Right

SAMPLE ORDER CODE

HTSCD 48	F	X	L
----------	---	---	---

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Leg Grommet Finish	Case, Shelves, Front & Back Finish	Foot Finish	Key
Foundation	Foundation	Source Laminate	74 Storm White	N No Key
Mica	Mica	Flintwood	60 Platinum	K Key Alike
Accent	Accent	Veneer	83 Very White	R Key Random
			68 Anthracite	
			62 Graphite	
			71 Burnished Bronze	

SAMPLE ORDER CODE (CONTINUED)

74	74	ZA	ZA	ZA	60	K
----	----	----	----	----	----	---

See Pricing on the following page.

H T S C D
Height-Adjustable
Integrated Double Credenza
(Continued)

DIMENSIONS
INCHES / MM

PRICING


	FILE (F)			
	SOURCE LAMINATE	FLINTWOOD	VENEER	
W	Case, Shelves, Front & Back	Case, Shelves & Flintwood Front & Back	Case, Shelves, Front & Back	Case, Shelves, Front & Back
48 / 1219	2161	2444	4427	4648
54 / 1372	2225	2514	4583	4814

	BOX, BOX (B)			
	SOURCE LAMINATE	FLINTWOOD	VENEER	
	Case, Shelves, Front & Back	Case, Shelves & Flintwood Front & Back	Case, Shelves, Front & Back	Case, Shelves, Front & Back
48 / 1219	2040	2304	4141	4349
54 / 1372	2101	2375	4304	4521

height-adjustability

HTSCP

Height-Adjustable Integrated Triple Credenza



Right, Hinged
Door/File

Right, Hinged
Door/Box, Box

Left, Hinged File/
Box, Box

WHAT'S INCLUDED

1 credenza with feet and levelers

1 leg pass-through grommet

Configuration FB (File/Box) : two box drawers and 1 file drawer, one 12" hanging bar

Configuration HB (Hinged door/Box): two box drawers and one hinged door

Configuration HF(Hinged door/File): one file drawer, one hinged door and one 12" hanging bar; lock and keys (if specified).

WHAT'S EXCLUDED

Height-Adjustable table base and worksurface, height-adjustable run-off and motor.

NOTES

Orientation is determined from user's perspective.

Configuration (FB) is only available if WIDTH 60-72 is specified.

Hinged Door includes a push latch, no handle option.

Hinged Door is always positioned in the middle. Box, Box is always at the outer end.

PRODUCT OPTIONS

Width	Configuration	Pull Style	Orientation
54, 60, 66, 72	HF Hinged Door/File HB Hinged Door/Box, Box FB File/Box, Box	X upStage Handle	L Left R Right

SAMPLE ORDER CODE

HTSCP 60	FH	X	R
-----------------	-----------	----------	----------

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Leg Grommet Finish	Case, Shelves, Front & Back Finish	Foot Finish	Key
Foundation	Foundation	Source Laminate	74 Storm White	N No Key
Mica	Mica	Flintwood	60 Platinum	K Key Alike
Accent	Accent	Veneer	83 Very White	R Key Random
			68 Anthracite	
			62 Graphite	
			71 Burnished Bronze	

SAMPLE ORDER CODE (CONTINUED)

74	74	ZA	ZA	ZA	60	K
-----------	-----------	-----------	-----------	-----------	-----------	----------

See Pricing on the following page.

HTSCP
Height-Adjustable
Integrated Triple Credenza
(Continued)

DIMENSIONS
INCHES / MM

PRICING

W	HINGED DOOR/FILE (HF)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case, Shelves, Front & Back	Case, Shelves & Flintwood Front & Back	Case, Shelves, Front & Back	Case, Shelves, Front & Back
54 / 1372	2264	2550	4853	5099
60 / 1524	2352	2631	5001	5250
66 / 1676	2406	2714	5147	5404
72 / 1829	2482	2794	5290	5554

W	HINGED DOOR/BOX, BOX (HB)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case, Shelves, Front & Back	Case, Shelves & Flintwood Front & Back	Case, Shelves, Front & Back	Case, Shelves, Front & Back
54 / 1372	2516	2876	5099	5357
60 / 1524	2598	2963	5249	5511
66 / 1676	2666	3050	5397	5668
72 / 1829	2753	3147	5541	5819


W	FILE/BOX, BOX (FB)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case, Shelves, Front & Back	Case, Shelves & Flintwood Front & Back	Case, Shelves, Front & Back	Case, Shelves, Front & Back
60 / 1524	2815	3112	5511	5787
66 / 1676	2900	3203	5668	5952
72 / 1829	2985	3306	5819	6111

casual screens

product map


H T N X Casual Glass Screen

Page 332




H T N D Casual Solid Screen

Page 333




With Accessory Rail



Without Accessory Rail


H T N J Casual Thick Solid Screen

Page 334




H T N K Casual Thick Solid Screen with Glass

Page 336




G X A U Casual Infinity Screen

Page 338




H T N B Casual Framed Fabric Screen

Page 340




H T N G Glass Desk Edge Screen

Page 341




H T N S Solid Desk Edge Screen


Page 342



Modesty Height, shown Without Accessory Rail



Elevated Height, shown Without Accessory Rail




Floor Height, shown Without Accessory Rail

product map


G X C U Infinity Curved Desk Edge Screen

Page 346




G X D U Infinity Desk Edge Screen

Page 350




G Q D U Quilted Infinity Desk Edge Screen

Page 364




G X S U Infinity Side Desk Edge Screen

Page 366




H T N F Framed Fabric Desk Edge Screen

Page 370




G Y S U Framed Fabric Side Desk Edge Screen

Page 374




G X F U Infinity Desk Edge Floor Screen

Page 378



G X E U Infinity Side Desk Edge Floor Screen

Page 380



product map


G X C C Infinity Screen Alignment Clip

Page 381




G Y F U Framed Fabric Desk Edge Floor Screen

Page 382




G Y E U Framed Fabric Side Desk Edge Floor Screen

Page 384




G V G U Desk Edge Screen with Glass

Page 386




H T N N Modesty Screen

Page 388



H T N L Solid Lateral Floor Screen


Page 390



End Mounted Single,
left handedness shown

H T N A Solid Lateral Screen with Glass

Page 394




End Mounted Single, 43" Total,
left handedness shown

End Mounted Single, 53"
Total, left handedness shown

H T N C Solid Corridor Screen


Page 399



product map


H T N E Solid Corridor Screen with Glass

Page 400




G N G U Glass 6mm Lateral Screen

Page 402




G N T U Glass 10mm Lateral Screen

Page 403




G N W U Writeable Glass Lateral Screen

Page 404




G N S U Solid Lateral Screen

Page 405




G N L U Writeable Laminate Lateral Screen

Page 406




G N X U Infinity Lateral Screen

Page 407



G N Z U Smooth Felt Lateral Screen


Page 408



product map


G N M U Metal Lateral Screen

Page 410



G N Y U Framed Fabric Lateral Screen

Page 409



HTNX

Casual Glass Screen

The Casual Glass Screen attaches to the Accessory Beam to provide translucent space division.


WHAT'S INCLUDED

1 glass screen, continuous metal attachment bracket and alignment clips.

NOTES

Glass is available in Clear and Frost Satin Finish.

6mm Glass is available on 42" height only.



PRODUCT OPTIONS

Height	Width (in 6" increments)	Glass Thickness	Screen Finish	Metal Frame Finish
21 for 42" high datum 30 for 51" high datum	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	6 6mm 10 10mm	CL Clear FT Frost	Foundation Mica Accent

SAMPLE ORDER CODE

HTNX 21	48	10	CL	74
----------------	-----------	-----------	-----------	-----------

DIMENSIONS INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
42 / 1067	90 / 2286
42 / 1067	96 / 2438
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134
51 / 1295	90 / 2286
51 / 1295	96 / 2438

PRICING

6MM GLASS		10MM GLASS	
Clear	Frost	Clear	Frost
387	612	471	770
397	626	480	790
429	679	522	853
488	767	589	966
539	855	655	1074
600	944	727	1187
658	1034	796	1305
712	1126	864	1419
770	1215	935	1528
829	1306	1006	1643
886	1397	1073	1759
942	1485	1143	1868
999	1573	1209	1979
n/a	n/a	565	909
n/a	n/a	579	935
n/a	n/a	623	1007
n/a	n/a	708	1141
n/a	n/a	788	1269
n/a	n/a	870	1404
n/a	n/a	955	1540
n/a	n/a	1036	1675
n/a	n/a	1119	1803
n/a	n/a	1206	1940
n/a	n/a	1286	2078
n/a	n/a	1369	2210
n/a	n/a	1450	2340

If Accent/Mica is specified, add 24

The Solid Casual Screen provides casual privacy and space division.

HTND


Casual Solid Screen

WHAT'S INCLUDED

1 solid screen, continuous metal attachment bracket, alignment clips and accessory rail (if specified).

NOTES

Accessory Rail can accommodate selected Personal Organizers (PAX) and fx accessories, available from Complements: *Teknion's Ergonomic & Accessories Program*.



PRODUCT OPTIONS

Accessory Rail	Height	Width	Screen Finish	Metal Frame Finish
A With Accessory Rail	21 for 42" high datum	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	Source Laminate Flintwood Natural Veneer	Foundation Mica Accent
N Without Accessory Rail	30 for 51" high datum			

SAMPLE ORDER CODE

HTND A	21	48	ZI	74
---------------	-----------	-----------	-----------	-----------

**DIMENSIONS
INCHES / MM**

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
42 / 1067	90 / 2286
42 / 1067	96 / 2438
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134
51 / 1295	90 / 2286
51 / 1295	96 / 2438


PRICING

WITHOUT ACCESSORY RAIL (N)			WITH ACCESSORY RAIL (A)		
Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer
380	600	659	420	672	738
414	680	747	466	762	836
444	756	831	498	848	931
478	838	922	544	940	1032
582	916	1010	647	1029	1131
600	999	1100	676	1117	1231
632	1078	1186	710	1206	1327
659	1158	1274	748	1297	1427
703	1238	1362	791	1386	1524
742	1315	1448	832	1473	1622
770	1398	1538	858	1567	1724
805	1474	1624	901	1651	1817
838	1559	1716	936	1746	1921
419	764	850	470	856	941
456	865	962	509	970	1066
488	964	1070	548	1079	1187
527	1068	1188	588	1197	1317
641	1172	1302	718	1310	1441
659	1274	1414	738	1427	1568
698	1373	1528	780	1540	1692
727	1478	1640	813	1654	1818
773	1579	1755	865	1768	1945
819	1677	1864	915	1878	2067
849	1784	1982	949	1998	2198
885	1883	2091	991	2107	2317
922	1986	2210	1032	2225	2449

If Accent/Mica is specified, add 13

HTNJ

Casual Thick Solid Screen



The Thick Solid Casual Screen provides casual privacy and space division at different heights.

WHAT'S INCLUDED

1 solid screen, continuous metal attachment bracket, alignment clips and accessory rail (if specified).

NOTES

Accessory Rail can accommodate selected Personal Organizers (PAX) and fx accessories, available from Complements: *Teknion's Ergonomics & Accessories Program*.

The Without Accessory Rail option can support the Sit and Slide Screen with Accessories (JNSSE).

PRODUCT OPTIONS

Accessory Rail	Height	Width (in 6" increments)	Alignment	Screen Finish	Metal Frame Finish
A With Accessory Rail	21 for 42" high datum	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	N No Alignment	Source Laminate	Foundation
N Without Accessory Rail	30 for 51" high datum		W With In Line Alignment	Flintwood	Mica
	36 for 57" high datum		E End Alignment	Natural Veneer	Accent

SAMPLE ORDER CODE

HTNJ A	21	48	N	ZI	74
---------------	-----------	-----------	----------	-----------	-----------

DIMENSIONS INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
42 / 1067	90 / 2286
42 / 1067	96 / 2438
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134
51 / 1295	90 / 2286
51 / 1295	96 / 2438

PRICING

WITHOUT ACCESSORY RAIL (N)

Source Laminate	Flintwood	Natural Veneer
456	718	791
499	817	897
532	907	999
575	1006	1107
699	1101	1212
718	1197	1318
760	1292	1422
791	1390	1530
842	1485	1633
892	1580	1738
925	1680	1846
966	1771	1949
1006	1871	2058
502	916	1018
550	1039	1155
586	1157	1284
631	1283	1424
768	1406	1560
791	1530	1697
835	1648	1833
872	1772	1967
927	1893	2104
983	2014	2239
1017	2140	2378
1063	2257	2508
1107	2381	2649

WITH ACCESSORY RAIL (A)

Source Laminate	Flintwood	Natural Veneer
505	805	885
559	914	1005
596	1015	1117
652	1128	1239
776	1234	1357
811	1341	1474
853	1448	1592
899	1558	1713
949	1663	1832
1000	1768	1948
1031	1880	2068
1082	1982	2181
1122	2096	2305
563	1028	1130
614	1165	1282
655	1293	1423
706	1438	1581
863	1572	1730
885	1713	1883
936	1848	2033
976	1984	2182
1039	2123	2333
1100	2255	2480
1139	2398	2639
1189	2528	2779
1239	2670	2937

Pricing is continued on the following page.

If Accent/Mica is specified, add 13

HTNJ
Casual Thick Solid Screen
(Continued)

DIMENSIONS
INCHES / MM

H	W
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 762
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524
57 / 1448	66 / 1676
57 / 1448	72 / 1829
57 / 1448	78 / 1981
57 / 1448	84 / 2134
57 / 1448	90 / 2286
57 / 1448	96 / 2438

PRICING

WITHOUT ACCESSORY RAIL (N)			WITH ACCESSORY RAIL (A)		
Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer
553	1168	1298	619	1308	1442
604	1326	1473	675	1484	1633
645	1476	1638	720	1648	1815
695	1636	1817	776	1833	2015
846	1793	1989	950	2004	2205
870	1950	2163	973	2184	2399
919	2101	2336	1029	2357	2593
959	2260	2509	1073	2529	2782
1021	2415	2684	1145	2706	2974
1082	2568	2854	1210	2876	3162
1119	2729	3031	1254	3058	3364
1168	2878	3198	1308	3222	3544
1217	3037	3379	1362	3405	3744

If Accent/Mica is specified, add 13


HTNK

Casual Thick Solid Screen with Glass

The Thick Solid Casual Screen with Glass provides casual privacy and space division.

WHAT'S INCLUDED

1 solid screen with glass top, continuous metal attachment bracket, alignment clips.



PRODUCT OPTIONS

Height	Width (in 6" increments)	Alignment	Screen Finish	Glass Finish	Metal Frame Finish
B 51" total (42" plus 9" glass)	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	N No Alignment	Source Laminate	CL Clear	Foundation
C 57" total (48" plus 9" glass)		W With In Line Alignment	Flintwood	FT Frost	Mica
		E End Alignment	Natural Veneer		Accent

SAMPLE ORDER CODE

HTNK B	48	N	AG	CL	74
---------------	-----------	----------	-----------	-----------	-----------

DIMENSIONS INCHES / MM


H	W
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134
51 / 1295	90 / 2286
51 / 1295	96 / 2438
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 762
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524
57 / 1448	66 / 1676
57 / 1448	72 / 1829
57 / 1448	78 / 1981
57 / 1448	84 / 2134
57 / 1448	90 / 2286
57 / 1448	96 / 2438

PRICING

SOURCE LAMINATE		FLINTWOOD		NATURAL VENEER	
Clear	Frost	Clear	Frost	Clear	Frost
668	734	1053	1082	1108	1203
733	809	1179	1212	1246	1349
786	873	1296	1339	1379	1491
850	948	1423	1473	1520	1640
914	1025	1427	1481	1561	1648
1107	1225	1788	1839	1878	2051
1124	1255	1850	1908	1966	2127
1190	1328	1993	2051	2116	2289
1264	1413	2134	2201	2270	2456
1303	1463	2217	2288	2376	2559
1335	1508	2329	2407	2504	2690
1385	1558	2429	2509	2617	2803
1427	1598	2544	2624	2742	2927
706	754	1130	1137	1186	1257
780	834	1267	1274	1334	1411
842	905	1401	1411	1484	1561
911	981	1538	1553	1633	1720
998	1076	1582	1596	1716	1763
1184	1267	1937	1945	2028	2156
1254	1347	2086	2095	2202	2314
1275	1390	1999	2098	2123	2336
1292	1449	2184	2204	2319	2460
1339	1474	2311	2321	2470	2594
1398	1520	2466	2485	2641	2768
1473	1576	2612	2620	2800	2914
1540	1617	2772	2772	2970	3075

If Accent/Mica is specified, add 13

G X A U Casual Infinity Screen



The Casual Infinity Screen attaches to the Accessory Beam to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy in varying levels.

WHAT'S INCLUDED

1 infinity fabric desk edge screen, attachment brackets.

NOTES

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, please refer to the *Teknion Textiles Program Guide*.

Stage (S) application is not available on 30" height.

PRODUCT OPTIONS

Height	Width (in 6" increments)	Application	Screen Finish	Hardware Finish
42 for 42" high datum 51 for 51" high datum	24, 30, 36, 42, 48, 54, 60, 66, 72	S Stage W Worksurface	Panel Fabrics Upholstery Fabrics	Foundation Mica Accent

SAMPLE ORDER CODE

GXAU 21	60	S	B204	74
----------------	-----------	----------	-------------	-----------

DIMENSIONS INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829

PRICING

STAGE MOUNT (S)															
PANEL FABRIC							UPHOLSTERY FABRIC								
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
537	546	557	592	617	643	539	571	583	601	629	645	660	695	728	740
577	585	596	641	673	703	580	615	630	652	684	705	725	764	805	822
615	624	640	690	728	762	617	659	677	704	741	766	789	836	884	906
668	679	697	756	797	836	672	718	739	770	814	841	867	922	977	1001
717	732	752	818	864	911	724	777	800	834	885	914	944	1006	1068	1094
812	827	849	923	976	1028	818	879	906	942	999	1031	1064	1133	1204	1233
839	856	880	962	1020	1078	846	912	941	983	1044	1083	1118	1195	1270	1304
872	889	914	1005	1068	1131	878	951	983	1029	1095	1137	1177	1261	1343	1379
900	918	947	1043	1114	1181	906	985	1020	1068	1143	1187	1231	1321	1412	1450

If Accent/Mica Hardware Finish is specified for width 24" - 42", add 13

If Accent/Mica Hardware Finish is specified for width 48" - 72", add 28

Pricing is continued on the following page.

G X A U
Casual Infinity Screen
(Continued)

DIMENSIONS
INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829

PRICING

WORKSURFACE MOUNT (W)															
PANEL FABRIC							UPHOLSTERY FABRIC								
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
539	546	553	579	594	611	543	561	571	583	601	612	622	645	666	676
580	585	592	622	643	664	581	606	615	630	652	665	677	705	732	741
617	624	635	670	691	715	621	648	660	677	704	718	734	766	798	812
673	679	689	731	759	784	674	706	720	739	768	788	805	841	878	893
724	732	742	790	821	851	727	762	777	800	834	854	876	914	956	974
818	827	841	890	926	960	821	861	879	905	941	964	985	1032	1079	1099
846	856	872	927	966	1003	850	893	913	941	983	1007	1031	1083	1132	1155
878	889	907	967	1009	1051	882	931	952	983	1028	1056	1082	1137	1191	1216
907	918	937	1002	1049	1093	911	964	986	1018	1068	1099	1128	1187	1247	1273
645	651	661	699	724	748	647	676	688	706	734	749	766	799	832	848
702	709	723	766	797	827	704	739	756	777	811	829	850	889	930	947
759	767	783	834	870	906	761	802	821	848	885	909	931	980	1028	1049
822	832	850	909	951	991	825	873	893	925	969	995	1021	1076	1131	1155
889	905	923	989	1036	1083	894	949	973	1006	1058	1087	1117	1179	1240	1267
1003	1018	1039	1115	1167	1218	1009	1070	1095	1133	1189	1221	1256	1326	1394	1423
1043	1060	1085	1166	1225	1282	1050	1116	1145	1187	1249	1286	1322	1398	1474	1508
1092	1110	1136	1226	1290	1353	1099	1172	1204	1249	1317	1357	1397	1481	1565	1598
1136	1155	1182	1279	1349	1416	1141	1220	1256	1305	1379	1422	1465	1558	1647	1687

If Accent/Mica Hardware Finish is specified for width 24" - 42", add 13
 If Accent/Mica Hardware Finish is specified for width 48" - 72", add 28

HTNB

Casual Framed Fabric Screen


The Casual Fabric Screen attaches to the Accessory Beam to provide space division.

WHAT'S INCLUDED

1 fabric screen, sliding metal attachment bracket and clips.

NOTES

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, please refer to the *Teknion Textiles Program Guide*.



PRODUCT OPTIONS

Height	Width (in 6" increments)	Application	Screen Finish	Metal Frame Finish
13 for 42" high datum worksurface mount	24, 30, 36, 42, 48, 54, 60, 66, 72	S Stage Mount W Worksurface Mount	Panel Fabric Upholstery Fabrics	Foundation
21 for 42" high datum stage mount				Mica
22 for 51" high datum worksurface mount				Accent

SAMPLE ORDER CODE

HTNB 21	48	S	L308	74
----------------	-----------	----------	-------------	-----------

DIMENSIONS INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829

PRICING

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
514	521	527	552	566	585
552	557	564	594	615	636
588	595	606	640	664	686
640	647	658	699	727	753
688	698	709	756	786	817
778	789	802	853	886	922
805	817	831	886	926	964
834	848	863	925	966	1007
861	876	892	958	1003	1050
614	621	631	668	691	717
668	676	688	733	763	793
723	732	747	798	834	868
782	792	809	868	911	951
848	860	880	947	994	1039
955	970	991	1065	1118	1169
994	1010	1034	1116	1175	1232
1039	1058	1083	1173	1237	1298
1080	1100	1128	1225	1293	1362

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
516	535	544	557	575	586	595	617	640	650
553	579	587	602	624	638	650	677	704	713
590	619	631	648	675	689	705	737	768	783
641	675	688	708	737	756	773	809	846	861
690	728	741	766	799	819	839	880	922	940
782	824	839	864	902	925	947	994	1039	1059
809	854	873	901	942	967	991	1042	1092	1115
838	887	909	940	984	1012	1038	1093	1150	1173
865	918	942	974	1025	1054	1083	1143	1204	1228
616	646	658	676	704	718	735	768	802	817
672	706	723	742	777	797	817	856	897	913
725	766	784	811	850	873	894	943	991	1012
784	832	854	884	929	955	981	1035	1090	1115
853	907	930	964	1014	1043	1074	1136	1197	1225
960	1021	1049	1086	1141	1175	1208	1277	1346	1376
1000	1065	1094	1137	1201	1237	1273	1349	1424	1457
1044	1118	1151	1196	1264	1305	1344	1429	1511	1545
1086	1166	1202	1249	1322	1366	1411	1502	1592	1631

If Accent/Mica Hardware Finish is specified for width 24" - 42", add 13

If Accent/Mica Hardware Finish is specified for width 48" - 72", add 28

The Glass Desk Edge Glass Screen attaches to the worksurface to provide space division and territorial desktop privacy

WHAT'S INCLUDED


1 glass desk edge screen, attachment brackets.

NOTES

Glass thickness is 6mm or 10mm.

Dimensions are actual width.

HTNG
Glass Desk Edge Screen



PRODUCT OPTIONS

Modesty Base Height	Height Above Worksurface	Width (in 6" increments)	Glass Thickness	Screen Finish	Frame Finish
M Modesty Height (15")	13 for 42" high datum 22 for 51" high datum 28 for 57" high datum	30, 36, 42, 48, 54, 60, 66	6 6mm 10 10mm	CL Clear FT Frost	Foundation Mica Accent

SAMPLE ORDER CODE

HTNG M	22	66	6	FT	74
---------------	-----------	-----------	----------	-----------	-----------

**DIMENSIONS
INCHES / MM**

H	W
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
57 / 1448	30 / 762
57 / 1448	36 / 762
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524
57 / 1448	66 / 1676

PRICING

6MM GLASS		10MM GLASS	
Clear	Frost	Clear	Frost
421	761	558	948
479	863	635	1076
538	972	711	1209
606	1089	798	1357
674	1215	889	1511
742	1227	981	1668
819	1353	1080	1836
443	913	586	1138
503	1035	665	1293
565	1162	747	1452
635	1307	836	1630
708	1335	935	1661
780	1471	1030	1834
860	1619	1137	2020
473	978	607	1179
538	1115	710	1384
607	1254	818	1588
679	1412	948	1847
759	1451	1157	2057
841	1612	1288	2292
925	1774	1423	2528

If Accent/Mica is specified, add 24

HTNS

Solid Desk Edge Screen

The Solid Desk Edge Screen attaches to the worksurface to provide space division and territorial desktop privacy.


WHAT'S INCLUDED

1 desk edge screen, attachment brackets.

NOTES

Accessory Rail can accommodate selected Personal Organizers (PAX) and fx accessories, available from Complements: *Teknion's Ergonomic & Accessories Program*.

Actual width is nominal (specified) width.



Modesty Height, shown Without Accessory Rail

Elevated Height, shown Without Accessory Rail

Floor Height, shown Without Accessory Rail

PRODUCT OPTIONS

Accessory Rail	Modesty Base Height	Height Above Worksurface	Width (in 6" increments)	Screen Finish	Metal Frame Finish
A With Accessory Rail	S Partial Modesty Height (23")	0 for 29" high datum	24, 30, 36, 42, 48, 54, 60, 66	Source Laminate	Foundation
N Without Accessory Rail	M Modesty Height (15")	13 for 42" high datum		Flintwood	Mica
	E Elevated Height (6")	22 for 51" high datum		Natural Veneer	Accent
	F Floor Height (1")	28 for 57" high datum			

SAMPLE ORDER CODE

HTNS A	M	22	54	ZI	74
---------------	----------	-----------	-----------	-----------	-----------

DIMENSIONS INCHES / MM

H	W
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 762
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
29 / 737	60 / 1524
29 / 737	66 / 1676
29 / 737	72 / 1829
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829

PRICING

WITHOUT ACCESSORY RAIL (N)		
PARTIAL MODESTY HEIGHT (S)		
Source Laminate	Flintwood	Natural Veneer
167	285	300
176	299	320
184	318	334
197	331	354
205	348	372
215	362	404
226	379	435
235	396	465
245	411	498
240	485	487
262	524	535
287	575	585
309	630	631
331	675	681
355	725	752
378	773	803
403	822	865
422	870	876

WITH ACCESSORY RAIL (A)		
PARTIAL MODESTY HEIGHT (S)		
Source Laminate	Flintwood	Natural Veneer
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
268	566	680
295	612	748
321	673	817
350	740	887
377	793	956
404	853	1054
433	913	1130
458	970	1218
485	1029	1233

If Accent/Mica is specified, add 24

Pricing is continued on the following page

H T N S

Solid Desk Edge Screen (Continued)

**DIMENSIONS
INCHES / MM**

H	W
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 762
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524
57 / 1448	66 / 1676
57 / 1448	72 / 1829

H	W
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 762
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
29 / 737	60 / 1524
29 / 737	66 / 1676
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 762
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524
57 / 1448	66 / 1676

PRICING

**WITHOUT ACCESSORY RAIL (N) (CONTINUED)
PARTIAL MODESTY HEIGHT (S) (CONTINUED)**

Source Laminate	Flintwood	Natural Veneer
333	674	753
361	748	797
383	822	842
406	897	909
426	970	1025
448	1043	1139
470	1117	1255
492	1191	1368
512	1266	1486
367	740	827
399	824	878
420	906	926
445	986	1000
469	1066	1128
494	1147	1254
517	1228	1380
538	1312	1505
563	1392	1636

MODESTY HEIGHT (M)

Source Laminate	Flintwood	Natural Veneer
249	476	524
259	520	568
270	561	617
281	606	665
346	703	773
355	747	822
367	789	867
377	831	914
316	705	776
336	784	863
355	865	952
382	937	1030
448	1060	1166
476	1141	1255
505	1227	1349
537	1313	1443
378	813	853
406	907	949
426	1000	1049
458	1082	1133
536	1225	1282
571	1318	1382
607	1419	1485
646	1515	1589
415	894	938
445	998	1044
469	1100	1153
503	1189	1247
590	1347	1409
626	1450	1520
668	1560	1633
710	1667	1748

**WITH ACCESSORY RAIL (A) (CONTINUED)
PARTIAL MODESTY HEIGHT (S) (CONTINUED)**

Source Laminate	Flintwood	Natural Veneer
361	670	783
394	742	831
418	818	879
445	893	954
471	969	1073
496	1041	1190
524	1118	1313
550	1191	1433
575	1267	1557
399	737	861
435	819	914
462	899	967
492	983	1050
520	1065	1181
546	1145	1310
577	1231	1444
604	1312	1576
632	1393	1712

MODESTY HEIGHT (M)

Source Laminate	Flintwood	Natural Veneer
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
343	732	805
370	817	899
391	902	992
421	977	1074
494	1105	1216
524	1188	1307
559	1279	1408
596	1369	1508
406	802	882
436	894	984
463	988	1087
499	1070	1179
582	1209	1329
619	1304	1434
660	1404	1544
704	1502	1651
445	883	970
478	984	1083
507	1087	1196
550	1176	1297
640	1329	1463
681	1434	1578
727	1544	1698
775	1653	1817

If Accent/Mica is specified, add 24

Pricing is continued on the following page

HTNS

Solid Desk Edge Screen (Continued)

DIMENSIONS INCHES / MM

H	W
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 762
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
29 / 737	60 / 1524
29 / 737	66 / 1676
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676

PRICING

WITHOUT ACCESSORY RAIL (N) (CONTINUED)		
ELEVATED HEIGHT (E)		
Source Laminate	Flintwood	Natural Veneer
299	619	681
311	673	739
325	731	803
334	788	865
413	912	1003
426	972	1068
438	1025	1126
451	1080	1188
378	775	853
406	863	949
426	952	1049
458	1030	1133
536	1165	1282
571	1256	1382
607	1351	1485
646	1443	1589
377	802	882
406	894	984
429	988	1087
464	1070	1179
539	1209	1329
577	1304	1434
615	1404	1544
654	1502	1651


FLOOR HEIGHT (F)		
Source Laminate	Flintwood	Natural Veneer
316	705	776
336	784	863
355	865	952
382	937	1030
448	1060	1166
476	1141	1255
505	1227	1349
537	1313	1443
397	813	894
425	907	996
448	1001	1102
479	1082	1189
563	1225	1346
600	1317	1449
638	1416	1559
679	1516	1669

WITH ACCESSORY RAIL (A) (CONTINUED)		
ELEVATED HEIGHT (E)		
Source Laminate	Flintwood	Natural Veneer
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
406	802	882
436	894	984
463	988	1087
499	1070	1179
582	1209	1329
619	1304	1434
660	1404	1544
704	1502	1651
435	890	980
465	992	1092
492	1095	1205
527	1186	1305
617	1342	1474
655	1443	1589
698	1553	1709
740	1660	1828

FLOOR HEIGHT (F)		
Source Laminate	Flintwood	Natural Veneer
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
422	839	926
456	938	1031
483	1035	1139
522	1121	1234
609	1268	1394
647	1364	1502
689	1471	1617
735	1573	1732

If Accent/Mica is specified, add 24

G X C U Infinity Curved Desk Edge Screen



The Infinity Fabric Curved Desk Edge Screen attaches to the worksurface on both on the back and lateral edge to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy in varying levels.

WHAT'S INCLUDED

1 infinity fabric desk edge screen, attachment brackets, wire manager (if specified).

NOTES

The screen depth is 20" with a 1/2" wire gap around the screen.

Screen is designed to accompany an upStage Rectangle with Radius Corners Worksurface or Table with Radius Corners. Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, please refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Depth	Width	Orientation	Screen Finish	Hardware Finish
S Partial Modesty Height	42 for 42" high datum	20	23, 29, 35, 41, 47, 53, 59	NL Left	Panel Fabrics	Foundation
M Modesty Height (15")	51 for 51" high datum 57 for 57" high datum			NR Right	Upholstery Fabrics	Mica Accent
				WL Left with Wire Manager		
				WR Right with Wire Manager		

SAMPLE ORDER CODE

GXCU S	42	20	53	L	B204	74
---------------	-----------	-----------	-----------	----------	-------------	-----------

DIMENSIONS INCHES / MM

H	W
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
42 / 1067	41 / 1041
42 / 1067	47 / 1194
42 / 1067	53 / 1346
42 / 1067	59 / 1499
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
51 / 1295	41 / 1041
51 / 1295	47 / 1194
51 / 1295	53 / 1346
51 / 1295	59 / 1499
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889
57 / 1448	41 / 1041
57 / 1448	47 / 1194
57 / 1448	53 / 1346
57 / 1448	59 / 1499

PRICING

PARTIAL MODESTY HEIGHT (S)																
LEFT/RIGHT (NL/NR)																
PANEL FABRIC							UPHOLSTERY FABRIC									
COM/	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1027	1038	1057	1121	1166	1210	1030	1083	1105	1137	1186	1215	1244	1304	1363	1387	
1088	1102	1122	1195	1245	1295	1092	1151	1177	1212	1267	1298	1332	1397	1464	1493	
1147	1165	1187	1267	1322	1379	1153	1218	1246	1286	1347	1383	1419	1492	1566	1597	
1276	1293	1318	1406	1467	1529	1282	1354	1384	1429	1494	1534	1572	1654	1734	1768	
1329	1349	1376	1471	1538	1604	1336	1414	1448	1494	1567	1610	1651	1741	1828	1866	
1400	1421	1450	1553	1625	1696	1408	1491	1528	1580	1658	1702	1748	1844	1938	1980	
1445	1469	1499	1610	1688	1764	1453	1543	1582	1638	1721	1771	1820	1923	2024	2069	
1411	1433	1463	1573	1651	1727	1416	1508	1545	1601	1687	1735	1785	1888	1989	2035	
1474	1500	1536	1659	1746	1833	1484	1583	1629	1690	1785	1839	1894	2010	2124	2173	
1569	1597	1637	1774	1869	1964	1579	1690	1739	1808	1912	1972	2036	2161	2288	2343	
1936	1966	2009	2160	2263	2369	1946	2068	2123	2197	2311	2378	2446	2583	2723	2782	
2020	2052	2098	2262	2376	2491	2028	2163	2220	2304	2427	2501	2573	2724	2877	2942	
2109	2144	2192	2370	2494	2618	2119	2263	2327	2417	2550	2629	2707	2871	3035	3104	
2188	2226	2278	2471	2602	2734	2199	2356	2422	2517	2661	2747	2832	3008	3183	3258	
1565	1592	1631	1770	1864	1960	1573	1687	1734	1804	1908	1969	2031	2158	2285	2339	
1655	1689	1730	1885	1993	2101	1667	1793	1848	1924	2042	2110	2180	2321	2464	2525	
1757	1795	1840	2013	2130	2249	1771	1908	1967	2053	2183	2260	2336	2494	2653	2718	
2159	2198	2250	2437	2568	2698	2172	2325	2391	2485	2626	2709	2791	2965	3138	3211	
2259	2303	2359	2561	2703	2845	2274	2438	2511	2612	2767	2857	2946	3134	3325	3405	
2397	2443	2506	2724	2878	3032	2410	2590	2669	2779	2946	3045	3145	3349	3551	3639	
2491	2540	2605	2841	3009	3174	2507	2699	2784	2903	3081	3188	3293	3512	3732	3825	

If Accent/Mica Hardware Finish is specified for depth 23" - 41", add 13
If Accent/Mica Hardware Finish is specified for depth 47" - 59", add 28

Pricing is continued on the following page.

G X C U

**Infinity Curved Desk Edge Screen
(Continued)**

**DIMENSIONS
INCHES / MM**

H	W
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
42 / 1067	41 / 1041
42 / 1067	47 / 1194
42 / 1067	53 / 1346
42 / 1067	59 / 1499
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
51 / 1295	41 / 1041
51 / 1295	47 / 1194
51 / 1295	53 / 1346
51 / 1295	59 / 1499
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889
57 / 1448	41 / 1041
57 / 1448	47 / 1194
57 / 1448	53 / 1346
57 / 1448	59 / 1499

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)															
LEFT/RIGHT WITH WIRE MANAGER (WL/WR)															
PANEL FABRIC						UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1034	1046	1064	1130	1175	1218	1038	1090	1114	1145	1194	1221	1253	1312	1371	1395
1095	1110	1131	1204	1254	1304	1101	1159	1186	1220	1276	1307	1339	1406	1472	1502
1157	1173	1195	1276	1332	1386	1161	1227	1255	1295	1356	1391	1427	1500	1573	1607
1284	1303	1327	1414	1474	1537	1290	1362	1392	1436	1503	1542	1581	1661	1742	1776
1337	1357	1384	1480	1545	1612	1344	1422	1456	1503	1574	1618	1660	1748	1836	1875
1409	1430	1459	1561	1633	1705	1415	1499	1536	1588	1666	1712	1757	1853	1948	1989
1455	1478	1508	1618	1696	1772	1462	1551	1590	1646	1731	1779	1829	1933	2035	2078
1419	1441	1471	1582	1660	1737	1424	1515	1554	1610	1695	1743	1793	1895	1996	2042
1484	1509	1543	1667	1755	1840	1492	1592	1637	1698	1793	1847	1902	2018	2131	2182
1579	1607	1645	1783	1877	1972	1587	1698	1747	1817	1920	1980	2043	2169	2297	2350
1945	1975	2016	2168	2272	2377	1953	2075	2130	2204	2319	2388	2453	2594	2731	2791
2027	2062	2107	2271	2384	2497	2038	2172	2228	2313	2436	2509	2581	2732	2885	2950
2116	2153	2201	2378	2502	2626	2127	2272	2335	2424	2557	2638	2717	2880	3044	3112
2196	2234	2288	2479	2610	2743	2210	2364	2429	2525	2670	2755	2840	3016	3192	3267
1572	1602	1639	1777	1873	1967	1582	1695	1742	1812	1917	1979	2039	2166	2293	2348
1663	1697	1739	1893	2001	2110	1675	1800	1855	1933	2050	2117	2187	2330	2472	2535
1767	1803	1849	2021	2139	2257	1778	1917	1978	2064	2191	2270	2344	2502	2659	2727
2168	2205	2259	2446	2575	2706	2181	2333	2398	2493	2633	2717	2800	2973	3147	3219
2271	2313	2369	2573	2714	2856	2284	2450	2522	2625	2777	2868	2957	3147	3335	3415
2405	2451	2513	2732	2886	3040	2421	2598	2677	2789	2956	3053	3152	3357	3559	3648
2500	2546	2613	2851	3016	3181	2514	2707	2793	2912	3090	3195	3301	3521	3739	3833

MODESTY HEIGHT (M)															
LEFT/RIGHT (NL/NR)															
PANEL FABRIC						UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1270	1293	1324	1435	1511	1588	1278	1368	1408	1463	1544	1595	1643	1745	1847	1891
1380	1405	1440	1563	1648	1734	1387	1488	1531	1593	1687	1742	1796	1909	2023	2073
1472	1500	1538	1675	1770	1865	1481	1592	1640	1711	1813	1873	1935	2060	2187	2241
1645	1675	1717	1866	1971	2074	1655	1776	1829	1904	2018	2085	2152	2289	2427	2487
1726	1760	1806	1967	2082	2194	1738	1869	1927	2010	2131	2204	2277	2427	2579	2642
1814	1849	1898	2074	2198	2320	1825	1969	2030	2119	2252	2332	2408	2572	2735	2805
1892	1931	1984	2172	2304	2436	1904	2058	2125	2220	2364	2449	2531	2706	2881	2956
1492	1518	1554	1684	1772	1863	1500	1607	1650	1716	1813	1871	1927	2046	2167	2217
1576	1607	1646	1790	1891	1992	1587	1702	1755	1826	1936	1999	2065	2197	2330	2390
1672	1706	1749	1909	2021	2131	1684	1814	1869	1950	2071	2141	2214	2362	2508	2572
2052	2089	2138	2313	2434	2555	2065	2205	2270	2357	2491	2568	2645	2807	2970	3038
2148	2188	2241	2431	2565	2697	2161	2317	2381	2479	2624	2707	2793	2970	3146	3221
2268	2310	2366	2573	2717	2859	2279	2449	2521	2625	2779	2873	2964	3155	3345	3427
2354	2399	2462	2683	2836	2992	2369	2550	2627	2739	2906	3004	3103	3308	3512	3601
1598	1626	1661	1789	1879	1969	1608	1713	1757	1824	1919	1978	2035	2152	2270	2319
1679	1709	1749	1895	1994	2095	1689	1807	1859	1930	2039	2103	2167	2300	2434	2491
1779	1813	1859	2016	2127	2239	1793	1921	1977	2056	2175	2247	2318	2464	2609	2671
2310	2348	2401	2582	2711	2835	2322	2471	2536	2629	2767	2847	2928	3098	3264	3337
2407	2450	2504	2703	2840	2980	2421	2583	2654	2752	2902	2990	3079	3262	3445	3525
2605	2654	2716	2937	3091	3247	2624	2804	2883	2994	3161	3261	3359	3564	3770	3858
2713	2763	2827	3069	3234	3401	2728	2924	3009	3130	3308	3415	3522	3742	3966	4060

If Accent/Mica Hardware Finish is specified for depth 23" - 41", add 13
If Accent/Mica Hardware Finish is specified for depth 47" - 59", add 28

Pricing is continued on the following page.

G X C U

**Infinity Curved Desk Edge Screen
(Continued)**

**DIMENSIONS
INCHES / MM**

H	W
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
42 / 1067	41 / 1041
42 / 1067	47 / 1194
42 / 1067	53 / 1346
42 / 1067	59 / 1499
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
51 / 1295	41 / 1041
51 / 1295	47 / 1194
51 / 1295	53 / 1346
51 / 1295	59 / 1499
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889
57 / 1448	41 / 1041
57 / 1448	47 / 1194
57 / 1448	53 / 1346
57 / 1448	59 / 1499


PRICING

MODESTY HEIGHT (M) (CONTINUED)															
LEFT/RIGHT WITH WIRE MANAGER (WL/WR)															
PANEL FABRIC							UPHOLSTERY FABRIC								
COM/							COM/								
Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1279	1303	1333	1443	1520	1596	1286	1377	1415	1471	1553	1603	1651	1752	1856	1898
1387	1413	1448	1571	1658	1742	1395	1495	1539	1601	1695	1749	1805	1919	2033	2082
1481	1509	1545	1684	1777	1873	1489	1600	1648	1718	1820	1883	1943	2068	2194	2248
1654	1684	1725	1875	1979	2083	1662	1785	1837	1913	2025	2094	2160	2298	2436	2495
1735	1768	1814	1977	2091	2202	1746	1877	1936	2018	2140	2214	2286	2436	2588	2652
1821	1859	1907	2083	2205	2329	1834	1978	2039	2127	2261	2340	2419	2580	2745	2812
1899	1938	1992	2181	2313	2445	1913	2067	2133	2228	2372	2456	2540	2716	2891	2964
1500	1528	1563	1691	1781	1871	1509	1614	1659	1724	1820	1878	1936	2054	2174	2225
1586	1614	1655	1799	1898	1999	1595	1712	1763	1835	1945	2009	2072	2204	2339	2397
1682	1714	1759	1919	2028	2140	1691	1821	1877	1959	2079	2151	2221	2369	2516	2580
2062	2097	2145	2320	2443	2566	2072	2216	2277	2365	2497	2575	2654	2816	2978	3046
2160	2198	2250	2443	2574	2707	2172	2328	2394	2491	2633	2719	2804	2980	3156	3233
2275	2318	2375	2581	2724	2868	2289	2456	2528	2632	2787	2881	2973	3162	3354	3435
2363	2407	2468	2691	2845	3000	2377	2557	2634	2747	2915	3013	3111	3316	3522	3609
1607	1633	1669	1799	1888	1978	1616	1720	1767	1832	1926	1984	2040	2159	2278	2328
1688	1718	1757	1902	2004	2102	1697	1815	1866	1936	2046	2111	2174	2307	2439	2496
1788	1824	1865	2025	2137	2246	1801	1928	1984	2065	2184	2256	2327	2472	2617	2682
2318	2357	2407	2590	2718	2843	2332	2479	2543	2638	2774	2855	2937	3104	3274	3345
2416	2458	2511	2712	2849	2986	2429	2593	2660	2761	2912	3000	3088	3270	3454	3531
2615	2661	2723	2944	3100	3253	2631	2811	2891	3002	3170	3268	3367	3570	3777	3864
2720	2772	2837	3076	3242	3410	2736	2934	3016	3138	3316	3423	3530	3750	3972	4066

If Accent/Mica Hardware Finish is specified for depth 23" - 41", add 13
 If Accent/Mica Hardware Finish is specified for depth 47" - 59", add 28

G X D U

Infinity Desk Edge Screen



The Infinity Desk Edge Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy in varying levels.

WHAT'S INCLUDED

1 Infinity fabric desk edge screen, attachment brackets, wire manager (if specified).

NOTES

Infinity screen is 1/2" less than specified size. The worksurface wire gap is 1/2", to allow for mounting of select desk edge accessories.

Wire manager is designed to be accompanied by the Power Bar (YEPD) or Compact Power Bar (YEPS).

The screen is available in select Panel and Upholstery fabrics, please refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Width (in 1" increments)	Wire Manager	Screen Finish	Hardware Finish
S Partial Modesty Height	42 for 42" high datum	36 - 71	Y Yes	Panel Fabrics	Foundation
	51 for 51" high datum		N No	Upholstery Fabrics	Mica
M Modesty Height (15")	57 for 57" high datum				

SAMPLE ORDER CODE

GXDU S	42	60	Y	B204	74
---------------	-----------	-----------	----------	-------------	-----------

See Pricing on the following page.

G X D U
Infinity Desk Edge Screen
(Continued)

DIMENSIONS
INCHES / MM

PRICING

H		W		PARTIAL MODESTY HEIGHT (S)													
				NO WIRE MANAGER (N)						UPHOLSTERY FABRIC							
		PANEL FABRIC						UPHOLSTERY FABRIC									
		COM/						COM/									
		Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	36 / 914	857	867	883	935	970	1005	860	902	919	947	985	1009	1031	1080	1128	1147
42 / 1067	37 / 940	857	867	883	936	972	1009	860	905	922	949	988	1012	1035	1085	1133	1155
42 / 1067	38 / 965	856	867	883	937	974	1012	860	906	923	951	991	1015	1039	1089	1139	1161
42 / 1067	39 / 991	894	907	922	977	1015	1056	900	943	964	991	1034	1058	1083	1133	1186	1208
42 / 1067	40 / 1016	894	907	923	980	1018	1058	900	944	965	994	1036	1061	1087	1139	1191	1215
42 / 1067	41 / 1041	894	907	923	981	1021	1061	899	947	966	995	1039	1064	1090	1145	1197	1220
42 / 1067	42 / 1067	933	943	960	1020	1061	1102	936	984	1005	1035	1080	1107	1132	1187	1241	1266
42 / 1067	43 / 1092	931	943	960	1021	1063	1107	936	985	1006	1036	1083	1110	1137	1191	1249	1273
42 / 1067	44 / 1118	931	943	962	1024	1065	1109	936	985	1007	1039	1086	1114	1141	1197	1255	1279
42 / 1067	45 / 1143	972	984	1002	1064	1109	1153	976	1028	1050	1082	1129	1158	1186	1244	1303	1327
42 / 1067	46 / 1168	972	984	1002	1066	1112	1157	976	1029	1051	1083	1131	1160	1189	1249	1308	1334
42 / 1067	47 / 1194	972	984	1002	1068	1115	1160	976	1029	1053	1086	1136	1165	1194	1254	1314	1341
42 / 1067	48 / 1219	1010	1025	1043	1110	1158	1204	1015	1070	1093	1128	1179	1208	1238	1298	1362	1387
42 / 1067	49 / 1245	1010	1025	1043	1112	1159	1208	1014	1070	1094	1130	1181	1211	1241	1305	1366	1394
42 / 1067	50 / 1270	1010	1025	1043	1114	1161	1210	1014	1071	1095	1131	1184	1215	1246	1310	1373	1402
42 / 1067	51 / 1295	1043	1058	1078	1150	1197	1247	1049	1107	1131	1166	1219	1253	1284	1349	1414	1442
42 / 1067	52 / 1321	1043	1058	1079	1151	1202	1250	1049	1107	1132	1168	1221	1255	1286	1354	1420	1449
42 / 1067	53 / 1346	1042	1058	1079	1152	1204	1255	1049	1108	1133	1169	1226	1260	1291	1358	1427	1456
42 / 1067	54 / 1372	1074	1089	1110	1186	1238	1290	1080	1141	1167	1205	1261	1293	1327	1395	1465	1494
42 / 1067	55 / 1397	1074	1089	1110	1187	1239	1293	1080	1141	1168	1206	1263	1297	1332	1402	1471	1502
42 / 1067	56 / 1422	1074	1089	1112	1189	1241	1296	1079	1143	1168	1209	1267	1302	1335	1408	1479	1509
42 / 1067	57 / 1448	1136	1151	1173	1253	1306	1361	1139	1204	1232	1270	1332	1365	1400	1472	1545	1576
42 / 1067	58 / 1473	1133	1151	1173	1254	1308	1364	1139	1205	1233	1273	1334	1368	1405	1479	1551	1583
42 / 1067	59 / 1499	1133	1151	1173	1255	1312	1366	1139	1206	1234	1276	1336	1372	1409	1484	1559	1590
42 / 1067	60 / 1524	1194	1210	1234	1315	1373	1431	1201	1266	1295	1336	1398	1436	1472	1549	1625	1658
42 / 1067	61 / 1549	1194	1210	1234	1317	1376	1434	1201	1267	1296	1339	1402	1440	1478	1554	1631	1663
42 / 1067	62 / 1575	1194	1210	1234	1320	1379	1438	1201	1268	1297	1341	1405	1443	1481	1559	1638	1670
42 / 1067	63 / 1600	1217	1235	1261	1346	1406	1465	1225	1293	1324	1366	1433	1471	1510	1589	1669	1702
42 / 1067	64 / 1626	1217	1235	1261	1347	1409	1470	1221	1295	1326	1369	1436	1474	1514	1595	1675	1711
42 / 1067	65 / 1651	1217	1235	1261	1349	1412	1472	1221	1295	1327	1371	1440	1479	1518	1600	1683	1717
42 / 1067	66 / 1676	1241	1261	1285	1376	1440	1502	1247	1321	1354	1398	1467	1508	1547	1631	1714	1748
42 / 1067	67 / 1702	1241	1261	1286	1379	1441	1505	1247	1322	1355	1400	1470	1510	1551	1637	1719	1756
42 / 1067	68 / 1727	1241	1261	1286	1380	1443	1509	1247	1322	1356	1404	1472	1514	1557	1640	1726	1763
42 / 1067	69 / 1753	1266	1285	1312	1406	1471	1537	1273	1349	1383	1430	1500	1542	1586	1670	1759	1796
42 / 1067	70 / 1778	1290	1308	1335	1431	1498	1565	1296	1373	1408	1455	1528	1569	1611	1699	1788	1826
42 / 1067	71 / 1803	1290	1308	1336	1433	1500	1567	1295	1373	1409	1457	1530	1572	1616	1706	1795	1834

If Accent/Mica Hardware Finish is specified for depth 36" - 42", add 13
If Accent/Mica Hardware Finish is specified for depth 43" - 71", add 28

Pricing is continued on the following page.

G X D U

Infinity Desk Edge Screen
(Continued)

DIMENSIONS
INCHES / MM

H	W
51 / 1295	36 / 914
51 / 1295	37 / 940
51 / 1295	38 / 965
51 / 1295	39 / 991
51 / 1295	40 / 1016
51 / 1295	41 / 1041
51 / 1295	42 / 1067
51 / 1295	43 / 1092
51 / 1295	44 / 1118
51 / 1295	45 / 1143
51 / 1295	46 / 1168
51 / 1295	47 / 1194
51 / 1295	48 / 1219
51 / 1295	49 / 1245
51 / 1295	50 / 1270
51 / 1295	51 / 1295
51 / 1295	52 / 1321
51 / 1295	53 / 1346
51 / 1295	54 / 1372
51 / 1295	55 / 1397
51 / 1295	56 / 1422
51 / 1295	57 / 1448
51 / 1295	58 / 1473
51 / 1295	59 / 1499
51 / 1295	60 / 1524
51 / 1295	61 / 1549
51 / 1295	62 / 1575
51 / 1295	63 / 1600
51 / 1295	64 / 1626
51 / 1295	65 / 1651
51 / 1295	66 / 1676
51 / 1295	67 / 1702
51 / 1295	68 / 1727
51 / 1295	69 / 1753
51 / 1295	70 / 1778
51 / 1295	71 / 1803

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)
NO WIRE MANAGER (N) (CONTINUED)

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1088	1107	1131	1219	1282	1343
1088	1107	1131	1221	1285	1349
1087	1107	1132	1226	1291	1355
1138	1158	1184	1279	1346	1412
1138	1158	1186	1283	1351	1419
1137	1158	1186	1285	1355	1423
1188	1209	1238	1339	1411	1481
1188	1209	1238	1342	1414	1488
1187	1209	1238	1344	1419	1493
1253	1274	1305	1413	1489	1565
1253	1274	1305	1415	1493	1569
1250	1274	1306	1419	1498	1576
1314	1337	1369	1485	1566	1646
1314	1337	1371	1488	1569	1651
1313	1337	1371	1491	1573	1658
1357	1383	1416	1538	1624	1709
1357	1383	1416	1540	1629	1714
1356	1383	1416	1544	1632	1719
1398	1424	1462	1590	1680	1768
1398	1424	1462	1593	1684	1775
1397	1424	1463	1596	1688	1781
1481	1509	1545	1683	1775	1869
1481	1509	1547	1685	1781	1875
1480	1509	1547	1688	1785	1883
1563	1592	1631	1774	1872	1971
1563	1592	1632	1776	1876	1977
1561	1592	1632	1779	1880	1982
1612	1643	1685	1834	1936	2040
1612	1643	1685	1836	1940	2045
1611	1643	1687	1839	1946	2051
1661	1692	1737	1892	1999	2107
1661	1692	1737	1894	2004	2114
1660	1692	1738	1897	2009	2119
1697	1731	1775	1937	2050	2162
1734	1767	1813	1977	2091	2203
1732	1767	1813	1979	2095	2212

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1093	1166	1197	1241	1308	1349	1387	1470	1551	1587
1093	1167	1201	1245	1314	1355	1394	1480	1563	1598
1093	1168	1203	1249	1320	1361	1402	1488	1573	1611
1145	1221	1256	1304	1376	1419	1460	1549	1637	1673
1144	1225	1257	1307	1382	1423	1467	1558	1647	1687
1144	1226	1261	1310	1385	1430	1473	1567	1659	1698
1195	1278	1314	1365	1442	1488	1534	1626	1720	1761
1195	1279	1315	1368	1448	1493	1540	1637	1732	1774
1194	1282	1318	1372	1452	1500	1547	1645	1743	1786
1260	1347	1386	1441	1522	1571	1619	1719	1819	1863
1260	1349	1387	1443	1529	1576	1626	1730	1832	1875
1260	1351	1391	1448	1532	1583	1633	1738	1842	1887
1322	1415	1456	1514	1601	1654	1705	1812	1917	1963
1321	1416	1459	1518	1608	1659	1712	1819	1927	1975
1321	1419	1462	1521	1611	1666	1718	1829	1938	1986
1365	1464	1508	1569	1661	1716	1770	1883	1994	2043
1365	1465	1510	1572	1667	1720	1776	1892	2006	2054
1364	1469	1513	1574	1670	1727	1784	1899	2016	2067
1408	1513	1558	1622	1719	1776	1834	1952	2071	2123
1408	1514	1560	1625	1724	1783	1840	1962	2082	2134
1408	1515	1561	1630	1730	1789	1847	1971	2094	2145
1489	1600	1647	1716	1818	1877	1938	2064	2188	2242
1489	1601	1650	1719	1821	1884	1946	2072	2198	2254
1489	1603	1651	1721	1828	1891	1952	2082	2211	2264
1572	1688	1738	1810	1917	1979	2043	2173	2304	2362
1572	1689	1741	1813	1921	1986	2050	2184	2315	2372
1571	1690	1742	1815	1926	1992	2057	2191	2327	2384
1622	1743	1796	1871	1984	2049	2115	2252	2390	2449
1622	1745	1799	1873	1987	2054	2123	2261	2399	2458
1622	1746	1800	1877	1993	2062	2129	2271	2410	2472
1670	1797	1853	1931	2049	2116	2187	2329	2472	2535
1670	1800	1854	1935	2052	2124	2192	2339	2484	2545
1670	1801	1858	1937	2058	2129	2199	2347	2495	2557
1709	1840	1897	1978	2100	2172	2245	2394	2544	2608
1743	1877	1935	2018	2141	2216	2288	2438	2593	2655
1743	1878	1937	2021	2146	2220	2293	2449	2602	2668

If Accent/Mica Hardware Finish is specified for depth 36" - 42", add 13
If Accent/Mica Hardware Finish is specified for depth 43" - 71", add 28

Pricing is continued on the following page.

G X D U
Infinity Desk Edge Screen
(Continued)

DIMENSIONS
INCHES / MM

H	W
57 / 1448	36 / 914
57 / 1448	37 / 940
57 / 1448	38 / 965
57 / 1448	39 / 991
57 / 1448	40 / 1016
57 / 1448	41 / 1041
57 / 1448	42 / 1067
57 / 1448	43 / 1092
57 / 1448	44 / 1118
57 / 1448	45 / 1143
57 / 1448	46 / 1168
57 / 1448	47 / 1194
57 / 1448	48 / 1219
57 / 1448	49 / 1245
57 / 1448	50 / 1270
57 / 1448	51 / 1295
57 / 1448	52 / 1321
57 / 1448	53 / 1346
57 / 1448	54 / 1372
57 / 1448	55 / 1397
57 / 1448	56 / 1422
57 / 1448	57 / 1448
57 / 1448	58 / 1473
57 / 1448	59 / 1499
57 / 1448	60 / 1524
57 / 1448	61 / 1549
57 / 1448	62 / 1575
57 / 1448	63 / 1600
57 / 1448	64 / 1626
57 / 1448	65 / 1651
57 / 1448	66 / 1676
57 / 1448	67 / 1702
57 / 1448	68 / 1727
57 / 1448	69 / 1753
57 / 1448	70 / 1778
57 / 1448	71 / 1803

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)															
NO WIRE MANAGER (N) (CONTINUED)															
PANEL FABRIC							UPHOLSTERY FABRIC								
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1082	1100	1126	1217	1283	1346	1087	1161	1195	1240	1312	1353	1393	1479	1565	1600
1082	1100	1126	1217	1283	1346	1087	1161	1195	1240	1312	1353	1393	1479	1565	1600
1082	1100	1126	1217	1283	1346	1087	1161	1195	1240	1312	1353	1393	1479	1565	1600
1131	1151	1179	1278	1346	1415	1137	1217	1254	1303	1377	1421	1465	1558	1648	1688
1131	1151	1179	1278	1346	1415	1137	1217	1254	1303	1377	1421	1465	1558	1648	1688
1131	1151	1179	1278	1346	1415	1137	1217	1254	1303	1377	1421	1465	1558	1648	1688
1180	1202	1231	1336	1411	1482	1187	1273	1308	1363	1442	1489	1537	1633	1732	1774
1180	1202	1231	1336	1411	1482	1187	1273	1308	1363	1442	1489	1537	1633	1732	1774
1180	1202	1231	1336	1411	1482	1187	1273	1308	1363	1442	1489	1537	1633	1732	1774
1244	1266	1297	1411	1488	1566	1250	1342	1382	1438	1522	1572	1622	1726	1832	1875
1244	1266	1297	1411	1488	1566	1250	1342	1382	1438	1522	1572	1622	1726	1832	1875
1244	1266	1297	1411	1488	1566	1250	1342	1382	1438	1522	1572	1622	1726	1832	1875
1307	1332	1364	1484	1566	1648	1314	1412	1453	1513	1603	1656	1709	1818	1928	1975
1307	1332	1364	1484	1566	1648	1314	1412	1453	1513	1603	1656	1709	1818	1928	1975
1307	1332	1364	1484	1566	1648	1314	1412	1453	1513	1603	1656	1709	1818	1928	1975
1347	1372	1408	1534	1621	1709	1355	1457	1502	1566	1660	1716	1771	1888	2002	2052
1347	1372	1408	1534	1621	1709	1355	1457	1502	1566	1660	1716	1771	1888	2002	2052
1347	1372	1408	1534	1621	1709	1355	1457	1502	1566	1660	1716	1771	1888	2002	2052
1386	1413	1450	1582	1673	1766	1394	1502	1549	1616	1716	1774	1834	1953	2075	2129
1386	1413	1450	1582	1673	1766	1394	1502	1549	1616	1716	1774	1834	1953	2075	2129
1386	1413	1450	1582	1673	1766	1394	1502	1549	1616	1716	1774	1834	1953	2075	2129
1469	1495	1536	1673	1770	1866	1478	1590	1639	1709	1814	1875	1937	2066	2192	2248
1469	1495	1536	1673	1770	1866	1478	1590	1639	1709	1814	1875	1937	2066	2192	2248
1469	1495	1536	1673	1770	1866	1478	1590	1639	1709	1814	1875	1937	2066	2192	2248
1549	1579	1618	1764	1865	1966	1558	1676	1727	1800	1909	1975	2040	2173	2307	2366
1549	1579	1618	1764	1865	1966	1558	1676	1727	1800	1909	1975	2040	2173	2307	2366
1549	1579	1618	1764	1865	1966	1558	1676	1727	1800	1909	1975	2040	2173	2307	2366
1598	1630	1670	1824	1928	2036	1609	1732	1785	1863	1977	2044	2112	2252	2393	2452
1598	1630	1670	1824	1928	2036	1609	1732	1785	1863	1977	2044	2112	2252	2393	2452
1598	1630	1670	1824	1928	2036	1609	1732	1785	1863	1977	2044	2112	2252	2393	2452
1647	1680	1724	1883	1993	2102	1658	1786	1842	1922	2042	2112	2184	2329	2477	2539
1647	1680	1724	1883	1993	2102	1658	1786	1842	1922	2042	2112	2184	2329	2477	2539
1647	1680	1724	1883	1993	2102	1658	1786	1842	1922	2042	2112	2184	2329	2477	2539
1683	1716	1760	1921	2035	2144	1692	1824	1880	1962	2083	2154	2226	2375	2523	2588
1717	1750	1797	1965	2082	2198	1727	1864	1923	2009	2134	2210	2282	2437	2594	2658
1717	1750	1797	1965	2082	2198	1727	1864	1923	2009	2134	2210	2282	2437	2594	2658

If Accent/Mica Hardware Finish is specified for depth 36" - 42", add 13
If Accent/Mica Hardware Finish is specified for depth 43" - 71", add 28

Pricing is continued on the following page.

G X D U

Infinity Desk Edge Screen
(Continued)

DIMENSIONS
INCHES / MM

H	W
42 / 1067	36 / 914
42 / 1067	37 / 940
42 / 1067	38 / 965
42 / 1067	39 / 991
42 / 1067	40 / 1016
42 / 1067	41 / 1041
42 / 1067	42 / 1067
42 / 1067	43 / 1092
42 / 1067	44 / 1118
42 / 1067	45 / 1143
42 / 1067	46 / 1168
42 / 1067	47 / 1194
42 / 1067	48 / 1219
42 / 1067	49 / 1245
42 / 1067	50 / 1270
42 / 1067	51 / 1295
42 / 1067	52 / 1321
42 / 1067	53 / 1346
42 / 1067	54 / 1372
42 / 1067	55 / 1397
42 / 1067	56 / 1422
42 / 1067	57 / 1448
42 / 1067	58 / 1473
42 / 1067	59 / 1499
42 / 1067	60 / 1524
42 / 1067	61 / 1549
42 / 1067	62 / 1575
42 / 1067	63 / 1600
42 / 1067	64 / 1626
42 / 1067	65 / 1651
42 / 1067	66 / 1676
42 / 1067	67 / 1702
42 / 1067	68 / 1727
42 / 1067	69 / 1753
42 / 1067	70 / 1778
42 / 1067	71 / 1803

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)
WITH WIRE MANAGER (Y)

PANEL FABRIC							UPHOLSTERY FABRIC									
COM/							COM/									
Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
865	877	890	942	978	1013		868	911	929	955	994	1017	1039	1088	1136	1157
865	877	890	943	980	1017		868	912	930	958	996	1020	1043	1092	1143	1162
864	877	890	944	983	1020		868	913	931	959	1000	1025	1049	1099	1147	1169
905	914	930	985	1025	1063		908	952	972	1000	1042	1065	1090	1143	1194	1216
905	914	931	988	1028	1065		908	954	973	1002	1044	1070	1094	1147	1202	1221
905	914	931	989	1030	1070		907	955	974	1003	1049	1073	1100	1153	1206	1231
941	952	969	1029	1070	1110		943	992	1013	1043	1088	1115	1141	1195	1250	1274
940	952	969	1030	1071	1115		943	994	1014	1044	1090	1118	1145	1202	1257	1282
940	952	970	1031	1074	1117		943	994	1015	1049	1093	1121	1150	1206	1263	1288
980	992	1010	1073	1117	1161		984	1035	1058	1089	1137	1166	1194	1253	1310	1335
980	992	1010	1076	1119	1165		984	1036	1059	1090	1139	1168	1197	1257	1317	1342
980	992	1010	1078	1122	1168		984	1036	1060	1093	1144	1173	1203	1262	1322	1349
1018	1032	1053	1118	1166	1211		1025	1079	1102	1136	1187	1216	1246	1307	1369	1395
1018	1032	1053	1119	1167	1216		1024	1079	1103	1138	1189	1219	1250	1313	1376	1404
1018	1032	1053	1121	1169	1218		1024	1080	1105	1139	1191	1221	1255	1318	1383	1411
1053	1065	1086	1158	1206	1256		1057	1115	1139	1175	1228	1261	1292	1357	1422	1450
1053	1065	1087	1159	1209	1260		1057	1115	1141	1177	1232	1263	1295	1362	1429	1457
1051	1065	1087	1160	1211	1263		1057	1116	1143	1179	1234	1267	1298	1366	1435	1464
1083	1099	1118	1194	1246	1297		1088	1150	1176	1212	1268	1303	1335	1405	1473	1503
1083	1099	1118	1195	1247	1303		1088	1150	1177	1215	1270	1306	1339	1411	1480	1510
1083	1099	1119	1197	1250	1305		1087	1151	1177	1217	1276	1308	1343	1415	1486	1516
1144	1159	1181	1261	1314	1368		1147	1211	1239	1279	1339	1373	1409	1481	1554	1586
1143	1159	1181	1262	1317	1372		1147	1212	1240	1282	1342	1377	1413	1486	1560	1592
1143	1159	1181	1263	1320	1376		1147	1215	1241	1284	1344	1382	1416	1492	1567	1598
1203	1218	1241	1324	1383	1440		1208	1274	1304	1344	1408	1444	1481	1558	1633	1666
1203	1218	1241	1326	1384	1442		1208	1276	1305	1347	1411	1448	1485	1563	1639	1672
1203	1218	1241	1328	1386	1445		1208	1277	1306	1349	1413	1452	1489	1567	1646	1680
1226	1244	1268	1355	1414	1473		1233	1303	1333	1376	1441	1480	1518	1597	1677	1712
1226	1244	1268	1356	1416	1479		1232	1304	1334	1379	1444	1484	1522	1603	1684	1718
1226	1244	1268	1357	1420	1481		1232	1304	1335	1380	1448	1486	1528	1609	1690	1725
1250	1268	1293	1384	1448	1510		1256	1329	1362	1408	1474	1515	1557	1639	1721	1757
1250	1268	1295	1386	1449	1513		1256	1332	1363	1409	1479	1518	1560	1645	1727	1764
1250	1268	1295	1387	1452	1516		1256	1332	1364	1412	1481	1522	1565	1648	1735	1771
1274	1293	1320	1414	1480	1544		1282	1357	1391	1438	1509	1550	1593	1680	1767	1805
1297	1317	1343	1440	1507	1572		1305	1383	1415	1463	1536	1579	1619	1709	1796	1835
1297	1317	1344	1441	1509	1574		1304	1383	1416	1465	1538	1581	1624	1714	1803	1842

If Accent/Mica Hardware Finish is specified for depth 36" - 42", add 13
If Accent/Mica Hardware Finish is specified for depth 43" - 71", add 28

Pricing is continued on the following page.

G X D U
Infinity Desk Edge Screen
(Continued)

DIMENSIONS
INCHES / MM

H	W
51 / 1295	36 / 914
51 / 1295	37 / 940
51 / 1295	38 / 965
51 / 1295	39 / 991
51 / 1295	40 / 1016
51 / 1295	41 / 1041
51 / 1295	42 / 1067
51 / 1295	43 / 1092
51 / 1295	44 / 1118
51 / 1295	45 / 1143
51 / 1295	46 / 1168
51 / 1295	47 / 1194
51 / 1295	48 / 1219
51 / 1295	49 / 1245
51 / 1295	50 / 1270
51 / 1295	51 / 1295
51 / 1295	52 / 1321
51 / 1295	53 / 1346
51 / 1295	54 / 1372
51 / 1295	55 / 1397
51 / 1295	56 / 1422
51 / 1295	57 / 1448
51 / 1295	58 / 1473
51 / 1295	59 / 1499
51 / 1295	60 / 1524
51 / 1295	61 / 1549
51 / 1295	62 / 1575
51 / 1295	63 / 1600
51 / 1295	64 / 1626
51 / 1295	65 / 1651
51 / 1295	66 / 1676
51 / 1295	67 / 1702
51 / 1295	68 / 1727
51 / 1295	69 / 1753
51 / 1295	70 / 1778
51 / 1295	71 / 1803

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)															
WITH WIRE MANAGER (Y) (CONTINUED)															
PANEL FABRIC							UPHOLSTERY FABRIC								
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1095	1115	1139	1228	1290	1353	1102	1175	1206	1250	1317	1357	1395	1479	1560	1595
1095	1115	1139	1232	1293	1357	1102	1176	1208	1254	1322	1363	1404	1488	1571	1608
1094	1115	1141	1234	1298	1363	1102	1177	1210	1257	1328	1368	1411	1495	1582	1619
1146	1166	1191	1288	1355	1420	1153	1232	1264	1312	1384	1427	1469	1558	1645	1683
1146	1166	1194	1291	1358	1427	1152	1233	1266	1315	1390	1433	1474	1566	1656	1695
1145	1166	1194	1293	1363	1433	1152	1234	1268	1318	1393	1438	1482	1574	1667	1708
1196	1217	1246	1347	1419	1489	1204	1286	1322	1373	1450	1495	1542	1636	1730	1770
1196	1217	1246	1351	1422	1495	1204	1288	1324	1377	1456	1502	1549	1645	1741	1783
1195	1217	1246	1354	1427	1502	1203	1290	1327	1382	1460	1509	1557	1654	1750	1795
1261	1283	1313	1421	1498	1572	1267	1356	1394	1449	1531	1580	1629	1727	1828	1871
1261	1283	1313	1423	1502	1579	1267	1357	1395	1452	1537	1586	1636	1738	1839	1884
1260	1283	1314	1427	1507	1586	1267	1358	1398	1456	1540	1592	1641	1746	1849	1894
1322	1346	1379	1493	1573	1655	1332	1423	1464	1522	1610	1661	1713	1819	1924	1971
1322	1346	1380	1495	1579	1660	1329	1424	1467	1528	1616	1667	1719	1828	1936	1984
1321	1346	1380	1499	1582	1666	1329	1427	1470	1530	1619	1673	1726	1837	1948	1994
1365	1391	1424	1545	1632	1717	1373	1472	1515	1579	1669	1724	1777	1891	2002	2051
1365	1391	1424	1549	1637	1721	1373	1473	1518	1581	1675	1730	1785	1899	2014	2065
1364	1391	1424	1553	1640	1727	1372	1478	1521	1583	1680	1737	1791	1908	2024	2074
1408	1434	1470	1598	1688	1776	1415	1521	1566	1631	1727	1785	1842	1962	2079	2130
1408	1434	1470	1601	1691	1784	1415	1522	1568	1633	1732	1790	1848	1969	2091	2143
1406	1434	1471	1604	1696	1789	1415	1523	1569	1638	1738	1797	1856	1979	2101	2154
1489	1516	1554	1690	1784	1877	1498	1609	1656	1724	1826	1887	1948	2071	2196	2249
1489	1516	1557	1692	1789	1884	1498	1610	1659	1727	1832	1892	1953	2080	2205	2262
1488	1516	1557	1696	1793	1891	1498	1611	1660	1731	1836	1898	1962	2091	2218	2274
1571	1600	1639	1783	1880	1979	1581	1696	1746	1818	1924	1987	2051	2182	2313	2369
1571	1600	1640	1785	1885	1985	1581	1697	1748	1820	1928	1994	2058	2191	2322	2379
1569	1600	1640	1788	1890	1991	1580	1698	1749	1824	1935	1999	2066	2199	2335	2393
1621	1651	1692	1842	1945	2049	1631	1750	1805	1878	1992	2057	2124	2261	2397	2456
1621	1651	1692	1844	1949	2053	1631	1752	1807	1883	1995	2065	2130	2270	2407	2467
1619	1651	1695	1847	1953	2060	1631	1755	1808	1887	2001	2069	2138	2278	2420	2480
1669	1701	1745	1899	2009	2115	1680	1806	1862	1938	2057	2125	2194	2337	2480	2543
1669	1701	1745	1902	2013	2123	1680	1808	1863	1943	2062	2131	2201	2347	2493	2553
1668	1701	1746	1906	2016	2127	1680	1810	1865	1946	2067	2138	2210	2356	2504	2567
1706	1739	1784	1946	2058	2170	1717	1848	1906	1986	2109	2181	2252	2402	2552	2617
1742	1775	1820	1985	2098	2213	1750	1887	1943	2025	2151	2223	2297	2448	2600	2663
1741	1775	1820	1987	2102	2219	1750	1888	1946	2028	2155	2228	2303	2456	2610	2676

If Accent/Mica Hardware Finish is specified for depth 36" - 42", add 13
If Accent/Mica Hardware Finish is specified for depth 43" - 71", add 28

Pricing is continued on the following page.

G X D U

Infinity Desk Edge Screen
(Continued)

DIMENSIONS
INCHES / MM

H	W
57 / 1448	36 / 914
57 / 1448	37 / 940
57 / 1448	38 / 965
57 / 1448	39 / 991
57 / 1448	40 / 1016
57 / 1448	41 / 1041
57 / 1448	42 / 1067
57 / 1448	43 / 1092
57 / 1448	44 / 1118
57 / 1448	45 / 1143
57 / 1448	46 / 1168
57 / 1448	47 / 1194
57 / 1448	48 / 1219
57 / 1448	49 / 1245
57 / 1448	50 / 1270
57 / 1448	51 / 1295
57 / 1448	52 / 1321
57 / 1448	53 / 1346
57 / 1448	54 / 1372
57 / 1448	55 / 1397
57 / 1448	56 / 1422
57 / 1448	57 / 1448
57 / 1448	58 / 1473
57 / 1448	59 / 1499
57 / 1448	60 / 1524
57 / 1448	61 / 1549
57 / 1448	62 / 1575
57 / 1448	63 / 1600
57 / 1448	64 / 1626
57 / 1448	65 / 1651
57 / 1448	66 / 1676
57 / 1448	67 / 1702
57 / 1448	68 / 1727
57 / 1448	69 / 1753
57 / 1448	70 / 1778
57 / 1448	71 / 1803

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)															
WITH WIRE MANAGER (Y) (CONTINUED)															
PANEL FABRIC							UPHOLSTERY FABRIC								
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1089	1108	1133	1226	1291	1355	1094	1169	1204	1249	1320	1361	1402	1486	1572	1609
1089	1108	1133	1226	1291	1355	1094	1169	1204	1249	1320	1361	1402	1486	1572	1609
1089	1108	1133	1226	1291	1355	1094	1169	1204	1249	1320	1361	1402	1486	1572	1609
1139	1159	1187	1286	1355	1423	1145	1226	1262	1310	1385	1430	1473	1566	1658	1696
1139	1159	1187	1286	1355	1423	1145	1226	1262	1310	1385	1430	1473	1566	1658	1696
1139	1159	1187	1286	1355	1423	1145	1226	1262	1310	1385	1430	1473	1566	1658	1696
1188	1209	1238	1344	1419	1491	1195	1282	1317	1371	1450	1498	1544	1641	1741	1783
1188	1209	1238	1344	1419	1491	1195	1282	1317	1371	1450	1498	1544	1641	1741	1783
1188	1209	1238	1344	1419	1491	1195	1282	1317	1371	1450	1498	1544	1641	1741	1783
1253	1274	1306	1419	1495	1573	1260	1351	1390	1445	1531	1581	1631	1735	1839	1884
1253	1274	1306	1419	1495	1573	1260	1351	1390	1445	1531	1581	1631	1735	1839	1884
1253	1274	1306	1419	1495	1573	1260	1351	1390	1445	1531	1581	1631	1735	1839	1884
1315	1339	1372	1492	1573	1658	1322	1420	1462	1521	1611	1663	1717	1826	1937	1984
1315	1339	1372	1492	1573	1658	1322	1420	1462	1521	1611	1663	1717	1826	1937	1984
1315	1339	1372	1492	1573	1658	1322	1420	1462	1521	1611	1663	1717	1826	1937	1984
1356	1382	1415	1542	1630	1717	1363	1465	1510	1573	1668	1724	1779	1895	2011	2062
1356	1382	1415	1542	1630	1717	1363	1465	1510	1573	1668	1724	1779	1895	2011	2062
1356	1382	1415	1542	1630	1717	1363	1465	1510	1573	1668	1724	1779	1895	2011	2062
1394	1421	1459	1590	1683	1774	1404	1510	1558	1624	1724	1783	1842	1963	2085	2138
1394	1421	1459	1590	1683	1774	1404	1510	1558	1624	1724	1783	1842	1963	2085	2138
1394	1421	1459	1590	1683	1774	1404	1510	1558	1624	1724	1783	1842	1963	2085	2138
1478	1505	1543	1683	1777	1875	1485	1598	1647	1717	1821	1884	1946	2073	2201	2256
1478	1505	1543	1683	1777	1875	1485	1598	1647	1717	1821	1884	1946	2073	2201	2256
1478	1505	1543	1683	1777	1875	1485	1598	1647	1717	1821	1884	1946	2073	2201	2256
1558	1587	1626	1772	1873	1975	1566	1685	1737	1808	1919	1984	2049	2182	2317	2375
1558	1587	1626	1772	1873	1975	1566	1685	1737	1808	1919	1984	2049	2182	2317	2375
1558	1587	1626	1772	1873	1975	1566	1685	1737	1808	1919	1984	2049	2182	2317	2375
1608	1638	1680	1833	1937	2043	1617	1741	1793	1871	1985	2052	2122	2261	2401	2462
1608	1638	1680	1833	1937	2043	1617	1741	1793	1871	1985	2052	2122	2261	2401	2462
1608	1638	1680	1833	1937	2043	1617	1741	1793	1871	1985	2052	2122	2261	2401	2462
1656	1688	1732	1891	2001	2111	1666	1795	1849	1931	2050	2122	2191	2337	2484	2546
1656	1688	1732	1891	2001	2111	1666	1795	1849	1931	2050	2122	2191	2337	2484	2546
1656	1688	1732	1891	2001	2111	1666	1795	1849	1931	2050	2122	2191	2337	2484	2546
1690	1724	1768	1928	2042	2153	1701	1833	1890	1969	2093	2162	2234	2381	2531	2596
1725	1760	1806	1974	2091	2205	1737	1872	1933	2016	2143	2217	2291	2446	2601	2667
1725	1760	1806	1974	2091	2205	1737	1872	1933	2016	2143	2217	2291	2446	2601	2667

If Accent/Mica Hardware Finish is specified for depth 36" - 42", add 11
If Accent/Mica Hardware Finish is specified for depth 43" - 71", add 24

Pricing is continued on the following page.

G X D U
Infinity Desk Edge Screen
(Continued)

DIMENSIONS
INCHES / MM

H	W
42 / 1067	36 / 914
42 / 1067	37 / 940
42 / 1067	38 / 965
42 / 1067	39 / 991
42 / 1067	40 / 1016
42 / 1067	41 / 1041
42 / 1067	42 / 1067
42 / 1067	43 / 1092
42 / 1067	44 / 1118
42 / 1067	45 / 1143
42 / 1067	46 / 1168
42 / 1067	47 / 1194
42 / 1067	48 / 1219
42 / 1067	49 / 1245
42 / 1067	50 / 1270
42 / 1067	51 / 1295
42 / 1067	52 / 1321
42 / 1067	53 / 1346
42 / 1067	54 / 1372
42 / 1067	55 / 1397
42 / 1067	56 / 1422
42 / 1067	57 / 1448
42 / 1067	58 / 1473
42 / 1067	59 / 1499
42 / 1067	60 / 1524
42 / 1067	61 / 1549
42 / 1067	62 / 1575
42 / 1067	63 / 1600
42 / 1067	64 / 1626
42 / 1067	65 / 1651
42 / 1067	66 / 1676
42 / 1067	67 / 1702
42 / 1067	68 / 1727
42 / 1067	69 / 1753
42 / 1067	70 / 1778
42 / 1067	71 / 1803

PRICING

MODESTY HEIGHT (M)															
NO WIRE MANAGER (N)															
PANEL FABRIC							UPHOLSTERY FABRIC								
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1082	1100	1124	1211	1274	1335	1087	1159	1189	1234	1302	1341	1380	1460	1542	1576
1082	1100	1124	1215	1278	1341	1087	1160	1191	1238	1306	1346	1386	1470	1553	1589
1082	1100	1126	1217	1283	1346	1087	1161	1195	1240	1312	1353	1393	1479	1565	1600
1131	1151	1177	1270	1337	1404	1138	1215	1247	1296	1366	1411	1452	1539	1626	1663
1131	1151	1179	1274	1342	1411	1137	1216	1250	1298	1372	1415	1459	1547	1638	1676
1131	1151	1179	1278	1346	1415	1137	1217	1254	1303	1377	1421	1465	1558	1648	1688
1180	1202	1228	1332	1400	1471	1187	1268	1305	1356	1433	1479	1522	1616	1711	1749
1180	1202	1231	1334	1405	1478	1187	1269	1307	1358	1438	1484	1530	1625	1720	1761
1180	1202	1231	1336	1411	1482	1187	1273	1308	1363	1442	1489	1537	1633	1732	1774
1244	1266	1296	1405	1480	1554	1250	1339	1377	1431	1513	1561	1609	1709	1808	1849
1244	1266	1296	1408	1484	1560	1250	1341	1380	1435	1516	1567	1616	1717	1819	1863
1244	1266	1297	1411	1488	1566	1250	1342	1382	1438	1522	1572	1622	1726	1832	1875
1307	1332	1363	1479	1558	1637	1315	1409	1449	1507	1593	1643	1695	1800	1907	1951
1307	1332	1363	1481	1561	1643	1314	1411	1452	1510	1597	1650	1701	1810	1919	1964
1307	1332	1364	1484	1566	1648	1314	1412	1453	1513	1603	1656	1709	1818	1928	1975
1347	1372	1406	1529	1611	1696	1356	1455	1498	1559	1650	1702	1757	1869	1980	2028
1347	1372	1408	1531	1617	1701	1356	1456	1499	1561	1655	1711	1764	1877	1992	2042
1347	1372	1408	1534	1621	1709	1355	1457	1502	1566	1660	1716	1771	1888	2002	2052
1386	1413	1449	1576	1666	1755	1394	1499	1544	1609	1705	1761	1818	1936	2053	2104
1386	1413	1449	1580	1669	1760	1394	1500	1545	1611	1711	1768	1825	1946	2066	2116
1386	1413	1450	1582	1673	1766	1394	1502	1549	1616	1716	1774	1834	1953	2075	2129
1469	1495	1534	1668	1761	1854	1479	1587	1636	1701	1803	1863	1923	2046	2170	2225
1469	1495	1534	1670	1766	1862	1478	1588	1637	1706	1808	1869	1931	2054	2182	2238
1469	1495	1536	1673	1770	1866	1478	1590	1639	1709	1814	1875	1937	2066	2192	2248
1549	1579	1617	1759	1858	1953	1559	1673	1721	1795	1899	1963	2025	2155	2286	2341
1549	1579	1618	1761	1862	1960	1559	1675	1725	1797	1906	1969	2035	2166	2298	2354
1549	1579	1618	1764	1865	1966	1558	1676	1727	1800	1909	1975	2040	2173	2307	2366
1598	1630	1670	1818	1921	2023	1609	1730	1781	1856	1966	2033	2098	2234	2370	2428
1598	1630	1670	1820	1924	2028	1609	1731	1784	1859	1972	2039	2104	2243	2380	2442
1598	1630	1670	1824	1928	2036	1609	1732	1785	1863	1977	2044	2112	2252	2393	2452
1647	1680	1721	1876	1984	2093	1659	1784	1837	1916	2033	2100	2169	2311	2453	2515
1647	1680	1721	1878	1987	2097	1658	1785	1840	1919	2038	2107	2175	2320	2465	2525
1647	1680	1724	1883	1993	2102	1658	1786	1842	1922	2042	2112	2184	2329	2477	2539
1683	1716	1760	1921	2035	2144	1692	1824	1880	1962	2083	2154	2226	2375	2523	2588
1718	1750	1797	1960	2073	2187	1730	1862	1920	2001	2124	2197	2270	2420	2571	2633
1718	1750	1797	1963	2078	2192	1727	1863	1921	2004	2129	2202	2276	2428	2581	2647

If Accent/Mica Hardware Finish is specified for depth 36" - 42", add 11
 If Accent/Mica Hardware Finish is specified for depth 43" - 71", add 24

Pricing is continued on the following page.

G X D U

Infinity Desk Edge Screen
(Continued)

DIMENSIONS
INCHES / MM

H	W
51 / 1295	36 / 914
51 / 1295	37 / 940
51 / 1295	38 / 965
51 / 1295	39 / 991
51 / 1295	40 / 1016
51 / 1295	41 / 1041
51 / 1295	42 / 1067
51 / 1295	43 / 1092
51 / 1295	44 / 1118
51 / 1295	45 / 1143
51 / 1295	46 / 1168
51 / 1295	47 / 1194
51 / 1295	48 / 1219
51 / 1295	49 / 1245
51 / 1295	50 / 1270
51 / 1295	51 / 1295
51 / 1295	52 / 1321
51 / 1295	53 / 1346
51 / 1295	54 / 1372
51 / 1295	55 / 1397
51 / 1295	56 / 1422
51 / 1295	57 / 1448
51 / 1295	58 / 1473
51 / 1295	59 / 1499
51 / 1295	60 / 1524
51 / 1295	61 / 1549
51 / 1295	62 / 1575
51 / 1295	63 / 1600
51 / 1295	64 / 1626
51 / 1295	65 / 1651
51 / 1295	66 / 1676
51 / 1295	67 / 1702
51 / 1295	68 / 1727
51 / 1295	69 / 1753
51 / 1295	70 / 1778
51 / 1295	71 / 1803

PRICING

MODESTY HEIGHT (M) (CONTINUED)															
NO WIRE MANAGER (N) (CONTINUED)															
PANEL FABRIC							UPHOLSTERY FABRIC								
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1296	1317	1346	1449	1521	1592	1304	1386	1422	1474	1553	1598	1645	1741	1835	1876
1296	1317	1346	1453	1524	1598	1304	1390	1424	1480	1559	1607	1654	1749	1848	1891
1295	1317	1347	1456	1531	1607	1303	1391	1429	1484	1565	1612	1661	1761	1862	1904
1351	1372	1404	1514	1592	1668	1357	1448	1486	1542	1626	1675	1725	1828	1928	1974
1349	1372	1405	1518	1596	1675	1357	1449	1489	1545	1632	1683	1734	1837	1943	1987
1349	1372	1405	1521	1601	1683	1356	1452	1492	1550	1638	1689	1742	1848	1955	2001
1405	1429	1462	1580	1662	1745	1412	1509	1550	1610	1698	1750	1806	1914	2023	2071
1404	1429	1462	1583	1667	1750	1412	1510	1553	1614	1706	1760	1813	1924	2038	2085
1404	1429	1463	1587	1672	1759	1412	1511	1557	1618	1712	1767	1820	1936	2050	2098
1460	1486	1521	1647	1737	1824	1469	1572	1617	1680	1775	1833	1888	2004	2122	2170
1460	1486	1522	1651	1741	1832	1469	1573	1618	1684	1781	1839	1895	2015	2134	2185
1460	1486	1522	1655	1746	1837	1469	1574	1621	1688	1788	1846	1904	2024	2146	2198
1515	1543	1581	1716	1808	1901	1524	1633	1682	1748	1849	1909	1969	2094	2217	2270
1515	1543	1581	1718	1813	1908	1523	1636	1684	1752	1856	1917	1978	2103	2228	2282
1515	1543	1582	1720	1818	1916	1523	1638	1687	1757	1862	1923	1986	2114	2243	2298
1563	1592	1631	1774	1872	1971	1572	1688	1738	1808	1917	1979	2043	2173	2304	2362
1563	1592	1632	1776	1876	1978	1572	1689	1741	1813	1922	1986	2050	2184	2317	2375
1561	1592	1632	1779	1883	1985	1571	1690	1743	1817	1927	1993	2058	2194	2330	2390
1609	1639	1682	1832	1935	2039	1618	1741	1793	1868	1980	2046	2114	2252	2391	2450
1609	1639	1682	1834	1938	2045	1618	1742	1796	1872	1986	2053	2123	2262	2402	2464
1608	1639	1683	1837	1945	2051	1617	1743	1797	1876	1993	2062	2130	2274	2417	2478
1803	1835	1877	2037	2145	2254	1813	1940	1995	2074	2194	2263	2335	2479	2625	2687
1801	1835	1878	2039	2151	2261	1813	1943	1998	2079	2199	2271	2343	2491	2638	2700
1801	1835	1878	2043	2155	2269	1813	1945	2001	2083	2204	2278	2350	2501	2652	2716
1996	2030	2075	2242	2357	2471	2008	2141	2199	2282	2407	2481	2554	2706	2859	2924
1995	2030	2078	2245	2362	2478	2008	2143	2202	2288	2415	2489	2564	2718	2871	2937
1995	2030	2078	2248	2366	2484	2008	2145	2204	2291	2420	2495	2571	2727	2885	2952
2046	2083	2131	2304	2424	2544	2060	2199	2261	2347	2478	2554	2631	2791	2951	3019
2046	2083	2131	2306	2428	2551	2058	2201	2263	2350	2484	2564	2640	2803	2963	3032
2046	2083	2133	2311	2434	2557	2058	2202	2268	2356	2491	2569	2648	2811	2978	3046
2098	2137	2187	2366	2493	2618	2111	2257	2320	2413	2549	2629	2709	2876	3043	3112
2098	2137	2188	2370	2496	2625	2111	2260	2322	2417	2553	2634	2718	2886	3054	3127
2098	2137	2188	2373	2502	2631	2110	2261	2327	2421	2560	2642	2726	2897	3069	3140
2140	2180	2231	2420	2551	2682	2153	2305	2372	2466	2609	2692	2777	2951	3124	3199
2182	2220	2274	2465	2597	2729	2194	2349	2417	2513	2656	2742	2826	3002	3178	3254
2181	2220	2275	2467	2602	2736	2192	2350	2420	2516	2661	2748	2834	3013	3192	3269

If Accent/Mica Hardware Finish is specified for depth 36" - 42", add 13
If Accent/Mica Hardware Finish is specified for depth 43" - 71", add 28

Pricing is continued on the following page.

G X D U
Infinity Desk Edge Screen
(Continued)

DIMENSIONS
INCHES / MM

H	W
57 / 1448	36 / 914
57 / 1448	37 / 940
57 / 1448	38 / 965
57 / 1448	39 / 991
57 / 1448	40 / 1016
57 / 1448	41 / 1041
57 / 1448	42 / 1067
57 / 1448	43 / 1092
57 / 1448	44 / 1118
57 / 1448	45 / 1143
57 / 1448	46 / 1168
57 / 1448	47 / 1194
57 / 1448	48 / 1219
57 / 1448	49 / 1245
57 / 1448	50 / 1270
57 / 1448	51 / 1295
57 / 1448	52 / 1321
57 / 1448	53 / 1346
57 / 1448	54 / 1372
57 / 1448	55 / 1397
57 / 1448	56 / 1422
57 / 1448	57 / 1448
57 / 1448	58 / 1473
57 / 1448	59 / 1499
57 / 1448	60 / 1524
57 / 1448	61 / 1549
57 / 1448	62 / 1575
57 / 1448	63 / 1600
57 / 1448	64 / 1626
57 / 1448	65 / 1651
57 / 1448	66 / 1676
57 / 1448	67 / 1702
57 / 1448	68 / 1727
57 / 1448	69 / 1753
57 / 1448	70 / 1778
57 / 1448	71 / 1803

PRICING

MODESTY HEIGHT (M) (CONTINUED)															
NO WIRE MANAGER (N) (CONTINUED)															
PANEL FABRIC						UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1364	1386	1416	1524	1600	1675	1371	1460	1498	1553	1633	1683	1731	1832	1931	1974
1364	1386	1416	1524	1600	1675	1371	1460	1498	1553	1633	1683	1731	1832	1931	1974
1364	1386	1416	1524	1600	1675	1371	1460	1498	1553	1633	1683	1731	1832	1931	1974
1438	1462	1493	1610	1690	1771	1444	1540	1581	1639	1726	1777	1832	1937	2044	2091
1438	1462	1493	1610	1690	1771	1444	1540	1581	1639	1726	1777	1832	1937	2044	2091
1438	1462	1493	1610	1690	1771	1444	1540	1581	1639	1726	1777	1832	1937	2044	2091
1510	1536	1569	1692	1779	1865	1518	1618	1662	1725	1818	1873	1927	2043	2156	2204
1510	1536	1569	1692	1779	1865	1518	1618	1662	1725	1818	1873	1927	2043	2156	2204
1510	1536	1569	1692	1779	1865	1518	1618	1662	1725	1818	1873	1927	2043	2156	2204
1561	1588	1624	1756	1847	1938	1569	1676	1721	1789	1890	1948	2006	2126	2248	2300
1561	1588	1624	1756	1847	1938	1569	1676	1721	1789	1890	1948	2006	2126	2248	2300
1561	1588	1624	1756	1847	1938	1569	1676	1721	1789	1890	1948	2006	2126	2248	2300
1612	1640	1680	1818	1916	2013	1621	1735	1784	1854	1959	2021	2083	2212	2340	2394
1612	1640	1680	1818	1916	2013	1621	1735	1784	1854	1959	2021	2083	2212	2340	2394
1612	1640	1680	1818	1916	2013	1621	1735	1784	1854	1959	2021	2083	2212	2340	2394
1670	1701	1742	1890	1992	2095	1682	1800	1853	1926	2038	2102	2168	2304	2439	2497
1670	1701	1742	1890	1992	2095	1682	1800	1853	1926	2038	2102	2168	2304	2439	2497
1670	1701	1742	1890	1992	2095	1682	1800	1853	1926	2038	2102	2168	2304	2439	2497
1731	1763	1806	1962	2068	2174	1741	1866	1921	1999	2116	2185	2254	2397	2540	2601
1731	1763	1806	1962	2068	2174	1741	1866	1921	1999	2116	2185	2254	2397	2540	2601
1731	1763	1806	1962	2068	2174	1741	1866	1921	1999	2116	2185	2254	2397	2540	2601
1936	1969	2014	2176	2290	2402	1948	2079	2137	2218	2340	2415	2486	2634	2785	2849
1936	1969	2014	2176	2290	2402	1948	2079	2137	2218	2340	2415	2486	2634	2785	2849
1936	1969	2014	2176	2290	2402	1948	2079	2137	2218	2340	2415	2486	2634	2785	2849
2141	2175	2223	2394	2513	2630	2153	2291	2350	2437	2566	2641	2717	2873	3031	3098
2141	2175	2223	2394	2513	2630	2153	2291	2350	2437	2566	2641	2717	2873	3031	3098
2141	2175	2223	2394	2513	2630	2153	2291	2350	2437	2566	2641	2717	2873	3031	3098
2192	2228	2278	2456	2580	2703	2203	2348	2413	2501	2634	2716	2794	2957	3123	3192
2192	2228	2278	2456	2580	2703	2203	2348	2413	2501	2634	2716	2794	2957	3123	3192
2192	2228	2278	2456	2580	2703	2203	2348	2413	2501	2634	2716	2794	2957	3123	3192
2243	2279	2332	2517	2647	2776	2254	2405	2471	2566	2705	2786	2870	3042	3212	3285
2243	2279	2332	2517	2647	2776	2254	2405	2471	2566	2705	2786	2870	3042	3212	3285
2243	2279	2332	2517	2647	2776	2254	2405	2471	2566	2705	2786	2870	3042	3212	3285
2289	2328	2379	2568	2699	2830	2301	2453	2521	2615	2757	2841	2926	3100	3274	3349
2333	2373	2427	2624	2760	2897	2346	2506	2574	2673	2820	2907	2995	3177	3357	3435
2333	2373	2427	2624	2760	2897	2346	2506	2574	2673	2820	2907	2995	3177	3357	3435

If Accent/Mica Hardware Finish is specified for depth 36" - 42", add 13
If Accent/Mica Hardware Finish is specified for depth 43" - 71", add 28

Pricing is continued on the following page.

G X D U

Infinity Desk Edge Screen (Continued)

DIMENSIONS INCHES / MM

H	W
42 / 1067	36 / 914
42 / 1067	37 / 940
42 / 1067	38 / 965
42 / 1067	39 / 991
42 / 1067	40 / 1016
42 / 1067	41 / 1041
42 / 1067	42 / 1067
42 / 1067	43 / 1092
42 / 1067	44 / 1118
42 / 1067	45 / 1143
42 / 1067	46 / 1168
42 / 1067	47 / 1194
42 / 1067	48 / 1219
42 / 1067	49 / 1245
42 / 1067	50 / 1270
42 / 1067	51 / 1295
42 / 1067	52 / 1321
42 / 1067	53 / 1346
42 / 1067	54 / 1372
42 / 1067	55 / 1397
42 / 1067	56 / 1422
42 / 1067	57 / 1448
42 / 1067	58 / 1473
42 / 1067	59 / 1499
42 / 1067	60 / 1524
42 / 1067	61 / 1549
42 / 1067	62 / 1575
42 / 1067	63 / 1600
42 / 1067	64 / 1626
42 / 1067	65 / 1651
42 / 1067	66 / 1676
42 / 1067	67 / 1702
42 / 1067	68 / 1727
42 / 1067	69 / 1753
42 / 1067	70 / 1778
42 / 1067	71 / 1803

PRICING

MODESTY HEIGHT (M) (CONTINUED)															
WITH WIRE MANAGER (Y)															
PANEL FABRIC							UPHOLSTERY FABRIC								
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1089	1108	1132	1219	1283	1343	1094	1167	1197	1241	1308	1349	1387	1469	1550	1586
1089	1108	1132	1221	1286	1349	1094	1168	1202	1246	1314	1355	1394	1479	1561	1597
1089	1108	1133	1226	1291	1355	1094	1169	1204	1249	1320	1361	1402	1486	1572	1609
1139	1159	1186	1279	1346	1412	1146	1221	1256	1305	1376	1419	1460	1547	1636	1672
1139	1159	1187	1283	1351	1419	1145	1225	1260	1307	1382	1423	1467	1557	1646	1685
1139	1159	1187	1286	1355	1423	1145	1226	1262	1310	1385	1430	1473	1566	1658	1696
1188	1209	1237	1339	1409	1480	1195	1277	1313	1364	1441	1486	1531	1624	1718	1759
1188	1209	1238	1342	1413	1485	1195	1278	1315	1366	1445	1492	1538	1633	1730	1770
1188	1209	1238	1344	1419	1491	1195	1282	1317	1371	1450	1498	1544	1641	1741	1783
1253	1274	1305	1413	1488	1563	1260	1347	1385	1440	1521	1569	1617	1717	1817	1859
1253	1274	1305	1415	1492	1568	1260	1349	1387	1443	1524	1574	1624	1725	1828	1871
1253	1274	1306	1419	1495	1573	1260	1351	1390	1445	1531	1581	1631	1735	1839	1884
1315	1339	1371	1486	1566	1645	1324	1416	1457	1514	1601	1651	1702	1808	1916	1960
1315	1339	1371	1489	1569	1651	1322	1419	1460	1518	1607	1659	1711	1818	1926	1972
1315	1339	1372	1492	1573	1658	1322	1420	1462	1521	1611	1663	1717	1826	1937	1984
1356	1382	1414	1537	1619	1705	1364	1463	1507	1567	1659	1712	1766	1877	1989	2038
1356	1382	1415	1539	1625	1711	1364	1464	1508	1569	1662	1718	1772	1887	1999	2050
1356	1382	1415	1542	1630	1717	1363	1465	1510	1573	1668	1724	1779	1895	2011	2062
1394	1421	1457	1586	1673	1763	1404	1508	1553	1617	1713	1770	1826	1945	2064	2114
1394	1421	1457	1588	1677	1768	1404	1509	1554	1619	1718	1776	1834	1953	2073	2125
1394	1421	1459	1590	1683	1774	1404	1510	1558	1624	1724	1783	1842	1963	2085	2138
1478	1505	1542	1676	1770	1863	1486	1595	1643	1711	1812	1871	1933	2054	2180	2232
1478	1505	1542	1680	1774	1869	1485	1596	1645	1714	1817	1877	1938	2065	2190	2245
1478	1505	1543	1683	1777	1875	1485	1598	1647	1717	1821	1884	1946	2073	2201	2256
1558	1587	1625	1767	1865	1963	1567	1683	1731	1803	1908	1971	2036	2163	2293	2349
1558	1587	1626	1770	1869	1967	1567	1684	1734	1806	1914	1978	2042	2173	2305	2363
1558	1587	1626	1772	1873	1975	1566	1685	1737	1808	1919	1984	2049	2182	2317	2375
1608	1638	1680	1826	1928	2033	1617	1738	1789	1864	1975	2040	2107	2243	2378	2437
1608	1638	1680	1829	1934	2038	1617	1739	1791	1866	1980	2046	2114	2250	2391	2450
1608	1638	1680	1833	1937	2043	1617	1741	1793	1871	1985	2052	2122	2261	2401	2462
1656	1688	1731	1885	1992	2100	1667	1791	1846	1923	2040	2109	2176	2319	2463	2523
1656	1688	1731	1888	1995	2104	1666	1793	1848	1926	2045	2115	2185	2329	2474	2535
1656	1688	1732	1891	2001	2111	1666	1795	1849	1931	2050	2122	2191	2337	2484	2546
1690	1724	1768	1928	2042	2153	1701	1833	1890	1969	2093	2162	2234	2381	2531	2596
1726	1760	1806	1967	2082	2194	1738	1869	1927	2010	2131	2204	2277	2427	2579	2642
1726	1760	1806	1971	2086	2201	1737	1871	1928	2013	2138	2212	2285	2437	2590	2655

If Accent/Mica Hardware Finish is specified for depth 36" - 42", add 13

If Accent/Mica Hardware Finish is specified for depth 43" - 71", add 28

Pricing is continued on the following page.

G X D U
Infinity Desk Edge Screen
(Continued)

DIMENSIONS
INCHES / MM

H	W
51 / 1295	36 / 914
51 / 1295	37 / 940
51 / 1295	38 / 965
51 / 1295	39 / 991
51 / 1295	40 / 1016
51 / 1295	41 / 1041
51 / 1295	42 / 1067
51 / 1295	43 / 1092
51 / 1295	44 / 1118
51 / 1295	45 / 1143
51 / 1295	46 / 1168
51 / 1295	47 / 1194
51 / 1295	48 / 1219
51 / 1295	49 / 1245
51 / 1295	50 / 1270
51 / 1295	51 / 1295
51 / 1295	52 / 1321
51 / 1295	53 / 1346
51 / 1295	54 / 1372
51 / 1295	55 / 1397
51 / 1295	56 / 1422
51 / 1295	57 / 1448
51 / 1295	58 / 1473
51 / 1295	59 / 1499
51 / 1295	60 / 1524
51 / 1295	61 / 1549
51 / 1295	62 / 1575
51 / 1295	63 / 1600
51 / 1295	64 / 1626
51 / 1295	65 / 1651
51 / 1295	66 / 1676
51 / 1295	67 / 1702
51 / 1295	68 / 1727
51 / 1295	69 / 1753
51 / 1295	70 / 1778
51 / 1295	71 / 1803

PRICING

MODESTY HEIGHT (M) (CONTINUED)															
WITH WIRE MANAGER (Y) (CONTINUED)															
PANEL FABRIC							UPHOLSTERY FABRIC								
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1305	1326	1355	1457	1530	1600	1312	1394	1431	1484	1561	1608	1654	1748	1843	1885
1305	1326	1355	1462	1534	1608	1312	1397	1434	1488	1567	1614	1661	1759	1858	1898
1304	1326	1356	1464	1539	1614	1310	1398	1436	1492	1572	1621	1669	1770	1869	1913
1358	1382	1412	1522	1600	1676	1365	1456	1494	1550	1636	1684	1734	1836	1937	1982
1357	1382	1413	1528	1604	1684	1365	1457	1498	1554	1640	1690	1742	1846	1951	1995
1357	1382	1413	1530	1610	1690	1364	1460	1500	1559	1646	1697	1749	1858	1964	2010
1413	1436	1470	1588	1670	1752	1420	1516	1559	1618	1708	1760	1814	1922	2033	2079
1412	1436	1470	1592	1675	1760	1420	1518	1561	1622	1714	1768	1820	1934	2045	2094
1412	1436	1471	1595	1682	1767	1420	1520	1565	1626	1719	1775	1829	1945	2058	2107
1469	1494	1530	1656	1745	1833	1478	1581	1625	1688	1784	1840	1895	2013	2129	2180
1469	1494	1531	1660	1748	1839	1478	1582	1626	1691	1789	1847	1904	2023	2143	2192
1469	1494	1531	1662	1755	1846	1478	1583	1630	1696	1796	1854	1913	2035	2155	2205
1523	1551	1589	1724	1817	1909	1534	1641	1689	1757	1859	1919	1978	2101	2225	2277
1523	1551	1589	1726	1820	1917	1532	1643	1691	1761	1864	1924	1986	2112	2239	2291
1523	1551	1590	1730	1826	1923	1532	1646	1695	1766	1869	1933	1994	2123	2250	2305
1571	1600	1639	1783	1880	1979	1581	1696	1746	1817	1924	1987	2051	2182	2313	2369
1571	1600	1640	1785	1885	1986	1581	1697	1748	1820	1931	1994	2058	2191	2325	2381
1569	1600	1640	1788	1891	1993	1580	1698	1750	1825	1936	2001	2067	2202	2339	2397
1617	1647	1689	1839	1943	2046	1626	1748	1801	1876	1989	2054	2123	2261	2398	2457
1617	1647	1689	1842	1948	2053	1626	1749	1805	1880	1994	2064	2130	2271	2410	2472
1616	1647	1690	1846	1952	2060	1625	1750	1806	1885	2001	2069	2139	2281	2424	2486
1812	1843	1887	2044	2154	2262	1820	1949	2004	2083	2202	2272	2343	2487	2632	2696
1810	1843	1888	2046	2159	2270	1820	1951	2008	2087	2210	2278	2350	2497	2645	2709
1810	1843	1888	2051	2163	2276	1820	1952	2010	2093	2214	2288	2361	2509	2659	2723
2006	2039	2085	2249	2365	2479	2015	2151	2210	2291	2417	2491	2565	2716	2868	2932
2004	2039	2086	2252	2369	2486	2015	2152	2212	2297	2422	2496	2571	2726	2880	2946
2004	2039	2086	2256	2375	2493	2015	2154	2214	2300	2427	2504	2579	2735	2894	2959
2054	2093	2140	2313	2433	2552	2068	2210	2270	2356	2486	2565	2640	2800	2958	3028
2054	2093	2140	2315	2437	2559	2067	2211	2272	2361	2493	2571	2648	2810	2972	3042
2054	2093	2141	2319	2443	2567	2067	2212	2275	2364	2497	2576	2656	2820	2985	3054
2107	2144	2194	2375	2501	2626	2119	2268	2329	2421	2555	2638	2718	2884	3051	3122
2107	2144	2196	2378	2506	2632	2119	2269	2332	2424	2564	2644	2726	2895	3062	3134
2107	2144	2196	2380	2510	2640	2117	2270	2335	2428	2569	2652	2734	2905	3076	3149
2148	2188	2241	2427	2559	2690	2161	2314	2379	2475	2618	2700	2785	2958	3132	3207
2190	2228	2281	2474	2604	2739	2202	2358	2424	2521	2665	2749	2834	3010	3187	3263
2189	2228	2282	2477	2610	2746	2201	2361	2427	2524	2670	2756	2843	3022	3200	3277

If Accent/Mica Hardware Finish is specified for depth 36" - 42", add 13
 If Accent/Mica Hardware Finish is specified for depth 43" - 71", add 28

Pricing is continued on the following page.

G X D U

**Infinity Desk Edge Screen
(Continued)**

**DIMENSIONS
INCHES / MM**

PRICING


DIMENSIONS INCHES / MM		MODESTY HEIGHT (M) (CONTINUED) WITH WIRE MANAGER (Y) (CONTINUED)															
		PANEL FABRIC					UPHOLSTERY FABRIC										
H	W	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
57 / 1448	36 / 914	1372	1394	1424	1534	1609	1684	1380	1469	1507	1561	1641	1690	1739	1839	1938	1982
57 / 1448	37 / 940	1372	1394	1424	1534	1609	1684	1380	1469	1507	1561	1641	1690	1739	1839	1938	1982
57 / 1448	38 / 965	1372	1394	1424	1534	1609	1684	1380	1469	1507	1561	1641	1690	1739	1839	1938	1982
57 / 1448	39 / 991	1445	1470	1502	1618	1698	1779	1453	1549	1589	1647	1735	1786	1839	1946	2052	2098
57 / 1448	40 / 1016	1445	1470	1502	1618	1698	1779	1453	1549	1589	1647	1735	1786	1839	1946	2052	2098
57 / 1448	41 / 1041	1445	1470	1502	1618	1698	1779	1453	1549	1589	1647	1735	1786	1839	1946	2052	2098
57 / 1448	42 / 1067	1518	1543	1579	1701	1788	1873	1528	1626	1670	1734	1826	1883	1936	2051	2166	2214
57 / 1448	43 / 1092	1518	1543	1579	1701	1788	1873	1528	1626	1670	1734	1826	1883	1936	2051	2166	2214
57 / 1448	44 / 1118	1518	1543	1579	1701	1788	1873	1528	1626	1670	1734	1826	1883	1936	2051	2166	2214
57 / 1448	45 / 1143	1569	1596	1632	1764	1856	1948	1579	1685	1731	1797	1897	1955	2014	2134	2256	2307
57 / 1448	46 / 1168	1569	1596	1632	1764	1856	1948	1579	1685	1731	1797	1897	1955	2014	2134	2256	2307
57 / 1448	47 / 1194	1569	1596	1632	1764	1856	1948	1579	1685	1731	1797	1897	1955	2014	2134	2256	2307
57 / 1448	48 / 1219	1621	1648	1688	1826	1923	2021	1630	1743	1791	1863	1966	2028	2093	2219	2348	2402
57 / 1448	49 / 1245	1621	1648	1688	1826	1923	2021	1630	1743	1791	1863	1966	2028	2093	2219	2348	2402
57 / 1448	50 / 1270	1621	1648	1688	1826	1923	2021	1630	1743	1791	1863	1966	2028	2093	2219	2348	2402
57 / 1448	51 / 1295	1680	1711	1749	1897	1999	2102	1689	1808	1862	1935	2045	2111	2175	2313	2449	2507
57 / 1448	52 / 1321	1680	1711	1749	1897	1999	2102	1689	1808	1862	1935	2045	2111	2175	2313	2449	2507
57 / 1448	53 / 1346	1680	1711	1749	1897	1999	2102	1689	1808	1862	1935	2045	2111	2175	2313	2449	2507
57 / 1448	54 / 1372	1739	1771	1814	1969	2075	2184	1748	1875	1928	2009	2125	2192	2262	2405	2549	2609
57 / 1448	55 / 1397	1739	1771	1814	1969	2075	2184	1748	1875	1928	2009	2125	2192	2262	2405	2549	2609
57 / 1448	56 / 1422	1739	1771	1814	1969	2075	2184	1748	1875	1928	2009	2125	2192	2262	2405	2549	2609
57 / 1448	57 / 1448	1945	1978	2022	2187	2299	2410	1955	2087	2144	2226	2348	2422	2494	2644	2794	2857
57 / 1448	58 / 1473	1945	1978	2022	2187	2299	2410	1955	2087	2144	2226	2348	2422	2494	2644	2794	2857
57 / 1448	59 / 1499	1945	1978	2022	2187	2299	2410	1955	2087	2144	2226	2348	2422	2494	2644	2794	2857
57 / 1448	60 / 1524	2151	2185	2231	2402	2521	2639	2161	2300	2361	2446	2573	2649	2724	2881	3039	3105
57 / 1448	61 / 1549	2151	2185	2231	2402	2521	2639	2161	2300	2361	2446	2573	2649	2724	2881	3039	3105
57 / 1448	62 / 1575	2151	2185	2231	2402	2521	2639	2161	2300	2361	2446	2573	2649	2724	2881	3039	3105
57 / 1448	63 / 1600	2201	2239	2288	2465	2589	2712	2213	2357	2421	2509	2644	2723	2803	2966	3131	3200
57 / 1448	64 / 1626	2201	2239	2288	2465	2589	2712	2213	2357	2421	2509	2644	2723	2803	2966	3131	3200
57 / 1448	65 / 1651	2201	2239	2288	2465	2589	2712	2213	2357	2421	2509	2644	2723	2803	2966	3131	3200
57 / 1448	66 / 1676	2250	2289	2340	2525	2655	2784	2262	2415	2479	2573	2714	2796	2878	3050	3221	3294
57 / 1448	67 / 1702	2250	2289	2340	2525	2655	2784	2262	2415	2479	2573	2714	2796	2878	3050	3221	3294
57 / 1448	68 / 1727	2250	2289	2340	2525	2655	2784	2262	2415	2479	2573	2714	2796	2878	3050	3221	3294
57 / 1448	69 / 1753	2298	2336	2390	2575	2707	2837	2310	2463	2528	2624	2767	2849	2934	3106	3280	3356
57 / 1448	70 / 1778	2341	2380	2436	2631	2770	2905	2354	2514	2582	2682	2828	2916	3003	3185	3365	3443
57 / 1448	71 / 1803	2341	2380	2436	2631	2770	2905	2354	2514	2582	2682	2828	2916	3003	3185	3365	3443

If Accent/Mica Hardware Finish is specified for depth 36" - 42", add 13

If Accent/Mica Hardware Finish is specified for depth 43" - 71", add 28

G Q D U

Quilted Infinity Desk Edge Screen



The Quilted fabrics provide a textured aesthetic, elevating the overall feel of an area creating a tactile user experience. Both the Teknion Quilted patterns Pico and Diode, designed by Suzanne Tick, soften the surface of textiles and elevate the user experience in the workplace with textured, quilted designs that add depth and perspective to a space. The Quilted Infinity Desk Edge Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy in varying levels.

WHAT'S INCLUDED

1 quilted infinity fabric desk edge screen, attachment brackets, wire manger (if specified).

NOTES

Infinity screen is 1/2" less than specified size. The worksurface wire gap is 1/2", to allow for mounting of select desk edge accessories.

Wire manger is designed to be accompanied by the Power Bar (YEPD) or Compact Power Bar (YEPS).

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics please refer to the *Teknion Textiles Program Guide*. The pattern thread is designed to accompany the color way of the fabric selected.

PRODUCT OPTIONS

Quilted Pattern	Modesty Height	Height	Width	Wire Manager	Screen Finish	Hardware Finish
D Diode	S Partial Modesty Height (23")	42 42" datum height	36 - 71	Y Yes	Y Panel Fabrics	Foundation
P Pico	M Modesty Height (15")	51 51" datum height		N No	U Upholstery Fabrics	Mica Accent

SAMPLE ORDER CODE

GQDU P	S	42	60	Y	B204	74
---------------	----------	-----------	-----------	----------	-------------	-----------

DIMENSIONS
INCHES / MM

H	W
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 102
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1295
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 102
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1295

PRICING

PARTIAL MODESTY HEIGHT (S)															
NO WIRE MANAGER (N)															
PANEL FABRIC						UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1057	1065	1082	1132	1168	1204	1059	1101	1118	1146	1184	1208	1231	1278	1326	1346
1153	1165	1181	1240	1283	1324	1157	1205	1226	1256	1302	1327	1354	1408	1463	1486
1255	1269	1288	1355	1402	1449	1261	1314	1337	1372	1423	1452	1482	1543	1607	1632
1347	1362	1383	1457	1510	1561	1353	1413	1440	1478	1532	1566	1600	1668	1738	1767
1502	1520	1543	1625	1683	1741	1509	1574	1603	1646	1708	1746	1781	1858	1934	1966
1573	1592	1617	1708	1771	1834	1579	1653	1685	1730	1799	1839	1878	1963	2045	2080
1658	1677	1705	1801	1868	1935	1662	1742	1777	1826	1898	1940	1984	2074	2162	2202
1363	1382	1406	1494	1557	1618	1368	1441	1472	1516	1583	1624	1662	1745	1826	1862
1505	1527	1554	1656	1727	1799	1511	1596	1631	1683	1759	1805	1850	1943	2038	2079
1667	1690	1721	1837	1919	1998	1675	1768	1808	1866	1953	2007	2057	2163	2270	2315
1789	1815	1853	1981	2071	2159	1799	1904	1949	2013	2110	2167	2225	2343	2462	2513
2004	2033	2072	2214	2313	2410	2013	2129	2180	2250	2358	2420	2484	2613	2745	2803
2139	2170	2214	2369	2478	2583	2148	2275	2330	2408	2525	2595	2663	2806	2950	3011
2255	2289	2335	2501	2617	2734	2264	2401	2460	2543	2669	2743	2816	2971	3124	3190

If Accent/Mica Hardware Finish is specified for width 36" - 42", add 13
 If Accent/Mica Hardware Finish is specified for depth 43" - 71", add 28

Pricing is continued on the following page.

GXDU

Infinity Desk Edge Screen (Continued)

**DIMENSIONS
INCHES / MM**

H	W
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 102
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1295
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 102
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1295

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)															
WITH WIRE MANAGER (Y)															
PANEL FABRIC						UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1064	1073	1089	1141	1176	1211	1066	1109	1126	1153	1191	1216	1238	1286	1334	1354
1161	1173	1189	1248	1291	1332	1165	1212	1234	1264	1308	1335	1362	1415	1471	1494
1263	1277	1296	1363	1411	1456	1268	1322	1346	1380	1431	1460	1491	1551	1614	1640
1355	1369	1391	1465	1518	1569	1361	1421	1448	1485	1540	1573	1608	1676	1746	1775
1510	1528	1551	1632	1690	1748	1516	1582	1611	1654	1716	1754	1789	1865	1942	1975
1581	1600	1625	1716	1778	1842	1587	1660	1692	1738	1806	1847	1887	1971	2053	2087
1666	1685	1713	1808	1876	1943	1670	1749	1785	1834	1906	1949	1992	2082	2170	2211
1371	1390	1414	1502	1565	1626	1376	1449	1480	1524	1592	1631	1670	1752	1834	1869
1513	1534	1563	1663	1735	1806	1520	1603	1639	1690	1767	1813	1859	1951	2045	2086
1675	1698	1730	1846	1926	2007	1683	1776	1817	1875	1962	2014	2066	2172	2277	2322
1797	1824	1861	1989	2079	2167	1806	1912	1956	2021	2117	2174	2232	2350	2468	2521
2011	2040	2080	2221	2320	2420	2021	2137	2187	2259	2365	2427	2492	2623	2752	2810
2146	2180	2221	2377	2485	2593	2156	2282	2337	2417	2535	2602	2671	2814	2957	3019
2262	2298	2343	2509	2625	2742	2274	2408	2467	2551	2677	2750	2825	2979	3132	3198


MODESTY HEIGHT (M)															
NO WIRE MANAGER (N)															
PANEL FABRIC						UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1356	1375	1400	1486	1549	1610	1362	1434	1464	1509	1576	1616	1655	1735	1817	1850
1499	1520	1547	1650	1718	1789	1505	1587	1624	1675	1750	1797	1840	1934	2028	2068
1667	1690	1721	1837	1917	1995	1675	1768	1807	1865	1952	2002	2053	2159	2268	2310
1789	1815	1850	1979	2068	2158	1797	1901	1948	2011	2108	2163	2220	2339	2456	2508
2002	2033	2071	2213	2311	2407	2013	2127	2175	2248	2354	2417	2480	2609	2741	2796
2144	2176	2219	2373	2481	2589	2156	2281	2335	2413	2530	2597	2667	2808	2951	3013
2262	2297	2341	2508	2623	2738	2272	2407	2465	2549	2673	2747	2820	2973	3126	3191
1775	1796	1825	1927	1999	2071	1783	1865	1901	1953	2033	2078	2124	2219	2314	2356
1956	1980	2013	2131	2214	2297	1963	2060	2101	2161	2249	2303	2358	2465	2574	2623
2143	2170	2210	2343	2436	2528	2153	2261	2308	2376	2478	2538	2597	2720	2844	2897
2305	2335	2377	2526	2631	2735	2314	2436	2489	2565	2676	2743	2810	2949	3087	3146
2770	2803	2848	3014	3129	3242	2779	2914	2972	3054	3180	3253	3327	3478	3631	3697
2942	2980	3030	3210	3336	3461	2955	3101	3163	3256	3391	3472	3553	3719	3886	3956
3103	3145	3198	3391	3526	3660	3117	3275	3342	3441	3586	3673	3758	3937	4117	4192

WITH WIRE MANAGER (Y)															
PANEL FABRIC						UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1364	1383	1408	1494	1557	1618	1369	1442	1472	1516	1583	1624	1662	1743	1825	1859
1507	1528	1554	1658	1726	1797	1513	1595	1631	1683	1759	1805	1848	1942	2037	2075
1675	1698	1730	1846	1924	2004	1683	1776	1815	1873	1960	2010	2062	2167	2275	2318
1797	1824	1859	1986	2075	2166	1805	1908	1955	2020	2115	2172	2228	2347	2464	2515
2010	2040	2079	2220	2319	2416	2021	2134	2184	2256	2362	2424	2487	2617	2748	2804
2153	2185	2227	2380	2489	2597	2163	2289	2343	2421	2538	2604	2674	2816	2958	3021
2271	2304	2349	2515	2630	2746	2279	2416	2474	2555	2682	2755	2828	2981	3133	3199
1783	1804	1833	1935	2008	2079	1790	1873	1908	1962	2040	2085	2131	2227	2321	2363
1964	1987	2021	2139	2221	2304	1971	2068	2109	2169	2257	2310	2365	2474	2582	2630
2152	2180	2217	2350	2445	2537	2160	2270	2317	2384	2485	2545	2604	2728	2852	2905
2313	2343	2386	2536	2639	2743	2321	2445	2496	2572	2684	2750	2818	2956	3094	3153
2777	2810	2856	3022	3135	3250	2787	2922	2980	3062	3188	3262	3335	3486	3639	3705
2950	2987	3038	3218	3344	3470	2963	3109	3171	3264	3399	3479	3560	3727	3893	3965
3111	3152	3206	3399	3533	3668	3124	3282	3351	3448	3593	3680	3765	3944	4124	4202

If Accent/Mica Hardware Finish is specified for width 36" - 42", add 13
 If Accent/Mica Hardware Finish is specified for depth 43" - 71", add 28

G X S U

Infinity Side Desk Edge Screen



The Infinity Side Desk Edge Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy in varying levels.

WHAT'S INCLUDED

1 Infinity fabric side desk edge screen, attachment brackets.

NOTES

Infinity side screen is 1/2" less than specified size. Screen is designed to have no gap between worksurface and Side Screen.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, please refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Depth	Screen Finish	Hardware Finish
S Partial Modesty Height	42 for 42" high datum	17, 18, 23, 24, 29, 30, 31, 35, 36, 42, 48, 60, 72	Panel Fabrics Upholstery Fabrics	Foundation Mica Accent
M Modesty Height (15")	51 for 51" high datum			
	57 for 57" high datum			

SAMPLE ORDER CODE

GXSU S	42	24	B204	74
---------------	-----------	-----------	-------------	-----------

See Pricing on the following page.

G X S U

Infinity Side Desk Edge Screen
(Continued)

DIMENSIONS
INCHES / MM

PRICING

DIMENSIONS		PARTIAL MODESTY HEIGHT (S)															
INCHES / MM		PANEL FABRIC						UPHOLSTERY FABRIC									
H	D	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	17 / 432	640	646	653	682	703	723	643	665	675	689	710	724	735	762	789	799
42 / 1067	18 / 457	640	646	653	682	703	723	643	665	675	689	710	724	735	762	789	799
42 / 1067	23 / 584	712	720	732	767	792	818	715	746	759	776	803	819	835	868	902	915
42 / 1067	24 / 610	712	720	732	767	792	818	715	746	759	776	803	819	835	868	902	915
42 / 1067	29 / 737	788	796	807	854	885	915	790	826	842	864	900	918	940	981	1024	1039
42 / 1067	30 / 762	788	796	807	854	885	915	790	826	842	864	900	918	940	981	1024	1039
42 / 1067	31 / 787	788	796	807	854	885	915	790	826	842	864	900	918	940	981	1024	1039
42 / 1067	35 / 889	857	867	883	935	970	1005	860	902	919	947	985	1009	1031	1080	1128	1147
42 / 1067	36 / 762	857	867	883	935	970	1005	860	902	919	947	985	1009	1031	1080	1128	1147
42 / 1067	42 / 1067	933	943	960	1020	1061	1102	936	984	1005	1035	1080	1107	1132	1187	1241	1266
42 / 1067	48 / 1219	1010	1025	1043	1110	1158	1204	1015	1070	1093	1128	1179	1208	1238	1298	1362	1387
42 / 1067	60 / 1524	1194	1210	1234	1315	1373	1431	1201	1266	1295	1336	1398	1436	1472	1549	1625	1658
42 / 1067	72 / 1829	1290	1308	1336	1434	1503	1571	1295	1376	1411	1459	1532	1576	1619	1712	1801	1840
51 / 1295	17 / 432	770	780	793	842	878	911	773	813	829	855	892	913	936	980	1027	1044
51 / 1295	18 / 457	770	780	793	842	878	911	773	813	829	855	892	913	936	980	1027	1044
51 / 1295	23 / 584	878	889	908	969	1013	1057	882	931	954	985	1032	1059	1087	1145	1203	1227
51 / 1295	24 / 610	878	889	908	969	1013	1057	882	931	954	985	1032	1059	1087	1145	1203	1227
51 / 1295	29 / 737	983	999	1020	1099	1152	1205	986	1051	1079	1117	1176	1210	1245	1315	1387	1419
51 / 1295	30 / 762	983	999	1020	1099	1152	1205	986	1051	1079	1117	1176	1210	1245	1315	1387	1419
51 / 1295	31 / 787	983	999	1020	1099	1152	1205	986	1051	1079	1117	1176	1210	1245	1315	1387	1419
51 / 1295	35 / 889	1088	1107	1131	1219	1282	1343	1093	1166	1197	1241	1308	1349	1387	1470	1551	1587
51 / 1295	36 / 762	1088	1107	1131	1219	1282	1343	1093	1166	1197	1241	1308	1349	1387	1470	1551	1587
51 / 1295	42 / 1067	1188	1209	1238	1339	1411	1481	1195	1278	1314	1365	1442	1488	1534	1626	1720	1761
51 / 1295	48 / 1219	1314	1337	1369	1485	1566	1646	1322	1415	1456	1514	1601	1654	1705	1812	1917	1963
51 / 1295	60 / 1524	1563	1592	1631	1774	1872	1971	1572	1688	1738	1810	1917	1979	2043	2173	2304	2362
51 / 1295	72 / 1829	1732	1767	1814	1982	2100	2217	1743	1880	1940	2024	2152	2226	2303	2457	2613	2680
57 / 1448	17 / 432	799	811	824	873	911	943	803	846	863	886	925	945	970	1014	1061	1082
57 / 1448	18 / 457	799	811	824	873	911	943	803	846	863	886	925	945	970	1014	1061	1082
57 / 1448	23 / 584	925	938	956	1020	1065	1110	930	981	1005	1036	1087	1114	1143	1202	1262	1288
57 / 1448	24 / 610	925	938	956	1020	1065	1110	930	981	1005	1036	1087	1114	1143	1202	1262	1288
57 / 1448	29 / 737	1059	1076	1099	1181	1238	1293	1064	1131	1160	1202	1263	1298	1335	1409	1485	1516
57 / 1448	30 / 762	1059	1076	1099	1181	1238	1293	1064	1131	1160	1202	1263	1298	1335	1409	1485	1516
57 / 1448	31 / 787	1059	1076	1099	1181	1238	1293	1064	1131	1160	1202	1263	1298	1335	1409	1485	1516
57 / 1448	35 / 889	1082	1100	1126	1217	1283	1346	1087	1161	1195	1240	1312	1353	1393	1479	1565	1600
57 / 1448	36 / 762	1082	1100	1126	1217	1283	1346	1087	1161	1195	1240	1312	1353	1393	1479	1565	1600
57 / 1448	42 / 1067	1139	1159	1187	1286	1355	1423	1145	1226	1262	1310	1385	1430	1473	1566	1658	1696
57 / 1448	48 / 1219	1307	1332	1364	1484	1566	1648	1314	1412	1453	1513	1603	1656	1709	1818	1928	1975
57 / 1448	60 / 1524	1549	1579	1618	1764	1865	1966	1558	1676	1727	1800	1909	1975	2040	2173	2307	2366
57 / 1448	72 / 1829	1717	1750	1797	1965	2082	2198	1727	1864	1923	2009	2134	2210	2282	2437	2594	2658

If Accent/Mica Hardware Finish is specified for width 17" - 42", add 13
If Accent/Mica Hardware Finish is specified for width 48" - 72", add 28

Pricing is continued on the following page.

G X S U

Infinity Side Desk Edge Screen
(Continued)

DIMENSIONS
INCHES / MM

H	D
42 / 1067	17 / 432
42 / 1067	18 / 457
42 / 1067	23 / 584
42 / 1067	24 / 610
42 / 1067	29 / 737
42 / 1067	30 / 762
42 / 1067	31 / 787
42 / 1067	35 / 889
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	60 / 1524
42 / 1067	72 / 1829
51 / 1295	17 / 432
51 / 1295	18 / 457
51 / 1295	23 / 584
51 / 1295	24 / 610
51 / 1295	29 / 737
51 / 1295	30 / 762
51 / 1295	31 / 787
51 / 1295	35 / 889
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	60 / 1524
51 / 1295	72 / 1829
57 / 1448	17 / 432
57 / 1448	18 / 457
57 / 1448	23 / 584
57 / 1448	24 / 610
57 / 1448	29 / 737
57 / 1448	30 / 762
57 / 1448	31 / 787
57 / 1448	35 / 889
57 / 1448	36 / 762
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	60 / 1524
57 / 1448	72 / 1829


PRICING

MODESTY HEIGHT (M)															
PANEL FABRIC						UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
768	778	792	841	876	909	771	812	828	854	889	912	933	977	1024	1042
768	778	792	841	876	909	771	812	828	854	889	912	933	977	1024	1042
873	885	905	965	1007	1051	878	927	949	980	1028	1056	1082	1138	1195	1219
873	885	905	965	1007	1051	878	927	949	980	1028	1056	1082	1138	1195	1219
978	994	1015	1092	1146	1202	984	1046	1073	1112	1169	1205	1239	1310	1382	1412
978	994	1015	1092	1146	1202	984	1046	1073	1112	1169	1205	1239	1310	1382	1412
978	994	1015	1092	1146	1202	984	1046	1073	1112	1169	1205	1239	1310	1382	1412
1082	1100	1124	1211	1274	1335	1087	1159	1189	1234	1302	1341	1380	1460	1542	1576
1082	1100	1124	1211	1274	1335	1087	1159	1189	1234	1302	1341	1380	1460	1542	1576
1180	1202	1228	1332	1400	1471	1187	1268	1305	1356	1433	1479	1522	1616	1711	1749
1307	1332	1363	1479	1558	1637	1315	1409	1449	1507	1593	1643	1695	1800	1907	1951
1549	1579	1617	1759	1858	1953	1559	1673	1721	1795	1899	1963	2025	2155	2286	2341
1717	1750	1797	1965	2082	2198	1727	1864	1923	2009	2134	2210	2282	2437	2594	2658
984	995	1012	1068	1108	1146	988	1034	1054	1083	1126	1151	1176	1228	1282	1304
984	995	1012	1068	1108	1146	988	1034	1054	1083	1126	1151	1176	1228	1282	1304
1089	1103	1124	1196	1246	1296	1093	1152	1179	1215	1268	1302	1333	1398	1465	1494
1089	1103	1124	1196	1246	1296	1093	1152	1179	1215	1268	1302	1333	1398	1465	1494
1194	1211	1237	1327	1391	1453	1201	1273	1305	1351	1419	1459	1499	1582	1666	1699
1194	1211	1237	1327	1391	1453	1201	1273	1305	1351	1419	1459	1499	1582	1666	1699
1194	1211	1237	1327	1391	1453	1201	1273	1305	1351	1419	1459	1499	1582	1666	1699
1296	1317	1346	1449	1521	1592	1304	1386	1422	1474	1553	1598	1645	1741	1835	1876
1296	1317	1346	1449	1521	1592	1304	1386	1422	1474	1553	1598	1645	1741	1835	1876
1405	1429	1462	1580	1662	1745	1412	1509	1550	1610	1698	1750	1806	1914	2023	2071
1515	1543	1581	1716	1808	1901	1524	1633	1682	1748	1849	1909	1969	2094	2217	2270
1996	2030	2075	2242	2357	2471	2008	2141	2199	2282	2407	2481	2554	2706	2859	2924
2181	2220	2275	2471	2608	2745	2192	2351	2422	2521	2668	2755	2843	3024	3205	3282
1013	1025	1042	1100	1141	1179	1018	1065	1087	1115	1159	1184	1210	1263	1317	1341
1013	1025	1042	1100	1141	1179	1018	1065	1087	1115	1159	1184	1210	1263	1317	1341
1137	1152	1174	1247	1298	1350	1143	1203	1231	1266	1322	1355	1387	1455	1524	1554
1137	1152	1174	1247	1298	1350	1143	1203	1231	1266	1322	1355	1387	1455	1524	1554
1269	1290	1315	1411	1476	1542	1277	1353	1386	1435	1505	1547	1589	1676	1763	1799
1269	1290	1315	1411	1476	1542	1277	1353	1386	1435	1505	1547	1589	1676	1763	1799
1269	1290	1315	1411	1476	1542	1277	1353	1386	1435	1505	1547	1589	1676	1763	1799
1391	1413	1443	1551	1627	1702	1400	1486	1523	1579	1661	1709	1757	1859	1957	2001
1391	1413	1443	1551	1627	1702	1400	1486	1523	1579	1661	1709	1757	1859	1957	2001
1510	1536	1569	1692	1779	1865	1518	1618	1662	1725	1818	1873	1927	2043	2156	2204
1612	1640	1680	1818	1916	2013	1621	1735	1784	1854	1959	2021	2083	2212	2340	2394
2141	2175	2223	2394	2513	2630	2153	2291	2350	2437	2566	2641	2717	2873	3031	3098
2333	2373	2427	2624	2760	2897	2346	2506	2574	2673	2820	2907	2995	3177	3357	3435

If Accent/Mica Hardware Finish is specified for width 17" - 42", add 13
 If Accent/Mica Hardware Finish is specified for width 48" - 72", add 28

HTNF

Framed Fabric Desk Edge Screen



The Framed Fabric Desk Edge Screen attaches to the worksurface on to provide an upholstered fabric screen that is outlined by frame that creates space division and local desktop privacy in at various heights both above and below the worksurface.

WHAT'S INCLUDED

1 fabric desk edge screen, attachment brackets.

NOTES

Framed screens match the width of the worksurface for tight fit applications. Recommended to have 1/2" wire gap between screen and worksurface.

If Modesty base height option (F) is selected, then Height above worksurface option (22) is not available.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, please refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height Above Worksurface	Width (in 1" increments)	Screen Finish	Metal Frame Finish
M Modesty Height (15")	13 for 42" high datum	36 - 72	Panel Fabric	Foundation
E Elevated Height (6")	22 for 51" high datum		Upholstery Fabric	Mica
F Floor Height (1")	28 for 57" high datum			Accent

SAMPLE ORDER CODE

HTNF M	13	48	L308	74
---------------	-----------	-----------	-------------	-----------

See Pricing on the following page.

HTNF

Fabric Desk Edge Screen (Continued)

**DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4**

PRICING

		MODESTY HEIGHT (M)															
		PANEL FABRIC					UPHOLSTERY FABRIC										
H	W	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42	36-38	948	966	992	1085	1150	1212	954	1029	1061	1108	1179	1218	1261	1344	1431	1467
42	39-41	1024	1042	1070	1169	1238	1307	1029	1109	1145	1194	1268	1313	1357	1449	1540	1580
42	42-44	1095	1117	1146	1254	1327	1398	1103	1189	1226	1279	1358	1406	1453	1550	1648	1690
42	45-47	1117	1139	1172	1284	1362	1440	1124	1216	1255	1312	1395	1445	1495	1600	1705	1748
42	48-50	1137	1160	1194	1313	1394	1479	1144	1240	1283	1342	1433	1485	1538	1647	1759	1805
42	51-53	1204	1228	1263	1390	1478	1565	1210	1313	1357	1421	1515	1571	1626	1743	1859	1908
42	54-56	1269	1296	1334	1465	1558	1648	1278	1385	1433	1499	1598	1658	1717	1837	1960	2013
42	57-59	1286	1314	1354	1492	1588	1685	1295	1409	1457	1528	1632	1692	1756	1884	2011	2067
42	60-62	1303	1332	1371	1516	1618	1719	1310	1430	1481	1553	1662	1727	1793	1926	2062	2119
42	63-65	1355	1385	1427	1580	1685	1790	1364	1488	1540	1618	1732	1800	1868	2009	2148	2210
42	66-68	1406	1438	1482	1640	1750	1862	1415	1544	1600	1682	1800	1871	1942	2087	2234	2298
42	69	1422	1456	1500	1661	1774	1885	1434	1565	1621	1701	1824	1894	1966	2115	2263	2328
42	70-72	1438	1472	1518	1687	1803	1920	1449	1586	1645	1730	1856	1928	2004	2159	2314	2378
51	36-38	1054	1076	1107	1215	1290	1364	1060	1150	1187	1241	1322	1371	1420	1520	1619	1662
51	39-41	1128	1151	1182	1298	1380	1460	1133	1231	1269	1328	1415	1467	1520	1626	1734	1779
51	42-44	1201	1225	1260	1383	1469	1554	1208	1307	1353	1414	1508	1563	1617	1732	1846	1894
51	45-47	1219	1246	1283	1414	1507	1597	1228	1335	1382	1448	1547	1607	1663	1785	1907	1959
51	48-50	1239	1267	1306	1444	1542	1639	1247	1362	1411	1481	1586	1647	1711	1837	1966	2021
51	51-53	1328	1358	1398	1545	1648	1750	1337	1457	1510	1583	1695	1760	1825	1962	2097	2155
51	54-56	1416	1449	1492	1647	1755	1862	1427	1553	1608	1687	1803	1871	1940	2083	2226	2288
51	57-59	1433	1465	1510	1673	1786	1898	1443	1574	1632	1714	1836	1909	1982	2131	2281	2346
51	60-62	1448	1482	1530	1699	1818	1936	1459	1597	1658	1743	1871	1948	2022	2180	2337	2404
51	63-65	1510	1545	1596	1774	1897	2021	1521	1666	1730	1818	1952	2033	2111	2275	2439	2509
51	66-68	1572	1610	1661	1847	1977	2104	1583	1735	1800	1894	2036	2116	2199	2370	2543	2615
51	69	1589	1629	1682	1868	1999	2130	1601	1755	1820	1916	2058	2141	2226	2399	2573	2648
51	70-72	1604	1645	1698	1894	2033	2168	1617	1776	1846	1945	2093	2180	2268	2449	2629	2706
57	36-38	1167	1189	1219	1328	1404	1479	1175	1263	1302	1356	1436	1485	1534	1633	1734	1776
57	39-41	1263	1286	1318	1435	1515	1596	1269	1365	1406	1464	1551	1603	1656	1763	1869	1916
57	42-44	1357	1383	1416	1540	1626	1713	1365	1465	1510	1572	1666	1720	1775	1891	2004	2052
57	45-47	1379	1405	1441	1572	1663	1756	1386	1493	1539	1607	1706	1764	1821	1943	2066	2116
57	48-50	1398	1427	1465	1604	1701	1799	1408	1521	1569	1640	1745	1807	1869	1996	2126	2181
57	51-53	1488	1518	1559	1706	1808	1912	1498	1617	1669	1743	1854	1920	1985	2122	2256	2315
57	54-56	1579	1610	1654	1808	1916	2022	1588	1714	1768	1847	1964	2033	2101	2245	2388	2449
57	57-59	1593	1626	1670	1835	1948	2060	1604	1737	1793	1875	1996	2071	2143	2292	2443	2507
57	60-62	1609	1643	1690	1862	1979	2097	1619	1759	1818	1904	2033	2109	2184	2340	2497	2566
57	63-65	1683	1718	1768	1946	2069	2192	1692	1837	1901	1991	2125	2203	2282	2448	2612	2682
57	66-68	1755	1791	1843	2028	2159	2288	1766	1917	1982	2075	2217	2299	2380	2552	2724	2797
57	69	1771	1810	1863	2050	2182	2313	1784	1936	2002	2097	2241	2322	2407	2581	2755	2830
57	70-72	1786	1826	1880	2075	2214	2349	1799	1959	2027	2126	2274	2362	2449	2630	2810	2887

If Accent/Mica Hardware Finish is specified for 36" - 41", add 13
 If Accent/Mica Hardware Finish is specified for 42" - 72", add 28

Pricing is continued on the following page.

H T N F

**Framed Fabric Desk Edge Screen
(Continued)**

**DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4**

PRICING


		ELEVATED HEIGHT (E)															
		PANEL FABRIC						UPHOLSTERY FABRIC									
H	W	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42	36-38	1058	1080	1110	1218	1293	1368	1064	1153	1190	1246	1327	1376	1423	1523	1624	1667
42	39-41	1131	1155	1187	1304	1384	1464	1138	1234	1274	1333	1420	1471	1523	1631	1738	1784
42	42-44	1204	1228	1263	1386	1472	1559	1211	1312	1356	1419	1511	1567	1621	1737	1849	1898
42	45-47	1225	1250	1286	1419	1510	1601	1233	1339	1385	1452	1551	1610	1668	1789	1912	1963
42	48-50	1244	1270	1310	1449	1545	1643	1253	1365	1414	1485	1589	1651	1714	1842	1971	2024
42	51-53	1333	1363	1404	1550	1654	1756	1342	1462	1514	1588	1698	1764	1829	1965	2101	2160
42	54-56	1422	1455	1498	1654	1760	1866	1433	1559	1612	1691	1808	1876	1946	2089	2231	2292
42	57-59	1438	1471	1515	1680	1791	1904	1449	1581	1638	1719	1842	1916	1987	2138	2288	2350
42	60-62	1452	1486	1534	1705	1821	1940	1463	1601	1661	1747	1875	1951	2025	2184	2341	2407
42	63-65	1514	1550	1600	1777	1901	2024	1524	1669	1734	1821	1957	2037	2115	2278	2445	2514
42	66-68	1576	1614	1666	1850	1980	2110	1588	1739	1805	1898	2039	2122	2203	2375	2546	2619
42	69	1593	1632	1685	1872	2004	2134	1607	1759	1825	1920	2064	2145	2230	2404	2576	2653
42	70-72	1609	1648	1702	1898	2037	2172	1621	1781	1849	1949	2096	2184	2271	2452	2632	2711
51	36-38	1167	1189	1219	1328	1404	1479	1175	1263	1302	1356	1436	1485	1534	1633	1734	1776
51	39-41	1263	1286	1318	1435	1515	1596	1269	1365	1406	1464	1551	1603	1656	1763	1869	1916
51	42-44	1357	1383	1416	1540	1626	1713	1365	1465	1510	1572	1666	1720	1775	1891	2004	2052
51	45-47	1379	1405	1441	1572	1663	1756	1386	1493	1539	1607	1706	1764	1821	1943	2066	2116
51	48-50	1398	1427	1465	1604	1701	1799	1408	1521	1569	1640	1745	1807	1869	1996	2126	2181
51	51-53	1488	1518	1559	1706	1808	1912	1498	1617	1669	1743	1854	1920	1985	2122	2256	2315
51	54-56	1579	1610	1654	1808	1916	2022	1588	1714	1768	1847	1964	2033	2101	2245	2388	2449
51	57-59	1593	1626	1670	1835	1948	2060	1604	1737	1793	1875	1996	2071	2143	2292	2443	2507
51	60-62	1609	1643	1690	1862	1979	2097	1619	1759	1818	1904	2033	2109	2184	2340	2497	2566
51	63-65	1683	1718	1768	1946	2069	2192	1692	1837	1901	1991	2125	2203	2282	2448	2612	2682
51	66-68	1755	1791	1843	2028	2159	2288	1766	1917	1982	2075	2217	2299	2380	2552	2724	2797
51	69	1771	1810	1863	2050	2182	2313	1784	1936	2002	2097	2241	2322	2407	2581	2755	2830
51	70-72	1786	1826	1880	2075	2214	2349	1799	1959	2027	2126	2274	2362	2449	2630	2810	2887
		FLOOR HEIGHT (F)															
		PANEL FABRIC						UPHOLSTERY FABRIC									
H	W	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42	36-38	1155	1177	1208	1315	1391	1465	1161	1250	1288	1343	1423	1472	1521	1621	1720	1764
42	39-41	1253	1276	1307	1423	1505	1586	1260	1355	1394	1453	1540	1592	1645	1750	1859	1904
42	42-44	1347	1372	1408	1531	1617	1702	1356	1456	1500	1563	1656	1712	1766	1880	1994	2043
42	45-47	1368	1394	1431	1563	1655	1746	1377	1484	1530	1596	1696	1755	1813	1934	2054	2107
42	48-50	1390	1416	1456	1595	1691	1789	1397	1511	1560	1631	1735	1797	1861	1987	2116	2170
42	51-53	1479	1509	1549	1696	1799	1901	1488	1608	1660	1734	1844	1909	1975	2111	2247	2305
42	54-56	1568	1600	1643	1799	1906	2013	1579	1705	1759	1837	1953	2022	2093	2234	2377	2438
42	57-59	1583	1617	1661	1825	1937	2050	1595	1726	1784	1865	1987	2062	2133	2282	2433	2496
42	60-62	1598	1633	1682	1850	1969	2087	1610	1748	1808	1894	2022	2098	2173	2330	2489	2554
42	63-65	1672	1709	1759	1936	2060	2184	1684	1828	1892	1980	2115	2194	2274	2437	2602	2671
42	66-68	1745	1783	1834	2020	2148	2277	1756	1907	1972	2067	2205	2289	2372	2543	2716	2786
42	69	1761	1800	1853	2040	2172	2303	1774	1926	1993	2087	2230	2314	2398	2572	2746	2820
42	70-72	1776	1817	1871	2067	2203	2340	1789	1949	2018	2116	2263	2350	2438	2620	2801	2878

If Accent/Mica Hardware Finish is specified for 36" - 41", add 13

If Accent/Mica Hardware Finish is specified for 42" - 72", add 28

GYSU

Framed Fabric Side Desk Edge Screen



The Framed Fabric Side Desk Edge Screen attaches to the worksurface on to provide an upholstered fabric screen that is outlined by frame that creates space division and local desktop privacy in at various heights both above and below the worksurface.

WHAT'S INCLUDED

1 framed fabric desk edge screen, attachment brackets, corner connection hardware (if specified).

NOTES

Framed screens match the width of the worksurface for tight fit applications.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, please refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Depth	Corner Connection	Screen Finish	Hardware Finish
S Partial Modesty Height	42 for 42" high datum	17, 18, 23, 24, 29, 30, 31, 35, 36, 42, 48	N No R Right L Left	Panel Fabrics Upholstery Fabrics	Foundation Mica Accent
M Modesty Height (15")	51 for 51" high datum				

SAMPLE ORDER CODE

GYSU S	42	24	R	B204	74
---------------	-----------	-----------	----------	-------------	-----------

**DIMENSIONS
INCHES / MM**

H	D
42 / 1067	17 / 432
42 / 1067	18 / 457
42 / 1067	23 / 584
42 / 1067	24 / 610
42 / 1067	29 / 737
42 / 1067	30 / 762
42 / 1067	31 / 787
42 / 1067	35 / 889
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	17 / 432
51 / 1295	18 / 457
51 / 1295	23 / 584
51 / 1295	24 / 610
51 / 1295	29 / 737
51 / 1295	30 / 762
51 / 1295	31 / 787
51 / 1295	35 / 889
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219

PRICING

PARTIAL MODESTY HEIGHT (S)																
NO CORNER CONNECTION (N)																
PANEL FABRIC							UPHOLSTERY FABRIC									
COM/							COM/									
Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
596	602	611	638	655	675		600	622	630	645	665	677	688	712	738	749
596	602	611	640	659	679		600	622	631	647	668	680	691	718	746	757
655	664	674	708	733	757		659	686	701	717	742	760	775	806	838	853
655	664	675	710	735	761		659	688	702	718	747	762	778	812	846	858
715	725	737	780	809	838		718	754	768	790	822	841	860	900	938	955
715	725	737	782	812	842		718	756	770	792	826	846	864	906	944	962
715	725	737	783	814	846		718	756	771	793	828	849	868	911	952	969
767	777	791	842	878	912		770	812	829	855	892	914	937	984	1030	1051
767	777	792	843	880	914		770	812	829	856	894	918	941	989	1036	1058
858	870	886	947	988	1029		861	911	931	962	1006	1032	1059	1114	1168	1191
883	897	915	983	1030	1076		887	942	966	1000	1051	1080	1110	1172	1234	1261
674	682	698	741	776	807		677	713	732	756	790	811	831	876	916	936
674	682	698	746	780	813		676	715	733	759	796	817	838	883	929	948
792	805	822	882	923	965		797	846	867	897	942	969	995	1051	1107	1130
792	805	824	884	929	972		797	848	868	901	948	974	1002	1060	1117	1143
897	912	933	1006	1057	1108		902	962	986	1025	1080	1112	1145	1211	1279	1308
897	912	933	1009	1060	1114		902	964	989	1028	1085	1118	1152	1220	1291	1320
897	912	935	1012	1065	1118		901	965	992	1031	1089	1124	1159	1231	1303	1333
948	966	991	1078	1137	1196		955	1025	1056	1100	1165	1203	1240	1321	1400	1435
948	966	991	1080	1141	1204		954	1027	1058	1102	1168	1209	1247	1329	1412	1445
1095	1117	1146	1247	1318	1390		1103	1187	1221	1274	1351	1395	1442	1536	1630	1669
1137	1160	1191	1307	1387	1469		1145	1238	1278	1336	1423	1474	1528	1633	1739	1785

If Accent/Mica Hardware Finish is specified for depth 17" - 42", add 13
If Accent/Mica Hardware Finish is specified for depth 48", add 28

Pricing is continued on the following page.

GYSU

Framed Fabric Side Desk Edge Screen (Continued)

DIMENSIONS INCHES / MM

PRICING

		PARTIAL MODESTY HEIGHT (S) (CONTINUED)															
		LEFT/RIGHT CORNER CONNECTION (L/R)					UPHOLSTERY FABRIC										
H	D	PANEL FABRIC					UPHOLSTERY FABRIC										
		COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	17 / 432	609	614	622	648	668	684	611	632	641	654	676	688	701	725	749	761
42 / 1067	18 / 457	609	614	622	651	672	689	611	632	643	658	679	690	704	731	757	767
42 / 1067	23 / 584	668	675	683	718	742	767	672	699	710	730	756	770	786	818	850	863
42 / 1067	24 / 610	668	675	684	723	747	771	672	701	711	731	759	773	790	824	856	870
42 / 1067	29 / 737	728	735	748	791	821	850	731	764	780	800	832	853	872	911	949	966
42 / 1067	30 / 762	728	735	748	792	824	854	731	766	782	803	836	856	877	915	956	973
42 / 1067	31 / 787	728	735	748	793	826	856	731	766	783	805	839	858	880	922	964	980
42 / 1067	35 / 889	778	789	802	854	887	923	782	824	841	865	905	926	948	995	1041	1061
42 / 1067	36 / 914	778	789	803	855	890	926	782	824	841	867	907	930	952	1001	1049	1068
42 / 1067	42 / 1067	870	882	899	958	1000	1039	873	922	942	973	1017	1043	1070	1124	1180	1204
42 / 1067	48 / 1219	893	908	927	994	1041	1087	900	954	977	1010	1061	1090	1121	1182	1245	1270
51 / 1295	17 / 432	688	699	711	759	791	824	691	731	747	770	805	826	848	889	933	951
51 / 1295	18 / 457	688	699	711	761	796	828	690	732	748	773	811	831	854	899	943	964
51 / 1295	23 / 584	807	821	836	897	938	980	812	860	883	912	958	984	1010	1065	1121	1145
51 / 1295	24 / 610	807	821	838	900	943	986	812	861	884	915	964	989	1017	1076	1132	1158
51 / 1295	29 / 737	912	927	948	1021	1071	1122	916	977	1002	1039	1094	1128	1160	1227	1295	1324
51 / 1295	30 / 762	912	927	948	1025	1076	1129	916	978	1005	1042	1100	1133	1167	1237	1306	1335
51 / 1295	31 / 787	912	927	949	1028	1082	1133	915	980	1007	1046	1105	1139	1175	1245	1317	1347
51 / 1295	35 / 889	964	981	1006	1092	1152	1211	970	1039	1070	1115	1180	1217	1256	1336	1415	1450
51 / 1295	36 / 914	964	981	1006	1094	1157	1218	969	1041	1073	1117	1184	1225	1263	1344	1427	1462
51 / 1295	42 / 1067	1112	1132	1161	1263	1334	1405	1118	1203	1238	1290	1365	1412	1457	1550	1645	1685
51 / 1295	48 / 1219	1152	1176	1208	1322	1404	1484	1160	1254	1293	1353	1440	1491	1542	1648	1755	1800
		MODESTY HEIGHT (M)															
		NO CORNER CONNECTION (N)					UPHOLSTERY FABRIC										
H	D	PANEL FABRIC					UPHOLSTERY FABRIC										
		COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	17 / 432	675	682	698	741	775	806	677	713	732	754	790	809	829	873	915	935
42 / 1067	18 / 457	674	682	698	746	778	813	676	715	733	759	793	817	836	882	927	947
42 / 1067	23 / 584	793	805	822	882	923	965	797	846	865	897	941	967	994	1050	1105	1128
42 / 1067	24 / 610	792	805	824	884	927	970	797	848	868	900	947	974	1001	1058	1115	1139
42 / 1067	29 / 737	899	912	933	1005	1057	1107	902	962	986	1024	1079	1110	1144	1210	1277	1306
42 / 1067	30 / 762	897	912	933	1007	1060	1112	902	964	989	1028	1085	1117	1151	1218	1288	1318
42 / 1067	31 / 787	897	912	935	1010	1064	1118	902	965	991	1030	1088	1122	1158	1228	1298	1329
42 / 1067	35 / 889	949	966	989	1076	1136	1195	955	1025	1056	1099	1162	1202	1239	1318	1397	1433
42 / 1067	36 / 914	948	966	991	1079	1141	1203	954	1027	1057	1101	1167	1208	1246	1327	1409	1443
42 / 1067	42 / 1067	1095	1117	1145	1247	1317	1387	1103	1186	1220	1273	1349	1394	1440	1532	1626	1667
42 / 1067	48 / 1219	1137	1160	1191	1307	1386	1465	1145	1238	1278	1335	1422	1472	1523	1630	1737	1781
51 / 1295	17 / 432	821	831	848	901	938	976	825	868	886	914	955	980	1003	1054	1103	1126
51 / 1295	18 / 457	821	831	849	906	943	983	825	870	889	918	962	986	1012	1064	1117	1139
51 / 1295	23 / 584	882	894	914	984	1032	1082	885	942	967	1002	1056	1086	1117	1181	1245	1273
51 / 1295	24 / 610	882	894	915	988	1038	1088	885	943	970	1006	1060	1092	1124	1190	1257	1286
51 / 1295	29 / 737	942	959	983	1068	1128	1187	948	1017	1046	1089	1153	1191	1231	1307	1386	1420
51 / 1295	30 / 762	941	959	984	1071	1132	1194	947	1018	1050	1093	1160	1201	1238	1318	1398	1434
51 / 1295	31 / 787	941	959	984	1074	1138	1202	947	1020	1053	1099	1166	1206	1246	1329	1413	1448
51 / 1295	35 / 889	1056	1076	1103	1205	1274	1344	1061	1144	1180	1231	1306	1351	1394	1488	1581	1621
51 / 1295	36 / 914	1056	1076	1105	1208	1279	1351	1061	1145	1181	1234	1312	1357	1404	1499	1593	1636
51 / 1295	42 / 1067	1202	1225	1257	1376	1459	1540	1208	1305	1346	1406	1494	1547	1601	1711	1819	1866
51 / 1295	48 / 1219	1239	1267	1305	1440	1532	1625	1249	1357	1405	1472	1573	1633	1692	1817	1940	1993

If Accent/Mica Hardware Finish is specified for depth 17" - 42", add 13
 If Accent/Mica Hardware Finish is specified for depth 48", add 28

Pricing is continued on the following page.

GYSU

**Framed Fabric Side Desk Edge
Screen (Continued)**

**DIMENSIONS
INCHES / MM**

H	D
42 / 1067	17 / 432
42 / 1067	18 / 457
42 / 1067	23 / 584
42 / 1067	24 / 610
42 / 1067	29 / 737
42 / 1067	30 / 762
42 / 1067	31 / 787
42 / 1067	35 / 889
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	17 / 432
51 / 1295	18 / 457
51 / 1295	23 / 584
51 / 1295	24 / 610
51 / 1295	29 / 737
51 / 1295	30 / 762
51 / 1295	31 / 787
51 / 1295	35 / 889
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219


PRICING

MODESTY HEIGHT (M) (CONTINUED)															
LEFT/RIGHT CORNER CONNECTION (L/R)															
PANEL FABRIC						UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
689	699	711	759	790	822	691	731	747	768	805	825	846	887	931	949
688	699	711	761	793	828	690	732	748	773	809	831	853	897	942	962
809	821	836	897	938	980	812	860	882	912	956	983	1009	1064	1119	1143
807	821	838	900	942	985	812	861	884	914	962	989	1015	1073	1130	1155
913	927	948	1020	1071	1121	916	977	1002	1038	1093	1126	1159	1226	1292	1321
912	927	948	1024	1076	1128	916	978	1005	1042	1100	1132	1166	1234	1304	1334
912	927	949	1027	1080	1133	916	980	1006	1044	1103	1138	1173	1244	1314	1344
965	981	1005	1090	1151	1210	970	1039	1070	1114	1179	1216	1255	1334	1413	1448
964	981	1006	1093	1157	1217	969	1041	1071	1116	1182	1221	1262	1342	1423	1459
1112	1132	1160	1263	1333	1404	1118	1202	1237	1288	1364	1411	1455	1547	1641	1683
1152	1176	1208	1322	1402	1481	1160	1254	1293	1351	1438	1488	1539	1645	1750	1796
836	849	863	916	955	992	841	885	905	931	972	996	1020	1070	1119	1143
836	849	864	922	960	1000	841	886	907	936	978	1003	1029	1082	1133	1157
899	912	931	1001	1050	1099	902	959	984	1018	1071	1102	1133	1197	1262	1290
899	912	933	1005	1056	1105	902	960	986	1024	1078	1109	1141	1208	1274	1304
959	976	1000	1086	1144	1204	965	1034	1063	1107	1169	1209	1246	1324	1404	1436
958	976	1001	1088	1150	1210	964	1035	1065	1110	1177	1216	1255	1335	1415	1450
958	976	1001	1090	1155	1217	964	1036	1068	1115	1182	1221	1263	1346	1430	1464
1071	1092	1119	1220	1291	1362	1079	1160	1196	1246	1322	1366	1412	1505	1597	1638
1071	1092	1121	1225	1296	1366	1079	1161	1197	1250	1328	1373	1420	1515	1610	1651
1217	1240	1274	1392	1474	1558	1225	1321	1363	1422	1511	1565	1618	1726	1836	1884
1256	1284	1321	1456	1549	1641	1266	1373	1421	1489	1590	1650	1711	1834	1957	2010

If Accent/Mica Hardware Finish is specified for depth 17" - 42", add 16
 If Accent/Mica Hardware Finish is specified for depth 48", add 28

G X F U

Infinity Desk Edge Floor Screen



The Infinity Floor Desk Edge Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy down to the floor level.

WHAT'S INCLUDED

1 Infinity Floor fabric desk edge screen, attachment brackets, wire manager (if specified).

NOTES

Infinity Floor screen is 1/2" less than specified size. The worksurface wire gap is 1/2", to allow for mounting of select desk edge accessories.

Wire manager is designed to be accompanied by the Power Bar (YEPD) or Compact Power Bar (YEPS).

The screen is available in select Panel and Upholstery fabrics, please refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Width (in 1" increments)	Screen Finish	Hardware Finish
F Floor Height (1")	42 for 42" high datum 51 for 51" high datum	36 - 70	Panel Fabrics Upholstery Fabrics	Foundation Mica Accent

SAMPLE ORDER CODE

GXFU F	42	60	B204	74
---------------	-----------	-----------	-------------	-----------

DIMENSIONS INCHES / MM

H	W
42 / 1067	36 / 914
42 / 1067	37 / 940
42 / 1067	38 / 965
42 / 1067	39 / 991
42 / 1067	40 / 1016
42 / 1067	41 / 1041
42 / 1067	42 / 1067
42 / 1067	43 / 1092
42 / 1067	44 / 1118
42 / 1067	45 / 1143
42 / 1067	46 / 1168
42 / 1067	47 / 1194
42 / 1067	48 / 1219
42 / 1067	49 / 1245
42 / 1067	50 / 1270
42 / 1067	51 / 1295
42 / 1067	52 / 1321
42 / 1067	53 / 1346
42 / 1067	54 / 1372
42 / 1067	55 / 1397
42 / 1067	56 / 1422

PRICING

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1492	1514	1544	1654	1727	1803
1492	1514	1544	1654	1727	1803
1492	1514	1544	1654	1727	1803
1550	1573	1607	1721	1803	1884
1550	1573	1607	1721	1803	1884
1550	1573	1607	1721	1803	1884
1609	1633	1668	1791	1877	1964
1609	1633	1668	1791	1877	1964
1609	1633	1668	1791	1877	1964
1666	1691	1727	1861	1951	2043
1666	1691	1727	1861	1951	2043
1666	1691	1727	1861	1951	2043
1721	1749	1789	1927	2024	2123
1721	1749	1789	1927	2024	2123
1721	1749	1789	1927	2024	2123
1771	1801	1842	1989	2093	2194
1771	1801	1842	1989	2093	2194
1771	1801	1842	1989	2093	2194
1820	1853	1895	2051	2159	2264
1820	1853	1895	2051	2159	2264
1820	1853	1895	2051	2159	2264

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1499	1588	1625	1682	1761	1810	1859	1959	2058	2101
1499	1588	1625	1682	1761	1810	1859	1959	2058	2101
1499	1588	1625	1682	1761	1810	1859	1959	2058	2101
1558	1654	1692	1750	1839	1891	1943	2050	2156	2202
1558	1654	1692	1750	1839	1891	1943	2050	2156	2202
1558	1654	1692	1750	1839	1891	1943	2050	2156	2202
1617	1717	1761	1824	1917	1972	2025	2141	2255	2304
1617	1717	1761	1824	1917	1972	2025	2141	2255	2304
1617	1717	1761	1824	1917	1972	2025	2141	2255	2304
1673	1781	1826	1893	1993	2051	2110	2230	2351	2404
1673	1781	1826	1893	1993	2051	2110	2230	2351	2404
1673	1781	1826	1893	1993	2051	2110	2230	2351	2404
1731	1844	1893	1964	2068	2130	2192	2320	2450	2504
1731	1844	1893	1964	2068	2130	2192	2320	2450	2504
1731	1844	1893	1964	2068	2130	2192	2320	2450	2504
1781	1899	1952	2025	2138	2202	2269	2404	2540	2598
1781	1899	1952	2025	2138	2202	2269	2404	2540	2598
1781	1899	1952	2025	2138	2202	2269	2404	2540	2598
1832	1957	2011	2091	2205	2275	2344	2487	2630	2691
1832	1957	2011	2091	2205	2275	2344	2487	2630	2691
1832	1957	2011	2091	2205	2275	2344	2487	2630	2691

If Accent/Mica Hardware Finish is specified for depth 36" - 42", add 13

If Accent/Mica Hardware Finish is specified for depth 43" - 70", add 28

Pricing is continued on the following page.

G X F U

Infinity Desk Edge Floor Screen
(Continued)

DIMENSIONS
INCHES / MM

H	W
42 / 1067	57 / 1448
42 / 1067	58 / 1473
42 / 1067	59 / 1499
42 / 1067	60 / 1524
42 / 1067	61 / 1549
42 / 1067	62 / 1575
42 / 1067	63 / 1600
42 / 1067	64 / 1626
42 / 1067	65 / 1651
42 / 1067	66 / 1676
42 / 1067	67 / 1702
42 / 1067	68 / 1727
42 / 1067	69 / 1753
42 / 1067	70 / 1778
51 / 1295	36 / 914
51 / 1295	37 / 940
51 / 1295	38 / 965
51 / 1295	39 / 991
51 / 1295	40 / 1016
51 / 1295	41 / 1041
51 / 1295	42 / 1067
51 / 1295	43 / 1092
51 / 1295	44 / 1118
51 / 1295	45 / 1143
51 / 1295	46 / 1168
51 / 1295	47 / 1194
51 / 1295	48 / 1219
51 / 1295	49 / 1245
51 / 1295	50 / 1270
51 / 1295	51 / 1295
51 / 1295	52 / 1321
51 / 1295	53 / 1346
51 / 1295	54 / 1372
51 / 1295	55 / 1397
51 / 1295	56 / 1422
51 / 1295	57 / 1448
51 / 1295	58 / 1473
51 / 1295	59 / 1499
51 / 1295	60 / 1524
51 / 1295	61 / 1549
51 / 1295	62 / 1575
51 / 1295	63 / 1600
51 / 1295	64 / 1626
51 / 1295	65 / 1651
51 / 1295	66 / 1676
51 / 1295	67 / 1702
51 / 1295	68 / 1727
51 / 1295	69 / 1753
51 / 1295	70 / 1778

PRICING

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
2049	2082	2126	2290	2402	2515
2049	2082	2126	2290	2402	2515
2049	2082	2126	2290	2402	2515
2275	2310	2357	2526	2645	2764
2275	2310	2357	2526	2645	2764
2275	2310	2357	2526	2645	2764
2330	2366	2417	2595	2718	2841
2330	2366	2417	2595	2718	2841
2330	2366	2417	2595	2718	2841
2384	2422	2474	2659	2787	2919
2384	2422	2474	2659	2787	2919
2384	2422	2474	2659	2787	2919
2384	2422	2474	2659	2787	2919
2427	2466	2520	2706	2837	2970
2472	2510	2565	2755	2886	3021
1571	1593	1624	1732	1807	1883
1571	1593	1624	1732	1807	1883
1571	1593	1624	1732	1807	1883
1646	1669	1701	1818	1898	1979
1646	1669	1701	1818	1898	1979
1646	1669	1701	1818	1898	1979
1720	1746	1781	1904	1991	2075
1720	1746	1781	1904	1991	2075
1720	1746	1781	1904	1991	2075
1775	1801	1837	1969	2062	2153
1775	1801	1837	1969	2062	2153
1775	1801	1837	1969	2062	2153
1828	1856	1894	2035	2130	2227
1828	1856	1894	2035	2130	2227
1828	1856	1894	2035	2130	2227
1891	1921	1962	2109	2212	2314
1891	1921	1962	2109	2212	2314
1891	1921	1962	2109	2212	2314
1953	1986	2028	2185	2291	2398
1953	1986	2028	2185	2291	2398
1953	1986	2028	2185	2291	2398
2192	2226	2271	2434	2546	2659
2192	2226	2271	2434	2546	2659
2192	2226	2271	2434	2546	2659
2431	2466	2514	2684	2803	2921
2431	2466	2514	2684	2803	2921
2431	2466	2514	2684	2803	2921
2484	2521	2571	2748	2871	2995
2484	2521	2571	2748	2871	2995
2484	2521	2571	2748	2871	2995
2538	2574	2626	2811	2942	3071
2538	2574	2626	2811	2942	3071
2538	2574	2626	2811	2942	3071
2588	2626	2678	2866	2999	3129
2639	2677	2729	2922	3053	3187


UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
2060	2191	2248	2330	2452	2525	2598	2748	2898	2961
2060	2191	2248	2330	2452	2525	2598	2748	2898	2961
2060	2191	2248	2330	2452	2525	2598	2748	2898	2961
2286	2424	2484	2571	2698	2775	2849	3006	3163	3232
2286	2424	2484	2571	2698	2775	2849	3006	3163	3232
2286	2424	2484	2571	2698	2775	2849	3006	3163	3232
2341	2486	2550	2639	2774	2852	2931	3096	3261	3329
2341	2486	2550	2639	2774	2852	2931	3096	3261	3329
2341	2486	2550	2639	2774	2852	2931	3096	3261	3329
2395	2546	2612	2706	2847	2928	3011	3182	3355	3427
2395	2546	2612	2706	2847	2928	3011	3182	3355	3427
2395	2546	2612	2706	2847	2928	3011	3182	3355	3427
2439	2594	2659	2753	2897	2980	3064	3238	3412	3486
2484	2640	2706	2803	2946	3031	3116	3292	3468	3544
1579	1667	1705	1760	1840	1890	1937	2038	2138	2181
1579	1667	1705	1760	1840	1890	1937	2038	2138	2181
1579	1667	1705	1760	1840	1890	1937	2038	2138	2181
1654	1748	1789	1847	1935	1986	2039	2145	2252	2299
1654	1748	1789	1847	1935	1986	2039	2145	2252	2299
1654	1748	1789	1847	1935	1986	2039	2145	2252	2299
1730	1829	1873	1936	2028	2085	2139	2254	2368	2417
1730	1829	1873	1936	2028	2085	2139	2254	2368	2417
1730	1829	1873	1936	2028	2085	2139	2254	2368	2417
1784	1891	1936	2002	2102	2161	2219	2340	2463	2514
1784	1891	1936	2002	2102	2161	2219	2340	2463	2514
1784	1891	1936	2002	2102	2161	2219	2340	2463	2514
1836	1950	1998	2069	2173	2238	2299	2426	2554	2609
1836	1950	1998	2069	2173	2238	2299	2426	2554	2609
1836	1950	1998	2069	2173	2238	2299	2426	2554	2609
1899	2020	2072	2145	2256	2321	2388	2523	2659	2718
1899	2020	2072	2145	2256	2321	2388	2523	2659	2718
1899	2020	2072	2145	2256	2321	2388	2523	2659	2718
1964	2091	2144	2223	2340	2407	2478	2620	2764	2825
1964	2091	2144	2223	2340	2407	2478	2620	2764	2825
1964	2091	2144	2223	2340	2407	2478	2620	2764	2825
2203	2336	2393	2475	2597	2670	2743	2893	3043	3105
2203	2336	2393	2475	2597	2670	2743	2893	3043	3105
2203	2336	2393	2475	2597	2670	2743	2893	3043	3105
2443	2581	2641	2727	2855	2931	3006	3162	3322	3387
2443	2581	2641	2727	2855	2931	3006	3162	3322	3387
2443	2581	2641	2727	2855	2931	3006	3162	3322	3387
2495	2640	2703	2793	2927	3006	3086	3249	3414	3483
2495	2640	2703	2793	2927	3006	3086	3249	3414	3483
2495	2640	2703	2793	2927	3006	3086	3249	3414	3483
2549	2699	2765	2859	3000	3081	3163	3335	3507	3580
2549	2699	2765	2859	3000	3081	3163	3335	3507	3580
2549	2699	2765	2859	3000	3081	3163	3335	3507	3580
2600	2752	2819	2913	3057	3139	3224	3398	3572	3646
2652	2806	2873	2970	3112	3198	3282	3458	3634	3711

If Accent/Mica Hardware Finish is specified for depth 36" - 42", add 13
If Accent/Mica Hardware Finish is specified for depth 43" - 70", add 28

G X E U

Infinity Side Desk Edge Floor Screen



The Infinity Floor Side Desk Edge Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy down to the floor level.

WHAT'S INCLUDED

1 Infinity fabric side desk edge floor screen, attachment brackets.

NOTES

Infinity side floor screen is 1/2" less than specified size. Screen is designed to have no gap between worksurface and Side Screen.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, please refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Depth	Screen Finish	Hardware Finish
F Floor Height (1")	42 for 42" high datum 51 for 51" high datum	23, 24, 29, 30, 35, 36, 42, 48, 60, 72	Panel Fabrics Upholstery Fabrics	Foundation Mica Accent

SAMPLE ORDER CODE

GXEU F	42	24	B204	74
---------------	-----------	-----------	-------------	-----------

DIMENSIONS INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	24 / 610
42 / 1067	29 / 737
42 / 1067	30 / 762
42 / 1067	35 / 889
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	60 / 1524
42 / 1067	72 / 1829
51 / 1295	23 / 584
51 / 1295	24 / 610
51 / 1295	29 / 737
51 / 1295	30 / 762
51 / 1295	35 / 889
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	60 / 1524
51 / 1295	72 / 1829

PRICING

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1277	1291	1312	1384	1434	1484
1277	1291	1312	1384	1434	1484
1386	1405	1430	1516	1579	1639
1386	1405	1430	1516	1579	1639
1493	1514	1543	1646	1718	1789
1493	1514	1543	1646	1718	1789
1610	1633	1667	1785	1868	1950
1721	1749	1788	1922	2015	2109
2276	2310	2356	2521	2634	2749
2471	2510	2566	2760	2898	3033
1332	1344	1365	1438	1488	1538
1332	1344	1365	1438	1488	1538
1456	1473	1499	1587	1647	1709
1456	1473	1499	1587	1647	1709
1572	1593	1622	1725	1797	1868
1572	1593	1622	1725	1797	1868
1721	1746	1779	1897	1980	2064
1828	1856	1893	2027	2122	2214
2433	2466	2513	2677	2793	2906
2638	2677	2731	2927	3064	3200

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1282	1339	1365	1402	1456	1488	1520	1587	1654	1683
1282	1339	1365	1402	1456	1488	1520	1587	1654	1683
1392	1464	1494	1539	1607	1645	1684	1764	1844	1878
1392	1464	1494	1539	1607	1645	1684	1764	1844	1878
1500	1583	1619	1672	1749	1796	1842	1937	2033	2073
1500	1583	1619	1672	1749	1796	1842	1937	2033	2073
1617	1714	1756	1815	1904	1957	2011	2119	2228	2276
1732	1840	1888	1955	2057	2116	2175	2300	2423	2477
2286	2421	2479	2564	2687	2760	2834	2985	3138	3204
2482	2642	2712	2810	2957	3045	3132	3314	3495	3573
1335	1393	1420	1456	1510	1542	1573	1640	1708	1737
1335	1393	1420	1456	1510	1542	1573	1640	1708	1737
1462	1534	1565	1609	1675	1714	1752	1834	1914	1949
1462	1534	1565	1609	1675	1714	1752	1834	1914	1949
1580	1662	1698	1750	1829	1875	1921	2016	2111	2153
1580	1662	1698	1750	1829	1875	1921	2016	2111	2153
1730	1826	1868	1927	2016	2069	2124	2231	2341	2390
1837	1946	1993	2062	2162	2221	2281	2405	2528	2581
2443	2576	2634	2719	2844	2919	2992	3144	3296	3359
2649	2808	2878	2978	3124	3211	3299	3481	3661	3739

If Accent/Mica Hardware Finish is specified for width 23" - 42", add 13

If Accent/Mica Hardware Finish is specified for width 48" - 72", add 28

The Infinity Screen Alignment clip can be placed to align two Infinity screens together.

G X C C

WHAT'S INCLUDED

1 alignment clip.

Infinity Screen Alignment Clip



PRODUCT OPTIONS

Finish

Foundation

Mica

Accent

SAMPLE ORDER CODE


GXCC 74

PRICING

Foundation	Accent/Mica
41	48

GYFU

Framed Fabric Desk Edge Floor Screen



The Framed Floor Fabric Desk Edge Screen attaches to the worksurface on to provide an upholstered fabric screen that is outlined by frame that creates space division and local desktop privacy in at various heights both above and below the worksurface to the floor level.

WHAT'S INCLUDED

1 fabric desk edge screen, attachment brackets.

NOTES

Framed Floor screens match the width of the worksurface for tight fit applications. Recommended to have 1/2" wire gap between screen and worksurface.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, please refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Width (in 1" increments)	Screen Finish	Hardware Finish
F Floor Height (1")	42 for 42" high datum 51 for 51" high datum	36 - 70	Panel Fabrics Upholstery Fabrics	Foundation Mica Accent

SAMPLE ORDER CODE

GYFU F	42	60	B204	74
---------------	-----------	-----------	-------------	-----------

**DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4**

H	W
42	36-38
42	39-41
42	42-44
42	45-47
42	48-50
42	51-53
42	54-56
42	57-59
42	60-62
42	63-65
42	66-68
42	69
42	70

PRICING

PANEL FABRIC

COM/	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1155	1177	1208	1315	1391	1465
1253	1276	1307	1423	1505	1586
1347	1372	1408	1531	1617	1702
1368	1394	1431	1563	1655	1746
1390	1416	1456	1595	1691	1789
1479	1509	1549	1696	1799	1901
1568	1600	1643	1799	1906	2013
1583	1617	1661	1825	1937	2050
1598	1633	1682	1850	1969	2087
1672	1709	1759	1936	2060	2184
1745	1783	1834	2020	2148	2277
1761	1800	1853	2040	2172	2303
1776	1817	1871	2067	2203	2340

UPHOLSTERY FABRIC

COM/	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1161	1250	1288	1343	1423	1472	1521	1621	1720	1764	
1260	1355	1394	1453	1540	1592	1645	1750	1859	1904	
1356	1456	1500	1563	1656	1712	1766	1880	1994	2043	
1377	1484	1530	1596	1696	1755	1813	1934	2054	2107	
1397	1511	1560	1631	1735	1797	1861	1987	2116	2170	
1488	1608	1660	1734	1844	1909	1975	2111	2247	2305	
1579	1705	1759	1837	1953	2022	2093	2234	2377	2438	
1595	1726	1784	1865	1987	2062	2133	2282	2433	2496	
1610	1748	1808	1894	2022	2098	2173	2330	2489	2554	
1684	1828	1892	1980	2115	2194	2274	2437	2602	2671	
1756	1907	1972	2067	2205	2289	2372	2543	2716	2786	
1774	1926	1993	2087	2230	2314	2398	2572	2746	2820	
1789	1949	2018	2116	2263	2350	2438	2620	2801	2878	

Pricing is continued on the following page.

If Accent/Mica Hardware Finish is specified for 36" - 41", add 13

If Accent/Mica Hardware Finish is specified for 42" - 70", add 28

GYFU

Framed Fabric Desk Edge Floor Screen (Continued)

**DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4**

PRICING


H	W	PANEL FABRIC						UPHOLSTERY FABRIC									
		COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
51	36-38	1187	1209	1239	1347	1422	1498	1194	1283	1320	1376	1456	1505	1553	1654	1752	1796
51	39-41	1283	1306	1337	1455	1536	1616	1290	1385	1424	1484	1571	1622	1675	1783	1890	1935
51	42-44	1377	1402	1436	1560	1646	1732	1385	1485	1530	1592	1685	1741	1795	1909	2023	2072
51	45-47	1397	1423	1460	1592	1684	1775	1406	1513	1559	1625	1725	1784	1842	1963	2085	2137
51	48-50	1419	1445	1485	1624	1720	1818	1427	1540	1589	1660	1764	1826	1890	2016	2145	2199
51	51-53	1508	1538	1579	1725	1828	1931	1516	1637	1689	1763	1873	1938	2004	2140	2276	2335
51	54-56	1597	1630	1672	1828	1935	2042	1608	1734	1788	1866	1984	2051	2122	2263	2406	2467
51	57-59	1612	1646	1690	1854	1966	2079	1624	1756	1813	1894	2016	2091	2162	2313	2463	2525
51	60-62	1629	1662	1711	1880	1998	2116	1639	1777	1837	1923	2051	2127	2202	2361	2517	2583
51	63-65	1701	1738	1788	1965	2089	2213	1713	1858	1921	2010	2144	2223	2303	2466	2631	2700
51	66-68	1774	1812	1863	2049	2176	2306	1785	1936	2001	2096	2238	2318	2401	2572	2745	2816
51	69	1790	1829	1883	2069	2201	2332	1803	1955	2022	2116	2260	2343	2427	2601	2775	2849
51	70	1806	1846	1899	2096	2232	2369	1818	1978	2046	2145	2292	2379	2467	2649	2830	2907

If Accent/Mica Hardware Finish is specified for 36" - 41", add 13

If Accent/Mica Hardware Finish is specified for 42" - 70", add 28

GYEU

Framed Fabric Side Desk Edge Floor Screen



The Framed Side Floor Fabric Desk Edge Screen attaches to the worksurface on to provide an upholstered fabric screen that is outlined by frame that creates space division and local desktop privacy in at various heights both above and below the worksurface to the floor level.

WHAT'S INCLUDED

1 framed fabric desk edge screen, attachment brackets, corner connection hardware (if specified).

NOTES

Framed screens match the depth of the worksurface for tight fit applications.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, please refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Depth	Corner Connection	Screen Finish	Hardware Finish
F Floor Height (1")	42 for 42" high datum 51 for 51" high datum	18, 24, 30, 36, 42, 48	N No R Right L Left	Panel Fabrics Upholstery Fabrics	Foundation Mica Accent

SAMPLE ORDER CODE

GYEU F	42	24	R	B204	74
---------------	-----------	-----------	----------	-------------	-----------

**DIMENSIONS
INCHES / MM**

H	D
42 / 1067	18 / 457
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	18 / 457
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219

PRICING

NO CORNER CONNECTION (N)															
PANEL FABRIC							UPHOLSTERY FABRIC								
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
860	872	887	944	984	1024	864	911	930	959	1002	1028	1053	1105	1158	1180
962	976	996	1068	1118	1168	966	1025	1051	1087	1141	1173	1205	1270	1337	1366
1046	1064	1089	1177	1238	1298	1053	1124	1155	1201	1266	1305	1343	1423	1505	1539
1157	1177	1206	1308	1382	1452	1162	1246	1283	1335	1413	1459	1505	1600	1695	1737
1349	1372	1406	1523	1608	1689	1356	1453	1494	1554	1643	1696	1749	1859	1967	2015
1390	1416	1455	1589	1683	1775	1398	1508	1554	1622	1724	1784	1843	1966	2091	2143
909	919	937	994	1032	1071	913	959	978	1007	1051	1076	1101	1153	1206	1228
994	1007	1029	1101	1151	1202	999	1057	1083	1118	1173	1205	1237	1304	1369	1398
1130	1147	1173	1261	1321	1383	1136	1208	1238	1283	1349	1387	1427	1508	1588	1622
1188	1209	1238	1341	1413	1484	1195	1278	1314	1366	1444	1491	1537	1632	1726	1768
1379	1402	1435	1553	1637	1718	1385	1482	1523	1583	1672	1725	1779	1888	1996	2044
1419	1445	1484	1618	1712	1805	1429	1537	1583	1651	1752	1813	1872	1995	2119	2172

If Accent/Mica Hardware Finish is specified for width 18" - 42", add 13
 If Accent/Mica Hardware Finish is specified for width 48", add 28

Pricing is continued on the following page.

G Y E U
Framed Fabric Side Desk Edge Floor
Screen (Continued)

DIMENSIONS
INCHES / MM

H	D
42 / 1067	18 / 457
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	18 / 457
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219

PRICING

LEFT/RIGHT CORNER CONNECTION (L/R)

PANEL FABRIC							UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5		COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
880	890	908	965	1003	1042		884	930	949	978	1021	1046	1071	1124	1177	1201
981	995	1015	1088	1138	1188		985	1043	1070	1107	1160	1191	1225	1291	1357	1386
1065	1085	1109	1196	1257	1318		1071	1144	1175	1218	1285	1324	1363	1443	1523	1559
1176	1196	1226	1328	1400	1471		1182	1266	1303	1355	1433	1479	1523	1619	1714	1756
1368	1392	1424	1543	1626	1709		1376	1472	1514	1573	1662	1716	1770	1877	1987	2036
1409	1436	1473	1609	1701	1795		1419	1528	1573	1641	1743	1803	1863	1986	2110	2162
933	943	960	1017	1057	1094		937	983	1002	1031	1074	1100	1124	1177	1231	1253
1018	1032	1054	1126	1176	1226		1024	1082	1108	1144	1197	1231	1262	1328	1394	1423
1155	1173	1197	1285	1346	1408		1160	1233	1263	1307	1373	1413	1452	1532	1612	1647
1215	1235	1264	1366	1440	1510		1220	1305	1341	1393	1471	1516	1563	1659	1752	1795
1404	1427	1460	1579	1661	1743		1411	1508	1549	1609	1697	1749	1805	1913	2022	2069
1443	1471	1509	1643	1737	1829		1453	1561	1609	1676	1777	1837	1897	2021	2144	2197

If Accent/Mica Hardware Finish is specified for width 18" - 42", add 13

If Accent/Mica Hardware Finish is specified for width 48", add 28

G V G U

Desk Edge Screen with Glass


The Desk Edge Screen with Glass Top Screen attaches to the worksurface on to provide space division and local desktop privacy in at various heights both above and below the worksurface to the floor level.

WHAT'S INCLUDED

1 Desk Edge screen with glass top, attachment brackets, levellers.

NOTES

Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified. Edge trim on Fascia Laminate surfaces will have self edge trim options.



PRODUCT OPTIONS

Modesty Base Height	Height	Width	Screen Finish	Glass Finish	Hardware Finish
F Floor Height (1")	A 42" total (29" plus 13" glass) B 51" total (42" plus 9" glass) C 51" total (29" plus 22" glass) D 57" total (42" plus 15" glass)	46, 52, 58, 64, 70	Source Laminate Flintwood Natural Veneer	CL Clear FT Frost	Foundation Mica Accent

SAMPLE ORDER CODE

GVGU F	A	60	5N	CL	74
---------------	----------	-----------	-----------	-----------	-----------

**DIMENSIONS
INCHES / MM**

H	W
42 / 1067	46 / 1168
42 / 1067	52 / 1321
42 / 1067	58 / 1473
42 / 1067	64 / 1626
42 / 1067	70 / 1778

PRICING

42" TOTAL (29" PLUS 13" GLASS) (A)

SOURCE LAMINATE		FLINTWOOD		NATURAL VENEER	
Clear	Frost	Clear	Frost	Clear	Frost
828	1043	1427	1518	1427	1695
1061	1308	1821	1908	1821	2127
1102	1368	1888	1987	1888	2214
1342	1637	2285	2381	2285	2654
1402	1714	2387	2493	2387	2776

51" TOTAL (42" PLUS 9" GLASS) (B)

SOURCE LAMINATE		FLINTWOOD		NATURAL VENEER	
Clear	Frost	Clear	Frost	Clear	Frost
919	1102	1598	1640	1687	1832
1147	1358	1986	2023	2095	2254
1241	1471	2151	2189	2264	2438
1326	1569	2289	2332	2413	2597
1413	1675	2439	2487	2572	2771

51" TOTAL (29" PLUS 22" GLASS) (C)

SOURCE LAMINATE		FLINTWOOD		NATURAL VENEER	
Clear	Frost	Clear	Frost	Clear	Frost
951	1254	1608	1774	1696	1978
1189	1529	1999	2167	2108	2415
1277	1646	2148	2333	2263	2598
1368	1776	2292	2509	2417	2794
1456	1901	2439	2680	2572	2984

If Accent/Mica Hardware Finish is specified, add 24

Pricing is continued on the following page

GVGU
Desk Edge Screen with Glass
(Continued)

DIMENSIONS
INCHES / MM

H	W
57 / 1448	46 / 1168
57 / 1448	52 / 1321
57 / 1448	58 / 1473
57 / 1448	64 / 1626
57 / 1448	70 / 1778

PRICING

57" TOTAL (42" PLUS 15" GLASS) (D)							
SOURCE LAMINATE		FLINTWOOD		NATURAL VENEER			
Clear	Frost	Clear	Frost	Clear	Frost		
1012	1212	1759	1805	1855	2014		
1262	1494	2364	2407	2492	2683		
1365	1618	2517	2565	2654	2856		
1459	1726	2685	2736	2830	3047		
1553	1842	2685	2736	2830	3047		


If Accent/Mica Hardware Finish is specified, add 24

HTNN Modesty Screen

The Modesty Screen provides visual privacy below worksurface.

WHAT'S INCLUDED

1 modesty screen, attachment brackets.



PRODUCT OPTIONS

Height Below Worksurface	Width	Screen Finish	Metal Frame Finish
13 for 29" high datum	24, 30, 36, 42, 48, 54	Source Laminate Flintwood Natural Veneer	Foundation Mica Accent

SAMPLE ORDER CODE

HTNN 13	54	ZI	90
----------------	-----------	-----------	-----------

DIMENSIONS INCHES / MM

H	W
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 762
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372


PRICING

	Source Laminate	Flintwood	Natural Veneer
	233	461	485
	244	500	525
	255	543	564
	263	585	609
	326	679	708
	336	723	753

If Accent/Mica is specified, add 24

HTNL

Solid Lateral Floor Screen



End Mounted Single,
left handedness shown

The Lateral Screen attaches to a Stage to provide casual lateral space division.

WHAT'S INCLUDED

1 lateral solid screen, attachment brackets, support foot (width and mounting application dependent).

NOTES

Mounting Condition Support Foot:

- 44" to 84" Widths End Mounted Corner Connection
- 52" to 84" Widths End Mounted Single
- 44" to 84" Widths End Mounted Double
- No foot End Mounted Shared
- 36" to 72" Widths Flush Mid Gable
- 36" to 72" Widths Flush End Gable
- 52" to 84" Widths End Mounted Single for HA module
- 44" to 84" Widths End Mounted Double for HA module
- No foot End Mounted Shared for HA module

Support foot finish will automatically default to the bracket finish.

The left handed orientation will have the visible mounting brackets on the right and the support foot (if required) will be on the left.

The right handed orientation will have the visible mounting brackets on the left and the support foot (if required) will be on the right.

End Mounted Corner Connection includes alignment pins and cover caps.

PRODUCT OPTIONS

Bracket Attachment	Height	Width	Handedness	Screen Finish	Hardware Finish
EC End Mounted Corner Connection	42, 51, 57	24, 30, 36 42-84 (in 1" increments)	L Left	Source Laminate	Foundation
ES End Mounted Single			R Right	Flintwood	Mica
EB End Mounted Double			N Non Applicable	Natural Veneer	Accent
ED End Mounted Shared					
FM Flush Mid Gable					
FE Flush End Gable					
HS End Mounted Single for HA module					
HB End Mounted Double for HA module					
HD End Mounted Shared for HA module					

SAMPLE ORDER CODE

HTNL ES	42	76	R	AG	74
----------------	-----------	-----------	----------	-----------	-----------

See Pricing on the following page.

H T N L

Solid Lateral Screen (Continued)

DIMENSIONS INCHES / MM		PRICING			DIMENSIONS INCHES / MM		PRICING		
H	W	Source Laminate	Flintwood	Natural Veneer	H	W	Source Laminate	Flintwood	Natural Veneer
42 / 1067	24 / 610	444	702	770	51 / 1295	24 / 610	462	777	855
42 / 1067	30 / 762	465	780	856	51 / 1295	30 / 762	522	876	960
42 / 1067	36 / 762	512	1326	1455	51 / 1295	36 / 762	579	1491	1638
42 / 1067	42 / 1067	561	948	1041	51 / 1295	42 / 1067	638	1071	1176
42 / 1067	43 / 1092	561	948	1041	51 / 1295	43 / 1092	638	1071	1176
42 / 1067	44 / 1118	561	948	1041	51 / 1295	44 / 1118	638	1071	1176
42 / 1067	45 / 1143	629	1060	1162	51 / 1295	45 / 1143	708	1194	1310
42 / 1067	46 / 1168	629	1060	1162	51 / 1295	46 / 1168	708	1194	1310
42 / 1067	47 / 1194	629	1060	1162	51 / 1295	47 / 1194	708	1194	1310
42 / 1067	48 / 1219	698	1172	1285	51 / 1295	48 / 1219	778	1314	1443
42 / 1067	49 / 1245	698	1172	1285	51 / 1295	49 / 1245	778	1314	1443
42 / 1067	50 / 1270	698	1172	1285	51 / 1295	50 / 1270	778	1314	1443
42 / 1067	51 / 1295	723	1215	1332	51 / 1295	51 / 1295	809	1363	1495
42 / 1067	52 / 1321	723	1215	1332	51 / 1295	52 / 1321	809	1363	1495
42 / 1067	53 / 1346	723	1215	1332	51 / 1295	53 / 1346	809	1363	1495
42 / 1067	54 / 1372	742	1255	1377	51 / 1295	54 / 1372	836	1412	1550
42 / 1067	55 / 1397	742	1255	1377	51 / 1295	55 / 1397	836	1412	1550
42 / 1067	56 / 1422	742	1255	1377	51 / 1295	56 / 1422	836	1412	1550
42 / 1067	57 / 1448	797	1343	1474	51 / 1295	57 / 1448	893	1508	1654
42 / 1067	58 / 1473	797	1343	1474	51 / 1295	58 / 1473	893	1508	1654
42 / 1067	59 / 1499	797	1343	1474	51 / 1295	59 / 1499	893	1508	1654
42 / 1067	60 / 1524	850	1433	1572	51 / 1295	60 / 1524	949	1601	1759
42 / 1067	61 / 1549	850	1433	1572	51 / 1295	61 / 1549	949	1601	1759
42 / 1067	62 / 1575	850	1433	1572	51 / 1295	62 / 1575	949	1601	1759
42 / 1067	63 / 1600	873	1472	1617	51 / 1295	63 / 1600	978	1651	1813
42 / 1067	64 / 1626	873	1472	1617	51 / 1295	64 / 1626	978	1651	1813
42 / 1067	65 / 1651	873	1472	1617	51 / 1295	65 / 1651	978	1651	1813
42 / 1067	66 / 1676	899	1513	1660	51 / 1295	66 / 1676	1007	1698	1864
42 / 1067	67 / 1702	899	1513	1660	51 / 1295	67 / 1702	1007	1698	1864
42 / 1067	68 / 1727	899	1513	1660	51 / 1295	68 / 1727	1007	1698	1864
42 / 1067	69 / 1753	922	1558	1709	51 / 1295	69 / 1753	1036	1749	1921
42 / 1067	70 / 1778	922	1558	1709	51 / 1295	70 / 1778	1036	1749	1921
42 / 1067	71 / 1803	922	1558	1709	51 / 1295	71 / 1803	1036	1749	1921
42 / 1067	72 / 1829	947	1598	1756	51 / 1295	72 / 1829	1066	1800	1975
42 / 1067	73 / 1854	947	1598	1756	51 / 1295	73 / 1854	1066	1800	1975
42 / 1067	74 / 1880	947	1598	1756	51 / 1295	74 / 1880	1066	1800	1975
42 / 1067	75 / 1905	986	1672	1836	51 / 1295	75 / 1905	1115	1880	2064
42 / 1067	76 / 1930	986	1672	1836	51 / 1295	76 / 1930	1115	1880	2064
42 / 1067	77 / 1956	986	1672	1836	51 / 1295	77 / 1956	1115	1880	2064
42 / 1067	78 / 1981	1027	1742	1916	51 / 1295	78 / 1981	1161	1962	2151
42 / 1067	79 / 2007	1027	1742	1916	51 / 1295	79 / 2007	1161	1962	2151
42 / 1067	80 / 2032	1027	1742	1916	51 / 1295	80 / 2032	1161	1962	2151
42 / 1067	81 / 2057	1061	1803	1980	51 / 1295	81 / 2057	1204	2027	2226
42 / 1067	82 / 2083	1061	1803	1980	51 / 1295	82 / 2083	1204	2027	2226
42 / 1067	83 / 2108	1061	1803	1980	51 / 1295	83 / 2108	1204	2027	2226
42 / 1067	84 / 2134	1095	1863	2045	51 / 1295	84 / 2134	1241	2097	2301

If Accent/Mica is specified, add 24

Pricing is continued on the following page.

HTNL

Solid Lateral Screen (Continued)

DIMENSIONS INCHES / MM


PRICING

H	W	Source Laminate	Flintwood	Natural Veneer
57 / 1448	24 / 610	506	855	941
57 / 1448	30 / 762	573	964	1057
57 / 1448	36 / 762	636	1639	1803
57 / 1448	42 / 1067	701	1177	1293
57 / 1448	43 / 1092	701	1177	1293
57 / 1448	44 / 1118	701	1177	1293
57 / 1448	45 / 1143	778	1313	1442
57 / 1448	46 / 1168	778	1313	1442
57 / 1448	47 / 1194	778	1313	1442
57 / 1448	48 / 1219	856	1445	1588
57 / 1448	49 / 1245	856	1445	1588
57 / 1448	50 / 1270	856	1445	1588
57 / 1448	51 / 1295	890	1500	1646
57 / 1448	52 / 1321	890	1500	1646
57 / 1448	53 / 1346	890	1500	1646
57 / 1448	54 / 1372	921	1552	1705
57 / 1448	55 / 1397	921	1552	1705
57 / 1448	56 / 1422	921	1552	1705
57 / 1448	57 / 1448	983	1659	1819
57 / 1448	58 / 1473	983	1659	1819
57 / 1448	59 / 1499	983	1659	1819
57 / 1448	60 / 1524	1044	1761	1935
57 / 1448	61 / 1549	1044	1761	1935
57 / 1448	62 / 1575	1044	1761	1935
57 / 1448	63 / 1600	1076	1817	1994
57 / 1448	64 / 1626	1076	1817	1994
57 / 1448	65 / 1651	1076	1817	1994
57 / 1448	66 / 1676	1109	1868	2051
57 / 1448	67 / 1702	1109	1868	2051
57 / 1448	68 / 1727	1109	1868	2051
57 / 1448	69 / 1753	1141	1924	2112
57 / 1448	70 / 1778	1141	1924	2112
57 / 1448	71 / 1803	1141	1924	2112
57 / 1448	72 / 1829	1174	1980	2172
57 / 1448	73 / 1854	1174	1980	2172
57 / 1448	74 / 1880	1174	1980	2172
57 / 1448	75 / 1905	1226	2069	2270
57 / 1448	76 / 1930	1226	2069	2270
57 / 1448	77 / 1956	1226	2069	2270
57 / 1448	78 / 1981	1277	2158	2364
57 / 1448	79 / 2007	1277	2158	2364
57 / 1448	80 / 2032	1277	2158	2364
57 / 1448	81 / 2057	1325	2230	2449
57 / 1448	82 / 2083	1325	2230	2449
57 / 1448	83 / 2108	1325	2230	2449
57 / 1448	84 / 2134	1365	2306	2531


If Accent/Mica is specified, add 24

HTNA

Solid Lateral Screen with Glass



End Mounted Single,
43" Total, left
handedness shown



End Mounted Single,
53" Total, left
handedness shown

Solid Lateral Screen with Glass Top attaches to a Stage to provide casual lateral space division.

WHAT'S INCLUDED

1 lateral solid screen, attachment brackets, support foot (width and mounting application dependent).

NOTES

Mounting Condition Support Foot:

- End Mounted Single – 54" to 87" Widths
- End Mounted Double – 47" to 87" Widths
- End Mounted Shared – No foot
- Flush Mid Gable – 37" to 87" Widths
- Flush End Gable – 37" to 87" Widths

Support foot finish will automatically default to the bracket finish.

The left handed orientation will have the visible mounting brackets on the right and the support foot (if required) will be on the left.

The right handed orientation will have the visible mounting brackets on the left and the support foot (if required) will be on the right.

PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Handedness	Screen Finish	Glass Finish	Hardware Finish
ES End Mounted Single	A 42" Total (29" plus 13" Glass)	25, 31, 37 43-87 (in 1" increments)	L Left	Source Laminate Flintwood Natural Veneer	CL Clear FT Frost	Foundation Mica Accent
EB End Mounted Double			R Right			
ED End Mounted Shared	B 51" Total (42" plus 9" Glass)		N Non Applicable			
FM Flush Mid Gable						
FE Flush End Gable	C 51" Total (29" plus 22" Glass)					
HS End Mounted Single for HA module	D 57" Total (42" plus 15" Glass)					
HB End Mounted Double for HA module						
HD End Mounted Shared for HA module						

SAMPLE ORDER CODE

HTNA ES	A	79	R	AG	CL	77
---------	---	----	---	----	----	----

See Pricing on the following page.

HTNA
Solid Lateral Screen with Glass
(Continued)

DIMENSIONS
INCHES / MM

PRICING

DIMENSIONS INCHES / MM		42" TOTAL (29" PLUS 13" GLASS) (A)					
		SOURCE LAMINATE		FLINTWOOD		NATURAL VENEER	
		Clear	Frost	Clear	Frost	Clear	Frost
42 / 1067	24 / 610	585	670	947	999	1014	1109
42 / 1067	30 / 762	647	746	1050	1112	1124	1235
42 / 1067	36 / 762	709	824	1152	1227	1234	1362
42 / 1067	42 / 1067	773	900	1254	1337	1342	1484
42 / 1067	43 / 1092	773	900	1254	1337	1342	1484
42 / 1067	44 / 1118	773	900	1254	1337	1342	1484
42 / 1067	45 / 1143	805	938	1303	1392	1394	1544
42 / 1067	46 / 1168	805	938	1303	1392	1394	1544
42 / 1067	47 / 1194	805	938	1303	1392	1394	1544
42 / 1067	48 / 1219	834	976	1353	1448	1448	1607
42 / 1067	49 / 1245	834	976	1353	1448	1448	1607
42 / 1067	50 / 1270	834	976	1353	1448	1448	1607
42 / 1067	51 / 1295	944	1093	1530	1626	1639	1806
42 / 1067	52 / 1321	944	1093	1530	1626	1639	1806
42 / 1067	53 / 1346	944	1093	1530	1626	1639	1806
42 / 1067	54 / 1372	1056	1209	1709	1805	1829	2002
42 / 1067	55 / 1397	1056	1209	1709	1805	1829	2002
42 / 1067	56 / 1422	1056	1209	1709	1805	1829	2002
42 / 1067	57 / 1448	1073	1235	1739	1843	1863	2045
42 / 1067	58 / 1473	1073	1235	1739	1843	1863	2045
42 / 1067	59 / 1499	1073	1235	1739	1843	1863	2045
42 / 1067	60 / 1524	1092	1261	1770	1877	1894	2083
42 / 1067	61 / 1549	1092	1261	1770	1877	1894	2083
42 / 1067	62 / 1575	1092	1261	1770	1877	1894	2083
42 / 1067	63 / 1600	1204	1382	1949	2058	2089	2288
42 / 1067	64 / 1626	1204	1382	1949	2058	2089	2288
42 / 1067	65 / 1651	1204	1382	1949	2058	2089	2288
42 / 1067	66 / 1676	1314	1499	2129	2241	2281	2489
42 / 1067	67 / 1702	1314	1499	2129	2241	2281	2489
42 / 1067	68 / 1727	1314	1499	2129	2241	2281	2489
42 / 1067	69 / 1753	1343	1534	2175	2291	2332	2545
42 / 1067	70 / 1778	1343	1534	2175	2291	2332	2545
42 / 1067	71 / 1803	1343	1534	2175	2291	2332	2545
42 / 1067	72 / 1829	1369	1567	2221	2341	2380	2601
42 / 1067	73 / 1854	1369	1567	2221	2341	2380	2601
42 / 1067	74 / 1880	1369	1567	2221	2341	2380	2601
42 / 1067	75 / 1905	1398	1603	2269	2394	2429	2659
42 / 1067	76 / 1930	1398	1603	2269	2394	2429	2659
42 / 1067	77 / 1956	1398	1603	2269	2394	2429	2659
42 / 1067	78 / 1981	1427	1637	2314	2446	2480	2717
42 / 1067	79 / 2007	1427	1637	2314	2446	2480	2717
42 / 1067	80 / 2032	1427	1637	2314	2446	2480	2717
42 / 1067	81 / 2057	1455	1672	2362	2496	2531	2775
42 / 1067	82 / 2083	1455	1672	2362	2496	2531	2775
42 / 1067	83 / 2108	1455	1672	2362	2496	2531	2775
42 / 1067	84 / 2134	1482	1706	2407	2546	2580	2830

If Accent/Mica is specified, add 23

Pricing is continued on the following page.

H T N A

**Solid Lateral Screen with Glass
(Continued)**

**DIMENSIONS
INCHES / MM**

PRICING

		51" TOTAL (42" PLUS 9" GLASS) (B)					
		SOURCE LAMINATE		FLINTWOOD		NATURAL VENEER	
H	D	Clear	Frost	Clear	Frost	Clear	Frost
51 / 1295	24 / 610	623	689	1025	1054	1099	1172
51 / 1295	30 / 762	695	770	1138	1173	1219	1305
51 / 1295	36 / 762	766	854	1257	1298	1346	1444
51 / 1295	42 / 1067	834	933	1368	1419	1467	1576
51 / 1295	43 / 1092	834	933	1368	1419	1467	1576
51 / 1295	44 / 1118	834	933	1368	1419	1467	1576
51 / 1295	45 / 1143	877	980	1440	1489	1542	1658
51 / 1295	46 / 1168	877	980	1440	1489	1542	1658
51 / 1295	47 / 1194	877	980	1440	1489	1542	1658
51 / 1295	48 / 1219	916	1028	1508	1561	1612	1735
51 / 1295	49 / 1245	916	1028	1508	1561	1612	1735
51 / 1295	50 / 1270	916	1028	1508	1561	1612	1735
51 / 1295	51 / 1295	1027	1141	1684	1737	1801	1931
51 / 1295	52 / 1321	1027	1141	1684	1737	1801	1931
51 / 1295	53 / 1346	1027	1141	1684	1737	1801	1931
51 / 1295	54 / 1372	1132	1250	1859	1909	1993	2126
51 / 1295	55 / 1397	1132	1250	1859	1909	1993	2126
51 / 1295	56 / 1422	1132	1250	1859	1909	1993	2126
51 / 1295	57 / 1448	1177	1303	1934	1986	2068	2211
51 / 1295	58 / 1473	1177	1303	1934	1986	2068	2211
51 / 1295	59 / 1499	1177	1303	1934	1986	2068	2211
51 / 1295	60 / 1524	1220	1353	2006	2064	2146	2293
51 / 1295	61 / 1549	1220	1353	2006	2064	2146	2293
51 / 1295	62 / 1575	1220	1353	2006	2064	2146	2293
51 / 1295	63 / 1600	1262	1395	2069	2129	2217	2369
51 / 1295	64 / 1626	1262	1395	2069	2129	2217	2369
51 / 1295	65 / 1651	1262	1395	2069	2129	2217	2369
51 / 1295	66 / 1676	1302	1438	2134	2192	2288	2439
51 / 1295	67 / 1702	1302	1438	2134	2192	2288	2439
51 / 1295	68 / 1727	1302	1438	2134	2192	2288	2439
51 / 1295	69 / 1753	1342	1485	2203	2264	2362	2521
51 / 1295	70 / 1778	1342	1485	2203	2264	2362	2521
51 / 1295	71 / 1803	1342	1485	2203	2264	2362	2521
51 / 1295	72 / 1829	1383	1531	2271	2337	2434	2601
51 / 1295	73 / 1854	1383	1531	2271	2337	2434	2601
51 / 1295	74 / 1880	1383	1531	2271	2337	2434	2601
51 / 1295	75 / 1905	1423	1579	2341	2410	2508	2682
51 / 1295	76 / 1930	1423	1579	2341	2410	2508	2682
51 / 1295	77 / 1956	1423	1579	2341	2410	2508	2682
51 / 1295	78 / 1981	1464	1625	2408	2480	2582	2761
51 / 1295	79 / 2007	1464	1625	2408	2480	2582	2761
51 / 1295	80 / 2032	1464	1625	2408	2480	2582	2761
51 / 1295	81 / 2057	1507	1672	2478	2553	2656	2843
51 / 1295	82 / 2083	1507	1672	2478	2553	2656	2843
51 / 1295	83 / 2108	1507	1672	2478	2553	2656	2843
51 / 1295	84 / 2134	1545	1718	2545	2625	2731	2923

If Accent/Mica is specified, add 23

Pricing is continued on the following page.

HTNA
Solid Lateral Screen with Glass
(Continued)

DIMENSIONS
INCHES / MM

PRICING

H		D		51" TOTAL (29" PLUS 22" GLASS) (C)					
				SOURCE LAMINATE		FLINTWOOD		NATURAL VENEER	
				Clear	Frost	Clear	Frost	Clear	Frost
51 / 1295	24 / 610	638	763	1017	1112	1090	1233		
51 / 1295	30 / 762	708	856	1132	1245	1212	1380		
51 / 1295	36 / 762	778	944	1245	1373	1333	1520		
51 / 1295	42 / 1067	850	1038	1356	1507	1452	1666		
51 / 1295	43 / 1092	850	1038	1356	1507	1452	1666		
51 / 1295	44 / 1118	850	1038	1356	1507	1452	1666		
51 / 1295	45 / 1143	900	1101	1435	1595	1538	1764		
51 / 1295	46 / 1168	900	1101	1435	1595	1538	1764		
51 / 1295	47 / 1194	900	1101	1435	1595	1538	1764		
51 / 1295	48 / 1219	948	1159	1515	1682	1624	1861		
51 / 1295	49 / 1245	948	1159	1515	1682	1624	1861		
51 / 1295	50 / 1270	948	1159	1515	1682	1624	1861		
51 / 1295	51 / 1295	1060	1282	1692	1863	1813	2062		
51 / 1295	52 / 1321	1060	1282	1692	1863	1813	2062		
51 / 1295	53 / 1346	1060	1282	1692	1863	1813	2062		
51 / 1295	54 / 1372	1172	1402	1871	2043	2002	2262		
51 / 1295	55 / 1397	1172	1402	1871	2043	2002	2262		
51 / 1295	56 / 1422	1172	1402	1871	2043	2002	2262		
51 / 1295	57 / 1448	1212	1453	1937	2119	2075	2346		
51 / 1295	58 / 1473	1212	1453	1937	2119	2075	2346		
51 / 1295	59 / 1499	1212	1453	1937	2119	2075	2346		
51 / 1295	60 / 1524	1255	1507	2006	2194	2146	2428		
51 / 1295	61 / 1549	1255	1507	2006	2194	2146	2428		
51 / 1295	62 / 1575	1255	1507	2006	2194	2146	2428		
51 / 1295	63 / 1600	1297	1565	2071	2275	2218	2517		
51 / 1295	64 / 1626	1297	1565	2071	2275	2218	2517		
51 / 1295	65 / 1651	1297	1565	2071	2275	2218	2517		
51 / 1295	66 / 1676	1339	1622	2138	2356	2290	2604		
51 / 1295	67 / 1702	1339	1622	2138	2356	2290	2604		
51 / 1295	68 / 1727	1339	1622	2138	2356	2290	2604		
51 / 1295	69 / 1753	1382	1676	2204	2434	2363	2694		
51 / 1295	70 / 1778	1382	1676	2204	2434	2363	2694		
51 / 1295	71 / 1803	1382	1676	2204	2434	2363	2694		
51 / 1295	72 / 1829	1422	1731	2271	2513	2434	2779		
51 / 1295	73 / 1854	1422	1731	2271	2513	2434	2779		
51 / 1295	74 / 1880	1422	1731	2271	2513	2434	2779		
51 / 1295	75 / 1905	1464	1786	2339	2593	2507	2868		
51 / 1295	76 / 1930	1464	1786	2339	2593	2507	2868		
51 / 1295	77 / 1956	1464	1786	2339	2593	2507	2868		
51 / 1295	78 / 1981	1507	1840	2405	2669	2579	2953		
51 / 1295	79 / 2007	1507	1840	2405	2669	2579	2953		
51 / 1295	80 / 2032	1507	1840	2405	2669	2579	2953		
51 / 1295	81 / 2057	1547	1894	2474	2748	2653	3042		
51 / 1295	82 / 2083	1547	1894	2474	2748	2653	3042		
51 / 1295	83 / 2108	1547	1894	2474	2748	2653	3042		
51 / 1295	84 / 2134	1589	1949	2540	2826	2723	3127		

If Accent/Mica is specified, add 23

Pricing is continued on the following page.

HTNA

Solid Lateral Screen with Glass (Continued)

DIMENSIONS INCHES / MM

PRICING

		57" TOTAL (42" PLUS 15" GLASS) (D)					
		SOURCE LAMINATE		FLINTWOOD		NATURAL VENEER	
H	D	Clear	Frost	Clear	Frost	Clear	Frost
51 / 1295	24 / 610	684	759	1128	1159	1209	1288
51 / 1295	30 / 762	764	849	1253	1290	1342	1435
51 / 1295	36 / 762	842	940	1384	1429	1480	1589
51 / 1295	42 / 1067	916	1027	1505	1560	1614	1734
51 / 1295	43 / 1092	916	1027	1505	1560	1614	1734
51 / 1295	44 / 1118	916	1027	1505	1560	1614	1734
51 / 1295	45 / 1143	965	1079	1582	1638	1696	1824
51 / 1295	46 / 1168	965	1079	1582	1638	1696	1824
51 / 1295	47 / 1194	965	1079	1582	1638	1696	1824
51 / 1295	48 / 1219	1009	1130	1659	1718	1775	1908
51 / 1295	49 / 1245	1009	1130	1659	1718	1775	1908
51 / 1295	50 / 1270	1009	1130	1659	1718	1775	1908
51 / 1295	51 / 1295	1129	1255	1853	1909	1981	2125
51 / 1295	52 / 1321	1129	1255	1853	1909	1981	2125
51 / 1295	53 / 1346	1129	1255	1853	1909	1981	2125
51 / 1295	54 / 1372	1246	1376	2044	2101	2192	2339
51 / 1295	55 / 1397	1246	1376	2044	2101	2192	2339
51 / 1295	56 / 1422	1246	1376	2044	2101	2192	2339
51 / 1295	57 / 1448	1296	1433	2127	2185	2275	2431
51 / 1295	58 / 1473	1296	1433	2127	2185	2275	2431
51 / 1295	59 / 1499	1296	1433	2127	2185	2275	2431
51 / 1295	60 / 1524	1343	1488	2204	2270	2362	2523
51 / 1295	61 / 1549	1343	1488	2204	2270	2362	2523
51 / 1295	62 / 1575	1343	1488	2204	2270	2362	2523
51 / 1295	63 / 1600	1387	1536	2276	2341	2438	2605
51 / 1295	64 / 1626	1387	1536	2276	2341	2438	2605
51 / 1295	65 / 1651	1387	1536	2276	2341	2438	2605
51 / 1295	66 / 1676	1431	1581	2348	2413	2516	2685
51 / 1295	67 / 1702	1431	1581	2348	2413	2516	2685
51 / 1295	68 / 1727	1431	1581	2348	2413	2516	2685
51 / 1295	69 / 1753	1476	1633	2424	2492	2598	2774
51 / 1295	70 / 1778	1476	1633	2424	2492	2598	2774
51 / 1295	71 / 1803	1476	1633	2424	2492	2598	2774
51 / 1295	72 / 1829	1521	1684	2497	2572	2677	2862
51 / 1295	73 / 1854	1521	1684	2497	2572	2677	2862
51 / 1295	74 / 1880	1521	1684	2497	2572	2677	2862
51 / 1295	75 / 1905	1566	1737	2575	2653	2758	2950
51 / 1295	76 / 1930	1566	1737	2575	2653	2758	2950
51 / 1295	77 / 1956	1566	1737	2575	2653	2758	2950
51 / 1295	78 / 1981	1610	1788	2649	2728	2840	3038
51 / 1295	79 / 2007	1610	1788	2649	2728	2840	3038
51 / 1295	80 / 2032	1610	1788	2649	2728	2840	3038
51 / 1295	81 / 2057	1658	1839	2724	2808	2922	3127
51 / 1295	82 / 2083	1658	1839	2724	2808	2922	3127
51 / 1295	83 / 2108	1658	1839	2724	2808	2922	3127
51 / 1295	84 / 2134	1701	1891	2801	2887	3004	3216

If Accent/Mica is specified, add 23

The Corridor Screen attaches to the stage to provide space division in single sided application or along a corridor.

WHAT'S INCLUDED


1 corridor screen and attachment bracket. Alignment pins and cover caps are included when specified.

NOTES

The Solid Screen is 1" thick. For corner application details refer to the application guide. Alignment holes include cover caps. Off module screens will need to have a connection to storage or a gable.

51" high only available to 90" wide.

**HTNC
Solid Corridor Screen**



PRODUCT OPTIONS

Height	Width (6" increments)	Alignment	Screen Finish	Hardware Finish
42, 51	24-96	N Without Alignment W With In Line Alignment R Extended Right Corner and In Line Alignment L Extended Left Corner and In Line Alignment	Source Laminate Flintwood Natural Veneer	Foundation Mica Accent

SAMPLE ORDER CODE

HTNC 42	60	R	AG	74
----------------	-----------	----------	-----------	-----------

**DIMENSIONS
INCHES / MM**

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
42 / 1067	90 / 2286
42 / 1067	96 / 2438

PRICING

Source Laminate	Flintwood	Natural Veneer
444	702	770
465	780	856
512	1326	1455
561	948	1041
698	1172	1285
742	1255	1377
850	1433	1572
899	1513	1660
947	1598	1756
1027	1742	1916
1095	1863	2045
1139	1902	2091
1202	1999	2197

**DIMENSIONS
INCHES / MM**

H	W
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	78 / 1981
51 / 1295	84 / 2134
51 / 1295	90 / 2438


PRICING

Source Laminate	Flintwood	Natural Veneer
462	777	855
522	876	960
579	1491	1638
638	1071	1176
778	1314	1443
836	1412	1550
949	1601	1759
1007	1698	1864
1066	1800	1975
1161	1962	2151
1241	2097	2301
1322	2194	2407

If Accent/Mica is specified, add 24

HTNE

Solid Corridor Screen with Glass



The Corridor Screen attaches to the stage to provide space division in single sided application or along a corridor.

WHAT'S INCLUDED

1 corridor screen and attachment bracket. Alignment pins and cover caps are included when specified.

NOTES

The Solid Screen is 1" thick. Off module screens will need to have a connection to storage or a gable .

51" high only available to 84" wide.

PRODUCT OPTIONS

Height	Width (6" increments)	Alignment	Screen Finish	Glass Finish	Hardware Finish
A 42" Total (29" plus 13" Glass)	24-96	N Without Alignment	Source Laminate	CL Clear	Foundation
B 51" Total (42" plus 9" Glass)		W With In Line Alignment	Flintwood	FT Frost	Mica
C 51" Total (29" plus 22" Glass)				Natural Veneer	

SAMPLE ORDER CODE

HTNE A	60	W	AG	CL	74
---------------	-----------	----------	-----------	-----------	-----------

DIMENSIONS INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 762
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
42 / 1067	90 / 2286
42 / 1067	96 / 2438

PRICING

42" TOTAL (29" PLUS 23" GLASS) (A)

SOURCE LAMINATE		FLINTWOOD		NATURAL VENEER	
Clear	Frost	Clear	Frost	Clear	Frost
585	670	947	999	1014	1109
647	746	1050	1112	1124	1235
709	824	1152	1227	1234	1362
773	900	1254	1337	1342	1484
834	976	1353	1448	1448	1607
1056	1209	1709	1805	1829	2002
1092	1261	1770	1877	1894	2083
1314	1499	2129	2241	2281	2489
1369	1567	2221	2341	2380	2601
1427	1637	2314	2446	2480	2717
1482	1706	2407	2546	2580	2830
1622	1861	2631	2779	2820	3087
1721	1974	2794	2949	2994	3276

If Accent/Mica is specified, add 24

Pricing is continued on the following page.

H T N E
Solid Corridor Screen with Glass
(Continued)

DIMENSIONS
INCHES / MM

H	W
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	78 / 1981
51 / 1295	84 / 2134
51 / 1295	90 / 2286

H	W
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 762
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	78 / 1981
51 / 1295	84 / 2134
51 / 1295	90 / 2286

PRICING


51" TOTAL (42" PLUS 9" GLASS) (B)							
SOURCE LAMINATE		FLINTWOOD		NATURAL VENEER			
Clear	Frost	Clear	Frost	Clear	Frost		
623	689	1025	1054	1099	1172		
695	770	1138	1173	1219	1305		
766	854	1257	1298	1346	1444		
834	933	1368	1419	1467	1576		
916	1028	1508	1561	1612	1735		
1132	1250	1859	1909	1993	2126		
1220	1353	2006	2064	2146	2293		
1302	1438	2134	2192	2288	2439		
1383	1531	2271	2337	2434	2601		
1464	1625	2408	2480	2582	2761		
1545	1718	2545	2625	2731	2923		
1668	1849	2745	2825	2943	3146		

51" TOTAL (29" PLUS 22" GLASS) (C)							
SOURCE LAMINATE		FLINTWOOD		NATURAL VENEER			
Clear	Frost	Clear	Frost	Clear	Frost		
638	763	1017	1112	1090	1233		
708	856	1132	1245	1212	1380		
778	944	1245	1373	1333	1520		
850	1038	1356	1507	1452	1666		
948	1159	1515	1682	1624	1861		
1172	1402	1871	2043	2002	2262		
1255	1507	2006	2194	2146	2428		
1339	1622	2138	2356	2290	2604		
1422	1731	2271	2513	2434	2779		
1507	1840	2405	2669	2579	2953		
1589	1949	2540	2826	2723	3127		
1718	2096	2746	3042	2943	3364		

If Accent/Mica is specified, add 24

G N G U

Glass 6mm Lateral Screen



The Glass Lateral Screen attaches to the worksurface to provide lateral space division and privacy.

WHAT'S INCLUDED

Glass screen and attachment hardware.

NOTES

Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Can be applied to both flat and knife edge upStage worksurface.

Glass finishes are 6mm tempered glass.

Screen datum heights are:

- 42" (13" height of screen from worksurface)

- 51" (22" height of screen from worksurface)

- 57" (28" height of screen from worksurface)

PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" high datum	23, 29, 35	CL Clear FT Frost	Foundation
51 for 51" high datum			Mica
57 for 57" high datum			Accent

SAMPLE ORDER CODE

GNGU 42	23	FT	74
----------------	-----------	-----------	-----------

DIMENSIONS INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889

PRICING

Standard Glass, Clear (CL)	Standard Glass, Frost (FT)
396	473
433	525
480	594
445	571
488	643
551	733
473	630
523	715
589	820

If Accent/Mica Hardware Finish is specified, add 13

The Glass Lateral Screen attaches to the worksurface to provide lateral space division and privacy.

GNTU

Glass 10mm Lateral Screen

WHAT'S INCLUDED

Glass screen and attachment hardware.

NOTES

Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Can be applied to both flat and knife edge upStage worksurface.


Glass finishes are 10mm tempered glass.

Screen datum heights are:

- 42" (13" height of screen from worksurface)

- 51" (22" height of screen from worksurface)

- 57" (28" height of screen from worksurface)



PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" high datum	23, 29, 35	CL Clear FT Frost	Foundation Mica Accent
51 for 51" high datum			
57 for 57" high datum			

SAMPLE ORDER CODE

GNTU 42	23	FT	74
----------------	-----------	-----------	-----------

**DIMENSIONS
INCHES / MM**

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889


PRICING

Standard Glass, Clear (CL)	Standard Glass, Frost (FT)
411	538
461	607
524	689
494	676
556	770
636	883
535	749
607	863
697	992

If Accent/Mica Hardware Finish is specified, add 13

GNWU

Writeable Glass Lateral Screen



The Writeable Glass Lateral Screen attaches to the worksurface to provide additional functionality, lateral space division and privacy.

WHAT'S INCLUDED

Writeable Glass screen and attachment hardware.

NOTES

Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Can be applied to both flat and knife edge upStage worksurface.

Glass finishes are 10mm laminated glass.

Screen datum heights are:

- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" high datum 51 for 51" high datum 57 for 57" high datum	23, 29, 35	A6 Frost White H3 Polar White	Foundation Mica Accent

SAMPLE ORDER CODE

GNWU 42	23	G5	74
---------	----	----	----

DIMENSIONS INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889

PRICING

Frost White (A6)	Polar White (H3)
546	626
621	705
710	799
737	770
848	853
909	955
817	938
943	1072
1089	1227

If Accent/Mica Hardware Finish is specified, add 13

The Solid Lateral Screen attaches to the worksurface to provide lateral space division and privacy.

WHAT'S INCLUDED

Solid screen and attachment hardware.

NOTES


Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Can be applied to both flat and knife edge upStage worksurface.

Screen datum heights are:

- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

GNSU
Solid Lateral Screen



PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" high datum	23, 29, 35	Source Laminate	Foundation
51 for 51" high datum		Flintwood	Mica
57 for 57" high datum		Natural Veneer	Accent

SAMPLE ORDER CODE

GNSU 42	23	ZA	74
----------------	-----------	-----------	-----------

DIMENSIONS
INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889


PRICING

Source Laminate	Flintwood	Natural Veneer
362	595	610
394	652	670
449	712	732
406	691	710
447	764	786
523	855	879
445	762	782
493	842	864
575	941	967

If Accent/Mica Hardware Finish is specified, add 13

G N L U

Writeable Laminate Lateral Screen



The Writeable Laminate Lateral Screen attaches to the worksurface to provide additional functionality, lateral space division and privacy.

WHAT'S INCLUDED

Writeable laminate screen and attachment hardware.

NOTES

Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Can be applied to both flat and knife edge upStage worksurface.

Screen datum heights are:

- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" high datum 51 for 51" high datum 57 for 57" high datum	23, 29, 35	Specialty Writeable Laminate	Foundation Mica Accent

SAMPLE ORDER CODE

G N L U 42	29	5D	74
-------------------	-----------	-----------	-----------

DIMENSIONS INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889

PRICING

Foundation	Accent/Mica
554	567
609	622
863	878
653	669
733	747
879	893
719	734
806	821
967	981

The Infinity Fabric Lateral Screen attaches to the worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and lateral desktop privacy.

GNXU

Infinity Lateral Screen

WHAT'S INCLUDED

Infinity fabric screen and attachment hardware.


NOTES

Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Can be applied to both flat and knife edge upStage worksurface

Screen datum heights are:

- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)



PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" high datum	23, 29, 35	Panel Fabrics Upholstery Fabrics	Foundation
51 for 51" high datum			Mica
57 for 57" high datum			Accent

SAMPLE ORDER CODE

GNXU 42	29	B204	74
----------------	-----------	-------------	-----------

**DIMENSIONS
INCHES / MM**

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889

PRICING

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
723	727	733	759	775	791
784	790	798	827	849	868
836	843	854	887	912	936
802	809	821	856	882	907
857	865	879	923	954	984
933	942	958	1009	1044	1080
850	857	870	908	935	960
935	943	958	1006	1039	1072
1028	1038	1056	1112	1151	1190


UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
724	741	752	763	782	792	802	825	848	856
786	811	821	835	857	870	883	911	937	948
839	867	880	897	923	938	954	985	1017	1031
805	834	848	864	892	908	925	958	991	1005
860	897	912	935	967	986	1006	1046	1087	1103
936	977	995	1021	1060	1085	1107	1155	1203	1221
854	884	899	915	945	962	980	1014	1050	1065
938	977	994	1018	1054	1074	1097	1139	1184	1203
1031	1078	1095	1124	1168	1195	1219	1274	1325	1347

If Accent/Mica Hardware Finish is specified, add 13

GNZU

Smooth Felt Lateral Screen



The Smooth Felt Lateral Screen attaches to the worksurface to provide lateral space division and privacy.

WHAT'S INCLUDED

Smooth Felt screen and attachment hardware.

NOTES

Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only. Can be applied to both flat and knife edge upStage worksurface.

Screen datum heights are:

- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

PRODUCT OPTIONS

Height	Depth	Smooth Felt Finish	Hardware Finish
42 for 42" high datum 51 for 51" high datum	23, 29, 35	Smooth Felt Colors	Foundation Mica Accent

SAMPLE ORDER CODE

GNZU 42	29	R4	74
---------	----	----	----

DIMENSIONS INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889

PRICING

Foundation	Accent/Mica
375	387
473	488
509	525
479	500
571	589
611	629

The Framed Fabric Lateral Screen attaches to the worksurface to provide lateral space division and privacy.

GNYU

Framed Fabric Lateral Screen

WHAT'S INCLUDED

Framed fabric screen and attachment hardware.


NOTES

Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Can be applied to both flat and knife edge upStage worksurface.

Screen datum heights are:

- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)



PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" high datum	23, 29, 35	Panel Fabrics Upholstery Fabrics	Foundation
51 for 51" high datum			Mica
57 for 57" high datum			Accent

SAMPLE ORDER CODE

GNYU 42	23	B204	74
----------------	-----------	-------------	-----------

**DIMENSIONS
INCHES / MM**


H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889

PRICING

PANEL FABRIC							UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5		COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
686	690	699	723	737	754		688	708	715	728	746	756	766	788	807	818
747	753	761	790	809	828		749	771	782	797	818	829	842	868	894	907
797	803	813	848	870	893		799	827	838	855	882	894	911	941	973	985
763	770	780	814	839	863		766	793	806	825	851	865	882	913	944	959
817	825	836	880	909	938		819	854	868	889	922	941	960	1000	1038	1056
887	899	912	964	999	1032		890	933	951	976	1013	1035	1058	1105	1151	1172
791	799	811	848	873	899		795	825	838	856	885	900	918	952	988	1001
847	856	868	914	945	977		850	887	902	926	962	980	1001	1043	1085	1101
921	933	947	1001	1039	1074		925	969	986	1014	1054	1079	1101	1152	1202	1224

If Accent/Mica Hardware Finish is specified, add 13

GNMU Metal Lateral Screen



The Metal Lateral Screen attaches to the worksurface to provide a thin, metal screen that is expressed in a softer curvilinear aesthetic with an opportunity to add color that creates space division and lateral desktop privacy.

WHAT'S INCLUDED

Metal screen and attachment hardware.

NOTES

Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Can be applied to both flat and knife edge Interpret worksurface. Available at 42" datum height only.

Screen datum heights are:

- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

PRODUCT OPTIONS

Height	Depth	Finish	Hardware Finish
42 for 42" high datum 51 for 51" high datum	23, 29, 35	Foundation Mica Accent	Foundation Mica Accent

SAMPLE ORDER CODE

GNMU 42	23	E	74
----------------	-----------	----------	-----------

DIMENSIONS INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889

PRICING

Foundation Finish	Mica/Accent Finish
374	389
408	429
455	477
401	418
440	464
492	516


If Accent/Mica Hardware Finish is specified, add 13

functional screens

product map

H T C F Functional Screen Frame

Page 414




H T C T Top Trim

Page 415



H T C G Top Trim for Glass Add-On

Page 416




H T C E End Trim

Page 417




H T C R Fabric Fascia

Page 418




H T C W Whiteboard Fascia

Page 420



H T C A Accessory Fascia

Page 421




H T C K Fascia Post Kit

Page 422



H T C L Glass Add-On Screen

Page 423




H T C C Screen Connector

Page 424



HTCF

Functional Screen Frame



The Functional Screen Frame is the main raw structure that mounts to the center Accessory Rail to provide privacy and functionality.

WHAT'S INCLUDED

2 or 4 vertical posts, horizontal rail and mounting brackets.

NOTES

The Top Trim (HTCT), End Trims (HTCE) and Fascias must be specified separately.

Frames over 48" wide will consist of two segments for added stability.

Screen Connectors (HTCC) must be specified separately if Functional Screen Frame (HTCF) is to be connected to another Functional Screen Frame to create a continuous screen.

PRODUCT OPTIONS

Height	Width
13, 21, 30	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96

SAMPLE ORDER CODE

HTCF 21	72
---------	----

DIMENSIONS INCHES / MM

H	W
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 762
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 762
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

289
305
327
355
376
434
480
492
529
544
553
566
581
304
327
348
379
401
463
514
527
566
583
592
610
622

DIMENSIONS INCHES / MM

H	W
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 762
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134
30 / 762	90 / 2286
30 / 762	96 / 2438

PRICING

325
348
370
404
422
491
544
558
602
617
629
646
659

The Top Trim is required to finish off the top of the Functional Screens.

HTCT Top Trim

WHAT'S INCLUDED

1 top trim.

NOTES

Top Trim can span more than one frame.

Top Trim **cannot** accommodate a glass add-on.



PRODUCT OPTIONS

Width	Finish
24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	Foundation Mica Accent

SAMPLE ORDER CODE

HTCT 24	74
----------------	-----------

**DIMENSIONS
INCHES / MM**

W
24 / 610
30 / 762
36 / 762
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

Foundation	Accent/Mica
38	46
39	49
42	50
46	52
49	53
67	77
71	80
77	81
78	84
93	99
95	100
99	109
107	113

HTCG

Top Trim for Glass Add-On

The Top Trim for Glass Add-On is required to finish off the top of the Functional Screens when a glass add-on is desired.

WHAT'S INCLUDED

1 top trim, additional clips to hold glass blade.

NOTES

Top Trim can span more than one frame.

Top Cover is removed only when Add-On Screens are applied.



PRODUCT OPTIONS

Width	Finish
24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	Foundation Mica Accent

SAMPLE ORDER CODE

HTCG 24	74
---------	----

DIMENSIONS INCHES / MM

W
24 / 610
30 / 762
36 / 762
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

	Foundation	Accent/Mica
	66	78
	68	81
	75	84
	78	89
	81	90
	116	125
	122	135
	125	137
	128	142
	158	173
	167	174
	173	180
	179	190

The End Trim is required to finish off the ends of the Functional or Basic Screen.

HTCE
End Trim

WHAT'S INCLUDED

1 end trim.

NOTES

Required for Functional Screen Frame (HTCF) only as Lateral Spine Screen Frames includes an End Trim with integrated fastening brackets.

Must be specified at each end of the Functional Screen Frame (HTCF) only two End Trims are required to finish off a Continuous Functional Screen (HTCF) or a combination of both.



PRODUCT OPTIONS

Height	Finish
13, 21, 30	Foundation Mica Accent

SAMPLE ORDER CODE

HTCE 21	74
----------------	-----------

**DIMENSIONS
INCHES / MM**

H
13 / 330
21 / 533
30 / 762

PRICING

Foundation	Accent/Mica
67	68
89	92
96	100

functional screens

HTCR Fabric Fascia


The Fabric Fascia mounts to the Functional Screen Frame to provide a tackable surface.

WHAT'S INCLUDED

1 fabric fascia and attachment clips.

NOTES

Must be mounted onto a Functional Screen Frame (HTCF) **cannot** be used on its own.



PRODUCT OPTIONS

Height	Width	Screen Finish
13, 21, 30	24, 27, 30, 33, 36, 39, 42, 45, 48, 54, 60	Panel Fabric

SAMPLE ORDER CODE

HTCR 13	48	L308
----------------	-----------	-------------

DIMENSIONS INCHES / MM

H	W
13 / 330	24 / 610
13 / 330	27 / 686
13 / 330	30 / 762
13 / 330	33 / 838
13 / 330	36 / 762
13 / 330	39 / 991
13 / 330	42 / 1067
13 / 330	45 / 1143
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
21 / 533	24 / 610
21 / 533	27 / 686
21 / 533	30 / 762
21 / 533	33 / 838
21 / 533	36 / 762
21 / 533	39 / 991
21 / 533	42 / 1067
21 / 533	45 / 1143
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524

PRICING

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
108	110	113	116	119	121	124	128
116	119	122	124	126	129	136	140
119	124	128	135	139	142	146	150
124	128	135	138	143	146	150	153
128	136	140	145	148	151	154	158
137	143	147	151	154	157	161	168
157	165	169	174	179	181	187	196
159	169	173	177	182	186	195	200
168	174	179	184	190	197	202	206
180	190	197	202	206	210	217	226
190	200	204	209	215	219	229	234
125	128	135	138	143	146	150	153
138	142	146	150	153	155	159	167
151	153	157	161	168	172	176	181
161	168	172	175	179	182	190	197
169	173	177	182	188	196	201	205
172	175	180	186	194	198	203	208
198	202	206	211	217	225	232	238
209	212	219	226	232	237	244	253
216	224	231	237	244	249	258	266
244	249	258	263	270	276	287	295
268	273	283	290	297	303	316	325

Pricing is continued on the following page.

H T C R
Fabric Fascia (Continued)

DIMENSIONS
INCHES / MM

PRICING

H	W	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
30 / 762	24 / 610	150	152	157	165	171	174	179	184
30 / 762	27 / 686	161	167	172	176	181	186	195	200
30 / 762	30 / 762	181	186	195	200	204	209	216	226
30 / 762	33 / 838	204	208	212	219	229	233	240	248
30 / 762	36 / 762	208	211	219	230	237	241	253	258
30 / 762	39 / 991	209	212	224	231	238	244	253	260
30 / 762	42 / 1067	235	242	253	259	266	274	285	295
30 / 762	45 / 1143	260	266	273	283	291	297	305	318
30 / 762	48 / 1219	271	276	288	297	306	316	325	334
30 / 762	54 / 1372	313	319	327	336	348	355	367	379
30 / 762	60 / 1524	353	357	370	380	391	403	413	428

HTCW Whiteboard Fascia


The Whiteboard Fascia mounts to the Functional Screen Frame to provide an economical writable surface.

WHAT'S INCLUDED

1 whiteboard fascia and attachment clips.

NOTES

Must be mounted onto a Functional Screen Frame (HTCF) **cannot** be used on its own.



PRODUCT OPTIONS

Height	Width
13, 21, 30	24, 27, 30, 33, 36, 39, 42, 45, 48, 54, 60, 66, 72

SAMPLE ORDER CODE

HTCW 13	48
---------	----

DIMENSIONS INCHES / MM

H	W
13 / 330	24 / 610
13 / 330	27 / 686
13 / 330	30 / 762
13 / 330	33 / 838
13 / 330	36 / 762
13 / 330	39 / 991
13 / 330	42 / 1067
13 / 330	45 / 1143
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
21 / 533	24 / 610
21 / 533	27 / 686
21 / 533	30 / 762
21 / 533	33 / 838
21 / 533	36 / 762
21 / 533	39 / 991
21 / 533	42 / 1067
21 / 533	45 / 1143
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829

PRICING

51
55
58
67
75
80
85
87
90
115
124
142
158
75
80
85
92
96
110
119
124
129
155
172
198
216

DIMENSIONS INCHES / MM

H	W
30 / 762	24 / 610
30 / 762	27 / 686
30 / 762	30 / 762
30 / 762	33 / 838
30 / 762	36 / 762
30 / 762	39 / 991
30 / 762	42 / 1067
30 / 762	45 / 1143
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

97
108
115
119
124
145
157
168
176
205
224
260
283

The Accessory Fascia mounts to the Functional Screen Frame and allows the mounting of accessories.

HTCA

Accessory Fascia


WHAT'S INCLUDED

1 accessory fascia and attachment clips.

NOTES

Must be mounted onto a Functional Screen Frame (HTCF), **cannot** be used on their own.

Additional posts are required for stability when mounting Accessory Fascias. Please see *Application Guides* for more details.



PRODUCT OPTIONS

Height	Width	Finish
13	24, 27, 30, 33, 36, 39, 42, 45, 48, 54, 60, 66, 72	Foundation Mica Accent

SAMPLE ORDER CODE

HTCA 13	48	74
---------	----	----

DIMENSIONS INCHES / MM

H	W
13 / 330	24 / 610
13 / 330	27 / 686
13 / 330	30 / 762
13 / 330	33 / 838
13 / 330	36 / 762
13 / 330	39 / 991
13 / 330	42 / 1067
13 / 330	45 / 1143
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829

PRICING

Foundation	Accent/Mica
151	154
158	165
169	173
177	182
190	198
202	206
208	212
216	225
229	235
259	266
289	297
318	327
348	357

HTCK

Fascia Post Kit

The Fascia Post Kit provides additional vertical support to the Screen Frames when an Accessory or Wood Fascia is desired.

WHAT'S INCLUDED

- For sizes 24" - 30" - 1 post kit.
- For sizes 33" - 42" - 2 post kits.
- For sizes 45" - 48" - 3 post kits.
- For sizes 54" - 60" - 2 post kits.
- For sizes 66" - 72" - 4 post kits.



PRODUCT OPTIONS

Height	Width of Fascia
13, 21	24, 27, 30, 33, 36, 39, 42, 45, 48, 54, 60, 66, 72

SAMPLE ORDER CODE

HTCK 13	48
----------------	-----------

DIMENSIONS INCHES / MM

H	W
13 / 330	24 / 610
13 / 330	27 / 686
13 / 330	30 / 762
13 / 330	33 / 838
13 / 330	36 / 762
13 / 330	39 / 991
13 / 330	42 / 1067
13 / 330	45 / 1143
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
21 / 533	24 / 610
21 / 533	27 / 686
21 / 533	30 / 762
21 / 533	33 / 838
21 / 533	36 / 762
21 / 533	39 / 991
21 / 533	42 / 1067
21 / 533	45 / 1143
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829

PRICING

77
77
77
150
150
150
150
150
224
224
150
150
297
297
95
95
95
196
196
196
196
290
290
196
196
385
385

The 8" Add-On Glass Screen is specified with a 13" Accessory Beam to reach 42" datum and the 9" Add-On Glass Screen is added to a 42" screen to reach 51" in height.


HTCL Glass Add-On Screen

WHAT'S INCLUDED

1 glass screen.

NOTES

Cannot be mounted onto a Top Trim (HTCT).



PRODUCT OPTIONS

Height	Width	Screen Finish
8, 9	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	CL Clear FT Frost

SAMPLE ORDER CODE

HTCL 8	48	CL
---------------	-----------	-----------

**DIMENSIONS
INCHES / MM**

H	W
8 / 203	24 / 610
8 / 203	30 / 762
8 / 203	36 / 762
8 / 203	42 / 1067
8 / 203	48 / 1219
8 / 203	54 / 1372
8 / 203	60 / 1524
8 / 203	66 / 1676
8 / 203	72 / 1829
8 / 203	78 / 1981
8 / 203	84 / 2134
8 / 203	90 / 2286
8 / 203	96 / 2438
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 762
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438

PRICING

Clear Glass	Frost Glass
85	150
93	165
106	181
119	208
131	232
146	256
159	283
174	303
186	328
202	351
215	378
231	404
244	426
85	150
93	165
106	181
119	208
131	232
146	256
159	283
174	303
186	328
202	351
215	378
231	404
244	426

HTCC Screen Connector

The Screen Connector is used to connect Spine Screen Frames together in a continuous run.

WHAT'S INCLUDED

1 screen connector.

NOTES

Can connect Functional Spine Screen Frame (HTCF).



PRODUCT OPTIONS

Height

13, 21, 30

SAMPLE ORDER CODE

HTCC 21

DIMENSIONS INCHES / MM

H
13 / 330
21 / 533
30 / 762

PRICING


61
77
87

hutch stackers &
accessories

product map

H T S H N Open Through Hutch Stacker

Page 430




Hutch, Single

Hutch, Aperture

Hutch & Top Cubbies, Shared

H T S H N K Open Through Hutch Stacker with Sliding Door Overhead

Page 434




Single

Aperture

H T S H S Solid Back Hutch Stacker

Page 436




Hutch, Single

Hutch, Aperture

Hutch & Top Cubbies, Shared

H T S H S K Solid Back Hutch Stacker with Sliding Door Overhead

Page 438




Single

Shared

Aperture

H T S H G Glass Back Hutch Stacker

Page 440




Hutch, Single

Hutch, Aperture

Hutch & Top Cubbies, Shared

H T S H G K Glass Back Hutch Stacker with Sliding Door Overhead

Page 444




Single

Shared

Aperture

H T S H P Perforated Hutch Stacker

Page 448




Hutch, Aperture

Hutch, Shared

Hutch & Top Cubbies, Shared

H T S H P K Perforated Hutch Stacker with Sliding Door Overhead

Page 450




Shared

Aperture

product map


H T S H E Elevated Hutch Stacker

Page 452



H T A H Hutch Fascia Add-On

Page 454




Fabric

Back-Painted Glass

Whiteboard

H T A V Hutch Overhead Fascia Add-On

Page 460




Fabric

Back-Painted Glass

Whiteboard

H T H A Hutch Accessory


Page 462



hutch stackers & accessories

HTSHN

Open Through Hutch Stacker



Hutch, Single

Hutch, Aperture

Hutch & Top Cubbies, Shared

WHAT'S INCLUDED

Case, rod (if necessary), double face tape.

WHAT'S EXCLUDED

Fascia Add-Ons.

NOTES

Configuration Hutch and Top Cubbies (J), is only available in heights 30" and 45".

Configuration Hutch (H), is only available in heights 21" and 30".

Handedness is available on styles Shared (D) and Aperture (Y) except for when configuration Hutch (H) and style Shared (D) are specified together.

PRODUCT OPTIONS

Configuration	Style	Height	Width	Handedness	Case & Secondary Finish	Secondary Finish Application
H Hutch	S Single	21, 30, 45	30, 36, 42, 48, 54, 60, 66, 72	N Not Applicable	Source Laminate	A Shelves
J Hutch & Top Cubbies	D Shared Y Aperture			L Left R Right	Flintwood Veneer	B Back C Shelves & Back

SAMPLE ORDER CODE

HTSHN H	D	30	30	N	ZA	ZA	A
----------------	----------	-----------	-----------	----------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

HUTCH (H)					
SINGLE (S)			SHARED (D)		
Source Laminate	Flintwood	Veneer	Source Laminate	Flintwood	Veneer
893	2678	2812	893	2350	2470
938	2840	2981	938	2493	2618
1057	3028	3181	1162	2729	2865
1115	3219	3379	1219	2966	3115
1184	3409	3579	1290	3203	3363
1261	3599	3779	1366	3438	3610
1336	3789	3978	1442	3675	3859
1411	3979	4178	1516	3909	4104
954	2804	2944	954	2477	2602
1000	2971	3122	1000	2625	2758
1119	3162	3320	1224	2863	3008
1177	3351	3521	1282	3098	3255
1250	3541	3718	1356	3336	3502
1327	3732	3917	1434	3573	3750
1407	3922	4119	1513	3808	4000
1481	4113	4319	1586	4044	4247

Pricing is continued on the following page.

H T S H N

Open Through Hutch Stacker (Continued)

**DIMENSIONS
INCHES / MM**

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

HUTCH (H) (Continued)

APERTURE (Y)

Source Laminate	Flintwood	Veneer
1018	2616	2746
1070	2774	2910
1123	2939	3086
1182	3134	3291
1256	3330	3495
1335	3526	3702
1415	3722	3907
1491	3916	4113
1070	2746	2885
1123	2910	3058
1180	3086	3240
1241	3291	3457
1319	3495	3669
1402	3702	3888
1486	3907	4102
1565	4113	4319

HUTCH & TOP CUBBIES (J)

SINGLE (S)

SHARED (D)

H	W	Source Laminate	Flintwood	Veneer	Source Laminate	Flintwood	Veneer
30 / 762	30 / 762	1167	3879	4074	1101	3385	3553
30 / 762	36 / 914	1228	4113	4319	1157	3587	3769
30 / 762	42 / 1066	1288	4382	4602	1404	3902	4098
30 / 762	48 / 1219	1362	4652	4885	1478	4218	4430
30 / 762	54 / 1372	1451	4924	5169	1566	4533	4761
30 / 762	60 / 1524	1545	5193	5454	1661	4849	5092
30 / 762	66 / 1676	1641	5464	5737	1757	5163	5423
30 / 762	72 / 1829	1732	5735	6022	1849	5482	5756
45 / 1143	30 / 762	1306	4189	4400	1306	3691	3876
45 / 1143	36 / 914	1370	4440	4664	1370	3915	4109
45 / 1143	42 / 1066	1514	4724	4960	1637	4250	4465
45 / 1143	48 / 1219	1604	5004	5258	1724	4588	4817
45 / 1143	54 / 1372	1711	5290	5553	1833	4924	5169
45 / 1143	60 / 1524	1825	5573	5851	1945	5261	5520
45 / 1143	66 / 1676	1940	5856	6149	2059	5596	5875
45 / 1143	72 / 1829	2051	6140	6446	2172	5930	6227

Pricing is continued on the following page.

H T S H N

Open Through Hutch Stacker (Continued)

DIMENSIONS INCHES / MM

H	W
21 / 533	30 / 762
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

HUTCH & TOP CUBBIES (J) (Continued)


APERTURE (Y)

Source Laminate	Flintwood	Veneer
1018	2616	2746
1230	3804	3989
1289	4030	4232
1355	4271	4485
1433	4565	4792
1527	4857	5099
1626	5149	5407
1728	5443	5714
1826	5735	6022
1516	4121	4327
1592	4370	4588
1672	4631	4864
1730	4931	5177
1812	5233	5494
1899	5536	5812
1989	5835	6126
2073	6140	6446

hutch stackers & accessories

HTSHNK

Open Through Hutch Stacker with Sliding Door Overhead



Single

Aperture

WHAT'S INCLUDED

Case, sliding door with hardware, lock and keys (if specified), rod (if necessary), double face tape.

WHAT'S EXCLUDED

Fascia add-ons.

NOTES

Style Shared (D) and Aperture (Y), are only available in widths 42" - 72".

Handedness Left (L) or Right (R) must be specified if style Shared (D) or Aperture (Y) is selected.

PRODUCT OPTIONS

Style	Height	Width	Handedness	Case & Secondary Finish	Door Finish	Handle Finish	Key
S Single	45	30, 36, 42, 48, 54, 60, 66, 72	N Not Applicable	Source Laminate	Source Laminate	Foundation	N No Key
D Shared			L Left	Flintwood	Flintwood	Mica	K Key Alike
Y Aperture			R Right	Veneer	Veneer		R Key Random
					Glass		
					Frosted Glass		
					Back-Painted Glass		

SAMPLE ORDER CODE

HTSHNK D	45	48	R	ZA	ZA	ZA		60	N
----------	----	----	---	----	----	----	--	----	---

DIMENSIONS INCHES / MM

H	W
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

SINGLE (S)

SOURCE LAMINATE

Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
1480	1574	1480	1580	1769
1712	1813	1703	1808	2008
1998	2103	1978	2090	2301
2102	2217	2073	2192	2416
2230	2349	2192	2317	2551
2366	2491	2315	2444	2694
2518	2656	2437	2573	2835
2629	2768	2547	2685	2945

FLINTWOOD

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front	Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
4543	4447	4550	4736	4769	4652	4755	4942
4860	4750	4853	5053	5103	4971	5075	5275
5177	5051	5163	5377	5437	5287	5400	5613
5495	5351	5471	5696	5771	5604	5720	5947
5816	5658	5780	6016	6106	5921	6044	6281
6200	6025	6154	6404	6509	6307	6437	6685
6584	6363	6502	6763	6914	6667	6800	7064
6967	6751	6887	7149	7317	7070	7205	7467

Pricing is continued on the following page.

H T S H N K

Open Through Hutch Stacker with Sliding Door Overhead (Continued)

**DIMENSIONS
INCHES / MM**

H	W
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

SHARED (D)

SOURCE LAMINATE

Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
1884	1996	1842	1943	2131
1972	2083	1936	2031	2223
2080	2189	2043	2140	2329
2224	2342	2172	2285	2500
2369	2495	2300	2434	2671
2506	2645	2426	2575	2854

FLINTWOOD

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
5729	5580	5679	5868
6044	5899	5995	6184
6360	6214	6310	6502
6708	6539	6653	6868
7055	6863	6994	7231
7402	7185	7335	7613

VENEER

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
6016	5839	5942	6129
6349	6178	6273	6464
6678	6508	6606	6794
7045	6847	6962	7177
7409	7187	7320	7557
7772	7524	7675	7955

APERTURE (Y)

SOURCE LAMINATE

Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
1884	1996	1842	1943	2131
1972	2083	1936	2031	2223
2080	2189	2043	2140	2329
2224	2342	2172	2285	2500
2369	2495	2300	2434	2671
2506	2645	2426	2575	2854

FLINTWOOD

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
5540	5389	5490	5679
5881	5735	5831	6019
6223	6074	6171	6360
6634	6464	6578	6791
7045	6849	6983	7221
7456	7238	7389	7668


VENEER

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
5817	5641	5742	5933
6176	6004	6100	6290
6532	6360	6459	6648
6965	6769	6881	7097
7396	7175	7308	7545
7830	7582	7731	8011


hutch stackers & accessories

HTSHS


Solid Back Hutch Stacker



Hutch, Single



Hutch, Aperture



Hutch & Top Cubbies, Shared

WHAT'S INCLUDED

Case, rod (if necessary), double face tape.

WHAT'S EXCLUDED

Fascia add-ons.

NOTES

Configuration Hutch and Top Cubbies (J), is only available in heights 30" and 45".

Handedness is available on styles Shared (D) and Aperture (Y) except for when configuration Hutch (H) and style Shared (D) are specified together.

Style Aperture (Y) is only available in widths 42" - 72" and heights 30" and 45".

PRODUCT OPTIONS

Configuration	Style	Height	Width	Handedness	Case & Secondary Finish	Secondary Finish Application
H Hutch	S Single	21, 30, 45	30, 36, 42, 48, 54, 60, 66, 72	N Not Applicable	Source Laminate	A Shelves
J Hutch & Top Cubbies	D Shared Y Aperture			L Left R Right	Flintwood Veneer	B Back C Shelves & Back

SAMPLE ORDER CODE

HTSHS H	D	45	30	N	ZA	ZA	A
----------------	----------	-----------	-----------	----------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

HUTCH (H)			SHARED (D)		
SINGLE (S)					
Source Laminate	Flintwood	Veneer	Source Laminate	Flintwood	Veneer
986	2726	2863	986	2691	2826
1036	2982	3132	1036	2982	3132
1206	3240	3402	1099	3272	3436
1278	3494	3668	1172	3566	3744
1365	3750	3937	1260	3858	4050
1456	4008	4207	1353	4148	4355
1550	4263	4475	1443	4439	4663
1638	4519	4743	1534	4730	4967
1085	3013	3163	1085	2993	3144
1138	3290	3456	1138	3290	3456
1315	3568	3746	1210	3584	3764
1394	3843	4036	1289	3879	4074
1492	4121	4328	1385	4177	4385
1593	4399	4619	1486	4472	4697
1695	4675	4910	1589	4766	5004
1792	4956	5203	1685	5062	5316
1213	3742	3927	1213	3705	3891
1276	4102	4306	1276	4102	4306
1459	4466	4689	1355	4500	4724
1550	4824	5068	1443	4898	5142
1658	5189	5446	1553	5293	5559
1771	5549	5828	1663	5691	5976
1885	5911	6207	1778	6087	6392
1996	6271	6584	1887	6482	6807

Pricing is continued on the following page.

H T S H S Solid Back Hutch Stacker (Continued)

DIMENSIONS INCHES / MM

H	W
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

HUTCH (H) (Continued)		
APERTURE (Y)		
Source Laminate	Flintwood	Veneer
1269	3986	4186
1355	4213	4423
1455	4440	4664
1560	4669	4902
1666	5027	5279
1771	5387	5658
1489	4422	4646
1589	4763	5002
1708	5106	5363
1832	5447	5720
1956	5790	6080
2079	6135	6443

H	W
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829


HUTCH & TOP CUBBIES (J)					
SINGLE (S)			SHARED (D)		
Source Laminate	Flintwood	Veneer	Source Laminate	Flintwood	Veneer
1194	3573	3750	1194	4232	4442
1253	3931	4130	1253	4555	4784
1444	4294	4507	1329	4879	5126
1535	4652	4885	1419	5206	5466
1641	5015	5264	1527	5533	5808
1752	5374	5641	1636	5857	6150
1863	5735	6022	1748	6182	6493
1971	6090	6395	1855	6508	6835
1395	4087	4292	1395	4692	4925
1465	4447	4670	1465	5041	5292
1680	4812	5049	1557	5391	5662
1781	5171	5431	1661	5741	6029
1907	5534	5808	1783	6091	6396
2037	5894	6187	1914	6443	6764
2169	6257	6568	2047	6792	7132
2293	6617	6947	2172	7140	7497

APERTURE (Y)		
Source Laminate	Flintwood	Veneer
1395	4860	5102
1489	5194	5454
1601	5532	5806
1717	5865	6157
1835	6200	6509
1946	6538	6866
1713	5366	5635
1827	5744	6032
1964	6121	6428
2105	6499	6823
2252	6875	7221
2388	7253	7618


hutch stackers & accessories

HTSHSK


Solid Back Hutch Stacker with Sliding Door Overhead



Single



Shared



Aperture

WHAT'S INCLUDED

Case, sliding door with hardware, lock and keys (if specified), rod (if necessary), double face tape.

WHAT'S EXCLUDED

Fascia add-ons.

NOTES

Handedness Left (L) or Right (R) must be specified if Style Shared (D) or Aperture (Y) are selected.

Style Shared (D) and Aperture (Y) are only available in widths 42" - 72".

PRODUCT OPTIONS

Style	Height	Width	Handedness	Case & Secondary Finish	Door Finish	Handle Finish	Key
S Single	45	30, 36, 42, 48, 54, 60, 66, 72	N Not Applicable	Source Laminate	Source Laminate	Foundation Mica	N No Key
D Shared			L Left	Flintwood	Flintwood		K Key Alike
Y Aperture			R Right	Veneer	Veneer Glass Frosted Glass Back-Painted Glass		R Key Random

SAMPLE ORDER CODE

HTSHSK D	45	48	R	ZA	ZA	ZA	60	N
----------	----	----	---	----	----	----	----	---

DIMENSIONS INCHES / MM

H	W
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

SINGLE (S)

SOURCE LAMINATE

Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
1713	1808	1713	1813	2001
1807	1909	1799	1904	2103
2038	2146	2021	2131	2344
2160	2275	2130	2250	2474
2304	2426	2267	2390	2625
2455	2579	2404	2532	2784
2624	2763	2544	2680	2942
2750	2891	2669	2807	3068

FLINTWOOD

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
4952	4856	4957	5145
5331	5219	5323	5523
5710	5582	5694	5908
6087	5944	6062	6286
6467	6307	6432	6669
6845	6670	6798	7048
7223	7003	7140	7401
7600	7383	7519	7781

VENER

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
5198	5082	5185	5372
5596	5464	5568	5769
5993	5842	5955	6169
6392	6225	6343	6567
6789	6605	6728	6963
7187	6983	7112	7363
7584	7336	7472	7734
7982	7733	7869	8132

Pricing is continued on the following page.

H T S H S K Solid Back Hutch Stacker with Sliding Door Overhead (Continued)

**DIMENSIONS
INCHES / MM**

H	W
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

SHARED (D)

SOURCE LAMINATE

	Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
	1835	1945	1796	1894	2085
	1926	2037	1887	1984	2174
	2029	2141	1995	2090	2282
	2182	2301	2131	2246	2459
	2342	2470	2276	2407	2646
	2503	2642	2422	2573	2851

FLINTWOOD

	Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front	Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
45 / 1143 42 / 1066	6322	6170	6271	6461	6638	6462	6561	6752
45 / 1143 48 / 1219	6731	6584	6678	6871	7070	6899	6992	7184
45 / 1143 54 / 1372	7141	6995	7092	7282	7498	7327	7424	7614
45 / 1143 60 / 1524	7539	7368	7483	7697	7916	7722	7837	8049
45 / 1143 66 / 1676	7937	7744	7876	8114	8335	8113	8245	8482
45 / 1143 72 / 1829	8336	8117	8268	8546	8755	8504	8654	8933

VENEER

APERTURE (Y)

SOURCE LAMINATE

	Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
45 / 1143 42 / 1066	2082	2195	2042	2141	2330
45 / 1143 48 / 1219	2197	2306	2159	2255	2445
45 / 1143 54 / 1372	2332	2444	2296	2394	2581
45 / 1143 60 / 1524	2503	2623	2453	2567	2781
45 / 1143 66 / 1676	2678	2807	2613	2745	2982
45 / 1143 72 / 1829	2845	2984	2765	2914	3192

FLINTWOOD


	Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front	Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
45 / 1143 42 / 1066	6764	6612	6712	6902	7103	6926	7025	7216
45 / 1143 48 / 1219	7202	7054	7151	7342	7563	7393	7487	7679
45 / 1143 54 / 1372	7641	7495	7592	7784	8026	7853	7952	8139
45 / 1143 60 / 1524	8069	7897	8012	8226	8474	8277	8390	8603
45 / 1143 66 / 1676	8495	8301	8432	8671	8919	8698	8829	9067
45 / 1143 72 / 1829	8919	8702	8852	9130	9367	9116	9267	9546

VENEER


hutch stackers & accessories

HTSHG


Glass Back Hutch Stacker



Hutch, Single



Hutch, Aperture



Hutch & Top Cubbies, Shared

WHAT'S INCLUDED

Case, glass back with hardware, rod (if necessary), double face tape.

WHAT'S EXCLUDED

Fascia add-ons.

NOTES

Configuration Hutch and Top Cubbies (J), is only available in heights 30" and 45".

Style Aperture (Y) is only available in widths 42" - 72" and heights 30" and 45".

Handedness is available on styles Shared (D) and Aperture (Y) except for when configuration Hutch (H) and style Shared (D) are specified together.

Support Rod is only required for Style (S) type hutches.

PRODUCT OPTIONS

Configuration	Style	Height	Width	Handedness	Case & Secondary Finish	Secondary Finish Application	Hutch Glass Finish
H Hutch	S Single	21, 30, 45	30, 36, 42, 48, 54, 60, 66, 72	N Not Applicable	Source Laminate	A Shelves	CL Clear Glass
J Hutch & Top Cubbies	D Shared			L Left	Flintwood	B Back	FT Frosted Glass
	Y Aperture			R Right	Veneer	C Shelves & Back	

SAMPLE ORDER CODE

HTSHG H	D	45	30	N	ZA	ZA	A	FT
----------------	----------	-----------	-----------	----------	-----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

PRICING

		HUTCH (H)					
		SINGLE (S)					
		CLEAR GLASS (CL)			FROSTED GLASS (FT)		
H	W	Source Laminate	Flintwood	Veneer	Source Laminate	Flintwood	Veneer
21 / 533	30 / 762	1064	2435	2554	1170	2542	2661
21 / 533	36 / 914	1117	2581	2706	1227	2691	2816
21 / 533	42 / 1066	1297	2833	2968	1423	2959	3095
21 / 533	48 / 1219	1382	3082	3231	1528	3228	3377
21 / 533	54 / 1372	1476	3329	3489	1641	3495	3655
21 / 533	60 / 1524	1581	3581	3753	1761	3761	3932
21 / 533	66 / 1676	1681	3828	4012	1883	4030	4214
21 / 533	72 / 1829	1781	4077	4272	2000	4297	4492
30 / 762	30 / 762	1201	2600	2725	1375	2774	2899
30 / 762	36 / 914	1259	2754	2887	1444	2939	3073
30 / 762	42 / 1066	1451	3011	3156	1665	3225	3370
30 / 762	48 / 1219	1549	3267	3423	1786	3504	3661
30 / 762	54 / 1372	1663	3526	3692	1928	3791	3957
30 / 762	60 / 1524	1771	3777	3954	2066	4072	4249
30 / 762	66 / 1676	1892	4034	4226	2213	4356	4547
30 / 762	72 / 1829	2003	4287	4490	2354	4638	4841

Pricing is continued on the following page.

H T S H G Glass Back Hutch Stacker (Continued)

**DIMENSIONS
INCHES / MM**

H	W
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

HUTCH (H) (CONTINUED)
SINGLE (S) (CONTINUED)

CLEAR GLASS (CL)			FROSTED GLASS (FT)		
Source Laminate	Flintwood	Veneer	Source Laminate	Flintwood	Veneer
1391	2912	3048	1663	3184	3321
1462	3088	3231	1746	3372	3515
1669	3373	3532	2000	3704	3863
1783	3663	3833	2165	4045	4214
1915	3951	4138	2344	4380	4567
2051	4242	4439	2524	4715	4913
2188	4530	4740	2710	5052	5262
2322	4817	5040	2892	5387	5610

SHARED (D)
CLEAR GLASS (CL)

Source Laminate	Flintwood	Veneer	FROSTED GLASS (FT)		
Source Laminate	Flintwood	Veneer	Source Laminate	Flintwood	Veneer
1064	2763	2897	1170	2870	3003
1117	2928	3069	1227	3038	3180
1191	3131	3284	1318	3257	3410
1276	3335	3495	1422	3481	3641
1369	3536	3705	1535	3702	3871
1476	3742	3922	1655	3922	4102
1574	3942	4131	1776	4144	4333
1675	4147	4347	1894	4366	4566
1201	2927	3067	1375	3101	3241
1259	3100	3250	1444	3285	3436
1346	3311	3468	1559	3524	3682
1443	3519	3689	1681	3757	3927
1557	3732	3908	1821	3996	4173
1666	3936	4121	1960	4231	4416
1789	4148	4345	2110	4469	4667
1898	4357	4562	2248	4707	4913
1391	3271	3427	1663	3544	3699
1462	3466	3630	1746	3750	3914
1564	3703	3880	1894	4033	4211
1677	3943	4125	2059	4324	4507
1810	4179	4374	2239	4609	4804
1946	4417	4621	2420	4891	5095
2081	4654	4871	2603	5176	5393
2217	4894	5121	2786	5464	5691

Pricing is continued on the following page.

H T S H G

Glass Back Hutch Stacker (Continued)

DIMENSIONS INCHES / MM

H	W
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

HUTCH (H) (CONTINUED)

APERTURE (Y)

CLEAR GLASS (CL)

Source Laminate	Flintwood	Veneer
1379	3221	3376
1492	3452	3618
1626	3685	3859
1754	3913	4099
1894	4146	4341
2011	4371	4576
1746	3642	3813
1788	3898	4082
1846	4155	4344
1911	4408	4611
1974	4664	4877
2038	4918	5146

FROSTED GLASS (FT)

Source Laminate	Flintwood	Veneer
1610	3452	3606
1750	3711	3877
1907	3966	4140
2066	4225	4411
2231	4482	4677
2383	4742	4947
2075	3972	4142
2167	4277	4461
2271	4581	4770
2384	4881	5084
2496	5186	5399
2607	5487	5714

HUTCH & TOP CUBBIES (J)

SINGLE (S)

CLEAR GLASS (CL)

Source Laminate	Flintwood	Veneer
1271	3470	3638
1333	3675	3857
1538	4005	4202
1638	4334	4546
1750	4660	4887
1875	4991	5235
1993	5316	5576
2112	5650	5924
1476	3776	3960
1547	4003	4197
1769	4353	4568
1886	4704	4933
2015	5051	5295
2161	5403	5663
2298	5749	6029
2437	6098	6395

FROSTED GLASS (FT)

Source Laminate	Flintwood	Veneer
1378	3576	3744
1443	3785	3967
1661	4128	4324
1775	4471	4683
1904	4813	5040
2039	5156	5400
2170	5494	5754
2300	5838	6112
1582	3883	4067
1658	4113	4307
1895	4480	4695
2030	4848	5077
2181	5217	5461
2341	5583	5843
2499	5950	6229
2656	6317	6614

Pricing is continued on the following page.

H T S H G Glass Back Hutch Stacker (Continued)

**DIMENSIONS
INCHES / MM**

H	W
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

H	W
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

HUTCH & TOP CUBBIES (J) (CONTINUED)

SHARED (D)

CLEAR GLASS (CL)

Source Laminate	Flintwood	Veneer
1271	3964	4159
1333	4202	4407
1422	4486	4705
1522	4768	5001
1636	5051	5295
1759	5336	5597
1878	5617	5890
1999	5903	6190
1476	4273	4485
1547	4529	4753
1648	4827	5063
1766	5120	5374
1895	5416	5679
2038	5715	5994
2177	6009	6302
2314	6308	6614

FROSTED GLASS (FT)

Source Laminate	Flintwood	Veneer
1378	4070	4265
1443	4312	4517
1549	4612	4831
1666	4911	5145
1801	5217	5461
1938	5516	5777
2079	5817	6091
2187	6091	6378
1582	4380	4591
1658	4639	4863
1775	4953	5190
1909	5264	5518
2061	5582	5845
2218	5895	6174
2378	6209	6503
2533	6527	6834

APERTURE (Y)

CLEAR GLASS (CL)

Source Laminate	Flintwood	Veneer
1448	4353	4567
1565	4668	4895
1695	4976	5219
1836	5290	5547
1971	5598	5870
2270	5993	6279
1764	4713	4946
1864	5034	5280
1980	5352	5613
2110	5676	5952
2234	5990	6281
2518	6397	6704


FROSTED GLASS (FT)

Source Laminate	Flintwood	Veneer
1677	4583	4797
1835	4938	5165
2020	5301	5544
2211	5664	5922
2400	6027	6299
2973	6696	6982
1994	4943	5176
2134	5305	5551
2305	5677	5938
2485	6051	6327
2663	6419	6711
3221	7100	7407

hutch stackers & accessories

HTSHGK

Glass Back Hutch Stacker with Sliding Door Overhead



Single

Shared

Aperture

WHAT'S INCLUDED

Case, glass back with hardware, sliding door with hardware, lock and keys (if specified), rod (if necessary), double face tape.

WHAT'S EXCLUDED

Fascia add-ons.

NOTES

Handedness Left (L) or Right (R) must be specified if Style Shared (D) or Aperture (Y) are selected.

Styles Shared (D) and Aperture (Y) are only available in widths 42" - 72".

PRODUCT OPTIONS

Style	Height	Width	Handedness	Case & Secondary Finish	Door Finish	Hutch Glass Finish	Handle Finish	Key
S Single	45	30, 36, 42, 48, 54, 60, 66, 72	N Not Applicable L Left R Right	Source Laminate Flintwood Veneer	Source Laminate Flintwood Veneer Glass Frosted Glass Back-Painted Glass	CL Clear Glass FT Frosted Glass	Foundation Mica	N No Key K Key Alike R Key Random
D Shared								
Y Aperture								

SAMPLE ORDER CODE

HTSHGK D	45	48	R	ZA	ZA	ZA		FT	60	N
----------	----	----	---	----	----	----	--	----	----	---

DIMENSIONS INCHES / MM

H	W
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

WITH CLEAR GLASS HUTCH (CL)

SINGLE (S)

SOURCE LAMINATE

Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
1706	1801	1706	1807	1996
1800	1902	1792	1897	2097
2027	2136	2008	2122	2333
2147	2261	2118	2235	2462
2289	2407	2250	2373	2610
2437	2562	2385	2516	2767
2603	2740	2521	2658	2920
2726	2864	2645	2781	3043

Pricing is continued on the following page.

H T S H G K

Glass Back Hutch Stacker with Sliding Door Overhead (Continued)

**DIMENSIONS
INCHES / MM**

45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

H	W
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

WITH CLEAR GLASS HUTCH (CL) (Continued)

SINGLE (S) (Continued)

FLINTWOOD				VENEER			
Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front	Case, Secondary & Front	Case, Secondary & Clear Glass Fron	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
4109	4014	4116	4302	4316	4199	4300	4489
4356	4247	4352	4552	4576	4442	4548	4749
4717	4591	4704	4916	4953	4802	4916	5130
5077	4936	5053	5279	5334	5164	5283	5509
5440	5281	5406	5641	5713	5529	5654	5888
5803	5627	5756	6006	6093	5888	6018	6270
6189	5974	6109	6370	6501	6250	6387	6648
6525	6307	6444	6705	6850	6602	6740	7001

SHARED (D)

SOURCE LAMINATE

Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
1914	2025	1875	1973	2166
2016	2127	1980	2076	2267
2137	2247	2100	2198	2387
2293	2414	2243	2357	2572
2451	2579	2385	2518	2755
2604	2741	2522	2673	2951

FLINTWOOD				VENEER			
Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front	Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
5203	5051	5150	5341	5464	5287	5388	5578
5487	5338	5435	5624	5761	5590	5684	5875
5769	5621	5719	5909	6059	5886	5983	6175
6090	5919	6034	6247	6395	6199	6312	6526
6411	6216	6350	6586	6731	6509	6642	6879
6733	6515	6668	6945	7071	6822	6972	7250

Pricing is continued on the following page.

hutch stackers & accessories

HTSHGK

Glass Back Hutch Stacker with Sliding Door Overhead (Continued)

DIMENSIONS INCHES / MM

H	W
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

WITH CLEAR GLASS HUTCH (CL) (Continued)

APERTURE (Y)

SOURCE LAMINATE

Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
2052	2161	2009	2110	2299
2129	2241	2094	2187	2378
2230	2342	2196	2291	2482
2369	2488	2318	2430	2645
2504	2632	2441	2572	2810
2720	2857	2638	2789	3067

FLINTWOOD

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
5110	4959	5059	5249
5413	5264	5360	5549
5713	5565	5662	5853
6054	5882	5996	6209
6392	6198	6329	6567
6733	6515	6668	6945

VENEER

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
5365	5190	5290	5480
5682	5510	5606	5795
5998	5828	5924	6113
6354	6158	6273	6486
6711	6488	6620	6858
7071	6822	6972	7250

WITH FROST GLASS BACK (FT)

SINGLE (S)

SOURCE LAMINATE

Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
1984	2079	1984	2085	2274
2090	2192	2082	2187	2387
2364	2473	2346	2459	2670
2530	2644	2501	2618	2844
2718	2836	2680	2803	3039
2913	3038	2861	2992	3242
3125	3262	3043	3180	3442
3297	3435	3216	3351	3613

FLINTWOOD

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
4386	4291	4393	4580
4646	4537	4642	4842
5054	4929	5041	5254
5460	5319	5436	5662
5870	5711	5835	6070
6279	6103	6232	6482
6711	6496	6631	6892
7096	6878	7015	7276

VENEER

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
4594	4476	4577	4766
4866	4732	4838	5039
5291	5140	5254	5467
5716	5547	5665	5892
6142	5958	6083	6317
6569	6364	6494	6745
7023	6772	6909	7170
7421	7172	7310	7571

Pricing is continued on the following page.

H T S H G K

Glass Back Hutch Stacker with Sliding Door Overhead (Continued)

**DIMENSIONS
INCHES / MM**

H	W
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

WITH CLEAR GLASS HUTCH (CL) (Continued)

SHARED (D)

SOURCE LAMINATE

Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
2252	2363	2212	2311	2503
2399	2510	2363	2459	2649
2566	2676	2529	2627	2816
2769	2890	2719	2833	3047
2973	3101	2907	3040	3277
3175	3312	3093	3243	3522

FLINTWOOD

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
5540	5388	5488	5678
5870	5721	5817	6006
6198	6051	6148	6338
6566	6395	6510	6722
6933	6738	6872	7108
7303	7085	7238	7516

VENEER

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
5801	5625	5726	5916
6143	5973	6067	6258
6488	6315	6412	6604
6871	6675	6787	7002
7253	7031	7164	7401
7642	7393	7542	7821

WITH FROST GLASS BACK (FT) (Continued)

APERTURE (Y)

SOURCE LAMINATE

Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
2509	2618	2466	2567	2756
2758	2871	2724	2816	3008
2977	3089	2943	3038	3229
3233	3352	3182	3294	3509
3487	3615	3423	3554	3792
4333	4469	4250	4401	4679

FLINTWOOD

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
5567	5416	5516	5706
6042	5894	5990	6179
6460	6312	6409	6600
6918	6747	6860	7074
7374	7180	7311	7549
8345	8127	8280	8557


VENEER

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
5822	5647	5747	5937
6312	6140	6236	6425
6745	6575	6671	6860
7219	7023	7137	7350
7693	7470	7603	7840
8684	8434	8584	8862

hutch stackers & accessories

HTSHP

Perforated Hutch Stacker



Hutch, Aperture

Hutch, Shared

Hutch & Top Cubbies, Shared

WHAT'S INCLUDED

Case, perforated metal with hardware, support rod (if necessary), double face tape.

WHAT'S EXCLUDED

Fascia add-ons.

NOTES

Configuration Hutch and Top Cubbies (J), is only available in heights 30" and 45".

Style Aperture (Y) is only available in widths 42" - 72" and heights 30" and 45".

PRODUCT OPTIONS

Configuration	Style	Height	Width	Handedness	Case & Secondary Finish	Secondary Finish Application	Perforated Divider Finish
H Hutch	D Shared	21, 30, 45	30, 36, 42, 48, 54, 60, 66, 72	L Left R Right	Source Laminate Flintwood Veneer	A Shelves	Foundation
J Hutch & Top Cubbies	Y Aperture					B Back C Shelves & Back	Mica Accent

SAMPLE ORDER CODE

HTSHP H	D	45	30	R	ZA	ZA	A	74
----------------	----------	-----------	-----------	----------	-----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

HUTCH (H)		
SHARED (D)		
Source Laminate	Flintwood	Veneer
1589	3408	3541
1666	3569	3711
1716	3756	3908
1774	3949	4108
2087	4381	4552
2166	4573	4753
2240	4761	4951
2314	4952	5149
1839	3734	3873
1931	3901	4051
1979	4091	4250
2037	4279	4450
2419	4782	4959
2497	4972	5159
2576	5161	5359
2651	5351	5559
2350	4486	4641
2470	4671	4836
2516	4878	5053
2571	5090	5273
3111	5764	5958
3187	5975	6178
3268	6182	6396
3344	6392	6619

If Mica/Accent Divider is specified, add 50

Pricing is continued on the following page.

H T S H P Perforated Hutch Stacker (Continued)

**DIMENSIONS
INCHES / MM**

H	W
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

H	W
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

H	W
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

HUTCH (H) (Continued)

APERTURE (Y)

Source Laminate	Flintwood	Veneer
2040	4015	4173
2101	4220	4385
2489	4736	4910
2572	4942	5128
2656	5147	5343
2734	5351	5559
2651	4794	4965
2632	5022	5203
3100	5714	5906
3106	5940	6143
3115	6165	6381
3119	6392	6619

HUTCH & TOP CUBBIES (J)

SHARED (D)

Source Laminate	Flintwood	Veneer
1797	4610	4802
1886	4842	5047
1945	5111	5333
2021	5382	5614
2354	5895	6142
2448	6165	6426
2544	6437	6708
2636	6706	6994
2192	5119	5331
2300	5372	5594
2375	5655	5889
2463	5938	6186
2880	6528	6793
2993	6812	7091
3110	7095	7389
3219	7380	7686

APERTURE (Y)

Source Laminate	Flintwood	Veneer
2011	5000	5214
2090	5293	5520
2428	5831	6071
2529	6122	6381
2630	6415	6685
2728	6706	6994
2530	5561	5792
2589	5863	6109
2982	6473	6733
3069	6773	7050
3161	7075	7366
3242	7380	7686

If Mica/Accent Divider is specified, add 50

hutch stackers & accessories

HTSHPK


Perforated Back Hutch Stacker with Sliding Door Overhead

WHAT'S INCLUDED

Case, perforated metal with hardware, sliding door with hardware, lock and keys (if specified), support rod (if necessary), double face tape.

WHAT'S EXCLUDED

Fascia add-ons.



PRODUCT OPTIONS

Style	Height	Width	Handedness	Case & Secondary Finish	Door Finish	Perforated Divider Finish	Handle Finish	Key
D Shared	45	42, 48, 54, 60, 66, 72	L Left	Source Laminate	Source Laminate	Foundation	Foundation	N No Key
Y Aperture			R Right	Flintwood Veneer	Flintwood Veneer Glass Frosted Glass Back-Painted Glass	Mica Accent	Mica	K Key Alike R Key Random

SAMPLE ORDER CODE

HTSHPKD	45	48	R	ZA	ZA	ZA	74	60	N
----------------	-----------	-----------	----------	-----------	-----------	-----------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H	W
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

SHARED (D)

SOURCE LAMINATE

Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
2588	2689	2878	2629	2740
2669	2767	2957	2705	2818
2760	2856	3046	2796	2906
3176	3291	3504	3228	3347
3290	3421	3660	3355	3485
3405	3553	3833	3486	3624

FLINTWOOD

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front	Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
6134	5982	6082	6272	6440	6265	6363	6555
6417	6270	6363	6555	6737	6566	6663	6850
7009	6863	6959	7149	7360	7189	7285	7475
7330	7161	7274	7487	7697	7501	7614	7829
7651	7456	7590	7828	8033	7811	7944	8183
7973	7756	7907	8186	8372	8126	8275	8554

VENEER

If Mica/Accent Divider is specified, add 50

Pricing is continued on the following page.

H T S H P K

Perforated Back Hutch Stacker with Sliding Door Overhead (Continued)

**DIMENSIONS
INCHES / MM**

H	W
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

APERTURE (Y)

SOURCE LAMINATE

Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
2818	2919	3108	2859	2970
2886	2981	3171	2922	3033
3279	3376	3566	3314	3427
3367	3482	3693	3416	3537
3457	3587	3827	3522	3649
3537	3689	3966	3618	3755

FLINTWOOD

H	W
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front	Case, Secondary & Front	Case, Secondary & Clear Glass Front	Case, Secondary & Frosted Glass Front	Case, Secondary & Glass BP Front
6040	5888	5989	6179	6343	6167	6267	6457
6343	6194	6290	6480	6658	6486	6583	6772
6954	6805	6902	7092	7301	7128	7226	7416
7293	7122	7237	7450	7656	7463	7574	7789
7632	7438	7569	7808	8013	7791	7923	8161
7973	7756	7907	8186	8372	8126	8275	8554


VENEER

If Mica/Accent Divider is specified, add 50

hutch stackers & accessories

HTSHE

Elevated Hutch Stacker



The Elevated Hutch Stacker mounts perpendicular to the worksurface to provide storage, privacy and workstation delineation in a benching environment.

WHAT'S INCLUDED

1 Lateral Tower unit with hardware, lock and keys (if specified).

WHAT'S EXCLUDED

Storage-to-worksurface support brackets.

NOTES

Ships disassembled.

PRODUCT OPTIONS

Height	Depth	Width	Style	Case & Secondary Finish	Metal Paint Finish	Key
51	16	60, 66, 72, 78, 84, 90, 96	P Paper Filing H Hinged Door	Source Laminate Flintwood Veneer	Foundation Mica Accent	N No Key K Key Alike R Key Random

SAMPLE ORDER CODE

HTSHE 51	16	72	H	ZA	ZA	74	N
-----------------	-----------	-----------	----------	-----------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H	D	W
51 / 1295	16 / 406	60 / 1524
51 / 1295	16 / 406	66 / 1676
51 / 1295	16 / 406	72 / 1829
51 / 1295	16 / 406	78 / 1981
51 / 1295	16 / 406	84 / 2134
51 / 1295	16 / 406	90 / 2286
51 / 1295	16 / 406	96 / 2438

51 / 1295	16 / 406	60 / 1524
51 / 1295	16 / 406	66 / 1676
51 / 1295	16 / 406	72 / 1829
51 / 1295	16 / 406	78 / 1981
51 / 1295	16 / 406	84 / 2134
51 / 1295	16 / 406	90 / 2286
51 / 1295	16 / 406	96 / 2438

PRICING

PAPER FILING (P)

Source Laminate	Flintwood	Veneer
1835	2529	2656
1914	2574	2702
1994	2618	2748
2032	2663	2794
2073	2705	2842
2116	2761	2898
2158	2815	2957

HINGED DOOR (H)


Source Laminate	Flintwood	Veneer
1769	2985	3134
1847	3030	3182
1924	3072	3228
2387	3115	3270
2387	3155	3313
2434	3217	3379
2484	3284	3445

If Mica/Accent Louvered Divider is specified, add 50

hutch stackers & accessories

HTAH

Hutch Fascia Add-On



Fabric Back-Painted Glass Whiteboard

WHAT'S INCLUDED

1 fascia, velcro.

NOTES

Hutch Style Single with Cubby (SG), Aperture with Cubby (YC) and Shared with Cubby (SC) are only available in heights 30" and 45".

Styles Aperture (YP) and Aperture with Cubby (YC) are only available in widths 42" - 72".

Application Exterior (E) is only available if Style Single (SD), Single with Cubby (SG), Aperture (YP) or Aperture with Cubby (YC) is selected.

PRODUCT OPTIONS

Configuration	Style of Hutch	Application	Height of Hutch	Width of Hutch	Finish
F Fabric	SD Single	E Exterior	21, 30, 45	30, 36, 42, 48, 54, 60, 66, 72	Fabric
G Back-Painted Glass	SG Single with Cubby	N Interior			K1 Storm White
W Whiteboard	SH Shared				K7 Very White
	SC Shared with Cubby				K8 Graphic Steel
	YP Aperture				J6 Gris
	YC Aperture with Cubby				WB Whiteboard

SAMPLE ORDER CODE

HTAH F	SG	E	30	36	K671
---------------	-----------	----------	-----------	-----------	-------------

DIMENSIONS INCHES / MM

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

FABRIC (F)

SINGLE (SD)

EXTERIOR (E)

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
70	71	77	79	81	82	85	86
84	86	89	90	93	95	97	100
96	99	106	108	111	115	117	121
113	116	119	122	125	128	135	138
124	128	131	137	142	146	150	153
140	145	148	152	155	159	168	172
153	157	165	169	174	177	182	190
169	174	177	182	188	197	202	206
75	78	79	81	84	85	87	90
87	90	93	95	97	100	107	109
100	107	109	113	116	118	122	124
118	121	124	128	131	137	142	146
131	137	142	146	151	153	157	161
147	151	154	158	165	171	175	179
159	167	172	175	180	186	195	200
175	180	184	194	200	203	209	215

INTERIOR (N)

COM Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
70	71	77	79	81	82	85	86
84	86	89	90	93	95	97	100
96	99	106	108	111	115	117	121
113	116	119	122	125	128	135	138
124	128	131	137	142	146	150	153
140	145	148	152	155	159	168	172
153	157	165	169	174	177	182	190
169	174	177	182	188	197	202	206
75	78	79	81	84	85	87	90
87	90	93	95	97	100	107	109
100	107	109	113	116	118	122	124
118	121	124	128	131	137	142	146
131	137	142	146	151	153	157	161
147	151	154	158	165	171	175	179
159	167	172	175	180	186	195	200
175	180	184	194	200	203	209	215

H T A H
Hutch Fascia Add-On (Continued)

**DIMENSIONS
INCHES / MM**

H	W
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

FABRIC (F) (Continued)															
SINGLE (SD) (Continued)															
EXTERIOR (E) (Continued)					INTERIOR (N) (Continued)										
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	COM Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
79	81	82	85	88	90	92	94	79	81	82	85	88	90	92	94
92	94	96	99	102	108	110	115	92	94	96	99	102	108	110	115
109	111	116	118	122	124	128	131	109	111	116	118	122	124	128	131
123	126	129	136	140	145	148	152	123	126	129	136	140	145	148	152
138	143	147	151	154	158	167	171	138	143	147	151	154	158	167	171
153	157	165	169	174	177	182	190	153	157	165	169	174	177	182	190
171	175	179	184	190	198	203	208	171	175	179	184	190	198	203	208
184	194	198	203	209	215	222	230	184	194	198	203	209	215	222	230
SINGLE WITH CUBBY (SG)															
EXTERIOR (E)					INTERIOR (N)										
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
81	84	85	87	90	93	95	97	89	92	94	96	100	106	108	110
95	97	100	107	110	113	116	118	108	110	115	117	121	123	125	129
115	117	121	123	126	131	136	140	124	128	131	137	142	146	150	153
128	135	137	142	146	150	153	158	143	147	151	154	159	167	171	175
146	150	153	157	161	169	174	177	159	167	172	175	180	186	195	200
159	167	172	175	180	186	195	200	177	182	190	196	201	206	211	219
177	182	190	196	201	206	211	219	197	202	206	212	219	229	233	240
196	201	205	211	218	226	232	238	212	219	229	234	241	248	256	262
85	87	90	92	94	96	99	107	93	95	97	100	106	109	113	116
100	107	109	113	116	118	122	124	113	116	119	122	125	128	135	138
119	122	125	129	135	138	143	147	129	136	140	143	146	151	155	159
136	140	145	148	152	155	159	168	150	153	157	165	171	174	177	182
152	155	159	168	174	176	181	186	169	174	177	182	188	197	202	206
171	175	179	184	190	198	203	208	186	195	200	204	210	216	224	231
186	195	200	204	210	216	224	231	205	210	217	225	232	238	245	254
204	209	216	224	231	237	244	253	225	232	238	244	253	260	268	275

Pricing is continued on the following page.

hutch stackers & accessories

H T A H

Hutch Fascia Add-On (Continued)

DIMENSIONS INCHES / MM

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

FABRIC (F) (Continued)

SHARED (SH)

INTERIOR (N)

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
85	87	90	92	94	96	99	107
100	107	109	113	116	118	122	124
119	122	125	129	135	138	143	147
136	140	145	148	152	155	159	168
152	155	159	168	174	176	181	186
171	175	179	184	190	198	203	208
186	195	200	204	210	216	224	231
204	209	216	224	231	237	244	253
89	92	94	96	100	106	108	110
108	110	115	117	121	123	125	129
124	128	131	137	142	146	150	153
143	147	151	154	159	167	171	175
159	167	172	175	180	186	195	200
177	182	190	196	201	206	211	219
197	202	206	212	219	229	233	240
212	219	229	234	241	248	256	262
293	300	311	321	331	338	351	360
353	361	375	384	394	408	420	434
411	422	436	449	464	477	491	505
469	483	498	509	527	543	559	577
528	543	559	577	594	611	629	648
586	604	622	641	660	680	701	723
646	664	683	705	728	748	770	792
704	727	747	768	791	817	839	865

SHARED WITH CUBBY (SC)

INTERIOR (N)

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
75	78	79	81	84	85	87	90
87	90	93	95	97	100	107	109
100	107	109	113	116	118	122	124
118	121	124	128	131	137	142	146
131	137	142	146	151	153	157	161
147	151	154	158	165	171	175	179
159	167	172	175	180	186	195	200
175	180	184	194	200	203	209	215
79	81	82	85	88	90	92	94
92	94	96	99	102	108	110	115
109	111	116	118	122	124	128	131
123	126	129	136	140	145	148	152
138	143	147	151	154	158	167	171
153	157	165	169	174	177	182	190
171	175	179	184	190	198	203	208
184	194	198	203	209	215	222	230

Pricing is continued on the following page.

H T A H
Hutch Fascia Add-On (Continued)

DIMENSIONS
INCHES / MM

PRICING

		FABRIC (F) (Continued)															
		APERTURE (YP)															
		EXTERIOR (E)				INTERIOR (N)											
H	W	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
21 / 533	42 / 1066	52	53	55	56	58	59	61	64	52	53	55	56	58	59	61	64
21 / 533	48 / 1219	58	59	61	65	67	68	70	71	58	59	61	65	67	68	70	71
21 / 533	54 / 1372	66	67	70	71	75	78	80	82	66	67	70	71	75	78	80	82
21 / 533	60 / 1524	75	78	79	81	84	85	87	90	75	78	79	81	84	85	87	90
21 / 533	66 / 1676	81	84	85	87	90	93	95	97	81	84	85	87	90	93	95	97
21 / 533	72 / 1829	87	90	93	95	97	100	107	109	87	90	93	95	97	100	107	109
30 / 762	42 / 1066	82	85	86	89	93	94	96	99	82	85	86	89	93	94	96	99
30 / 762	48 / 1219	93	95	97	100	106	109	113	116	93	95	97	100	106	109	113	116
30 / 762	54 / 1372	107	109	111	116	119	122	124	128	107	109	111	116	119	122	124	128
30 / 762	60 / 1524	118	121	124	128	131	137	142	146	118	121	124	128	131	137	142	146
30 / 762	66 / 1676	128	135	137	142	146	150	153	158	128	135	137	142	146	150	153	158
30 / 762	72 / 1829	142	146	150	153	158	165	169	174	142	146	150	153	158	165	169	174
45 / 1143	42 / 1066	135	138	143	147	152	154	158	165	135	138	143	147	152	154	158	165
45 / 1143	48 / 1219	152	155	159	168	174	176	181	186	152	155	159	168	174	176	181	186
45 / 1143	54 / 1372	172	176	180	186	194	200	204	209	172	176	180	186	194	200	204	209
45 / 1143	60 / 1524	194	198	203	208	213	222	230	235	194	198	203	208	213	222	230	235
45 / 1143	66 / 1676	209	215	224	231	238	242	249	259	209	215	224	231	238	242	249	259
45 / 1143	72 / 1829	230	235	242	249	259	263	273	283	230	235	242	249	259	263	273	283
		APERTURE WITH CUBBY (YC)															
		EXTERIOR (E)				INTERIOR (N)											
		COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
30 / 762	42 / 1066	52	53	55	56	58	59	61	64	52	53	55	56	58	59	61	64
30 / 762	48 / 1219	58	59	61	65	67	68	70	71	58	59	61	65	67	68	70	71
30 / 762	54 / 1372	66	67	70	71	75	78	80	82	66	67	70	71	75	78	80	82
30 / 762	60 / 1524	75	78	79	81	84	85	87	90	75	78	79	81	84	85	87	90
30 / 762	66 / 1676	81	84	85	87	90	93	95	97	81	84	85	87	90	93	95	97
30 / 762	72 / 1829	87	90	93	95	97	100	107	109	87	90	93	95	97	100	107	109
45 / 1143	42 / 1066	82	85	86	89	93	94	96	99	82	85	86	89	93	94	96	99
45 / 1143	48 / 1219	93	95	97	100	106	109	113	116	93	95	97	100	106	109	113	116
45 / 1143	54 / 1372	107	109	111	116	119	122	124	128	107	109	111	116	119	122	124	128
45 / 1143	60 / 1524	118	121	124	128	131	137	142	146	118	121	124	128	131	137	142	146
45 / 1143	66 / 1676	128	135	137	142	146	150	153	158	128	135	137	142	146	150	153	158
45 / 1143	72 / 1829	142	146	150	153	158	165	169	174	142	146	150	153	158	165	169	174

Pricing is continued on the following page.

hutch stackers & accessories

H T A H

Hutch Fascia Add-On (Continued)

DIMENSIONS INCHES / MM

PRICING

BACK-PAINTED GLASS (G)

H	W	SINGLE (SD)		SINGLE WITH CUBBY (SG)		SHARED (SH)	SHARED WITH CUBBY (SC)
		Exterior (E)	Interior (N)	Exterior (E)	Interior (N)	Interior (N)	Interior (N)
21 / 533	30 / 762	260	260	n/a	n/a	275	n/a
21 / 533	36 / 914	316	316	n/a	n/a	333	n/a
21 / 533	42 / 1066	372	372	n/a	n/a	394	n/a
21 / 533	48 / 1219	426	426	n/a	n/a	451	n/a
21 / 533	54 / 1372	483	483	n/a	n/a	509	n/a
21 / 533	60 / 1524	536	536	n/a	n/a	571	n/a
21 / 533	66 / 1676	592	592	n/a	n/a	629	n/a
21 / 533	72 / 1829	650	650	n/a	n/a	688	n/a
30 / 762	30 / 762	454	454	454	275	480	275
30 / 762	36 / 914	552	552	552	333	585	316
30 / 762	42 / 1066	650	650	650	394	688	372
30 / 762	48 / 1219	747	747	747	451	791	426
30 / 762	54 / 1372	846	846	846	509	894	483
30 / 762	60 / 1524	942	942	942	571	999	536
30 / 762	66 / 1676	1038	1038	1038	629	1102	592
30 / 762	72 / 1829	1137	1137	1137	688	1205	650
45 / 1143	30 / 762	778	778	778	480	826	454
45 / 1143	36 / 914	947	947	947	585	1003	552
45 / 1143	42 / 1066	1114	1114	1114	688	1181	650
45 / 1143	48 / 1219	1279	1279	1279	791	1357	747
45 / 1143	54 / 1372	1448	1448	1448	894	1536	846
45 / 1143	60 / 1524	1614	1614	1614	999	1713	942
45 / 1143	66 / 1676	1783	1783	1783	1102	1891	1038
45 / 1143	72 / 1829	1949	1949	1949	1205	2067	1137

APERTURE (YP)

APERTURE WITH CUBBY (YC)

H	W	APERTURE (YP)		APERTURE WITH CUBBY (YC)	
		Exterior (E)	Interior (N)	Exterior (E)	Interior (N)
21 / 533	42 / 1066	157	157	n/a	n/a
21 / 533	48 / 1219	184	184	n/a	n/a
21 / 533	54 / 1372	211	211	n/a	n/a
21 / 533	60 / 1524	241	241	n/a	n/a
21 / 533	66 / 1676	269	269	n/a	n/a
21 / 533	72 / 1829	297	297	n/a	n/a
30 / 762	42 / 1066	275	275	168	168
30 / 762	48 / 1219	325	325	198	198
30 / 762	54 / 1372	375	375	226	226
30 / 762	60 / 1524	421	421	256	256
30 / 762	66 / 1676	471	471	287	287
30 / 762	72 / 1829	522	522	316	316
45 / 1143	42 / 1066	473	473	293	293
45 / 1143	48 / 1219	558	558	346	346
45 / 1143	54 / 1372	641	641	397	397
45 / 1143	60 / 1524	725	725	448	448
45 / 1143	66 / 1676	807	807	500	500
45 / 1143	72 / 1829	890	890	552	552

Pricing is continued on the following page.

H T A H
Hutch Fascia Add-On (Continued)

**DIMENSIONS
 INCHES / MM**

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829
21 / 533	42 / 1066
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

WHITEBOARD (W)							
SINGLE (SD)		SINGLE WITH CUBBY (SG)		SHARED (SH)	SHARED WITH CUBBY (SC)		
Exterior (E)	Interior (N)	Exterior (E)	Interior (N)	Interior (N)	Interior (N)		
51	51	n/a	n/a	51	n/a		
61	61	n/a	n/a	61	n/a		
75	75	n/a	n/a	75	n/a		
85	85	n/a	n/a	85	n/a		
99	99	n/a	n/a	99	n/a		
117	117	n/a	n/a	117	n/a		
135	135	n/a	n/a	135	n/a		
150	150	n/a	n/a	150	n/a		
56	56	56	56	56	56		
71	71	71	71	71	71		
89	89	89	89	89	89		
107	107	107	107	107	107		
128	128	128	128	128	128		
152	152	152	152	152	152		
175	175	175	175	175	175		
201	201	201	201	201	201		
67	67	67	67	67	67		
92	92	92	92	92	92		
117	117	117	117	117	117		
142	142	142	142	142	142		
175	175	175	175	175	175		
210	210	210	210	210	210		
246	246	246	246	246	246		
283	283	283	283	283	283		
APERTURE (YP)		APERTURE WITH CUBBY (YC)					
Exterior (E)	Interior (N)	Exterior (E)	Interior (N)				
59	59	n/a	n/a				
67	67	n/a	n/a				
80	80	n/a	n/a				
89	89	n/a	n/a				
99	99	n/a	n/a				
113	113	n/a	n/a				
75	75	75	75				
85	85	85	85				
99	99	99	99				
117	117	117	117				
135	135	135	135				
150	150	150	150				
59	59	59	59				
67	67	67	67				
80	80	80	80				
89	89	89	89				
99	99	99	99				
113	113	113	113				

hutch stackers & accessories

HTAV

Hutch Overhead Fascia Add-On

WHAT'S INCLUDED

1 fascia, velcro.

NOTES

Style Aperture (Y) is only available in widths 42" - 72".



PRODUCT OPTIONS

Configuration	Style of Hutch	Height of Hutch	Width of Hutch	Finish
F Fabric	S Single	30, 45	30, 36, 42, 48, 54, 60, 66, 72	Fabric
G Back-Painted Glass	D Shared			K1 Storm White
W Whiteboard	Y Aperture			K7 Very White
				K8 Graphic Steel
				J6 Gris
				WB Whiteboard

SAMPLE ORDER CODE

HTAV F	S	45	36	K671
---------------	----------	-----------	-----------	-------------

DIMENSIONS INCHES / MM

H	W
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

FABRIC (F)

SINGLE (S)

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
50	51	52	53	55	56	58	59
58	59	61	65	67	68	70	71
68	70	75	77	79	81	82	85
79	81	82	85	88	90	92	94
87	90	93	95	97	100	107	109
96	99	106	108	111	115	117	121
109	111	116	118	122	124	128	131
118	121	124	128	131	137	142	146
75	78	79	81	84	85	87	90
87	90	93	95	97	100	107	109
100	107	109	113	116	118	122	124
118	121	124	128	131	137	142	146
131	137	142	146	151	153	157	161
147	151	154	158	165	171	175	179
159	167	172	175	180	186	195	200
175	180	184	194	200	203	209	215

SHARED (D)

COM Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
50	51	52	53	55	56	58	59
58	59	61	65	67	68	70	71
68	70	75	77	79	81	82	85
79	81	82	85	88	90	92	94
87	90	93	95	97	100	107	109
96	99	106	108	111	115	117	121
109	111	116	118	122	124	128	131
118	121	124	128	131	137	142	146
75	78	79	81	84	85	87	90
87	90	93	95	97	100	107	109
100	107	109	113	116	118	122	124
118	121	124	128	131	137	142	146
131	137	142	146	151	153	157	161
147	151	154	158	165	171	175	179
159	167	172	175	180	186	195	200
175	180	184	194	200	203	209	215

Pricing is continued on the following page.

H T A V
Hutch Overhead Fascia Add-On
(Continued)

DIMENSIONS
INCHES / MM

H	W
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

FABRIC (F) (Continued)

APERTURE (Y)								
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
34	35	35	36	38	39	41	42	
38	39	41	42	43	46	48	49	
46	48	49	50	51	52	53	55	
50	51	52	53	55	56	58	59	
53	55	56	57	59	61	64	66	
58	59	61	65	67	68	70	71	
52	53	55	56	58	59	61	64	
58	59	61	65	67	68	70	71	
66	67	70	71	75	78	80	82	
75	78	79	81	84	85	87	90	
81	84	85	87	90	93	95	97	
87	90	93	95	97	100	107	109	

BACK-PAINTED GLASS (G)

SINGLE (S)	SHARED (D)	APERTURE (Y)
195	195	n/a
231	231	n/a
269	269	136
305	305	153
347	347	173
383	383	195
421	421	210
462	462	231
288	288	n/a
347	347	n/a
405	405	202
462	462	231
521	521	259
577	577	288
632	632	319
690	690	347

WHITEBOARD (W)

SINGLE (S)	SHARED (D)	APERTURE (Y)
53	49	n/a
58	52	n/a
66	57	57
71	61	61
85	70	70
96	80	80
111	89	89
122	96	96
68	58	n/a
81	67	n/a
93	78	78
107	85	85
128	100	100
152	119	119
175	136	136
201	152	152

hutch stackers & accessories

HTHA

Hutch Accessory


Hutch Accessory can be placed inside hutch stackers for better space organization and convenient document piling.

WHAT'S INCLUDED

1 hutch accessory.

NOTES

Configuration With Overhead/Cubbies (W) is only available in heights 30" and 45".



PRODUCT OPTIONS

Height of Hutch	Configuration of Hutch	Width	Case Paint Finish
21, 30, 45	W With Overhead/Cubbies N Without Overhead/ Cubbies	12	Foundation Mica Accent

SAMPLE ORDER CODE

HTHA 30	N	12	74
----------------	----------	-----------	-----------

DIMENSIONS INCHES / MM

H	W
21 / 535	12 / 305
30 / 762	12 / 305
45 / 1143	12 / 305

PRICING

WITHOUT OVERHEAD/CUBBIES (N)

Foundation	Accent/Mica
324	338
480	505
480	505

WITH OVERHEAD/CUBBIES (W)


Foundation	Accent/Mica
n/a	n/a
324	338
718	754

storage


storage product map

H T S B Bookcase Stacker

Page 470




Single




Shared, Open Through Top

H T S B S Solid Door Bookcase Stacker

Page 472




Single




Shared, Open Through Top

H T S B F Fabric Door Bookcase Stacker

Page 474




Single




Shared, Open Through Top

H T S B W Writable Door Bookcase Stacker

Page 478




Single



Shared, Open Through Top

H T S B V Variable Bookcase Stacker


Page 480




Single

H T S S S Single Solid Hinged Door Stacker

Page 482




Open with Cubbies




All Closed

H T S S G Single Writable Hinged Door Stacker

Page 486





Open with Cubbies



All Closed

H T S S D Shared Solid Hinged Door Stacker

Page 488




Open with Cubbies

All Closed

storage product map


H T S S P Shared Writable Hinged Door Stacker

Page 490




H T S C J Stage Single Credenza

Page 491



H T S C W Stage Double Credenza

Page 492




Box, Box/Hinged Door (BH)

File/Hinged Door (FH)

H T S C U Stage Shared Double Credenza

Page 494




Box, Box (B)

File (F)

H T S C Z Stage Triple Credenza

Page 496




Cubby/Box, Box/ File (CBF)

Cubby/File/ Hinged Door (CFH)

File/Box, Box/ Hinged Door (FBH)

H T S C V Stage Shared Triple Credenza

Page 498




Box, Box (B)

File (F)

H T S C Y Elevated Double Credenza

Page 500




Box, Box/Cubby (BC)

Box, Box/Hinged Door (BH)

File/Cubby (FC)

H T S C X Elevated Triple Credenza

Page 504



Cubby/Box, Box/ File (CBF)


Cubby/File/Hinged Door (CFH)

File/Box, Box/ Cubby (FBC)

storage product map


H T S C R Elevated Shared Double Credenza

Page 506




H T S C Q Elevated Shared Triple Credenza

Page 508




H T S L Lockers

Page 510




H T S L C Cubby Lockers

Page 512




H T S M Mobile Pedestal

Page 514




H T S T Lateral Tower

Page 516




H T S F T Side Filer

Page 518



H T S F S Mini Side Filer


Page 522



storage product map


H T A B Storage Cube

Page 524




HTSB

Bookcase Stacker



Single



Shared, Open Through Top

WHAT'S INCLUDED

1 case, height adj. shelves (depending on height), double face tape.

WHAT'S EXCLUDED

Fascia add-ons

NOTES

The Shelves with Open Through Top (B) configuration is only available in height of 45" and widths 30" - 72".

The Single (S) style is only available in widths 24" - 48".

The Shared (D) style is only available in widths 30" - 72".

Height 45" is only available if width 30" - 72" is selected.

Handedness Left (L) or Right (R) must be specified if the Shared (D) style is selected.

Bookcase Fascia Add-Ons (HTAN) can be ordered separately, please see *Storage Accessories* section.

PRODUCT OPTIONS

Style	Configuration	Height	Width	Handedness	Case & Secondary Finish	Secondary Finish Application
S Single	A Shelves	21, 30, 45	24, 30, 36, 42, 48, 54, 60, 66, 72	N Not Applicable	Source Laminate	A Shelves
D Shared	B Shelves with Open Through Top			L Left R Right	Flintwood Veneer	B Back C Shelves & Back

SAMPLE ORDER CODE

HTSB D	A	30	36	R	ZA	ZA	C
---------------	----------	-----------	-----------	----------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H	W
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219

PRICING

SINGLE (S) SHELVES (A)		
Source Laminate	Flintwood	Veneer
956	2051	2153
1005	2296	2412
1049	2620	2750
1161	2945	3094
1256	3270	3434
1104	2269	2383
1099	2565	2692
1155	2945	3093
1277	3328	3493
1380	3711	3895
1380	3436	3609
1443	3850	4043
1597	4309	4527
1725	4828	5070
SHELVES WITH OPEN THROUGH TOP (B)		
Source Laminate	Flintwood	Veneer
1380	3501	3675
1443	3920	4117
1597	4391	4612
1725	4917	5163

Pricing is continued on the following page.

HTSB
Bookcase Stacker (Continued)

DIMENSIONS
INCHES / MM

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

SHARED (D)
SHELVES (A)


Source Laminate	Flintwood	Veneer
1029	2949	3096
1093	3132	3289
1161	3343	3509
1238	3553	3732
1329	3764	3952
1427	3976	4176
1527	4186	4394
1617	4399	4618
1130	3258	3419
1203	3495	3669
1278	3734	3920
1362	3973	4173
1463	4210	4420
1568	4447	4670
1679	4688	4918
1779	4918	5163
1413	4289	4502
1502	4624	4857
1598	4962	5213
1702	5301	5566
1830	5638	5921
1962	5977	6276
2097	6314	6629
2226	6656	6989

SHELVES WITH OPEN THROUGH TOP (B)


Source Laminate	Flintwood	Veneer
1413	4001	4200
1502	4298	4511
1598	4592	4823
1702	4893	5136
1830	5189	5447
1962	5484	5759
2097	5781	6071
2226	6077	6382

HTSBS

Solid Door Bookcase Stacker



Single



Shared, Open Through Top

WHAT'S INCLUDED

1 case, solid sliding door with hardware, height-adjustable shelves (depending on height), double face tape.

WHAT'S EXCLUDED

Fascia add-ons

NOTES

The Shelves with Open Through Top & Solid Sliding Door Panel (K) configuration is only available in height of 45".

The Single (S) style is only available in widths 42" - 48".

Handedness Left (L) or Right (R) must be specified if the Shared (D) style is selected.

Bookcase Fascia Add-Ons (HTAN) can be ordered separately, please see *Storage Accessories* section.

PRODUCT OPTIONS

Style	Configuration	Height	Width	Handedness	Case, Secondary & Door Finish	Secondary Finish Application
S Single	C Shelves with Solid Sliding Door Panel	30, 45	42, 48, 54, 60, 66, 72	N Not Applicable	Source Laminate	A Shelves
D Shared						B Back
	K Shelves with Open Through Top & Solid Sliding Door Panel			L Left	Flintwood	C Shelves & Back
				R Right	Veneer	

SAMPLE ORDER CODE

HTSBS D	C	30	42	R	ZA	ZA	ZA	B
----------------	----------	-----------	-----------	----------	-----------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H	W
30 / 762	42 / 1066
30 / 762	48 / 1219
45 / 1143	42 / 1066
45 / 1143	48 / 1219

PRICING

SINGLE (S)			
SHELVES WITH SOLID SLIDING DOOR PANEL (C)			
SOURCE LAMINATE	FLINTWOOD	VENEER	
Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Front	Case, Secondary & Front
1478	1537	3586	3767
1594	1656	3985	4185
1842	1917	4631	4865
1989	2068	5172	5432
SHELVES WITH OPEN THROUGH TOP & SOLID SLIDING DOOR PANEL (K)			
SOURCE LAMINATE	FLINTWOOD	VENEER	
Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Front	Case, Secondary & Front
1797	1856	4649	4884
1938	2001	5193	5454

Pricing is continued on the following page.

H T S B S
Solid Door Bookcase Stacker
(Continued)

DIMENSIONS
INCHES / MM

H	W
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

SHARED (D)
SHELVES WITH SOLID SLIDING DOOR PANEL (C)


SOURCE LAMINATE		FLINTWOOD	veneer
Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Front	Case, Secondary & Front
1679	1798	4254	4467
1784	1914	4524	4751
1914	2051	4794	5034
2044	2184	5066	5317
2176	2328	5335	5603
2304	2463	5599	5881
2090	2239	5604	5884
2230	2390	5989	6288
2395	2564	6373	6692
2562	2741	6756	7093
2732	2922	7140	7496
2897	3097	7527	7905

SHELVES WITH OPEN THROUGH TOP & SOLID SLIDING DOOR PANEL (K)


SOURCE LAMINATE		FLINTWOOD	veneer
Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Front	Case, Secondary & Front
1999	2117	5114	5370
2126	2255	5444	5716
2282	2415	5776	6062
2437	2578	6102	6407
2598	2747	6433	6754
2749	2908	6759	7100

HTSBF

Fabric Door Bookcase Stacker



Single



Shared, Open Through Top

WHAT'S INCLUDED

1 case, fabric sliding door with hardware, height-adjustable shelves (depending on height), double face tape.

WHAT'S EXCLUDED

Fascia add-ons

NOTES

The Shelves with Open Through Top & Fabric Sliding Door Panel (G) configuration is only available in height of 45".

The Single (S) style is only available in widths 42" - 48".

Handedness Left (L) or Right (R) must be specified if the Shared (D) style is selected.

Bookcase Fascia Add-Ons (HTAN) can be ordered separately, please see *Storage Accessories* section.

PRODUCT OPTIONS

Style	Configuration	Height	Width
S Single D Shared	M Shelves with Fabric Sliding Door Panel G Shelves with Open Through Top & Fabric Sliding Door Panel	30, 45	42, 48, 54, 60, 66, 72

SAMPLE ORDER CODE

HTSBF D	M	45	42
----------------	----------	-----------	-----------

PRODUCT OPTIONS (CONTINUED)

Handedness	Case & Secondary Finish	Secondary Finish Application	Sliding Door Finish	Door Trim Finish
N Not Applicable L Left R Right	Source Laminate Flintwood Veneer	A Shelves B Back C Shelves & Back	Panel Fabric	AC Clear Anodized BP Espresso Painted 83 Very White Painted

SAMPLE ORDER CODE (CONTINUED)

R	ZA	ZA	C	V512	AC
----------	-----------	-----------	----------	-------------	-----------

See Pricing on the following page.

H T S B F
Fabric Door Bookcase Stacker
(Continued)

DIMENSIONS
INCHES / MM

H	W
30 / 762	42 / 1066
30 / 762	48 / 1219
45 / 1143	42 / 1066
45 / 1143	48 / 1219

H	W
45 / 1143	42 / 1066
45 / 1143	48 / 1219

H	W
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

H	W
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

SINGLE (S)
SHELVES WITH FABRIC SLIDING DOOR PANEL (M)

Source Laminate	Flintwood	Veneer
1277	3328	3493
1380	3711	3895
1597	4309	4527
1725	4828	5070

SHELVES WITH OPEN THROUGH TOP & FABRIC SLIDING DOOR PANEL (G)

Source Laminate	Flintwood	Veneer
1597	4391	4612
1725	4917	5163

SHARED (D)
SHELVES WITH FABRIC SLIDING DOOR PANEL (M)

Source Laminate	Flintwood	Veneer
1278	3734	3920
1362	3973	4173
1463	4210	4420
1568	4447	4670
1679	4688	4918
1779	4918	5163
1598	4962	5213
1702	5301	5566
1830	5638	5921
1962	5977	6276
2097	6314	6629
2226	6656	6989

SHELVES WITH OPEN THROUGH TOP & FABRIC SLIDING DOOR PANEL (G)

Source Laminate	Flintwood	Veneer
1598	4592	4823
1702	4893	5136
1830	5189	5447
1962	5484	5759
2097	5781	6071
2226	6077	6382

Pricing is continued on the following page.

H T S B F

**Fabric Door Bookcase Stacker
(Continued)**

**DIMENSIONS
INCHES / MM**


PRICING

IF FABRIC IS SPECIFIED PLEASE ADD THE FOLLOWING:


		SINGLE (S)								SINGLE (S)							
		SHELVES WITH FABRIC SLIDING DOOR PANEL (M)								SHELVES WITH OPEN THROUGH TOP & FABRIC SLIDING DOOR PANEL (G)							
		COM/								COM/							
H	W	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
30 / 762	42 / 1066	413	430	447	466	486	503	523	545	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
30 / 762	48 / 1219	434	451	469	487	507	525	548	571	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
45 / 1143	42 / 1066	444	464	481	499	521	542	564	586	413	430	447	466	486	503	523	545
45 / 1143	48 / 1219	469	487	509	525	546	571	593	616	434	451	469	487	507	525	548	571
		SHARED (D)								SHARED (D)							
		SHELVES WITH FABRIC SLIDING DOOR PANEL (M)								SHELVES WITH OPEN THROUGH TOP & FABRIC SLIDING DOOR PANEL (G)							
		COM/								COM/							
H	W	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
30 / 762	42 / 1066	828	862	896	931	971	1008	1047	1090	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
30 / 762	48 / 1219	867	899	936	974	1013	1054	1096	1139	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
30 / 762	54 / 1372	904	940	979	1017	1058	1099	1144	1190	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
30 / 762	60 / 1524	942	981	1020	1061	1103	1148	1194	1241	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
30 / 762	66 / 1676	981	1020	1061	1103	1150	1194	1241	1290	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
30 / 762	72 / 1829	1018	1060	1101	1150	1195	1240	1290	1340	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
45 / 1143	42 / 1066	891	926	963	1003	1043	1085	1128	1172	828	862	896	931	971	1008	1047	1090
45 / 1143	48 / 1219	935	974	1013	1052	1097	1139	1184	1234	867	899	936	974	1013	1054	1096	1139
45 / 1143	54 / 1372	983	1021	1063	1104	1151	1195	1242	1293	904	940	979	1017	1058	1099	1144	1190
45 / 1143	60 / 1524	1029	1068	1110	1155	1203	1250	1299	1353	942	981	1020	1061	1103	1148	1194	1241
45 / 1143	66 / 1676	1073	1116	1161	1209	1256	1306	1358	1412	981	1020	1061	1103	1150	1194	1241	1290
45 / 1143	72 / 1829	1119	1163	1211	1259	1308	1362	1415	1473	1018	1060	1101	1150	1195	1240	1290	1340

HTSBW

Writable Door Bookcase Stacker



Single



Shared, Open Through Top

WHAT'S INCLUDED

1 case, framed glass sliding door with hardware, height-adjustable shelves (depending on height), double face tape.

WHAT'S EXCLUDED

Fascia add-ons

NOTES

The Shelves with Open Through Top & BP Glass Sliding Door Panel (V) configuration is only available in height of 45".

The Single (S) style is only available in widths 42" - 48".

Handedness Left (L) or Right (R) must be specified if the Shared (D) style is selected.

Bookcase Fascia Add-Ons (HTAN) can be ordered separately, please see *Storage Accessories* section.

Glass frame finish coordinates with the finish of the glass.

PRODUCT OPTIONS

Style	Configuration	Height	Width	Handedness	Case & Secondary Finish	Secondary Finish Application	Sliding Door Finish
S Single	R Shelves with BP Glass Sliding Door Panel	30, 45	42, 48, 54, 60, 66, 72	N Not Applicable	Source Laminate	A Shelves	K1 Storm White
D Shared	V Shelves with Open Through Top & BP Glass Sliding Door Panel			L Left	Flintwood	B Back	K7 Very White
				R Right	Veneer	C Shelves & Back	K8 Graphic Steel J6 Gris

SAMPLE ORDER CODE

HTSBW D	R	45	60	R	ZA	ZA	A	J6
----------------	----------	-----------	-----------	----------	-----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

H	W
30 / 762	42 / 1066
30 / 762	48 / 1219
45 / 1143	42 / 1066
45 / 1143	48 / 1219

PRICING

SINGLE (S)

SHELVES WITH BP GLASS SLIDING DOOR PANEL (R)

Source Laminate	Flintwood	Veneer
1834	3886	4051
1978	4306	4493
2328	5043	5259
2511	5614	5856

SHELVES WITH OPEN THROUGH TOP & BP GLASS SLIDING DOOR PANEL (V)

Source Laminate	Flintwood	Veneer
2154	4950	5168
2322	5515	5761

Pricing is continued on the following page.

H T S B W
Writable Door Bookcase Stacker
(Continued)

DIMENSIONS
INCHES / MM

H	W
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
45 / 1143	42 / 1066
45 / 1143	48 / 1219
45 / 1143	54 / 1372
45 / 1143	60 / 1524
45 / 1143	66 / 1676
45 / 1143	72 / 1829

PRICING

SHARED (D)
SHELVES WITH BP GLASS SLIDING DOOR PANEL (R)


Source Laminate	Flintwood	Veneer
2391	4848	5033
2557	5165	5365
2739	5484	5694
2924	5803	6026
3113	6121	6354
3296	6436	6678
3064	6428	6677
3271	6872	7136
3508	7316	7598
3746	7759	8059
3986	8204	8521
4220	8651	8984

SHELVES WITH OPEN THROUGH TOP & BP GLASS SLIDING DOOR PANEL (V)

Source Laminate	Flintwood	Veneer
2711	5708	5939
2897	6085	6330
3105	6464	6725
3316	6842	7115
3532	7218	7509
3742	7593	7897

HTSBV

Variable Bookcase Stacker



Variable Bookcase is a collaborative space division solution that has fixed in place tall and low dividers and optional bookends.

WHAT'S INCLUDED

1 case, fixed tall dividers, a low Dividers, double face tape.
(please see Application Guides for quantity details)

WHAT'S EXCLUDED

Bookends (removable).

NOTES

Removable Bookends (HTAD) can be ordered separately, please see *Storage Accessories* section.

Tall Dividers are tall and narrow, at 66" and 42" datum. Low Dividers are short and wide at 51" and 29" datum.

PRODUCT OPTIONS

Height	Width	Case & Secondary Finish	Tall Divider Finish	Low Divider Finish
21, 30, 45	30, 36, 42, 48, 54, 60, 66, 72	Source Laminate Flintwood Veneer	Foundation Mica Accent	Foundation Mica Accent

SAMPLE ORDER CODE

HTSBV 45	36	ZA	ZA	74	74
-----------------	-----------	-----------	-----------	-----------	-----------

**DIMENSIONS
INCHES / MM**

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

Source Laminate	Flintwood	Veneer
1242	2281	2394
1289	2506	2631
1400	2758	2895
1493	3033	3184
1567	3338	3503
1648	3669	3856
1728	4036	4239
1815	4440	4664
1482	2395	2515
1534	2632	2767
1654	2897	3042
1759	3185	3345
1846	3504	3683
1938	3857	4047
2036	4240	4452
2137	4667	4899

If Mica/Accent Divider is specified, 21" high add 6
 30" high add 8
 45" high add 13

Pricing is continued on the following page.

HTSBV
Variable Bookcase Stacker
(Continued)

DIMENSIONS
INCHES / MM


PRICING

H	W	Source Laminate	Flintwood	Veneer
45 / 1143	30 / 762	1857	3421	3591
45 / 1143	36 / 914	1922	3834	4028
45 / 1143	42 / 1066	2073	4247	4460
45 / 1143	48 / 1219	2203	4659	4894
45 / 1143	54 / 1372	2314	5072	5323
45 / 1143	60 / 1524	2428	5483	5758
45 / 1143	66 / 1676	2549	5895	6189
45 / 1143	72 / 1829	2676	6305	6620

If Mica/Accent Divider is specified, 21" high add 6
 30" high add 8
 45" high add 13

HTSSS

Single Solid Hinged Door Stacker



With Open Cubbies All Closed

WHAT'S INCLUDED

1 case, hinged doors, handle (if specified), height-adjustable shelves (depending on height), lock and keys (if specified), double face tape.

WHAT'S EXCLUDED

Fascia add-ons

NOTES

If All Closed (N) style is specified, third door will be added for widths 42" - 48".

If With Open Cubbies (C) style is specified, all widths include open cubbies situated either on the left or right of the closed section.

Hinged Door Stacker Fascia Add-Ons (HTAZ) can be ordered separately, please see *Storage Accessories* section.

PRODUCT OPTIONS

Height	Width	Style	Third Door/ Cubbies Location	Pull Style	Pull Finish	Case, Secondary & Front Finish	Secondary Finish Application	Key
21, 30, 45	30, 36, 42, 48	N All Closed C With Open Cubbies	N Not Applicable L Left R Right	P Push Latch X upStage Handle	NN Not Applicable (for Push Latch only) Foundation Mica Accent	Source Laminate Flintwood Veneer	A Shelves B Back C Shelves & Back	N No Key K Key Alike R Key Random

SAMPLE ORDER CODE

HTSSS 30	42	C	L	X	74	ZA	ZA	ZA	B	K
-----------------	-----------	----------	----------	----------	-----------	-----------	-----------	-----------	----------	----------

**DIMENSIONS
INCHES / MM**

H	W
21 / 533	35 / 884
21 / 533	42 / 1060
21 / 533	49 / 1237
21 / 533	56 / 1414
30 / 762	35 / 884
30 / 762	42 / 1060
30 / 762	49 / 1237
30 / 762	56 / 1414
45 / 1143	35 / 884
45 / 1143	42 / 1060
45 / 1143	49 / 1237
45 / 1143	56 / 1414

PRICING

ALL CLOSED (N)			
PUSH LATCH (P)			
SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Secondary & Front	Case, Secondary & Flintwood Front	Case Secondary & Front	Case Secondary & Front
1380	1795	3477	3654
1449	1883	3802	3988
1593	2069	4124	4329
1673	2173	4446	4669
1489	1937	3973	4173
1564	2033	4341	4555
1720	2235	4705	4942
1807	2348	5074	5327
1812	2357	5163	5423
1996	2591	5577	5856
2196	2851	5989	6288
2303	2993	6399	6721

Pricing is continued on the following page.

HTSSS

Single Solid Hinged Door Stacker (Continued)

**DIMENSIONS
INCHES / MM**

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219

PRICING

ALL CLOSED (N) (Continued)			
UPSTAGE HANDLE (X)			
SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Secondary & Front	Case, Secondary & Flintwood Front	Case Secondary & Front	Case Secondary & Front
1452	1887	3551	3728
1522	1978	3872	4068
1702	2212	4233	4445
1781	2318	4555	4784
1563	2032	4045	4247
1637	2127	4413	4633
1830	2379	4817	5058
1917	2492	5185	5443
1886	2451	5236	5498
2067	2689	5649	5933
2303	2995	6099	6404
2414	3138	6509	6835

WITH OPEN CUBBIES (C)			
PUSH LATCH (P)			
SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Secondary & Front	Case, Secondary & Flintwood Front	Case Secondary & Front	Case Secondary & Front
1241	1612	3183	3342
1303	1695	3492	3666
1434	1863	3804	3989
1505	1956	4109	4316
1340	1741	3584	3763
1407	1830	3949	4146
1550	2011	4309	4527
1625	2115	4672	4906
1632	2122	4822	5066
1796	2333	5194	5455
1974	2567	5566	5843
2073	2695	5938	6234

Pricing is continued on the following page.

H T S S S

**Single Solid Hinged Door Stacker
(Continued)**


**DIMENSIONS
INCHES / MM**

PRICING

		WITH OPEN CUBBIES (C) (Continued)			
		UPSTAGE HANDLE (X)			
		SOURCE LAMINATE		FLINTWOOD	VENEER
H	W	Case, Secondary & Front	Case, Secondary & Flintwood Front	Case Secondary & Front	Case Secondary & Front
21 / 533	30 / 762	1278	1661	3219	3379
21 / 533	36 / 914	1339	1740	3529	3704
21 / 533	42 / 1066	1470	1912	3873	4068
21 / 533	48 / 1219	1540	2003	4183	4391
30 / 762	30 / 762	1378	1791	3620	3804
30 / 762	36 / 914	1443	1879	3983	4184
30 / 762	42 / 1066	1585	2059	4413	4633
30 / 762	48 / 1219	1662	2161	4747	4986
45 / 1143	30 / 762	=1666	2169	4860	5103
45 / 1143	36 / 914	1832	2380	5232	5494
45 / 1143	42 / 1066	2010	2615	5639	5921
45 / 1143	48 / 1219	2110	2743	6009	6309

HTSSG

Single Writable Hinged Door Stacker



Open with Cubbies

All Closed

PRODUCT OPTIONS

Height	Width	Style	Third Door/ Cubbies Location	Pull Style	Case & Secondary Finish	Secondary Finish Application	Door Finish	Key
21, 30, 45	30, 36, 42, 48	N All Closed C With Open Cubbies	N Not Applicable L Left R Right	P Push Latch	Source Laminate Flintwood Veneer	A Shelves B Back C Shelves & Back	K1 Storm White K7 Very White K8 Graphic Steel J6 Gris	N No Key K Key Alike R Key Random

SAMPLE ORDER CODE

HTSSG 30	42	C	L	P	ZA	ZA	A	J6	K
----------	----	---	---	---	----	----	---	----	---

DIMENSIONS INCHES / MM

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219

PRICING

ALL CLOSED (N)

Source Laminate	Flintwood	Veneer
1795	3477	3616
1883	3802	3951
2069	4124	4287
2173	4446	4621
1937	3973	4128
2033	4341	4509
2235	4705	4894
2348	5074	5273
2357	5163	5367
2591	5577	5797
2851	5989	6227
2993	6399	6653

Pricing is continued on the following page.

HTSSG
Single Writable Hinged Door
Stacker (Continued)

DIMENSIONS
INCHES / MM

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219

PRICING

WITH OPEN CUBBIES (C)

Source Laminate	Flintwood	Veneer
1612	3183	3307
1695	3492	3631
1863	3804	3952
1956	4109	4271
1741	3584	3727
1830	3949	4103
2011	4309	4479
2115	4672	4859
2122	4822	5016
2333	5194	5400
2567	5566	5787
2695	5938	6171

HTSSD

Shared Solid Hinged Door Stacker

WHAT'S INCLUDED


1 case, hinged doors, handle (if specified), height-adjustable shelves (depending on height), lock and keys (if specified), double face tape.

WHAT'S EXCLUDED

Fascia add-ons

NOTES

Hinged Door Stacker Fascia Add-Ons (HTAZ) can be ordered separately, please see *Storage Accessories* section.



PRODUCT OPTIONS

Height	Width	Door Location	Pull Style	Pull Finish	Case, Secondary & Front Finish	Secondary Finish Application	Key
21, 30, 45	30, 36, 42, 48	L Left R Right	P Push Latch X upStage Handle	NN Not Applicable (for Push Latch only) Foundation Mica Accent	Source Laminate Flintwood Veneer	A Shelves B Back C Shelves & Back	N No Key K Key Alike R Key Random

SAMPLE ORDER CODE

HTSSD 30	42	L	P	74	ZA	ZA	ZA	A	K
-----------------	-----------	----------	----------	-----------	-----------	-----------	-----------	----------	----------

DIMENSIONS INCHES / MM

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219

PRICING

PUSH LATCH (P)			
SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Front	Case, Secondary & Front
1346	1752	3725	3909
1564	2032	3937	4134
1641	2132	4249	4463
1724	2241	4560	4790
1560	2028	4154	4360
1670	2170	4465	4688
1784	2322	4771	5011
1912	2487	5080	5336
1895	2464	5208	5469
2028	2637	5661	5944
2170	2820	6112	6418
2322	3018	6562	6892

Pricing is continued on the following page.

HTSSD
Shared Solid Hinged Door Stacker
(Continued)

DIMENSIONS
INCHES / MM

PRICING

		UPSTAGE HANDLE (X)			
		SOURCE LAMINATE		FLINTWOOD	VENEER
H	W	Case, Secondary & Front	Case, Secondary & Flintwood Front	Case, Secondary & Front	Case, Secondary & Front
21 / 533	30 / 762	1420	1847	3799	3986
21 / 533	36 / 914	1637	2127	4011	4212
21 / 533	42 / 1066	1714	2228	4322	4538
21 / 533	48 / 1219	1798	2336	4635	4867
30 / 762	30 / 762	1634	2124	4229	4439
30 / 762	36 / 914	1741	2267	4536	4762
30 / 762	42 / 1066	1858	2417	4844	5087
30 / 762	48 / 1219	1984	2579	5155	5413
45 / 1143	30 / 762	1970	2560	5280	5546
45 / 1143	36 / 914	2101	2732	5734	6019
45 / 1143	42 / 1066	2243	2917	6184	6495
45 / 1143	48 / 1219	2397	3113	6636	6967

HTSSP

Shared Writable Hinged Door Stacker

WHAT'S INCLUDED

1 case, hinged doors, push latch, height-adjustable shelves (depending on height), lock and keys (if specified), double face tape.


WHAT'S EXCLUDED

Fascia add-ons

NOTES

Hinged Door Stacker Fascia Add-Ons (HTAZ) can be ordered separately, please see *Storage Accessories* section.

Glass frame finish coordinates with the finish of the glass.



PRODUCT OPTIONS

Height	Width	Door Location	Pull Style	Case & Secondary Finish	Secondary Finish Application	Door Finish	Key
21, 30, 45	30, 36, 42, 48	L Left R Right	P Push Latch	Source Laminate Flintwood Veneer	A Shelves B Back C Shelves & Back	K1 Storm White K7 Very White K8 Graphic Steel J6 Gris	N No Key K Key Alike R Key Random

SAMPLE ORDER CODE

HTSSP 30	42	L	P	ZA	ZA	A	J6	K
-----------------	-----------	----------	----------	-----------	-----------	----------	-----------	----------

**DIMENSIONS
INCHES / MM**

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219

PRICING

Source Laminate	Flintwood	Veneer
1752	3725	3871
2032	3937	4095
2132	4249	4418
2241	4560	4742
2028	4154	4319
2170	4465	4640
2322	4771	4960
2487	5080	5281
2464	5208	5416
2637	5661	5885
2820	6112	6353
3018	6562	6823


WHAT'S INCLUDED

Case with file drawer, levelers, counterweights.

NOTES

Must be planned under the stage.

HTSCJ
Stage Single Credenza



PRODUCT OPTIONS

Width	Pull Style	Pull Finish	Case & Back, Front Finish	Key
24, 30, 36	X upStage Handle	Foundation Mica Accent	Source Laminate Flintwood Veneer	N No Key K Key Alike R Key Random

SAMPLE ORDER CODE

HTSCJ 36	X	74	ZA	ZA	K
-----------------	----------	-----------	-----------	-----------	----------

**DIMENSIONS
INCHES / MM**

W
24 / 610
30 / 762
36 / 914

PRICING

SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front
1290	1717	2203	2315
1358	1806	2319	2436
1469	1952	2504	2630

HTSCW

Stage Double Credenza

WHAT'S INCLUDED

Case and drawers, levelers, filing accessory (if box drawers are specified), hanging bar when file drawers specified, counterweights (if specified).


NOTES

The File/File (FF) configuration is only available in widths 42" - 48".

The File/Box, Box (FB) and File/Box, Box (BF) configurations are only available in widths 36" - 48".

If Filing Accessory for box drawer is specified, the dividers match the color of the upStage handle, while the liner defaults to Ebony (Source Laminate) or Foundation Grey (Flintwood, Veneer front).

Hinged door includes Push Latch, no handle option is available.



Box, Box/Hinged Door (BH)

File/Hinged Door (FH)

PRODUCT OPTIONS

Width	Configuration	Pull Style	Pull Finish	Case & Back, Front Finish	Key	Counterweight	Filing Accessory
30, 36, 42, 48	FH File/Hinged Door	X upStage Handle	Foundation	Source Laminate	N No Key	1 Yes	Y Yes
	HF Hinged Door/File		Mica	Flintwood	K Key Alike	2 No	N No
	BH Box, Box/Hinged Door		Accent	Veneer	R Key Random		
	HB Hinged Door/Box, Box						
	FF File/File						
	FB File/Box, Box						
	BF Box, Box/File						

SAMPLE ORDER CODE

HTSCW 42	FF	X	74	ZA	ZA	K	2	N
-----------------	-----------	----------	-----------	-----------	-----------	----------	----------	----------

DIMENSIONS INCHES / MM

W
30 / 762
36 / 914
42 / 1066
48 / 1219

PRICING

FILE/HINGED DOOR (FH) & HINGED DOOR/FILE (HF)

SOURCE LAMINATE		FLINTWOOD		VENEER	
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front	Case, Back & Front	Case, Back & Front
1514	1953	2683	2683	2816	2816
1559	2010	2763	2763	2900	2900
1609	2079	2851	2851	2995	2995
1656	2137	2935	2935	3082	3082

BOX, BOX/HINGED DOOR (BH) & HINGED DOOR/BOX, BOX (HB)

SOURCE LAMINATE		FLINTWOOD		VENEER	
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front	Case, Back & Front	Case, Back & Front
1683	2172	2981	2981	3130	3130
1734	2235	3071	3071	3225	3225
1786	2304	3167	3167	3325	3325
1840	2375	3261	3261	3424	3424

Please see Filing Accessory upcharge on the following page

Pricing is continued on the following page.

HTSCW
Stage Double Credenza (Continued)

DIMENSIONS
INCHES / MM

PRICING

W	FILE/FILE (FF)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front
42 / 1066	1776	2291	3145	3303
48 / 1219	1851	2387	3279	3443

W	FILE/BOX, BOX (FB) & BOX, BOX/FILE (BF)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front
36 / 914	1921	2477	3402	3572
42 / 1066	2000	2579	3543	3720
48 / 1219	2083	2688	3690	3872

If Counterweight is specified, add 187

If Filing Accessory is specified, add:

Width 30"	104
Width 36"	
File/Box, Box	88
Hinged Door/Box, Box	117
Width 42"	
File/Box, Box	117
Hinged Door/Box, Box	108
Width 54"	
File/Box, Box	108
Hinged Door/Box, Box	138

HTSCU

Stage Shared Double Credenza

WHAT'S INCLUDED

Case and drawers, feet, filing accessory (if box drawers are specified), hanging bar (when files drawer specified), false fronts, counterweights (if specified).


NOTES

Backs include false front add-ons to match the front style and finish.


Counterweights are required in freestanding applications.

If Filing Accessory for box drawer is specified, the dividers match the color of the upStage handle, while the liner defaults to Ebony (Source Laminate) or Foundation Grey (Flintwood, Veneer front).

Configuration (B) Box/Box is not available if width 60" or 72" is specified.



Box, Box (B)



File (F)

PRODUCT OPTIONS

Width	Configuration	Drawer Location	Pull Style	Pull Finish	Case, Front & Back Finish	Key	Counterweight	Filing Accessory
42, 48, 60, 72	F File	L Left	X upStage Handle	Foundation	Source Laminate	N No Key	1 Yes	Y Yes
	B Box, Box	R Right		Mica Accent	Flintwood Veneer	K Key Alike R Key Random	2 No	N No

SAMPLE ORDER CODE

HTSCU 42	B	L	X	74	ZA	ZA	K	2	Y
----------	---	---	---	----	----	----	---	---	---

DIMENSIONS INCHES / MM

W
42 / 1066
48 / 1219
60 / 1524
72 / 1829

PRICING

FILE (F)				
SOURCE LAMINATE		FLINTWOOD	VENEER	
Case, Front & Back	Case, Flintwood Front & Back	Case, Front & Back	Case, Front & Back	
1714	2227	3086	3240	
1851	2406	3330	3495	
2000	2601	3596	3777	
2159	2808	3886	4076	

BOX, BOX (B)				
SOURCE LAMINATE		FLINTWOOD	VENEER	
Case, Front & Back	Case, Flintwood Front & Back	Case, Front & Back	Case, Front & Back	
2144	2787	3858	4050	
2315	3009	4162	4373	

If Counterweight is specified, add 187

If Filing Accessory is specified, add:

Width 42"	117
Width 48"	108

HTSCZ

Stage Triple Credenza


WHAT'S INCLUDED

Case and drawers, levelers, filing accessory (if Box drawers are specified), hanging bar (when file drawers specified).

NOTES

If Filing Accessory for box drawer is specified, the dividers match the color of the upStage handle, while the liner defaults to Ebony (Source Laminate) or Foundation Grey (Flintwood, Veneer front).

Hinged door includes Push Latch, no handle option is available.



PRODUCT OPTIONS

Width	Configuration	Pull Style	Pull Finish	Case & Back, Front Finish	Key	Filing Accessory
54, 60, 66, 72	HFC Hinged Door/File/Cubby	X upStage Handle	Foundation	Source Laminate	N No Key	Y Yes
	CFH Cubby/File/Hinged Door		Mica	Flintwood	K Key Alike	N No
	HBC Hinged Door/Box, Box/Cubby		Accent	Veneer	R Key Random	
	CBH Cubby/Box, Box/Hinged Door					
	FBC File/Box, Box/Cubby					
	CBF Cubby/Box, Box/File					
	FBH File/Box, Box/Hinged Door					
	HBF Hinged Door/Box, Box/File					

SAMPLE ORDER CODE

HTSCZ 66	CBH	X	74	ZA	ZA	K	N
-----------------	------------	----------	-----------	-----------	-----------	----------	----------

DIMENSIONS INCHES / MM

W
54 / 1372
60 / 1524
66 / 1676
72 / 1829

PRICING

HINGED DOOR/FILE/CUBBY (HFC) & CUBBY/FILE/HINGED DOOR (CFH)

SOURCE LAMINATE		FLINTWOOD		VENEER	
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front	Case, Back & Front	Case, Back & Front
1739	2297	3268	3268	3431	3431
1808	2387	3398	3398	3569	3569
1882	2484	3532	3532	3711	3711
1955	2579	3674	3674	3858	3858

HINGED DOOR/BOX, BOX/CUBBY (HBC) & CUBBY/BOX, BOX/HINGED DOOR (CBH)

SOURCE LAMINATE		FLINTWOOD		VENEER	
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front	Case, Back & Front	Case, Back & Front
1933	2550	3632	3632	3812	3812
2009	2653	3777	3777	3965	3965
2090	2760	3927	3927	4125	4125
2173	2868	4084	4084	4289	4289

Please see Filing Accessory upcharge on the following page

Pricing is continued on the following page.

HTSCZ

Stage Triple Credenza (Continued)

**DIMENSIONS
INCHES / MM**

PRICING

W	FILE/BOX, BOX/CUBBY (FBC) & CUBBY/BOX, BOX/ FILE (CBF)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front
54 / 1372	2185	2887	4109	4316
60 / 1524	2275	3002	4272	4489
66 / 1676	2368	3124	4445	4668
72 / 1829	2459	3247	4621	4853

W	FILE/BOX, BOX/HINGED DOOR (FBH) & HINGED DOOR/BOX, BOX/ FILE (HBF)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front
54 / 1372	2291	3024	4305	4522
60 / 1524	2383	3145	4476	4701
66 / 1676	2479	3271	4656	4891
72 / 1829	2576	3403	4842	5083

If Filing Accessory is specified, add:

Width 54"	104
Width 60"	
File/Box, Box/Hinged Door & Hinged Door/Box, Box/Cubby	104
File/Box, Box/Cubby	117
Width 66"	
File/Box, Box/Hinged Door & Hinged Door/Box, Box/Cubby	104
File/Box, Box/Cubby	108
Width 72"	
File/Box, Box/Hinged Door & Hinged Door/Box, Box/Cubby	117
File/Box, Box/Cubby	108

HTSCV


Stage Shared Triple Credenza

WHAT'S INCLUDED


Case and drawers, levelers, filing accessory (if Box drawers are specified), hanging bar (when file drawers specified).

NOTES

If Filing Accessory for box drawer is specified, the dividers match the color of the upStage handle, while the liner defaults to Ebony (Source Laminate) or Foundation Grey (Flintwood, Veneer front).



Box, Box (B)



File (F)

PRODUCT OPTIONS

Width	Configuration	Drawers Location	Pull Style	Pull Finish	Case, Front & Back Finish	Key	Filing Accessory
54, 60, 66, 72	B Box/Box F File	L Left R Right	X upStage Handle	Foundation Mica Accent	Source Laminate Flintwood Veneer	N No Key K Key Alike R Key Random	Y Yes N No

SAMPLE ORDER CODE

HTSCV 60	B	L	X	74	ZA	ZA	K	Y
-----------------	----------	----------	----------	-----------	-----------	-----------	----------	----------

DIMENSIONS INCHES / MM

W
54 / 1372
60 / 1524
66 / 1676
72 / 1829

PRICING

BOX/BOX (B)

SOURCE LAMINATE		FLINTWOOD		VENEER	
Case, Front & Back	Case, Flintwood Front & Back	Case, Front & Back	Case, Front & Back	Case, Front & Back	Case, Front & Back
2531	3502	5034	5301	5301	5301
2669	3690	5301	5577	5577	5577
2816	3886	5577	5866	5866	5866
2908	4009	5751	6049	6049	6049

FILE (F)

SOURCE LAMINATE		FLINTWOOD		VENEER	
Case, Front & Back	Case, Flintwood Front & Back	Case, Front & Back	Case, Front & Back	Case, Front & Back	Case, Front & Back
2417	3347	4819	5072	5072	5072
2551	3528	5072	5337	5337	5337
2691	3715	5337	5617	5617	5617
2778	3834	5505	5792	5792	5792

If Filing Accessory is specified for Box/Box, add:

Width 54"	104
Width 60"	117
Width 66" & 72"	108

HTSCY

Elevated Double Credenza

WHAT'S INCLUDED

Case and drawers, feet or casters (as specified), filing accessory (if box drawers are specified), hanging bar (when files drawer specified).

WHAT'S EXCLUDED


Mobile trays, Cushion.

NOTES

The File/Box, Box (FB) and Box, Box/File (BF) configurations are only available in widths 36" - 48".

If Filing Accessory for box drawer is specified, the dividers match the color of the upStage handle, while the liner defaults to Ebony (Source Laminate) or Foundation Grey (Flintwood, Veneer front).

Hinged door includes Push Latch, no handle option is available.



Box, Box/Cubby (BC)

Box, Box/Hinged Door (BH)

File/Cubby (FC)

PRODUCT OPTIONS

Width	Configuration	Base	Pull Style	Pull Finish
30, 36, 42, 48	FC File/Cubby	C Casters	X upStage Handle	Foundation Mica Accent
	CF Cubby/File	F Feet		
	BC Box, Box/Cubby			
	CB Cubby/Box, Box			
	FH File/Hinged Door			
	HF Hinged Door/File			
	BH Box, Box/Hinged Door			
	HB Hinged Door/Box, Box			
	FB File/Box, Box			
	BF Box, Box/File			

SAMPLE ORDER CODE

HTSCY 36	FC	C	X	74
-----------------	-----------	----------	----------	-----------

PRODUCT OPTIONS (CONTINUED)

Case & Back, Shelves & Front Finish	Foot Finish	Key	Filing Accessory
Source Laminate	NN Not Applicable (for Casters only)	N No Key	Y Yes N No
Flintwood	74 Storm White	K Key Alike	
Veneer	60 Platinum	R Key Random	
	83 Very White		
	68 Anthracite		
	62 Graphite		
	71 Burnished Bronze		

SAMPLE ORDER CODE (CONTINUED)

ZA	ZA	ZA	60	K	N
-----------	-----------	-----------	-----------	----------	----------

See Pricing on the following page.

HTSCY
Elevated Double Credenza
(Continued)

DIMENSIONS
INCHES / MM

PRICING

		FILE/CUBBY (FC) & CUBBY/FILE (CF)			
		WITH CASTERS (C)			
		SOURCE LAMINATE	FLINTWOOD	VENEER	
W		Case,Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case,Back Shelves & Front	Case,Back Shelves & Front
	30 / 762	1740	2195	3188	3340
	36 / 914	1788	2254	3282	3434
	42 / 1066	1842	2322	3383	3543
	48 / 1219	2061	2608	3809	3988
		WITH FEET (F)			
		SOURCE LAMINATE	FLINTWOOD	VENEER	
W		Case,Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case,Back Shelves & Front	Case,Back Shelves & Front
	30 / 762	1894	2390	3486	3649
	36 / 914	1943	2451	3577	3746
	42 / 1066	1998	2520	3678	3856
	48 / 1219	2044	2581	3773	3952
		BOX, BOX/CUBBY (BC) & CUBBY/BOX, BOX (CB)			
		WITH CASTERS (C)			
		SOURCE LAMINATE	FLINTWOOD	VENEER	
W		Case,Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case,Back Shelves & Front	Case,Back Shelves & Front
	30 / 762	1732	2234	3344	3512
	36 / 914	1784	2303	3446	3619
	42 / 1066	1842	2376	3554	3733
	48 / 1219	1989	2567	3841	4033
		WITH FEET (F)			
		SOURCE LAMINATE	FLINTWOOD	VENEER	
W		Case,Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case,Back Shelves & Front	Case,Back Shelves & Front
	30 / 762	1886	2434	3640	3822
	36 / 914	1940	2501	3744	3930
	42 / 1066	1998	2574	3851	4044
	48 / 1219	2052	2646	3958	4156

Please see Filing Accessory upcharge on the following page

Pricing is continued on the following page.

H T S C Y

**Elevated Double Credenza
(Continued)**

**DIMENSIONS
INCHES / MM**

PRICING

W	FILE/HINGED DOOR (FH) & HINGED DOOR/FILE (HF) WITH CASTERS (C)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case,Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case,Back Shelves & Front	Case,Back Shelves & Front
30 / 762	1868	2356	3432	3596
36 / 914	1915	2416	3524	3691
42 / 1066	1970	2487	3628	3800
48 / 1219	2100	2656	3884	4066

W	WITH FEET (F)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case,Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case,Back Shelves & Front	Case,Back Shelves & Front
30 / 762	2022	2555	3731	3907
36 / 914	2068	2616	3819	4004
42 / 1066	2123	2683	3923	4109
48 / 1219	2170	2746	4016	4208

W	BOX, BOX/HINGED DOOR (BH) & HINGED DOOR/BOX, BOX (HB) WITH CASTERS (C)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case,Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case,Back Shelves & Front	Case,Back Shelves & Front
30 / 762	1858	2399	3588	3770
36 / 914	1913	2466	3691	3876
42 / 1066	1970	2540	3802	3988
48 / 1219	2117	2731	4087	4292

W	WITH FEET (F)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case,Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case,Back Shelves & Front	Case,Back Shelves & Front
30 / 762	2011	2598	3886	4079
36 / 914	2066	2665	3986	4186
42 / 1066	2123	2738	4096	4301
48 / 1219	2176	2810	4205	4415

Please see Filing Accessory upcharge on the following page

Pricing is continued on the following page.

HTSCY
Elevated Double Credenza
(Continued)

DIMENSIONS
INCHES / MM

PRICING

W	FILE/BOX, BOX (FB) & BOX, BOX/FILE (BF)			
	WITH CASTERS (C)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case,Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case,Back Shelves & Front	Case,Back Shelves & Front
36 / 914	2333	2957	4330	4537
42 / 1066	2349	2980	4366	4576
48 / 1219	2515	3188	4678	4904

W	WITH FEET (F)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
	Case,Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case,Back Shelves & Front	Case,Back Shelves & Front
36 / 914	2457	3118	4575	4791
42 / 1066	2520	3196	4693	4916
48 / 1219	2580	3275	4813	5043

If Filing Accessory is specified, add:

Width 30"	104
Width 36"	
File/Box, Box	88
Box, Box/Cubby &	
Box, Box/Hinged Door	117
Width 42"	
File/Box, Box	117
Box, Box/Cubby &	
Box, Box/Hinged Door	108
Width 48"	
File/Box, Box	108
Box, Box/Cubby &	
Box, Box/Hinged Door	138

HTSCX

Elevated Triple Credenza

WHAT'S INCLUDED

Case with drawers, feet, filing accessory (if box drawers are specified), hanging bar (when files drawer specified).


WHAT'S EXCLUDED

Mobile trays, Cushion.

NOTES

If Filing Accessory for box drawer is specified, the dividers match the color of the upStage handle, while the liner defaults to Ebony (Source Laminate) or Foundation Grey (Flintwood, Veneer front).

Hinged door includes Push Latch, no handle option is available.



PRODUCT OPTIONS

Width	Configuration	Pull Style	Pull Finish	Case & Back, Shelves & Front Finish	Foot Finish	Key	Filing Accessory
54, 60, 66, 72	HFC Hinged Door/File/ Cubby	X upStage Handle	Foundation Mica Accent	Source Laminate Flintwood Veneer	74 Storm White 60 Platinum 83 Very White 68 Anthracite 62 Graphite 71 Burnished Bronze	N No Key K Key Alike R Key Random	Y Yes N No
	CFH Cubby/File/Hinged Door						
	HBC Hinged Door/Box, Box/Cubby						
	CBH Cubby/Box, Box/Hinged Door						
	FBC File/Box, Box/Cubby						
	CBF Cubby/Box, Box/File						
	FBH File/Box, Box/Hinged Door						
	HBF Hinged Door/Box, Box/File						

SAMPLE ORDER CODE

HTSCX 60	HFC	X	74	ZA	ZA	ZA	60	K	N
-----------------	------------	----------	-----------	-----------	-----------	-----------	-----------	----------	----------

DIMENSIONS INCHES / MM

W
54 / 1372
60 / 1524
66 / 1676
72 / 1829

PRICING

HINGED DOOR/FILE/CUBBY (HFC) & CUBBY/FILE/HINGED DOOR (CFH)

SOURCE LAMINATE		FLINTWOOD		VENEER
Case,Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case,Back Shelves & Front	Case,Back Shelves & Front	Case,Back Shelves & Front
2168	2859	4653	4888	4888
2275	3002	4888	5133	5133
2388	3151	5133	5389	5389
2401	3170	5162	5421	5421

HINGED DOOR/BOX, BOX/CUBBY (HBC) & CUBBY/BOX, BOX/HINGED DOOR (CBH)

SOURCE LAMINATE		FLINTWOOD		VENEER
Case,Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case,Back Shelves & Front	Case,Back Shelves & Front	Case,Back Shelves & Front
2377	3138	5109	5364	5364
2495	3296	5364	5633	5633
2620	3460	5633	5914	5914
2641	3487	5676	5958	5958

Please see Filing Accessory upcharge on the following page

Pricing is continued on the following page.

H T S C X
Elevated Triple Credenza
(Continued)

DIMENSIONS
INCHES / MM

PRICING

W	FILE/BOX, BOX/CUBBY (FBC) & CUBBY/BOX, BOX/FILE (CBF)			
	SOURCE LAMINATE	FLINTWOOD	FLINTWOOD	VENEER
	Case,Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case,Back Shelves & Front	Case,Back Shelves & Front
54 / 1372	2656	3506	5710	5995
60 / 1524	2789	3684	5995	6295
66 / 1676	2928	3864	6295	6609
72 / 1829	2826	3732	6074	6380


W	FILE/BOX, BOX/HINGED DOOR (FBH) & HINGED DOOR/BOX, BOX/FILE (HBF)			
	SOURCE LAMINATE	FLINTWOOD	FLINTWOOD	VENEER
	Case,Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case,Back Shelves & Front	Case,Back Shelves & Front
54 / 1372	2770	3657	5953	6251
60 / 1524	2909	3838	6251	6563
66 / 1676	3055	4031	6563	6893
72 / 1829	2681	3539	5763	6051

If Filing Accessory is specified, add:


Width 54"	104
Width 60"	
File/Box, Box/Hinged Door & Hinged Door/Box, Box/Cubby	104
File/Box, Box/Cubby	117
Width 66"	
File/Box, Box/Hinged Door & Hinged Door/Box, Box/Cubby	104
File/Box, Box/Cubby	108
Width 72"	
File/Box, Box/Hinged Door	117
File/Box, Box/Cubby & Hinged Door/Box, Box/Cubby	108

HTSCR

Elevated Shared Double Credenza



Box, Box (B)



File (F)

WHAT'S INCLUDED

Case and drawers, filing accessory (if box drawers are specified), hanging bar (when files drawer specified), false fronts, counterweights (if specified).

WHAT'S EXCLUDED

Mobile trays, cushion

NOTES

Backs include false front add-ons to match the front style and finish.

Counterweights are required in freestanding applications.

If Filing Accessory for box drawer is specified, the dividers match the color of the upStage handle, while the liner defaults to Ebony (Source Laminate) or Foundation Grey (Flintwood, Veneer front).

The cubby space for trays are open through (no backs), are accessible from both sides.

PRODUCT OPTIONS

Width	Configuration	Drawer Location	Pull Style	Pull Finish
42, 48	B Box/Box F File	L Left R Right	X upStage Handle	Foundation Mica Accent

SAMPLE ORDER CODE

HTSCR 48	B	R	X	74
-----------------	----------	----------	----------	-----------

PRODUCT OPTIONS (CONTINUED)

Case, Shelves, Front & Back Finish	Foot Finish	Key	Counterweight	Filing Accessory
Source Laminate	74 Storm White	N No Key	1 Yes	Y Yes
Flintwood	60 Platinum	K Key Alike	2 No	N No
Veneer	83 Very White	R Key Random		
	68 Anthracite			
	62 Graphite			
	71 Burnished Bronze			

SAMPLE ORDER CODE (CONTINUED)

ZA	ZA	ZA	60	K	2	Y
-----------	-----------	-----------	-----------	----------	----------	----------

See Pricing on the following page.

H T S C R
Elevated Shared Double Credenza
(Continued)

DIMENSIONS
INCHES / MM

PRICING

	FILE (F)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
W	Case, Shelves, Front & Back	Case, Shelves & Flintwood Front & Back	Case, Shelves, Front & Back	Case, Shelves, Front & Back
42 / 1066	2196	2852	4308	4527
48 / 1219	2256	2934	4431	4652

	BOX, BOX (B)			
	SOURCE LAMINATE		FLINTWOOD	VENEER
W	Case, Shelves, Front & Back	Case, Shelves & Flintwood Front & Back	Case, Shelves, Front & Back	Case, Shelves, Front & Back
42 / 1066	2567	3338	5043	5294
48 / 1219	2636	3427	5175	5435

If Counterweight is specified, add 187

If Filing Accessory is specified, add:

Width 42"	117
Width 48"	108

HTSCQ

Elevated Shared Triple Credenza

WHAT'S INCLUDED

Case and drawers, filing accessory (if box drawers are specified), hanging bar (when files drawer specified), false fronts, fifth foot.

WHAT'S EXCLUDED


Mobile trays, cushion

NOTES

If Filing Accessory for box drawer is specified, the dividers match the color of the upStage handle, while the liner defaults to Ebony (Source Laminate) or Foundation Grey (Flintwood, Veneer front).

The cubby space for trays and Open Cubbies are open through (no backs) and are accessible from both sides.

Backs include false front add-ons to match the front style and finish.



PRODUCT OPTIONS

Width	Open Through Location	Drawer Location	Configuration	Pull Style
54, 60, 66, 72	S Side C Center	L Left R Right	F File B Box/Box	X upStage Handle

SAMPLE ORDER CODE

HTSCQ 60	C	L	B	X
-----------------	----------	----------	----------	----------

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Case, Shelves, Front & Back Finish	Foot Finish	Key	Filing Accessory
Foundation	Source Laminate	74 Storm White	N No Key	Y Yes
Mica	Flintwood	60 Platinum	K Key Alike	N No
Accent	Veneer	83 Very White	R Key Random	
		68 Anthracite		
		62 Graphite		
		71 Burnished Bronze		

SAMPLE ORDER CODE (CONTINUED)

74	ZA	ZA	ZA	60	K	Y
-----------	-----------	-----------	-----------	-----------	----------	----------

See Pricing on the following page.

HTSCQ
Elevated Shared Triple Credenza
(Continued)

DIMENSIONS
INCHES / MM

PRICING


W	FILE (F)			
	SOURCE LAMINATE	FLINTWOOD	VENEER	
	Case, Shelves, Front & Back	Case, Shelves & Flintwood Front & Back	Case, Shelves, Front & Back	Case, Shelves, Front & Back
54 / 1372	2922	3945	5562	5838
60 / 1524	3068	4141	5838	6131
66 / 1676	3221	4350	6131	6439
72 / 1829	3316	4478	6317	6633

W	BOX, BOX (B)			
	SOURCE LAMINATE	FLINTWOOD	VENEER	
	Case, Shelves, Front & Back	Case, Shelves & Flintwood Front & Back	Case, Shelves, Front & Back	Case, Shelves, Front & Back
54 / 1372	3047	4115	5801	6091
60 / 1524	3199	4320	6091	6395
66 / 1676	3359	4534	6395	6715
72 / 1829	3460	4671	6586	6916

If Filing Accessory is specified, add:

Width 54"	104
Width 60"	
Box, Box/Open through Side Cubby	104
Box, Box/Open through Center Cubby	117
Width 66"	117
Width 72"	
Box, Box/Open through Side Cubby	117
Box, Box/Open through Center Cubby	108

HTSL Lockers



Dual, Push Latch

Triple, Push Latch

Quad, Push Latch

WHAT'S INCLUDED

1 case, doors, four feet, locks and keys (if specified), handles (if specified)
Per locker compartment :
- 1 adjustable shelf
- 1 corner shelf with coat hook (51" high+).

NOTES

The Dual (D) configuration is only available in widths 30" - 36".

The Triple (T) configuration is only available in widths 42" - 48".

The Quad (Q) configuration is only available in width 48".

Door Swing directions Left (L) or Right (R) must be specified if the Triple (T) configuration is selected.

Push Latch (P) pull style is only available in heights 42" and 51".

PRODUCT OPTIONS

Configuration	Height	Width	Door Swing Direction	Pull Style
D Dual T Triple Q Quad	42, 51, 66	30, 36, 42, 48	N Not Application L Left R Right	P Push Latch X upStage Handle

SAMPLE ORDER CODE

HTSL D	51	36	N	P
---------------	-----------	-----------	----------	----------

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Case & Back, Front Finish	Foot Finish	Key
NN Not Applicable (for Push Latch only) Foundation Mica Accent	Source Laminate Flintwood Veneer	74 Storm White 60 Platinum 83 Very White 68 Anthracite 62 Graphite 71 Burnished Bronze	N No Key K Key Alike R Key Random

SAMPLE ORDER CODE (CONTINUED)

NN	ZA	ZA	60	K
-----------	-----------	-----------	-----------	----------

See Pricing on the following page.

HTSL Lockers (Continued)

**DIMENSIONS
INCHES / MM**

H	W
42 / 1066	30 / 762
42 / 1066	36 / 914
51 / 1295	30 / 762
51 / 1295	36 / 914

42 / 1066	30 / 762
42 / 1066	36 / 914
51 / 1295	30 / 762
51 / 1295	36 / 914
66 / 1676	30 / 762
66 / 1676	36 / 914

H	W
42 / 1066	42 / 1066
42 / 1066	48 / 1067
51 / 1295	42 / 1066
51 / 1295	48 / 1067

42 / 1066	42 / 1066
42 / 1066	48 / 1067
51 / 1295	42 / 1066
51 / 1295	48 / 1067
66 / 1676	42 / 1066
66 / 1676	48 / 1067

H	W
42 / 1066	48 / 1067
51 / 1295	48 / 1067

42 / 1066	48 / 1067
51 / 1295	48 / 1067
66 / 1676	48 / 1067

PRICING

DUAL (D)			
PUSH LATCH (P)			
SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front
2747	3628	4580	4808
2953	3900	4923	5168
2886	3808	4808	5047
3101	4095	5168	5428

UPSTAGE HANDLE (X)			
SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front
2818	3720	4696	4930
3024	3989	5040	5291
2959	3906	4930	5175
3175	4191	5291	5554
3176	4192	5293	5559
3336	4403	5559	5835

TRIPLE (Q)			
PUSH LATCH (P)			
SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front
3504	4624	5837	6128
3678	4856	6128	6437
3678	4856	6128	6437
3863	5099	6437	6758

UPSTAGE HANDLE (X)			
SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front
3609	4762	6012	6312
3789	5000	6312	6627
3789	5000	6312	6627
3979	5251	6627	6959
4094	5403	6820	7161
4094	5403	6820	7161


QUAD (Q)			
PUSH LATCH (P)			
SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front
4295	5668	7156	7513
4508	5952	7513	7888

UPSTAGE HANDLE (X)			
SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front
4434	5855	7389	7757
4655	6148	7757	8144
4899	6467	8161	8569


HTSLC Cubby Lockers

WHAT'S INCLUDED

1 case, doors, 4 feet, locks and keys (if specified), handles (if specified).



Hinged Door, Push Latch



Hinged Door with Mail Slots, Push Latch

PRODUCT OPTIONS

Height	Width	Configuration	Pull Style	Pull Finish	Case & Back, & Front Finish	Foot Finish	Key
51, 66	30, 36, 42	G Hinged Doors M Hinged Doors with Mail Slots	P Push Latch X upStage Handle	NN Not Applicable (for Push Latch only) Foundation Mica Accent	Source Laminate Flintwood Veneer	74 Storm White 60 Platinum 83 Very White 68 Anthracite 62 Graphite 71 Burnished Bronze	N No Key K Key Alike R Key Random

SAMPLE ORDER CODE

HTSLC 51	36	G	X	74	ZA	ZA	60	K
-----------------	-----------	----------	----------	-----------	-----------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H	W
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1066
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1066

PRICING

HINGED DOORS (G), PUSH LATCH (P)

SOURCE LAMINATE		FLINTWOOD		VENEER	
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front	Case, Back & Front	Case, Back & Front
3413	4505	5266	5266	5532	5532
3666	4840	5656	5656	5939	5939
3934	5193	6068	6068	6373	6373
3596	4749	5548	5548	5827	5827
3862	5099	5955	5955	6256	6256
4145	5469	6392	6392	6711	6711

HINGED DOORS (G), UPSTAGE HANDLE (X)

SOURCE LAMINATE		FLINTWOOD		VENEER	
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front	Case, Back & Front	Case, Back & Front
3546	4679	5471	5471	5745	5745
3800	5016	5861	5861	6154	6154
4068	5370	6274	6274	6588	6588
3731	4924	5754	5754	6040	6040
3994	5272	6161	6161	6470	6470
4275	5643	6597	6597	6926	6926

Pricing is continued on the following page

HTSLC
Cubby Lockers (Continued)

DIMENSIONS
INCHES / MM

H	W
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1066
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1066

PRICING

HINGED DOORS WITH MAIL SLOTS (M), PUSH LATCH (P)

SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front
3504	4626	5406	5677
3755	4959	5794	6084
4028	5313	6209	6520
3689	4869	5689	5975
3952	5218	6098	6403
4235	5591	6532	6859

HINGED DOORS WITH MAIL SLOTS (M), UPSTAGE HANDLE (X)

SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Back & Front	Case & Back, Flintwood Front	Case, Back & Front	Case, Back & Front
3637	4801	5611	5892
3891	5135	6001	6300
4157	5490	6415	6735
3821	5043	5894	6187
4087	5393	6302	6619
4370	5766	6740	7075

HTSM Mobile Pedestal

WHAT'S INCLUDED

Case and drawers/door, casters.


WHAT'S EXCLUDED

Mobile trays.


NOTES

upStage handle is not available on hinged doors, must be specified with Push Latch (P).

Push Latch (P) is not available on file drawer, must be specified with upStage Handle (X).



File Drawer



Hinged Door

PRODUCT OPTIONS

Style	Pull Style	Pull Finish	Case & Back, Shelf & Front Finish	Key	Seat Cushion	Seat Cushion Finish
HL Hinged Door Left Swing	P Push Latch	NN Not Applicable (for Push Latch only) Foundation Mica Accent	Source Laminate	N No Key	Y Yes	Fabric
HR Hinged Door Right Swing	X upStage Handle		Flintwood	K Key Alike	N No	
FN File Drawer			Veneer	R Key Random		

SAMPLE ORDER CODE

HTSM HL	X	74	ZA	ZA	ZA	K	Y	F510
----------------	----------	-----------	-----------	-----------	-----------	----------	----------	-------------

PRICING

HINGED DOOR (HR, HL), PUSH LATCH (P)

SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case, Back, Shelves & Front	Case, Back, Shelves & Front
763	1123	1576	1655


FILE DRAWER (FN), UPSTAGE HANDLE (X)

SOURCE LAMINATE		FLINTWOOD	VENEER
Case, Back, Shelves & Front	Case, Back, Shelves & Flintwood Front	Case, Back, Shelves & Front	Case, Back, Shelves & Front
1013	1489	2090	2196

IF SEAT IS SPECIFIED PLEASE ADD THE FOLLOWING:

Gr. 1	COM/Gr. 2	COL/Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	Leather LA	Leather LB	Leather LC	Leather LD
602	662	687	718	733	749	781	811	842	873	1052	1121	1318	1380

HTST Lateral Tower



WHAT'S INCLUDED

1 Lateral Tower unit with hardware, lock and keys (if specified).

NOTES

Double Sided configuration (D) is non-handed; handedness applies only when Single Sided configurations (S) is selected.

Ships disassembled.

PRODUCT OPTIONS

Height	Depth	Width	Style	Configuration
42	16	60, 66, 72	G Gable S Storage	S Single Sided D Double Sided

SAMPLE ORDER CODE

HTST 42	16	60	G	D
----------------	-----------	-----------	----------	----------

PRODUCT OPTIONS (CONTINUED)

Handedness	Mount	Case & Secondary Finish	Metal Paint Finish	Key
N Not Applicable L Left R Right	S Stage C Credenza	Source Laminate Flintwood Veneer	Foundation Mica Accent	N No Key K Key Alike R Key Random

SAMPLE ORDER CODE (CONTINUED)

N	S	ZA	ZA	74	K
----------	----------	-----------	-----------	-----------	----------

See Pricing on the following page.

H T S T
Lateral Tower
(Continued)

DIMENSIONS
INCHES / MM

H	D	W
42 / 1219	16 / 406	60 / 1524
42 / 1219	16 / 406	66 / 1676
42 / 1219	16 / 406	72 / 1829

42 / 1219	16 / 406	60 / 1524
42 / 1219	16 / 406	66 / 1676
42 / 1219	16 / 406	72 / 1829

H	D	W
42 / 1219	16 / 406	60 / 1524
42 / 1219	16 / 406	66 / 1676
42 / 1219	16 / 406	72 / 1829

42 / 1219	16 / 406	60 / 1524
42 / 1219	16 / 406	66 / 1676
42 / 1219	16 / 406	72 / 1829

If Mica/Accent is specified, add 50

PRICING

GABLE (G)

SINGLE SIDED, LEFT/RIGHT (S)

Source Laminate	Flintwood	Veneer
1224	1720	1806
1270	1770	1857
1319	1817	1908

DOUBLE SIDED (D)

Source Laminate	Flintwood	Veneer
1259	1605	1684
1326	1663	1748
1393	1724	1810

STORAGE (S)


SINGLE SIDED, LEFT/RIGHT (S)

Source Laminate	Flintwood	Veneer
1972	3018	3170
2000	3067	3220
2027	3115	3270

DOUBLE SIDED (D)

Source Laminate	Flintwood	Veneer
2584	3626	3805
2618	3703	3888
2652	3780	3972

HTSFT Side Filer



The Side Filer offers personal storage with space dividing functionality (users can leave the side filer open for lateral privacy). Designed for fixed or height-adjustable tables, it can be freestanding or attached based on layout requirements. Accessories can be specified for further functionality and better organization.

WHAT'S INCLUDED

1 Side Filer unit with levelers, 1 drawer with casters, metal shelves, 1 coat hook (wardrobe option only), lock and keys, USB with extension kit, grommet (if specified).

If Accessory Bundle A is specified:

1 pen pocket, one hanging tray, 1 headphone hook

If Accessory Bundle B is specified:

1 pen pocket, 1 hanging tray, 1 headphone hook,
1 Paper Filer

WHAT'S EXCLUDED

Storage to Worksurface Support Kit (HTWS).

The Digital Lock (D) option does not include the Programming Key and the separate Manager Key. For further details on both related keys, please see the Teknion Lock Specification Guide on our website.

NOTES

Configurations without Wardrobe: (K), (M), & (P) are only available in Depth 24".

PRODUCT OPTIONS

Height	Depth	Configuration	Handedness
42, 51	24, 30, 32, 38	K No Accessories, No Wardrobe N No Accessories, with Wardrobe M Accessory Bundle A, No Wardrobe A Accessory Bundle A, with Wardrobe P Accessory Bundle B, No Wardrobe B Accessory Bundle B, with Wardrobe	L Left R Right

SAMPLE ORDER CODE

HTSFT 42	30	N	L
----------	----	---	---

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Case & Front Finish	Metal Finish	USB Power	Key
Foundation	Source Laminate	Foundation	N No	N No Key
Mica	Flintwood	Mica	S Grommet on the side	K Key Alike
Accent	Veneer	Accent	B Grommet at the base	R Key Random D Digital Lock

SAMPLE ORDER CODE (CONTINUED)

74	ZA	ZA	74	N	N
----	----	----	----	---	---

See Pricing on the following page.

H T S F T
Side Filer (Continued)

**DIMENSIONS
INCHES / MM**

PRICING

DIMENSIONS INCHES / MM		NO ACCESSORIES, NO WARDROBE (K)		
		SOURCE LAMINATE	FLINTWOOD	VENEER
H	D	Case & Front	Case & Flintwood Front	Case & Veneer Front
42 / 1219	24 / 610	2638	2761	2829
51 / 1295	24 / 610	2842	2978	3053
		NO ACCESSORIES, WITH WARDROBE (N)		
		SOURCE LAMINATE	FLINTWOOD	VENEER
		Case & Front	Case & Flintwood Front	Case & Veneer Front
42 / 1219	24 / 610	2740	2863	2935
42 / 1219	30 / 762	3060	3081	3158
42 / 1219	32 / 813	3155	3228	3307
42 / 1219	38 / 965	3249	3372	3458
51 / 1295	24 / 610	2944	3081	3158
51 / 1295	30 / 762	3263	3401	3486
51 / 1295	32 / 813	3356	3494	3581
51 / 1295	38 / 965	3446	3589	3681
		ACCESSORIES BUNDLE A, NO WARDROBE (M)		
		SOURCE LAMINATE	FLINTWOOD	VENEER
		Case & Front	Case & Flintwood Front	Case & Veneer Front
42 / 1219	24 / 610	2789	2910	2980
51 / 1295	24 / 610	2992	3127	3203
		ACCESSORIES BUNDLE A, WITH WARDROBE (A)		
		SOURCE LAMINATE	FLINTWOOD	VENEER
		Case & Front	Case & Flintwood Front	Case & Veneer Front
42 / 1219	24 / 610	2891	3013	3084
42 / 1219	30 / 762	3210	3231	3307
42 / 1219	32 / 813	3305	3377	3458
42 / 1219	38 / 965	3401	3522	3606
51 / 1295	24 / 610	3094	3231	3307
51 / 1295	30 / 762	3413	3550	3634
51 / 1295	32 / 813	3506	3644	3732
51 / 1295	38 / 965	3597	3741	3830

If Mica/Accent is specified, add 50
If USB is specified, add 307
If Digital Lock is specified, add 557

Pricing is continued on the following page

H T S F T

Side Filer (Continued)

**DIMENSIONS
INCHES / MM**

H	D
42 / 1219	24 / 610
51 / 1295	24 / 610

PRICING

ACCESSORIES BUNDLE B, NO WARDROBE (P)

SOURCE LAMINATE			FLINTWOOD	VENEER
Case & Front	Case & Flintwood Front	Case & Veneer Front	Case & Front	Case & Front
2884	3007	3074	4848	5077
3087	3224	3297	5134	5379

ACCESSORIES BUNDLE B, WITH WARDROBE (B)

SOURCE LAMINATE		FLINTWOOD		VENEER		
Case & Front	Case & Flintwood Front	Case & Veneer Front	Case & Front	Case & Front		
42 / 1219	24 / 610	2985	3108	3181	5073	5315
42 / 1219	30 / 762	3305	3325	3403	5386	5641
42 / 1219	32 / 813	3401	3471	3552	5466	5727
42 / 1219	38 / 965	3494	3617	3702	5548	5813
51 / 1295	24 / 610	3188	3325	3403	5386	5641
51 / 1295	30 / 762	3509	3644	3731	5773	6049
51 / 1295	32 / 813	3602	3741	3828	5943	6228
51 / 1295	38 / 965	3691	3835	3924	5962	6249


If Mica/Accent is specified, add 50

If USB is specified, add 307

If Digital Lock is specified, add 557

HTSFS

Mini Side Filer



The Mini Side Filer offers personal storage and space division and is designed to be worksurface supporting.

WHAT'S INCLUDED

1 Mini Side Filer unit with levelers, 1 drawer, metal shelves, lock and keys, USB with extension kit, grommet (if specified).

WHAT'S EXCLUDED

Storage to Worksurface Support Kit (HTWS).

The Digital Lock (D) option does not include the Programming Key and the separate Manager Key. For further details on both related keys, please see the Teknion Lock Specification Guide on our website.

PRODUCT OPTIONS

Height	Depth	Configuration	Handedness
28	23, 29	N No Accessories A Accessory Bundle A B Accessory Bundle B	L Left R Right

SAMPLE ORDER CODE

HTSFS 28	23	N	L
-----------------	-----------	----------	----------

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Case & Front Finish	Metal Finish	USB Power	Key
Foundation	Source Laminate	Foundation	N No	N No Key
Mica	Flintwood	Mica	Y Yes	K Key Alike
Accent	Veneer	Accent		R Key Random
				D Digital Lock

SAMPLE ORDER CODE (CONTINUED)

74	ZA	ZA	74	N	N
-----------	-----------	-----------	-----------	----------	----------

See Pricing on the following page.

HTSFS
Mini Side Filer (Continued)

DIMENSIONS
INCHES / MM

H	D
28 / 711	23 / 584
28 / 711	29 / 737

PRICING

NO ACCESSORIES (N)

SOURCE LAMINATE			FLINTWOOD	VENEER
Case & Front	Case & Flintwood Front	Case & Veneer Front	Case & Front	Case & Front
2313	2404	2464	4276	4492
2720	2812	2884	4529	4756

ACCESSORY BUNDLE A (A)

SOURCE LAMINATE			FLINTWOOD	VENEER
Case & Front	Case & Flintwood Front	Case & Veneer Front	Case & Front	Case & Front
2462	2553	2618	4427	4641
2869	2961	3036	4677	4904

ACCESSORY BUNDLE B (B)

SOURCE LAMINATE			FLINTWOOD	VENEER
Case & Front	Case & Flintwood Front	Case & Veneer Front	Case & Front	Case & Front
2557	2648	2717	4523	4735
2965	3058	3133	4772	5000

If Mica/Accent is specified, add 50
 If USB is specified, add 307
 If Digital Lock is specified, add 557

H T A B
Storage Cube


Storage Cube is a mobile personal storage unit that fits casually under the stage. It can be used as extra storage to optimize inaccessible areas under the worksurfaces or a more cost-efficient alternative to low credenzas and pedestals.

WHAT'S INCLUDED

1 Storage Cube with casters and repositionable metal divider

NOTES

Secondary Finish applies to the front of the unit.



PRODUCT OPTIONS

Height	Depth	Width	Primary Finish	Secondary Finish	Base Finish
15	13	18	Foundation Mica Accent	Foundation Mica Accent	Source Laminate

SAMPLE ORDER CODE

HTAB 15	13	18	74	74	LY
----------------	-----------	-----------	-----------	-----------	-----------

PRICING

Foundation Primary Finish	Accent/Mica Primary Finish
485	500


If Mica/Accent Secondary Finish is specified, add 13

storage accessories

product map


H T A N Bookcase Fascia Add-On

Page 530




H T A Z Hinged Door Stacker Fascia Add-On

Page 534




H T A S Stage Spacer Block

Page 536




H T A D Variable Bookcase Bookend

Page 537




H T A C Cushion

Page 538




H T A F Horizontal Filing Insert

Page 539




H T A T Mobile Cubby Tray

Page 540



H T A G Mini Tray Organizer


Page 541



product map


H T A K Accessory Bundle

Page 542




H T A R Side Filer Boot Tray

Page 543



HTAN

Bookcase Fascia Add-On



WHAT'S INCLUDED

One fascia, velcro.

NOTES

Applicable to Bookcase Stackers (HTSB, HTSBS, HTSBF, HTSBW). Please see *Storage* section for more details

Bookcase style Single-Sided (SA) and Single-Sided with Open Through Top (SB) are only available in widths 24" - 48".

Bookcase style Single-Sided with Open Through Top (SB) and Shared with Open Through Top (DB) are only available in height 45".

Bookcase style Single-Sided with Open Through Top (SB), Shared (DA) and Shared with Open Through Top (DB) are available in width 24".

Height 45" is not available in width 24".

PRODUCT OPTIONS

Configuration	Style of Bookcase	Height of Bookcase	Width of Bookcase	Finish
F Fabric	SA Single Sided	21, 30, 45	24, 30, 36, 42, 48, 54, 60, 66, 72	Fabric
G Back-Painted Glass	SB Single Sided with Open Through Top			K1 Storm White
W Whiteboard	DA Shared			K7 Very White
	DB Shared with Open Through Top			K8 Graphic Steel
				J6 Gris
				WB Whiteboard

SAMPLE ORDER CODE

HTAN F	DB	30	36	K671
---------------	-----------	-----------	-----------	-------------

DIMENSIONS INCHES / MM

H	W
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219

PRICING

FABRIC (F)

SINGLE SIDED (SA)

COM/	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
96	99	106	108	111	115	117	121	
100	107	109	113	116	118	122	124	
123	126	129	136	140	145	148	152	
145	148	152	155	160	168	172	176	
165	169	174	179	184	190	197	202	
140	145	148	152	155	159	168	172	
147	151	154	158	165	171	175	179	
175	180	184	194	200	203	209	215	
205	210	217	225	232	238	245	254	
234	241	248	256	263	271	281	288	
219	229	233	240	247	255	262	270	
263	273	281	289	297	304	318	325	
305	318	326	334	346	356	369	378	
353	361	375	384	394	408	420	434	

SINGLE SIDED WITH OPEN THROUGH TOP (SB)

COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
147	151	154	158	165	171	175	179	
175	180	184	194	200	203	209	215	
205	210	217	225	232	238	245	254	
234	241	248	256	263	271	281	288	

Pricing is continued on the following page.

H T A N
Bookcase Fascia Add-On
(Continued)

DIMENSIONS
INCHES / MM

PRICING

FABRIC (F) (Continued)

		SHARED (DA)								SHARED WITH OPEN THROUGH TOP (DB)							
		COM/								COM/							
		Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
21 / 533	30 / 762	52	53	55	56	58	59	61	64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
21 / 533	36 / 914	61	64	66	67	70	71	75	78	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
21 / 533	42 / 1066	71	77	78	80	82	84	86	87	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
21 / 533	48 / 1219	82	85	86	89	93	94	96	99	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
21 / 533	54 / 1372	92	94	96	99	102	108	110	115	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
21 / 533	60 / 1524	100	107	109	113	116	118	122	124	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
21 / 533	66 / 1676	115	117	121	123	126	131	136	140	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
21 / 533	72 / 1829	123	126	129	136	140	145	148	152	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
30 / 762	30 / 762	75	78	79	81	84	85	87	90	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
30 / 762	36 / 914	87	90	93	95	97	100	107	109	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
30 / 762	42 / 1066	100	107	109	113	116	118	122	124	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
30 / 762	48 / 1219	118	121	124	128	131	137	142	146	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
30 / 762	54 / 1372	131	137	142	146	151	153	157	161	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
30 / 762	60 / 1524	147	151	154	158	165	171	175	179	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
30 / 762	66 / 1676	159	167	172	175	180	186	195	200	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
30 / 762	72 / 1829	175	180	184	194	200	203	209	215	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
45 / 1143	30 / 762	107	109	111	116	119	122	124	128	75	78	79	81	84	85	87	90
45 / 1143	36 / 914	125	129	135	138	143	147	151	154	87	90	93	95	97	100	107	109
45 / 1143	42 / 1066	147	151	154	158	165	171	175	179	100	107	109	113	116	118	122	124
45 / 1143	48 / 1219	169	174	177	182	188	197	202	206	118	121	124	128	131	137	142	146
45 / 1143	54 / 1372	187	196	201	205	211	217	225	232	131	137	142	146	151	153	157	161
45 / 1143	60 / 1524	209	215	224	231	238	242	249	259	147	151	154	158	165	171	175	179
45 / 1143	66 / 1676	231	237	244	253	260	266	274	284	159	167	172	175	180	186	195	200
45 / 1143	72 / 1829	253	259	268	274	284	292	299	309	175	180	184	194	200	203	209	215

Pricing is continued on the following page.

H T A N

Bookcase Fascia Add-On (Continued)

DIMENSIONS INCHES / MM

PRICING

DIMENSIONS		PRICING			
		BACK-PAINTED GLASS (G)			
H	W	SINGLE (SA)	SINGLE WITH OPEN THROUGH TOP (SB)	SHARED (DA)	SHARED WITH OPEN THROUGH TOP (DB)
21 / 533	24 / 610	383	n/a	n/a	n/a
21 / 533	30 / 762	405	n/a	202	n/a
21 / 533	36 / 914	484	n/a	241	n/a
21 / 533	42 / 1066	564	n/a	283	n/a
21 / 533	48 / 1219	646	n/a	324	n/a
21 / 533	54 / 1372	n/a	n/a	362	n/a
21 / 533	60 / 1524	n/a	n/a	405	n/a
21 / 533	66 / 1676	n/a	n/a	444	n/a
21 / 533	72 / 1829	n/a	n/a	484	n/a
30 / 762	24 / 610	550	n/a	n/a	n/a
30 / 762	30 / 762	577	n/a	288	n/a
30 / 762	36 / 914	690	n/a	347	n/a
30 / 762	42 / 1066	806	n/a	405	n/a
30 / 762	48 / 1219	919	n/a	462	n/a
30 / 762	54 / 1372	n/a	n/a	521	n/a
30 / 762	60 / 1524	n/a	n/a	577	n/a
30 / 762	66 / 1676	n/a	n/a	632	n/a
30 / 762	72 / 1829	n/a	n/a	690	n/a
45 / 1143	30 / 762	863	577	412	288
45 / 1143	36 / 914	1036	690	495	347
45 / 1143	42 / 1066	1209	806	577	405
45 / 1143	48 / 1219	1383	919	659	462
45 / 1143	54 / 1372	n/a	n/a	740	521
45 / 1143	60 / 1524	n/a	n/a	824	577
45 / 1143	66 / 1676	n/a	n/a	907	632
45 / 1143	72 / 1829	n/a	n/a	988	690

Pricing is continued on the following page.

H T A N
Bookcase Fascia Add-On
(Continued)

DIMENSIONS
INCHES / MM

PRICING

DIMENSIONS INCHES / MM		WHITEBOARD (W)			
		SINGLE (SA)	SINGLE WITH OPEN THROUGH TOP (SB)	SHARED (DA)	SHARED WITH OPEN THROUGH TOP (DB)
H	W				
21 / 533	24 / 610	49	n/a	n/a	n/a
21 / 533	30 / 762	51	n/a	46	n/a
21 / 533	36 / 914	61	n/a	52	n/a
21 / 533	42 / 1066	75	n/a	59	n/a
21 / 533	48 / 1219	85	n/a	67	n/a
21 / 533	54 / 1372	n/a	n/a	80	n/a
21 / 533	60 / 1524	n/a	n/a	89	n/a
21 / 533	66 / 1676	n/a	n/a	99	n/a
21 / 533	72 / 1829	n/a	n/a	113	n/a
30 / 762	24 / 610	53	n/a	n/a	n/a
30 / 762	30 / 762	56	n/a	51	n/a
30 / 762	36 / 914	71	n/a	61	n/a
30 / 762	42 / 1066	89	n/a	75	n/a
30 / 762	48 / 1219	107	n/a	85	n/a
30 / 762	54 / 1372	n/a	n/a	99	n/a
30 / 762	60 / 1524	n/a	n/a	117	n/a
30 / 762	66 / 1676	n/a	n/a	135	n/a
30 / 762	72 / 1829	n/a	n/a	150	n/a
45 / 1143	30 / 762	67	67	46	46
45 / 1143	36 / 914	92	92	52	52
45 / 1143	42 / 1066	117	117	59	59
45 / 1143	48 / 1219	142	142	67	67
45 / 1143	54 / 1372	n/a	n/a	80	80
45 / 1143	60 / 1524	n/a	n/a	89	89
45 / 1143	66 / 1676	n/a	n/a	99	99
45 / 1143	72 / 1829	n/a	n/a	113	113

HTAZ


Hinged Door Stacker Fascia Add-On

WHAT'S INCLUDED


One fascia, velcro.

NOTES

Applicable to Hinged Door Stackers (HTSSS) and Shared Hinged Door Stacker (HTSSD). Please see *Storage* section for more details.



Fabric



Back-Painted Glass



Whiteboard

PRODUCT OPTIONS

Configuration	Style of Stacker	Height of Stacker	Width of Stacker	Finish
F Fabric	ZS Single Sided	21, 30, 45	30, 36, 42, 48	Fabric
G Back-Painted Glass	ZD Shared			K1 Storm White
W Whiteboard				K7 Very White
				K8 Graphic Steel
				J6 Gris
				WB Whiteboard

SAMPLE ORDER CODE

HTAZ F	ZD	21	36	K671
---------------	-----------	-----------	-----------	-------------

DIMENSIONS INCHES / MM

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219

PRICING

FABRIC (F)

SINGLE SIDED (ZS)

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
100	107	109	113	116	118	122	124
123	126	129	136	140	145	148	152
145	148	152	155	160	168	172	176
165	169	174	179	184	190	197	202
147	151	154	158	165	171	175	179
175	180	184	194	200	203	209	215
205	210	217	225	232	238	245	254
234	241	248	256	263	271	281	288
219	229	233	240	247	255	262	270
263	273	281	289	297	304	318	325
305	318	326	334	346	356	369	378
353	361	375	384	394	408	420	434

SHARED (ZD)

COM Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
52	53	55	56	58	59	61	64
61	64	66	67	70	71	75	78
71	77	78	80	82	84	86	87
82	85	86	89	93	94	96	99
75	78	79	81	84	85	87	90
87	90	93	95	97	100	107	109
100	107	109	113	116	118	122	124
118	121	124	128	131	137	142	146
111	115	118	121	124	126	131	137
131	137	142	146	151	153	157	161
153	157	165	169	174	177	182	190
175	180	184	194	200	203	209	215

Pricing is continued on the following page.

H T A Z
Hinged Door Stacker Fascia
Add-On (Continued)

DIMENSIONS
INCHES / MM

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219

H	W
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1066
21 / 533	48 / 1219
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1066
30 / 762	48 / 1219
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1066
45 / 1143	48 / 1219

PRICING

BACK-PAINTED GLASS (G)

SINGLE SIDED (ZS)	SHARED (ZD)
405	202
484	241
564	283
646	324
577	288
690	347
806	405
919	462
863	434
1036	521
1209	606
1383	690

WHITEBOARD (W)

SINGLE SIDED (ZS)	SHARED (ZD)
51	51
56	56
64	64
68	68
53	53
58	58
66	66
71	71
68	68
81	81
93	93
107	107

HTAS

Stage Spacer Block

The Stage Spacer Block is used to elevate stackers that are placed on Stage Credenzas to reach the stage height.


WHAT'S INCLUDED

One case, single or shared (as specified).

NOTES

Width 24" is not available if configuration Shared (D) is specified.

Handedness applies to Single (S) configuration only.



PRODUCT OPTIONS

Configuration	Width	Handedness	Case Finish
S Single D Shared	24, 30, 36, 42, 48	L Left R Right	Foundation Mica Accent

SAMPLE ORDER CODE

HTAS D	48	L	74
---------------	-----------	----------	-----------

DIMENSIONS INCHES / MM

W
24 / 609
30 / 762
36 / 914
42 / 1067
48 / 1219

PRICING

SINGLE

Foundation	Accent/Mica
173	180
177	186
182	195
314	328
324	338

SHARED

Foundation	Accent/Mica
n/a	n/a
299	316
316	329
329	348
348	363

WHAT'S INCLUDED

One bookend.


NOTES

Bookends can be used with bookcase stackers.

The 12" height is specifically used for 30" tall or shorter Variable Bookcase Stacker (HTSBV).

HTAD

Variable Bookcase Bookend



PRODUCT OPTIONS

Height	Finish
12, 14	Foundation Mica Accent

SAMPLE ORDER CODE

HTAD 12	74
----------------	-----------

**DIMENSIONS
INCHES / MM**

W
12 / 305
14 / 356

PRICING

Foundation	Accent/Mica
70	75
79	82

storage accessories

HTAC Cushion


Cushion can be applied to either credenzas or the stage for soft seating in various environments.

WHAT'S INCLUDED

One cushion. velcro

NOTES

Cushion can be applied to all elevated credenzas and/or the Stage.



PRODUCT OPTIONS

Width	Seat Finish
24, 30, 36, 42, 48	Upholstery Fabric

SAMPLE ORDER CODE

HTAC 36	A120
---------	------

DIMENSIONS INCHES / MM

W
24 / 609
30 / 762
36 / 914
42 / 1067
48 / 1219

PRICING

COM/		Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
Gr. 1	Gr. 2	556	583	611	641	674	706	742	778
503	581	610	641	673	705	739	777	818	856
564	650	682	715	752	790	829	868	914	959
624	718	754	792	831	873	916	962	1012	1061
688	790	829	872	914	960	1010	1059	1112	1167


Horizontal Filing Insert is sized to fit into Box drawers for better organization and convenient filing.

WHAT'S INCLUDED

One liner tray, file dividers.

NOTES

Width	Number of file divider
16	2
18	3
21	4
24	3
30	5



Not all drawers are the same. Refer to the *Application Guides* for specific guidelines.

PRODUCT OPTIONS

Width	Liner Finish	Divider Finish
16, 18, 21, 24, 30	Foundation Mica Accent	Foundation Mica Accent

SAMPLE ORDER CODE

HTAF 24	74	74
----------------	-----------	-----------

**DIMENSIONS
INCHES / MM**

W
16 / 406
18 / 457
21 / 533
24 / 609
30 / 762

PRICING

	Foundation	Accent/Mica
	90	94
	107	111
	119	124
	110	116
	140	147

storage accessories

HTAT Mobile Cubby Tray


WHAT'S INCLUDED

One tray with Geo Lore Fabric liner, 1 mini organizer/handle (if specified).

NOTES

Mini Organizer is finished in Soft Gris.

The small Mobile Cubby Tray has an optional small Mini Tray Organizer, while the medium and large sizes have an optional large Mini Tray Organizer.



PRODUCT OPTIONS

Style	Tray Finish	Mini Tray Organizer
S Small	Foundation	N No
M Medium	Mica	Y Yes
L Large	Accent	

SAMPLE ORDER CODE

HTAT S	74	Y
---------------	-----------	----------

DIMENSIONS CODE

PRICING

	Foundation	Accent/Mica
Small (S)	93	99
Medium (M)	113	119
Large (L)	135	142

If Mini Tray Organizer is specified for Small, add 27 for each

If Mini Tray Organizer is specified for Medium or Large, add 31 for each


WHAT'S INCLUDED

One mini tray organizer

NOTES

Finished in Soft Gris only.

HTAG
Mini Tray Organizer



PRODUCT OPTIONS

Style
S Small
L Large

SAMPLE ORDER CODE


HTAG S

**DIMENSIONS
CODE**

PRICING

Small (S)	27
Large (L)	31

HTAK Accessory Bundle



Specifically designed to work with Side Filer and Mini Side Filer, Accessory Bundles help organize the interior and provide functional organization.

WHAT'S INCLUDED

Accessory Bundle A: 1 pen pocket, 1 hanging tray, 1 headphone hook

Accessory Bundle B: 1 pen pocket, 1 hanging tray, 1 headphone hook, 1 paper filer

NOTES

Compatible with standard accessory rails.

PRODUCT OPTIONS

Configuration	Metal Paint Finish
A Accessory Bundle A	Foundation
B Accessory Bundle B	Mica
	Accent

SAMPLE ORDER CODE

HTAK A	74
--------	----

PRICING

Configuration	Foundation	Accent/Mica
A	168	174
B	258	263

The Side Filer Boot Tray provides additional functionality for the bottom shelf of the Side Filer or Mini Side Filer. 180° reversible, it offers easier access to contents of the lower shelf in Mini Side Filer and secure containment for the items at the bottom of the Side Filer.

HTAR Side Filer Boot Tray

WHAT'S INCLUDED

1 boot tray with hardware

NOTES


Boot Tray is always 13" deep. The following chart outlines size compatibility for different widths.

12" - 24" deep Side Filer, 32" deep Side Filer

18" - 30" deep Side Filer, 38" deep Side Filer

20" - 23" deep Mini Side Filer, 24" deep Side Filer w/o coat

26" - 29" deep Mini Side Filer



PRODUCT OPTIONS

Width	Metal Paint Finish
12, 18, 20, 26	Foundation Mica Accent

SAMPLE ORDER CODE

HTAR 20	74
---------	----

DIMENSIONS INCHES / MM

W
12 / 305
18 / 457
20 / 508
26 / 660

PRICING

	Foundation	Accent/Mica
	90	96
	90	96
	106	111
	106	111

electrics

product map


H T E B F Base Feed

Page 549




H T E B S Split Base Feed

Page 550



H T E B C Chicago Base Feed

Page 551



H T E F B Base Feed Cover

Page 552



H T E C F Ceiling Feed

Page 553



H T E C C Chicago Ceiling Feed

Page 554




H T E B H Power Harness

Page 555




H T E F P Flexible Power Module

Page 556




H T E F C Chicago Power Module

Page 558




H T E F S Simple Stage Power Box

Page 559




H T E M Multi-Circuit Desk Power Module

Page 560



H T E P M C Chicago Power Box for HA Stage Module


Page 561



product map


H T E M C Chicago Desk Power Module

Page 562



H T E P M Power Module for HA Stage

Page 563




H T E C B Communication Box

Page 564



H T E L Power Pole

Page 565



H T E A Access Door for Multi-Circuit Desk

Page 566




H T E G Rectangle Grommet

Page 567



H T E N Multi-Circuit Desk Housing

Page 568




H T E J I C I-Connector

Page 569




H T E J D B Four-Way Splitter

Page 570




H T E W Wire Clips

Page 571



H T E T Worksurface Cable Tray

Page 572



H T E R O Receptacle Outlet

Page 573



product map

H T E K Simple Stage Power Cover

Page 574

H T E E E Data Extender Plate

Page 575

H T E Z Simple Stage Data Cover

Page 576



H T E X Chicago Junction Box


Page 577

V E S International Stage Mount Kit

Page 578

H T E P C Power Conservation System

Page 579



V B C U CALA Power Module



Page 580

V B P H CALA Jumper Power Harness

Page 581

V B P U CALA Power In Feed

Page 582



V B W B CALA Power Station

Page 583



The Base Feed delivers power to a Stage at base level and provides entry for data communication cables.

HTEBF Base Feed

WHAT'S INCLUDED

1 base feed, 72" liquid tight conduit, data/communications bezel mounting hardware.

NOTES

Power Harness (HTEH) is required to route power to a power box or distribution box.

Available in 8-Wire Isolated Ground (8T), 7 Wire Non Isolated Ground (7T), 8-Wire Dual Ground (8K) and 7 Wire Dual Non Isolated (7K) wiring systems.



PRODUCT OPTIONS

Wire Systems	Length	Stage Module Size	Country of Installation	PVC Option
8T 8-Wire Isolated Ground	072	SM For Frame Modules 60" or less	A Canada/USA	Standard
8K 8-Wire Dual Isolated		LG For Frame Modules 66" or more		V PVC Free
7T 7-Wire Non Isolated Ground				
7K 7-Wire Dual Non Isolated				

SAMPLE ORDER CODE

HTEBF 8K	072	LG	A	V
-----------------	------------	-----------	----------	----------

DIMENSIONS

Stage Module Size
SM
LG

PRICING

8-WIRE ISOLATED GROUND (8T) & 7-WIRE NON ISOLATED GROUND (7T)

	Standard	PVC Free
SM	458	502
LG	635	682

8-WIRE DUAL ISOLATED (8K) & 7-WIRE DUAL NON ISOLATED (7K)

	Standard	PVC Free
SM	575	630
LG	752	807

HTEBS

Split Base Feed


The Split Base Feed is hard-wired to the building power supply in two places. It feeds power into the Panel.

WHAT'S INCLUDED

1 split base feed, liquid tight conduit (72"), 1 wiring junction box, mounting hardware.

NOTES

Split Base Feed brackets is finished in Platinum.



PRODUCT OPTIONS

Wire Systems	Length	Country of Installation	PVC Option
8T 8-Wire Isolated Ground 8K 8-Wire Dual Isolated 7T 7-Wire Non Isolated Ground 7K 7-Wire Dual Non Isolated	072	A Canada/USA	Standard V PVC Free

SAMPLE ORDER CODE

HTEBS 8K	072	A	V
-----------------	------------	----------	----------

PRICING

8-WIRE ISOLATED GROUND (8T) & 7-WIRE NON ISOLATED GROUND (7T)

Standard	PVC Free
413	527

8-WIRE DUAL ISOLATED (8K) & 7-WIRE DUAL NON ISOLATED (7K)

Standard	PVC Free
476	604

The Chicago Base Feed delivers power to a Stage at base level and provides entry for data communication feeds.

WHAT'S INCLUDED

1 base feed, 72" liquid tight conduit.

**HTEBC
Chicago Base Feed**



PRODUCT OPTIONS

Length	Country of Installation
072	A Canada/USA

SAMPLE ORDER CODE

HTEBC 072	A
-----------	---

PRICING

411

H T E F B
Base Feed Cover

The Base Feed Cover provides a seamless vertical trim cover of the base feed to the interior or exterior of the Stage communication cables.

WHAT'S INCLUDED

1 base feed cover and mounting hardware.



PRODUCT OPTIONS

Application	Finish
D Interior of Stage	Foundation Mica Accent
E Exterior of Stage	

SAMPLE ORDER CODE

HTEFB D	74
----------------	-----------

PRICING

Foundation	Accent/Mica
128	136

The Ceiling Feed is used to route power from the ceiling, through the Power Pole (HTEL), to the Stage.

HTECF Ceiling Feed

WHAT'S INCLUDED

1 ceiling feed.

NOTES

Connects to power source above the ceiling and routes through the Power Pole and connects to a Power Module.

Available in 8-Wire Isolated Ground (8T), 7 Wire Non Isolated Ground (7T), 8-Wire Dual Ground (8K) and 7 Wire Dual Non Isolated (7K) wiring systems.

Cable lengths include 120" & 144".



PRODUCT OPTIONS

Wire Systems	Length	Country of Installation	PVC Option
8T 8-Wire Isolated Ground	120, 144	A Canada/USA	Standard
8K 8-Wire Dual Isolated			V PVC Free
7T 7-Wire Non Isolated Ground			
7K 7-Wire Dual Non Isolated			

SAMPLE ORDER CODE

HTECF 8T	120	A	V
----------	-----	---	---

DIMENSIONS INCHES / MM

L
120 / 3048
144 / 3658

PRICING

8-WIRE ISOLATED GROUND (8T) & 7-WIRE NON ISOLATED GROUND (7T)

Standard	PVC Free
328	362
347	382

8-WIRE DUAL ISOLATED (8K) & 7-WIRE DUAL NON ISOLATED (7K)

Standard	PVC Free
399	438
419	461

HTECC
Chicago Ceiling Feed

The Chicago Ceiling Feed is used to route power from the ceiling, through the Power Pole (HTEL), to the Stage.

WHAT'S INCLUDED
 1 Chicago ceiling feed.



PRODUCT OPTIONS

Length	Country of Installation
120, 144	A Canada/USA

SAMPLE ORDER CODE

HTECC 120	A
------------------	----------

DIMENSIONS
INCHES / MM

L
120 / 3048
144 / 3658

PRICING

224
270

The Power Harness routes power from one Stage to another.

WHAT'S INCLUDED

1 power harness.

NOTES

Power Harness is non-directional and connects power between a Four-Way Splitter or can be separately connected to an I-Connector, both must be specified separately.

Compatible with 7K, 7T, 8K and 8T wire systems.

Standard and PVC free options available.

HTEBH
Power Harness



PRODUCT OPTIONS

Wire Systems	Length	Country of Installation	PVC Option
8T 8-Wire Isolated Ground 8K 8-Wire Dual Isolated	018, 021, 024, 030, 036, 042, 048, 054, 060, 066, 072, 078, 084, 096, 108, 120, 144	A Canada/USA	Standard V PVC Free

SAMPLE ORDER CODE

HTEBH 8K	072	A	V
-----------------	------------	----------	----------

DIMENSIONS
INCHES / MM

L
18 / 457
21 / 533
24 / 610
30 / 762
36 / 915
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
96 / 2438
108 / 2743
120 / 3048
144 / 3658

PRICING

8-WIRE ISOLATED GROUND (8T)

Standard	PVC Free
197	224
197	224
197	224
197	224
204	229
208	231
211	233
215	237
219	241
224	249
226	258
234	262
244	268
259	285
276	300
295	319
313	334

8-WIRE DUAL ISOLATED (8K)

Standard	PVC Free
241	256
241	256
241	256
241	256
246	262
253	271
256	281
260	287
263	292
268	290
271	300
283	313
293	324
313	346
322	367
334	386
348	409

HTEFP

Flexible Power Module

A Flexible Power Modules provides two duplexes mounted to the Power Rail on one side of the Stage. It's location is user adjustable along the Power Rail.

WHAT'S INCLUDED

1 flexible power module (2 duplexes), mounting brackets.


NOTES

Power Module and Duplexes available in a Very White and Gris finish.

PVC option available.

USB Receptacle Style is only available for Circuit one.

Receptacle finish will automatically match the finish option selected.



PRODUCT OPTIONS

Wire Systems	Cable Length	Receptacle Style	Receptacle Style	
8T 8-Wire Isolated Ground	024, 036, 048	S Standard 15 Amp	1A Circuit 1 & A (Use with 7T & 7K Only)	16 Circuit 1 & 6 (use with 8K only)
8K 8-Wire Dual Isolated		T T-Slot 20 Amp	1B Circuit 1 & B (Use with 7K Only)	22 Circuit 1 & 2
7T 7-Wire Non Isolated Ground			2A Circuit 2 & A (Use with 7T & 7K Only)	23 Circuit 2 & 3 (use with 8T only)
7K 7-Wire Dual Non Isolated			3A Circuit 3 & A (Use with 7T Only)	25 Circuit 2 & 5
			AA Circuit A (Use with 7T & 7K Only)	26 Circuit 2 & 6 (use with 8K only)
			AB Circuit A & B (Use with 7T & 7K Only)	33 Circuit 3 & 3 (use with 8T only)
			BB Circuit B (Use with 7K Only)	35 Circuit 3 & 5 (use with 8T only)
			11 Circuit 1	55 Circuit 5 & 5
			12 Circuit 1 & 2	56 Circuit 5 & 6 (use with 8K only)
			13 Circuit 1 & 3 (use with 8T only)	66 Circuit 6 & 6 (use with 8K only)
			15 Circuit 1 & 5	U1 USB & Circuit 1

SAMPLE ORDER CODE

HTEFP 8T	036	T	U1
-----------------	------------	----------	-----------

PRODUCT OPTIONS (CONTINUED)

Country of Installation	Finish	PVC Option
A Canada/USA	26 Soft Gris 83 Very White	Standard V PVC Free

SAMPLE ORDER CODE (CONTINUED)

A	26	V
----------	-----------	----------

See Pricing on the following page.

H T E F P
Flexible Power Module (Continued)

DIMENSIONS
INCHES / MM

L
024 / 610
036 / 915
048 / 1219

PRICING

8-WIRE ISOLATED GROUND (8T) & 7-WIRE NON ISOLATED GROUND (7T)

Standard 15 Amp, Circuits	T-Slot 20 Amp, Circuits
375	445
386	461
404	474

8-WIRE DUAL ISOLATED (8K) & 7-WIRE DUAL NON ISOLATED (7K)

Standard 15 Amp, Circuits	T-Slot 20 Amp, Circuits
386	461
404	474
416	488

If PVC Free is specified, add 93
If USB is specified, add 116

H T E F C

Chicago Power Module


The Chicago Power Module provides two Duplexes to be mounted to the Stage mount and two Duplexes (on one side) for the Single Sided Stage mount.

WHAT'S INCLUDED

1 Chicago power module (2 duplexes), mounting brackets.

NOTES

Power Module is available in a Very White and Gris finish.



PRODUCT OPTIONS

Cable Length	Receptacle Style	Country of Installation	Finish	PVC Option
024, 036, 048	S Standard 15 Amp T T-Slot 20 Amp	A Canada/USA	26 Soft Gris 83 Very White	Standard V PVC Free

SAMPLE ORDER CODE

HTEFC 024	S	A	26	V
------------------	----------	----------	-----------	----------

**DIMENSIONS
INCHES / MM**

L
024 / 610
036 / 915
048 / 1219

PRICING

STANDARD 15 AMP (S)

	Standard	PVC Free
	353	386
	367	405
	380	419

T-SLOT 20 AMP (T)

	Standard	PVC Free
	438	480
	451	499
	466	514

This Power Box is a module that mounts inside the simple stage to allow the mounting of Receptacle Outlets.


WHAT'S INCLUDED

1 power box and mounting hardware.

NOTES

Compatible with 7K, 7T, 8K and 8T wire systems. Refer to application guide

HTEFS
Simple Stage Power Box



PRODUCT OPTIONS

Application	Wire Systems	Country of Installation	PVC Option
S Simple Stage Mounted	8T 8-Wire Isolated Ground 8K 8-Wire Dual Isolated	A Canada/USA	Standard V PVC Free

SAMPLE ORDER CODE

HTEFS S	8T	A	V
----------------	-----------	----------	----------

PRICING

Wire System	Standard	PVC Free
8T	322	355
8K	322	355

H T E M

Multi-Circuit Desk Power Module


The Multi-Circuit Desk Power Module provides power and data to a Worksurface.

WHAT'S INCLUDED

1 multi-circuit desk power module.

NOTES

To used with Multi-Circuit Desk Housing (HTEN), Receptacle Outlet (HTERO) & Accessory Door for Multi-Circuit (HTEA). Each sold separately.



PRODUCT OPTIONS

Wire Systems	Country of Installation	PVC Option
8T 8-Wire Isolated Ground 8K 8-Wire Dual Isolated	A Canada/USA	Standard V PVC Free

SAMPLE ORDER CODE

HTEM 8T	A	V
----------------	----------	----------

PRICING

Wire System	Standard	PVC Free
8T	396	433
8K	396	433

The Chicago Power Box for HA Stage Module mounts directly in the Height-Adjustable Module.

WHAT'S INCLUDED

1 power module and mounting brackets.

NOTES

Available in one sided and Back-to-Back.

H T E P M C
Chicago Power Box for
HA Stage Module



PRODUCT OPTIONS

Configuration	Country of Installation
A One Sided B Back to Back	A Canada/USA

SAMPLE ORDER CODE

HTEPMC B	A
----------	---

PRICING

Configuration	
A	353
B	375

H T E M C

Chicago Desk Power Module


The Chicago Desk Power Module provides power and data to a Worksurface.

WHAT'S INCLUDED

1 hardwire desk power module.

NOTES

Is used with Multi-Circuit Desk Housing (HTEN) and Accessory Door for Multi-Circuit (HTEA). Each sold separately.



PRODUCT OPTIONS

Receptacle Style	Receptacle Finish	Country of Installation
S Standard 15 Amp	YY Ebony Coordinate	A Canada/USA
T T-Slot 20 Amp	YV Very White Coordinate	

SAMPLE ORDER CODE

HTEMC S	YY	A
---------	----	---

PRICING

Style	
S	397
T	478

The Power Module mounts directly in the Height-Adjustable Module and accepts Receptacle Outlets (HTERO) and can accommodate up to four duplex (two on each side).


WHAT'S INCLUDED

1 blank module, bezel and mounting brackets.

NOTES

Available in 8-Wire Isolated Ground (8T) and 8-Wire Dual Ground (8K) wiring systems.

H T E P M
Power Module for
HA Stage



PRODUCT OPTIONS

Wire Systems	Country of Installation	PVC Option
8T 8-Wire Isolated Ground 8K 8-Wire Dual Isolated	A Canada/USA	Standard V PVC Free

SAMPLE ORDER CODE

HTEPM 8T	A	V
-----------------	----------	----------

PRICING

Wire System	Standard	PVC Free
8T	255	276
8K	270	293

HTECB **Communication Box**

The Communication Box can be affixed inside the Single or Double Module for HA Stage at the desired location.

WHAT'S INCLUDED

1 communication box.

NOTES

Has an opening of 2.71" x 1.38" (69 mm x 35 mm).

Finished in a Platinum Coordinate.

Voice/Data Faceplates, Jacks and Wire Management Clips must be field supplied and installed.



PRODUCT OPTIONS

Country of Installation

A Canada/USA

SAMPLE ORDER CODE

HTECB A

PRICING

36

HTEL Power Pole

The Power Pole routes a Ceiling Feed and data cables from the ceiling into the workstation.

WHAT'S INCLUDED

1 power pole.

NOTES

Is used to route a ceiling feed and data cables from the ceiling into the beam in the center of the frame.

Available in 8',10' & 12' heights.

A Cut Out is available at desk height so that the cable can enter the bench at desk height.



PRODUCT OPTIONS

Cable Length	Finish	Mounting Option
096 096	Foundation	1 Corner
120 120	Mica	
144 144	Accent	

SAMPLE ORDER CODE

HTEL 144	52	1
----------	----	---

**DIMENSIONS
INCHES / MM**

L
096 / 2438
120 / 3048
144 / 3658

PRICING

Foundation	Accent/Mica
927	954
954	984
1068	1121

HTEA Access Door for Multi-Circuit Desk

The Access Door covers the Cut Out in the Access Power Cut Out Worksurface or Table.

WHAT'S INCLUDED

1 access door.

NOTES

Door available in different finishes.



PRODUCT OPTIONS

Finish for Door

Foundation

Mica

Accent

SAMPLE ORDER CODE

HTEA 52

PRICING

Foundation	Accent/Mica
208	229

The Rectangular Grommet can be field installed when cable management is needed.

WHAT'S INCLUDED

1 grommet.

NOTES

Rectangle Cut Outs can be specified as an option on selected worksurfaces or tables.

HTEG
Rectangle Grommet



PRODUCT OPTIONS

Finish

Foundation

Mica

Accent

SAMPLE ORDER CODE

HTEG 60

PRICING

48

HTEN Multi-Circuit Desk Housing


The Multi-Circuit Desk Housing is used under a Worksurface or Freestanding Table to provide a housing for the Multi-Circuit Desk Power Module (HTEM) sold separately.

WHAT'S INCLUDED

1 multi-circuit desk housing, mounting hardware

NOTES

To used with Multi-Circuit Desk Power Module (HTEM), Receptacle Outlet (HTERO) & Accessory Door for Multi-Circuit (HTEA). Each sold separately.



PRODUCT OPTIONS

Finish

Foundation

Mica

Accent

SAMPLE ORDER CODE

HTEN 52

PRICING

Foundation	Accent/Mica
93	100

The I-Connector is used to join two harnesses when a single harness length is not long enough.

HTEJIC I-Connector

WHAT'S INCLUDED

1 i-connector.



PRODUCT OPTIONS

Country of Installation

A Canada/USA

SAMPLE ORDER CODE

HTEJIC A

PRICING


52

HTEJDB **Four-Way Splitter**

The Four-Way Splitter attaches to a harness to split power.

WHAT'S INCLUDED

1 four-way splitter and hardware.



PRODUCT OPTIONS

Country of Installation

A Canada/USA

SAMPLE ORDER CODE

HTEJDB A

PRICING

165

The Wire Clips can be screwed under the worksurface at the desired location to manage excess wires.


WHAT'S INCLUDED

1 package of 6 clips and mounting hardware.

NOTES

Available in Black only.

H T E W
Wire Clips



PRICING

51

H T E T

Worksurface Cable Tray


The Worksurface Cable Tray attaches to the underside of a worksurface to manage excess wires.

WHAT'S INCLUDED

1 cable tray and mounting hardware.

NOTES

Available in Black only.



PRICING

The Receptacle Outlet mounts onto the Simple Stage Power Box to provide access to power.

WHAT'S INCLUDED

1 duplex.

NOTES

Specified individually for maximum circuit flexibility.

Two receptacles can be mounted to each of the Multi Circuit Desk Power or each side of the Power Module for HA Stage (HTEPM) or Simple Stage Power Box (HTEFS).

Styles include Standard 15 amp, T-Slot 20 amp, USB, Controlled 15 and 20 amp.

Outlet configurations consist of Circuit 1, Circuit 2, Circuit 3 (use 7T and 8T only), Circuit 5 (8T and 8K only), Circuit 6 (use 8K only), Circuit A (7T and 7K only), Circuit B (7K only) and USB. Receptacle color.

If Receptacle Style USB 5 VDC 2.1 Amp (U) is selected, Circuits 2, 3, 5 & 6, A, B are not available. Receptacle style D and E include a marking indicating it is connected to a control system

HTERO Receptacle Outlet



PRODUCT OPTIONS

Receptacle Style	Outlet Installation	Country of Installation	Receptacle Finish
S Standard 15 amp	1 Circuit 1	A Canada/USA	YN Platinum Grey Coordinate
T T-Slot 20 amp	2 Circuit 2		YY Ebony
U USB 5 VDC 2.1 Amp	3 Circuit 3 (use with 7T & 8T only)		YF Storm White
D Controlled 15 amp	5 Circuit 5 (use with 8T & 8K only)		YV Very White Coordinate
E Controlled 20 amp	6 Circuit 6 (use with 8K only)		
	A Circuit A Non Isolated Ground (use with 7T & 7K only)		
	B Circuit B Non Isolated Ground (use with 7K only)		

SAMPLE ORDER CODE

HTERO S	6	A	YN
----------------	----------	----------	-----------

PRICING

Style	Price
S	42
T	51
U	208
D	42
E	51

HTEK
Simple Stage Power Cover

A blank plate to cover unused opening in power ports.

WHAT'S INCLUDED

1 blank plate.



PRODUCT OPTIONS

Metal Finish
Foundation
Mica
Accent

SAMPLE ORDER CODE

HTEK 74

PRICING

Foundation	Accent/Mica
50	56

The Data Extender Plate is placed over a communication opening to provide extended depth for data jack.

WHAT'S INCLUDED

1 data extender plate.

NOTES

Designed to provide extended depth for data jacks which may be required in some applications. Consult your data cabling supplier for clearance requirements.

H T E E E
Data Extender Plate



PRODUCT OPTIONS

Finish	
YY	Ebony Coordinate
YF	Storm White
YN	Platinum Grey Coordinate
YV	Very White Coordinate

SAMPLE ORDER CODE

HTEEE YF

PRICING

34

H T E Z
Simple Stage Data Cover

A blank plate to cover unused opening in data ports.

WHAT'S INCLUDED

1 blank plate.



PRODUCT OPTIONS

Finish

- YY Ebony Coordinate
- YF Storm White Coordinate
- YN Platinum Grey Coordinate
- YV Very White Coordinate

SAMPLE ORDER CODE

HTEZ YF

PRICING

20

The Chicago Junction Box attaches to a harness to split power, up to two modules.

WHAT'S INCLUDED

1 junction box and mounting hardware.

NOTES

Brackets are finished in Platinum.

H T E X
Chicago Junction Box



PRODUCT OPTIONS

Country of Installation

A Canada/USA

SAMPLE ORDER CODE

HTEX A

PRICING

145

V E S

International Stage Mount Kit

The International Stage Mount Kit permits mounting of the Power Logic VED Outlet Box.

WHAT'S INCLUDED

Mounting brackets, hardware.



PRODUCT OPTIONS

Number of Brackets	Number of Brackets
V For Power Logic	2 For Two Outlet Box
E For CALA Bryne	4 For Four Outlet Box

SAMPLE ORDER CODE

VES E	2
-------	---

PRICING

57

Power Conservation system provides an automatically turn off to items like task lights, monitors, personal heaters and fans and other non-essential user equipment when they are not in use.

WHAT'S INCLUDED

Power conservation system consists of a control box, selected number of sensors, system connection brackets, connecting cables and a four-way splitter

NOTES


Timer is set for 20 minutes for automatic shut-off after area is unoccupied. System sensors are available in Black only. Sensor connection wires are available in Grey and White only. System control box is available in Platinum (Foundation) only. Each Control Box offers two separate output jack for connection of Occupancy Sensors. The first output jack controls power to all receptacles on Teknion Circuit 1 and the second output jack controls power to all receptacles on Teknion Circuit 2. Each of the output jacks is labeled on the control box.

Do not specify receptacles for circuits 1 and 2 at the same workstation when using Power Conservation System.

Each occupancy sensor can only control one circuit.

PRODUCT OPTIONS

Application	Stage Module Size	Number of Sensors
D Interior of Stage for Back to Back Installation	SM For Frame Modules 60" or less	2 Two
	LG For Frame Modules 66" or more	4 Four 8 Eight



SAMPLE ORDER CODE

HTEPC D	LG	2
----------------	-----------	----------

APPLICATION	PRICING		
	Two Sensors	Four Sensors	Eight Sensors
For Frame Module 60" of Less	1861	2291	3153
For Frame Module 60" of More	2087	2517	3380

V B C U

CALA Power Module

The CALA Power Modules provides one or two duplexes mounted to the Power Rail on one side of the Stage. It's location is user adjustable along the Power Rail.


WHAT'S INCLUDED

1 power module, mounting brackets and plastic face plate

NOTES

Power Module and Duplexes available in a Very White and Black finish.

Receptacle finish will automatically match the finish option selected.



PRODUCT OPTIONS

Application	Outlet Configuration	Country of Installation	Length	Receptacle Finish
DA Double Duplex, One Sided	200 Two Power	R Argentina N Brazil L Chile	120	YY Ebony Coordinate YV Very White
	120 One Power & One USB			
SA Single Duplex, One Sided	400 Four Power			
	320 Three Power & One USB			

SAMPLE ORDER CODE

VBCU DA	320	N	120	YY
----------------	------------	----------	------------	-----------

APPLICATION	PRICING			
	Two Power (200)	One Power & One USB (120)	Four Power (400)	Three Power & One USB (320)
DA	n/a	n/a	900	1070
SA	640	809	n/a	n/a

The Jumper Power Harness routes power between CALA Power Modules in the stage that provide access areas and also carries power through the adjacent panel

V B P H

CALA Jumper Power Harness

WHAT'S INCLUDED

1 interconnecting power cable, 2000 mm in length



PRODUCT OPTIONS

Length
20 2000 mm

SAMPLE ORDER CODE

VBPH 20

PRICING

169

V B P U
CALA Power In Feed


The Power In feed cable brings power from the building to the upStage stage. It can be installed in the side of the stage to feed power to the CALA power module. It can also be brought down from the ceiling to the workstation.

WHAT'S INCLUDED

1 input power cable, 1800mm in length

NOTES

Country of Installation is required to determined correct source plug in option is chosen.



PRODUCT OPTIONS

Length	Country of Installation
18 1800 mm	R Argentina N Brazil L Chile

SAMPLE ORDER CODE

VBPU	18
-------------	-----------

PRICING

370

The CALA power station is designed to provide casual power/data at the worksurface level. It is designed to affixed to the edge of the worksurface.

WHAT'S INCLUDED

1 CALA power station, 1800mm in length. Fronts and sides are finished with selected finish. Rear and Desk Edge Clamp are in clear anodized only.

NOTES

Each power station will include an extension plate so that it can be outfitted to a knife edge trim surface Enclosure and Connection clamp is available in Clear Anodized Aluminum finish only.



PRODUCT OPTIONS

Numbers of Outlets	Outlet Configuration	Country of Installation	Cable Length	Receptacle Finish
D Double Outlet	202 Two Power & Two Data	R Argentina	18 1800mm	YY Ebony Coordinate
	400 Four Power	N Brazil		YV Very White Coordinate
	320 Three Power & One USB	L Chile		

SAMPLE ORDER CODE

VBWB D	320	N	18	YY
---------------	------------	----------	-----------	-----------

OUTLETS

D

PRICING

Two Power & Two Data (202)	Four Power (400)	Three Power & One USB (320)
791	1018	1205

teknion

www.teknion.com

IN CANADA:

1150 Flint Road
Toronto, Ontario
M3J 2J5 Canada
Tel 866.teknion
866.835.6466

IN THE USA:

350 Fellowship Road
Mt Laurel, New Jersey
08054 USA
Tel 877.teknion
877.835.6466

OTHER OFFICES LOCATED IN:

Europe, South and Central America
Middle East, Asia and Russia
For regional contact information
go to www.teknion.com

CAN/US/INT 05-22

©Teknion 2023

®, ™ trade marks of Teknion
Corporation and/or its subsidiaries or
licensed to it. Patents may be pending.

Some products may not be available
in all markets. Contact your
local Teknion Representative for
availability.

MAY23-UPS