

**Name**

Emergent

**Designer**

Suzanne Tick

**Style No.**

4101

**Collection**

Fabric of Space

**Use**

Upholstery

**Content**

45% Cotton +  
40% Recycled Wool +  
10% Recycled Polyester +  
3% Recycled Acrylic +  
2% Recycled Nylon  
(Preconsumer)

**Abrasion**

Martindale 50,000+  
cycles

**Environmental**


Renewable Content  
Recycled Content  
Heavy Metal Free  
REACH Regulation  
Compliant




## Emergent by Luum

Equal parts wool-blend and cotton, Emergent combines renewable and recycled yarns into a new hybrid material. Using a needle punch process, Emergent's highly unique and tactile surface is created when color contrasting boucle cotton loops emerge through the surface of the smooth and heathered wool-blend face. With its all over texture and no visible pattern repeat, Emergent's speckled surface is reminiscent of the abundance of stars in the night sky. Emergent upholsters beautifully on the curves of furniture and comes in 11 color combinations ranging from vivid to classic, allowing for a variety of applications.






Lunar Eclipse 4101-02



Pegasus 4101-04



Backscatter 4101-03





Earthshine 4101-05



Andromeda 4101-07




Stardust 4101-06




Astra 4101-08







Celestial 4101-09



Meteor Shower 4101-11



Nova 4101-10



Galaxy 4101-01



Name	Emergent
Style No.	4101
Designer	Suzanne Tick
Specification	<p><b>Use:</b> Upholstery</p> <p><b>Content:</b> 45% Cotton + 40% Recycled Wool + 10% Recycled Polyester + 3% Recycled Acrylic + 2% Recycled Nylon (Preconsumer)</p> <p><b>Weight:</b> 27.42 oz per linear yard</p> <p><b>Width:</b> 55"</p> <p><b>Pattern Repeat:</b> None</p> <p><b>Directional:</b> Yes</p>
Performance	<p><b>Abrasion:</b> ASTM D4966 Martindale 50,000+ cycles</p> <p><b>Breaking Strength:</b> ASTM D5034 Warp 85.2 lbf, 73.2 Fill lbf</p> <p><b>Seam Slippage:</b> ASTM D4034 Warp 48 lbf, Fill 36.4 lbf</p> <p><b>Colorfastness to Light:</b> AATCC 16, Grade 5 at 40 Hours</p> <p><b>Colorfastness to Crocking:</b> AATCC 8, Wet Class 3-4, Dry Class 5</p> <p><b>Pilling:</b> ASTM D3511 (Brush Pill), Class 4</p>
Flame Retardancy	Cal TB 117-2013
Maintenance	S, Clean with a dry cleaning or solvent-based cleaning agent. Do not use water-based cleaning products.
Environmental	<p>Renewable Content</p> <p>Recycled Content</p> <p>Heavy Metal Free</p> <p>REACH Regulation Compliant</p>
Origin	<p>Italy</p> <p>Wool is a natural product. Color variations are part of the natural beauty of wool and are not considered a defect.</p> <p>Dye lots may vary slightly from samples shown. Samples shown off the bolt.</p>



**Canada**  
877.705.LUUM  
luumtextiles.ca

**USA**  
877.705.LUUM  
luumtextiles.com

**International**  
919.464.2922  
luumtextiles.com

cdn/us/int/02-22

© Luum™ 2022, all rights reserved.

\*™ Trademarks used under license by Luum™, Emergent™

\*Certification Marks owned by the Association for Contract Textiles, Inc.

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.

Multiple factors affect fabric durability and appearance retention.

U13-SC-305-4101